

NO. HD(P&E)3-2(337)/21-22 GOVERNMENT OF SINDH, KARACHI HEALTH DEPARTMENT

(Development Wing) Karachi, dated: 26th April, 2022

ORDER

No.HD(P&E)3-2(337)/21-22: Whereas M/S Mediurge Pvt ltd, 77-Sector A-1 'Township, Lahore, was blacklisted upon violation of "SPPRA Rule 35(b) & (d) , vide this department's order of even number dated 13th September 2019.

- M/S Mediurge has supplied/installed/operationalized Medical Gases Supply System at DHQ Hospitals Khairpur, Shikarpur, Badin as per work order.
- 3. Upon satisfactory Supply/Installation and functionalization of Medical Gases Supply Systems at DHQ Hospitals Khairpur, Shikarpur & Badin and upon providing such reports of the Medical Superintendents of relevant Hospitals, the blacklisting of M/S Mediurge Pvt Itd is hereby withdrawn/ Canceled with immediate effect.

Secretary Health

Copy forwarded for information and necessary action action to the: -

- 1. The Secretary Primary Health Department, Government of Punjab, Lahore.
- 2. Secretary, Secondary Health Department, Government of Punjab, Lahore.
- 3. Secretary, Health Department, Government of KPK, Peshawar.
- Secretary, Health Department, Government of Baluchistan, Quetta.
- Principal Secretary, to Governor Sindh.
- 6. Principal Secretary, to Chief Minister Sindh.
- 7. Secretary Health Department, Government of Azad Kashmir & Gilgit Baltistan.
- 8. President, Bank of Punjab, .
- 19. Managing Director, PPRA, Islamabad.
- 10. Managing Director, SPPRA, Karachi with the request to upload the same on Official web site of Sindh
- 11. Managing Director, PPRA, Punjab Lahore/ KPK, Peshawar/ Baluchistan, Quetta/ Azad Kashimr @ Muzafarabd.
- 12. Director General Health Services Sindh, Hyderabad.
- 13. District Health Officers (All)
- 14. Medical Superintendents Teaching Hospitals (All)
 - 15. Medical Superintendents DHQ Hospitals (All)
- 16. P.s to Minister Health Sindh, Karachi
 - 17. P.s to Secretary Health Department Government of Sindh, Karachi.
 - 18. Mr. Mughees Ahed, Director, Mediurge Pvt Ltd, 77-Sector A-1 'Township, Lahore's

(Ashique Hussain Shaikh) Additional Director (M&E)

ADICAL Pula.

SPPRA INWARD DIARY



No. HD(P&E)3-2(337)/18 **GOVERNMENT OF SINDH, KARACHI** HEALTH DEPARTMENT

(Development Wing) Karachi, dated: 912 od.

2019

To,

Managing Director, Sindh Public Procurement Regulatory Authority, Karcahi.

Subject: Blacklisting of M/S Mediurge Pvt Ltd.

I am directed to enclose herewith a self explanatory copy of letter received from M/S Mediurge Pvt, Ltd a firm of Medical Equipment, vide No. MU1909314-M dated 20th September 2019, wherein they are requesting to withdraw order of black listing which was issued vide this department's order of even No dated 13-09-2019, copy of same was endorsed to SPPRA among others (Copy attached).

In fact Contracts for supply of Medical Gases System for DHQ Hospitals Khairpur, Shikarpur, Badin and O.T Tables for DHQ Hospitals Naushehroferoz, Sanghar, Tando Muhammad Khan, Tando Allahyar & Kotri, were awarded to M/S Mediurge Pvt ltd, 77-Sector A-1 'Township, Lahore 54770, being lowest evaluated bidder, by the Project Director, Defunct Project Rehabilitation of DHQ/THO Hospitals in Sindh, vide orders No. D/DHQ/2239,PD/DHQ/2238,PD/DHQ/2236,PD/DHQ/2235, PD/DHO/2237,PD/DHO/2242, PD/DHO/2240 dated 7-06-2016 respectively. As per work orders schedule of delivery was 90 days i.e. upto 4th September 2016, but despite issuance of several reminders and show cause Notices by the Project Director of Defunct Project of Rehabilitation of DHQ/THQ Hospitals in Sindh the said firm was failed to supply these items. R 1 After lapse of one year i.e 31st August 2017, M/S Mediurge Pvt ltd supplied only O.T Tables, whereas rest of order viz Centralized Medical Gases Supply systems for DHQ Hospital Khairpur, Shikarpur and Badin has not been completed so far, even the vendor has accepted his negligence in the above said letter that final installation of Air Compressor (main part of Medical Gases Supply System) is in process, whereas same are not received to end users so far. Further he is stating in his above said letter that he will take 8 weeks more to complete installations.

Moreover M/S Mediurge submitted 2 CDRs No. 0166567 amounting to Rs. 8,043,623/= & No. 0166568 Rs. 2,506,661/=, in favour of Project Director, Defunct Project Rehabilitation of DHQ/THQ Hospitals in Sindh against 20% remaining amount of the orders, issued from Bank of Punjab, IBKM Ferozpur Branch Lahore were found fake and these were not issued by the said branch as informed by the concerned Branch Manager vide his letter No. Nil dated 2nd May 2019. (Copy attached)

In this connection opportunity was given to M/S Mediurge Pvt ltd through show cause Notice of even number dated 14th June 2019 and subsequently Final Show cause of even number dated 10th July 2019 to clarify his position (Copies attached), but he failed to justify his position, therefore keeping in view above facts Competent Authority black listed M/S Mediurge Pvt ltd, under SPPRA Rule 35 (b) Involvement in corrupt and fraudulent practices while obtaining or attempting to obtain a procurement contract; (d) willful failure to perform in accordance with the terms of one or more than one contract; vide this department's order of even No dated 13-09-2019 copy of same was endorsed to SPPRA among others (Copy attached).

Keeping in view above request/appeal of M/S Mediurge Pvt ltd and preceding facts, guidance of SPPRA

as per SPPRA rule 35(4) is solicited.

(Ashique Hussain Shaikh) Additional Director (M&E)

C.c to P.s to Secretary Health Department Government of Sindh, Karachi.

Additional Director (M&E)



To.

Secretary Health, Health Department, Government of Sindh

Ref: MU1909314-M 20th September 2019

SUBJECT:

REQUEST FOR WITDRAW OF LETTER / ORDER PASSED BY ADDITIONAL DIRECTOR (M&E) BY VIDE NO. HD(P&I) 3-2 (337) 18 DATED 13.09.2019

Dear Sir.

Pursuant to the issuance of letter / order issued by Additional Director (M&E) by Vide No. HD(P&I) 3-2(337) 18 dated 13.09.2019, We would like to bring to your kind notice that we participated in the three advertised tenders for "Procurement of Medical Equipment / Instruments for the Financial Year 2015-2016 Under ADP Scheme No. 427 Expansion / Improvement of DHQ Hospital Badin, DHQ Hospital Shikarpur, DHQ Hospital Khairpur which were opened on 15.03.2016.

After technical grading and eligibility of our technical offers, during financial procedure, we declared lowest bidder firm and Advance Acceptance of Tender (AAT) for below items were issued to M/s Medi Urge (Private) Limited.

a. AAT #PD/DHQ/1914/2016 Dated 27.05.2016 - Office of the Project Director Rehabilitation DHQ/THQ Hospitals in Sindh - For DHQ Hospital BADIN (Annex-A)

Tender Item #	Descript of Stores/ Specification		REMARKS (Installation / Status)
27	OT Table Model: Surgery 8500 Mfg.: Dixion Germany	05	- Supplied and Installed
79	Centralized Medical Gases Supply System Mfg.: G. Samaras Greece	01	 Supplied all items, all fittings of copper pipe, valve boxes, etc has been completed and final installation of Air Compressors is in process.

b. AAT #PD/DHQ/1911/2016 Dated 27.05.2016 - Office of the Project Director Rehabilitation DHQ/THQ Hospitals in Sindh - For DHQ Hospital SHIKARPUR (Annex-B)

Tender Item #	Descript of Stores/ Specification		REMARKS (Installation / Status)	
41	Centralized Medical Gases Supply System Mfg.: G. Samaras Greece	01	 Supplied all items, all fittings of copper pipe, valve boxes, etc has been completed and final installation of Air Compressors is in process. 	

Head Office:

77- Sector A-1, Township, Lahore 54770 - Pakistan Ph: 92-42-35155110, 11, 12, 13 Fax: 92-42-35155114 E-mail: info@mediurge.com, mediurgelhr@gmail.com, www.mediurge.com

Karachi, Rawalpindi/Islamabad, Peshawar, Quetta

Branch Offices:

Multan, Bahawalpur, R.Y.Khan, Larkana, Hyderabad



c. AAT #PD/DHQ/1912/2016 Dated 27.05.2016 - Office of the Project Director Rehabilitation DHQ/THQ Hospitals in Sindh – For DHQ Hospital KHAIRPUR (Annex-C)

lender	Descript of Stores/ Specification	<u> </u>		
Item #	- Poomication	Qty	DEV	
66	Centralized Medical Gases		REMARKS (Installation / Status)	
	Supply System Gases	01	- Supplied all items all supplied	
	Mfg.: G. Samaras Greece		Supplied all items, all fittings of copper pipe, valve boxes, etc has been completed and final installation of Air Compressors is in process.	

It is pertinent to mention here that during installation of Central Medical Gases Supply, it was noticed that building construction was not completed at that time which caused the delay in the installation of Medical Gases. However the site is available now and we hereby confirm that we will complete the installation of above three sites within eight (08) weeks. We assure that fully functional sites will be available for final inspection and testing.

With regards to the alleged CDRs, it is to be mentioned here that the letter is showing same number of CDRs which is creating an ambiguity and confusion to the bank as well. We hereby request for the presenting of original CDRs to the bank concerned branch directly for confirmation / verification / encashment as the respondent desires because two CDRs cannot

We hereby request your goodself to please withdraw the Letter / Order issued by Additional Director (M&E) by Vide No. HD(P&I) 3-2(337) 18 dated 13.09.2019. We appreciate your kind consideration in this regard.

Thanking you and looking forward to serve you, we remain.

For

Moghe

Director



No. HD(P&E)3-2(33 1/18 GOVERNMENT OF SINDII, VARACHI HEALTH DEPARTMENT

(Development Wing Karachi, dated: 13 /09 - 2019

ORDER

Blacklisting of M/S Mediurge Pvt Ltd. SUBJECT:

Whereas the contract of supply of Medical Gases System for DHQ Hospitals Khairpur, Shikarpur, Badin and O.T Tables for DHQ Hospitals Naushehroferoz, Sanghar, Tando Muhammad Khan, Tando Allahyar & Kotri was awarded to M/S Mediurge Pvt ltd, 77-Sector A-1 'Township, Lahore 54770 being lowest evaluated bidder, by the Project Director, Defunct Project Rehabilitation of DHQ/THQ Hospitals in Sindh, vide orders No. PD/DHQ/2237,PD/DHQ/2242, PD/DHQ/2241, D/DHQ/2239,PD/DHQ/2238,PD/DHQ/2236,PD/DHQ/2235, PD/DHQ/2240 dated 7-06-2016 respectively. As per work orders schedule of delivery was 90 days i.e upto 4th September 2016. But despite issuance of several reminders and show cause Notice by the Project Director of Defunct Project of Rehabilitation of DHQ/THQ Hospitals in Sindh the said firm was failed to supply these items After lapse of one year i.e 31st August 2017, M/S Mediurge Pvt Itd supplied only O.T Tables, whereas rest of supply I.e Centralized Medical Gases Supply systems for DHQ Hospital Khairpur, Shikarpur and Badin has not been supplied/installed so far.

Whereas M/S Mediurge submitted 2 CDRs No. 0166567 amounting to Rs. 8,043,623 & No. 0166567 Rs. 2,506,661/= , in favour of Project Director, Defunct Project Rehabilitation of DHQ/THQ Hospitals in Sindh, issued from Bank of Punjab, IBKM Ferozpur Branch Lahore were found fake and these were not issued by the said branch as informed by the concerned Branch Manager vide his letter No. Nil dated 2nd May 2019.

Whereas opportunity was granted to M/S Mediurge Pvt Itd through show cause Notice of even number dated 14th June 2019 and subsequently Final Show cause of even number dated 10th July 2019 to clarify his position, but he failed to justify his position properly. Now therefore keeping in view above above facts Competent Authority has black listed M/S Mediurge Pvt ltd , 77-Sector A-1 'Township, Lahore 54770 under SPPRA Rule 35 (b) Involvement in corrupt and fraudulent practices while obtaining or attempting to obtain a procurement contract; (d) willful failure to perform in accordance with the terms of one or more than one contract;


Secretary Health

Copy forwarded for information and necessary action action to the: -

- 1. The Secretary Primary Health Department, Government of Punjab, Lahore.
- Secretary, Secondary Health Department, Government of Punjab, Lahore.
- 3. Secretary, Health Department, Government of KPK, Peshawar.
- 4. Secretary, Health Department, Government of Baluchistan, Quetta.
- Principal Secretary, to Governor Sindh.
- Principal Secretary, to Chief Minister Sindh. 6.
- 7. Secretary Health Department, Government of Azad Kashmir & Gilgit Baltistan.
- President, Bank of Punjab, with the request to take legal action against above said firm for using name of bank in the fraud/forgery.
- Managing Director, PPRA, Islamabad.
- 10. Managing Director, SPPRA, Karachi.
- 11. Managing Director, PPRA, Punjab Lahore/ KPK, Peshawar/ Baluchistan, Quetta/ Azad Kashimr @ Muzafarabd.
- 12. Director General Health Services Sindh, Hyderabad
- 13. District Health Officers (All)
- 14. Medical Superintendents Teaching Hospitals (All)
- 15. Medical Superintendents DHQ Hospitals (All)
- 16. P.s to Minister Health Sindh, Karachi
- 17. P.s to Secretary Health Department Government of Sindh, Karachi.
- 18. Mr. Mughees Ahed, Director, Mediurge Pvt Ltd, 77-Sector A-1 'Township, Lahore 54770



(Ashique Hussain Shaikh) Additional Director (M&E)





To,
Additional Director M&E
Govt of Sindh, Karachi
Health Department

Subject: - <u>VERIFICATION OF CDR IN FAVOR PROJECT DIRECTOR, PROJECT DIRECTOR, REHABILITATION DHQ/THQ HOSPITALS SINDH, GOVERNMENT OF SINDH HEALTH DEPARTMENT KARACHI.</u>

With reference to the citied subject and letter #HD (P&E) 3-2(337)/18 Government of Sindh, Karachi Health Department for the verification of CDRs#0166567 & 0166568 dated 2019. Branch hereby the branch TIB Ferozpur road Lahore.

Sr#	CDR NO	DATE	AMOUNT	
1 016656	0166567	17.00	The state of the s	FAVOURING
*	-200507	17-06-	8,043,623	PROJECT DIRECTOR REHAB OF DHQ/THQ HOSPITAL
2 0166568		2016		SINDH KARACHI
	17-06-	2,506,661		
		2016	2,300,001	PROJECT DIRECTOR REHAB OF DHQ/THQ HOSPIT SINDH KARACHI


Please consider the instruments CDRs#0166567 &0166568 favoring "PROJECT DIRECTOR REHAB OF DHQ/THQ HOSPITAL SINDH KARCH" AMOUNTING 8,043,623/-(EIGHT MILLION FORTY THREE THOUSAND SIX HUNDRED TWENTRY THREE ONLY) & 2,506,661/-(TWO MILLION EIGHT HUNDRED SIX THOUSAND SIX HUNDRED SIXTY ONE ONLY) ON ACCOUNT A/C OF MEDIURGE (PVT) LTD as fake.

Operation Manager Nustafa Anword

HE EXTENSION THE EXTENSION OF PORT AND THE

Branch Manager

THE BANK OF PUNJOYA





No. HD(P&E)3-2(337)/18 GOVERNMENT OF SINDH, KARACHI HEALTH DEPARTMENT

(Development Wing) Karachi, dated: 14-6-

2019

Mr. Mughis, Director,

Mediurge Pvt Ltd, 77-Sector A-1 Township,

Lahore

SUBJECT:

SHOW CAUSE NOTICE

Please refer to Project Director, Defunct Project of Rehabilitation of DHQ/THQ Hospitals in Sindh's work orders vide Nos. PD/DHQ/1912, 1914, for purchase of Centralized Medical Gases Supply systems and O.T Tables for DHQ Hospitals Khairpur and Badin whereas work orders for supply of O.T Tables for DHQ Hospitals Shikarpur, Naushehro Feroz, Sanghar. Tando Muhammed Khan, Jamshoro @ Kotri, Tando Allahyar, vide Nos. PD/DHQ/2235, 2236. 2238, 2239, 2240, dated 27th May 2016 were issued to your firm. As per work order delivery time of all these items was 90 days. Despite issuance of several reminders and show cause Notice by the Project Director of Defunct Project of Rehabilitation of DHQ/THQ Hospitals in Sindh you were failed to supply these items within stipulated delivery time. After lapse of one year i.e 31st August 2017, your firm supplied only O.T Tables, whereas you were failed to supply Centralized Medical Gases Supply systems for DHQ Hospital Khairpur, Shikarpur and Badin so far. In this regard you have also clearly mentioned in your letter NO. MU1904144-S dated 8th April 2019 that:

DHQ Hospital Badin: Complete system has been installed and in operation since last year. Only compressor need to be installed.

DHQ Hospital Shikarpur: All items have been supplied and installed except compressor


DHQ Hospital Khairpur: All equipment have been supplied and work is under process and we are expecting to complete this task within next 6 weeks time sure.

In view of your above said letter, Medical Superintendents Khairpur, Shikarpur and Executive Director Indus Hospital (DHQ Hospital Badin) were asked to submit their views, which as under:

DHQ Hospital Badin: Compressor Room is ready and all works associated with Centralized Medical Gases System are completed by the Management of Idus Hospital/ DHQ Hospital Badin. whereas M/S Mediurge did not complete the supplies and installation of Air Compressor, Pipelines, filters and humidifiers etc.

DHQ Hospital Shikarpur: Gas pipeding is installed in Casuality Department, Medical Ward, Male / Female surgical ward, Operation Theatre and Emergency Ward, remaining equipment not supplied

by Mediurge pvt ltd.



(Development Wing) Karachi, dated:

2010

PHO Hospital Khairpur: AS per requirement of Mediurge Pvt. room for installation of Compalized Medical Gases System was provided, but since long he has not returned back for installation.

Moreover against remaining 20% payment against work order (except 80% of L.C mount) paid to your firm by the Project Office against following 2 CDRs in favour of Project pirector issued from Bank of Punjab:

Sr. No.	CDR No.	Date	Amount	
1	0166567	17 th June 2016	8043623/=	
2	0166567	17 th June 2016	2506661/=	

Photo copies of CDRs of above said CDRs attested by you were sent to Manager, Bank of Punjab , IBKM Ferozpur branch for verification where from these CDRs were issued. After verification it has been revealed that said CDRs were not issued from the said branch and these are fake.

Keeping in view above facts, you are hereby called upon to submit your reply in your favour if any against fake CDRs and failure to supply Centralized Medical Gases Supply systems for above said 3 Hospitals after lapse of about 3 years, within 7 days from the date of receipt of this notice, failing Ex-party decision will be taken under SPPRA rule 35 (a), (b) &d).

(Ashique Hussain Shaikh)
Additional Director (M&E)

Copy forwarded for information to the M.D, SPPRA, Karachi. C. c to P.S to Secretary Health.

Additional Director (M&E)



SI

wł

Pr

De

DH

bu

fav

sai

not

Cor

NO. HD(P&E)3-2(337)/18 GOVERNMENT OF SINDH, KARACHI HEALTH DEPARTMENT

(Development Wing)
Karachi, dated: / OKTWY 2019

To,

Mr. Mughis, Director,
Mediurge Pvt Ltd, 77-Sector A-1 Township,
Lahore

SUBJECT: FINAL SHOW CAUSE NOTICE

Please refer to this department's show cause Notice of even number dated 14th June 2019, wherein you were directed to clear your position against fake CDRs which were submitted by your end to Project Office, Defunct Project Rehabilitation of DHQ/THQ Hospitals Project Sindh, Health Department, Government of Sindh, and failure to supply Centralized Medical Gases Supply systems for DHQ Hospitals Khairpur, Badin and Shikarpur, within 7 days from the date of receipt of above said notice, but you were failed to do so.

Keeping in view above position, you are hereby once again called upon to submit your reply in your favour if any against fake CDRs and failure to supply Centralized Medical Gases Supply systems for above said 3 Hospitals after lapse of about 3 years, within 7 days from the date of receipt of this final show cause notice, failing which Ex-party decision will be taken under SPPRA rules 35 (a), (b) &, (d),

This show cause notice may be treated as final show cause Notice.

(Ashique Hussain Shakkh) Additional Director (M&E)

Copy forwarded for information to the M.D SPPRA, Karachi. C. c to P.S to Secretary Health.

Additional Director (M&E)



No. 4(1)/DD/PPRA/2013 Government of Pakistan Public Procurement Regulatory Authority <>><>



Islamabad, September 25, 2019

Subject:

BLACKLISTING OF M/S MEDIURGE PVT. LTD.

Reference letter bearing No. HD(P&E)3-2(337)/18 received from Health Department, Government of Sindh, Karachi regarding the blacklisting order of M/s Mediurge Pvt. Ltd. (copy enclosed).

2. Perusal of record reveals that the subject matter pertains to Sindh Public Procurement Regulatory Authority (SPPRA), Government of Sindh, hence the aforementioned letter is being forwarded to your office for further necessary actions, please.

Encl:- As above.

(Muhammad Khurshid)
Deputy Director (Legal)
Ph:- 051-9224822

Managing Director

Sindh Public Procurement Regulatory Authority Barrack 8 Secretariat 4A Court Road Karachi.

Copy to:

Mr. Ashique Hussain Shaikh, Additional Director (M&E), Health Department, Government of Sindh, Karachi.

NO CONTRO DIARY DATED OUT 10 10

Dir co

Juliabers (DMT)

N STA



No. HD(P&E)3-2(337)/18 GOVERNMENT OF SINDH, KARACHI HEALTH DEPARTMENT

(Development Wing)
Karachi, dated:

2019

ORDER

SUBJECT: Blacklisting of M/S Mediurge Pvt Ltd.

Whereas the contract of supply of Medical Gases System for DHQ Hospitals Khairpur, Shikarpur, Badin and O.T Tables for DHQ Hospitals Naushehroferoz, Sanghar, Tando Muhammad Khan, Tando Allahyar & Kotri, was awarded to M/S Mediurge Pvt ltd, 77-Sector A-1 `Township, Lahore 54770 being lowest evaluated bidder, by the Project Director, Defunct Project Rehabilitation of DHQ/THQ Hospitals in Sindh, vide orders No. PD/DHQ/2241, PD/DHQ/2237 PD/DHQ/2242, D/DHQ/2239,PD/DHQ/2238,PD/DHQ/2236,PD/DHQ/2235, PD/DHQ/2240 dated 7-06-2016 respectively. As per work orders schedule of delivery was 90 days i.e upto 4th September 2016. But despite issuance of several reminders and show cause Notice by the Project Director of Defunct Project of Rehabilitation of DHQ/THQ Hospitals in Sindh the said firm was failed to supply these items. After lapse of one year i.e 31st August 2017, M/S Mediurge Pvt ltd supplied only O.T Tables, whereas rest of supply I.e Centralized Medical Gases Supply systems for DHQ Hospital Khairpur, Shikarpur and Badin has not been supplied/installed so far.

Whereas M/S Mediurge submitted 2 CDRs No. 0166567 amounting to Rs. 8,043,623 & No. 0166567 Rs. 2,506,661/= , in favour of Project Director, Defunct Project Rehabilitation of DHQ/THQ Hospitals in Sindh, issued from Bank of Punjab, IBKM Ferozpur Branch Lahore were found fake and these were not issued by the said branch as informed by the concerned Branch Manager vide his letter No. Nil dated 2nd May 2019.

Whereas opportunity was granted to M/S Mediurge Pvt Itd through show cause Notice of even number dated 14th June 2019 and subsequently Final Show cause of even number dated 10th July 2019 to clarify his position, but he failed to justify his position properly. Now therefore keeping in view above above facts Competent Authority has black listed M/S Mediurge Pvt Itd., 77-Sector A-1 `Township, Lahore 54770 under SPPRA Rule 35 (b) Involvement in corrupt and fraudulent practices while obtaining or attempting to obtain a procurement contract; (d) willful failure to perform in accordance with the terms of one or more than one contract;

Secretary Health

Copy forwarded for information and necessary action action to the: -

- 1. The Secretary Primary Health Department, Government of Punjab, Lahore.
- 2. Secretary, Secondary Health Department, Government of Punjab, Lahore.
- 3. Secretary, Health Department, Government of KPK, Peshawar.
- 4. Secretary, Health Department, Government of Baluchistan, Quetta.
- 5. Principal Secretary, to Governor Sindh.
- 6. Principal Secretary, to Chief Minister Sindh.
- 7. Secretary Health Department, Government of Azad Kashmir & Gilgit Baltistan.
- 8. President, Bank of Punjab, with the request to take legal action against above said firm for using name of bank in the fraud/ forgery.
- 9. Managing Director, PPRA, Islamabad.
 - 10. Managing Director, SPPRA, Karachi.
 - 11. Managing Director, PPRA, Punjab Lahore/ KPK, Peshawar/ Baluchistan, Quetta/ Azad Kashimr @ Muzafarabd.
 - 12. Director General Health Services Sindh, Hyderabad.
 - 13. District Health Officers (All)
 - 14. Medical Superintendents Teaching Hospitals (All)
 - 15. Medical Superintendents DHQ Hospitals (All)
 - 16. P.s to Minister Health Sindh, Karachi
 - 17. Prs to Secretary Health Department Government of Sindh, Karachi.

🚜. Mr. Mughees Ahed , Director, Mediurge Pvt Ltd, 77-Sector A-1 `Township, Lahore 54770

(Ashique Mussain Shaikh)
Additional Director (M&E)