


KARACHI WATER AND SEWERAGE BOARD



TENDER DOCUMENTS

FOR THE WORK OF

CONSTRUCTION OF FOUR ROOMS
AT 9TH MILE KARSAZ

EXECUTIVE ENGINEER
KARACHI DIVISION CIVIL-I



Karachi Water & Sewerage Board

EXECUTIVE ENGINEER

(Karachi Division Civil-I)

Block "B", 9th Mile Karsaz, Shakra-e-Faisal, Karachi

Tel. No. 021 - 99245119

LETTER FOR INVITATION OF BID

ISSUED TO M/S. _____

VIDE RECEIPT NO. _____ Dated _____

The Executive Engineer, Karachi Division Civil-I, KW&SB invites sealed Tender single stage one envelope through Notice Board for the works mentioned below on the SPPR Rule, 2010 in the presence of other members of Procurement Committee-I & interested bidders or their representative who may be present.

1. Name of Work : CONSTRUCTION OF FOUR ROOMS AT 9TH MILE KARSAZ
2. Amount put to Tender : In Pak Rupees
3. Tender Cost :
4. Earnest Money : 2%
5. Date of Opening : 19.12.2013


GENERAL TERMS & CONDITIONS / ELIGIBILITY AND BID EVALUATION CRITERIA FOR THE GUIDANCE OF CONTRACTORS

- 1) Debarred and blacklisted firms are not eligible.
- 2) Conditional bid shall not be accepted.
- 3) Bid shall be properly signed by contractor with stamp, address & contact number.
- 4) Contractor should attached the copy of NTN and in case of supply item copy of GST Registration.
- 5) The Pay Order of Bid Security as mentioned in NIT must be attached alongwith tender.
- 6) All overwriting & corrections if any must be initialed by the bidder.
- 7) Schedule of work to quote the rate is enclosed.
- 8) The authority shall have the right of rejecting all or any of the Tender and will not be bound to accept the lowest Tender as per relevant provisions of SPPR 2010.
- 9) The Specification, drawings and details can be seen in the office of E.E (KDC-I), KW&SB.
- 10) All prevailing rules regarding contract data will be applicable.
- 11) Proof of relevant experience of similar nature of job must be available with the tender documents.


Executive Engineer(KDC-I)
KW&SB

BIDDING DATA

- (a). Name of Procuring agency K.D(C-I), KW&SB.
- (b). Brief Description of Works CONSTRUCTION OF FOUR ROOMS AT 9TH MILE KARSZ
- (c). Source of Fund KW&SB.
- (d). Procuring Agency's address:- BLOCK "B" 9TH MILE KARSZ, NEAR AWAMI MARKAT.
- (e). Estimated Cost:- Rs.17,64,201/-
- (f). Amount of Bid Security:- 2% OF BID COST.
- (g). Period of Bid Validity (90 days):-
- (h). Security Deposit:- (including bid Security):- 10% including Bid Security.
(In % age of bid amount / estimated cost equal to 10 %).
- (i). Percentage, if any, to be deducted from bills:- 7% Income Tax & 1 1/2% WATER CHARGES
- (j). Deadline for issuance of Bids along with time :- 18.12.2013 at 5:00 PM
- (k). Deadline for submission of Bids along with time :- 19.12.2013 at 02:00 PM
- (l). Venue, Time, and Date of Bid Opening :- BLOCK "E" Room No.5, 9TH MILE KARSZ, NEAR AWAMI MARKAZ, 02:30 PM, 19.12.2013
- (m). Time for Completion from written order of commence:- DAYS
- (n). Liquidity damages 0.05 of Estimated Cost of Bid cost per day of delay, but total not exceeding 10% of bid cost.


Executive Engineer,
K.D(C-I), KW&SB.

OFFICE OF THE EXECUTIVE ENGINEER
KARACHI DIVISION CIVIL-I, KW&SB

B.O.Q.


SUBJECT: CONSTRUCTION OF FOUR ROOMS AT 9TH MILE KARSAZ.

ITEM NO.	DESCRIPTION OF ITEMS	QTY	RATE	PER	AMOUNT
Item No. 1	Excavation in foundation of building bridge and other structure i/c dag belling dressing, refilling around structure with excavated earth watering and ramming lead upto 5ft in ordinary soil.	1228.12		%0Cft	
Item No.2	Cement concrete brick or stone ballast 1 ½" to 2" gauge Ratio 1:4:8	246.87		%Cft	
Item No. 3	Cement concrete plain i/c placing compacting finishing and watering complete i/c screened and washing at stone aggregate without shuttering (F) Ratio 1:2:4	521.25		%Cft	
Item No. 4	P/L 1:3:6 cement concrete solid block masonry wall 6" above and below in thickness set in 1:6 cement mortar in graded floor super structure i/c racking out joint by curing etc.	986.25		%Cft	
Item No.5	Cement plaster 1:6 upto 12' high ½" thick.	4437		%Sft	
Item No.6	R.C. work in roof slab beams columns rafts lintels and other structure members laid in situ or precast laid in position complete in all respect. Ration (1:2:4) 90 lbs cement 2 cft sand 6 cft shingle 1/8" to ¼" guage.	302.61		P/Cft	
Item No.6	Dumproof course with cement sand and shingle (mortar 1:2:4) i/c 02 coats of sphaltic mixture (A) 2" thick	302.61		%Sft	
Item No. 7	Fabrication of mild steel reinforcement for cement concrete i/c cutting, lending, laying in position making jints and fasterning i/c cost of binding wire also i/c removal of b) Using TOR Bars	22.36		Cwt	
Item No. 8	P/F in position door, windows and ventilator of 2 x 2 ¼" Angle Iron frame and 1" ¾ thick commercial ply wood veneer shutter of deodar wood (3 ply) on both side including hole faste, cheals iron tower bolts, handle hinger and one mortice lock.	168		P/Sft	
Item No. 9	S/F in position Aluminum Channls framing for sliding windows & ventilator of ALCOP made with 5mm thick tinted glass glazed (Belgium) & Aluminum fly screen i/c handle stopper & locking arrangement etc complete. Deulus Model(Bronze)	37.00		P/Sft	

ITEM NO.	DESCRIPTION OF ITEMS	QTY	RATE	PER	AMOUNT
Item No. 10	L/flooring of approved coloured glazed tiles ¼" thick laid in white cement and pigment on a bed of tiles 10mm white of ¾" thick cement mortar 1:2.	672		% Sft	
Item No. 11	Glazed tiles dodo ¾" thick laid in pigment over 1:2 cement sand mortar ¾" thick i/c finishing.	478.74		% Sft	
Item No. 12	P/L 1" thick topping cement concrete (1:2:4) including surface finishing and dividing into panels (1 ½" thick)	917.00		%Sft	
Item No. 13	Distempering two coats	4437.00		%Sft	
Item No. 14	Painting door & windows any type (two coats)	336.00		%Sft	
Item No. 15	Wiring for light or fan with 3/29 PVC inculated wire in 20 mm (¾") PVC conduit recessed in the wall or column as required.	20		P/Poin t	
Item No. 16	Wiring for main with 2-1-70(7-44) PVC Pipe wiere 600 Volts Grade in 1" conduit on surface as required.	300		P/Rft	
Item No. 17	Wiring for main with 2-1-70(7-29) PVC insulated wire copper conduit in ¾" PVC conduit on surface.	250		P/Met er	
Item No. 18	P/F squatting type whitc glazed earthen ware W.C. Pan with front flush into complete with i/c the cost of flushing cistern with internal fitting and flush into pipe with bend and making request number of hole wall plinth & floor pipe connection & making good in cement concrete 1:2:4 W.C. or C.I. Trap.	04		Each	
Item No. 19	P/F 24x18" lavatory basin in white glazed earthen ware complete with and i/c the cost of WI or CI cantilever brackets 6" built into walls, painted white in two coats after a primary coats of red lead paint ½" dia chrome plated mixture 1 1/4" dia brass waste of approved pattern 1 ¼ dia makeable or CP brass traps makeable iron or brass unions and making requisite chamber of holes in walls plinth and floor for pipe connections and making good in CC 1:2:4.	04		Each	
Item No. 20	Providing and fixing of false ceiling of Gypsum in panels of required design & size i/c frame work of aluminum T.Section hanged with nail wire to ceiling etc complete..	576		P/Sft	
Item No. 21	P/F Fan 56" Pak Fan (Good Quality)	04		Each	
Item No. 22	Earth or mud.	1680		%Cft	
Item No. 23	S/F Fiber Glass Tank of approved quality and design and wall thickness as specification i/c cost of nuts, bolts and fixing in plateform of cement concrete 1:3:6 and making connection 500 gallons wall thickness 4.5 mm.	01		Each	

ITEM NO.	DESCRIPTION OF ITEMS	QTY	RATE	PER	AMOUNT
Item No. 24	Re-winding of electric motor 3 phase 400 / 440 volts 50 cycles with best quality insulated copper wire of required gauge i/c testing on load with satisfactory result upto one chain weeks / time opening and refilling and necessary excluding the cost of work out. E) BHP 20-0	01		Each	
Item No. 25	Providing / laying UPVC Pipes of class "D" fixing in trenches i/c cutting, fitting and jointing with other cement i/c testing with water to lead of 122 meter or 400 ft. (13 mm 1/2" dia)	300		P/Rft	
Item No. 26	Providing / laying UPVC Pipes of class "D" fixing in trenches i/c cutting, fitting and jointing with other cement i/c testing with water to lead of 122 meter or 400 ft. (3/4" dia Pipe)	400		P/Rft	
Item No. 27	P/L RCC Pipes with (Rubber Ring Joint and fitting in trench i/c cutting fitting and jointing with rubber ring i/c testing with water to specification pressure 8" dia.	200		P/Rft	
Total Rs.					
Amount in works ()					

I / We hereby quoted the cost of Rs. _____
for execution of the above work and I / We hereby undertaking
to accept all clauses of SPPR, 2010.


Executive Engineer,
(KDC-I), KWSB.

Signature of Contractor
with Name of Firm & Seal

Address : _____

Contact # _____

1. Tender's received in Sealed Cover (Y/N) and opened by Procurement Committee-I
2. No cutting and overwriting found.
3. Pay order No. _____ drawn Bank _____
dated _____ amount _____
4. Quoted Amount Rs. _____ (words
)
After rebate if any.

Accounts Officer(B.T)

Superintending Engineer KMC

Add. Dir(I.A) KMC

Chief Engineer(B.T)
KW&SB

Chief Engineer(IPD),
K.W.&S.B.