

KARACHI WATER AND SEWERAGE BOARD

OFFICE OF THE EXECUTIVE ENGINEER (W/D) GADAP TOWN

ROOM NO.5 KDA OFFICE SURJANI TOWN. CELL: 0300-9282883

NOTICE INVITING TENDER

KW&SB invites sealed tender on ITEM RATE BASIS from interested contractors Under SPPRA Rules-2010 for the work mentioned below:

Below 1 Million

		Below 1 Million	
1.	Name of Work	REPLACEMENT OF SUNK DOWN PORTION OF RCC RUBBER RING PIPE 12"DIA FOR MAIN LINE SECTOR 7C, 7B, 5D,5B,LI AND LERP TAISER TOWN GADAP TOWN.	
2.	Estimated Cost	Rs.9,80,040/-	
3.	Eligibility of Contractors	Valid registration with tax authorities/NTN.	
4.	Method Of Procurement	Single Stage Single Envelope System.	
5.	Tender Documents can be purchased.	Accounts Officer (Revenue), 1 st floor Old KBCA Annexe Building Behind Civic Centre, Gulshan-e-Iqbal Karachi between 9.00 am to 1.00 pm.	
6.	Earnest Money	2 % of quoted amount in shape of Pay Order / bank Dra favour of KW&SB	
7.	Bid validity period	90 days	
8.	Tender Fee	Rs.1000/- (None-refundable) each work in shape of Pay Order / Bank Draft in favour of KW&SB.	
9.	Date of Issuing	Tender documents can be purchased from the date of hoisting on web site before one hour of opening of Ter	
10.	Date of receiving	21- 12- 2013 / 2013 at 2.00 PM at opened at 2.30 PM	
		same date	
11.	Place of Opening	Tender will be opened by the tender opening committee-lin Chief Engineer (IP&D)/Convener office at Room no.5 Block-E KW&SB office Shahrah-e-Faisal Karachi.	
12	Source of Funding	KW&SB own funds	

CONDITIONS:

- Tender would be down loaded from SPPRA website as well as from www.kw&sb.gos.pk
- In case the date of opening is declared as a public holiday by the Government, or non working day due to any reason, the next official working day shall be deemed to be the date for submission and opening of tenders at the same time.
- 3. The procuring agency may reject all or any bids subject to the relevant provision s of PPRA Rules
- Conditional & Telegraphic bids/tender will not accepted.
- Bids received after specified date & time not considered.
- Without accompanied bid security of required amount not accepted.
- Affidavit that Firm has never been black listed.



TENDER DOCUMENTS

REPALCEMENT OF SUNK DOWN PORTION OF RCC RUBBER RING PIPE 12" DIA FOR MAIN LINE SECTOR 7C, 7B, 5D, 5B, LI, AND LERP TAISER TOWN GADAP TOWN

KARACHI WATER & SEWERAGE BOARD

BIDDING DATA

(a)	Name of Procuring Agency	KW&SB
(b)	Brief Description of Work	REPALCEMENT OF SUNK DOWN PORTION OF RCC RUBBER RING PIPE 12" DIA FOR MAIN LINE SECTOR 7C, 7B, 5D, 5B, LI, AND LERP TAISER TOWN GADAP TOWN
(c)	Procuring Agency Address	
(d)	Estimate Cost	On item rate basis
(e)	Amount of Bid Security	2% of Bid amount
(f)	Period of Bid Validity	90 Days
(g)	Security Deposit (including Bid Security)	10%
(h)	Venue, Time and Date of Bid Opening	The Tender in sealed cover super scribed with the name of the work should be dropped in the Tender Box kept in office of the Chief Engineer (IP&D) at Block-"B" 9 th Mile Karsaz, Karachi on 21.12.13 at 2.1.4. PM by Procurement Committee
(i)	Deadline for submission of Bid along with time.	21-12-2013. at. 2. P.M. opend on 2.30.1.0
(j)	Time for completion from writter order commence	n 15 Days
(k)	Liquidity damage	0.5% of Bid Cost per day of delay
(1)	Bid issued to Firm	M/s
(m)	Deposit Receipt No. & Date	
	Amount:	Rs. 9, 80, 040-50 /=

Executive Engineer (Sew) Gadap Town, KW&SB Authority Issuing Bidding Document

KARACHI WATER & SEWERAGE BOARD

OFFICE OF THE EXECUTIVE ENGINEER GADAP TOWN (SEW)

Room No. ___ KDA Office Surjani Gadap Town Cell #0300-9282883

Estimate	amount
----------	--------

Item Rate basis

Time limit

15 days

Penalty for delay : **Tender Cost**

500/- P/day 1000/-

Date of Opening

Name of Work:-

REPALCEMENT OF SUNK DOWN PORTION OF RCC RUBBER RING PIPE 12" DIA FOR MAIN LINE SECTOR 7C, 7B, 5D, 5B, LI, AND LERP TAISER TOWN

S. No	Description of Work	QTY	Rate		Per Unit / Item	Amount in Rupees
			Rupees in Figures	Rupees in Words		
		900 Cft	riguies		%Cft	
1	Dismantling & removing road metaling	500 011			-	
2	Excavation for pipe line in trenches, and pits in all kind of soils of murum i/c trimming and dressing sides to true alignment and shape leveling of beds of trenches to correct level and grade, cutting joint holes and disposal of surplus earth within a one chain as directed by Engineer Incharge, Providing fence guard, lights, flags and temporary crossings for non-vehicular traffic where ever requirement lift upto 5ft (1.52m) and lead upto one chain(30.5m) 0'-5' 5'-8'	12450 Cft 3582 Cft			%0Cft %0Cft	
3	Providing laying RCC pipe with Rubber Ring joint and fitting in trenches i/c cutting fitting and jointing with rubber ring i/c testing with water to specified pressure 12"dia	830 Rft			%Rft	
4	Providing manhole 4ft dia inside with C.I frame (5Kg) & 5ft clear depth cost in situ 1:2:4 using situ in 9" thick wall 1:4:8 Cement concrete in 6 ft dia & 6 inch thick foundation 1:2:4 C.C in benching ½" thick cement plaster 1:3 Cement mortar on inside wall & surface of channel and benching ½" making required no's of channels ¾"dia bars M.S foot rest at 12"dia C/C i/c cost of excavation in all kind back filling and disposal of excavated stuff etc. complete as per design & instruction of the Engineer lacks."	12 Nos			Each Each	
5	Francisco Add/Deduct	15 Nos		*	(exe0/.50	

	Providing manhole 5ft dia inside (15ft			1	
	clear depth for vehicular traffic) as per drawing design and specification complete upto 15ft depth with 1:2:4 CC wall on 8ft dia & 6" thick 1:4:8 CC bed & 1:3 Cement plaster to all inside wall surface channel and benching etc. Vc PF 3/4" dia M.S bar foot rest @ 12 C.C Vc cost of excavation of all kind of soil, backfilling and disposal of excavated staff etc. complete	03 Nos		Each P/Rit	
	Extra Depth (Add or Deduct) for 5 dia	(-) 9 Rft		PARIL	
7	and 15 depth manhole thickness of			%oct	
8	variable. Refilling the excavated stuff in trenches 6" thick layer i/c watering ramming to full compaction etc.	15013 Cft			
9	Full hire charges of pumping set it wages of driver and Assistant fuel or electric energy plate form for placing the pump etc at lower depths with suction and delivery pipes for pumping and water found at various depth from trenches i/c the cost of erection and dismantling after completion of the job. (i)Hire charges of pumping set of upto 10HP pumping out water from 10 feet	35 Days		P/Day	
10	Manufacturing and Supplying of 21 dia RCC Manhole cover cast in 1:2:4 concrete ratio 3"deep at center reinforced with ½" dia steel bars at 4" C/C welded to a 3/16 thick 2" wide M.S plate two hook of 3/8" dia tor bars including compacting //c curing and transportation with 10 miles etc. 21" dia	40 Nos.		Each	
11	Manufacturing and Supplying of RCC Ring Slabs of 21"dia 36" dia outside 7".5" with and two concrete link bars welded two sunk type hooks, casted in a 1:1-1/2:3 concrete with embedded 15Kg C.I frame in perfect position //c transportation charges for an average lead of 20Km per trip from casting yard to town offices (A minimum of 25 slabs per trip will be transported)	40 Nos.		Each	
12	Shifting to the site & fixing of 36"dia Ring slab in perfect position damaged manhole i/c cutting of damaged portion of manhole in the proper shape and laying of cement mortar of 2" thickness & disposal of debris.			Each	19)

Total Amount Rs._____/=

Executive Engineer (Sew) Gadap Town, KW&SB

NOTE:- Contractor will abide all existing rules / terms & condition of SPPRA Rules-2010

I/We hereby Quoted an Amount of Rs	On item rate basis.	3
In wards(
Signature of Contractor		
Address:		
Cell No		