



KARACHI WATER & SEWERAGE BOARD

OFFICE OF THE EXECUTIVE ENGINEER (SEW)

(CLIFTON / SADDAR DISTRICT SOUTH)

DEFIANT K.D.A OFFICE OPP. BILAWAL HOUSE
NEAR BILAWAL CHOWRANGI CLIFTON KARACHI.

Cell: 0334-3324756

SUBJECT:- REPLACEMENT OF OLD UNSERVICEABLE / DAMAGED 12" DIA BLOCK-5 & 8" DIA GHIZRI COLONY VARIOUS STREETS CLIFTON / SADDAR TOWN, DISTRICT SOUTH.


Estimated Cost On Item Rate Basis. Issued to M/S. _____
Time Limit 30 Days
Tender Cost Rs.500/= Pay Order No. _____ Dated: _____
Penalty Rs.500/=

ISSUING AUTHORITY

Sr.	Description	Quantity	Rate	Per	Amount
01.	Scarifying the existing road surface.	3960 Sft		% Sft	
02.	Dismantling and removing road metalling.	5960 CR		% Cft	
03.	Excavation for Pipe line in trenches, and pits in all kinds of Soils or murum i/c. trimming and dressing sides to true alignment and shape leveling of beds of trenches to correct level and grade cutting joint holes and disposal of surplus earth within a one chain as directed by the Engineer Incharge. Providing fence guard's ligts, flags and temporary crossing for non-vehicular traffic where over required lifts upto 5 ft (1.52m) and lead upto one chain (30.5m). Lift 0' - 5'	10272.50 Cft		% 0Cft	
04.	Full Hire Charges of Pumping set per day inclusive of the wages of driver and assistant, fuel and electric energy plate from required for placing the pump etc, at lower depth with suction and delivery pipe for pumping out water pound at various depth from trenches including the cost of erection and dismantling after completion of job of 10HP form 10 Feet Depth.	48 Days.		P/Day	
05.	Providing laying RCC Pipes with (Rubber Ring Joint and fitting i/c. cutting, fitting and jointing with rubber ring i/c. testing with water to specified pressure.	08" Dia 800 Rft 12" Dia 660 Rft		P/Rft P/Rft	

SUBJECT:- REPLACEMENT OF OLD UNSERVICEABLE / DAMAGED 12" DIA BLOCK-5 & 8" DIA GHIZRI COLONY VARIOUS STREETS CLIFTON / SADDAR TOWN, DISTRICT SOUTH.

Sr.	Description	Quantity	Rate	Per	Amount
06.	Providing M/H 4 feet internal diameter without RCC manhole cover with CI frame (15Kg) and feet clear depth cast in situ 1:2:9" thick wall 1:4:8 cement concrete in 6ft dia and 6 inch thick in foundation, 1:2:4 CC in benching ½" thick cement plaster 1:3 cement mortar on inside wall and surface of channel and benching to top including making required numbers of main and branches channels ¾" dia bars M.S foot rest at 12" C/C including cost of excavation in all kinds of soil, back filling and disposal of excavated stuff etc complete, as per design and instruction of the Engineer Incharge including C.I frame 15 Kg.	20 Nos.		Each	
07.	Add or deduct for extra / less depth than 5 ft of 4 ft dia manhole i/c. footrest.	(-) 07 Inches		P/Inch	
08.	Making connection with existing Manholes i/c. her cost of cutting holes in walls making them goodd in cement concrete 1:2:4 and making the required channel etc complete.	13 Nos.		Each	
09.	Refilling the excavated stuff in trenches 6" thick layer i/c. watering ramming to full compaction etc complete.	9037 Cft.		% 0Cft	
				Total	


 EXECUTIVE ENGINEER (SEW)
 CLIFTON / SADDAR DISTRICT SOUTH
 (KW&SB)

I hereby quoted bid amount of Rs. _____ (Rupees in words) _____

Signature of Contractor _____

Address _____