Tender documents charges Rs: 2,000/-(non refundable/nontransferable)

GOVERNMENT OF SINDH INSPECTORATE OF MINES MINES & MINERAL DEVELOPMENT DEPARTMENT

Tender documents charges receipt No	Tender Documents No: CIM/ADP 13-14/RS&ODDC/Tender/M&E/2014/
	TO,
	M/S,
FROM: CHIEF INSPECTOR OF MINES	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~
GOVERNMENT OF SINDH ST: 19/1, BLOCK-6, GULSHANE IQBAL, NIPA, CHORANGI, KARACHI.	
· · · · · · · · · · · · · · · · · · ·	vide www.pprasindh.gov.pk on KRY-NO: Dated te of Mines, Government of Sindh, Karachi
TENDER FOR THE SUP	PPLY OF STORES
Date of submission of tender: on or before: 30.04.201 Date of opening of tender: 30.04.2014 at 03.00 P.M	4 upto 01.00 P.M
Venue of tender opening: -	•
venue of tender opening	Office of Chief Inspector of Mines, Mines & Mineral Development Department, Government of Sindh St:19/1, Block-6, Gulshan-e-Iqbal, Near NIPA, Karachi
	<u> </u>
TOTAL COST OF BID	×./
M. KHALID MIRZA	Signal Secretal Department

RAJAB ALI MEMON Director inspection INSPECTOR OF MINES DIRECTOR OF MINES DIRECTOR INDUSTRIES IN THE DEVELOPMENT (HO) COUNTY DIRECTOR IN THE OF INSTRUMENTAL OF

Chief Inspector of Mines Govt. of Sindh

Karachi

Dear Sir,

3.

4.

- You are hereby invited to submit your tender for the supply of stores as detailed in the schedule to the invitation to tender subject to the conditions mentioned here under and given in the schedule. The tenderers quoting against this invitation to tender shall be deemed to have read and understood the conditions thereof.
 - The tenderers shall quote the bids on the PRESCRIBED TENDER FORM, (Annexure-A) schedule to the invitation to tender, on the basis indicated therein for the delivery of stores at consignee's end basis at Lakhra District Jamshoro and shall sign the certificate given therein to the effect that the store shall be supplied exactly, in accordance with the requirements as specified in this schedule. In case there is any deviation, it should be clearly stated by the tenderer in tender form otherwise it will be presumed, that offer is strictly in accordance with the requirement and specifications. Tender with separate attachment for specification shall not be entertained.
 - Tender should be accompanied by bid security equal to 2% (two percent) value of their bid price i.e grand total of total cost instead of grand total of total unit cost, in the shape of pay order/ demand draft from any scheduled bank in name of "Chief Inspector of Mines, Sindh Karachi" and shall be attached with the tender, without which no tender will be accepted.
 - Bid security shall be released to the unsuccessful bidders once the contract has been signed with the successful bidder or the validity period has expired.
 - The quantity mentioned against any item in the schedule inviting tender can be increased 5. or decreased at the time of the award of contract.
 - The successful tenderer shall have to ensure the supply of the stores upto 09.04.2014 failing which the tender shall be cancelled and the security deposit shall be forfeited, as 6. per provision of SPP Rules-2010.
- Original receipt in token of having purchased the tender form must be enclosed with the 7.

Tenderers shall submit attested photocopy of the National Tax Number Sertificate from tender.

the Income Tax Department for the year 2013-14.

ief Inspector o , of Sindh

Auditional Secretary Department

- The inspection of stores will be carried out by the consignee or any committee constituted by Government in this behalf, in the premises of the office of the Chief Inspector of Mines, Sindh, ST:19/1, Block-6, Gulshan-e-Iqbal, Near N.I.P.A, Chowrangi, Karachi.
- Failure to submit the tender in the manner prescribed in this invitation to tender will be 10. rendered the same to be ignored / rejected.
- The purchase does not pledge to accept the lowest or any tender & the purchaser reserves 11. the right to reject or accept any tender or tenders in full or in part or reject all the tenders without assigning any reasons thereof.
- Model number and make may be enclosed along with the relevant literature/ catalogue / 12. brochures.
- The bidder shall fill the sales tax coloums of tender form with sales tax at existing % age. 13.
- The bidder shall furnish the H.S Code against each and every imported item. 14.
- The successful tenderers will be bound to make delivery after carrying-out the inspection 15. for respective places as mentioned at Serial No.09.
- After coming into force of the procurement contracts, dispute, between the parties to the 16. contract shall be settled by arbitration as per rule.
 - Income Tax at existing rate including existing surcharge shall be deducted at source. If there is any dispute with regard to income tax the supplier may submit the refund claim to CBR as per rule.
- 20% of sales tax amount mentioned in the S.T column of tender documents shall be 18. deducted at source while making payment to supplier (successful bidder) and the supplier (successful bidder) has to furnish S.T invoice of remaining S.T amount, i.e 80% of S.T amount.
- Supplier (successful bidder) has to pay award fee at the rate of 0.25% of the award. 19.
- Supplier (successful bidder) has to pay stamp duty @ 0.2% of the award at the time of 20. execution of Procurement Contract.

Any other tax/duty applicable at the time of payment against the sapply of stores shall be 21. deducted at source.

- The supplier (successful bidder) shall be required to furnish the attested copy of import documents along with the bills.
- 23. Successful bidders to whom offers for the supply of stores shall be issued, shall have to provide 5% performance security of the amount of contract prices/offer prices, in the form of pay order or demand draft or bank guarantee. The validity of performance security shall extend at least ninety days beyond the date of completion of contract.
- 24. The supplier has to provide training in operating the equipment as and when required by the purchaser.
- 25. All conditions pertaining to purchase of stores mentioned in Sindh Public Procurement Rules 2010 including any amendment made so far shall be applicable.

(MUHAMMAD KHALID MIRZA) CHIEF INSPECTOR OF MINES, SINDH, KARACHI

RAJAB ALI MEMON INSPECTOR OF MINES DEVELOPMENT (HQ) KARACHI

9

Section Officer (Dev-IV)
Finance Department
Govt. of Sindh, Karachi

Milestrad Modelate Lion

Department of the Control of the Control of State of State

Karachi

Annexure-A
TENDER FORM

GOVERNMENT OF SINDH INSPECTORATE OF MINES MINES & MINERAL DEVELOPMENT DEPARTMENT

Schedule to invitation to tender no: -	Website Display vide www.pprasindh.gov.pk
	on & Newspaper Publication
•	vide No INF-KRY: NO:
	Dated
Date of receipt of tender: -	on or before 30.04.2014 upto 01.00 P.M
Date & time of opening of tender: -	30.04.2014 at 03.00 P.M
Venue of tender opening:-	

Office of the Chief Inspector of Mines, Mines & Mineral Development Department, Government of Sindh, St:19/1, Block-6, Gulshan-e-Iqbal, Near NIPA, Karachi.

Offer shall remain open for 90 days from the date of opening of tender. The tenderers shall quote on free delivery installation and demonstration basis to the consignee at F.O.R to Mine Rescue Station & Occupational Disease Detection Centre at Lakhra Near Lakhra Police Station, District Jamshoro.

The successful tenderer shall have to ensure the supply of the stores upto 09.06.2014.

Sealed tenders will be received and opened in the office of the Chief Inspector of Mines, Mines & Mineral Development Department. Government of Sindh, St:19/1, Block-6, Gulshan-e-Iqbal, Near NIPA, Karachi on the date and time mentioned above.

S R N	STORES	SPECIFICATION/DRAWING NO AND OTHER PARTICULARS TO GUIDE SUPPLY.	QUANTITY	COST PE	TOTAL	TOTAL COST
1	Accessories for testing unit (Test It-	Made in EU, USA, Japan or equivalent.) Fee	Lary		R

SAECTON APRIL Chief Inspector of Mines

Chief Inspector of Single

One Crop Area

Chief Inspector of Single

Chief Inspector of S

usuning Noblinan

Additional Sector Department

Onicer Dev.W

	6100) used for testing		
	Breathing Apparatus		
	(Drager PSS BG-4		
	Plus (EP).		
	T-+ C-4		50
	a) Test Set. b) Fill Station.		50
	c) Dust Fitter Pads		200
2	Multigas Detector	Made in EU, USA, Japan or	04
	(bellow type or	equivalent.	
	equivalent)		
i.	Multigas detector	Made in EU, USA, Japan or	
	tubes for item NO.2	equivalent.	
	a) CO2.		10 Pkts
· ·	b) со.		10
	b) CO.		Pkts
	c) H2S.		10 Pkts
	,		10
	d) NO2.		Pkts
	-> (1)		10 Pkts
	e) CH4.		
3	Oxygen Monitor	i) Oxygen measurement 0-25 vol	04
	Digital for measuring	% resolution 0.1 vol %	
	Oxygen in mines.	Electrochemical.	
		ii) Temperature -20°C + 50°C	
		iii) Operation time > 12 Hours	
	*	Along with following accessories	
-		Charging accessories, Data logging	
	•	Extension Hoses & Probes,	
		Calibration Adaptor and Carrying	
		Case.	
		Made in EU, USA, Japan or	
<u> </u>		equivalent.	
4	Portable Generator 63 KVA, 3 Phase, 50 cycle,	Powered with water cooled diesel	02
	440 v.	engine with alternator of 63 KVA,	
	177 1	3 Phase 50 Hertz, 440/220 volts	
		with control panel and tool kit.	
		- Electric starting system with	
		maintenance free lead acid battery.	
		- Tropicalized Radiator	
1		- Alternator Battery Charger	
, '		- Heavy Duty Exhaust Silencer	
		- Circuit Bracket	
		- Heavy Duty Fabricated Steel base	
		Frame with anti-vibration mounts	
L		- Hours run counter	
		N.	Soverting of Sindh Officer Coverty
_	ind	D MIRZA	Out on Depart
2v	MICHALI	of Mines W	retailed of Street MUA' 141
	aring Insper	Mobilitary Mines &	Man Contract
LI MI	()	Mines Constitution of the Mines Constitution	ONLY TOUR DEPARTS OF OTHER TOP AND AND THE PROPERTY OF SINGE
R OF	EMON Y	Mobiliar Mines William Mines &	Sure transport of Sinds Officer Cherity

RAJAB ALI MEMON INSPECTOR OF MINES DEVELOPMENT (HO)

Mobiliar Wolding Dueria Hairen Dueria maketus Maketus

Section Officer (Dev-IV)
Section Officer Department

	<u>,</u>		 ,_				
		- of/run crank key switch					
		- Protection Devise with indicators	İ				
		for high engine temperature and]			
		low oil pressure					
		Made in EU, USA, Japan or	1			-	
		equivalent.				<u></u> ,	
5	Portable Generator 22	Powered with water cooled diesel	01		-		
	KVA, 3 Phase, 50 cycle,	engine with alternator of 22 KVA,					
	440 v.	3 Phase 50 · Hertz, 440/220 volts					i
		ith sentral panel and tool kit		- 1			
		with control panel and tool kit.		1	1		
		- Electric starting system with					
	ļ	maintenance free lead acid battery.	1		1		
		- Tropicalized Radiator					
		- Alternator Battery Charger	!	1	İ		ļ
		- Heavy Duty Exhaust Silencer					
		- Circuit Bracket					
		- Heavy Duty Fabricated Steel base	1				!
		Frame with anti-vibration mounts					
		- Hours run counter	İ				
		- of/run crank key switch			l		
		- Protection Devise with indicators			1		
		for high engine temperature and					
		low oil pressure			- !		
		Made in EU, USA, Japan or equivalent.	 	 -			
6	Oxygen Booster (C.U)	Electric Driven,			1		
	An Oxygen Transfer	Nominal pressure PN200 bar/300					
	Pump to decant oxygen	bar (2900/4350 psi).					
	from storage cylinders	Max. pressure 220 bar/330 bar					
	into apparatus cylinders. Technical Data;	(3190/4785 psi)	1 .				
	Technical Data,	Power supply 400-V/50 Hz,	Complete Unit				İ
		optional 60 Hz.	te l				
		Control voltage 24 V AC	ple				
	!	Power-supply plug CEE 16 A.	E				
		Power-supply plug CLE To A.				i	
		Drive 1.1 kW, 230 V/400 V.	01				
		Pump Single-stage, 2-cylinders.					
	-	Charging connection 4 x PN 200,					!
		G3/4" DIN.		ļ			
		Made in EU, USA, Japan or]		j	1
		equivalent.	<u> </u>			ļ.———	
	Nominal PN200bar		1	1			
	Pressure: (2900 psi)						
			1			1	
	Max 220 bar						
	Pressure: (3190 psi)						
	• Power 400 V/50			•			
	7 1 700 1750	'					
ı	Supply: Hz, optional			$\mid Q$. /		
			1	1 74		1	1

RAJAB ALI MEMON INSPECTUR OF MINES MIKHMAID MIRZA

Ories Income of the Mines

nother ton

Additional Dev Department
Mines & Mineral Dev Department

Sindh Officer Devity

							 ,
 Control Voltage 	24 V AC.	-					
Power Supply Plug.	CEE 16 A						
■ Drive.	1.1 KW, 230 V/400 V			ļ			
■ Pump	Single – stage, 2-cylenders		ļ				
Charging Connect	4x pn 200, G ¾"						
 Dimensi on Approx. 	680 x 580 x 1100 mm (L x W x H)						
Weight Approx: Made in EU/Japan/ USA or	(38 lbs.)						
200 bar,	inder, 50 L connection			04			
ii Cylinder Ho	lder,			04			
transfer p	m.p. 200 clinder and ump, max. ressure 220 h 1.5 m. pump g side: R ¼" female cap screw R ¾"			02			
Supply Cylinder connecting:	female manual			\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	1	artinent.	

RAJAB ALI MEMON INSPECTOR OF MINES

M. KHALID MIRZA
Chief repeater of Mines

Mobiliar

Addition Developer of Stead

Cocion Officer Cocana

iv	Charging Hose,		04			
	Connecting hose					
	between PN 200					
	charging connection					
	and large apparatus					
	cylinder: max.				İ	
	Working pressure					
	220 bar 1.5 m long					
	hanging end: G 3/4"					
		•				
	cylinder; connection					
	end: G 3/4" female,					
	manual connection.					
v	Oxygen Drying cartage,	}	02			
	For Booster pumps.					
			02	-		
vi	Spare Parts set,		02			
	For Booster DOB					
	200/300.					
			02			
vii	Bushes.		02			
7	Oxylog 1000 (C.U)	i) Time-cycled, volume constant				
	Time-cycled volume	and portable.	!			
	constant and portable	ii) Optical and audible alarm for				
	emergency ventilator. Optical and audible alarm	paw low.				ļ
1	for Paw low (disconnect),	Made in EU, USA, Japan or				
j ·	Paw high (stanosis) and	equivalent.				
	supply pressure low.	•	持			
	Compact, portable		l D			
	emergency system		Complete Unit		+	
	consisting of;		ď	-		
	Oxylog 1000 Basic		ပိ			
1	Unit Ventilation Hose 1.5		00			
	m					
	Respiratory Valve					
	Note: DIN 13252 02-gas					
	inlet connection is					
	required.					
Ì	Made in EU/Japan/USA,					
	or equivalent.		02	 	+	
i	Carrying System 1000 Carrying system 1000 for		02			1
	Oxylog 1000; Special bag					
•	for the transport of					
	Oxylog 1000 and					
-	necessary accessories.					
	Optimized for 2 Liter		1			
1	L ==== (D 10000)	i .	1	L	ı	1
	GFK cylinder (B 10208).			D _k		
	GFK cylinder (B 10208).				<u> </u>	

degen

M. KHALID MIRZA
Chief Inspector (Minus
Gove, of Chief

Misarrat Mohitar Mines Spile Lucent Mines Conferment

cortion Officer (Dering)

ii	Oxygen Connecting		02	Т		T	· · · · · · · · · · · · · · · · · · ·
	Hose 0.5 m		02		1		
1	02-connecting hose 0.5 m;			1			
	to connect the pressure		-		1	1	
1	reducer and distributor			İ	-		
1	oxyplate; for carrying						
	system 1000 and 2000.						1
iii	Distributor Oxyplate		02	-		<u> </u>	
	Distributor to connect the		*-				
	Oxylog 1000/ Oxylog	•					
	2000 with an oxygen						1
	cylinder or with a central		i				
	gas supply.		1				ļ
iv	Revers. Hose 02, DIN		02	-		-	
	coupl. 1.5m		"-				
	Reversible hose 02/Air-						1
	Reversible hose for				İ		
	distributor connector,			1			
	quick-release Walther			İ]
1.	coupling.						
v	Alduk 1 02-Pressure		02				
	Reducer PI		"-				l
	Single-Stage compact						
	small pressure reducer for						
	emergency medicine to						
	reduce high-pressure						
	oxygen from cylinders to						
	the required operating						
	pressure. 2 outlets of 4.5		1				
	bar (non-return safety						
	vaive) 1 outlet 02						
	connector; adjustable						
	between 0-15 1/min.						
	Connection PIN Index			•			
8	VHF Radio Base Station	100 Channel	02				
	with complete	Output 45-65 watts					
!	accessories.	Frequency 137-174 MHz					
		Busy Channel Lockout					
		DOT, CTCSS and DC Dual Watch					
İ		Scane, Monitor, Home & Priority	•				
		Channel with accessories:					
	•	First Microphone					
		ſ •					
		Base Antenna with 100 feet Coaxial					
		cable					
		Heavy Duty Power Supply					
	-	G.I.Pipe 40 feet with mounting	1				
		hardware.	[
'		Made in EU, USA, Japan or equivalent.				l	
9	Underground	Intrinsically safe a set of two Self	01				
	Communication	powered telephone set along with	Unit				
	(Intercom) with 300-	sturdy double plastic covered	Omt				
	meter cable.	telephone cable.					
		Made in EU, USA, Japan or equivalent.		i			
		reado in 60, 05A, Japan or equivalent.		لما			

RAJAB ALI MEMON INSPECTOR OF MINES M. KHATTO MINEA

Chief Increasion of Manual

Chief Increasion of Manual

Chief Increasion of Manual

Chief Increasion of Manual

Chief Increasion of Manual

Chief Increasion of Manual

Chief Increasion of Manual

Chief Increasion of Manual

Chief Increasion of Manual

Chief Increasion of Manual

Chief Increasion of Manual

Chief Increasion of Manual

Chief Increasion of Manual

Chief Increasion of Manual

Chief Increasion of Manual

Chief Increasion of Manual

Chief Increasion of Manual

Chief Increasion of Manual

Chief Increasion of Manual

Chief Increasion of Manual

Chief Increasion of Manual

Chief Increasion of Manual

Chief Increasion of Manual

Chief Increasion of Manual

Chief Increasion of Manual

Chief Increasion of Manual

Chief Increasion of Manual

Chief Increasion of Manual

Chief Increasion of Manual

Chief Increasion of Manual

Chief Increasion of Manual

Chief Increasion of Manual

Chief Increasion of Manual

Chief Increasion of Manual

Chief Increasion of Manual

Chief Increasion of Manual

Chief Increasion of Manual

Chief Increasion of Manual

Chief Increasion of Manual

Chief Increasion of Manual

Chief Increasion of Manual

Chief Increasion of Manual

Chief Increasion of Manual

Chief Increasion of Manual

Chief Increasion of Manual

Chief Increasion of Manual

Chief Increasion of Manual

Chief Increasion of Manual

Chief Increasion of Manual

Chief Increasion of Manual

Chief Increasion of Manual

Chief Increasion of Manual

Chief Increasion of Manual

Chief Increasion of Manual

Chief Increasion of Manual

Chief Increasion of Manual

Chief Increasion of Manual

Chief Increasion of Manual

Chief Increasion of Manual

Chief Increasion of Manual

Chief Increasion of Manual

Chief Increasion of Manual

Chief Increasion of Manual

Chief Increasion of Manual

Chief Increasion of Manual

Chief Increasion of Manual

Chief Increasion of Manual

Chief Increasion of Manual

Chief Increasion of Manual

Chief Increasion of Manual

Chief Increasion of Manual

Chief Increasion of Manual

Chief Increas

Molditar Molditar Molditar

Mines & Mineral Devisory of Sindh

10 2 d Party

					 ,		
10	HF Radio Telephone inter	HF Base Station				į	
	connector complete with	Coverage RX 30KHz-30.000MHz in	02				
	Base Station including complete Accessories.	10 Hz steps, Tx 1,600-30.000 MHz.	ļ		1		
	complete Accessories.	Power Output: 125/100 Watts, all	ļ				
		moder operation SSB/LSB, AM,					
		CW, including accessories.					
		- Fist Microphone			-		
		- SP-500 AC Power Supply			ļ		
ĺ		220VAC, 35 Amp.					
		- 30 MHz Broad Band Antenna					
		with to meters cable RG-213 with					
		connectors		1	ŀ		
		- Telegraphic (Morse) Key.		I			
		- Pipe Mast for Antenna-D.1 Pipe				ı	
		2" dia 40-ft guys 3/16') G.1.Solid				ı	
ļ		wire at Mid and Top positions,					
		Base Plate, Anchore and mounting					
•		hardware.		- 1			
<u> </u>		Made in EU, USA, Japan or equivalent.					
11	Rock Cutters (Pneumatic)	Medium weight Pneumatic	02				
		Breakers				<u> </u>	
	.	a) Weight of Breakers = 19Kgs					
		b) Air Requirement = 26 L/S/6 bar	:				
		c) Drill Steel Chuck = 25x108 mm					
		d) Hose Connection = 20 mm					
	•	e) Impact Frequency = 1470 Blows					
	,	Per minute					
		Accessories:					
		Lubricator, 5 Nos. Narrow Chisel					
		Steel with length of 38 cm					
1		Made in EU, USA, Japan or equivalent.				ļ	
12	Spotter calibration Test		02				
	Kit.	and spares for two years.					Ì
		Made in EU, USA, Japan or equivalent.					
13	First Aid Training Kit	Stretcher, all types of Bandages and	05		· .		
ļ		other accessories needful for First Aid]				
		Saint John Ambulance Training					İ
	·	standard.					ļ
		Made in EU, USA, Japan or	ļ				
	Fire Supression Foam	equivalent. Capacity 30G Duration 5 Minute	01	. —	-	 	
14	Fire Supression Foam Generator with spares		"				
	hoses etc.	pressure 8 Bar Compressed Air		1			
		Cylinder 200 Bar.					
		Made in EU, USA, Japan or			1		
		Similar along with 400 Liters foam					
1		in 20 Liter packing. (Made in EU,					
	1	LISA Japan or equivalent)	1	1 1			
<u> </u>		11	\ <u>\</u>	3.7	······	1	0
	90 .	Mobiliar Malation Addition Addition Mines & Mines Core	a H	"altitle	y		ツノ
	12-4-7-	Mobile Mines &	tament of	dbo:	\mathbb{N}	1102	181
~	- VON	Mobiliar Mobiliar Addition Addition Addition Mines & Mines Core	10 to 100, 1875	2m_	$\sim N$). DH	Devent H
I[M]	EMON Chief Inche	Wines & Mines	THINK		J	1 Villicon	The Salata
5 OF	MUKE?	Code William Code	-		.30	D Sch Dog	. · ·
ا این سازی	990I				_CV*	7.5	
₹ OF HERRIS	(PQ)	a par Signi Silikasi			SOCUL	Ugit of Care	Dov.IVI Fittle of Carl

RAJAB ALI MEMON INSPECTOR OF MINES

ſ	15	Pine Park					
	13	Fire Extinguisher			 		
	i	164g size.	i. For Dry powder Fire Extinguisher. Capacity 9 kg fire rating 43A 233B, working pressure 15 Bar range of discharge 6-8m duration 24 scc. ii. For Foam Fire Extinguisher. Capacity 9L fire rating 21A 183B, working pressure 14 bar range of discharge 8-9m duration 30 sec.	e			
			Made in EU, USA, Japan or equivalent.			ı	
		124g size	For water Fire Extinguisher. i. Capacity 9L, working pressure 14 Bar range of discharge 9m duration 20 sec.	05			
10	6	Recording Resusci Anne	Made in EU, USA, Japan or equivalent.				
			Plastic model with arrangement or resuscitation and primitive mechanism for training to rescue work in resuscitation of victims Manufactured by Laerdal, Norway or equivalent.	01			
	C	Oust Respirator Picco-20 or equivalent idle dust espiratory	in filter ii) Duration of use Depends on particle exposure up to several days. iii) Weight Approx. 100g vi) Approval EN 1827 FMP2/FMP3 EN 143 P2/P3 Niosh CFR 42 P100/R95 v) Inhalation resistance (30 L/min) < 0.25 mbar iv) Exhalation resistance/repair. With necessary pare parts. Made in EU, USA, Japan or equivalent.	10			
18		ters for Dust espirator.	ľ	20 okts			

M. KHALID MIRZA
AJAB ALI MEMONChief Inspector of Mines
NSPECTOR OF MINES

Govt. of Sindh

NSPECTOR OF MINES

Muserial Molitar

Addition Dev. Department Coveraged of Sindh

Orlices (Des.14)

20	Explosimeter (Warnex or equivalent) with Charging device and test probe and adopter Drager or equivalent, EU/Japan/USA, made or equivalent. Pocket weather tracker with following calliberation. i) Altitude ii) Pressure Trend	i) Methane measurement. Range 0 to 100% LEL, Resolution 1% LEL, ii) Oxygen measurement. 0 to 25 Vol% Resolution 0.1 Vol% Temperature: -10 to 50 °C Humidity: 10 up to 99% r.h. Non condensing Operation time: > 12 hours Visual, audible and vibrating alarm. Along with following accessories: Charging Accessories, Data Logging, Extension Hoses and Probe, Calibration Adopter, Carrying Case. Made in EU, USA, Japan or equivalent. Wind Speed 0.4 to 40.0 m/s Air Flow 0 to 99.999 cfm	05		
	iii) Barometric pressure. iv) Relative Humidity. v) Heat Stress Index. vi) Dew point. vii) Wet bulb temperature viii) Density Altitude. ix) Wind Chill x). Air Temperature xi)Water Temperature. xii). Wind Speed.	Temperature -20.0 to 158.0 °F relative Humidity 5.0 to 95.0 % non-condensing Pressure -At 77.0 °F < 19.700 ft Altitude -At 77.0 °F < 19.700 ft Max error +/- 98 ft wind Chill 1.8 to 89.0 mph., -50 to 50.0 °F Heat Index 77.0 to 130.0 °F, 0 to 100% RH Dew Point -20.0 to 158.0 °F, 20.0 to 95.0% RH Wet Bulb Temperature 32.0 to 100.0 °F, 5.0 to 95.0% RH Density Altitude 32.0 to 100.0 °F, 5.0 to 95.0% RH Made in EU, USA, Japan or equivalent.			
21	Medical Examination	6ftx2ft made of iron pipe with	02		
	Table	foam cushion covered with regzene			
		Made in EU, USA, Japan or equivalent.	0.5		
22	Steel Stool	Stain less steel top, Height 18" Dia Meter 15" Made in EU, USA, Japan or	05		
		equivalent.		70	
MEN OF ME	M. KHALLING	Musartal Mobilitar Mines	Consideration of the	13 Jupage	Cov-IVI
MEN OF MI	M. KHALLING	Marines Moditar Mines	Edition July 1	13 13 13 CH 100	

RAJAB ALI MEMON

Moditar Moditar

Chines (Tow-IA)

	l ot	I W	T	,				
23	Stethoscope	Dual Head	05					
		Made in EU, USA, Japan or		İ				
-	ENT. C. 1	equivalent.	0.5					
24	ENT General Examination Test Kit	Tongue Depressor, Ear Speculum	02					
	Examination Test Kit	& Nose Speculum (different sizes),						
		Auto Scope, Head Light,						
		Thermometer, Torch.						
		Made in EU, USA, Japan or						
<u> </u>		equivalent.	<u></u>				<u> </u>	
25	Sterilizer	Stain less steel	05	İ				
		Made in EU, USA, Japan or equivalent.						
26	X-Ray Eliminator	Dual	02					
		Made in EU, USA, Japan or						
	1/0.0	equivalent.						
27	A/B-Scan Verification Ultrasonic Thickness/	i) Measures range 0.63 mm – 254	01	İ				
	Corrosion Meter	mm						
'	0011001011 (110101	ii)Resolution of 0.01 mm						
		including Echo to Echo (E-E)						
		mode						
		iii) Operating Temperature:						
	,	-10°C -50°C						
	•	iv) Stability indicator, bar graph						
		for visual cursors for reading						
		conformation.						
		Made in EU, USA, Japan or						
		equivalent.					ļ	
28	Table for officers	Table for officers (6x3 ½) with	05					
		three drawers along with lock and						
		keys (Panel) with 5 mm tinted			:			
		Glass or covered with regzine top						
l		quality finish.						
29	Table for officials	Table for officials (5'x3') with	10					
		three drawers along with lock and						
		keys in texture lamination wood						
		(Lasani / sony).						
30	Chairs	Chairs. (Set a bin Cane) made of	200					
		seasoned Shisham.		ļ				
31	Sofa Set	Sofa Set (Five seators) with ten	06					
		years foam warranty. Cushion in						
		regzine.						
32	Easy Chair with table	Set of 04 Easy Chair with table full	03		<u> </u>			_
-	(4 Chair Table)	Shisham. Chairs (Set a Bin Can).			l			
33	Almirah Steel	Size (4'x6') Made of SWG 22 MS	50	<u> </u>			1	
	1 minimi oteel	Sheet Four Shelves five						
		compartments with lock & keys.						
		Finish = Grey Colour Hammer						
		Spray painted.		0				
L		Spray parmed.		*	· · · · · · · · · · · · · · · · · · ·			—

RAJAB ALI MEMON

Moletica Moletica

Officer Devity

34	Bench wooden	Bench wooden for office (5') made of seasoned Shisham.	12		
35	Desks for Training of Students	Desks for Training of Students (3') made of seasoned Shisham.	10		
36	Towel Stands	Towel Stands	20		
37	Split A.C 1.5 Ton	Split A.C 1.5 Ton Made in EU, USA, Japan or equivalent.	09		
38	Computer P-IV Complete with Printer and scanner, branded	Printer and scanner branded	02		
39	Cots (Iron)	Gage 18, Dia 2", cotton strips knitting	50		
40	Steel Cabinet with 4 Drawers	Made of SWG 22 with 4 Drawers lock & keys. Finish = Grey Colour Hammer Spray painted.	50		

Note: -

	Pay	order	in	favor	of	Chief	Inspector	of	Mines,	Sindh	Karachi	bearing
No			• • • •			Dat	ed	· · · · ·	· • · · · • · · • · •	of Rs		
2% (two percent) of total bid value is enclosed.												

The Town MIRZ

M. KHALID MIRZA
Chief Inspector of Mines
Govt. of Sindh
Karschi

Signature of Owners / Proprietor

M/S.....

Registration No. (if any).....

Stamp / Seal.....

Section Officer (Dev-IV)
Finance Department
Govt. of Sindh, Karachi

RAJAB ALI MEMON INSPECTOR OF MINES DEVELOPMENT (HQ) KARACHI March Containing the

Depthy depthy

15