

9

GOVERNOR HOUSE KARACHI
(Military Secretary Wing)



TENDER DOCUMENTS

Single Stage Two Envelop Procedure


Supply & Installation,

Commissioning
& Training of Security Equipment

Name of Bidder: _____

Tender #: _____ Date of Issue: _____

Date of Submission: _____


SYED MEHMOOD RAZA SHAH
Section Officer (Estt.)
Military Secretary Wing
Governor's House, Sindh
Karachi.



GOVERNOR HOUSE KARACHI

LIST OF CONTENTS

PART #	DESCRIPTION
Part-I	Invitation of Bid
Part-II	Instructions to Bidders (ITB)
Part-III	Special Terms and Conditions
Part-IV	General Terms & Conditions
Part-V	Bidding Data
Part-VI	Post Evaluation Steps
Part-VII	Declaration on Part of the Bidder
Part-VIII	Articles of Agreement
Part-IX	Specification of Items
Part-X	Bill of Quantities (BOQ)-(Financial Proposal)



GOVERNOR HOUSE KARACHI

NOTICE INVITING BIDS

1. Tender Enquiry No: _____
2. Date and Time of closing of tender is 06th-May-2014 Up to 1600 hrs.
3. Date and Time of Opening of tender is 06th-May-2014 @ 1700 hrs.

Sealed tender are invited from sales tax registered firms/companies for SUPPLY & INSALLATION OF SECURITY EQUIPMENT.

Interested firms/companies/bidders may obtain the tender documents (Single stage two envelope procedure) for supply of above mentioned articles from the office of the **Deputy Secretary (Military Secretary Wing) Governor House** Karachi up to 02-May-2014 from the date of first publication of tender notice in newspaper by submitting application on their letterhead along with non-refundable tender fee Rs. 3,000/- in cash for each bid document.

Bid documents will be received up to 06th -May-2014 at 1600hrs at the office of **Deputy Secretary (Military Secretary Wing)** along with 2% bid security of the total bid price in the shape of Pay order/Demand Draft/Cheque in favor of _____ along following relevant papers and will be opened on the same day at 17:00hrs by a committee in the presence of bidders who wish to be present. If any holiday(s) fell on the opening day of bids, it will be opened on next working day at the given time and venue.

1. Company Name, Postal Address, Contact Phone Number, Email Address and Company Profile.
2. Financial Status (Turn-over of at least last three years)
3. National Tax Number, Professional and Sales Tax Registration certificate (Attested Photo Copy)
4. List of Customer references
5. Affidavit declaring that the contractor is not involved in any litigation or is not black listed by any Government Department/Agency.
6. Any other relevant documents

Only bids offered on the prescribed Bid form issued by this office shall be accepted. However, additional sheets may be attached; if required.

Any further information needed, may be obtained from the office of **(Deputy Secretary (Military Secretary Wing))** on any working day during office hours on Phone.

The competent authority (Sindh Governor's House) reserves the right to reject all or any bid, subject to the relevant provision of SPPRA Rules-2010.

PART II

INSTRUCTIONS TO BIDDERS (ITB):

All the bidders duly incorporated and based in Pakistan governed by rules, laws and statutes of Government of Pakistan and Government of Sindh shall be eligible. [SPPRA Rule 29]

Scope of Work:

Supply & Installation / Commissioning / Training of Security Equipment

Bidder have to submit following information:

- a. Certificates of Manufacturers Authorized Agent for Pakistan.
- b. Availability of Spare Parts backup.
- c. Stores offer would be brand new, unused and from current year of production.

PART III

1. SUBMISSION OF BIDS

- a. Bid must be submitted under a proper letter mentioning important points/ enclosures.
- b. Bid should be submitted under Single-Stage **TWO Envelopes** procedure in a sealed package.

- c. The Bid shall comprise a single package containing two separate envelopes. Each envelope shall contain separately the Financial Proposal and the technical Proposal with following documents/information noted against each.

1. Technical Proposal	(Bidding documents in original, earnest money, detail of specification of respective offering item along with catalogues and dealership certificate. Sales Tax and income Tax Certificate etc.)
2. Financial Proposal	(Rate of respective item including all taxes / Charges whatsoever)

- d. No conditional offer shall be accepted
e. Sealed Bids should be addressed to:
Deputy Secretary (Military Secretary Wing).

2. BID SECURITY

- a) A bid should accompany Bid Security @ rate of 2% of bid in shape of call deposit / Pay Order/Cross Cheque/Bank Guarantee.
b) A bidder offering more than one option / alternative / brand of the same machine/item/product will be rejected.
c) Bid security of unsuccessful Bidders will be returned after signing of contract or expiry of bid validity period.
d) Bid security shall be forfeited in case bidder withdraws his bid during validity of bid or fails to fulfill conditions of tender in any way, or-in case of a successful bidder - fails to fulfill pre-contract or post contract requirements.

3. QUANTITY

Quantity of advertised item can be increased or decreased at any time and or the item(s) can be excluded / dropped as per availability of funds.

4. SPECIFICATIONS OF MACHINES / GOODS:

Bidder should provide the following:

- a. Complete specifications i.e., make, model, origin and full technical information, as per Proforma given in the bid document.

- b. In case of a machine manufactured in one country and assembled in another country, clear information may be provided of the parts which are manufactured in the country and the country where assembled.
- c. Complete set of necessary literature (catalogues / brochures).
- d. Affidavit on non-judicial stamp paper – or company letterhead.
 - The bidder is not blacklisted by any government or semi government organization.
 - The machine quoted is new in all respects and there is no 2nd hand/low quality material or part / accessory in the machine.

5. PRICE:

- a. PRICE should be quoted in Pak Rupee. Including all taxes, duties, charges and inclusive of packing / freight till delivery at the Governor House-Karachi
- b. Validity of offer shall be up to 60 days.

6. COMPANY PROFILE AND ELIGIBILITY OF BIDDER:

The bidders should submit the following documents with technical proposals.

- a. Valid Agent /Distribution Certificate of the principal.
- b. Technical Detail & Original Brochures.
- c. Clients reference list.
- d. No. of Years in business in Pakistan.
- e. No. of Offices locations in Pakistan.
- f. Annual Turnover(Million Rs)
- g. Status of the bidder
 - Sole Proprietor
 - Partnership-Firm
 - Private Limited Company
 - Public Limited Company
 - Other (Please Specify)
- h. Details of the registered Head Office (Address, Phone, Facsimile, Email and Website information)

PART-IV

GENERAL TERMS & CONDITIONS:

1. Clarification:

A bidder will not alter or modify the bid after the bids have been opened. Procurement committee may, however, seek or accept clarification to the bid that does not change the substance of the bid.

2. Delivery & Installation:

The bidder must provide delivery time clearly; period of delivery can be given on reasonable grounds.

PART-V

BIDDING DATA

1. Name of Procuring Firm: Governor House Karachi.

2. Brief Description Of Work: Supply & Installation of Security Scanning Equipment at Governor House

3. Procuring Agency

Address: _____

4. Currency: bid shall be quoted entirely in Pak Rupees. The payment shall be made in Pak Rupees.

5. Literature: Bidder must provide with bid Brochures, catalogues, illustration and such other information as is necessary to illustrate clearly the significant characteristics such as general construction dimensions and other relevant information about the works to be performed.

6. Amount of Bid Security: 2% of bid cost.

7. Period of Bid Validity: 60 days counted from date of opening.

8. Number of Copies of the Bid Opening: One Original.

9. Deadline for Submission of Bids: Date: 06th-May-2014
Time:1600hrs

10. Venue, Time and Date of Bid Opening: Office of the **Deputy Secretary (Military Secretary Wing)** @ 1600hrs. On 06th-May-2014.

PART - VI

POST EVALUATION STEPS:

1. NOTIFICATION OF AWARD AND SIGNING THE CONTRACT:

Sindh Governor's House shall send to the successful bidder a Purchase Order. (PO) / Letter of Acceptance (LOA) and sign contract with the bidder.

2. WARRANTY & AFTER SALE SERVICES:

The bidder shall provide the following:

- a. Installation and commissioning of the machine / equipment and initial operational training to Governor House Karachi representatives.
- b. Assurance of the availability of spares for a minimum period of 05 years after the warranty.

3. Performance Guarantee:

The successful bidder will have to deposit 5% security of the amount of contract, in the form of Pay order, bank guarantee, or any financial instrument recognized by Government of Pakistan, to the satisfaction of **Deputy Secretary, Sindh Governor House, Karachi**. This same will be returned on due completion of the contract and warranty period.

PART-VII

We, M/s. _____ hereby affirm and declare that we have read all the contents of this Bid Documents and the same are fully acceptable to us.

We have adhered to the Bid Documents while farming our Bid.

Signature of Bidders: _____

Name of Signatory: _____

Designation: _____

Seal: _____

PART-VIII

ARTICLES OF AGREEMENT

This Agreement made this _____ day of _____ 2014, by and between the _____ Sindh Karachi, hereinafter called the "Party No. 1" , of the one part,
And _____

_____ (Name and Designation of the authorized person)

Of _____

_____ Located _____ her

hereinafter called the "Party No. 2" which expression shall include their successor, legal representatives of the second part.

Whereas, the Party No.1 requires the stores and related services, Whereas the Party No.2 has agreed to supply, install, put into operation and demonstrate the working of the said stores valued at _____

_____ (Amount in figures and words)

In the period of _____ days/months, subject to the terms and conditions set forth, hereinafter, which have been accepted by the Party No. 2.

Now this Agreement witnessed as follows:

1. In this agreement works and expressions shall have the same meaning as are respectively assigned to them in the Conditions of Contract hereinafter referred to.
2. The following documents, which, for the purpose of identification, have been signed by _____

_____ (Name and designation of the authorized person)

On the behalf of the Party No. 2, and by _____
_____, all of which shall be deemed to form and be read and constructed as
a part of this **Agreement** viz:

- a) Invitation of Bid;
- b) Instructions;
- c) Special Terms and Conditions;
- d) General Terms and Conditions;
- e) Bidding Data;
- f) Post Evaluation Steps;
- g) Declaration on Part Of the Bidder;
- h) Articles of Agreement;
- i) Specifications of Items;
- j) Bill of Quantities (BOQ) - (Financial Proposal);

3. In consideration of the payment to be made to the **Party No.2**
hereby covenants with the **Governor House Karachi** to supply,
deliver, install, put into operation and demonstration of the working of
the stores in conformity in all respects of the Contract.

4. The _____ hereby **covenants** to pay the
contractor in consideration of supply, delivery, installation, putting in
operation of the equipment of contract price in the manner prescribed
by the contract and approved by the Governor House Karachi.

In witness thereof the parties have here into set their respective hands
and seals, the day month and year above written.

WITNESSES OF PARTY NO .1:

Witness No 1:

Signature: _____

Name: _____

Designation: _____

Witness No 2:

Signature:

Name:

Designation:

WITNESSES OF PARTY NO .2: (CONTRACTOR)

Witness No 1:

Signature:

Name:

Designation:

Witness No 2:

Signature:

Name:

Designation:

PART -IX

SPECIFICATION OF ITEM

ITEM:1 GENERAL SPECIFICATION			
X-RAY SYSTEM WITH APPROX. TUNNEL SIZE 24 (W) X 17(H)			
S.#	TECHNICAL SPECIFICATION	REQUIREMENT	OFFERED BY SUPPLIER
1	Tunnel Dimension	Approx. 24 (w) x 17 (h)	
	Conveyor Height	Approx. 640mm to 812 mm	
	Conveyor Speed	Approx. 0.2/2.26 [m/s]	
	Conveyor Load	Approx. 150 to 160 Kg.	
	Resolution	Approx. 38AWG to 42AWG	
	Penetration Steel	Approx.27mm-30mm	
	X-Ray Dose/inspection (typ)	1.6µSv	
	Film Safety	Guaranteed up to ISO 1600(33 DIN)	
	Duty Cycle	100% no warm-up procedure required	
2	<u>X-RAY GENERATOR</u>		
	Anode Voltage	140kV cp. hermetically sealed oil bath	
	Beam direction	60° diagonal from below	
3	<u>IMAGE GENERATING SYSTEM</u>		
	X-converter	: L shaped detector line	
	Grey Level stored	: 4096	
	Image Memory (minimum)	: 128MB	
	Digital Video memory Image evaluation	: 1280x1024 /24 bit	

function	: VARI-MAT, O2, OS, HIGH	
Monitor	: 19"Color Monitor	
Flash Memory	: 512 MB	
CD-drive	:CD-RW/DVD-R	
Storage Temperature	: 0°-40°C/20°C- +60°C	
Power Consumption	: Approx. 0.8kVA	
Barcode Reader	: YES	
Nuclear Sensor System	: Gamma and Neutron	
Adaptive TIP	: YES	
STANDARD FEATURES:	<ul style="list-style-type: none"> ➤ Zoom ➤ Review ➤ High ➤ Low ➤ Neg ➤ Organic Only (O2) ➤ Organic Stripping (OS) ➤ VARI 	
4	ADDITIONAL/ADVANCE/ FEATURES/OPTIONS	
X-RAY Leakage	Meet all applicable laws and regulations with respect to X-Ray emitting devices	
Super-Enhancement	YES	
IMS	YES	
Opti-Zoom	YES	
HI-Spot	YES	
High Density Alert	YES	

ITEM: 02 GENERAL SPECIFICATION

BAGGAGE SCANNER MACHINE AAPROX.36 (w) x 40 (H)

S.#	TECHNICAL SPECIFICATION	REQUIREMENT	OFFERED BY SUPPLIER
2	Tunnel Dimension (Similar Required)	Approx.36" (w) x 40" (H)	
	Conveyor Height	Approx. 770mm (30.3")	
	Conveyor Speed (Adjustable with frequency converter)	0.2 [m/s]	
	Conveyor Load	200 Kg (440lbs)	
	Resolution	Standard 36AWG (0.13mm). Typical 38AWG (0.1mm)	
	Penetration Steel	Standard (32mm). Typical (35mm)	
	X-Ray Dose	Standard: 0.8 μ Sv (0.08mrem), with Hi MAT: 1.6 μ Sv(0.6mrem)	
	Film Safety	guaranteed up to ISO 1600 (33 DIN)	
Duty Cycle	100% no warm-up procedure required		
<u>X-RAY GENERATOR :</u>			
3	Anode Voltage	160kVcp. hermetically sealed oil bath	
	Beam direction	60° diagonal from(bottom to top)	
<u>IMAGE GENERATING SYSTEM</u>			
4	X-converter	: L shaped detector line	
	Grey Level stored	: 4096	
	Image Presentation	: B/W color	

	Digital Video memory	1280x1024 /24 bit	
	Image evaluation function	VARI-MAT, O ² , OS, HIGH (Electronic zoom: stepless enlargement up to 16 times)	
	Monitor	17"Color Monitor	
	Storage Temperature	0°-40°C/20°C- +60°C	
	Power Consumption	Approx. 1.0kVA	
	Dimension & Weight	141.1"(L) x 50.4"(W)x76.4"(H), Approx. 2050lbs	
5			
	STANDARD FEATURES:	<ul style="list-style-type: none"> ➤ Zoom ➤ Review ➤ High ➤ Low ➤ Neg ➤ Organic Only (O2) ➤ Organic Stripping (OS) ➤ VARI 	
ADDITIONAL/ADVANCE/ FEATURES/OPTIONS			
6	X-RAY LEAKAGE :	Meet all applicable laws and regulations with respect to X-Ray emitting devices	
7	Super-Enhancement	YES	
8	IMS	YES	
9	Opti-Zoom	YES	
10	HI-Spot	YES	
11	Barcode reader	YES	

ITEM: 03 GENERAL SPECIFICATION**HAND HELD EXPLOSIVE/NARCOTIC DETECTOR (DUAL MODE) - TSA APPROVED**

TECHNICAL SPECIFICATION	REQUIREMENT	OFFERED BY SUPPLIER
Technology	Ion Mobility Spectrometry (IMS)	
Radiation source	⁶³ Ni, sealed 15 mCi	
Sample collection	Trace particle and vapor	
Dimensions	Approx. 36.3 x 11 x 13cm (14.5 x 4 x 4.5in)	
Explosives detected	RDX, PETN, TNT, Semtex, TATP, NG, Ammonium Nitrate, H2O2 and others	
Drugs detected	Cocaine, Heroin, THC, Methamphetamine and others	
Toxic industrial chemicals detected	Hydrogen Cyanide (HCN), Phosgene, SO, NH and others	
Chemical warfare agents detected	Nerve and blister agents such as Tabun, Sarin, Soman, Cyclosarin, Agent VX and VX.	
Display	8.89cm (3.5in) TFT color display	
False alarm rate	Less than 1%	
Input voltage	12VDC, 110 VAC / 220 VAC, 50-60 Hz	
Alarm type	Audio and visual, with substance identification	
Ready time	Under 15 minutes	
Sensitivity	Particle: low nanogram range; Vapor: low parts per million range	
Weight	Approx. 3.2 kg (7lbs.) with at least 4 hour battery	
Operating modes	Explosives, Narcotics, Chemical warfare agents/Toxic industrial chemicals	
Analysis time	Detection in 10 seconds, complete analysis in 20 seconds	
Operating temperature range	0°C to +40°C (32°F to 104°F)	
Operating humidity	0 to 95% non-condensing	

TEM: 04 GENERAL SPECIFICATION		
DESKTOP EXPLOSIVE/NARCOTIC TRACE DETECTOR – TSA APPROVED		
TECHNICAL SPECIFICATION	REQUIREMENT	OFFERED BY SUPPLIER
Technology	Dual Ion Mobility Spectrometry (IMS) technology	
Operating Modes	Explosives/Narcotics simultaneous, Explosives only, Narcotics only	
Explosives Detected	RDX, PETN, NG, TNT, HMX, TATP and others	
Narcotics Detected	Cocaine, Heroin, Amphetamine, Methamphetamine, MDA, THC and others	
Sensitivity	Explosives: pictogram range Narcotics: sub-Nanogram range	
Analysis Time	5 - 8 seconds	
Warm-up Time	30 minutes	
Input Voltage	95-265VAC, 50-60 Hz 600W cold, 300W warm	
Power	110/220V	
Weight	19 kg (43 lbs.)	
Approx. Dimensions (L x H x D)	40 x 31 x 40 cm (16" x 12.5" x 16") with screen down 40 x 57 x 40 cm (16" x 22.5" x 16") with screen up	
Display	26.42 cm (10.4"), color TFT touch-screen display	
Printer	Built-in, 4" impact	
Operating Temperature Range	0°C to 40°C (32°F to 104°F), less than 95% humidity, non-condensing	
Features	Color Touch- Screen display, built in printer & 40 GB internal hard drive. Over 40 substance detected and identified in 5-8 second Simplified maintenance Internal data storage	

ITEM: 05-GENERAL SPECIFICATION**MULTI MODE THREAT DETECTOR (MMTD)-FOR ROUGH ENVIRONMENT USE**

TECHNICAL SPECIFICATION	REQUIREMENT	OFFERED BY SUPPLIER
Technology	Ion Mobility Spectrometry (IMS)	
Radiation Source	⁶³ Ni, sealed 15 mCi	
Sample Collection	Trace Particle and Vapor	
Operating Modes	Simultaneous Explosives/Narcotics, Explosives only, Narcotics only, Chemical Warfare Agents/Toxic Industrial Chemicals	
Explosives Detected	RDX, PETN, TNT, TATP, NG, H2O2, EGDN and others	
Narcotics Detected	Cocaine, Heroin, Methamphetamine (including precursors), THC and others	
CWAs	Nerve and blister agents such as Tabun, Sarin, Soman, Cyclosarin, Agent VX and Vx	
TICs	Hydrogen Cyanide (HCN), Phosgene, SO2, NH3 and others	
Sensitivity	Particle: low Nanogram (ng) range. Vapor: low parts per million (ppm) range	
False Alarm Rate	Less than 1%	
Programmable Channels	Over 40	
Input Power	90-264VAC, 1.6A, 47-63Hz	
Warm up Time	Less than 10 minutes	
Analysis Time	Less than 10 seconds	
Battery Operating Time	5 hours (with two 2.5 hour hot-swap batteries included)	
Alarm Type	Audio and visual, with substance identification	
Display	3.5" Color TFT LCD	

Data Storage	2 GB SD card included	
Dimensions	Approx. 48,3 x 21,6 x 20,3 cm (19" x 8.5 "x 8")	
Weight	5 kg (11 lbs.), including 2.5 hour hot swap battery	
Operating Temperature Range	-7°C to + 55°C (20°F to 131°F)	
Operating Humidity	0 to 95% non-condensing.	

ITEM: 06 GENERAL SPECIFICATION		
HAND HELD METAL DETECTOR		
TECHNICAL SPECIFICATION	REQUIREMENT	OFFERED BY SUPPLIER
Power supply	9V dry battery or 9V Ni-MH accumulator (not part of the delivery) 9V Ni-MH accumulator	
Three-position switch	Three-position switch with selection of visible and audible or visible and vibration alarms	
Built-in buzzer	High intensity pulsating acoustic alarm	
Indicators	Power-ON LED Low battery LED Alarm LED	
Case	Manufactured in black, shock- resistant ABS	

ITEM: 07 GENERAL SPECIFICATION**WALKTHROUGH METAL DETECTOR GATE-MULTI ZONE**

TECHNICAL SPECIFICATION	REQUIREMENT	OFFERED BY SUPPLIER
Power supply	115 / 230 VAC, $\pm 15\%$, 45-65 Hz, 30 VA MAX	
Interface	RS-232C interface for the connection to a terminal, a computer or an external modem. RS-232C interface for the network connection to other CEIA metal detectors.	
Operating temperature	-15 °C to 50°C	
Relative humidity	0 - 95% (non-condensing)	
Certification and conformity	<ul style="list-style-type: none">• Harmless to wearers of pacemakers or other vital support systems, pregnant women and magnetic storage media (floppy disks, audio cassettes, video cassettes and similar).• Conforms to the FAA "3-Gun-Test" standard and to the NILECJ-0601-00 standards for all security levels.• Satisfies EC regulations and international standards relating to electrical safety and electromagnetic compatibility (EMC).	
Alarms	<ul style="list-style-type: none">• Visible signals• Multi-zone display bar for "height on person" localization.• High intensity display.• Green and red signals.• Signal proportional to the mass of the object detected.• Audible signals• High acoustic intensity alarm signal.	

	<ul style="list-style-type: none"> • Volume and tone of alarm signal can be programmed. • Steady tone or tone length proportional to the mass of the object detected. 	
--	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--

ITEM: 08 GENERAL SPECIFICATIONS

VISITORE MANAGEMENT SYSTEM

SPECIFIC REQUIREMENT
<p>VMS is required at main gate for entrance of labor, private visitors, vehicles and commercial vehicles. Visitors are required to submit CNIC cards at the gate. Permanent visitors i.e. employees of the Governor House are issued Temporary / Permanent Gate Passes. It is required that all personal information should retrieve from Bar Code of CNIC and only purpose/visiting place has to be typed. The pictures of all visitors should be taken and stored on PCs as well in addition to personal information from CNIC.</p> <p>In summary, entire process has to be automated with supply of necessary hardware (PCs, printers, barcode reader cameras, power supply, stabilizer, UPS etc.) The comprehensive reporting and searching facility must be available with the supplied/developed software for accessing any detail of visitors quickly.</p>

ITEM: 09 GENERAL SPECIFICATION

Network & License Software:

Networking is required at Sindh Governor House to its main gate for integration of all the Security Equipment to the office of Military Secretary, Control Room and others.

Space left intentionally

PART-X

BILL OF QUANTITIES (BOQ)-FINANCIAL PROPOSAL

S #	ITEM & DESCRIPTION	QTY	UOM	RATE IN FIGURES & WORDS INCLUDING GST	
				UNIT COST	TOTAL COST
01	X-RAY SCANNER MACHINE App. 24 (width) x 17 (height)	02			
02	BAGGAGE X-RAY SCANNING MACHINE App. 35 (width) x 40 (height)	02			
03	HAND HELD EXPLOSIVE/NARCOTIC DETECTOR - TSA	02			
04	DESKTOP EXPLOSIVE/NARCOTIC TRACE DETECTOR - TSA APPROVED	01			
05	MULTI MODE THREAT DETECTOR (MMTD)-FOR ROUGH TERRAIN USE	02			
06	HandHeld Metal Detector	10			
07	WALKTHROUGH METAL DETECTOR GATE-MULTI ZONE	06			
08	VISITOR MANAGEMENT SYSTEM	01			
09	BULLET PROOF JACKETS (LEVEL III+)	40			

10	BULLET PROOF HELMETS (LEVEL III+)	40			
11	NETWORK & LICENSE SOFTWARE	07			

GST on Total Value:

Total Amount with GST:

Amount in Words:

TECHNICAL PROPOSAL FORM

S. #	EQUIPMENT DESCRIPTION	QTY	UOM	UNIT PRICE PKR	TOTAL PRICE PKR
01					
02					
03					
04					
05					
06					
07					
08					

Signature/Stamp Bidder	Quotation Ref:	Total Amount of Equipment	
	Date:	GST 17%	
		Total Amount of Equipment with Tax	

**Amount in
Words:** _____

FINANCIAL PROPOSAL FORM

S	EQUIPMENT DESCRIPTION	QTY	UOM	UNIT PRICE PKR	TOTAL PRICE PKR
01					
02					
03					
04					
05					
06					
07					
08					

Signature/Stamp Bidder	Quotation Ref:	Total Amount of Equipment	
		GST 17%	
	Date:	Total Amount of Equipment with Tax	

Amount in

Words: _____
