



STANDARD BIDDING DOCUMENT

PROCUREMENT OF WORKS

(For Contracts Costing up to Rs.2.5 Million)

(Website tender)

Name of Work

Name of Work REPAIR AND MAINTENANCE OF QUARTER NO G-I AT NEK
OLD STAFF COLONY

-:Name of Offices:-

K.D.C- I
KW&SB

BIDDING DATA

- (a) Name of Procuring Agency : Prufication Plant Division, KW&SB
- (b) Brief Description of Work : **R/M OF QUARTER NO.G-1 AT NEK
: OLD STAFF COLONY.**
- (c) Procuring Agency Address : COD Filter Palnt, Gulshan, Block-18, Karachi
- (d) Estimate Cost : (On composite Schedule of Rates (CSR)/offer rate basis).
- (e) Amount of Bid Security : 02% of Bid amount
- (f) Period of Bid validity : 90 Days
- (g) Security Deposit (Including Bid Security) : 10%
- (h) Venue, Time and Date of Bid Opening : The Tender sealed cover super scribed with the name of the name of work should be dropped in the Tender Box kept in office of the Chief Engineer (IP&D), Room No.5, Block "E" at 9th Mile Karsaz, Karachi on / /2014 at 02:30PM by Procurement Committee-I, KW&SB.
- (i) Deadline for submission of Bid along with time : 29 / 5 /2014 at 2:00PM
- (j) Time for completion from written order commence : 20 Days
- (k) Liquidity damaged : 0.5% of Bid Cost per day of delay
- (l) Bid issue to Firm : M/s
- (m) Deposit Receipt No & Date :
Amount : Rs.500/-

Executive Engineer
KDC-I KW&SB

Name of Work: REPAIR & MAINTENANCE OF QUARTER No.G-1, AT NEK OLD STAFF COLONY

(B) Description and rate of Items based on Marked (Offered rates)

S.No	Qty	Description	Rate	Unit	Amount
1	934.50 Sft	Cement plaster 1:4 up to 12-0 height 1/2" thick		% Sft	
2	869.75 Sft	P/L 1-1/2" thick top pint cement concrete (1:2:4) including surface finishing and dividing in to panel 1-1/2" thick.		% Sft	
3	146.75 Sfr	P/F in position Door, Windows and ventilator of 2x2" 1/4" iron frame and 1-1/4" thick commercial ply wood veneer shutter of deodor wood (ply) on both side including hole faste cleats iron --- bolts handle hinges and ---lock etc complete.		P.Sft	
4	20 Points	Wiring for lights or fanpoints with 3/029 PVC insulated wire in 20mm (3/4") dia metel PVC conduit on surface recessed in wall or columns as required.		P/Point	
5	300 MTR	P/L (Main or sub-main) PVC insulated with copper conduit for 3/4" dia metal PVC conduit or surface		P/MTR	
6	250 MTR	P/L (Main or Sub-main) PVC insulated with size (7/44 6mm) copper conduit 1" dia PVC conduit on surface.		P/MTR	
7	6 Nos.	P/F Brass Ceilling fan 56" (Good Conduit)		Each	
Total Rs:					

I/We hereby quoted Rs _____

Execution of above work and I/We hereby undertaking accept all clauses of SPPRA 2010 and comply the Rules of KW&SB.

Signature of Contractor

Executive Engineer
KDC-I, KW&SB