NIT. No:TC/ G55/

Dated:-

BIDDING DATA

(This section should be filled in by the Engineer/Procuring Agency before issuance of the Bidding Documents).

(a). Name of Procuring Agency:- Executive Engineer (Education Works)
Division Shikarpur.

DISTRICT ADP SCHEMES (Electrical Works)

(b). Brief Description of Works:- ADP 2327 REHABILITATION OF EXISTING BUILDING FOR BOYS / GIRLS SECONDARY/HIGHER SECONDARY SCHOOLS OF DISTRICT & TALUKA SHIKARPUR (2013-14) PROGRAMME.

GBHS JAGGON

(c).Procuring Agency's address:- <u>exe</u> Nea	ar GBHS No.II Shika	
(d). Estimated Cost:- 0.200 (<u>M</u> illions).	
(e). Amount of Bid Security: amount or in % age of bid amount /es	2% timated cost, but	(Fill in lump sum t not exceeding 5%)
(f).Period of Bid Validity (days):- 60	Days (Not more	e than sixty days).
(g).Security Deposit:-(including bid (in % age of bid amount /estimated co		
(h). Percentage, if any, to be deduct	ed from bills:	7.50% Income tax
(i). Deadline for Submission of Bids	along with time	e :- As Per NIT
(j). Venue, Time, and Date of Bid Op	ening:- <u>Near GB</u>	BHS II (Shikarpur As Per NIT).
(k). Time for Completion from writte	n order of com	mence: - 06 Months
(L).Liquidity damages:		of Estimated Cost or Bid cost
(m). Deposit Receipt No:	Date:	Amount:Rs:
Bank		
(n) D.R.NO:DATED:		
(o). Tender issued to Mr. / M/s		Govt: Contractor.

Discription and Rate of Items based on Composite Schedule of Rates

NAME OF WORK: REHABILITATION OF EXISTING BUILDING FOR BOYS / GIRLS SECONDARY / HIGHER SECONDARY SCHOOLS OF DISTRICT & TALUKA SHIKARPUR (2013-14 PROG.) AT GBHS JAGAN SHIKARPUR. ADP # 2327 (ELECTRIFICATION)

ltem No.	Quantities	Description of item to be executed at site	Rate	Units	Amoun
•	.l	PART "A" SCHEDULE ITEMS			
1	50	Wiring for light or fan point with 3/.029 PVCinsulated wire in 20mm (3/4") channel patti on surface as required (S.No. 129 P-15).	910	per point	45500
2	10	Wiring for plug point with 3/.029 PVC insulated wire in 20mm (3/4") channel patti on surface as required (S.I.No:130 P- No:15)	742	per point	7420
3	150	Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-7/.029 copper conductor in 3/4" dia PVC conduit on surface (S.I.No:3 P- No:1)	171	P.Mtr	25650
4	55	Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-7/.036 (4mm2) copper conductor in ¾" dia PVC conduit on surface (S.I.No:4 P-No:1).	200	P.Mtr	11000
5	50	Providing & fixing one way SP 5amp switch flush type	54	P.No	2700
6	10	Providing & fixing two pin 5amp plug & socket (S.I.No:225 P- No:33)	83	P.No	830
7	1	Providing & fixing 3pin 10/15amp plug & socket (flush type	151	P.No	151
9	7	Providing & fixing circuit breaker 6,10,15,20, 30,40,50 & 63amp SP (TB-5S) on prepared board as required (S.I.No:202 P- No:30)	916	P.No	6412
10	2	Providing & fixing circuit breaker 6,10,15,20, 30,40,50 & 63amp DP (TB-5S) on prepared board as required. (S.I.No:202 P- No:30)	2456	P.No	4912
11	15	Providing & fixing Bakelite ceiling rose with two terminals	72	P.No	1080
12	24	Providing & fixing Brass Battern holder c(S.I.No:232 P- No:33)	70	P.No	1680
13	15	Providing & fixing Brass Ceiling fan 56" (good quality) (S.I.No:235 P- No:34)	3185	P.No	47775
14	40	Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-7/.052 (10	428	per Meter	17120
	<u> </u>	mm2) copper conductor in 1" dia PVC conduit on surface (S.I.No:6 P- No:1).	TOT	AL :-	17223
		PART "B" SCHEDULE ITEMS			•••
1	1.5	P/F distribution metal board double shutter to accommodate circuit breakers including painting with enemel paint and for other simmilar job on surface (S.I.No:5 P- No:13)	907.96	Each	1362
2.	15	P/F mild steel bar fan clamp 15.8 mm (5/8")dia suitable for RCC roof (S.I.No:1 (c) P- No:14)	141.01	Each	2115
3	5	P/F 1-40 walts tube light complete with 40 wats4.0" long rod chok, starter and putty with Phillips components including necessory electric connection and fixingon wall or ceilling etc complete. (S.I.No:1 P-No:33)	396.00	Each	1980
4	6	P/F wall bracket light fancy type superior quality I/n necessory electric connection and fixing on wall or ceilling etc complete (S.I.No:5 P- No:33)	497.00	Each	2982
5	19	P/F Energy sever superior quality I/c fixing on existing holder etc complete (S.I.No:6 P- No:33)	497.00	Each	9443
6	3	P/F bulbs 100 walts (S.I.No:7 P- No:33)	25.00	Each	75
7	15	P/F A.C ceiling fan regulator on metal board recessed in the walls column and covered with plastic sheet (S.I.No:2b P- No:14)	124.30	Each	1865
8	1	P/F earthing set with 2x2x1/4" cooper plate burned in groud at a depth of 12" or less if water comes out from the ground level with salt and chorcoal ,etc,in/c.making the pit 12"deep by excavation of all type of soil. Earth plat to be connected with No:8	3610.04	Each	3610
		ne erimene murities	TOT		23432

Amount Total (CSR)

Part "A"

% Above / Below _____

Total Amount

Part "B"

% Above / Below ______

Total Amount

Total "A+B"

...

EXECUTIVE ENGINEER
EDUCATION WORKS DIVISION
SHIKARPUR

CONTRACTOR

Dated:-

BIDDING DATA

(This section should be filled in by the Engineer/Procuring Agency before issuance of the Bidding Documents).

(a). Name of Procuring Agency:- Executive Engineer (Education Works) Division Shikarpur.

DISTRICT ADP SCHEMES (Electrical Works)

(b). Brief Description of Works: - ADP 2348 REHABILITATION OF EXISTING BUILDING FOR BOYS / GIRLS PRIMARY ELEMENTARY SCHOOL OF DISTRICT SHIKARPUR TALUKA KHANPUR (2013-14) PROGRAMME.

1. GGPS MAZARJO

(c).Procuring Agen		ecutive Engineer ar GBHS No.II S		(s) Division Shikarpur
(d). Estimated Cost	:- <u>0.070 (</u>	Millions)		
(e). Amount of Bid amount or in % age	Security: of bid amount /es	2% stimated cost,	but not exceed	(Fill in lump sum ling 5%)
(f).Period of Bid Va	lidity (days):- 60	<u>) Days</u> (Not m	ore than sixty	days).
(g).Security Deposi (in % age of bid amo				
(h). Percentage, if a	ny, to be deduct	ted from bills	:- <u>7.50% Ir</u>	ncome tax
(i). Deadline for Sul	omission of Bids	s along with ti	me <u>:-</u> As Per N	T
(j). Venue, Time, an	d Date of Bid Op	ening:- <u>Near</u>	GBHS II (Shikar	pur As Per NIT).
k). Time for Compl	etion from writte	en order of co	mmence:	06 Months
L).Liquidity damag per day of delay, but			of Estimated	Cost or Bid cost
m). Deposit Receipt	No:	Date:	Amo	ount:Rs:
Bank			. <u>. </u>	
(n) D.R.NO:				pees: Five Hundred only
o). Tender issued to	Mr. / M/s			Govt: Contractor

EXECUTIVE ENGINEER EDUCATION WORKS DIVISION

&HIKARPUR

Discription and Rate of Items based on Composite Schedule of Rates

NAME OF WORK :- REHABILITATION OF EXISTING BUILDING FOR BOYS / GIRLS PRIMARY / ELEMENTARY SCHOOLS OF DISTRICT SHIKARPUR (2013-14 PROG:) AT GBPS MAZAR JO TALUKA KHANPUR. ADP # 2347 (ELECTRIFICATION)

No.	n to be executed at site	Rate	Units	Amoun
PART "A" SCHEDULE ITEMS				
	7.029 PVCinsulated wire in 20mm (3/4")	910	per point	17290
Wiring for plug point with 3/.029 PV patti on surface as required (S.I.No:	C insulated wire in 20mm (3/4") channel	742	per point	2968
3 30 Providing & laying (MAIN or SUB copper conductor in 3/4" dia PVC co	MAIN) PVC insulated with size 2-7/.029	171	P.Mtr	5130
4 19 Providing & fixing one way SP 5amp		54	P.No	1026
5 4 Providing & fixing two pin 5amp plug	g & socket (S.I.No:225 P- No:33)	83	P.No	332
6 2 Providing & fixing 3pin 10/15amp pl	ug & socket flush type	151	P.No	302
7 4 Providing & fixing circuit breaker 6, on prepared board as required (S.I.I.	10,15,20, 30,40,50 & 63amp SP (TB-5S) No:202 P- No:30)	916	P.No	3664
9 1 Providing & fixing circuit breaker 6, on prepared board as required. (S.I.	10,15,20, 30,40,50 & 63amp DP (TB-5S) No:202 P- No:30)	2456	P.No	2456
10 12 Providing & fixing Bakelite ceiling ro		72	P.No	864
11 9 Providing & fixing Brass Battern hole		70	P.No	630
	56" (good quality) (S.I.No:235 P- No:34)	3185	P.No	19110
13 12 Providing & laying (MAIN or SUB M	AIN) PVC insulated with size 2-7/.052 (10	428	per Meter	5136
mm2) copper conductor in 1" dia P	/C conduit on surface (S.I.No:6 P- No:1).			
		TOT	AL:-	58908
PART "B" SCHEDULE ITEMS			·	
1 1 P/F distribution metal board double including painting with enemel p	shutter to accommodate circuit breakers nt and for other simmilar job on surface	907.96	Each	908
2 6 P/F mild steel bar fan clamp 15 (S.I.No:1 (c) P- No:14)	.8 mm (5/8")dia suitable for RCC roof	141.01	Each	846
3 2 P/F 1-40 walts tube light complete	with 40 wats4.0" long rod chok, starter including necessory electric connection plete. (S.I.No:1 P- No:33)	396.00	Each	792
4	superior quality I/n necessory electric ling etc complete (S.I.No:5 P- No:33)	497.00	Each	1988
5 6 P/F Energy sever superior quality (S.I.No:6 P- No:33)	I/c fixing on existing holder etc complete	497.00	Each	2982
6 3 P/F bulbs 100 walts (S.I.No:7 P- No	:33)	25.00	Each	75
	etal board recessed in the walls column	124.30	Each	746
8 1 P/F earthing set with 2x2x1/4" coop or less if water comes out from	er plate burried in groud at a depth of 12" the ground level with salt and chorcoal excavation of all type of soil. Earth plat to	3610.04	Each	3610
1 De Connectes Aut 140.0		TOT	AL :-	11947
mount Total (CSR)	•			
art "A" % Above / Belo	w	Total Amou	unt .	
311 A 70 A				
	w	Total Amou	unt	

CONTRACTOR

BIDDING DATA

(This section should be filled in by the Engineer/Procuring Agency before issuance of the Bidding Documents).

(a). Name of Procuring Agency:- Executive Engineer (Education Works) Division Shikarpur, **DISTRICT ADP SCHEMES (Electrical Works)** (b). Brief Description of Works:- ADP 2332 REHABILITATION OF EXISTING BUILDING FOR BOYS / GIRLS SECONDARY/HIGHER SECONDARY SCHOOLS OF DISTRICT SHIKARPUR TALUKA G YASIN (2013-14) PROGRAMME. **GGHSS GARHI YASIN** (c). Procuring Agency's address:-Executive Engineer (Education Works) Division Shikarpur Near GBHS No.II Shikarpur. (d) Estimated Cost:-____ 0.200 (Millions). (e). Amount of Bid Security:- 2% (Fill in lump sum amount or in % age of bid amount /estimated cost, but not exceeding 5%) (f). Period of Bid Validity (days):- 60 Days (Not more than sixty days). (g).Security Deposit:-(including bid security):-(in % age of bid amount /estimated cost equal to 10%) (h). Percentage, if any, to be deducted from bills:- ______7.50% Income tax (i). Deadline for Submission of Bids along with time :- As Per NIT (j). Venue, Time, and Date of Bid Opening:- Near GBHS II (Shikarpur As Per NIT). (k). Time for Completion from written order of commence: - 06 Months (L).Liquidity damages:- ______ (0.05 of Estimated Cost or Bid cost per day of delay, but total not exceeding 10%). (m) Deposit Receipt No: _____ Date: ___ Amount:Rs: Bank (n) D.R.NO: _____ DATED: _____ Amount 500/-(Rupees: Five Hundred only).

(o). Tender issued to Mr. / M/s_____

EXECUTIVE ENGINEER EDUCATION WORKS DIVISION

Govt: Contractor.

Discription and Rate of Items based on Composite Schedule of Rates

NAME OF WORK :- REHABILITATION OF EXISTING BUILDING FOR BOYS / GIRLS SECONDARY / HIGHER SECONDARY SCHOOLS OF DISTRICT & TALUKA SHIKARPUR (2013-14 PROG:) AT GGHS GHARI YASIN TALUKA GHARI YASIN. ADP # 2332 (ELECTRIFICATION)

tem No.	Quantities	. Description of item to be executed at site	Rate	Units	Amoun
NO.	<u> </u>	PART "A" SCHEDULE ITEMS		<u> </u>	
1	50	Wiring for light or fan point with 3/.029 PVCinsulated wire in 20mm (3/4") channel patti on surface as required (S.No. 129 P-15).	910	per point	45500
2	10	Wiring for plug point with 3/.029 PVC insulated wire in 20mm (3/4") channel patti on surface as required (S.I.No:130 P- No:15)	742	per point	7420
3	150	Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-7/.029 copper conductor in 3/4" dia PVC conduit on surface (S.I.No:3 P- No:1)	171	P.Mtr	25650
4	55	Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-7/.036 (4mm2) copper conductor in ¾" dia PVC conduit on surface (S.I.No:4 P-No:1).	200	-P.Mtr	11000
5	50	Providing & fixing one way SP 5amp switch flush type	54	P.No	2700
6-	10	Providing & fixing two pin 5amp plug & socket (S.I.No:225 P- No:33)	83	P.No	830
7	1	Providing & fixing 3pin 10/15amp plug & socket flush type	151	P.No	151
9	7	Providing & fixing circuit breaker 6,10,15,20, 30,40,50 & 63am, SP (TB-5S) on prepared board as required (S.I.No:202 P- No:30)	916	P.No	6412
10	2	Providing & fixing circuit breaker 6,10,15,20, 30,40,50 & 63amp DP (TB-5S) on prepared board as required. (S.I.No:202 P- No:30)	2456	P.No	4912
11	15	Providing & fixing Bakelite ceiling rose with two terminals	72	P.No	1080
12	24	Providing & fixing Brass Battern holder c(S.I.No:232 P- No:33)	70	P.No	1680
13	15	Providing & fixing Brass Ceiling fan 56" (good quality) (S.I.No:235 P- No:34)	3185	P.No	47775
14	40	Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-7/.052 (10	428	per Meter	17120
	<u> </u>	mm2) copper conductor in 1" dia PVC conduit on surface (S.I.No:6 P- No:1).			
			TOT	AL:-	17223
	 .	PART "B" SCHEDULE ITEMS		· - · ·	·
1	1.5	P/F distribution metal board double shutter to accommodate circuit bruakers including painting with enemel paint and for other simmilar job on surface	907.96	Fach	1362
		(S.I.No:5 P- No:13)	<u>.</u> .	<u> </u>	
2	15	P/F mild steel bar fan clamp 15.8 mm (5/8")dia suitable for RCC roof (S.I.No:1 (c) P- No:14)	141.61	Each	2115
3	5	P/F 1-40 walts tube light complete with 40 wats4.0" long rod chok, starter and putty with Phillips components including necessory electric connection	396.00	Each	1980
	i	and fixingon wall or ceilling etc complete. (S.I.No:1 P- No:33)			
4	6	and fixingon wall or ceilling etc complete. (S.I.No:1 P- No:33) P/F wall bracket light fancy type superior quality i/n necessory electric connection and fixing on wall or ceilling etc complete (S.I.No:5 P- No:33)	497.00	Each	2982
5	6	P/F wall bracket light fancy type superior quality i/n necessory electric connection and fixing on wall or ceilling etc complete (S.I.No:5 P- No:33) P/F Energy sever superior quality I/c fixing on existing holder etc complete	497.00 497.00	Each Each	
5	19	P/F wall bracket light fancy type superior quality i/n necessory electric connection and fixing on wall or ceilling etc complete (S.I.No:5 P- No:33) P/F Energy sever superior quality I/c fixing on existing holder etc complete (S.I.No:6 P- No:33)			
		P/F wall bracket light fancy type superior quality i/n necessory electric connection and fixing on wall or ceilling etc complete (S.I.No:5 P- No:33) P/F Energy sever superior quality I/c fixing on existing holder etc complete (S.I.No:6 P- No:33) P/F bulbs 100 waits (S.I.No:7 P- No:33) P/F A.C ceiling fan regulator on metal board recessed in the walls column	497.60	Each	9443 75
5	19	P/F wall bracket light fancy type superior quality i/n necessory electric connection and fixing on wall or ceilling etc complete (S.I.No:5 P- No:33) P/F Energy sever superior quality I/c fixing on existing holder etc complete (S.I.No:6 P- No:33) P/F bulbs 100 walts (S.I.No:7 P- No:33) P/F A.C ceiling fan regulator on metal board recessed in the walls column and covered with plastic sheet (S.I.No:2b P- No:14) P/F earthing set with 2x2x1/4" cooper plate burried in groud at a depth of 12" or less if water comes out from the ground level with salt and chorcoal jetc,in/c.making the pit 12"deep by excavation of all type of soil, Earth plat to	497.00 25.00	Each Each	2982 9443 75 1865 3610
5 6 7	19 3 15	P/F wall bracket light fancy type superior quality i/n necessory electric connection and fixing on wall or ceilling etc complete (S.I.No:5 P- No:33) P/F Energy sever superior quality I/c fixing on existing holder etc complete (S.I.No:6 P- No:33) P/F bulbs 100 walts (S.I.No:7 P- No:33) P/F A.C ceiling fan regulator on metal board recessed in the walls column and covered with plastic sheet (S.I.No:2b P- No:14) P/F earthing set with 2x2x1/4" cooper plate burried in groud at a depth of 12" or less if water comes out from the ground level with salt and chorcoal	497.00 25.00 124.30 3610.04	Each Each Each	9443 75 1865

% Above / Below __

Total "A+B"

Total Amount

EXECUTIVE ENGINEER
EDUCATION WORKS DIVISION
SHIKARPUR

CONTRACTOR

Part "B"

BIDDING DATA

(This section should be filled in by the Engineer/Procuring Agency before issuance of the Bidding Documents).

(a) Name of Procuring Agency:- Executive Engineer (Education Works) Division Shikarpur. **DISTRICT ADP SCHEMES (Electrical Works)** (b) Brief Description of Works:- ADP 2333 REHABILITATION OF EXISTING BUILDING FOR BOYS / GIRLS SECONDARY/HIGHER SECONDARY SCHOOLS OF DISTRICT SHIKARPUR TALUKA G.YASIN (2013-14) PROGRAMME. **GBHS PANHWAR BHUTTA** (c). Procuring Agency's address:-Executive Engineer (Education Works) Division Shikarpur Near GBHS No.II Shikarpur. (d). Estimated Cost:-______0.150 (Millions). (e). Amount of Bid Security:- 2% (Fill in lump sum amount or in % age of bid amount /estimated cost, but not exceeding 5%) (f).Period of Bid Validity (days):- 60 Days (Not more than sixty days). (g).Security Deposit:-(including bid security):-________10% (in % age of bid amount /estimated cost equal to 10%) (h). Percentage, if any, to be deducted from bills:- 7.50% Income tax (i). Deadline for Submission of Bids along with time :- As Per NIT (j). Venue, Time, and Date of Bid Opening:- Near GBHS II (Shikarpur As Per NIT). (k). Time for Completion from written order of commence: - 06 Months (L).Liquidity damages:- ______ NIL-___ (0.05 of Estimated Cost or Bid cost per day of delay, but total not exceeding 10%). (m) Deposit Receipt No:_____ Date:____ Amount:Rs:____ Bank (n) D.R.NO:_____ DATED:_____ Amount 500/-(Rupees: Five Hundred only). (o). Tender issued to Mr. / M/s_____ Govt: Contractor.

> EXECUTIVE ENGINEER EDUÇATION WORKS DIVISION

Discription and Rate of Items based on Composite Schedule of Rates

NAME OF WORK :- REHABILITATION OF EXISTING BUILDING FOR BOYS / GIRLS SECONDARY / HIGHER SECONDARY SCHOOLS OF DISTRICT SHIKARPUR (2013-14 PROG:) AT GBHS PANHWAR BHUTTA TALUKA GHARI YASIN. ADP # 2333 (ELECTRIFICATION)

Description of item to be executed at site	Rate	Units	Amour
PART "A" SCHEDULE ITEMS	<u> </u>		
Wiring for light or fan point with 3/.029 PVCinsulated wire in 20mm (3/4") channel patti on surface as required (S.No. 129 P-15).	1	per point	40040
Wining for plug point with 3/,029 PVC insulated wire in 20mm (3/4") channel	742	per point	5936
Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-7/029	171	P.Mtr	17100
Providing & laying (MAIN or SUB MAIN) PVC insulated with \$1.3.2-7/036	200	P.Mtr	
JNO:T).		1	6000
Providing & fixing one way SP 5amp switch flush type	54	PNo	2376
Providing & fixing two pin 5amp plug & socket (S.I.No:225 P- No:43)			664
Providing & fixing 3pin 10/15amp plug & socket flush type	151		151
Providing & fixing circuit breaker 6,10,15,20, 30,40,50 & 63amp SP (TB-5S) on prepared board as required (S.I.No:202 P- No:30)	916	P.No	6412
jon prepared board as required. (S.I.No;202 P- No;30)	2456	P.No	2456
Providing & fixing Bakelite ceiling rose with two terminals	72	P.No	936
Providing & fixing Brass Battern holder c(S.I.No.232 P- No.33)			1680
Providing & fixing Brass Ceiling fan 56" (good quality) (S.I.No:255 P- No:34)			
Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-7/.052 (10	428	per Meter	38220
mm2) copper conductor in 1" dia PVC conduit on surface (S.I.No:6 P- No:1).		1	7276
	TOT	AL:-	129247
P/F distribution metal board double shutter to accommodate circuit breakers.	907.06	Foot 1	
including painting with enemel paint and for other simmilar job on surface (S.I.No:5 P- No:13)	201.30	Each	1362
(S.I.No:1 (c) P- No:14)	141.01	Each	1692
and putty with Phillips components including necessory electric connection.	396.00	Each	792
P/F wall bracket light fancy type superior quality I/n necessary electric	497.00	Each	
P/F Energy sever superior quality I/c fixing on existing holder etc complete (S.I.No:6 P- No:33)	497.00	Each	4970
<u> </u>		1	
P/F bulbs 100 walts (S I No 7 P- No 33)	05.00		
P/F bulbs 100 walts (S.I.No:7 P- No:33) P/F A.C ceiling fan regulator on metal board recessed in the wail: column and covered with plastic sheet (S.I.No:2b P- No:14)	25.00 124.30	Each Each	350 1492
P/F bulbs 100 walts (S.I.No:7 P-No:33) P/F A.C ceiling fan regulator on metal board recessed in the wait column and covered with plastic sheet (S.I.No:2b P-No:14) P/F earthing set with 2x2x1/4" cooper plate burried in groud at a up the of 12" or less if water comes out from the ground level with salt and chorcost etc,in/c.making the pit 12"deep by excavation of all type of soil. Earth plat to be connected with No:8			350 1492 3610
	Writing for plug point with 3/.029 PVC insulated wire in 20mm (3/4") channel patti on surface as required (S.I.No:130 P- No:15) Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-7/.029 copper conductor in ¾" dia PVC conduit on surface (S.I.No:3 P- No:1) Providing & laying (MAIN or SUB MAIN) PVC insulated with \$2.7.2-7/.036 (4mm2) copper conductor in ¾" dia PVC conduit on surface (S.I.No:4 P-No:1). Providing & fixing one way SP 5amp switch flush type Providing & fixing two pin 5amp plug & socket (S.I.No:225 P- No:43) Providing & fixing 3pin 10/15amp plug & socket flush type Providing & fixing circuit breaker 6,10,15,20, 30,40,50 & 63amp SP (TB-5S) on prepared board as required (S.I.No:202 P- No:30) Providing & fixing circuit breaker 6,10,15,20, 30,40,50 & 63amp DP (TB-5S) on prepared board as required. (S.I.No:202 P- No:30) Providing & fixing Bakelite ceiling rose with two terminals Providing & fixing Brass Battern holder c(S.I.No:232 P- No:33) Providing & fixing Brass Ceiling fan 56" (good quality) (S.I.No:25a P- No:34) Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-7/.052 (10 mm2) copper conductor in 1" dia PVC conduit on surface (S.I.No:6 P- No:1). PART "B" SCHEDULE ITEMS P/F distribution metal board double shutter to accommodate circuit breakers including painting with enemel paint and for other simmilar job on surface (S.I.No:5 P- No:13) P/F mild steel bar fan clamp 15.8 mm (5/8")dia suitable for RCC roof (S.I.No:1 (c) P- No:14) P/F 1-40 walts tube light complete with 40 wats4.0" long rod circk , starter and putty with Phillips components including necessory electric connection and fixing on wall or ceilling etc complete (S.I.No:1 P- No:33) P/F wall bracket light fancy type superior quality I/n necessory electric connection and fixing on wall or ceilling etc complete (S.I.No:5 P- (o:33))	witing for plug point with 3/.029 PVC insulated wire in 20mm (3/4") channel patti on surface as required (S.I.No:130 P- No:15) Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-7/.029 (4mm2) copper conductor in ¾" dia PVC conduit on surface (S.I.No:3 P- No:1) Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-7/.036 (4mm2) copper conductor in ¾" dia PVC conduit on surface (S.I.No:4 P- No:1) Providing & fixing one way SP 5amp switch flush type 54 Providing & fixing apin 10/15amp plug & socket (S.I.No:225 P- No:43) 83 Providing & fixing gircuit breaker 6,10,15,20, 30,40,50 & 63amp SP (TB-5S) 916 on prepared board as required (S.I.No:202 P- No:30) Providing & fixing circuit breaker 6,10,15,20, 30,40,50 & 63amp DP (TB-5S) 916 on prepared board as required (S.I.No:202 P- No:30) Providing & fixing Bakelite ceiling rose with two terminals 72 Providing & fixing Brass Battern holder c(S.I.No:232 P- No:33) 70 Providing & fixing Brass Ceiling fan 56" (good quality) (S.I.No:25a P- No:34) 3185 Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-7/.052 (10 428 mm2) copper conductor in 1" dia PVC conduit on surface (S.I.No:6 P- No:1). PART "B" SCHEDULE ITEMS P/F distribution metal board double shutter to accommodate circuit breakers including painting with enemel paint and for other simmilar job on surface (S.I.No:5 P- No:13) P/F mild steel bar fan clamp 15.8 mm (5/8")dia suitable for RCC roof (S.I.No:5 P- No:13) P/F mild steel bar fan clamp 15.8 mm (5/8")dia suitable for RCC roof (S.I.No:5 P- No:14) P/F 1-40 walts tube light complete with 40 wats4.0" long rod cirok , starter and fixingon wall or ceilling etc complete (S.I.No:1 P- No:33) P/F wall bracket light fancy type superior quality I/n recessory electric connection and fixingon wall or ceilling etc complete (S.I.No:5 P- In:33)	Wring for plug point with 3/.029 PVC insulated wire in 20mm (3/4") channel patti on surface as required (S.I.No:130 P- No:15) Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-7/.029 Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-7/.036 Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-7/.036 Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-7/.036 Providing & fixing one way SP 5amp switch flush type Providing & fixing one way SP 5amp switch flush type Providing & fixing two pin 5amp plug & socket (S.I.No:225 P- No:43) Providing & fixing 3pin 10/15amp plug & socket flush type Providing & fixing circuit breaker 6,10,15,20, 30,40,50 & 63amp SP (TB-5S) on prepared board as required (S.I.No:202 P- No:30) Providing & fixing circuit breaker 6,10,15,20, 30,40,50 & 63amp DP (TB-5S) on prepared board as required (S.I.No:202 P- No:30) Providing & fixing Bakelite celling rose with two terminals Providing & fixing Brass Battern holder c(S.I.No:232 P- No:33) Providing & fixing Brass Celling fan 56" (good quality) (S.I.No:250 P- No:34) Providing & fixing Brass Celling fan 56" (good quality) (S.I.No:250 P- No:34) Providing & fixing Brass Celling fan 56" (good quality) (S.I.No:36 P- No:1). PART "B" SCHEDULE ITEMS P/F distribution metal board double shutter to accommodate circuit breakers including painting with enemel paint and for other simmilar job on surface (S.I.No:5 P- No:13) P/F mild steel bar fan clamp 15.8 mm (5/8")dia suitable for RCC roof (141.01 Each (S.I.No:1 (c) P- No:14) P/F 1-40 walts tube light complete with 40 wats4.0" long rod circk , starter and fixingon wall or ceilling etc complete (S.I.No:5 P- (p:33)) P/F wall bracket light fancy type superior quality I/n recessory electric connection and fixing on wall or ceilling etc complete (S.I.No:5 P- (p:33))

CONTRACTOR

BIDDING DATA

(This section should be filled in by the Engineer/Procuring Agency before issuance of the Bidding Documents).

(a). Name of Procuring Agency:- Executive Engineer (Education Works) Division Shikarpur. **DISTRICT ADP SCHEMES (Electrical Works)** (b). Brief Description of Works: - ADP 2333 REHABILITATION OF EXISTING BUILDING FOR BOYS / GIRLS SECONDARY/HIGHER SECONDARY SCHOOLS OF DISTRICT SHIKARPUR TALUKA G.YASIN (2013-14) PROGRAMME. **GGHS DAKHAN** (c). Procuring Agency's address:-Executive Engineer (Education Works) Division Shikarpur Near GBHS No.II Shikarpur. (d). Estimated Cost:- 0.200 (Millions). (e). Amount of Bid Security:- 2% _____ (Fill in lump sum amount or in % age of bid amount /estimated cost, but not exceeding 5%) (f).Period of Bid Validity (days):- 60 Days (Not more than sixty days). (g) Security Deposit:-(including bid security):-(in % age of bid amount /estimated cost equal to 10%) (h). Percentage, if any, to be deducted from bills:- 7.50% Income tax (i). Deadline for Submission of Bids along with time :- As Per NIT (j). Venue, Time, and Date of Bid Opening: Near GBHS II (Shikarpur As Per NIT). (k). Time for Completion from written order of commence: - 06 Months (L).Liquidity damages:- _____ (0.05 of Estimated Cost or Bid cost per day of delay, but total not exceeding 10%). (m). Deposit Receipt No: _____ Date: ____ Amount:Rs: Bank (n) D.R.NO:_____ DATED: Amount 500/-(Rupees: Five Hundred only).

(o). Tender issued to Mr. / M/s

EXECUTIVE ENGINEER
EDUCATION WORKS DIVISION
SHIKARPUR

Govt: Contracto

Discription and Rate of Items based on Composite Schedule of Rates

NAME OF WORK :- REHABILITATION OF EXISTING BUILDING FOR BOYS / GIRLS SECONDARY / HIGHER SECONDARY SCHOOLS OF DISTRICT SHIKARPUR (2013-14 PROG:) AT GGHS DAKHAN TALUKA GHARI YASIN. ADP # 2334 (ELECTRIFICATION)

No.	Quantities		Rate	Units	Amount
•	T 44	PART "A" SCHEDULE ITEMS	L	<u> </u>	
1	44	Wiring for light or fan point with 3/.029 PVCinsulated wire in 20mm (3/4")	910	per point	
	8	channel parti on surface as required (S.No. 129 P-15)	ſ		40040
2	· •	Wiring for plug point with 3/.029 PVC insulated wire in 20mm (3/4") channel	742	per point	5000
3	150	patti on surface as required (S.I.No:130 P- No:15)		1 ' '	5936
J	150	Providing & laying (MAIN or SUB MAIN) PVC insulated with s. # 2-7/.029	171	P.Mtr	05050
4	80	copper conductor in 3/" dia PVC conduit en surface (S.I.No:3 P-11:1)		<u> </u>	25650
•	"	Providing & laying (MAIN or SUB MAIN) PVC insulated with 2-7/.036	200	P.ivtr	
i		(4mm2) copper conductor in 3/2 dia FVC conduit on surface (3.1.11b:4 P-INo:1).		i .	16006
- 5	44	Providing & fixing one way SP 5amp switch flush type		<u> </u>	
6	8	Providing & fixing the prin form the first type	54	P.No	2376
7	1 -	Providing & fixing two pin 5amp plug & socket (S.I.No:225 P- No:33)	83	P.No	664
9	6	Providing & fixing 3pin 10/15amp plug & socket flush type	151	P.No	151
	Ĭ	Providing & fixing circuit breaker 6,10,15,20, 30,40,50 & 63amp SP (TB-5S)	916	P.No	5496
10	1	on prepared board as required (S.I.No:202 P- No:30)		<u> </u>	 -
, ,	•	Providing & fixing circuit breaker 6,10,15,20, 30,40,50 & 63am > DP (TB-58)	2456	P.No	2456
11	20	on prepared board as required. (S.I.No:202 P- No:30)			2-70-0
12		Providing & fixing Bakelite ceiling rose with two terminals	72.	P.No	1440
13	16	Providing & fixing Brass Battern holder c(S.I.No:232 P-No:33)	70	P.No	1540
		Providing & fixing Brass Ceiling fan 56" (good quality) (S.I.No:235 P- No.34)	3165	P.No	50960
14	50	Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2052 (10	428	par Meter	······································
]	21400
		mm2) copper conductor in 1" dia PVC conduit on surface (S.I.N.) (2-140:1).		! !	2.,00
			TOT	AL:-	17410.)
		PART "B" SCHEDULE ITEMS			, <u> </u>
'	1.5	P/F distribution metal board double shutter to accommodate circuit breakers	907.96	Cach	
Ì	į	including painting with enemel paint and for other simmilar job on surface		†	1362
2		(S.I.No:5 P- No:13)]	
	16	P/F mild steel bar fan clamp 15.8 mm (5/8") 24 suitable for FCC roof	141.01	Each	2050
3	4	(S.I.No:1 (c) P- No:14)		<u> </u>	2255
۱ ۲	4	P/F 1-40 walls tube light complete with 40 wats4.0" long rud click, starter	396.00	Gach	
- 1		and purty with Phillips components including necessory electric a prection.		[1584
4		and fixingon wall or ceilling etc complete. (S.I.No:1 P- No:33)			
4	6	P/F wall bracket light fancy type superior quality I/n necessory electric	497.00	Each	****
		connection and fixing on wall or ceilling etc complete (S.I.No:5 P- 12:33)			2982
5	15	P/F Energy sever superior quality I/c fixing on existing holder als complete	407.00	Each	
- -		(S.I.No:6 P- No:33)			7455
6	3	P/F bulbs 100 walts (S.I.No:7 P- No:33)	25.00	Each	75
7	16	P/F A.C ceiling fan regulator on metal board recessed in inc want column.	124.30	Each	
_ +		and covered with plastic sheet (S.I.No:2p P- No:14)			1069
8	1 [P/F earthing set with 2x2,1/4" ccoper plate burned in group at a country of 12".	2010.01	Each	
ł	ļ¢	or less if water comes out from the ground level with salt and thorough			
	[,	etc,in/c.making the pit 12"deep by excavation of all type of soil, (fig.) and to		1	3610
	<u> </u>	be connected with No:8		1	
			TOTA	1.:-	2
mount	Total (CSF	R)			
			•		
art "A"		% Above / Balow	Tail Amou		
			. we muniqu		- · · · · · ·
art "B"		% Above / Edisw			
-		70 7 MOVING A LIGHT TO THE STATE OF THE STAT	ÇE! Aineti	 Di	
		i de la companya de	ctat "/.+B"		

CONTRACTOR

EXECUTATE SPONSER EDUCATION MODICS EXPERCIS

SHIKARPUS

BIDDING DATA

(This section should be filled in by the Engineer/Procuring Agency before issuance of the Bidding Documents).

(a). Name of Procuring Agency:- Executive Engineer (Education Works)

<u>Division Shikarpur.</u>

DISTRICT ADP SCHEMES (Electrical Works)

(b). Brief Description of Works:- ADP 2328 REHABILITATION OF EXISTING BUILDING
BOYS / GIRLS PRIMARY ELEMENTARY SCHOOL OF
DISTRICT SHIKARPUR TALUKA SHIKARPUR 2013-14
PROGRAMME.

GGPS HATHI DAR KASSAI MUHALLA

(c).Procuring Agency's address:-Executive Engineer (Education Works) Division Shikarpur Near GBHS No.II Shikarpur.
(d). Estimated Cost:- 0.200 (Millions).
(e). Amount of Bid Security:- 2% (Fill in lump sum amount or in % age of bid amount /estimated cost, but not exceeding 5%)
(f) Period of Bid Validity (days):- 60 Days (Not more than sixty days).
(g).Security Deposit:-(including bid security):- 10% (in % age of bid amount /estimated cost equal to 10%)
(h). Percentage, if any, to be deducted from bills:- 7.50% Income tax
(i). Deadline for Submission of Bids along with time :- As Per NIT
(j). Venue, Time, and Date of Bid Opening:- Near GBHS II (Shikarpur As Per NIT).
(k). Time for Completion from written order of commence: - 06 Months
(L).Liquidity damages: (0.05 of Estimated Cost or Bid cost per day of delay, but total not exceeding 10%).
(m). Deposit Receipt No:Date:Amount:Rs:
Bank
n) D.R.NO: DATED: Amount 500/-(Rupees: Five Hundred only).
o). Tender issued to Mr. / M/sGovt: Contractor.

Discription and Rate of Items based on Composite Schedule of Rates

NAME OF WORK :- REHABILITATION OF EXISTING BUILDING FOR BOYS / GIRLS PRIMARY / ELEMENTARY SCHOOLS OF DISTRICT & TALUKA SHIKARPUR (2013-14 PROG:) AT GGPS HATHI DAR KASAI MOHALLA SHIKARPUR. ADP # 2328 (ELECTRIFICATION)

Item No.	Quantities	Description of item to be executed at site	Rate	Units	Amoun
•	<u> </u>	PART "A" SCHEDULE ITEMS		June	
1	50	Wiring for light or fan point with 3/.029 PVCinsulated wire in 20mm (3/4") channel patti on surface as required (S.No. 129 P-15).	910	per point	45500
2	10	Wiring for plug point with 3/.029 PVC insulated wire in 20mm (3/4") channel patti on surface as required (S.I.No:130 P- No:15)		per point	7420
3	150	Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-7/.029 copper conductor in ¾" dia PVC conduit on surface (S.I.No:3 P- No:1)	171	P.Mtr	25650
4	75	Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-7/.036 (4mm2) copper conductor in 3/4" dia PVC conduit on surface (S.I.No:4 P-No:1).	200	P.Mtr	15000
5	50	Providing & fixing one way SP 5amp switch flush type	54	P.No	2700
6	10	Providing & fixing two pin 5amp plug & socket (S.I.No:225 P- No:33)	83	P.No	830
7	1	Providing & fixing 3pin 10/15amp plug & socket flush type	151	P.No	151
9	7	Providing & fixing circuit breaker 6,10,15,20, 30,40,50 & 63amp SP (TB-5S) on prepared board as required (S.I.No:202 P- No:30)	916	P.No	6412
10	2	Providing & fixing circuit breaker 6,10,15,20, 30,40,50 & 63amp DP (TB-5S) on prepared board as required. (S.I.No:202 P- No:30)	2456	P.No	4912
11	12	Providing & fixing Bakelite ceiling rose with two terminals	72	P.No	864
12	24	Providing & fixing Brass Battern holder c(S.I.No:232 P- No:33)	70	P.No	1680
13	13	Providing & fixing Brass Ceiling fan 56" (good quality) (S.I.No:235 P- No:34)	3185	P.No	41405
14	50	Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-7/.052 (10 mm2) copper conductor in 1" dia PVC conduit on surface (S.I.No:6 P- No:1).	428	per Meter	21400
		PART "B" SCHEDULE ITEMS	TOT	AL:-	173924
1	1.5	P/F distribution metal board double shutter to accommodate circuit breakers	907.96	Each	
		including painting with enemel paint and for other simmilar job on surface (S.I.No:5 P- No:13)	301.50	Laui	1362
2		P/F mild steel bar fan clamp 15.8 mm (5/8")dia suitable for RCC roof (S.i.No:1 (c) P- No:14)	141.01	Each	1692
3		P/F 1-40 walts tube light complete with 40 wats4.0" long rod chok, starter and putty with Phillips components including necessory electric connection and fixingon wall or ceilling etc complete. (S.I.No:1 P- No:33)	396.00	Each	1188
4		P/F wall bracket light fancy type superior quality I/n necessory electric connection and fixing on wall or ceilling etc complete (S.I.No:5 P- No:33)	497.00	Each	2982
5		P/F Energy sever superior quality I/c fixing on existing holder etc complete (S.I.No:6 P- No:33)	497.00	Each	9443
6		P/F bulbs 100 walts (S.I.No:7 P- No:33)	25.00	Each	75
7		P/F A.C ceiling fan regulator on metal board recessed in the walls column and covered with plastic sheet (S.I.No:2b P- No:14)	124.30	Each	1492
8	1	P/F earthing set with 2x2x1/4" cooper plate burried in groud at a depth of 12" or less if water comes out from the ground level with salt and chorcoal etc,in/c.making the pit 12"deep by excavation of all type of soil. Earth plat to	3610.04	Each	3610
į		be connected with No:8			
i	Total (CSI		TOTA	AL:-	21844

 Part "A"
 % Above / Below ______
 Total Amount

 Part "B"
 % Above / Below ______
 Total Amount

 Total "A+B"

TOTAL ATD

EXECUTIVE ENGINEER
EDUCATION WORKS DIVISION
SHIKARPUR

CONTRACTOR

BIDDING DATA

(This section should be filled in by the Engineer/Procuring A of the Bidding Documents).	Agency before issuance
--	------------------------

(a). Name of Procuring Agency:- Executive Engineer (Education Works)

<u>Division Shikarpur.</u>

DISTRICT ADP SCHEMES (Electrical Works)

(b). Brief Description of Works:- ADP 2329 REHABILITATION OF EXISTING BUILDING
BOYS / GIRLS PRIMARY ELEMENTARY SCHOOL OF
DISTRICT SHIKARPUR TALUKA SHIKARPUR 2013-14
PROGRAMME.

GBPS KATH MADI

Discription and Rate of Items based on Composite Schedule of Rates

NAME OF WORK :- REHABILITATION OF EXISTING BUILDING FOR BOYS / GIRLS PRIMARY / ELEMENTARY SCHOOLS OF DISTRICT & TALUKA SHIKARPUR (2013-14 PROG:) AT GBPS KATH MADI SHIKARPUR. ADP # 2329 (ELECTRIFICATION)

No.	Quantities	and the first to be excepted at site	Rate	Units	Amount
<u> </u>		PART "A" SCHEDULE ITEMS	<u> </u>		
1	50	Wiring for light or fan point with 3/.029 PVCinsulated wire in 20mm (3/4") channel patti on surface as required (S.No. 129 P-15).		per point	45500
2	10	Wiring for plug point with 3/.029 PVC insulated wire in 20mm (3/4") channel patti on surface as required (S.I.No:130 P- No:15)	742	per point	7420
3	150	Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-7/.029 copper conductor in 3/2" dia PVC conduit on surface (S.I.No:3 P- No:1)	171	P.Mtr	25650
4	60	Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-7/.036 (4mm2) copper conductor in ¾" dia PVC conduit on surface (S.I.No:4 P-No:1).	200	P.Mtr	12000
5	50	Providing & fixing one way SP 5amp switch flush type	54	P.No	2700
6	10	Providing & fixing two pin 5amp plug & socket (S.I.No:225 P- No:33)	83	P.No	830
7	1	Providing & fixing 3pin 10/15amp plug & socket flush type	151	P.No	
9	7	Providing & fixing circuit breaker 6,10,15,20, 30,40,50 & 63amp SP (TB-5S) on prepared board as required (S.I.No:202 P- No:30)	916	P.No	151 6412
10	2	Providing & fixing circuit breaker 6,10,15,20, 30,40,50 & 63amp DP (TB-5S) on prepared board as required. (S.I.No:202 P- No:30)	2456	P.No	4912
11	12	Providing & fixing Bakelite ceiling rose with two terminals	72	P.No	004
12		Providing & fixing Brass Battern holder c(S.I.No:232 P- No:33)	70		864
13		Providing & fixing Brass Ceiling fan 56" (good quality) (S.I.No:235 P- No:34)		P.No	1330
14			3185	P.No	47775
'*		Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-7/.052 (10 mm2) copper conductor in 1" dia PVC conduit on surface (S.I.No:6 P- No:1).	428	per Meter	17120
		y september in the second of surface (C.I.NO.O FF NO.1).	TOT	AL:-	470004
		PART "R" SCHEDUU E ITEMS			172664
1 1		PART "B" SCHEDULE ITEMS			1/2004
1	1.5	P/F distribution metal board double shutter to accommodate circuit breakers including painting with enemel paint and for other simmilar job on surface	907.96	Each	1362
1	1.5 15	P/F distribution metal board double shutter to accommodate circuit breakers including painting with enemel paint and for other simmilar job on surface (S.I.No:5 P- No:13) P/F mild steel bar fan clamp 15.8 mm (5/8")dia suitable for RCC roof			1362
2	1.5 15 5	P/F distribution metal board double shutter to accommodate circuit breakers including painting with enemel paint and for other simmilar job on surface (S.I.No:5 P- No:13) P/F mild steel bar fan clamp 15.8 mm (5/8")dia suitable for RCC roof (S.I.No:1 (c) P- No:14) P/F 1-40 walts tube light complete with 40 wats4.0" long rod chok, starter and putty with Phillips components including necessory electric connection	907.96	Each	1362 2115
	1.5 15 5	P/F distribution metal board double shutter to accommodate circuit breakers including painting with enemel paint and for other simmilar job on surface (S.I.No:5 P- No:13) P/F mild steel bar fan clamp 15.8 mm (5/8")dia suitable for RCC roof (S.I.No:1 (c) P- No:14) P/F 1-40 walts tube light complete with 40 wats4.0" long rod chok, starter and putty with Phillips components including necessory electric connection and fixingon wall or ceilling etc complete. (S.I.No:1 P- No:33) P/F wall bracket light fancy type superior quality I/n necessory electric	907.96	Each Each Each	1362 2115 1980
3	1.5 15 5	P/F distribution metal board double shutter to accommodate circuit breakers including painting with enemel paint and for other simmilar job on surface (S.I.No:5 P- No:13) P/F mild steel bar fan clamp 15.8 mm (5/8")dia suitable for RCC roof (S.I.No:1 (c) P- No:14) P/F 1-40 walts tube light complete with 40 wats4.0" long rod chok, starter and putty with Phillips components including necessory electric connection and fixingon wall or ceilling etc complete. (S.I.No:1 P- No:33) P/F wall bracket light fancy type superior quality I/n necessory electric connection and fixing on wall or ceilling etc complete (S.I.No:5 P- No:33)	907.96 141.01 396.00	Each Each	1362 2115
3 4 5	1.5 15 5 9	P/F distribution metal board double shutter to accommodate circuit breakers including painting with enemel paint and for other simmilar job on surface (S.I.No:5 P- No:13) P/F mild steel bar fan clamp 15.8 mm (5/8")dia suitable for RCC roof (S.I.No:1 (c) P- No:14) P/F 1-40 walts tube light complete with 40 wats4.0" long rod chok, starter and putty with Phillips components including necessory electric connection and fixingon wall or ceilling etc complete. (S.I.No:1 P- No:33) P/F wall bracket light fancy type superior quality I/n necessory electric connection and fixing on wall or ceilling etc complete (S.I.No:5 P- No:33) P/F Energy sever superior quality I/c fixing on existing holder etc complete (S.I.No:6 P- No:33)	907.96 141.01 396.00	Each Each Each	1362 2115 1980
3 4 5	1.5 15 5 9 15	P/F distribution metal board double shutter to accommodate circuit breakers including painting with enemel paint and for other simmilar job on surface (S.I.No:5 P- No:13) P/F mild steel bar fan clamp 15.8 mm (5/8")dia suitable for RCC roof (S.I.No:1 (c) P- No:14) P/F 1-40 walts tube light complete with 40 wats4.0" long rod chok, starter and putty with Phillips components including necessory electric connection and fixingon wall or ceilling etc complete. (S.I.No:1 P- No:33) P/F wall bracket light fancy type superior quality I/n necessory electric connection and fixing on wall or ceilling etc complete (S.I.No:5 P- No:33) P/F Energy sever superior quality I/c fixing on existing holder etc complete (S.I.No:6 P- No:33) P/F bulbs 100 walts (S.I.No:7 P- No:33)	907.96 141.01 396.00 497.00	Each Each Each Each	1362 2115 1980 4473 7455
3 4 5 6 7	1.5 15 5 9 15 4	P/F distribution metal board double shutter to accommodate circuit breakers including painting with enemel paint and for other simmilar job on surface (S.I.No:5 P- No:13) P/F mild steel bar fan clamp 15.8 mm (5/8")dia suitable for RCC roof (S.I.No:1 (c) P- No:14) P/F 1-40 walts tube light complete with 40 wats4.0" long rod chok, starter and putty with Phillips components including necessory electric connection and fixingon wall or ceilling etc complete. (S.I.No:1 P- No:33) P/F wall bracket light fancy type superior quality I/n necessory electric connection and fixing on wall or ceilling etc complete (S.I.No:5 P- No:33) P/F Energy sever superior quality I/c fixing on existing holder etc complete (S.I.No:6 P- No:33) P/F bulbs 100 walts (S.I.No:7 P- No:33) P/F A.C ceiling fan regulator on metal board recessed in the walls column and covered with plastic sheet (S.I.No:2b P- No:14)	907.96 141.01 396.00 497.00	Each Each Each	1362 2115 1980 4473
3 4 5	1.5 15 5 9 15 4 15	P/F distribution metal board double shutter to accommodate circuit breakers including painting with enemel paint and for other simmilar job on surface (S.I.No:5 P- No:13) P/F mild steel bar fan clamp 15.8 mm (5/8")dia suitable for RCC roof (S.I.No:1 (c) P- No:14) P/F 1-40 walts tube light complete with 40 wats4.0" long rod chok, starter and putty with Phillips components including necessory electric connection and fixingon wall or ceilling etc complete. (S.I.No:1 P- No:33) P/F wall bracket light fancy type superior quality I/n necessory electric connection and fixing on wall or ceilling etc complete (S.I.No:5 P- No:33) P/F Energy sever superior quality I/c fixing on existing holder etc complete (S.I.No:6 P- No:33) P/F bulbs 100 walts (S.I.No:7 P- No:33)	907.96 141.01 396.00 497.00 497.00	Each Each Each Each Each	1362 2115 1980 4473 7455
3 4 5 6 7 8	1.5 15 5 9 15 4 15	P/F distribution metal board double shutter to accommodate circuit breakers including painting with enemel paint and for other simmilar job on surface (S.I.No:5 P- No:13) P/F mild steel bar fan clamp 15.8 mm (5/8")dia suitable for RCC roof (S.I.No:1 (c) P- No:14) P/F 1-40 walts tube light complete with 40 wats4.0" long rod chok , starter and putty with Phillips components including necessory electric connection and fixingon wall or ceilling etc complete. (S.I.No:1 P- No:33) P/F wall bracket light fancy type superior quality I/n necessory electric connection and fixing on wall or ceilling etc complete (S.I.No:5 P- No:33) P/F Energy sever superior quality I/c fixing on existing holder etc complete (S.I.No:6 P- No:33) P/F bulbs 100 walts (S.I.No:7 P- No:33) P/F bulbs 100 walts (S.I.No:7 P- No:33) P/F earthing set with plastic sheet (S.I.No:2b P- No:14) P/F earthing set with 2x2x1/4" cooper plate burried in groud at a depth of 12" or less if water comes out from the ground level with salt and chorcoal etc,in/c.making the pit 12"deep by excavation of all type of soil. Earth plat to be connected with No:8	907.96 141.01 396.00 497.00 497.00 25.00 124.30	Each Each Each Each Each Each Each	1362 2115 1980 4473 7455 100 1865

% Above / Below _____

CONTRACTOR

Part "B"

EXECUTIVE ENGINEER EDUCATION WORKS DIVISION SHIKARPUR

Total Amount

Total "A+B"

BIDDING DATA

(This section should be filled in by the Engineer/Procuring Agency before issuance of the Bidding Documents).

(a). Name of Procuring Agency:- Executive Engineer (Education Works)

<u>Division Shikarpur.</u>

DISTRICT ADP SCHEMES (Electrical Works)

(b). Brief Description of Works:- ADP 2336 REHABILITATION OF EXISTING BUILDING
BOYS / GIRLS PRIMARY ELEMENTARY SCHOOL OF
DISTRICT SHIKARPUR TALUKA G. YASIN (2013-14)
PROGRAMME.

GBPS QABALO

(c).Procuring Age	ency's address:- <u>Exe</u> Nea	<u>ecutive Engineer (E</u> ar GBHS No.II Shik	ducation Works) Division Shikarpur arpur.
(d). Estimated Co			
(e). Amount of Bi amount or in % ag	d Security: ge of bid amount /es	2% timated cost, bu	(Fill in lump sum t not exceeding 5%)
(f).Period of Bid \	/alidity (days):- <u>60</u>	Days (Not more	e than sixty days).
(g).Security Depo (in % age of bid ar	sit:-(including bid nount /estimated co	security):- st equal to 10%)	10%
(h). Percentage, i	f any, to be deduct	ed from bills:-	7.50% Income tax
(i). Deadline for S	ubmission of Bids	along with time	e :- As Per NIT
(j). Venue, Time, a	and Date of Bid Op	ening:- <u>Near GB</u>	HS II (Shikarpur As Per NIT).
(k). Time for Com	pletion from writte	n order of com	mence: - 03 Months
(L).Liquidity dam per day of delay, b	ages: nut total not exceedir	<u>L-</u> (0.05 ong 10%).	of Estimated Cost or Bid cost
(m). Deposit Receip	ot No:	Date:	Amount:Rs:
			unt 300/-(Rupees: Three Hundred only
	to Mr. / M/s		

Discription and Rate of Items based on Composite Schedule of Rates

NAME OF WORK :- REHABILITATION OF EXISTING BUILDING FOR BOYS / GIRLS PRIMARY / ELEMENTARY SCHOOLS OF DISTRICT SHIKARPUR (2013-14 PROG:) AT GBPS QABALO TALUKA GHARI YASIN. ADP # 2336 (ELECTRIFICATION)

No.	Quantities	Possiblian of item to be executed at site	Rate	Units	Amour
		PART "A" SCHEDULE ITEMS		_1	
1	13	Wiring for light or fan point with 3/.029 PVCinsulated wire in 20mm (3/4" channel patti on surface as required (S.No. 129 P-15).		per point	11830
2	3	Wiring for plug point with 3/.029 PVC insulated wire in 20mm (3/4") channe patti on surface as required (S.I.No:130 P- No:15)	742	per point	2226
3	30	Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-7/.029 copper conductor in ¾" dia PVC conduit on surface (S.I.No:3 P- No:1)	171	P.Mtr	5130
4	13	Providing & fixing one way SP 5amp switch flush type	 _	 _ , _ 	
5	3	Providing & fixing two pin 5amp plug & socket (S.I.No:225 P- No:33)	54	P.No	702
6	1	Providing & fixing 3pin 10/15amp plug & socket flush type	83	P.No	249
7	3	Providing & fixing circuit breaker 6,10,15,20, 30,40,50 & 63amp SP (TB-5S) on prepared board as required (S.I.No:202 P- No:30)	151 916	P.No	151 2748
8	1	Providing & fixing circuit breaker 6,10,15,20, 30,40,50 & 63amp DP (TB-5S)	2456	P.No	
9	 -	on prepared board as required. (S.I.No:202 P- No:30)		<u> </u>	2456
10	8	Providing & fixing Bakelite ceiling rose with two terminals	72	P.No	576
11	5	Providing & fixing Brass Battern holder c(S.I.No:232 P- No:33)	70	P.No	350
		Providing & fixing Brass Ceiling fan 56" (good quality) (S.I.No:235 P- No:34)	3185	P.No	12740
12	10	Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-7/.052 (10	428	per Meter	4280
		mm2) copper conductor in 1" dia PVC conduit on surface (S.I.No:6 P- No:1).			
		PART "B" SCHEDULE ITEMS	тот	AL :-	43438
1		P/F distribution metal board double shutter to accommodate circuit breakers	907.96	Cook	
	ľ	including painting with enemel paint and for other simmilar job on surface (S.I.No:5 P- No:13)	907.90	Each	906
2	4	P/F mild steel bar fan clamp 15.8 mm (5/8")dia suitable for RCC roof (S.I.No:1 (c) P- No:14)	141.01	Each	564
3	2	P/F 1-40 walts tube light complete with 40 wats4.0" long rod chok, starter	396.00	Each	.
		and putty with Phillips components including necessory electric connection and fixingon wall or ceilling etc complete. (S.I.No:1 P- No:33)	330.00	Each	792
4	2	P/F wall bracket light fancy type superior quality I/n necessory electric connection and fixing on wall or ceilling etc complete (S.I.No:5 P- No:33)	497.00	Each	994
5	5 JI	P/F Energy sever superior quality I/c fixing on existing holder etc complete	497.00	Each	2485
6		(S.I.No:6 P- No:33) P/F bulbs 100 walts (S.I.No:7 P- No:33)	-		
7	4	P/E A C coiling for regulator on matel based and the second of the secon	25.00	Each	50
		P/F A.C ceiling fan regulator on metal board recessed in the walls column and covered with plastic sheet (S.I.No:2b P- No:14)	124.30	Each	497
8		P/F earthing set with 2x2x1/4" cooper plate burned in groud at a depth of 12" or less if water comes out from the ground level with salt and chorcoal etc,in/c.making the pit 12"deep by excavation of all type of soil. Earth plat to be connected with No:8	3610.04	Each	3610
nount	Total (CSR	3)	TOTA	L :-	9900
	(= e	,			
ırt "A"		% Above / Below	Total Amou	nt _	
- "D"		% Above / Below	Total Amou	nt	
rt "B"			Otal Allou	''' -	

CONTRACTOR

BIDDING DATA

(This section should be filled in by the Engineer/Procuring Agency before issuance of the Bidding Documents).

(a). Name of Procuring Agency:- Executive Engineer (Education Works) Division Shikarpur.

DISTRICT ADP SCHEMES (Electrical Works)

(b). Brief Description of Works:- ADP 2335 REHABILITATION OF EXISTING BUILDING BOYS / GIRLS PRIMARY ELEMENTARY SCHOOL OF DISTRICT SHIKARPUR TALUKA G. YASIN (2013-14) PROGRAMME.

GBPS AGHA SADDARUDDIN DURRANI

(c).Procuring Agency's address:-Executive Engineer (Education Works) Division Shikarpur Near GBHS No.II Shikarpur.
(d). Estimated Cost:0.200 (Millions).
(e). Amount of Bid Security: (Fill in lump sum amount or in % age of bid amount /estimated cost, but not exceeding 5%)
(f).Period of Bid Validity (days):- 60 Days (Not more than sixty days).
(g).Security Deposit:-(including bid security):- 10% (in % age of bid amount /estimated cost equal to 10%)
(h). Percentage, if any, to be deducted from bills: 7.50% Income tax
i). Deadline for Submission of Bids along with time :- As Per NIT
j). Venue, Time, and Date of Bid Opening:- Near GBHS II (Shikarpur As Per NIT).
k). Time for Completion from written order of commence: - 06 Months
L).Liquidity damages: (0.05 of Estimated Cost or Bid cost per day of delay, but total not exceeding 10%).
m). Deposit Receipt No: Date: Amount:Rs:
Bank
n) D.R.NO: DATED: Amount 500/-(Rupees: Five Hundred only).
o). Tender issued to Mr. / M/sGovt: Contractor.

EXECUTIVE ENGINEER EDUCATION WORKS DIVISION

Discription and Rate of Items based on Composite Schedule of Rates

NAME OF WORK :- REHABILITATION OF EXISTING BUILDING FOR BOYS / GIRLS PRIMARY / ELEMENTARY SCHOOLS OF DISTRICT SHIKARPUR (2013-14 PROG:) AT GBPS AGHA SADARDIN DURANI TALUKA GHARI YASIN. ADP # 2335 (ELECTRIFICATION)

No.	Quantities	Tools provide the be executed at site	Rate	Units	Amour
	44	PART "A" SCHEDULE ITEMS			
2	8	Wiring for light or fan point with 3/.029 PVCinsulated wire in 20mm (3/4") channel patti on surface as required (S.No. 129 P-15).	ı	per point	40040
		viring for plug point with 3/.029 PVC insulated wire in 20mm (3/4") channel patti on surface as required (S.I.No:130 P- No:15)	ľ	per point	5936
3	150	Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-7/.029 copper conductor in 3/2 dia PVC conduit on surface (S.I.No.3 P. No.1)		P.Mtr	25650
4	80	(4mm2) copper conductor in 3/2" dia PVC conduit on surface (S.I.No:4 P-No:1).	200	P.Mtr	16000
5	44	Providing & fixing one way SP 5amp switch flush type	54	P.No	2376
6	8	Providing & fixing two pin 5amp plug & socket (S.I.No:225 P- No:33)	83	P.No	664
7	1	Providing & fixing 3pin 10/15amp plug & socket flush type	151	P.No	151
9	6 	Providing & fixing circuit breaker 6,10,15,20, 30,40,50 & 63amp SP (TB-5S) on prepared board as required (S.I.No:202 P- No:30)	916	P.No	5496
10	1	Providing & fixing circuit breaker 6,10,15,20, 30,40,50 & 63amp DP (TB-5S) on prepared board as required, (S.I.No;202 P- No;30)	2456	P.No	2456
11	20	Providing & fixing Bakelite ceiling rose with two terminals	72	P.No	
12	22	Providing & fixing Brass Battern holder c(S.I.No.232 P- No.33)	70		1440
13	16	Providing & fixing Brass Ceiling fan 56" (good quality) (S.I.No:235 P- No:34)	3185	P.No	1540
14	50	Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-7/.052 (10	428	P.No per Meter	50960
		mm2) copper conductor in 1" dia PVC conduit on surface (S.I.No:6 P- No:1).			21400
		PART "B" SCHEDULE ITEMS	TOT	AL :-	174109
1 1	1.5	P/E distribution motal based double at all			
2		P/F distribution metal board double shutter to accommodate circuit breakers including painting with enemel paint and for other simmilar job on surface (S.I.No:5 P- No:13)	907.96	Each	1362
		P/F mild steel bar fan clamp 15.8 mm (5/8")dia suitable for RCC roof (S.I.No:1 (c) P- No:14)	141.01	Each	2256
3		P/F 1-40 walts tube light complete with 40 wats4.0" long rod chok, starter and putty with Phillips components including necessory electric connection and fixingon wall or ceilling etc complete. (S.I.No:1 P- No:33)	396.00	Each	1584
4		connection and fixing on wall or ceilling etc.complete (\$1.No.5.B. No.33)	497.00	Each	2982
5	10	P/F Energy sever superior quality I/c fixing on existing holder etc complete (S.I.No:6 P- No:33)	497.00	Each	7455
6	3 1	P/F bulbs 100 walts (S.I.No:7 P- No:33)			
7 🕇	16	P/F A.C ceiling fan regulator on metal board recessed in the walls column	25.00	Each	75
3 +		and covered with plastic sheet (S.I.No:2b P- No:14) P/F earthing set with 2x2x1/4" cooper plate burried in groud at a depth of 12"	124.30	Each	1989
	,	or less if water comes out from the ground level with salt and chorcoal etc,in/c.making the pit 12"deep by excavation of all type of soil. Earth plat to be connected with No:8	3610.04	Each	3610
ount 1	Total (CSR		TOTA	L ;-	21313
t "A"		% Above / BelowT	otal Amour	nt	
t "B"		% Above / Below	otal Amour	nt	

CONTRACTOR

BIDDING DATA

(This section should be filled in by the Engineer/Procuring Agency before issuant of the Bidding Documents).	се
--	----

(a). Name of Procuring Agency:- Executive Engineer (Education Works) Division Shikarpur.

DISTRICT ADP SCHEMES (Electrical Works)

(b). Brief Description of Works:- ADP 2338 REHABILITATION OF EXISTING BUILDING BOYS / GIRLS PRIMARY ELEMENTARY SCHOOL OF DISTRICT SHIKARPUR TALUKA G.YASIN (2013-14) PROGRAMME.

GBPS MAIN MADEJI

(c).Procuring Agency's address:-Executive Near GB	<u>re Engineer (Education Works) Division Shikarpur</u> HS No.II Shikarpur.
(d). Estimated Cost:0.050 (Million	•
(e). Amount of Bid Security:amount or in % age of bid amount /estima	(Fill in lump sum ted cost, but not exceeding 5%)
(f).Period of Bid Validity (days):- 60 Day	s (Not more than sixty days).
(g).Security Deposit:-(including bid secution % age of bid amount /estimated cost eq	10%
(h). Percentage, if any, to be deducted fr	om bills:- 7.50% Income tax
(i). Deadline for Submission of Bids alor	_
(j). Venue, Time, and Date of Bid Openin	·
(k). Time for Completion from written or	
(L).Liquidity damages:	(0.05 of Estimated Cost or Rid cost
(m). Deposit Receipt No:D	ate:Amount:Rs:
Bank	
(n) D.R.NO: DATED:	Amount 500/-(Rupees: Five Hundred only).
o). Tender issued to Mr. / M/s	Govt: Contractor.

EXECUTIVE ENGINEER EDUCATION WORKS DIVISION

Discription and Rate of Items based on Composite Schedule of Rates

NAME OF WORK :- REHABILITATION OF EXISTING BUILDING FOR BOYS / GIRLS PRIMARY / ELEMENTARY SCHOOLS OF DISTRICT SHIKARPUR (2013-14 PROG:) AT GBPS MAIN MADEJ! TALUKA GHARI YASIN. ADP # 2338 (ELECTRIFICATION)

Item No.	Quantities	Description of Item to be executed at site	Rate	Units	Amount
-		PART "A" SCHEDULE ITEMS	·—		
1	50	Wiring for light or fan point with 3/.029 PVCinsulated wire in 20mm (3/4") channel patti on surface as required (S.No. 129 P-15).		per point	45500
2	10	volving for plug point with 3/.029 PVC insulated wire in 20mm (3/4") channel patti on surface as required (S.I.No:130 P- No:15)		per point	7420
3	150	Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-7/.029 copper conductor in 3/4" dia PVC conduit on surface (S.I.No:3 P- No:1)	171	P.Mtr	25650
4	55	Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-7/.036 (4mm2) copper conductor in ¾" dia PVC conduit on surface (S.I.No:4 P-No:1).	200	P.Mtr	11000
5	50	Providing & fixing one way SP 5amp switch flush type		+	
6	10	Providing & fixing two pin 5amp plug & socket (S.I.No:225 P- No:33)	54	P.No	2700
7	1	Providing & fixing 3pin 10/15amp plug & socket flush type	83	P.No	830
9	7	Providing & fixing circuit breaker 6,10,15,20, 30,40,50 & 63amp SP (TB-5S) on prepared board as required (S.I.No:202 P- No:30)	916	P.No P.No	151 6412
10	2	Providing & fixing circuit breaker 6,10,15,20, 30,40,50 & 63amp DP (TB-5S) on prepared board as required. (S.I.No:202 P- No:30)	2456	P.No	4912
11	15	Providing & fixing Bakelite ceiling rose with two terminals	72	P.No	4000
12	24	Providing & fixing Brass Battern holder c(S.I.No:232 P- No:33)	70	P.No	1080
13	15	Providing & fixing Brass Ceiling fan 56" (good quality) (S.I.No:235 P- No:34)	3185		1680
14	40	Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-7/.052 (10	428	P.No per Meter	47775
		mm2) copper conductor in 1" dia PVC conduit on surface (S.I.No:6 P- No:1).			17120
		PART "B" SCHEDULE ITEMS	TOT	AL :-	172230
1 1	1,5	P/E distribution motel board double about a			
•		P/F distribution metal board double shutter to accommodate circuit breakers including painting with enemel paint and for other simmilar job on surface (S.I.No:5 P- No:13)	907.96	Each	1362
2	15	P/F mild steel bar fan clamp 15.8 mm (5/8")dia suitable for RCC roof (S.I.No:1 (c) P- No:14)	141.01	Each	2115
3	5	P/F 1-40 walts tube light complete with 40 wats4.0" long rod chok, starter and putty with Phillips components including necessory electric connection and fixingon wall or ceilling etc complete. (S.I.No:1 P- No:33)	396.00	Each	1980
4	6	P/F wall bracket light fancy type superior quality I/n necessory electric connection and fixing on wall or ceilling etc.complete (S.I.No.5 P. No.33)	497.00	Each	2982
5	19	S.I.No:6 P- No:33)	497.00	Each	9443
6	3 1	P/F bulbs 100 walts (S.I.No:7 P- No:33)	25.00	Each	75
7	15	P/F A.C ceiling fan regulator on metal board recessed in the walls column and covered with plastic sheet (S.I.No:2b P- No:14)	124.30	Each	1865
8	1	P/F earthing set with 2x2x1/4" cooper plate burried in groud at a depth of 12" or less if water comes out from the ground level with salt and chorcoal etc,in/c.making the pit 12"deep by excavation of all type of soil. Earth plat to be connected with No:8	3610.04	Each	3610
	Total (CSR		TOTA	L:-	23432
MULIPE	Otal (CCIT				
nount					
nount art "A"		% Above / Below	otal Amou	nt	

. . .

EXECUTIVE ENGINEER
EDUCATION WORKS DIVISION
SHIKARPUR

Total "A+B"

BIDDING DATA

(This section should be filled in by the Engineer/Procuring Agency before issuance of the Bidding Documents).

(a). Name of Procuring Agency:- Executive Engineer (Education Works) Division Shikarpur.

DISTRICT ADP SCHEMES (Electrical Works)

(b). Brief Description of Works:- ADP 2343 REHABILITATION OF EXISTING BUILDING FOF BOYS / GIRLS PRIMARY ELEMENTARY SCHOOL OF DISTRICT SHIKARPUR TALUKA LAKHI (2013-14) PROGRAMME.

GGPS HABIB KOT

EXECUTIVÉ ENGINEER EDUCATION WORKS DIVISION

Discription and Rate of Items based on Composite Schedule of Rates

NAME OF WORK :- REHABILITATION OF EXISTING BUILDING FOR BOYS / GIRLS PRIMARY / ELEMENTARY SCHOOLS OF DISTRICT SHIKARPUR (2013-14 PROG:) AT GGPS HABIB KOT TALUKA LAKHI. ADP # 2343 (ELECTRIFICATION)

Item No.	Quantities	Description of item to be executed at site	Rate	Units	Amour
		PART "A" SCHEDULE ITEMS	<u> </u>	- Oritis	Altiour
1	25	Wiring for light or fan point with 3/029 PVCinsulated wire in 20 (0/0)	 	-	
<u> </u>		<u>Tondriner pattroll surface as required (S.No. 120 D.15)</u>		per point	22750
2	4	I villing for plug point with 3/.029 PVC insulated wire in 20mm (3/4") channel	1 740	+	
	 -	TPatti oir suriace as required (S.I.No:130 P. No:15)		per point	2968
3	55	Providing & laying (MAIN or SUB MAIN) PVC insulated with size 3.7/036	171	 	
		copper conductor in %" dia PVC conduit on surface (\$1 No.3 D. No.4)	Ί '''	P.Mtr	9405
4 5	25	Troviding & fixing one way SP 5amp switch flush type	54	P.No	4250
6	-4- -	Providing & fixing two pin 5amp plug & socket (STNo:225 P- No:33)	83	P.No	1350 332
7	<u>2</u> 5	Providing a fixing 3pin 10/15amp plug & socket flush type	454	P.No	302
'	Đ	Providing & fixing circuit breaker 6,10,15,20, 30,40,50 & 63amp SP (TB-5S)	916	P.No	
9	1	Joh prepared doard as required (S.J.No:202 P- No:30)	j	'	4580
ı i	•	Providing & fixing circuit breaker 6,10,15,20, 30,40,50 & 63amp DP (TB-5S)	2456	P.No	
10	12	on prepared board as required. (S.I.No:202 P- No:30)	L	'	2456
11	9	Providing & fixing Bakelite ceiling rose with two terminals	72	P.No	864
12	8	Providing & fixing Brass Battern holder c(S.I.No:232 P- No:33)	70	P.No	630
13		Providing & fixing Brass Ceiling fan 56" (good quality) (S.I.No:235 P- No:34)	3185	P.No	25480
'3	30	Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-7/.052 (10	428	per Meter	
- 1				per meter	12840
		mm2) copper conductor in 1" dia PVC conduit on surface (S.I.No:6 P- No:1).			12010
			TOT	AL :-	83957
1 T	1 7	PART "B" SCHEDULE ITEMS			
· 1		P/F distribution metal board double shutter to accommodate circuit breakers	907.96	Each	
		including painting with enemel paint and for other simmilar job on surface (S.f.No:5 P- No:13)		1 1	908
2	8	(S.I.No.1 (a) P. No.1 (b) P. No.1 (c) P. No.1 (c) P. No.1 (c) P. No.1 (d) P. N			
	ŀ	(S.I.No:1 (c) P- No:14)	141.01	Each	1120
3	4	P/F 1-40 walts tube light complete with 40 wats4.0" long rod chok , starter		<u> </u>	1128
	ļ.	and putty with Phillips components including necessory electric connection	396.00	Each	
	i	and fixingon wall or ceilling etc complete. (S.I.No:1 P- No:33)		1 1	1584
4	4	P/F wall bracket light fancy type superior quality I/n necessory electric	402.00	<u> </u>	
		connection and fixing on wall or ceilling etc complete (S.I.No:5 P- No:33)	497.00	Each	1988
5	6	P/F Energy sever superior quality I/c fixing on existing holder etc complete	407.00	- <u>-</u>	
		(S.I.No:6 P- No:33)	497.00	Each	2982
6	3[P/F bulbs 100 walts (S.I.No:7 P- No:33)	25.00		
7	8 1	P/F A.C ceiling fan regulator on metal board recessed in the walls column	25.00	Each	75
		and covered with plastic sheet (S.I.No.2h P. No.14)	124.30	Each	994
8	1 յի	The earthing set with 2x2x1/4" cooper plate burried in ground at a double of 42"	3610.04		
	Į.	I less it water comes out from the ground level with salt and characal	3010.04	Each	
- 1],'	etc, it/c.making the pit 12"deep by excavation of all type of soil. Earth plat to		i	3610
	<u> </u>	pe connected with No:8		•	
· 	F. (. (TOTA	1 -	13269
ount 1	Total (CSR	· · · · · · · · · · · · · · · · · · ·			13209
t "A"		% Ahove / Rolow	_		
•		% Above / Below	Total Amour	nt _	
t "B"		% Above / Below	Total Americ	.1	
			otal Amour)(
		7	otai "A+B"		
		1	olai ATD	_	

CONTRACTOR

BIDDING DATA

(This section should be filled in by	the Engineer/Procuring Agency before issuanc	ce
of the Bidding Documents).		

(a). Name of Procuring Agency:- Executive Engineer (Education Works) Division Shikarpur.

DISTRICT ADP SCHEMES (Electrical Works)

(b). Brief Description of Works:- ADP 2347 REHABILITATION OF EXISTING BUILDING FOR BOYS / GIRLS PRIMARY ELEMENTARY SCHOOL OF DISTRICT SHIKARPUR TALUKA KHANPUR (2013-14) PROGRAMME.

1.GBPS AYOUB HAKRO

EXECUTIVE ENGINEER EDUCATION WORKS DIVISION

Discription and Rate of Items based on Composite Schedule of Rates

NAME OF WORK :- REHABILITATION OF EXISTING BUILDING FOR BOYS / GIRLS PRIMARY / ELEMENTARY SCHOOLS OF DISTRICT SHIKARPUR (2013-14 PROG:) AT GBPS AYOUB HAKRO TALUKA KHANPUR. ADP # 2347 (ELECTRIFICATION)

Item No.	Quantities	bescription of item to be executed at site	Rate	Units	Ame
·		PART "A" SCHEDULE ITEMS		Units	Amou
1	19	Wiring for light or fan point with 3/020 DVC:			
				per point	1729
2	4	Training for plug point with 37,029 PVC insulated wire in 20mm (2/40)	 	<u> </u>	1/29
		There are an adulated do legitified to Living St. D. Mariet	1	per point	296
3	40	Providing & laying (MAIN or SUB MAIN) PVC insulated with the Company	 		2900
		- rooper conductor in 74 dia PVC conduit on surface (9.1 Mars D. Mars)	171	P.Mtr	6840
4	19	If fortuing a fixing one way SP 5amp switch flush time	 		0040
5	4	IFTOVIDING & fixing two pin 5amp plug & socket (\$1 No:225 D. No:20)	54	P.No	1026
6	2	p roviding a liking 30m 10/10amn plug & socket flush has	83	P.No	332
7	5	IFTOMING & TIXING CIRCUIT breaker 6 10 15 20 30 40 50 8 62 00 cm	151	P.No	302
		Tou brobered hourn as reddited 18 I MV-3U3 D" MV-3W	ł	P.No	4580
9	1	Providing & fixing circuit breaker 6.10.15.20, 30.40.50.8, 62cms, DD GD 50.		 	+500
		Ton propared board as required. (S.I.No.202 P. No.30)	2456	P.No	2456
10	12	Providing & fixing Bakelite ceiling rose with two terminals		 	
11	9	Providing & fixing Brass Baftern holder c/S (No.232 P. No.23)	72	P.No	864
12	4	Providing & fixing Brass Ceiling fan 56" (good quality) (S.I.No:235 P- No:34)	70	P.No	630
13	12	Providing & laving (MAIN or SUP MAIN) DVO	3185	P.No	12740
- 1		Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-7/.052 (10	428	per Meter	
- 1		mm2) copper conductor in 1" die DVCtit		1 1	5136
		mm2) copper conductor in 1" dia PVC conduit on surface (S.I.No:6 P- No:1).		1 1	
		PART "B" SCHEDULE ITEMS	TOTA	AL:-	55164
1	1	P/F distribution metal hazard double about a			
ľ	·	P/F distribution metal board double shutter to accommodate circuit breakers	907.96	Each	
		including painting with enemel paint and for other simmilar job on surface (S.I.No.5 P- No.13)			906
2 T	8	P/F mild steel bar fan clamp 15.8 mm (5/8")dia suitable for RCC roof			
	_	(S.I.No:1 (c) P- No:14)	141.01	Each	4400
3	2	P/F 1-40 walts tube light complete with 40 wats4.0" long rod chok, starter		<u> </u>	1128
Ī		and putty with Phillips components including necessory electric connection	396.00	Each	
		and fixingon wall or ceilling etc complete. (S.I.No:1 P- No:33)			792
4	4	P/F wall bracket light fancy type superior quality I/n necessory electric		!	
	Í,	connection and fixing on wall or coilling at a small to (0)	497.00	Each	4000
5	6	connection and fixing on wall or ceilling etc complete (S.I.No:5 P- No:33)			1988
	16	P/F Energy sever superior quality I/c fixing on existing holder etc complete (S.I.No:6 P- No:33)	497.00	Each	
5	3	P/F bulbs 100 walts (S.I.No:7 P- No:33)		_	2982
,	8	P/F A.C ceiling fan regulator on motal based	25.00	Each	75
İ	la	P/F A.C ceiling fan regulator on metal board recessed in the walls column	124.30	Each	
		THE TOTAL WILL DISSUE SHEET IN LINEAR D. MANAN			994
- 1	į,	P/F earthing set with 2x2x1/4" cooper plate burried in groud at a depth of 12"	3610.04	Each	
		or less if water comes out from the ground level with salt and chorcoal	i		
	li.	etc,in/c.making the pit 12"deep by excavation of all type of soil. Earth plat to be connected with No:8	ļ	1	3610
		connected with 140.8	1		
unt T	otal (CSR		TOTAL	L ;-	12477
	July (OCIT				
"A"		**			
^		% Above / Below	otal Amoun	•	
			vai Milloun	٠ _	
"B"		% Above / Below	-4-1 4		
			otal Amoun	t	
		Ti	otal "A+B"		

CONTRACTOR

BIDDING DATA

(This section should be filled in by the of the Bidding Documents).	Engineer/Procuring Agency before issuance
of the Bidding Documents).	

(a). Name of Procuring Agency:- Executive Engineer (Education Works) Division Shikarpur,

DISTRICT ADP SCHEMES (Electrical Works)

(b). Brief Description of Works: - ADP 2347 REHABILITATION OF EXISTING BUILDING FOR BOYS / GIRLS PRIMARY ELEMENTARY SCHOOL OF DISTRICT SHIKARPUR TALUKA KHANPUR (2013-14) PROGRAMME.

2. GBPS IMAMUDDIN BROHI

(c) Procuring Agencyle and I	
(c).Procuring Agency's address:-Executive Engin	eer (Education Works) Division Shikarpur
Mear Gods No.	ii Shikarpur.
(d). Estimated Cost:- 0.070 (Millions).	
(e). Amount of Bid Security:- 2% amount or in % age of bid amount /estimated cos	(Fill in lump our
(f).Period of Bid Validity (days):- 60 Days (Not	more than sixty days).
(g).Security Deposit:-(including bid security):- (in % age of bid amount /estimated cost equal to	10%
(h). Percentage, if any, to be deducted from bil	lis:- 7.50% Income tax
(i). Deadline for Submission of Bids along with	time :- As Per NIT
(j). Venue, Time, and Date of Bid Opening:- <u>Nea</u>	ar GBHS II (Shikarpur As Per NIT).
(k). Time for Completion from written order of	
(L).Liquidity damages:(0. per day of delay, but total not exceeding 10%).	05 of Estimated Cost or Bid cost
(m). Deposit Receipt No:Date:	Amount:Rs:_
Bank	
(n) D.R.NO:DATED:	Amount 500/-(Rupees: Five Hundred only).
o). Tender issued to Mr. / M/s	Govt: Contractor.

*EXECUTIVE ENGINEER EDUÇATION WORKS DIVISION

Discription and Rate of Items based on Composite Schedule of Rates

NAME OF WORK :- REHABILITATION OF EXISTING BUILDING FOR BOYS / GIRLS PRIMARY / ELEMENTARY SCHOOLS OF DISTRICT SHIKARPUR (2013-14 PROG:) AT GBPS IMAMUDDIN BROHI TALUKA KHANPUR. ADP # 2347 (ELECTRIFICATION)

Item No.	Quantities	Description of item to be executed at site		<u> </u>	
NO.	<u> </u>	PART "A" SCHEDULE ITEMS	Rate	Units	Amoun
1	19	Wiring for light or for a full discountry			
2	4	Wiring for light or fan point with 3/.029 PVCinsulated wire in 20mm (3/4") channel patti on surface as required (S.No. 129 P-15).	1	per point	17290
		Wiring for plug point with 3/.029 PVC insulated wire in 20mm (3/4") channel patti on surface as required (S.I.No:130 P- No:15)		per point	2968
3	40	Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-7/.029 copper conductor in %" dia PVC conduit on surface (S.I.No.3 P. No.4)	171	P.Mtr	6840
4	19	Providing & fixing one way SP 5amp switch flush type	54	P.No	
5	4	Providing & fixing two pin 5amp plug & socket (S.I. No:225 P. No:33)	83		1026
6	2	Providing & fixing 3pin 10/15amp plug & socket flush type	151	P.No	332
7	5	Providing & fixing circuit breaker 6.10.15.20, 30.40.50 & 63amn SP (TR.55)	916	P.No P.No	302
9	1	on prepared board as required (S.I.No:202 P- No:30) Providing & fixing circuit breaker 6,10,15,20, 30,40,50 & 63amp DP (TB-5S)			4580
10	12	ion prepared board as required. (S.I.No:202 P- No:30)	2456	P.No	2456
11	9	Providing & fixing Bakelite ceiling rose with two terminals	72	P.No	864
12	- 9 -	Providing & fixing Brass Battern holder c(S.I.No:232 P- No:33)	70	P.No	630
		Providing & fixing Brass Ceiling fan 56" (good quality) (S.I.No:235 P- No:34)	3185	P.No	12740
13	12	Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-7/.052 (10)	428	per Meter	
		mm2) copper conductor in 1" dia PVC conduit on surface (S.I.No:6 P- No:1).			5136
PART "B" SCHEDULE ITEMS		TOTAL :-		55164	
1 🗍	1	P/F distribution metal board double shutter to accommodate circuit breakers			
		including painting with enemel paint and for other simpler ich on curfocal.	907.96	Each	908
2		(S.I.No:5 P- No:13) P/F mild steel bar fan clamp 15.8 mm (5/8")dia suitable for RCC roof	444 = -		
3		(3.1.No.) (c) P- No(14)	141.01	Each	1128
	[:	P/F 1-40 walts tube light complete with 40 wats4.0" long rod chok, starter and putty with Phillips components including necessory electric connection	396.00	Each	792
4	- I	and fixingon wall or ceilling etc complete. (S.I.No:1 P- No:33) P/F wall bracket light fancy type superior quality I/n necessory electric	407.00		
5	<u></u>	connection and fixing on wall of chilling etc complete (S.) No.5 D. Ma.223	497.00	Each	1988
		P/F Energy sever superior quality I/c fixing on existing holder etc complete (S.I.No:6 P- No:33)	497.00	Each	2982
7	3	P/F bulbs 100 walts (S.I.No:7 P- No:33)	25.00	Each	75
<i>'</i>	8 F	P/F A.C ceiling fan regulator on metal board recessed in the walls column	124.30	Each	75
8	ĭ]⊦	and covered with plastic sheet (S.I.No:2b P- No:14) P/F earthing set with 2x2x1/4" cooper plate burried in groud at a depth of 12"			994
- 1	۲,	it seed the soul from the ground level with cell and above it	3610.04	Each	
	111	oto, involvanily life pit 12 deep by excavation of all type of soil. Early place !			3610
	<u> b</u>	e connected with No:8			00.0
ount 1	Total (CSR)	TOTA	L :-	12477
rt "A"		% Above / Below			
-4 "D"		···	otal Amour	nt	
ırt "B"		% Above / Below To	otal Amour	nt	···

CONTRACTOR