

TENDER DOCUMENT

TENDER FOR PURHCASE OF MACHINARY INSTRUMENTS/EQUIPMENT/FURNITURE/FIXTURE /BEDDING LINEN FOR UP-GRADATION OF BHU FATEH MOHAMMAD RAJAR TO THE LEVEL OF RURAL HEALTH CENTER FATEH MOHAMMAD RAJAR **FOR THE YEAR 2014-15**

HEALTH DEPARMENT **UMERKOT**

OFFICE OF THE DISTRICT HEALTH OFFICER UMERKOF

TENDER FOR PURHCASE OF MACHINARY INSTRUMENTS/EQUIPMENT/FURNITURE/FIXTURE /BEDDING THEN FOR UP-GRADATION OF BHU FATEH MOHAMMAD RAJAR TO THE LEVEL OF RURAL HEALTH CENTER FATEH MOHAMMAD RAJAR FOR THE YEAR 2014-15

Price Rs.1000/- Non-Refundable/Transferable

Tender inquiry No.01

Due on 03-06-2015

Time of receipt of Tender 03-06-2015 01.00 PM Time of opening of Tender 03-06-2015 01.00 PM

Offers shall remain open for 90 days from the date of opening. The tenders shall quote their prices inclusive of all duties / taxies / Octroi transpiration etc, and all other expenses on fee delivery to Consignee's end. Price should be quoted in Figures & words both, falling which the offer will be ignored.

item #	Description of Stores/Specifications	Quantity Required	Rate	Rupees in Figures word on FOR & CIF
<u>FUR</u>	NITURE		·	,
1.	Revolving Chair Main frame made with talhi wood seat & back plastic netted plastic based Stand with spirit polish.	10		
	Standard size Best quality			\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
2.	Office chairs Vade with talhi wood seat & back netted with sprit Polish standard size. Best quality	100		
3.	Office Table Made by sheesham wood with Glass Top and side rack handles, channels locks are best quality finish by spirit polish SIZE: (L)5.0"x(W)3.0x (H)2 ½ Best quality	10		
4.	Office Table Made by sheesham wood with glass top and side rack handles, channels locks are best quality finish by spirit polish SIZE: (L) 4'x (W)2 ½ x(H) 2 ½ Best quality	10		•
5.	Almirah Steel almirah 6 x 3 x 18 in 22 gauge with grey Hammered paint with three shelve and lockable coor	5		
6.	Examination Coach Main Frame made by 1 ¼ x 1 ¼ M.S pipe 18 gauge with head side Adjustable in synthetic leather of best quality with foam 10 years warranty and the Frame is in powder Coating	05		

	/			
7.	Ward Screen Main frame made by 1" round pipe covered by parachute curtain Standard size with 2" wheels with grey paint.		2	
8.,	Benches with arms and back rest made of seasoned Talhi wood having 06 legs sitting capacity of three persons	1	10	The second of th
/				
9.	Files Cabinets Made with 04 drawers in 22 gauge sheet with internal lock and key finished by spray paint	0	05	
10.	File Rack Made by 2 inch angle in 16 gauge with 03 shelves in 22 gauge Steel sheet finish by spray paint	0	05	
11.	Medicine Rack steel Made by 2 inch angle in 16 gauge 6'x 3'x 1 ½ ' with 04 shelves in 22 gauge finished by spray paint	1	0	
12.	Towel Stand Made by 1 inch round Steel pipe with ramps crammed polish	0)5	
13.	Stool Revolving Revolving Stool Frame by 1 round .Steel pipe in 18 gauge in Powder Coating.	1	0	
14.	Visitor Benches Made by 1 ¼ Square pipe in 16 gauge with Fiber Top frame is finished by Epoxy powder coated	1	0	
MEDIC	AL EQUIPMENTS & INSTRUMENTS			•
1.	Sponge holding forcep	3		
2.	Hard knife handle size # 3	3		
3.	Hard knife handle size # 4	3		
4.	DissectingForceps 6" non treathed	3		
5.	Dissecting Forcep 8" non treathed	3		
6.	Dissecting Forcep treathed	3		
7.	Scissors 7" stainless steel	3		
8.	Moindo diasecting forcep cuurred small size	3		
9.	Meindo diasecting forcep cuurred mediem size	3		
10.	Artri Forcep Mosquito 6"	20	,,,	
10.		 		
11.	Ar:ri Forcep fine point to nail	6	ļ]
	Ar:ri Forcep fine point to nail Ar:ri Forcep right angle long	6		

· (
1,	Intestinal non crushing clamp	05		(M. E. MA)
15	5. Foyers crushing clamp	12		10 9/11
10		12		1910
17		12		
18		12		
19		12		
20	Ser en Muller Muscle retractors	.05		,
21	Prangs lichs skin retractors	05		
22	Logan Back retractors	05		
23	Dovers retractors small size	05	-	
24	Dovers retractors Mediem size	04		<u>.</u>
25	Balfour Abdominal retractor	05		
26	Needle Holder 6"	06		· · · · · · · · · · · · · · · · · · ·
27	Needle Holder 7"	06		
28	Sint es forceps 7" Stenless Steel	06		
29	Ane ırysm needle	3		
30	Kidney stone removing forcep	3		
31	Million retractor	3		
32	Follows Cathoday	25]	
33.	Consolomno Louisman	2		
34.	I Poor Lover	<u> </u>		•
35.	Vuoshas Neil Ivan and 199	2		
36.	Poor curete modium dis	06		
	Poor aurete laure - '	4		
37.	Instrument Travel Office 4 40 A 4 40 B october 1	6		
38.	with cover Kidney tray shapede 8"	6		
39.		10		
40.	Kidney tray shapede 10"	10		
41.	Bowel 8" Diameter SS	10		
42.	Basin 14" Diameter SS	.05		
43.	Jug SS 8 pints size	05		
			<u> </u>	

27							· .	(_p 1	
	44	Prove 8"	05				#	3 (C	
	45.	Needle Suture straight size 4, 8 , 14	12		-		- 3	25 6 69. VE 33.34	- 12
	46.	Cuscose veginal speculam	3	- 	_ -			18 A P 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
	47.	Needle Trangular pointed cutting size 4, 8, 14	25				 .	-	1
	48.	Saline infusion stand	05						
Ī	49.	Instruments Sterlizer 16"	3				· - · · <u>-</u>	<u>.</u>	1
	50.	Surgical Dressing Table	2			<u>-</u> :			!
	51.	Dressing Trolley	2			<u> </u>			
	52.	Set of dressing instruments	1	-			· <u></u> -		
	53.	Oxygen Cylinder 240 cft (BOC) with flow meter	2				. <u>.</u>		
	 54.	jumboo + meter regulator Nitreour Oxide cylinders bulk	1						
<u> </u>	55.	Dressing Drums	3		_				
\vdash	 56.	Lumber Puncture Needle	05	<u> </u> -	-				
\mid		Diathermy Machine	-	···········	-				
		Surgical Diathermy 400W Microprocessor digital technology. Mono polar and bipolar cut and coagulation. Seven different types of current Pure, blend I, blend II, blend III, bipolar, spray and contact. Patient return electrode monitoring. 400W maximum out put. Two modes of bi polar coagulation (99 Watts maximum power) and soft coagulation (50 Watts maximum power). Memory function as standard. Pure cut 400W at 500ohms. Blend II: 230W at 300 ohm, Blend II: 180W at 300 ohms, Blend III: 120\text{V} at 300 ohms. Contact coagulation: 100W at 300 ohms. Spray coagulation: 80W at 500 ohms. Biopolar coagulation: 99W at 100 ohms. 50 W at 100 ohm. Main frequency 400,500,800KHz +/- 10%. Repetition rate: 20,33KHz +/- 10%. High frequency leakage current: less than 150mA. Low frequency leakage current: patient leads to Ground: Less than 0.01mA, chassis to ground: Less than 0.1mA. Unit complete with: bipolar forceps reusable bipolar forceps cable. Reusable mono polar handle with cable. Reusable twin button hand e with cable. Electrodes double foot switch. Single foot switch. Disposable dual return plate. Reusable return plate cable. Reusable meta plate with cable. (EEC/Korea/USA/Japan)	3						
		-							

,								A STATE OF THE PARTY.
		ECG Machine					47	<u>لار المراجع ا</u>
	1	3-channel LCD display	İ		-		- I	
		58 nm printouts			,		\ 0\	
•		Battery & mains powered					1/2	251
		Portable	j				•	200
		Auto-adaptive filters for outstanding signal quality		1				
	[Loose leads indicator						
		Auto, manual and user-defined profiles	1				•	
	58	Alpha-numeric keyboard	1					.
		Pacemaker detection	'					
		Graphic display						
		Alphanumeric keyboard RS232, USB connection	İ		ļ			[
	!	Printer with 59mm paper width						.
:		Printer with 58mm paper width Roll type paper.	1		İ			
:		Pap∋r speed (mm/s) : 5, 10, 25, 50	1	1				
		Pacimaker detection						- 1
		UK/USA/EEC	İ		ļ			ľ
i		Operation Table		<u> </u>	·			
		Mult purpose operation table.	!		İ			
-		One ating table made by high are do at-						- 1
إ		Ope ating table made by high-grade stainless stee .						
ŀ		Electro-polished surfaces						ĺ
		Radio translucent table top						
ı		i Duilt in Iside are also at a	l	į				
[59.	Table top length 190cm or better	1		İ			
ŀ		Table top width 140cm or more	İ		1			
		Elevation: 70-100cm						1
		Trendelenburg/reverse : 22°/28°						
		Leg section up/down : 20/90°		•				
١		Complete with standard accessories						
		UK/LISA/Taiwan			ĺ			
ſ		Mobile O.T Light		-	-			
		Multi -Purpose mobile OT light						
ı		With 205mm reflector with 21 layers special						
		coating which eliminates 90% Red Ray (Hot Ray)			Ì			
		The optical filter Glass Filtered 90%						
ı		With 400mm deep illumination						İ
	60.	The halogen bulb with comfortable high LUX and						
ĺ	00.	color temperature	01		-			
		Lamp Head Dimension: D 300mm or better						ŀ
		Intensity (IM Distance): 0 - 30,000 lux					•	
		Color Temp : 4000k approx						
		CRI : 93+/-3						
		With All standard Accessories: Control Box x 1pc						
L		Korea /Taiwan/Malaysia			1			
		Operation Theater light ceiling type			 			- .
		MultiPurpose application for surgery					•	
		With 2:05mm reflector with 21 layers special						
		coating which eliminates 90% Red Ray (Hot Ray)						1
		The optical filter Glass Filtered 90%		· ··	.			
		With 400mm deep illumination		!	1			
		The halogen bulb with comfortable high LUX and						Ì
	61.	color temperature	1		1			
		Lamp Head Diameter: 60mm or better	•					
		Polygon reflector						
		Intens ty (IM Distance): 0 - 110,000 lux Color Temp: 4000k approx]	1			1
•	ļ	CRI: 93+/-3						
						•		
	ı	With All standard Accessories: Control Box x 1pc (orea /Taiwan/Malaysia			1			
	ľ		i					
					<u> </u>			



		·,			
	AnesthesiaMachine with Ventilator				
	Three gas machine with a two station				
	selectatec® backbar with up to four cylinder		1		
	yokes		1		
	Tv/o Vaporizer Connection				
1	Vertical Tee Slot mounting System		•		1
	Common gas outlet ISO 22 mm male taper and				
	15mm female with 90° swive!				
	Pipe line input DISS	ļ			-
1	Cylinder Yokes: up to Four		†		
	Oxygen Failure device: Nitrous Cuts out with low				
	oxygen pressure (Air/ Oxygen remain)	ļ			-
	Oygen failure alarm Nitrous Whistle sounds				ĺ
	prior to nitrous cut out.				
	Oygen and Air High pressure DISS outlet two				
	maximum	ļ			}
]	Or / Off switch mounted blow flow meter	1		}	
l·	Secondary regulator for flow meter bank	İ			
	Mechanical anti hypoxic device				
62.	Gear driver with minimum 25% Oxygen	. ر			
02.	Concentration	1			
	Oxygen Flow Range (Dual Tube) 0-1000ml and				
] .	1-10 liters		l		
	Nitrous oxide flow range (dual tube) 0-1000ml				
<u> </u>	and 1-10 Liters			-]
	Quick release manometer				1
	Anasthesia Ventilator	i			
	Inspiratory time 0.25 – 3.0 seconds				
	Expiratory time 0.5 – 6.0 seconds ,				-
	Flow rate 0.1 – 1.0 liters per second ,l: E Ratio		•	}	
,	Derived from inspiratory and expiratory time,	ļ			
	Tidal volume 5ml – 1600ml Adult Bellows ,25ml –	ŀ			
	300ml Pediatric Bellows		·.		
	Supply Pressure 45-100PSI (310-700 KPA)				
	Airway Pressure Gauge 20-100cm H2O Range	İ			
	Adjustable low pressure alarm 20-80 cm		•		
-	H2D,Adjustable high pressure alarm 10-70 cm				
	H2O				
	External power supply 90- 264 volts A.C,	1			-
	Complete with Isoflurance vaporizer				
	US A/UK/EEC				
	Lahour Operation Table			•	
	Hydraulic control for elevation, break back	}	• •	•	
i	change and trendelebrug		:		ĺ
	Sitt ng and lying position is suitable for delivery.	1		. .	
ļ	The foot controller should be water proof and	ļ			
	24\' control	j			
63.	3- IN -1 Multi Function Table as obstetric table,	1	•	,	
	Gynecological operation table & examination		i		
ļ	table		i		
	Tabletop: 60x130 cm				
-	Tabletop with Auxiliary Table: 60x180 cm	ļ	ļ		
	Evevation: 66-96 cm	ŀ			
	Trendelenburg: +25,10				
] .

				.,	AR CASTER SEC.
	Back Up /Down: +70 -0				Server Se
	With Standard Accessories:				2 (Sept 1
	Pillow : 1 Pc.]		
	Arm boards : 2 Pcs.	-			
	Mattress : 1 Pc.				
	Water proof Seat Cover : 1 Pc				\~~\~
1	Waist Side Handles : 2 Pcs.				13.0
İ	Leg crutches : 2 Sets				
	Auxiliary Table : 1 Pc.				•
	Slpping pan (with Filter) : 1 Pc.				
	Foot Controller : 1 Set.				
	Power Cord : 1 Pc.				
	Korea /Taiwan/Malaysia				
	Auto Clave			ļ <u> </u>	
	Horizontal Semi-Automatic Sterilizer	Ì		Ì	
	With Dry and re dry function auto exhaust				
	With low water indicator				
	With auto exhaust function		1		
	t .				
	With sterilization temperature 121°C and 134°C				1
	botin			•	
	Door close knob is 90° close/open design light				
	anc convenient for operation			1	
•	Chamber Diameter 315MM				
	Chamber Capacity 25 Liters				+
. 64.	Sterilization Temperature 121C(1.05KG/CM)	1 1		1	
Q -4 .	,134C(2.07KG/CM2) ,	'	İ		1
	Design Temperature 140C				
	Filling Water Manual				
	Dry Function				
	Power Consumption 3.0KW	'	1		
	Vol.age /Frequency 230V /50-60HZ				
	Standard Accessories		1.		·
	SUS# 304 Stainless steel sterilization box x 1				j
	SUS# 304 Stainless steel heater cover x 1			-	ŀ
	- A T				
	Made : Korea / Taiwan / Malaysia				
-	100 mA Mobile X-Ray System		1		
-	Articulated tube head arms to position the tube		1		
	head for all possible radiographic positions.				
	Film density control.				
	Fully counter balanced tube head for ease of				
	handing.				
	Sofi touch switch panel.				ŀ
	Pov/er supply : 11/230V), 50/60Hz				
	Type of Generator: 2 Pulse, Full Wave Rectified				i
	Double Tank			1	
	Output Power: 8KW				
	H.V. Cable : Pair of 2.5 mts.]	
65.		1			
	Raciographic mA :25,50 & 100mA	!			
·	Raciographic kvp :45 to 100KVP	•			
	Step of 5KV	.			
	Timer (Electronic) : 0.04 to 8 Sec. (24	1			
	Steps)				
	Digital Displays : mA, mAs & KVP				
	Korea /Taiwan/India				
	IZVIEG I I GIWGINIIIGIG				1
ļ		ļ	ļ		
		Ш_			<u> </u>

			A STATE OF THE PARTY OF THE PAR
66.	Der tal Unit alongwith all accessories Microprocessor control dental x-ray with touch display: Tube current: 10mA Exposure range: 0.01 to 2.99 sec Focal spot: 0.8mm x 0.8mm Minimum FSD: 200mm Korea/ Taiwan & India	1	100 May 1510
67.	Ultrasound Machine 12" LCD display Digi:al beam forming technology Large effective imaging area Multi focus technology Professional packages: Obs, Urology, abdomenetc Complete withconvex probe, printer and UPS UK/IJSA/ EEC/Japan with their respective standards MDD (CE) compliance / MHLW Japan / FDA 510k. Equipment from other countries which is FDA 510k approved can be considered.	1	

	(hunis and Tanail lanite	 	1	1	
1.	Ibraham Tonsil knife	1			
2.	Forceps	1			
3.	Alac Nasal Dialators	1			
4.	Agnow Myringopome	1			
5.	Trocars & Cannula	2			•
6.	Nasal Spanula Speculum	5			
7.	Arti Forcep	10			
8.	Mou:h Gag	1			
9.	Aural Curators	1			
10.	Aural Forceps	1			
11.	Auriscope	1	 		
12.	Baker Traccheostomy tubes	6			
13.	Ballanger Samar	1			
14.	Ballanger Cartillage knives	1			* *
15.	Bossvic Tonsil retractor	. 1			
16.	Turb nocotomy scissors	1			-
17.	Birket Tonsil Arty forcep	4			
18.	Boyd Tonsil Scissors	1			

19.	Suction Tube	2	707
20.	Tonsil holding forcep	1	
21.	Tuning Forks set	1	
22.	Pclitzer Bag	1	
23.	Tonsil Snare	1	
24.	Bur Stand	1	
25.	Knife Handles	1	
26.	Nasal dressing forcep	1	
27.	Scassors Dressing	1	
28.	Head Light with Adopters	1	
29.	Dissection Forcep	1	
30.	Tongue Plates Tonsils	3	
31.	Dressing Trolley	1	
32. E	Eustachian Cathetors	1	
33. E	Eve Tonsil snares	1	
34. F	ace Shielts	1	
35. F	Rasip	1	*
36. F	Purich Forceps	1	
37. F	arnan Rhinoplastiy scissor	1 1	
	oster Ballenger sputum forcep	1	
	urti Forcep	05	
	reerchasel	1	
	eprator and illevator		
	Saç e mouth	1	
	Saç e suspension apperatus	1	
	Psteotomos -	1	
	kir Hooks	1	
	as al Snare	1	
	runwals Turbinate Forceps	1	
NI.	as il Gauge	1	
48. N		1	

49	Gwyano Evans Tonsil Diasector				
50	Retractors		1		
51.	Nasal dressing forcep		1		
52.	Sterlising Box		1		
53.	Instrument Cabinet	-	1		
 54.	Insulated Nasal Specula		2		
 55.	Jankina Chisels		1		
- 56.	Jabson Probe		2		
57.	Tansil Disector		2		
 58.	Kidney shape dressin tray		1		
59.	Back Tongue depressor		2		
	Muck Tansil Forcep	;	3		
60.			2		
61.	Mouth Gag with Tongue holdin forcep Stand for Mouth Gag		1		
62.		1			
63.	Tonsilor Arti Forcep	3	-	-	
64.	Toneilor Knife forcep	1			
	Freer Diasector	1		- -	
	Freer Forceps	1			
67.	Free: Snare	1			
68.	Free Needle	1		_ _	
69.	Wilson Artery forcep	1			
70.	Thread carier	1			
71.	onsilar Scissors	1			
72. N	lasa: Spanula Short Blade	-	- 	-	
73. N	lasal Spanula Long Blade	3	- 		
74. N	asal Packing Forcep	1		_	
75. L	uda Forcep	2			
76. D	oubt le Action Bano Punch	1	- 	- 	
	ammer	1			
	niseal Nasal (All Size)	1			
		2			

79.	Post Aural Mastoid retractor	1		
80.	End Aural Mastoid retractor	1		
81.	Paristone Elevator	1		And the second of the second o
82.	Ear Speculum (All Size)	05		<u> </u>
83.	Ear Speculum with Handle	1	 	
84.	Electric Cautary	5		
85.	Cautary points	5		
86.	Biopsy Forcep	3		·····
GYNAE	COLOGICAL INSTRUMENTS			
1,	Sponge holding forcep 7" Straight Box joint foor stors	6		
2.	Volsollum forceps teals 9 1/2" Teeth SS Box joint	3		
3.	Mayo Scissors 8" SS	2		
4.	Anwards speculum (Weight)	2		
5.	Female Matel Cathetor	5		
6.	Dialetor set Heger in a box	1		•
7.	Allis tisu forcep	25		
8.	Curved Artery forcep size 9"	12		
9.	Straight Artery forcep 9"	12		·
10.	Episitomy scissors	2		
11.	Mays Abdominal Bivalve retractor	3		
12.	Mays Abdominal Trivalve retractor			
	Abdominal Dialator retractor set round handle 12"	3		
13.	& 15" Uterian Scissors straight 9"	2		· · · · · · · · · · · · · · · · · · ·
14.		2		
15.	Uterian Scissors Curved 9"	2		<u></u>
16.	Operating revolving Steel	3		
17.	Uterian forceps	2		
18.	Cuscose veginal speculam	2		
19.	Towel Clips	48		
20.	D & C Set Complete in box	2		
21.	Uterian Clamp	2		
22.	Vacum Extractor	1		

ļ	Laboratory Table				127 2
		1			136
	Microscope Binocular with 02 objectives		- -		
	The state with Capiner		1	[John Walley
	Specifications:		1		* *
	Eyepiece: Widefield WE10 (This		1		
	(paired) Widefield WF10x (FN18)			1	
	(() () () () () () () () () (
	Objective: Plan achromatic PL4x/0.10,				
	achromatic A10x/0.25, A40x/0.65 (spring), A 130x/1.25 (oil. spring)				
	Nosepiece: Quadruple nosepiece (ball bearing type)		1		
	0.00		-		
	condensers (rack and pinion time)		ł		
2.	Focusing: Coaxial coarse and fine		1		
	focusing adjustment	1			
	Diaphragm: Iris diaphragm with sur				
	The race (\$2.34mm blue tiffer included)				
	Built in low position as and a			1	•
	,viidiilea state		ļ		
	Illumination: Built-in halogen			1	
	multimation 12V/20W with intensity page 1			- 1	
	1 MG III BUDDIN ZZD-Z4(IV VIDE DI AE		,		
	UK/USA/ EEC/Japan with their respective				
	Standards MDD (CE) compliance / MULLA/				
	TO STORE EUDIDINANT TRANSPORT]		
	which is FDA 510k approved can be considered.				
3.	Reflectron for verious Blood Tests Bechringer		<u> </u>		
J.	1 Mannhoin Gillon D-08000 Mannhoin Most	1			
 -	Germany Mic o Scope Lamp	,		ļ	i
4.	mis a dcope gamp	1	 	<u> </u>	
5.	Buretta Stand	<u>'</u>	<u> </u>	<u></u>	
		1			
6.	Pupatte Racks		 		
	Centrifuge Machine	1	}		
	Speed Range :300 to 6,500 rpm		 		
	Max RCF:4,000 x g		[!	
	Maximum capacity:6 x 15mL conical		[]		ŀ
	Timer: 0.5 to 30 minutes or continues with]		
	morneritary option		1		1
ł	Dimensions: 8.25 x 9.5 x 7.1 in.				-
	vveignt :9(b, (4 Kg)		1		
	Electrical		-		
_	250 (~ 50HZ		1		
7.	Description:	4]		
ļ	Select Spin spectra 6C, complete with 6 x 15 ml	1	ļ		İ
	141	ĺ	1		
1	Combination adapters for 5 ml (12x 75mm) and		ļ		ļ
	(. 0 V 100 HIWH HIDE CIZES WE 21V	İ	-		-
- 1 1	200 Ficiudes both Fill and Hk Dames and	ļ	1		
, ,	PIVOUM/ PEL/Japan wake n		ĺ		
1 7	This will do the DD to Et Companion of the little to		ļ		
	FDA 510k. Equipment from other countries which is FDA 510k approved can be considered.				
1.1					

Γ					والمتعادة المتعادة
8	Jrine Analyzer Automatic calibration Built-in thermal printer LCD display Leucocytes, Nitrite, Urobilinogen, Protein, pH Blood, Specific Gravity, Ketone, Bilirubin, Glucose Fleflectance meter principle Vvavelengths 470, 525 and 610 nm or better L'K/USA/EEC/Japan with their respective s:andards MDD (CE) compliance / MHLW Japan / FDA 510k. Equipment from other countries which is FDA 510k approved can be considered.	2			
9.		4	 		-
10		1			·
11		3	-	-	
12		2	_	-	
13	250 ml	6		 -	- .
14	500 ml	6			
15	<u> </u>	1	-		
16.		1.		-	<u> </u>
. 17.	Slides Microscopic	100	-		·
18.	Tube centrifuge Conical 15 ml	12	 		·
19.	Urine Glass	2			
20.	Chamber Naubaur				
21.	Chamber Naubaur Cover Clips	25			
22.	ESR Stand for 06 Tubes	1		-:	·
23.	ESR Tube	05			
24.	Haemoglobin Meter Shalls Complete	1		-	
25.	Hae noglobin Meter for tubes	3			·
26.	Hae noglobin Meter for Pipette	1			
27.	Stop Watch	1			
28.	Sprit Lamp	1			
29.	Test Tubes	12			
30.	Test Tube Stand	1			-
31.	Test Tube Holder	1		_ . <u>_</u>	

	Tomporeture held- 45" - 0"	,			
1.	Temperature holder 15" x 9"	05		:	
2.	Plain Beds Iron. Main Frame made by 1 x 2 x 18 gauge legs made by 1 ½ x 1 ½ x18 gauge M.S pipe with chainers made by 22 gauge sheets and the Bed is powder coating 78 x 36 x 24 with mattress and moltifoam	30			and the second
3.	Double Fowler Bed Main Frame made by 1 ¼ x 2 ½ x 16 gauge upper frame 1 ¼ x1 ¼ x16 legs made by 2 x 2 x16 gauge M.S pipe with 5" imported wheels chainers made by 18 gauge sheets and the Bed is finish by powder coating, with mattress and moltifoam	2			
4.	Bed Side Locker Made by 22 gauge sheet with one Space and a Cabinet with 2 inch wheel Finished by epoxy powder coated Top is made by Fiber material is very strong and water proof Draw panel and Door is made by Fiber material door is hang by Stainless steel Hanger Finished by Scratch and chip resistance powder coating. Locally Made Export Quality	07			,
5.	Sputum Cups SS with cover	10	-		
6.	Urinal male	05			<u> </u>
7.	Jrinal Female	05		·	
8.	Nard Trolley Dirty Linen Trolley Made by 1 inch round pipe in 18 gauge with Parachute Bag Trolley Frame is finished with Poxy powder coating Locally Made Export Quality	2			
9.	Patients Trolley (Stretcher Trolley) Made by 1 ¼ Stainless steel square pipe in 16 gauge with Stretcher made in 1 ¼ Round pipe in Stainless Steel with Curve sheet 6 inch imported Casters Locally Made Export Quality	1			•
10.	Suction Machine - extra strong wheels (1of them antistatic and 2 of them with brakes Gauge: 0-100 KPa/ 0-760mmHg ON/OFF switch Suction Control Knob Cable Length:3m 2 Polycarbonate collection jar (4 liters-Scale up to 3500 ml) with safety valve to prevent overfilling Maximum Pump Flow 40L/min Maximum Vacuum 0-86 kPa -866mbar - 650mmHg	1			

					The state of the s
11	Syringe Sterilizer	1			
12	Oxygen Cylinder Bullnose	3		_	
13	Bi ⁵ Apparatus mobile diai type	05			The second second
14	Split Air Conditioner 1.5 Ton With stabilizer and fitting	2			
15.	Pofrigoretes 40 of facility	1		-	
16.	Electric Water Cooler stander size	1	<u> </u>		
17.	Lamp (Tube Light)	1	-		
18.	Wheel Chair stander size	1			•
19.	Diesel Generator 30 KV Output Prime Rating: 30KVA, 24KW, Output Standby Rating: 33KVA, 26, 4KW, 380/415 V, 3 Phase, 4-wire, 50Hz, 0.8 PF @ 1500 RPM. Starting batteries, exhaust silencer, control panel, incorporating Automatic Engine Shutdown in the event of high engine coolant temperature & low lube oil pressure, voltmeter, ammeter, frequency meter, hours counter, Load output circuit Breaker panel and standard manufacturer handbook. Made: USA / UK / Japan	1			
BEDDII	NG /L.NEN ITEMS			· <u>-</u>	
1.	Draw Sheet 72" x 60"	25		<u>-</u>	
2.	Beci Sheets 90" x-40"	25			
3.	Blankets Red	25			
4.	Pillow 24" x 12"	25			
5.	Pillow covers	25			
6.	Hard Towels Medium size	10			
7.	Operation Gown	05			
8.	Operation Towels	05			
9.	Operation sheets	10		<u>-</u>	

, N.B:-

The original catalogue must accompanied will offer and the equipment should employee/certified at CCE/FDA. Standards.

The bidder must confirm fee Installation /Demonstration at consignee end.

Two years fee services from the date of installation 05 years tube warranty / service contract and available of spare parts may also be confirmed by the bidders.

Sole agent certificate Authorized letter from the manufacture must be provided by the bidder. The Service manual with circuit diagram will be provided with all above mentioned items.

The supplier will be bound to supply the price list of spare parts and consumable at the time of tender i e for two years.

The supplier will be bound to provide fee service during warranty period and to supply spare parts accessories of the supplied equipment on demand.

Joint inspection will be carried out by the consignee & representative of industries Directorate Sindh with technical assistance from concerned specialties end user.

Guaranteed presence of manufacture's trained service engineer in Karachi.

Present of manufacture engineer and specialist during commissioning phase.

In case of CIF the bidder to invest his money for L.C and pay L.C Charges. Transport to consignee and, certificate will be issued by the consignee that the import has been made for the hospital / health facility so has to avail the facility of exemption of duties /taxes as per Government Rules.

DELIVERY:VALIDITY	
UELIVEK " VALIDITY	
The many that is a constitute and a cons	

General Conditions & Instructions:

- 1.1 The tenders shall be submitted with all documents and drawing literature & catalogue (in equipment) in Technical proposal, with sealing wax. The envelope must contained tender enquiry no on the top and TECHNICAL /FINANCIAL PROPOSAL clearly in order to avoid any confusion. The name of manufacturer and the supplier should be affixed on the face of envelope at the left side.
- 1.2 Tenders must be filled in with Blue or black ink in the column provided and on separate letterhead duly signed.
- 1.3 The tenders must be free from erasing, cutting and over writing. In case of erasing, cutting and over writing, authorized person should be initial it.
- 1.4 The rates of each item should be written in figures as well as in words. In case of discrepancy the price in words will be taken as authenticate and final.
- 1.5 Conditional tenders will be ignored and will not be considered /entertained /accepted.
- 1.6 Tender from shall be accompanied by Earnest Money @ 2.5% of the value of stores quoted by them in form of call deposit/bank guarantee.
- 1.7 Original purchase receipt must be enclosed with their offer.
- 1.8 The tendered rate should be inclusive of all taxes, income and sales tax etc payable to federal and provincial Govt. or local bodies and no claims on these account shall be entertained.
- 1.9 The bidder shall furnish General Sales Tax (GST) Registration certificate of the firm failing which the offer will be ignored in case the item is exempted from GST either documentary evident or certificate from competent authority shall be attached with the offer.
- 1.10 The bidder shall furnish copy of valid professional tax certificate and income tax certificate.
- 1.11 The original catalogue must accompany with offer and the equipment should comply/certified at CE/FDA standards.

2. SPECIAL CONDITION:

- 2.1 Store is required immediately. The tender may, however give their short guaranteed delivery period by which the supply will be completed positively.
- 2.2 Tenders are required to specify make, country of origin and furnish detailed technical description literature/catalogue along with their offer.
- 2.3 The bidders shall quote their firm and final price both in figure and words on "Free delivery basis to consignee end.
- 2.4 Choice to select/ignore any their alternate offers shall rest with the purchaser.

2.5 No Manufacturer shall authorize their distributor/agent/any firm or person to quote the same item which manufacturer is quote it-self in any tender. Failing that offer of both the manufacturer as well as other bidder shall be ignored. 2.6

Tenders shall purchase separate tender documents and furnish purchases receipt for each alternate offer in case they want to submit alternate offer for any item. All the bids with alternate offers without separate purchase receipt (original) are suppose to

2.7 The bidder shall confirm the refund of cost difference if the same goods is/was supplied at lower rates to any other Govt. Semi Government Institution or Armed Forces in the provide or outside in the same financial year. 2.8

The Bid shall comprise a single package containing two separate envelops. Each envelops shall contain separately the financial proposal and the technical proposal.

2.9 The envelops shall be marked as "FINANCIAL PROPOSAL" and TECHNICAL PROPOSAL" in bold and legible letters to avoid confusion. 2.10

Initially only envelops marked as " TECHNICAL PROPOSAL" shall be opened.

2.11 The envelop marked as " FINANCIAL PROPOSAL" shall be retained in the custody of the producing agency without being opened.

Purchaser's right to vary quantities at time of award. 3.

The purchaser reserves the right to increase/decrease or delete the quantities of goods etc at the time of award of contract and also reserves the right to enhance the quantity by 25% of goods and services originally specified in the schedule of requirements without any change in unit price of other terms and conditions of goods at any time during contract period.

Notirication of Award/Advance contract:

4.1 Prior to the expiration of the period of bid validity, the purchaser will notify the successful bidder in writing, delivery by hand or by register letter by cable to be confirmed in writing by register letter that is bid has been accepted.

4.2 The notification of award will constitute the formation of the contract.

Award of contract and contract agreement 5.

Subject to the fulfillment of all codal formalities, the purchaser will award the contract to the successful bidder who's bid has been determined to be qualified to perform the contract satisfactory.

6. Performance Security

The successful tenderers will have to deposit with the purchase security deposit as under in shape of call deposit/pay order at the rate of 2.5% of the value of contract.

Criteria for evaluation of bids" 7.

- a. Quoted price
- b. Specification compliance/preferred function
- c. After sale service facility (in case of equipment)
- d. Operational cost (in case of equipment and vehicle)
- e. Delivery schedule
- f. Authority letter from Manufacturer
- g. Earnest Money
- 8. Bidder must attached/product the following documents.
- Registration Certificate issued by the industries department 1.
- Income Tax Registration Certificate\ 2.
- General Sales Tax Certificate issued by the sales tax department 3.
- Professional sales Certificate 4.
- **Chamber of Commerce Certificate** - 5.
- Business Experience No of Year Certificate · 6.
- 7. Annual Turn over in Million Certificates
- Client Certificate stamp paper 8.

- 9. Income Tax Annual returns 02 years
- 10. Audit report of sales Tax last 03 years
- 11. Monthly sale Tax Challan summary of 15 months
- 12. Relevant Experience in same field
- 13. No Objection Certificate.

9. Fee for Award of Contract:

Service charges @ .25% of the value of the contract will realized /charged by the AG Sindh, while making payment to the contractors for award of each contract

10 Undertaking

- O9.1 That I/We agree whether our tender accepted for total, partial or enhanced quantity for all or any single item. I/We also agreed to supply and accept the said item at the rates for the supply of contracted quantity with in the stipulated period shown in the contract.
- 09.2 I/We understand and confirm the refund of cost different if the same goods is/was supplied at lower rates to any other Govt./Semi Govt. institution in the province in the same fiscal year.
- 09.3 I/We undertake that; if any of the information submitted in accordance to this tender enquiry found incorrect our contract may be cancelled at any stage on our cost and risk.

Note: Furniture final approval/ decision would be taken on samples provided by bidders.

CERTIFICATE

We guarantee to supply the sores exactly in accordance with the requirement specified in the invitation to this tender.

Signature of tenderer:	_
Name & Designation :	
Address:	

MRIEGO TEALTH OFFICER