

TENDER DOCUMENTS

URGENT REWINDING OF ELECTRIC MOTOR NO. 4 & 5 (125HP) AND REPLACEMENT OF DEFECTIVES PARTS OF PUMP NO.4&5 TYPE B14B AND REPLACEMENT OF ELECTRICAL ACCESSORIES AT 5-C-4 PUMPING STATION AT NORTH KARACHI (E&M)-WATER.

K ARACHI W ATER & S EWERAGE B OARD

BIDDING DATA

(a)	Name of Procuring Agency	KW&SB
(b)	Brief Description of Work	URGENT REWINDING OF ELECTRIC MOTOR NO. 4 & 5 (125HP) AND REPLACEMENT OF DEFECTIVES PARTS OF PUMP NO. 4 & 5 TYPE B14B AND REPLACEMENT OF ELECTRICAL ACCESSORIES AT 5-C-4 PUMPING STATION AT NORTH KARACHI (E&M)-WATER.
(c)	Procuring Agency Address	North Karachi Town, KW&SB
(d)	Estimate Cost	On item rate basis
(e)	Amount of Bid Security	2% of Bid amount
(f)	Period of Bid Validity	<u>90 Days</u>
(g)	Security Deposit (including Bid Security)	10%
(h)	Venue, Time and Date of Bid Opening	The Tender in sealed cover super scribed with the name of the work should be dropped in the Tender Box kept in office of the Chief Engineer (IP&D) at Block-"B" 9 th Mile Karsaz, Karachi on 24-7-15 at 2130 by Procurement Committee
(i)	Deadline for submission of Bid along with time.	24-7-15-230
(j)	Time for completion from written order commence	20 Days
(k)	Liquidity damage	0.5% of Bid Cost per day of delay
(1)	Bid issued to Firm	M/s
(m)	Deposit Receipt No. & Date	
	Amount:	Rs. 1000/=

EXECUTIVE ENGINEER (E&M) N. KARACHI TOWN, KW&SB Authority Issuing Bidding Document

Name of Work:

URGENT REWINDING OF ELECTRIC MOTOR NO. 4 & 5 (125HP) AND REPLACEMENT OF DEFECTIVES PARTS OF PUMP NO.4&5 TYPE B14B AND REPLACEMENT OF ELECTRICAL ACCESSORIES AT 5-C-4 PUMPING STATION AT NORTH KARACHI (E&M)-WATER.

ELIGIBILITY AND EVALUATION CRITERIA OF THE TENDER BELOW 2.5 MILLION

Bid shall be evaluated on the basis of following information are available with the bid: -

- 1. Bid shall be in sealed Cover.
- 2. Bid shall be properly signed by the Contractor with Stamp.
- 3. Name of firm, Postal address, Telephone number, Fax number, E-mail address must be written.
- 4. Rate must be quoted in figures and words.
- 5. NTN and Sales Tax (Where applicable).
- 6. Contractor should be registered with Sindh Revenue Board in terms of Rule-46 (1) (iii) of SPP Rules, 2010 (amended 2014).
- 7. Relevant Experience of work (03) Three years.
- 8. Turnover at least (03) Three years.
- 9. Bid Security of required amount.
- 10. Conditional bid will not be considered.
- 11. Bid will be evaluated according to SPPRA 2010 (Amended 2013).
- 12. Debarred Contractors bid cannot be accepted.

OFFICE OF THE EXECUTIVE ENGINEER (E&M) NORTH KARACHI TOWN KW&SB

NAME OF WORK: URGENT REWINDING OF ELECTRIC MOTOR NO. 4 & 5 (125HP) AND REPLACEMENT OF DEFECTIVES PARTS OF PUMP NO.4&5 TYPE B14B AND REPLACEMENT OF ELECTRICAL ACCESSORIES AT 5-C-4 PUMPING STATION AT NORTH KARACHI (E&M)-WATER.

Estiniate:

On Item Rate Basis

Penalty:

1000/- Per Day

Tenaer Cost: Rs.1000/-

Date of Receiving: 24-07-2015 at 2:00 P.M and Opened at 24-07-2015 2:30 P.M in the office of Chif Engineer (IP&D),

Block B 9th Mile Shahrah-e-Faisal Karachi

	Description of Work	Quantity	Rate			
S.No			Rupees in Figures	Rupees in Words	Per Unit/ Item	Amount In Rupees
	Rewinding of electric motor no.4 & 5				1	
	(150 HP) at 5-C-4 P/S, 3phases, 400/440					
	volts 50 cycles with best quality insulated					
	copper wire of required gauge including					
	testing on load with satisfactory result					
1	upto one weeks time, opening and					
	refitting and replacing the bolts if					
	necessary excluding the cost of worn out					
	material. (04 Poles 1450 RPM) (Govt. oF					
	sindly Scheme of rates 2012 Item No. N at					
	Page No.111)	2 Nos			Each	
2	P/F ball bearing no. 7322 SKF/FAG					
		2 Nos			Each	
2	D/5 hall have a series NUL 240 SV5/54 S					
3	P/F ball bearing no. NU-319 SKF/FAG	2 Nos			r. d	
	P/F Magnetic Contactor FC-190 N as	2 1105			Each	
	required as per instruction of the					
4	Engir eering Incharge (GOS Sch. Of Rates					
35	2012 Sub Head XIII magnetic contactor					
	Item no.259)	4 Nos			Each	
	P/F overload relays for sizes model ft 300	,				
	as required & as per instruction of the					
5	Engir eer Incharge (GOS Sch. Of Rates					
	2012 Sub Head XIV magnetic contactor					
	Item no.267 at Page No: 38)	2 Nos			Each	
	P/F Timer 500hours power backup					
	national after removing of existing					
	burn¹/damage/old timer afer					
	disconnection of main power supply &					
6	reconnection the same after fixing the					
	timer as required & as per instruction of					
	the Engineer Incharge (GOS Sch. Of Rates					
	2012 Sub Head XIII magnetic contactor				1 8	
	Item no.D Timer-288 at Page No.41)	2 Nos			Each	
		2			20011	*****
7	Dismentling & Reassembling of deep well turbine DWT pump All type.					
	turor ie ow r pump All type.	2 Job			P/Job	

	Description of Work	Quantity	Rate		- 10 M	
S.N _l o			Rupees in Figures	Rupees in Words	Per Unit/ Item	Amount In Rupees
8	M/F of carbon steel column shaft for punip type b14b having size length 10"dia 45mm thorugning and making key		A STATE OF THE STA		31	
	and check nut as per direction of the eng neer incharges.	2 Nos		191	-	
	M/F of carbon steel top shaft for pump	2 1103	1 1		Each	
	typ∈ b14b having size length 8"dia 45mm					
9	threading polishing and thorugning and		1.9			
	making key and check nut as per		1 1			
	direction of the engineer incharges.	2 Nos	1		Each	12.14
10	M/F of S steel shaft for pump type b14b having size length 5"-8"dia 45mm threading polishing and thorugning and making key and check nut as per direction of the engineer incharges.	2 Nos	2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		Each	4
11	M/P of gun metal sand guard having size 6"dia length 2"dia 2.70kg weight of pump type b14b.	4 Nos			Each	1.0
12	M/P of gun metal bowl sleeves having size 6"dia length 5"dia 2" thickness 3/8" of pump type b14b.	8 Nos	, 1		Each	
13	M/P of cast iron wearing rings have size 0.D=10", ID=8" thickness=2" weight 2kg for rump type b14b.	8 Nos		1	Each	
14	M/P of s.steel clamping sleeves having size ength 5"dia 2" thickness 3/8" weight 2kg for pump type b14b.	8 Nos			Each	
15	M/P of Gun metal bearing sleeves having size ength 7"dia 2" thickness 3/8" weight 2kg for pump type b14b.	4 Nos			Each	
10 1	M/P of bronze impelleer of pump type b14t	8 Nos	12 m		Each	

Total Rs

EXECUTIVE ENGINEER (E&M)
NORTH KARACHI, KW&SB

I/we hereby q Joted Rs	_ in word (
NOTE: All existing SPPRA Rule will be ab	oide.
Contractor Signature	
Address	
Cell No	
Seal.	



TENDER DOCUMENTS

URGENT REWINDING OF ELECTRIC MOTOR NOS 1&3 (200HP) AND REPLACEMENT OF DEFECTIVE PARTS OF PUMP NO.1&3 TYPE B-16/D-3 AND REPLACEMENT OF ELECTRICAL ACCESSORIES AT KHAWAJA AJMAIR NAGRI PUMPING STATION AT NORTH KARACHI TOWN (E&M)-WATER.

K ARACHI W ATER & S EWERAGE B OARD

BIDDING DATA

(a)	Name of Procuring Agency	KW&SB
(b)	Brief Description of Work	URGENT REWINDING OF ELECTRIC MOTOR NOS 1&3 (200HP) AND REPLACEMENT OF DEFECTIVE PARTS OF PUMP NO.1&3 TYPE B- 16 / D-3 AND REPLACEMENT OF ELECTRICAL ACCESSORIES AT KHAWAJA AJMAIR NAGRI PUMPING STATION AT NORTH KARACHI TOWN (E&M)-WATER.
(c)	Procuring Agency Address	North Karachi Town, KW&SB
(d)	Estimate Cost	On item rate basis
(e)	Amount of Bid Security	2% of Bid amount
(f)	Period of Bid Validity	<u>90 Days</u>
(g)	Security Deposit (including Bid Security)	10%
(h)	Venue, Time and Date of Bid Opening	The Tender in sealed cover super scribed with the name of the work should be dropped in the Tender Box kept in office of the Chief Engineer (IP&D) at Block-"B" 9 th Mile Karsaz, Karachi on 24-7-15 at 2130 by Procurement Committee
(i)	Deadline for submission of Bid along with time.	24-07-15
(j)	Time for completion from written order commence	<u>20 Days</u>
k)	Liquidity damage	0.5% of Bid Cost per day of delay
1)	Bid issued to Firm	M/s
n)	Deposit Receipt No. & Date	
(Amount:	Rs. 1000/=

EXECUTIVE ENGINEER (E&M)
N. KARACHI TOWN, KW&SB

Authority Issuing Bidding Document

Name of Work:

URGENT REWINDING OF ELECTRIC MOTOR NOS 1&3 (200HP)

AND REPLACEMENT OF DEFECTIVE PARTS OF PUMP NO.1&3

TYPE B-16/D-3 AND REPLACEMENT OF ELECTRICAL

ACCESSORIES AT KHAWAJA AJMAIR NAGRI PUMPING

STATION AT NORTH KARACHI TOWN (E&M)-WATER.

ELIGIBILITY AND EVALUATION CRITERIA OF THE TENDER BELOW 2.5 MILLION

Bid shall be evaluated on the basis of following information are available with the bid: -

- 1. Bid shall be in sealed Cover.
- 2. Bid shall be properly signed by the Contractor with Stamp.
- 3. Name of firm, Postal address, Telephone number, Fax number, E-mail address must be written.
- 4. Rate must be quoted in figures and words.
- 5. NTN and Sales Tax (Where applicable).
- 6. Contractor should be registered with Sindh Revenue Board in terms of Rule-46 (1) (iii) of SPP Rules, 2010 (amended 2014).
- 7. Relevant Experience of work (03) Three years.
- 8. Turnover at least (03) Three years.
- 9. Bid Security of required amount.
- 10. Conditional bid will not be considered.
- 11. Bid will be evaluated according to SPPRA 2010 (Amended 2013).
- 12. Debarred Contractors bid cannot be accepted.

OFFICE OF THE EXECUTIVE ENGINEER (E&M) NORTH KARACHI TOWN KW&SB

NAME OF WORK: URGENT REWINDING OF ELECTRIC MOTOR NOS 1&3 (200HP) AND REPLACEMENT OF DEFECTIVE PARTS OF PUMP NO.1&3 TYPE B-16/D-3 AND REPLACEMENT OF ELECTRICAL ACCESSORIES AT KHAWAJA AJMAIR NAGRI PUMPING STATION AT NORTH KARACHI TOWN (E&M)-WATER.

Esti nate:

On Item Rate Basis

Penalty:

1000/- Per Day Tender Cost: Rs.1000/-

Date of Receiving: 14-07-2015 at 2:00 P.M and Opened at 14-07-2015 2:30 P.M in the office of Chif Engineer (IP&D),

Block B 9th Mile Shahrah-e-Faisal Karachi

	Description of Work		Rate			
S.No		Quantity	Rupees in Figures	Rupees in Words	Per Unit/ Item	Amount In Rupees
	Rewinding of electric motor no.1 & 3					
	(200 HP) at Khawaja Ajmair Nagri P/S,					
	3phases, 400/440 volts 50 cycles with					
	best quality insulated copper wire of					
	required gauge including testing on load					
1	with satisfactory result upto one weeks					
	time, opening and refitting and replacing					
	the polts if necessary excluding the cost					
	of vorn out material. (04 Poles 1450					
	RPM) (Govt. oF sindh Scheme of rates					
	201.: Item No. N at Page No.11)	2 Nos			Each	
2	P/F ball bearing no. 7322 SKF/FAG					
-	171 San dearing No. 7322 Ski71 Ad	2 Nos			Each	
		2,103			Lacii	
3	P/F hall bearing no. NU-319 SKF/FAG					
		2 Nos			Each	
	P/F Magnetic Contactor FC-190 N as					
	required as per instruction of the					
4	Engineering Incharge (GOS Sch. Of Rates					
	2017 Sub Head XIII magnetic contactor					
	Item no.259)	4 Nos			Each	
	P/F overload relays for sizes model ft 300 as required & as per instruction of the					
5	Engineer Incharge (GOS Sch. Of Rates					
	2012 Sub Head XIV magnetic contactor					
	Item no.267 at Page No: 38)	2 Nos	11		Each	
	P/F Timer 500hours power backup	25			Lacii	
	national after removing of existing					
	burnt/damage/old timer afer					
	disconnection of main power supply &					
6	reconnection the same after fixing the					
	timer as required & as per instruction of					
	the Engineer Incharge (GOS Sch. Of Rates					
	2012 Sub Head XIII magnetic contactor	12 2000				
	Item no.D Timer-288 at Page No.41)	2 Nos			Each	
7	Dismentling & Reassembling of deep well					
	turbine DWT pump All type.	2 Nos			Each	
	D/E i modlors (Propos) for a con-				20011	
8 I	P/F i npellers (Bronze) for pump nos. 1 &3					
	<u> </u>	6 Nos			Each	

S.No	Description of Work	Quantity	100	Rate	Per Unit/ Item	Amount In Rupees
			Rupees in Figures	Rupees in Words		
9	P/I [‡] wearing rings (Bronze) for pump nos. 1 &3	6 Nos			Each	
10	P/I ² bowl sleeves (Cast Iron) for pump nos. 1 &3	6 Nos			Each	yes.
11	P/F Rubber bearings for pump nos. 1 &3	6 Nos			Each	
12	P/F clamping sleeves (Cast iron) for pump	6 Nos			Each	
13	P/F thread coupling for pump nos. 1 &3	6 Nos			Each	
	P/F pump shaft 45mm dia (Stainless ste 3) for pump nos. 1 &3	2 Nos			Each	
	P/F sand guard (Bronze) for pump nos. 1	2 Nos			Each	
	P/F column shaft 10'long 45mm dia (Stainless steel) for pump nos. 1 &3	2 Nos			Each	
	P/F top shaft 45mm dia 7'long for pump nos. 1 &3	2 Nos			Each	Tayl.

Total Rs

EXECUTIVE ENGINEER (E&M)
NORTH KARACHI, KW&SB

I/we hereby Juoted Rs	in word (
NOTE: All existing SPPRA Rule w	ill be abide.
Contractor Signature	
Address	
Cell No	
Seal.	