GOVERNMENT OF SINDH PLANNING, DEVELOPMENT, MONITORING, IMPLEMENTATION & EVALUATION CELL CULTURE, TOURISM & ANTIQUITIES DEPARTMENT GOVERNMENT OF SINDH

1.	Tender No.	CTA-110/15
2.	Name & Address of Bidder	
3.	Indenters Name and Address	PLANNING, DEVELOPMENT, MONITORING, IMPLEMENTATION & EVALUATION CELL OF CULTURE, TOURISM & ANTIQUITIES DEPARTMENT, GOVERNMENT OF SINDH-KARACHI.
4.	Tender Terms and Conditions	As contained in items & Conditions of this tender, DIS-12-14, Sindh Purchase Manual & Other relevant laws in force.
5.	Particulars of the stores	As below:
6.	Particulars of the stores	

S#.	DESCRIPTION	QTY.	UNIT PRICE (IN PAK RUPEES)	TOTAL AMOUNT (IN WORDS)	TOTAL AMOUNT (IN FIGURES)
FURNIT	URE/FIXTURE			1	
REGULA	AR				
1	WORKING TABLE Specification: Size 4 x 2 ½ x 2 ½ ft. Board size 4 x 2 ft. With shelf compartment Size 30 x 23 x 22 inch Superior quality polish 1" thick 13-ply hardwood panel Lacquer polish Complete in all respect	24	EACH	TOTAL	TOTAL
2	COMPUTER CHAIR REVOLVING Specification: Revolving Style Hydraulic system Arm rests Scasters wheels Seat and back cushioned Resistant to scrap & stains Complete in all respect	24	EACH	TOTAL	TOTAL
3	TABLE SIZE 4 x 2 – ½" WITH SIDE RACK Specification: Table 4 x 2 – ½ size Side rack 3x18inch Oak wood style Superior quality polish Lacquer polish Complete in all respect	06	EACH	TOTAL	TOTAL
4	OFFICERS EXECUTIVE REVOLVING CHAIR Specification: High back style imported Revolving Hydraulic system Arm rests S casters wheels Seat and back cushioned Complete in all respect	06	EACH	TOTAL	TOTAL

5	STAFF OFFICE CHAIR REVOLVING Specification: • Revolving	24			
	 Hydraulic system Arm rests 5 casters wheels Seat and back cushioned Complete in all respect 		EACH	TOTAL	TOTAL
6	FILE CABINET Specification: • Width 18" • Depth 18" • Height 30"	24			
	 Superior quality polish Lacquer polish Solid premium veneer Polish Complete in all respect 		EACH	TOTAL	TOTAL
7	STEEL ALMIRAH Specification: Width 18" Depth 18"	24			
,	 Height 48" Superior quality polish Iron polish 18 SWG polish Complete in all respect 	- "	EACH	TOTAL	TOTAL
	WOODEN SHELVING SIZE 48X36X12 Specification: • Height 48"				
8	 Width 36" Depth 12" Superior quality polish 1" thick 13-ply hardwood panel Lacquer polish Complete in all respect 	24	EACH	TOTAL	TOTAL
	SOFA SET SEATING Specification:				
9	 Height 30" Width 24" Depth 27 – 1/2" 	06			
	 Superior quality cushioned 7 seating capacity Wooden style Lacquer polish Complete in all respect 		EACH	TOTAL	TOTAL

	CHICHIONED EVECHTIVE CHAIR	T		1	
	CUSHIONED EXECUTIVE CHAIR Specification:				
	Specification:				
	High back style imported				
10	Revolving	12			
10	Hydraulic system	12	EACH	TOTAL	TOTAL
	Arm rests		EACH	IOIAL	IOIAL
	• 5 casters wheels				
	Seat and back cushionedPolish				
	Complete in all respect				
	WOODEN SHELVING SIZE 48X36X12				
	GLASS DOOR CASE WITH LOCK & KEY				
	Specification:				
11		12			
	Superior quality polish		EACH	TOTAL	TOTAL
	 Tempered ¼" thick glass 		LACIT	IOIAL	IOIAL
	Heavy duty hinge support				
	Lacquer polishComplete in all respect				
ADP S	CHEME No. 58/2015-16				<u> </u>
7,0,7	SHOW CASE (STEEL)		<u> </u>		
	Specification:				
	·	2			
	• 48X38X14INCH				
1	Superior quality				
7	Tempered glass		EACH	TOTAL	TOTAL
	• ¼ " thick glass		EACH	IOIAL	IOIAL
	 Heavy duty hinged support 				
	Lacquer polish				
	Complete in all respect				
	VIP STAGE TABLE (WOODEN)				
2	• 1x5 Set	1			
_	 Standard size 		EACH	TOTAL	TOTAL
	Complete in all resect				
	STAGE CHAIRS (WOODEN)				
	Specification:				
2	Revolving	12			
3	Hydraulic system		FACIL	TOTAL	TOTAL
	Arm rests		EACH	TOTAL	TOTAL
	Seat and back cushioned				
	Complete in all respect				
	P/F AUDITORIUM CHAIRS				
	Best Frame made of heavy metal				
	structure (heavy gage fix to the floor)				
	 Cushioned seats & back foam with 				
	rubber molded armed edges sides with				
	Formica laminated panels				
	Seat Folding made in solid wood and				
4	metal core (Heave gage with molded	250			
4	frame)	230	EACH	TOTAL	TOTAL
	Arms rests made of solid wood		LACH	IOIAL	IOIAL
	 Wooden tablet made of solid wood 				
	with laminated in right Arm/Chair				
	Top Quality provided in all chair				
	covered with fabric				
	Supply of chair includes complete				
	installation and fixing]			

	CONFERENCE CHAIR (WOODEN)				
	Specification:				
	I -				
5	Revolving Hydraulic system	30			
	Arm rests		EACH	TOTAL	TOTAL
	5 casters wheels		EACH	IOIAL	IOIAL
	Seat and back cushioned				
	Complete in all respect (As per site requirement)				
	RACK (STEEL)				
6	• Size 72x48x18 inches	36			
	Complete in all respects		EACH	TOTAL	TOTAL
	Best quality			IOIAL	IOIAL
ADP SO	CHEME No. 65/2015-16				
				1	1
	STAGE CHAIRS VVIP				
	Specification:				
	Revolving				
	Hydraulic system				
1	Arm rests	1		TOTAL	TOTAL
	5 casters wheels		EACH	TOTAL	TOTAL
	Seat and back cushioned				
	Complete in all respect				
	Best quality				
	BENCH WOODEN WITH				
	BACK & ARM				
	Specification:	5			
2	Durable oak frame				
	Sled base		EACH	TOTAL	TOTAL
	Lacquer polish				
	Complete in all respect				
	Hand Trollies				
3	Specification:	2			
	Standard Size.Imported		EACH	TOTAL	TOTAL
	ImportedComplete in all respect				
	WASTE PAPER BASKET				
4		40			
	Imported		EACH	TOTAL	TOTAL
	CATALOG CARD CABINET				
	Specification:				
5	Lacquer polish	4			
5	Resistant to scrap and stains Office grade	4			
	Office gradeSolid oak legs		EACH	TOTAL	TOTAL
	Resistant to scrap & stains				
	Standard size				
	Complete in all respect				
	COMPUTER TABLE WITH CHAIR	1			
	Specification:				
	Lacquer polish OFFICE CRADE				
	OFFICE GRADE Solid oak legs				
	Resistant to scrap and stains				
_	Office grade	4			
6	Solid oak legs	1			
	Resistant to scrap & stains		EACH	TOTAL	TOTAL
	Chair revolving style				
	Hydraulic system				
	Arm rests				
	5 casters wheels Seat and back surbinged				
	 Seat and back cushioned Resistant to scrap and stains 				
	Complete in all respect				
	p ''			I	1

	OFFICE CHAIRS				
	OFFICE CHAIRS				
	Specification:				
_	Revolving				
7	Hydraulic system	4			
	Arm rests5 casters wheels		EACH	TOTAL	TOTAL
	 Seat and back cushioned Complete in all respect 				
	OFFICE TABLE				
	Specification:				
	• Table 4 x 2 – ½ size				
8	Side rack 3x18inch	4			
	Oak wood style		EACH	TOTAL	TOTAL
	 Superior quality polish 				
	Lacquer polish				
	Complete in all respect				
	READING TABLE FOR CHILDREN				
	(SIZE 6 X 4 FT)				
	Specification:				
	Specification.				
	TABLE SIZE 6 X 4FT				
_	Lacquer polish	4			
9	OFFICE GRADE				
	Solid oak legs		EACH	TOTAL	TOTAL
	Resistant to scrap and stains Arm roots				
	Arm rests Seat and back cushioned				
	Resistant to scrap and stains				
	Complete in all respect				
	READING TABLE FOR CHILDREN				
	(SIZE 4 X 4 FT)				
	Specification:				
	Specification.				
	TABLE SIZE 4 X 4FT				
10	Lacquer polish	6			
10	OFFICE GRADE	Ь	EACH	TOTAL	TOTAL
	Solid oak legs		EACH	IOIAL	IOIAL
	Resistant to scrap and stains Seat and back sushioned.				
	 Seat and back cushioned Resistant to scrap and stains 				
	Resistant to scrap and stains Complete in all respect				
	- Complete in an respect				
	BEADING CHAIR EOD CHILDREN				
	READING CHAIR FOR CHILDREN				
	Specification:				
	Lacquer polish				
	OFFICE GRADE				
11	Solid oak legs	40			
	Resistant to scrap and stains		EACH	TOTAL	TOTAL
	Arm rests Sectional healt such in add				
	Seat and back cushioned Resistant to scrap and stains				
	Resistant to scrap and stains Complete in all respect				
	Complete in an respect				
	CTEEL ALMIDALI (FDONT CLASS)				1
	STEEL ALMIRAH (FRONT GLASS)				
	Specification:				
4.0	With Front Glass				
12	Superior quality polish	30			
	Iron polish		EACH	TOTAL	TOTAL
	• 18 SWG				
	• Polish				
	 Complete in all respect 				

	FILE CADIALET				
	FILE CABINET				
	Specification:				
13	Superior quality polish	4			
	Lacquer polish Solid premium veneer		EACH	TOTAL	TOTAL
	Solid premium veneerPolish				
	Complete in all respect				
	STEEL ALMIRAH				
	Specification:				
	- Mi:dab 40//				
	Width 18"Depth 18"				
14	Height 48"	2			
	Superior quality polish		EACH	TOTAL	TOTAL
	Iron polish18 SWG				
	• polish				
	Complete in all respect				
	FOLDING COTS Specification:				
15	Metal frame	6			
13	Easy folding	O	EACH	TOTAL	TOTAL
	Easy roll away on castersSize 31.5 x 75 x 10.5 inch (WDH)		EACH	IOIAL	IUIAI
	• 4" Foam mattress				
	Complete in all respect				
	FOLDING CHAIR Specification:				
	Metal folding chair Made of fabric				
	• foam				
16	Steel Folds for organized storage	18			
			EACH	TOTAL	TOTAL
	Curved triple braced frame Riveted components			1 0 17 12	
	2.5" thick padded seat				
	Overall Dimensions: 30" H x 18.5" W x 19" D				
	Seat				
	FOLDING TABLES				
	Specification:				
	• Open dimensions: 30"L x 20"W x 21"-28"H				
	Folded dimensions: 40"L x 20"W x 2.75"H				
	Table top material: UV-protected double-wall,				
	high-density polyethylene				
17	Table top thickness: 38mm	3			
	Frame material: powder-coated steel tubing		EACH	TOTAL	TOTAL
	Frame tubing diameter: 19mm				
	4 adjustable height settings				
	 Adjusts to 21", 24", 26" and 28" 				
	Stain resistant and easy to clean				
	Indoor and outdoor use				

18	COMPUTER CHAIR REVOLVING Specification: Revolving Style Hydraulic system Arm rests Scasters wheels Seat and back cushioned Resistant to scrap & stains Complete in all respect	1	EACH	TOTAL	TOTAL
19	COMPUTER TABLE Specification: Lacquer polish Office grade Solid oak legs Resistant to scrap & stains Complete in all respect	3	EACH	TOTAL	TOTAL
ADP S	CHEME No. 79 /2015-16	1		I	
1	OFFICERS EXECUTIVE CHAIR Specification: High back style imported Revolving Hydraulic system Arm rests Scasters wheels Seat and back cushioned Complete in all respect	2	EACH	TOTAL	TOTAL
2	TABLES FOR OFFICERS Specification:	2	EACH	TOTAL	TOTAL
3	OFFICE CHAIR (REVOLVING) Specification: Revolving Hydraulic system Arm rests Scasters wheels Seat and back cushioned Complete in all respect	4	EACH	TOTAL	TOTAL
4	SOFA SET SEATING Specification: Height 30" Width 24" Depth 27 – 1/2" Superior quality cushioned T seating capacity Wooden style Lacquer polish Complete in all respect	2	EACH	TOTAL	TOTAL

OFFICE TABLE Specification: Oak wood style Superior quality polish Lacquer polish Complete in all respect OFFICE CHAIR Specification: Revolving Hydraulic system Seat and back cushioned Complete in all respect EXECUTIVE CHAIR Specification: High back style imported Revolving Hydraulic system Arm rests Specification: High back style imported Revolving Hydraulic system Specification: FILE CABINET Specification: Width 18" Depth 18" Height 30" TOTAL	TOTAL
Oak wood style Superior quality polish Lacquer polish Complete in all respect OFFICE CHAIR Specification: Revolving Hydraulic system Seat and back cushioned Complete in all respect EXECUTIVE CHAIR Specification: High back style imported Revolving Hydraulic system Arm rests Seat and back cushioned Complete in all respect EXECUTIVE CHAIR Specification: High back style imported Revolving Hydraulic system Arm rests Seat and back cushioned Best quality Complete in all respect FILE CABINET Specification: Width 18" Depth 18" Depth 18"	TOTAL
Superior quality polish Lacquer polish Complete in all respect OFFICE CHAIR Specification: Revolving Hydraulic system Arm rests Seat and back cushioned Complete in all respect EXECUTIVE CHAIR Specification: High back style imported Revolving Hydraulic system Hydraulic system Specification: High back style imported Revolving Hydraulic system Seat and back cushioned Seat and back cushioned Revolving Hydraulic system Arm rests Seat and back cushioned Seat and back cushioned Seat and back cushioned Best quality Complete in all respect FILE CABINET Specification: Width 18" Depth 18" Depth 18"	TOTAL
• Lacquer polish • Complete in all respect OFFICE CHAIR Specification: 6	TOTAL
Complete in all respect OFFICE CHAIR Specification: Revolving Hydraulic system Arm rests Seat and back cushioned Complete in all respect EXECUTIVE CHAIR Specification: High back style imported Revolving Hydraulic system Arm rests Seat and back cushioned Seat and back cushioned Revolving Hydraulic system Arm rests Seat and back cushioned Best quality Complete in all respect FILE CABINET Specification: Width 18" Specification: Width 18" Specification: Width 18" Specification:	TOTAL
OFFICE CHAIR Specification: Revolving Hydraulic system Arm rests Seat and back cushioned Complete in all respect FILE CABINET Specification: Width 18" Depth 18" Specification: OFFICE CHAIR Specification: Revolving Hydraulic system Arm rests Seat and back cushioned Best quality Complete in all respect FILE CABINET Specification: Width 18" Depth 18"	
Specification: Revolving Hydraulic system Arm rests Seat and back cushioned Complete in all respect EXECUTIVE CHAIR Specification: High back style imported Revolving Hydraulic system Arm rests Seat and back cushioned Seat and back cushioned Seat and back cushioned Best quality Complete in all respect FILE CABINET Specification: Width 18" Depth 18"	
Specification: Revolving Hydraulic system Arm rests Seat and back cushioned Complete in all respect EXECUTIVE CHAIR Specification: High back style imported Revolving Hydraulic system Arm rests Seat and back cushioned Seat and back cushioned Seat and back cushioned Best quality Complete in all respect FILE CABINET Specification: Width 18" Depth 18" Depth 18"	
Revolving Hydraulic system Arm rests Seat and back cushioned Complete in all respect EXECUTIVE CHAIR Specification: High back style imported Revolving Hydraulic system Arm rests Seat and back cushioned Seat and back cushioned Revolving Hydraulic system Seat and back cushioned Best quality Complete in all respect FILE CABINET Specification: Width 18" Depth 18" Depth 18"	
6 Hydraulic system	
6 Hydraulic system	
Arm rests Scasters wheels Seat and back cushioned Complete in all respect EXECUTIVE CHAIR Specification: High back style imported Revolving Hydraulic system Arm rests Scasters wheels Scasters wheels Seat and back cushioned Best quality Complete in all respect FILE CABINET Specification: Width 18" Depth 18"	
Seat and back cushioned Complete in all respect EXECUTIVE CHAIR Specification: High back style imported Revolving Hydraulic system Arm rests Seat and back cushioned Seat and back cushioned Best quality Complete in all respect FILE CABINET Specification: Width 18" Depth 18"	
EXECUTIVE CHAIR Specification: High back style imported Revolving Hydraulic system Arm rests Seat and back cushioned Best quality Complete in all respect FILE CABINET Specification: Width 18" Depth 18"	TOTAL
EXECUTIVE CHAIR Specification: High back style imported Revolving Hydraulic system Arm rests Scasters wheels Seat and back cushioned Best quality Complete in all respect FILE CABINET Specification: Width 18" Depth 18"	TOTAL
Specification: High back style imported Revolving Hydraulic system Arm rests Seat and back cushioned Best quality Complete in all respect FILE CABINET Specification: Width 18" Depth 18" High back style imported FACH EACH TOTAL	TOTAL
Specification: High back style imported Revolving Hydraulic system Arm rests Seat and back cushioned Best quality Complete in all respect FILE CABINET Specification: Width 18" Depth 18" High back style imported FACH EACH TOTAL	TOTAL
High back style imported Revolving Hydraulic system Arm rests Seat and back cushioned Best quality Complete in all respect FILE CABINET Specification: Width 18" Depth 18"	TOTAL
• Revolving • Hydraulic system • Arm rests • 5 casters wheels • Seat and back cushioned • Best quality • Complete in all respect FILE CABINET Specification: • Width 18" • Depth 18"	TOTAL
• Revolving • Hydraulic system • Arm rests • 5 casters wheels • Seat and back cushioned • Best quality • Complete in all respect FILE CABINET Specification: • Width 18" • Depth 18"	TOTAL
Hydraulic system Arm rests Scasters wheels Seat and back cushioned Best quality Complete in all respect FILE CABINET Specification: Width 18" Depth 18" Specification:	TOTAL
Arm rests 5 casters wheels Seat and back cushioned Best quality Complete in all respect FILE CABINET Specification: Width 18" Depth 18"	TOTAL
Seat and back cushioned Best quality Complete in all respect FILE CABINET Specification: Width 18" Depth 18"	1
Best quality Complete in all respect FILE CABINET Specification: Width 18" Depth 18" Depth 20"	
Complete in all respect FILE CABINET Specification: Width 18" Depth 18" Usint 20"	
FILE CABINET Specification: • Width 18" • Depth 18"	
Specification: • Width 18" • Depth 18"	
• Width 18" • Depth 18"	
• Depth 18"	
115-14-20/	
A Height 30"	
• Superior quality polish • Lacquer polish • Lacquer polish	TOTAL
Lacquer ponsir	
Solid premium veneer - Delich	
Polish Complete in all respect	
Somplete in an respect	
ALMIRAH WITH SHELVES	
Specification:	
9 • Superior quality polish	
• Superior quality polish • Iron polish 2 EACH TOTAL	TOTAL
• 18 SWG	
• Polish	
Complete in all respect	
BENCH WOODEN WITH	
BACK & ARM	
Specification:	
10 • Durable oak frame 2 — — —	_
• Sled base EACH TOTAL	TOTAL
Lacquer polish	TOTAL
Complete in all respect	IOIAL
	IUIAL
11 Other Fixture	IOIAL
• (As per requirement) L.S EACH TOTAL	IUIAL
to per requirement,	TOTAL

DISPLAY CASE 3 X 8 Specification: - Mini tower showcase, with steel hinges - Hinged door with a lock & two keys - Approximate Overall Dimensions: 10.25°W x - 4.25°D x 18°H - Shelf space is approximately 4.5° - Complete in all respect (Design & Specification as per direction of Engineer/Incharge) ADP SCHEME NO. 87/2015-16 PLASTIC CHAIR Specification: - Arm rests with back - Standard size - Inest Quality - Complete in all respect - Arm rests - Scatare wheels - Seat and back cushioned - Complete in all respect (As per site requirement) SOFA SET SEATING Specification: - Recopyling in all respect (As per site requirement) SOFA SET SEATING Specification: - Capacity for 3 Service Chairs - Complete in all respect (As per site requirement) SOFA SET SEATING Specification: - Height 30° - Despite 27° - Despite 27° - Despite 27° - Despite 27° - Despite 30° - Superior quality cubinoned - 10 seating capacity - Vendon syste - Lacquer polish - Fabric Cover best quality - 2 Cemte table (Standard Size) - Complete in all respect OFFICE TABLE (WOODEN) Specification: - Oak wood style - Lacquer polish - Fabric Cover best quality - 2 Cemte table (Standard Size) - Complete in all respect OFFICE TABLE (WOODEN) Specification: - Oak wood style - Superior quality polish - Top glass - Complete in all respect VISITORS CHAIR Specification: - Recopying - Heydralic system - Arm rests - Scat and back cushoned	ADP SO	CHEME No. 81/2015-16				
Specification: - Mini town showcase, with steel hinges - Hinged door with a lock & two keys - Approximate Overall Dimensions: 10.25°W x - 4.25°D x 18°T space is approximately 4.5° - Complete in all respect (Design & Specification as per direction of Engineer/Incharge) ADP SCHEME NO. 87/2015-16 PLASTIC CHAIR Specification: 1						
Minit tower showcase, with steel hinges Hinged door with a look & two keys						
Image door with a took & two keys Approximate Overall Dimensions: 10.25*W x 4.2**T x 18**H Shelf space is approximately 4.5** Complete in all respect (Design & Specification as per direction of Engineer/Inchange)						
1						
### A **25**D x 18**H * Shelf space is approximately 4.5** * Complete in all respect (Design & Specification as per direction of Engineer Inchange) #### ADP SCHEME NO. 87/2015-16 PLASTIC CHAIR Specification: 1	1		10			
Shelf space is approximately 4.5" Complete in all respect (Design & Specification as per direction of Engineer/Incharge) ADP SCHEME NO. 87/2015-16 PLASTIC CHAIR Specification: Arm rests with back Sandard size EaCH TOTAL OFFICE CHAIR (REVOLVING) Specification: Phydralic system Arm rests Scanster wheels Seat and back cushoned Complete in all respect RECEPTION COUNTER Specification: RECEPTION COUNTER Specification: SOFA SET SEATING Specification: Newborder including polish with back & Arm rests Complete in all respect (As per site requirement) SOFA SET SEATING Specification: Newborder including polish with back & Arm rests Complete in all respect (As per site requirement) SOFA SET SEATING Specification: Newborder including polish with back & Arm rests Complete in all respect (As per site requirement) SOFA SET SEATING Specification: Newborder including polish with back & Arm rests Complete in all respect (As per site requirement) SOFA SET SEATING Specification: Newborder system Complete in all respect OFFICE TABLE (WOODEN) Specification: Code wood style Superior quality polish Lacquer polish Specification: Oak wood style Superior quality polish Lacquer polish Specification: Oak wood style Superior quality polish Lacquer polish Torg glass Complete in all respect VISITORS CHAIR Specification: Recolving PLACET TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL FACH TOTAL	1		10	FACIL		TOTAL
- Complete in all respect (Design & Specification as per direction of Engineer/Incharge) ADP SCHEME NO. 87/2015-16 PLASTIC CHAIR Specification: - Arm rests with back - Standard size - Bert Quality - Complete in all respect OFFICE CHAIR (REVOLVING) Specification: - Recolving - Hydraulic system - Arm rests - Specification: - Seat and back cushioned - Complete in all respect RECEPTION COUNTER Specification: - Capacity for 3 Service Chairs - Capacity for 3 Capacity Chair - C				EACH	IOIAL	IOIAL
ADP SCHEME NO. 87/2015-16 PLASTIC CHAIR Specification: - Arm rests with back - Standard size - Beat Quality - Beat Quality - Specification: - Revolving - Hydraulic system - Arm rests - Standard size - Standard size - Revolving - Hydraulic system - Arm rests - Standard size - Standard size - Revolving - Hydraulic system - Arm rests - Standard size - Revolving - Hydraulic system - Arm rests - Standard size size - Standard size size - Standard size size - Standard size size size size size size size size						
PLASTIC CHAIR Specification: 1						
PLASTIC CHAIR Specification: 1	ADD SC	 				
Specification: - Arm rests with back - Standard size - Best Quality - Complete in all respect OFFICE CHAIR (REVOLVING) Specification: - Revolving - Hydraulic system - Arm rests - Seat and back cushioned - Complete in all respect RECEPTION COUNTER Specification: - Capacity For 3 Service Chairs - 3 Chairs wooden including polish with back & Arm rests - Arm rests - Arm rests - South and a service Chairs - 3 Chairs wooden including polish with back & Arm rests - Arm rests - Superior quality cushioned - 10 seating capacity - 2 Superior quality cushioned - 10 seating capacity - 2 Centre table (Standard Size) - 1 Complete in all respect OFFICE TABLE (WOODEN) Specification: - Oak wood style - Superior quality polish - Top glass - Complete in all respect VISITORS CHAIR Specification: - Oak wood style - Superior quality polish - Top glass - Complete in all respect VISITORS CHAIR Specification: - Revolving - Hydraulic system - Hydraulic system - Hydraulic system - Hydraulic system - Arm rests - S casters whees - S casters whee	ADI 30	•				
1						
Search and size Best Quality Complete in all respect OFFICE TABLE (WOODEN) Specification: 1	_	·				
Best Quality Complete in all respect OFFICE CHAIR (REVOLVING) Specification: Revolving Specification: Revolving Seat and back cushioned Seat and back cushioned Specification: Complete in all respect RECEPTION COUNTER Specification: Specification: Soperification: Height 30" Winth 24" Superior quality vushioned Specification: Height 30" Winth 24" Superior quality cushioned Lacquer polish Fabric Cover best quality Complete in all respect OFFICE TABLE (WOODEN) Specification: Superior quality polish Lacquer polish Lacquer polish Lacquer polish Complete in all respect VISITORS CHAIR Specification: Revolving Specification: Superior quality polish Lacquer polish Lacquer polish Complete in all respect VISITORS CHAIR Specification: Revolving Specification: Revolving Specification: Revolving Specification: Revolving Specification: Seat and back cushioned Specification: Specificat	1		38	EACH	TOTAL	TOTAL
- Complete in all respect OFFICE CHAIR (REVOLVING) Specification: - Revolving - Hydraulic system - Arm rests - Seat and back cushioned - Complete in all respect RECEPTION COUNTER Specification: - Capacity For 3 Service Chairs - Complete in all respect (As per site requirement) SOFA SET SEATING Specification: - Height 30" - Width 2a" - Depth 27 – 1/2" - Complete in all respect OFFICE TABLE (WOODEN) Specification: - Complete in all respect OFFICE TABLE (WOODEN) Specification: - Oak wood style - Lacquer polish - Folic Cover best quality - Complete in all respect OFFICE TABLE (WOODEN) Specification: - Oak wood style - Lacquer polish - Too glass - Complete in all respect VISITORS CHAIR Specification: - Revolving - Revolving - Hydraulic system - Hydraulic system - Hydraulic system - Arm rests - Seat and back cushioned				LACH	IOIAL	IOIAL
OFFICE CHAIR (REVOLVING) Specification: - Revolving - Hydraulic system - Arm rests - Scasters wheels - Seat and back cushioned - Complete in all respect RECEPTION COUNTER Specification: - Capacity For 3 Service Chairs - 3 Chairs wooden including polish with back & Arm rests - Complete in all respect (As per site requirement) SOFA SET SEATING Specification: - Height 30" - Width 24" - Depth 27 - 1/2" - Superior quality cushioned - 10 seating capacity - Wooden style - Lacquer polish - Fabric Cover best quality - 2 Centre table (Standard Size) - Complete in all respect OFFICE TABLE (WOODEN) Specification: - Oak wood style - Superior quality polish - Top glass - Complete in all respect OVISITORS CHAIR Specification: - Revolving - Hydraulic system - Arm rests - Scasters wheels - Seat and back cushioned TOTAL		· ·				
Specification: - Revolving - Hydraulic system - Arm rests - Seat and back cushioned - Complete in all respect RECEPTION COUNTER Specification: - Capacity For 3 Service Chairs - 3 Chairs wooden including polish with back & Arm rests - Complete in all respect (As per site requirement) SOFA SET SEATING Specification: - Height 30" - Width 24" - Depth 27 – 1/2" - Depth 27						
2 Hydraulic system Arm rests Arm rests Scasters wheels		•				
Arm rests Seat and back cushioned Complete in all respect RECEPTION COUNTER Specification: Capacity For 3 Service Chairs Soratins wooden including polish with back & Arm rests Complete in all respect (As per site requirement) SOFA SET SEATING Specification: Height 30" Width 24" Depth 27 – 1/2" Depth 27 – 1/2" Superior quality cushioned I sacquer polish Fabric Cover best quality Complete in all respect OFFICE TABLE (WOODEN) Specification: Oak wood style Superior quality polish Lacquer polish Complete in all respect VISITORS CHAIR Specification: Revolving Hydraulic system Arm rests Seat and back cushioned Fach TOTAL TOTAL TOTAL TOTAL FACH TOTAL	2	Revolving	_			
Scatard back cushioned Seat and back cushioned Complete in all respect RECEPTION COUNTER Specification: Capacity For 3 Service Chairs Sofa SET SEATING Specification: Height 30" Width 24" Depth 27 – 1/2" Depth 27 – 1/2" Depth 27 – 1/2" Depth 27 – 1/2" Lacquer polish Fabric Cover best quality Lacquer polish Fabric Cover best quality Complete in all respect OFFICE TABLE (WOODEN) Specification: Oak wood style Superior quality polish Lacquer polish Fabric Cover best quality Complete in all respect OFFICE TABLE (WOODEN) Specification: Oak wood style Superior quality polish Lacquer polish Complete in all respect VISITORS CHAIR Specification: Revolving Hydraulic system Arm rests So casters wheels Seat and back cushioned TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL	2			FACH	TOTAL	ΤΩΤΔΙ
Seat and back cushioned Complete in all respect RECEPTION COUNTER Specification: Capacity For 3 Service Chairs Complete in all respect (As per site requirement) SOFA SET SEATING Specification: Height 30" Depth 27 – 1/2" Depth 2				LACII	IOIAL	IOIAL
RECEPTION COUNTER Specification: Capacity For 3 Service Chairs Sepcification: Capacity For 3 Service Chairs Superior quality cushioned Capacity For 3 Service Chairs Superior quality cushioned Capacity For 3 Service Chairs Capacity For 4 Service						
RECEPTION COUNTER Specification:						
Specification:						
3						
SOFA SET SEATING Specification: Height 30" Width 24" Depth 27 – 1/2" Superior quality cushioned Lacquer polish Fabric Cover best quality Complete in all respect OFFICE TABLE (WOODEN) Specification: Oak wood style Superior quality polish Fabric Cover best quality Lacquer polish Fabric Cover best quality Complete in all respect OFFICE TABLE (WOODEN) Specification: Complete in all respect VISITORS CHAIR Specification: Revolving Hydraulic system Hydraulic system Hydraulic system Seat and back cushioned FACH TOTAL TOTAL TOTAL FACH TOTAL TOTAL TOTAL TOTAL TOTAL	_		2			
Arm rests Complete in all respect (As per site requirement) SOFA SET SEATING Specification: Height 30" Width 24" Superior quality cushioned 10 seating capacity Vooden style Lacquer polish Fabric Cover best quality 2 Centre table (Standard Size) Complete in all respect OFFICE TABLE (WOODEN) Specification: Oak wood style Superior quality polish Lacquer polish Total Oak wood style Superior quality polish Complete in all respect VISITORS CHAIR Specification: VISITORS CHAIR Specification: Revolving Hydraulic system Arm rests Seat and back cushioned	3			FACIL	TOTAL	TOTAL
SOFA SET SEATING Specification: Height 30" Width 24" Depth 27 – 1/2" Superior quality cushioned I backgreep by Section 1 backgreep by Se				EACH	IOIAL	IOIAL
SOFA SET SEATING Specification: Height 30" Width 24" Depth 27 – 1/2" Superior quality cushioned 10 seating capacity Wooden style Lacquer polish Fabric Cover best quality 2 Centre table (Standard Size) Complete in all respect OFFICE TABLE (WOODEN) Specification: Oak wood style Superior quality polish Lacquer polish Top glass Complete in all respect VISITORS CHAIR Specification: Revolving Hydraulic system Arm rests Seat and back cushioned EACH TOTAL TOTAL						
Specification: Height 30" Width 24" Depth 27 – 1/2" Superior quality cushioned 10 seating capacity Wooden style Lacquer polish Complete in all respect OFFICE TABLE (WOODEN) Specification: Oak wood style Superior quality polish Complete in all respect VISITORS CHAIR Specification: Revolving Hydraulic system Arm rests Seat and back cushioned Resolving Seat and back cushioned PACH TOTAL TOTAL TOTAL						
Height 30" Width 24" Depth 27 – 1/2" Superior quality cushioned Lacquer polish Fabric Cover best quality Complete in all respect OFFICE TABLE (WOODEN) Specification: Oak wood style Superior quality polish Lacquer polish Complete in all respect VISITORS CHAIR Specification: Revolving Hydraulic system Arm rests Seat and back cushioned FACH TOTAL TOTAL TOTAL TOTAL TOTAL FACH TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL						
Width 24" Depth 27 – 1/2" Superior quality cushioned 10 seating capacity Wooden style Lacquer polish Fabric Cover best quality 2 Centre table (Standard Size) Complete in all respect OFFICE TABLE (WOODEN) Specification: Oak wood style Superior quality polish Lacquer polish Top glass Complete in all respect VISITORS CHAIR Specification: Revolving Hydraulic system Arm rests Seat and back cushioned FACH TOTAL TOTAL						
Depth 27 – 1/2" Superior quality cushioned 10 seating capacity Wooden style Lacquer polish Fabric Cover best quality 2 Centre table (Standard Size) Complete in all respect OFFICE TABLE (WOODEN) Specification: Oak wood style Superior quality polish Lacquer polish Top glass Complete in all respect VISITORS CHAIR Specification: Revolving Hydraulic system Arm rests Seaters wheels Seat and back cushioned PACH TOTAL TOTAL TOTAL		_	2			
4 Superior quality cushioned 10 seating capacity Wooden style Lacquer polish Fabric Cover best quality 2 Centre table (Standard Size) Complete in all respect 5 OFFICE TABLE (WOODEN) Specification: Oak wood style Superior quality polish Tornal TOTAL 2 EACH TOTAL Fabric Cover best quality Lacquer polish Lacquer polish Fabric Cover best quality Lacquer polish F						
10 seating capacity	4					
Lacquer polish Fabric Cover best quality 2 Centre table (Standard Size) Complete in all respect OFFICE TABLE (WOODEN) Specification: Oak wood style Superior quality polish Lacquer polish Top glass Complete in all respect VISITORS CHAIR Specification: Revolving Hydraulic system Arm rests Scasters wheels Seat and back cushioned Fabric Cover best quality 2 EACH TOTAL TOTAL TOTAL	7	10 seating capacity		EACH	TOTAL	TOTAL
Fabric Cover best quality 2 Centre table (Standard Size) Complete in all respect OFFICE TABLE (WOODEN) Specification: Oak wood style Superior quality polish Lacquer polish Top glass Complete in all respect VISITORS CHAIR Specification: Revolving Hydraulic system Arm rests Seat and back cushioned Fabric Cover best quality 2 EACH TOTAL TOTAL TOTAL TOTAL		•				
Complete in all respect OFFICE TABLE (WOODEN) Specification: Oak wood style Superior quality polish Lacquer polish Top glass Complete in all respect VISITORS CHAIR Specification: Revolving Hydraulic system Arm rests Seat and back cushioned PACH TOTAL TOTAL TOTAL						
Complete in all respect OFFICE TABLE (WOODEN) Specification: Oak wood style Superior quality polish Lacquer polish Top glass Complete in all respect VISITORS CHAIR Specification: Revolving Hydraulic system Arm rests Scatters wheels Seat and back cushioned PARCH TOTAL TOTAL TOTAL TOTAL						
OFFICE TABLE (WOODEN) Specification: Oak wood style Superior quality polish Lacquer polish Top glass Complete in all respect VISITORS CHAIR Specification: Revolving Hydraulic system Arm rests Seat and back cushioned FACH TOTAL TOTAL TOTAL						
Specification: Oak wood style Superior quality polish Lacquer polish Total Total VISITORS CHAIR Specification: Revolving Hydraulic system Arm rests Seat and back cushioned Superior quality polish EACH TOTAL TOTAL TOTAL TOTAL TOTAL						
• Oak wood style • Superior quality polish • Lacquer polish • Top glass • Complete in all respect VISITORS CHAIR Specification: • Revolving • Hydraulic system • Arm rests • Seat and back cushioned • TOTAL TOTAL TOTAL TOTAL TOTAL						
Superior quality polish Lacquer polish Top glass Complete in all respect VISITORS CHAIR Specification: Revolving Hydraulic system Arm rests Seat and back cushioned Superior quality polish EACH TOTAL TOTAL TOTAL TOTAL						
• Lacquer polish • Top glass • Complete in all respect VISITORS CHAIR Specification: • Revolving • Hydraulic system • Arm rests • Seat and back cushioned • Lacquer polish • TOTAL TOTAL TOTAL TOTAL		,				
Top glass Complete in all respect VISITORS CHAIR Specification: Revolving Hydraulic system Arm rests Scasters wheels Seat and back cushioned EACH TOTAL TOTAL TOTAL	_		2			
Complete in all respect VISITORS CHAIR Specification: Revolving Hydraulic system Arm rests Scasters wheels Seat and back cushioned TOTAL	Э			EACH	TOTAL	TOTAL
VISITORS CHAIR Specification: Revolving Hydraulic system Arm rests Scasters wheels Seat and back cushioned VISITORS CHAIR Specification: FACH TOTAL		Top glass				
Specification: Revolving Hydraulic system Arm rests Seat and back cushioned FACH TOTAL TOTAL		Complete in all respect				
Specification: Revolving Hydraulic system Arm rests Seat and back cushioned FACH TOTAL TOTAL						
• Revolving • Hydraulic system • Arm rests • 5 casters wheels • Seat and back cushioned	· · · · · · · · · · · · · · · · · · ·					
6 • Hydraulic system • Arm rests • 5 casters wheels • Seat and back cushioned 5 EACH TOTAL TOTAL		Specification:				
 Arm rests 5 casters wheels Seat and back cushioned EACH TOTAL TOTAL TOT	_	=	_			
5 casters wheels Seat and back cushioned	ь		5	FACH	TOTAL	TOTAL
Seat and back cushioned				LACH	IOIAL	IOIAL
Complete in all respect		 Seat and back cushioned Complete in all respect 				

ADP S	CHEME NO. 88/2015-16				
1	BED DOUBLE ROOM SET (WOODEN) Specification: Size 7' x 6' x 6" Mattress (Molty Foam or Equivalent) 3 Door Almira (Standard Size) Dressing Table with stool (Standard Size) 2 Side Racks Superior quality polish Complete in all respect	4	EACH	TOTAL	TOTAL
2	SOFA SET SEATING Specification: Height 30" Width 24" Depth 27 – 1/2" Superior quality cushioned If seater Side Table (Standard Size) Wooden style Fabric Cover (Best quality)	2	EACH	TOTAL	TOTAL
3	 Lacquer polish Complete in all respect ROOM CHAIR WITH CENTRE TABLE (WOODEN) Specification: Chair with Round Centre table 1x 2 Set Arm rests Seat and back cushioned Room Standard Size Polished Complete in all respect 	4	EACH	TOTAL	TOTAL
4	DRESSING TABLE (WOODEN) Specification: Standard Size Stool for Dressing Superior quality polish Complete in all respect	4	EACH	TOTAL	TOTAL
5	DINING TABLE (WOODEN) Specification: Sitting Capacity for 12 Person Standard Size 12 Chairs As per Table Size Superior quality polish Complete in all respect (As per site Requirement)	4	EACH	TOTAL	TOTAL
6	KITCHEN CABINET Specification: Solid oak material 1.5 x 2.5 feet Acrylic door with 2 push pins Self-healing surface Easily mountable Superior quality polish Safety Lock Complete in all respect	4	EACH	TOTAL	TOTAL

	FURNITURE FOR MANAGERS ROOM				
7	EXECUTIVE TABLE 1 Nos. Specification:	1 JOB	EACH	TOTAL	TOTAL
	 Arm rests 5 casters wheels Seat and back cushioned Best quality Complete in all respect OFFICE CHAIRS 6 Nos. Specification: Arm rests Seat and back cushioned Complete in all respect 				
	WALL PAINTING & OTHER DECORATION	1			
8	 Specification: 12 Nos. Wall Painting & Other Decoration Items for 12 	JOB	EACH	TOTAL	TOTAL
ADD CC	Rooms etc. (As Per Site Requirement)				
ADP 30	CHEME NO. 93/2015-16 FIRE PROOF METALIC SAFE				
1	 Large, easy to read illuminated LED screen on electronic keypad External battery pack provided in case battery fail Internal drawer to hold smaller items Heavy duty steel hinges 1 solid steel action locking bolt and solid steel interlocking stationary bolts to prevent the door 	2			
	from being removed even if hinges are cut through Product Type: Security safe Material: Metal Lock Type: Electronic/Key Capacity: 0.6 Cubic Feet Fire Tested Duration: 1 Hours Internal Drawer: 1.5" H x 8" x 8.5" One Locking Bolt: 0.625" x 1.125" Thick	2	EACH	TOTAL	TOTAL
2	DIGITAL LOCK SAFE Specification: LADA compliant telephone style keypad 4-digit code ED display for clear visible	2			
2	 numbers: Green backlit keypad Push button to lock door Powered with five (5) AA batteries Low battery warning Easy external battery change Spring loaded door 8 mm solid bolt locking mechanism 	2	EACH	TOTAL	TOTAL

	DOCUMENT DISPLAY CABINET				
	Specification:				
	Solid oak material				
	4 x 3 feet				
3	Acrylic door with 2 push pins	2			
	Self-healing surface		EACH	TOTAL	TOTAL
	Easily mountable				
	Superior quality polish				
	Complete in all respect				
	WALL HANGING DISPLAY				
	Specification:				
	Particle board				
4	Glass with melamine finish	20			
	• 78 x 10 x 48 inch		EACH	TOTAL	TOTAL
	Superior quality polish				
	Complete in all respect				
	EQUIPMENT DISPLAY				
	Specification:				
E	Particle board	20			
5	Glass with melamine finish	20			
	• 72 x 10 x 48 inch		EACH	TOTAL	TOTAL
	Superior quality polish				
	Complete in all respect				
	SOUVENIR DISPLAY				
	Specification:				
	Specification.				
6	Particle board	8			
	Glass with melamine finish		EACH	TOTAL	TOTAL
	• 72x 10 x 58 inch		LACH	IOIAL	IOIAL
	Superior quality polish				
	Complete in all respect				
ADP S	CHEME NO. 95/2015-16				
	OFFICE TABLE				
	Specification:				
1	Oak wood style	2			
1	Superior quality polish	2	- FACIL	TOTAL	TOTAL
	Lacquer polish		EACH	IOIAL	IOIAL
	Complete in all respect				
	COMPUTER TABLE				
	Specification:				
	Lacquer polish				
2	Office grade	1			
	Solid oak legs		EACH	TOTAL	TOTAL
	Resistant to scrap & stains				
	Complete in all respect				
	OFFICE CHAIR				
	Specification:				
3	Revolving	100			
3	Hydraulic system	100	EACH	TOTAL	TOTAL
	Arm rests		EACH	IOIAL	IUIAL
	5 casters wheelsSeat and back cushioned				
	Seat and back cushioned Complete in all respect				
i	- complete in all respect			1	1

	ALMIRAH WITH SHELVES				
	Specification:				
	Specification.				
4	Superior quality polish	2			
•	Iron polish	-	EACH	TOTAL	TOTAL
	• 18 SWG		LACII	IOIAL	IOIAL
	• polish				
	Complete in all respect				
	BENCHES (WOODEN)				
	Specification:				
5	Superior quality polish	80			
	Durable oak frame		EACH	TOTAL	TOTAL
	Sled baseThick poly foam seat cushioned				101712
	Lacquer polish				
	Complete in all respect				
ADP SO	CHEME NO. 96/2015-16	1		I	
701 30	TABLES FOR COMPUTER WITH CHAIR				1
	Specification:				
1	Lacquer polish Office and a	2			
-	Office gradeSolid oak legs	-	EACH	TOTAL	TOTAL
	Resistant to scrap & stains		LACH	IOIAL	IOIAL
	Complete in all respect				
	Chair with Standard Size and features				
	STAFF TABLES				
	Specification:				
2	Oak wood style	1			
_	Superior quality polish		EACH	TOTAL	TOTAL
	Lacquer polish		LACH	IOIAL	IOIAL
	Complete in all respect				
	CHAIR (CANE TYPE)				
	Specification:	_			
3	Superior quality polishCaning type material	8			
	Oak wood		EACH	TOTAL	TOTAL
	• Polish				
	Complete in all respect				
	ALMIRAH WITH SHELVES (STEEL)				
	Specification:				
4					
4	Superior quality polishIron polish	2			
	• 18 SWG		EACH	TOTAL	TOTAL
	• Polish				
	Complete in all respect				
ADP S	CHEME NO. 97/2015-16				
	EXECUTIVE TABLE				
	Specification:				
	• 6 X 5 w				
1	Superior quality polish	4			
T	1" thick 13-ply hardwood panel	4			TOTAL
	 Lacquer polish 		EACH	TOTAL	TOTAL
	Top glass				
	• Side Rack 3'x18"				
	Complete in all respect\ CTAFF TABLES				
	STAFF TABLES				
	STAFF TABLES Specification:				
2	STAFF TABLES Specification: Oak wood style	5			
2	STAFF TABLES Specification:	5	EACH	TOTAL	TOTAL
2	STAFF TABLES Specification: Oak wood style	5	EACH	TOTAL	TOTAL

	CHAIR (CANE TYPE)				
	Specification:				
2		100			
3	Superior quality polishCaning type material	100	FACIL	TOTAL	TOTAL
	Oak wood		EACH	TOTAL	TOTAL
	• Polish				
	Complete in all respect				
	ALMIRAH WITH SHELVES (STEEL)				
	Specification:				
4	Superior quality polish	6			
	Iron polish		EACH	TOTAL	TOTAL
	• 18 SWG • Polish				
	Complete in all respect				
	BENCH WOODEN WITHBACK & ARM				
	Specification:				
5	Durable oak frame	80			
	Sled base		EACH	TOTAL	TOTAL
	Lacquer polish Complete in all respect				
	Complete in all respect				
ADP S	CHEME NO. 98/2015-16	<u>'</u>		•	•
	TABLE FOR COMPUTER WITH CHAIR				
	Specification:				
1	Lacquer polish				
1	Office grade Callidad Llagar	2			TOTAL
	Solid oak legsResistant to scrap & stains		EACH	TOTAL	TOTAL
	Complete in all respect				
	Chair with Standard Size and Features				
	STAFF TABLES				
	Specification:				
	• Table 4 x 2 – ½ size				
2	Side rack 3x18inch				
2	Oak wood style	1		TOTAL	TOTAL
			EACH	TOTAL	TOTAL
	Superior quality polish				
	Lacquer polish				
	Complete in all respect				
	OFFICE CHAIRS				
	Specification:				
	a Povolvica				
3	Revolving Hydraulic system	2			
5	Hydraulic systemArm rests		EACH	TOTAL	TOTAL
	Arm rests5 casters wheels		LACII	IOIAL	ISIAL
	Seat and back cushioned				
	Complete in all respect				
	ALMIRAH WITH SHELVES (STEEL)				
	Specification:				
	Superior quality polish				
4	Iron polish	2			
4		-	EACH	TOTAL	TOTAL
	• 18 SWG		LACH	IOIAL	IOIAL
	• Polish				

	CHEME NO. 99/2015-16 FOLDING CHAIR	I			
	Specification:				
	Metal folding chair Made of fabric				
5	• foam	8			
J	Steel Folds for organized storage		EACH	TOTAL	TOTAL
	Curved triple braced frame Riveted components		LACII	IOIAL	IOIAL
	2.5" thick padded seat				
	Overall Dimensions: 30" H x 18.5" W x 19" D				
	Seat				
	DRAWING TABLE				
	Specification:				
	• 24 X 40 top with rounded corner				
	One hand tilt mechanism adjusts tabletop from 0 to 30				
	degrees				
	Height adjusts 28 to 32inch in the horizontal position				
6	using casters or 26 to 30 degrees using floor glides,	6			
	both set included		EACH	TOTAL	TOTAL
	Sturdy tubular construction				
	• 1½ " diameter with powder coated finish				
	Footrest crossbar with rubber tread and 21" of leg				
	room				
	Table top and base Complete in all respect				
	Complete in all respect				
	OFFICE TABLES WITH CHAIR				
	Specification:				
	• 4 X 2 ½				
7	Superior quality polish "" thick 13 ply bardwood panel	6			
	1" thick 13-ply hardwood panelLacquer polish		EACH	TOTAL	TOTAI
	5eat & back cushioned				
	Arm-rest				
	Complete in all respect				
	BED SINGLE (WOODEN)				
	Specification:				
8	• Size 3 X 6.5	1			
	Mattress as per mentioned size		EACH	TOTAL	TOTAL
	Superior quality polish				
	Complete in all respect				
DP S	CHEME NO.100/2015-16				
	TABLES FOR OFFICERS				
	Specification:				
4	• 6 X 5	2			
1	Superior quality polish	-	EACH	TOTAL	TOTAL
	1" thick 13-ply hardwood panel		EACH	IOIAL	IOTAL
	Lacquer polish				
	Complete in all respect				
	STAFF TABLES				
	Specification:				
2	• 4 X 2 ½	3			
۷	Superior quality polish		EACH	TOTAL	TOTAL
	1" thick 13-ply hardwood panel Lagguer polich		_, . •		
	Lacquer polishComplete in all respect				
	REVOLVING CHAIRS				
				1	
	Specification:				
	Specification: • Revolving Style	А			
3	Specification: Revolving Style Hydraulic system	4		TOTAL	
3	Specification: Revolving Style Hydraulic system Arm rests	4	EACH	TOTAL	TOTAL
3	Specification: Revolving Style Hydraulic system	4	EACH	TOTAL	TOTAL

	CHAIR (CANE TYPE)				
	Specification:				
_	Superior quality polish	5			
4	Caning type material		EACH	TOTAL	TOTAL
	Oak wood		EACH	IOIAL	IOIAL
	Polish				
	Complete in all respect				
	ALMIRAH WITH SHELVES (STEEL)				
	Specification:				
	Superior quality polish	2			
5	Iron polish	4			TOTAL
	• 18 SWG		EACH	TOTAL	TOTAL
	 Polish 				
	Complete in all respect				
ADP SO	CHEME NO.105/2015-16				
	DOCUMENT DISPLAY CABINET				
	Specification:				
	Solid oak material				
	4 x 3 feet				
1	Acrylic door with 2 push pins	25			
_	Self-healing surface		EACH	TOTAL	TOTAL
	Easily mountable				
	Superior quality polish				
	Complete in all respect				
	WALL HANGING DISPLAY				
	Specification:				
	Particle board	35			
2	Glass with melamine finish				
2	• 78 x 10 x 48 inch		EACH	TOTAL	TOTAL
	Superior quality polish Complete in all years at				
	Complete in all respect				
	EQUIPMENT DISPLAY				
	Specification:	20			
	Particle board				
3	Glass with melamine finish		FACH	TOTAL	TOTAL
	• 72 x 10 x 48 inch		ЕАСП	IOIAL	IOIAL
	Superior quality polish				
	Complete in all respect				
	SOUVENIR DISPLAY				
	Specification:				
	Particle board	4.5			
4	Glass with melamine finish	15			
	• 72x 10 x 58 inch		EACH	TOTAL	TOTAL
	Superior quality polish				
	Complete in all respect				
	SIGNAGE DISPLAY				
_	Specification:	100			
5	As per Site Requirement	100	EACH	TOTAL	TOTAL
	Complete in all respect		EACH	IOIAL	IOIAL
	ARMOR DISPLAY				
	Specification:				
6	-	15			
	As per Site Requirement		EACH	TOTAL	TOTAL
	Complete in all respect				
	SHIELD & CAP DISPLAY				
7	Specification:	20			
,	As per Site Requirement		EACH	TOTAL	TOTAL
	Complete in all respect				

TENDER REF. # 1 (a) "PURCHASE OF FURNITURE/FIXTURE"

8	MEDALS DISPLAY	5			
	Specification:				
	As per Site Requirement		EACH	TOTAL	TOTAL
	Complete in all respect				
	MACQUEEN DISPLAY				
•	Specification:	15			
9	As per Site Requirement		EACH	TOTAL	TOTAL
	Complete in all respect		LACII	IOIAL	IOIAL
ADP S	CHEME NO. 118/2015-16				
	EXECUTIVE TABLE				
	Specification:				
	• 6 X 5 w				
1	Superior quality polish	1			
1	1" thick 13-ply hardwood panel		EACH	TOTAL	TOTAL
	Lacquer polishTop glass				
	Side Rack 3'x18"				
	Complete in all respect				
	EXECUTIVE CHAIR				
	Specification:				
	High back style imported	1			
	Revolving				
2	Hydraulic system				
2	Arm rests		EACH	TOTAL	TOTAL
	• 5 casters wheels				
	Seat and back cushioned				
	Best quality				
	Complete in all respect				
	OFFICE CHAIRS (WOODEN)				
	Specification:				
	Revolving				
	Hydraulic system				
3	Arm rests	4			l
	• 5 casters wheels		EACH	TOTAL	TOTAL
	Seat and back cushioned				
	Complete in all respect				
	OFFICE TABLE (WOODEN)				
	Specification:				
	• Table 4 x 2 – ½ size				
А	Side rack 3x18inch	1			
4	Oak wood style	-	EACH	TOTAL	TOTAL
	Superior quality polish		LACII	IOIAL	IOIAL
	Lacquer polish				
	Complete in all respect				

Delivery Time: a) 04 weeks for local articles

b) 12-14 weeks for import products

6. Place of Delivery: Planning, Development, Monitoring,

TENDER REF. # 1 (a) "PURCHASE OF FURNITURE/FIXTURE"

Implementation & Evaluation Cell of Culture, Tourism & Antiquities Department, Government of Sindh Block 76/A, Pak Secretariat, Opp: MPA Hostel – Karachi.

7. Dispatch Instructions: Stores should be delivered free of

transportation charges to the consignee at

place mentioned above.

8. Inspection Authority: The Procurement Committee constituted by the

Secretary, Culture, Tourism & Antiquities Dept.

9. Place at which stores to be inspected: Directorate General of Culture Office.

Block 76/A, Pak Secretariat, Opp: MPA Hostel –

Karachi

10. Payment:

- i. Part payment against part supply is allowed.
- ii. 100% payment to be made on the proof of inspection & consignee's receipt certificate by Accountant General Sindh, Karachi, during the fiscal year 2015-16.
- iii. Less 0.25% as service charges and 0.30% stamp duty of the value of the contract by Accountant General Sindh Karachi, while making payment to the contractor.

ASSISTANT DIRECTOR / DDO (PDMI&E CELL)
CULTURE, TOURISM & ANTIQUITIES DEPARTMENT
GOVERNMENT OF SINDH, KARACHI

GOVERNMENT OF SINDH PLANNING, DEVELOPMENT, MONITORING, IMPLEMENTATION & EVALUATION CELL CULTURE, TOURISM & ANTIQUITIES DEPARTMENT GOVERNMENT OF SINDH

1.	Tender No.	CTA-110/15
2.	Name & Address of Bidder	
3.	Indenters Name and Address	PLANNING, DEVELOPMENT, MONITORING, IMPLEMENTATION & EVALUATION CELL OF CULTURE, TOURISM & ANTIQUITIES DEPARTMENT, GOVERNMENT OF SINDH-KARACHI.
4.	Tender Terms and Conditions	As contained in items & Conditions of this tender, DIS-12-14, Sindh Purchase Manual & Other relevant laws in force.
5.	Particulars of the stores	As below:
6.	Particulars of the stores	

S#.	DECRIPTION	QTY.	UNIT PRICE (IN PAK RUPEES)	TOTAL AMOUNT (IN WORDS)	TOTAL AMOUNT (IN FIGURES)
STRE EVA	ULAR ENGTHENING OF THE PLANNING, DI LUATION CELL		MENT, MONITOR	ING, IMPLEM	ENTATION&
PRIN	TING, PUBLICATION & DOCUMENTATI	ION			
1	CATALOG CARD Specifications: • size 8x5 • art card 260 gram	1000 Nos.	EACH	TOTAL	TOTAL
2	FOUR COLOR ENVELOPES Specifications:	1000 Nos.	EACH	TOTAL	TOTAL
3	FOUR COLOR PRINT FILE Specifications: • four color design • art card 360 grams • size 10x14 • best standards	1000 Nos.	EACH	TOTAL	TOTAL
4	FOUR COLOR ENVELOPES Specifications:	1000 Nos.	EACH	TOTAL	TOTAL
5	FOUR COLOR ENVELOPES Specifications:	1000 Nos.	EACH	TOTAL	TOTAL
6	FOUR COLOR ENVELOPES Specifications:	1000N os.	EACH	TOTAL	TOTAL

7	MONTHLY NEWSLETTER Specifications:	1000 Nos.	ЕАСН	TOTAL	TOTAL
8	BROCHURE Specifications:	1000 Nos.	ЕАСН	TOTAL	TOTAL
9	LEAFLET Specifications: Four color design Four color printing Size "8x3" Glossy 90 gram paper	1000 Nos.	ЕАСН	TOTAL	TOTAL
10	LEAFLET Specifications: Four color design Four color printing Size "8x3" Glossy 100 gram paper	1000 Nos.	ЕАСН	TOTAL	TOTAL
11	VIEW BINDER 12 X 20 X 3" SIZE Specification: Size 12 x 20 x 3" 38mm capacity, 2D Ring style Transparent enclosure with color print emblem Hardboard Material (IMPORTED)	1000 Nos.	ЕАСН	TOTAL	TOTAL
12	VIEW BINDER LEGAL SIZE Specification: Size Legal 38mm capacity, 2D Ring style Transparent enclosure with color print emblem Hardboard Material (IMPORTED)	1000 Nos.	ЕАСН	TOTAL	TOTAL

13	VIEW BINDER LEGAL SIZE Specification:	3000 Nos.	EACH	TOTAL	TOTAL
14	LEATHERETTE FOLDER LEGAL SIZE Specification:	500 Nos.	EACH	TOTAL	TOTAL
15	DOCUMENTATION Specification: Photographic type Size a-4 4-color type Hard copy enclosure Transparent enclosure with color print emblem Hardboard Material (IMPORTED)	01 Job	EACH	TOTAL	TOTAL
16	DOCUMENTATION Specification:	01 Job	EACH	TOTAL	TOTAL
17	DOCUMENTATION Specification: Photographic type Size a-4 4-color type Hard copy enclosure Transparent enclosure with color print emblem Hardboard Material (imported) Visual type Media 10 to 30 min Media 10 to 30 min Jalanguage assertion HDD quality Super stereo quality sound	01 Job	EACH	TOTAL	TOTAL

		صفحا			
Sr. No.		-	EACH	TOTAL	TOTAL
18	شاهه جو رسالو (ڏيپلائي)	696	EACH	TOTAL	TOTAL
19	سدا سوئيتا كاپڙي	350	EACH	TOTAL	TOTAL
20	رساله شاه عبدالطيف بهنّائي	700	EACH	TOTAL	TOTAL
21	ينهنجو ياڻ سڃاڻ	148			
	0 % 0 % 0 % 0 % 0 % 0 % 0 % 0 % 0 % 0 %	462	EACH	TOTAL	TOTAL
22	محمد ابر اهيم جويو -سنڌ جو ڏاهو ڏات ڏڻي	402	EACH	TOTAL	TOTAL
23	محمد ابراهيم جويو -سنڌ جو آواز	288	EACH	TOTAL	TOTAL
24	خط ئي خط	488			
	بيدل سائين جو رسالو	500	EACH	TOTAL	TOTAL
25	(سنڌي، سرائڪي، اردو)	-	EACH	TOTAL	TOTAL
26	سچل سرمست (آغا غلام نبي گل حسن خان)	587	EACH	TOTAL	TOTAL
27	منم عثمان مروندي	160			
28	I Dance on Gallows	118	EACH	TOTAL	TOTAL
20	T Dance on Ganows	1160	EACH	TOTAL	TOTAL
29	Melodies of SALB	1100	EACH	TOTAL	TOTAL
30	جيكي ياد پيوم	344			
		750	EACH	TOTAL	TOTAL
31	زبان یار من ڈینش	130	EACH	TOTAL	TOTAL
32	مخدوم معین نٽوي	250	EACH	TOTAL	TOTAL
33	The Gems Divine	162	LACII		
		450	EACH	TOTAL	TOTAL
34	مقالا ۽ مضمون	430	EACH	TOTAL	TOTAL
35	قاضىي قادن-هڪ مطالعو	560	EACH	TOTAL	TOTAL

26	معيار سالكان طريقت (اردو)	824			
36			EACH	TOTAL	TOTAL
27	عبدالڪريم سنديلي ۽ ڊاڪٽر بلوچ جي	700			
37	لوك ادب تي كيل كم جو تقابلي اپياس		EACH	TOTAL	TOTAL
		B&W			
	Bhambhore & Choukundi	80			
38	MAQALA	Color	EACH	TOTAL	TOTAL
		160			
39	ڄڃ پرائي	446			
			EACH	TOTAL	TOTAL
40	شاهه جي رسالي جي سڄاڻي (جلد 2)	520			
	2015 53	DOM	EACH	TOTAL	TOTAL
	حامي سووينيئر -2015	B&W 20			
41		Color			
		24	EACH	TOTAL	TOTAL
42	داکت عطاه در داد (منیدن و قالا)	80			
42	ڊاڪٽر عطا محمد حامي (مضمون ۽ مقالا)		EACH	TOTAL	TOTAL
	كتيم كينكي	204			
43			EACH	TOTAL	TOTAL
4.4	شاهه ۽ عشق	156			
44	ساهه ۽ عسق		EACH	TOTAL	TOTAL
	Dewan of Shah Abdul Karim of	128			
45	Bulri Sharif		EACH	TOTAL	TOTAL
	ر هبر ڀٽ شاهه	150			
46	ر هبر ڀِٺ ساهه	130	EACH	TOTAL	TOTAL
	بنيءِ جا لوك گيت	250	EACH	IUIAL	TOTAL
47	<u></u>	250	EACH	TOTAL	TOTAL
10	ميان شاهه عنايت جو ڪلام	366			
48			EACH	TOTAL	TOTAL
40	سنڌ جي سماجي ۽ ثقافتي تاريخ	271			
49			EACH	TOTAL	TOTAL
OFFICE	STATIONARY				•
	PAPER REAM				
	Specification: • Size A4	1000			
50	• 80gm	Nos.			TOTAL
	IMPORTED		EACH	TOTAL	TOTAL

51	OFFSET PAPER REAM Specification:	200 Nos.	EACH	TOTAL	TOTAL
52	PULP BOARD GRAIN SHEET 30 X 40" 60PT. Specification: • Sheet size 30 x 40" • IMPORTED	1000 Nos.	EACH	TOTAL	TOTAL
53	YELLOW PAD Specification:	550 Nos.	EACH	TOTAL	TOTAL
54	YELLOW PAD Specification:	550 Nos.	EACH	TOTAL	TOTAL
55	VIEW BINDER 12 X 20 X 3" SIZE Specification: Size 12 x 20 x 3" 38mm capacity, 2D Ring style Transparent enclosure with color print emblem Hardboard Material (IMPORTED)	1000 Nos.	EACH	TOTAL	TOTAL
56	VIEW BINDER LEGAL SIZE Specification:	3000 Nos.	EACH	TOTAL	TOTAL
57	VIEW BINDER LEGAL SIZE Specification:	1000 Nos.	EACH	TOTAL	TOTAL

	(IMPORTED)				
58	LEATHERETTE FOLDER LEGAL SIZE Specification:	500 Nos.	EACH	TOTAL	TOTAL
59	FLUID BOTTLE Specification: Bottle size 12.0z IMPORTED	280 Nos.	EACH	TOTAL	TOTAL
60	GLUE STICK SMALL SIZE Specification: Size small IMPORTED	240 Nos.	EACH	TOTAL	TOTAL
61	GLUE STICK MEDIUM SIZE Specification: Size medium IMPORTED	240 Nos.	EACH	TOTAL	TOTAL
62	GLUE BOTTLE Specification: Bottle size 500 ml IMPORTED	240 Nos.	EACH	TOTAL	TOTAL
63	PAPER CUTTER Specification: Steel blade IMPORTED	24 Nos.	EACH	TOTAL	TOTAL
64	STEEL RULER Specification:	24 Nos.	EACH	TOTAL	TOTAL
65	SCISSORS Specification: Steel made IMPORTED	24 Nos.	EACH	TOTAL	TOTAL
66	BALL POINT Specification:	120 Box	EACH	TOTAL	TOTAL

67	POINTER PEN Specification: • Easy grip style • Black color • IMPORTED	120 Box	EACH	TOTAL	TOTAL
68	POINTER BRUSH TYPE Specification: • Fine nib series • Black & Blue • IMPORTED	120 Box	EACH	TOTAL	TOTAL
69	SKETCH SET Specification: Sketch Box IMPORTED	36 Box	EACH	TOTAL	TOTAL
70	BUNDLE-CLIPS (SMALL SIZE) Specification: Size small Multi-Color IMPORTED	240 Box	EACH	TOTAL	TOTAL
71	BUNDLE-CLIPS (MEDIUM SIZE) Specification: Size medium Multi-Color IMPORTED	240 Box	EACH	TOTAL	TOTAL
72	BUNDLE-CLIPS (LARGE SIZE) Specification:	240 Box	EACH	TOTAL	TOTAL
73	STAPLER MACHINE Specification: Standard size IMPORTED	96 Nos.	EACH	TOTAL	TOTAL
74	STAPLER MACHINE Specification:	12 Nos.	EACH	TOTAL	TOTAL
75	PUNCH MACHINE Specification: Standard Size IMPORTED	96 Nos.	EACH	TOTAL	TOTAL

76	PUNCH MACHINE Specification: Heavy duty size IMPORTED	12 Nos.	EACH	TOTAL	TOTAL
77	GEL PEN Specification:	120 Box	EACH	TOTAL	TOTAL
78	CALCULATOR Specification:	36 Nos.	EACH	TOTAL	TOTAL
79	HIGHLIGHTER Specification: • Fine Series • Multi-colors • IMPORTED	48 Box -	EACH	TOTAL	TOTAL
80	HIGHLIGHTER (PEN TYPE) Specification: • Fine Series • Multi-colors • IMPORTED	48 Box	EACH	TOTAL	TOTAL
81	STAPLES Specification: Standard size IMPORTED	100 Box	EACH	TOTAL	TOTAL
82	STAPLES Specification: • Heavy duty size • IMPORTED	100 Box	EACH	TOTAL	TOTAL
83	REGULAR TYPE BALL POINT Specification: • Fine Nib • Multi-colors • IMPORTED	100 Box	EACH	TOTAL	TOTAL
84	FILE BOARD WITH THREAD Specification: • 5pt thickness Straw Board • IMPORTED	1000 Nos.	EACH	TOTAL	TOTAL

	SPIRAL RINGS Specification:				
85	 Packing of 10 dozen Size 30mm, 28mm, 26mm, 24mm, 20mm Imported 	60 Nos.	EACH	TOTAL	TOTAL
86	ERASER Specification: • IMPORTED	60 Box	EACH	TOTAL	TOTAL
87	GLOSSY PAPER Specification: Size a4 Packing of 100 sheets Imported	60 Packs	EACH	TOTAL	TOTAL
88	PENCIL Specification: • IMPORTED	100 Box	EACH	TOTAL	TOTAL
89	PENCIL SHARPENER Specification: • IMPORTED	36 Box	EACH	TOTAL	TOTAL
90	GEM CLIP Specification: • IMPORTED	100 Box	EACH	TOTAL	TOTAL
91	POST-IT ADHESIVES Specification: • IMPORTED	100 Packs	EACH	TOTAL	TOTAL
92	FILE ADHESIVE TAGS MULTICOLOR ADHESIVE SIZE ¼ X 4" Specification: • IMPORTED	100 Packs	EACH	TOTAL	TOTAL
93	MARKER Specification: • IMPORTED	100 Box	EACH	TOTAL	TOTAL

ОТН	IERS				
94	PAPER SHREDDER • IMPORTED	12 Nos.	EACH	TOTAL	TOTAL
95	ELECTRIC CABLE Specifications: Size 6mm x 2 (1core) 90 meters Cell/PVC/450/750V PAK CABLE / EQUIVALENT	24 Nos.	EACH	TOTAL	TOTAL
96	ELECTRIC CABLE Specifications: Size 4mm x2 (1core) 90 meters Cell/PVC/450/750 V PAK CABLE / EQUIVALENT	60 Nos.	EACH	TOTAL	TOTAL
97	ELECTRIC CABLE Specifications: • 3/0.029 45 meters coil • Copper / PVC / 250/440V • PAK CABLE / EQUIVALENT	96 Nos	EACH	TOTAL	TOTAL
98	ELECTRIC CABLE Specifications: • 7/0.029 45 meters coil • Copper / PVC / 250/440V • PAK CABLE / EQUIVALENT	48 Nos.	EACH	TOTAL	TOTAL
99	CELLING FAN • IMPORTED	24 Nos.	EACH	TOTAL	TOTAL
100	LOUVRE FAN • IMPORTED	12 Nos.	EACH	TOTAL	TOTAL
101	IMPORTED	24 Nos.	EACH	TOTAL	TOTAL

102	 CHANNEL PATTI ADAMJEE / EQUIVALENT 1" / 2" SIZE 6 ft long 	750 Nos.	EACH	TOTAL	TOTAL
103	MICROWAVE OVENLarge capacityImported	06 Nos.	EACH	TOTAL	TOTAL
104	ELECTRIC WATER KETTLE IMPORTED	03 Nos.	EACH	TOTAL	TOTAL
105	FLOOR STANDING LARGE CAPACITY REFRIGERATOR • IMPORTED	02 Nos.	EACH	TOTAL	TOTAL
106	TRIM CUTTER • IMPORTED	12 Nos.	EACH	TOTAL	TOTAL
107	CUTTING MAT • IMPORTED	12 Nos.	EACH	TOTAL	TOTAL
108	FAX MACHINE Specifications: Soft keypad Speaker phone Handheld unit Redial option Memory option Laser type Branded	12 Nos.	EACH	TOTAL	TOTAL
109	CURTAIN & BLINDS • IMPORTED	RFT.	EACH	TOTAL	TOTAL
110	GAS FLAME • IMPORTED	06 Nos.	EACH	TOTAL	TOTAL
111	• IMPORTED	24 Nos.	EACH	TOTAL	TOTAL

112	SCREEN CURTAIN Specifications:	12 Nos.	EACH	TOTAL	TOTAL
113	TROLLIES Specifications: Standard Size Imported Quality	12 Nos.	EACH	TOTAL	TOTAL
114	MIRROR LOCAL Specifications: Standard Size Imported Quality	12 Nos.	EACH	TOTAL	TOTAL
115	COAT HANGER BEST QUALITY Specifications: Standard Size Imported Quality	06 Nos.	EACH	TOTAL	TOTAL
116	DUSTBIN BEST QUALITY • IMPORTED	12 Nos.	EACH	TOTAL	TOTAL
117	TRIPOD/STAND • IMPORTED	45 Nos.	EACH	TOTAL	TOTAL
118	BRUSH FOR EXCAVATION • IMPORTED	50 Nos.	EACH	TOTAL	TOTAL
119	MODELLING TOOLS • IMPORTED	30 Nos.	EACH	TOTAL	TOTAL
120	PULLEY BAGS • IMPORTED	60 Nos.	EACH	TOTAL	TOTAL
121	EXCAVATION IRON KNIVES IMPORTED	30 Nos.	EACH	TOTAL	TOTAL
122	IMPORTED	30 Nos.	EACH	TOTAL	TOTAL

COST O	F OTHER STORE				
123	TISSUE PAPER BOX 2 X 100 PLY FRAGRANT TYPE • IMPORTED QUALITY	100 Box	EACH	TOTAL	TOTAL
124	• IMPORTED	03 Dozen	EACH	TOTAL	TOTAL
125	CUPS • IMPORTED	03 Dozen	EACH	TOTAL	TOTAL
126	GLASSES • IMPORTED	06 Dozen	EACH	TOTAL	TOTAL
127	THERMOS (1LITRE CAPACITY) • IMPORTED	12 Nos.	EACH	TOTAL	TOTAL
128	MOSQUITO REPELLENT SPRAY ODORLESS LARGE SZE	40 Nos.	EACH	TOTAL	TOTAL
129	ANTI-BACTERIAL HAND WASH SQUEEZE TOP (140ML BOTTLE)	30 Nos.	EACH	TOTAL	TOTAL
130	FRAGRANT ROOM SPRAY BOTTLE MEDIUM SIZE IMPORTED QUALITY	40 Nos.	EACH	TOTAL	TOTAL
131	TOILET TISSUE ROLL TYPE LARGE SIZE IMPORTED QUALITY	30 Roll	EACH	TOTAL	TOTAL
132	HAND TOWEL SOFT BEADS THREAD EMBOSSED FLOWER LARGE SIZE IMPORTED QUALITY	12 Nos.	EACH	TOTAL	TOTAL

133	HAND TOWEL SOFT BEADS THREAD EMBOSSED FLOWER SMALL SIZE IMPORTED QUALITY	12 Nos.	EACH	TOTAL	TOTAL
134	MOSQUITO REPELLENT ACTIVE GUARD ODORLESS TYPE ELECTRONIC TYPE	12 Nos.	EACH	TOTAL	TOTAL
135	MOSQUITO REPELLENT ACTIVE GUARD REFILL ODORLESS TYPE FLIP-TOP	12 Nos.	EACH	TOTAL	TOTAL
136	ANTI-BACTERIAL HAND WASH SOAP REGULAR SIZE	24 Nos.	EACH	TOTAL	TOTAL
137	LIQUID MAX BOTTLE 140ML BOTTLE IMPORTED QUALITY	36 Nos.	EACH	TOTAL	TOTAL
138	DUSTING CLOTH LARGE SIZE IMPORTED QUALITY	50 Nos.	EACH	TOTAL	TOTAL
139	MOP LARGE SIZE IMPORTED QUALITY	50 Nos.	EACH	TOTAL	TOTAL
ADP S	CHEME No. 58/2015-16				
1	TUBE LIGHTS FANCY Specifications: • 4 ft. size • Philips or Equivalent	20	EACH	TOTAL	TOTAL
2	AUTO CURTAIN SYSTEM Specifications: Auto curtain system with all accessories The stage size and designed may be inspected at the site Installation 2 years warranty Imported Quality	1 Job	EACH	TOTAL	TOTAL
		1	<u> </u>		Do == 1C of 44

Repa	STAGE LIGHT Specifications: LED as per requirement Multi Voltage 100-240 VSE 50/60 XZ Power Consumption 200 V or above Lamp – 45 pcs High power 3W RGBW LEDs been angle multi (selectable) Master – slave stand – alone 3 pin XLR data input & output Electronic dimming – 0 – 100% flicker free – ready for T.V / Video shoot / stage use mounting Design for floor Wall or truss mount smooth RGBW color mixing (fast or slow color) change operation Less power consumption High brightness Function Color combination Charger of latest hybrid technology Excellent built Gradual transition and other effects etc. Imported Quality	1 Job	EACH	TOTAL	TOTAL
4	A/C PLANT / A/C REPAIR Specifications: Gas Filling Leakage ServiceEtc. Complete in all respect	1 Job	EACH	TOTAL	TOTAL
ADP	SCHEME No. 77/2015-16				
OFF	ICE STATIONERY				
1	White Paper A4 Size 80gm	4 Box	EACH	TOTAL	TOTAL
2	Calculator Citizen / Casio 12 Digit	8	EACH	TOTAL	TOTAL
3	Binding Tape 2"	24	EACH	TOTAL	TOTAL
4	Seizer Steel (Standard Size) Best Quality	6	EACH	TOTAL	TOTAL
5	Laser Jet Printer HP 1102 Cartridge (Original)	2	EACH	TOTAL	TOTAL
6	Art Card A4 Size	2 Pkt	EACH	TOTAL	TOTAL
7	Plastic Sheet A4 Size	2 Pkt			
		- 110	EACH	TOTAL	TOTAL

	Tissue Box Rose Petal (multi-color)	60			
8	Large Size	60	EACH	TOTAL	TOTAL
9	Dettol Hand Wash Standard Size	36			
	Morten Spray Ultra-Fast (Jumbo Size)	24	EACH	TOTAL	TOTAI
10			EACH	TOTAL	TOTAL
11	Room Spray (Best Quality)	48	EACH	TOTAL	TOTAL
12	Mosquito Killer Liquid	12	LACII	IOTAL	IOTA
			EACH	TOTAL	TOTAL
13	Lux Soap Bath Size	48	EACH	TOTAL	TOTAL
14	(Harpic) Toilet Cleaner Jumbo Size	48			
	Hard Groom	24	EACH	TOTAL	TOTA
15	naru Groom	-	EACH	TOTAL	TOTA
L6	Soft Groom	24			
	Mop steel Standard Size (Best Quality)	12	EACH	TOTAL	TOTA
17	mop steel standard size (sest Quanty)		EACH	TOTAL	TOTA
18	Towel Standard Size (Best Quality)	26	EACH	TOTAL	TOTAL
19	Office Call Bell	12	LACII	IOTAL	IOTA
	Torbiba/Mayall Dattories (Hanny Duty		EACH	TOTAL	TOTA
20	Toshiba/Maxell Batteries (Heavy Duty AAA Size) 1x40 Box	5 box	EACH	TOTAL	ТОТА
	Toshiba/Maxell Batteries (Heavy Duty	5 box			
21	Pencil Size) 1x40 Box	3 box -	EACH	TOTAL	ТОТА
22	Wall Clock (Standard Size) Best Quality	6			
	Air Freshener (Standard Size) Best		EACH	TOTAL	TOTA
23	Quality	72 -	EACH	TOTAL	ТОТА
	Waste Paper Basket/Dustbin (Standard	24			
24	Size) Best Quality	-	EACH	TOTAL	TOTA
	Washroom Chapal (Standard Size) Best	6			
25	Quality	-	EACH	TOTAL	ТОТА
	Bath Room Set with Mirror (Standard	6			
26	Size) Best Quality		EACH	TOTAL	TOTA

27	Mosquito Killer Machine with Liquid	24			
27	(Standard Size)		EACH	TOTAL	TOTAL
20	Tissue Party Pack (Multi Color) Rose	48			
28	Petal		EACH	TOTAL	TOTAL
AD	P SCHEME No. 79/2015-16				
OFF	FICE STATIONERY				
	White Paper (A4 Size 80gm) Best	50 Box			
1	Quality		EACH	TOTAL	TOTAL
	White Paper (Legal Size 80gm) Best	15 Box			
2	Quality		EACH	TOTAL	TOTAL
	White Paper (A3 Size 80gm) Best	15 Box			
3	Quality		EACH	TOTAL	TOTAL
4	Calculator Citizen / Casio 12 Digit	24 Nos			
4			EACH	TOTAL	TOTAL
5	Binding Tape 2"	24 Nos _	EACH	TOTAL	TOTAL
	Binding Tape 2 ½	24 Nos	ЕАСП	IOIAL	IOIAL
6	Small rape 2 /2		EACH	TOTAL	TOTAL
7	Binding Tape 3"	24 Nos			
			EACH	TOTAL	TOTAL
8	Art Card A4 Size	40 Pkt _	EACH	TOTAL	TOTAL
	Plastic Sheet A4 Size	40 Pkt	Literi	101712	101742
9		-	EACH	TOTAL	TOTAL
10	Photo State Machine Cartridge 2520	10 Nos _			
	Coince Stand (Chandred Sine) Book Overlib	12 N	EACH	TOTAL	TOTAL
11	Seizer Steel (Standard Size) Best Quality	12 Nos _	EACH	TOTAL	TOTAL
12	Binder Clip ½ " Best Quality	2 Box			
12		_	EACH	TOTAL	TOTAL
13	Binder Clip 1" Best Quality	2 Box _			
	Binder Clip 1 ½ " Best Quality	2 Box	EACH	TOTAL	TOTAL
14	Billider Clip 172 Best Quality	2 BOX <u>-</u>	EACH	TOTAL	TOTAL
15	Binder Clip 2" Best Quality	1 Box			
			EACH	TOTAL	TOTAL
16	Color Printer 7610 Cartridge 933XL set	1 Set	FACU	TOTAL	TOTAL
	UHU Glue Stick (Large Size) 1x12	6 Box	EACH	TOTAL	TOTAL
17	One suck (targe size) 1x12	U DOX	EACH	TOTAL	TOTAL

18	UHU Glue Stick (Small Size) 1x12	5 Box			
10			EACH	TOTAL	TOTAL
19	Transparent Neon Indexer (Pronoti)	6 Box			
19	1x24		EACH	TOTAL	TOTAL
	Desk Accessories Set (Standard Size)	3 Set			
20	Best Quality		EACH	TOTAL	TOTAL
21	Binder Clip 1/2 " Deli Group 60 Pcs Box	3 Box			
	Highlighton Vollage Digle 9 Croop		EACH	TOTAL	TOTAL
22	Highlighter Yellow, Pink & Green (Pelikan Text Marker 490) 1x10	12 Box			
			EACH	TOTAL	TOTAL
22	Pencil (Faber Castell) Standard Size	12 Pkt			
23	1x12		EACH	TOTAL	TOTAL
	Cutter Knife (SDI Corporation # 0426)	2 Pkt			
24	1x12	2 PKL	EACH	TOTAL	TOTAL
	Fracer (Polikan Podier) 20 Stuck Per	6 Pkt			
25	Eraser (Pelikan Redier) 30 Stuck Pcs	6 PKL	EACH	TOTAL	TOTAL
	Staple Remover KW-TRIO (508 B) 1x12	1 Pkt			101712
26			EACH	TOTAL	TOTAL
27	Correction Pen / Whitton (Tux)	2 Pkt			
27			EACH	TOTAL	TOTAL
28	Paper Clip Small Size	10 Box			
			EACH	TOTAL	TOTAL
29	Paper Clip Medium Size	10 Box	EACH	TOTAL	TOTAL
	Paper Clip Large Size	10 Box	EACH	TOTAL	TOTAL
30	raper Clip Large 312e	10 00%	EACH	TOTAL	TOTAL
	Sticky Notes (Multi Color Size 3"x3")	36			
31	Post-it Pad	30	EACH	TOTAL	TOTAL
	Sticky Notes (Multi Color Size 2"x2")				
32	Post-it Pad	36		TOTAL	TOTAL
			EACH	TOTAL	TOTAL
33	Ball Pen (Picaso Standard Size) Blue, Black & Red	12 Pkt			
33	Black & Reu		EACH	TOTAL	TOTAL
	Uni-Ball (Eye Fine 0.7 m/m Ink Color				
34	Blue, Black & Red) 1x12 Mitsubishi Co.	12 Pkt			
	Ltd.		EACH	TOTAL	TOTAL
35	Steel Seizer (Size 12 Inch) Heavy Duty	5			
			EACH	TOTAL	TOTAL
36	Foot Scale Steel (Size 12 Inch) Best	12			
30	Quality		EACH	TOTAL	TOTAL

TENDER REF. # 1 (c) "PURCHASE OF GENERAL"

	Plastic File Cover (Size Legal) Best	30			
37	Quality		EACH	TOTAL	TOTAL
38	Plastic File Cover (Size A4) Best Quality	30			
			EACH	TOTAL	TOTAL
OTH	IER MISCELLANEOUS				
	Tissue Box Rose Petal (multi-color)	95			
39	Large Size		EACH	TOTAL	TOTAL
40	Dettol Hand Wash Standard Size	48			
-10			EACH	TOTAL	TOTAL
41	Morten Spray Ultra-Fast (Jumbo Size)	48	EACH	TOTAL	TOTAL
	Room Spray (Best Quality)	96	EACH	TOTAL	IOIAL
42	noom spray (best quality)		EACH	TOTAL	TOTAL
43	Mosquito Killer Liquid	72			
			EACH	TOTAL	TOTAL
44	Lux Soap Bath Size	96	EACH	TOTAL	TOTAL
	(Harpic) Toilet Cleaner Jumbo Size	60	LACII	TOTAL	TOTAL
45	(marphe) remet eleumer sumbe elee		EACH	TOTAL	TOTAL
46	Hard Groom	60			
			EACH	TOTAL	TOTAL
47	Soft Groom	60	EACH	TOTAL	TOTAL
40	Mop steel Standard Size (Best Quality)	30	LACII	TOTAL	TOTAL
48	,,,		EACH	TOTAL	TOTAL
49	Towel Standard Size (Best Quality)	60			
	011111111111111111111111111111111111111	2.4	EACH	TOTAL	TOTAL
50	Office Call Bell	24	EACH	TOTAL	TOTAL
	Toshiba/Maxell Batteries (Heavy Duty	5 box		101712	101112
51	AAA Size) 1x40 Box	3 000	EACH	TOTAL	TOTAL
	Toshiba/Maxell Batteries (Heavy Duty	E bass			
52	Pencil Size) 1x40 Box	5 box	EACH	TOTAL	TOTAL
	Wall Clock (Standard Size) Best Quality	6			
53	wan clock (Standard Size) best Quality		EACH	TOTAL	TOTAL
- 4	Air Freshener (Standard Size) Best	72			
54	Quality		EACH	TOTAL	TOTAL
	Waste Paper Basket/Dustbin (Standard	24			
55	Size) Best Quality		EACH	TOTAL	TOTAL
	Washroom Chapal (Standard Size) Best	6			
56	Quality		EACH	TOTAL	TOTAL

	Bath Room Set with Mirror (Standard	6			
57	Size) Best Quality	O	EACH	TOTAL	TOTAL
	Mosquito Killer Machine with Liquid	24			
58	(Standard Size)	24	EACH	TOTAL	TOTAL
	Tube Lights 4ft Philips or Equivalent	24			
59	Table Lights 41t Filmps of Equivalent	24	EACH	TOTAL	TOTAL
60	USB 16 GB (Kingston or Equivalent)	36			
			EACH	TOTAL	TOTAL
61	Duster for Cleaning (Standard Size) Best Quality	144			.
01	Quality		EACH	TOTAL	TOTAL
62	Foot Mate (Standard Size) Best Quality	12			
02			EACH	TOTAL	TOTAL
63	Saver 24 Vault (Philips or Equivalent)	60			
	Tissue Party Pack (Multi Color) Rose		EACH	TOTAL	TOTAL
64	Petal	48			
			EACH	TOTAL	TOTAL
G.E.	Roll Tissue (Rose Petal) Multi Color	36 Box			
65	1x10 Box		EACH	TOTAL	TOTAL
	Emergency Light (Standard Size) Best	6			
66	Quality	O	EACH	TOTAL	TOTAL
	Extension Lead Board (Standard Size)	12			
67	Best Quality	12	EACH	TOTAL	TOTAL
	Fiber Measuring Tape 100ft Best			7 0 17 12	
68	Quality	6	FACIL	TOTAL	TOTAL
			EACH	TOTAL	TOTAL
69	Canon Photo Copier Machine Image Runner 2520 Cartridge	24			.
03	Kumer 2320 Cartriage		EACH	TOTAL	TOTAL
	Card Less Telephone Set	1			
70	Specifications: • Panasonic or Equivalent	1	EACH	TOTAL	TOTAL
	Complete in all respect		271011	101712	101112
71	Laser Jet Printer HP 1102 Tonner	12			
/1	Original		EACH	TOTAL	TOTAL
PRI	NTING & PUBLICATION				
	INDUS VALLEY CIVILIZATION	1000			
72	2500 5 6 1500 5 5	Page			
_	• 3500 B.C – 1500 B.C	A4	EACH	TOTAL	TOTAL
	ANCIENT SINDH	1000			
73	4500 0 0 7404 0	Page			
	• 1500 B.C – 712A.D	A4	EACH	TOTAL	TOTAL

	MUS / MEDIEVAL PERIOD	1000			
74	• 712A.D – 1843A.D	Page A4	EACH	TOTAL	TOTAL
	MODERN SINDH	1000			
75	Wiederick Sinds	Page			
73	• 1843A.D	A4	EACH	TOTAL	TOTAL
PAY	MENT TO AUTHOR, TRANSLATOR	& SCHOL	.AR		
	AUTHOR NAME	Per			
76	Prof. Dr. Yaqoob Mughal	Page	EACH	TOTAL	TOTAL
	AUTHOR NAME	Per			
77	Dr. Ghulam Muhammad Lakho	Page	EACH	TOTAL	TOTAL
		Per			
	AUTHOR NAME	Page			
78	Mubarak Ali		EACH	TOTAL	TOTAL
	AUTHOR NAME	Per			
79		Page			
	Dr. Zulfiqar Ali Kalhoro		EACH	TOTAL	TOTAL
	AUTHOR NAME	Per			
80		Page			
	Dr. Syed Waqar Ali Shah		EACH	TOTAL	TOTAL
	AUTHOR NAME	Per			
81	ACTIONIVALVIE	Page			
01	Dr. PunhalDahar		EACH	TOTAL	TOTAL
	AUTHOR NAME	Per			
82	AOTHOR NAIVIE	Page			
02	Prof. Dr. QasimSoomro		EACH	TOTAL	TOTAL
	AUTHOR NAME	Per			
83	AO I HON IVAIVIE	Page			
03	Dr. HumeraNaz		EACH	TOTAL	TOTAL
	AUTHOR NAME	Per			
84	Dr. Dur Muhammad Pathan	Page	EACH	TOTAL	TOTAL

	AUTHOR NAME	Per			
85	Dr. Khalil Shaikh	Page	EACH	TOTAL	TOTAL
	AUTHOR NAME	Per			
86	Mr. Deedar Hussain Khatree	Page	EACH	TOTAL	TOTAL
_	AUTHOR NAME	Per			
87	Dr. Ruk Sindhi	Page	EACH	TOTAL	TOTAL
	AUTHOR NAME	Per			
88	 YousifShaheen 	Page	EACH	TOTAL	TOTAL
	AUTHOR NAME	Per			
89	Mr. Ghulam Mustafa Solangi	Page	EACH	TOTAL	TOTAL
	AUTHOR NAME	Per			
90	Ms. RehanaKausar	Page	EACH	TOTAL	TOTAL
	AUTHOR NAME	Per			
91	Mr. Gul Hassan Kalmati	Page	EACH	TOTAL	TOTAL
	AUTHOR NAME	Per			
92	Syed Mehdi Shah	Page	EACH	TOTAL	TOTAL
	AUTHOR NAME	Per			
93	Ms. Shamma Habib	Page	EACH	TOTAL	TOTAL
	AUTHOR NAME	Per			
94	Mr. Irfan Ahmed Shaikh	Page	EACH	TOTAL	TOTAL
	AUTHOR NAME	Per			
95	Mr. Bashir Ahmed Jatoi	Page	EACH	TOTAL	TOTAL
	AUTHOR NAME	Per			
96	Mr. Jami Chandio	Page	EACH	TOTAL	TOTAL
	AUTHOR NAME	Per			
97	Mr. Mubarak Mallah	Page	EACH	TOTAL	TOTAL
	AUTHOR NAME	Per			
98	Mr. NazirShakirBrohi	Page	EACH	TOTAL	TOTAL

	AUTHOR NAME	Per			
99	Qazi Asif	Page	FACIL	TOTAL	TOTAL
	Qazi Asii		EACH	TOTAL	TOTAL
	AUTHOR NAME	Per			
100	Mr. YasirQazi	Page	EACH	TOTAL	TOTAL
	AUTHOR NAME	Per			
101	Mr. Rizwan Hyder Soomro	Page	EACH	TOTAL	TOTAL
ADP	SCHEME No. 87/2015-16				1
OFF	ICE STATIONERY				
1	White Paper A4 Size 80gm	25 Box			
1			EACH	TOTAL	TOTAL
2	Calculator Citizen / Casio 12 Digit	12 Nos			
		2.1	EACH	TOTAL	TOTAL
3	Binding Tape 2"	24 Nos	EACH	TOTAL	TOTAL
	Binding Tape 2 ½	24 Nos	LACH	TOTAL	IOIAL
4	Binding Tape 2.72	241103	EACH	TOTAL	TOTAL
5	Binding Tape 3"	24 Nos			
J			EACH	TOTAL	TOTAL
6	Art Card A4 Size	40 Pkt			
			EACH	TOTAL	TOTAL
7	Plastic Sheet A4 Size	40 Pkt	EACH	TOTAL	TOTAL
	Seizer Steel (Standard Size) Best Quality	12 Nos	LACH	IOIAL	IOIAL
8	Seizer Steer (Standard Size) best Quanty	12 1103	EACH	TOTAL	TOTAL
0	Binder Clip 1" Best Quality	2 Box			
9			EACH	TOTAL	TOTAL
10	Binder Clip 2" Best Quality	1 Box			
			EACH	TOTAL	TOTAL
11	Color Printer 7610 Cartridge 933XL set	1 Set			
ADF	SCHEME No. 88/2015-16		EACH	TOTAL	TOTAL
	•				
ОТН	ERS				
	Rice Dish ceramic (Standard Size) Best	30			
1	Quality	30	EACH	TOTAL	TOTAL
2	Dinner Plates ceramic (Standard Size) Best Quality	200			
	Best Quality		EACH	TOTAL	TOTAL

TENDER REF. # 1 (c) "PURCHASE OF GENERAL"

	Quarter Plates ceramic (Standard Size)	200			
3	Best Quality		EACH	TOTAL	TOTAL
4	Tea Cups & Saucers ceramic (Standard	200			
4	Size) Best Quality		EACH	TOTAL	TOTAL
_	Table Spoon Stainless Steel (Standard	200			
5	Size) Best Quality		EACH	TOTAL	TOTAL
	Tea Spoon Stainless Steel (Standard	200			
6	Size) Best Quality		EACH	TOTAL	TOTAL
7	Fork Stainless Steel (Standard Size)	200			
	Table Knives Stainless Steel (Standard		EACH	TOTAL	TOTAL
8	Size) Best Quality	200			
	Curry Paul caramic (Standard Size) Post		EACH	TOTAL	TOTAL
9	Curry Bowl ceramic (Standard Size) Best Quality	20			.
	<u>'</u>		EACH	TOTAL	TOTAL
10	Service Spoon Stainless Steel (Standard Size) Best Quality	36			
	i i		EACH	TOTAL	TOTAL
11	Water Jug Stainless Steel (Standard Size) Best Quality	36			.
	· ·		EACH	TOTAL	TOTAL
12	Tea Pot ceramic (Standard Size) Best Quality	24			
	Quanty		EACH	TOTAL	TOTAL
13	Milk Pot ceramic (Standard Size) Best Quality	50			
13	Quality		EACH	TOTAL	TOTAL
14	Sweet Bowl ceramic (Standard Size)	48			
14	Best Quality		EACH	TOTAL	TOTAL
1 -	Water Glass (Standard Size) Best	100			
15	Quality		EACH	TOTAL	TOTAL
16	Sugar Pot ceramic (Standard Size) Best	50			
16	Quality		EACH	TOTAL	TOTAL
	Utensils and other items used for				
17	cooking etc. in kitchen and miscellaneous items (as per	1 Job			
	requirement of site)		EACH	TOTAL	TOTAL
	Bed Sheet Double Pure Cotton	_			
18	(Standard Size) multi-Color	30	EACH	TOTAL	TOTAL
	Bed sheet Single Pure Cotton (Standard			2	
19	Size) multi-Color	60	EACH	TOTAL	TOTAL
			LACII	IOIAL	IOIAL

	Mattress for extra Bed 78"x48"x6"	12			
20	Molty Foam or Equivalent	_	EACH	TOTAL	TOTAL
	Towel Pure Cotton (Bath Size) multi-	100			
21	Color	_	EACH	TOTAL	TOTAL
22	Dust Bin (Medium Size) Best Quality	12			
	Display for Davids Bod 2 ph. Bost		EACH	TOTAL	TOTAL
23	Blanket for Double Bed 2 ply Best Quality	6			
	,		EACH	TOTAL	TOTAL
24	Blanket Single Bed 2 ply Best Quality	18 _	EACH	TOTAL	TOTAL
	Pillow of Molty Foam or Equivalent	50	LACII	TOTAL	TOTAL
25	(Standard Size including cover)	50	EACH	TOTAL	TOTAL
	Table Lamp (Standard Size) Best Quality	24			
26	rubie zamp (standard 5/26) Best Quanty	-	EACH	TOTAL	TOTAL
27	Curtain (as per requirement of site)	20			
	Furnishing Room and restaurant (as per		EACH	TOTAL	TOTAL
28	requirement of site)	1 Job _			
	·		EACH	TOTAL	TOTAL
ADI	P SCHEME No. 93/2015-16				
OFF	ICE STATIONERY				
1	White Paper A4 Size 80gm	50 Box			
	· · · · · · · · · · · · · · · · · · ·		EACH	TOTAL	TOTAL
2	Calculator Citizen / Casio 12 Digit	24 Nos _	EACH	TOTAL	TOTAL
2	Binding Tape 2"	24 Nos	271011	1017.2	101712
3	Billullig Tape 2	-	EACH	TOTAL	TOTAL
4	Binding Tape 2 ½	24 Nos _			
		24 Nos	EACH	TOTAL	TOTAL
5	Binding Tape 3"	24 1105	EACH	TOTAL	TOTAL
6	Art Card A4 Size	40 Pkt			
	7.11.5 50.10 71.1 51.20		EACH	TOTAL	TOTAL
7	Plastic Sheet A4 Size	40 Pkt _	EACH	TOTAL	TOTAL
_	Photo State Addition of the Company	10 Nos	LACH	IOIAL	IOIAL
8	Photo State Machine Cartridge 2520		EACH	TOTAL	TOTAL
9	Seizer Steel (Standard Size) Best Quality	12 Nos			
			EACH	TOTAL	TOTAL
10	Binder Clip ½ " Best Quality	2 Box _	FACU	TOTAL	TOTAL
			EACH	TOTAL	TOTAL

TENDER REF. # 1 (c) "PURCHASE OF GENERAL"

11	Binder Clip 1" Best Quality	2 Box			
11	Bilider Clip 1 Best Quality		EACH	TOTAL	TOTAL
12	Binder Clip 1 ½ " Best Quality	2 Box			
			EACH	TOTAL	TOTAL
13	Binder Clip 2" Best Quality	1 Box	EACH	TOTAL	TOTAL
			LACH	TOTAL	TOTAL
14	Color Printer 7610 Cartridge 933XL set	1 Set			
Ξ,			EACH	TOTAL	TOTAL
ОТІ	HERS				
	Tissue Box Rose Petal (multi-color)	95			
15	Large Size	33	EACH	TOTAL	TOTAL
16	Dettol Hand Wash Standard Size	48			
10	Dettorriana wash standard size		EACH	TOTAL	TOTAL
17	Morten Spray Ultra-Fast (Jumbo Size)	48			
			EACH	TOTAL	TOTAL
18	Room Spray (Best Quality)	96	FACIL	TOTAL	
		70	EACH	TOTAL	TOTAL
19	Mosquito Killer Liquid	72	EACH	TOTAL	TOTAL
		96		101712	101712
20	Lux Soap Bath Size		EACH	TOTAL	TOTAL
21	(Harpic) Toilet Cleaner Jumbo Size	60			
	(Harpie) Folice dicurrer sampo Size		EACH	TOTAL	TOTAL
22	Hard Groom	60			
			EACH	TOTAL	TOTAL
23	Soft Groom	60	EACH	TOTAL	TOTAL
		30	EACH	TOTAL	IOIAL
24	Mop steel Standard Size (Best Quality)	30	EACH	TOTAL	TOTAL
25	Towal Standard Size (Bost Quality)	60	_		
25	Towel Standard Size (Best Quality)		EACH	TOTAL	TOTAL
26	Office Call Bell	24			
20			EACH	TOTAL	TOTAL
27	Toshiba/Maxell Batteries (Heavy Duty	5 box			
	AAA Size) 1x40 Box		EACH	TOTAL	TOTAL
28	Toshiba/Maxell Batteries (Heavy Duty Pencil Size) 1x40 Box	5 box	EACH	TOTAL	TOTAL
	·	6	EACH	TOTAL	IUIAL
29	Wall Clock (Standard Size) Best Quality	U	EACH	TOTAL	TOTAL
2.5	Air Freshener (Standard Size) Best	72		70	
30	Quality	· .	EACH	TOTAL	TOTAL
31	Waste Paper Basket/Dustbin (Standard	24			
31	Size) Best Quality		EACH	TOTAL	TOTAL

	Washroom Chapal (Standard Size) Best	6			
32	Quality	0	EACH	TOTAL	TOTAL
33	Bath Room Set with Mirror (Standard	6			
	Size) Best Quality		EACH	TOTAL	TOTAL
34	Mosquito Killer Machine with Liquid	24			
	(Standard Size)	2.4	EACH	TOTAL	TOTAL
35	Tube Lights 4ft Philips or Equivalent	24	EACH	TOTAL	TOTAL
26	LICE AC CD (Kingston on Favinglant)	36	L/ (GII	101/12	101712
36	USB 16 GB (Kingston or Equivalent)		EACH	TOTAL	TOTAL
37	Duster for Cleaning (Standard Size) Best	144			
	Quality		EACH	TOTAL	TOTAL
38	Foot Mate (Standard Size) Best Quality	12			
		60	EACH	TOTAL	TOTAL
39	Saver 24 Vault (Philips or Equivalent)	60	EACH	TOTAL	TOTAL
40	Tissue Party Pack (Multi Color) Rose	48			101112
40	Petal	_	EACH	TOTAL	TOTAL
41	Roll Tissue (Rose Petal) Multi Color	36 Box			
	1x10 Box		EACH	TOTAL	TOTAL
42	Emergency Light (Standard Size) Best Quality	6			
	Extension Lead Board (Standard Size)	12	EACH	TOTAL	TOTAL
43	Best Quality	12	EACH	TOTAL	TOTAL
	Fiber Measuring Tape 100ft Best	6			
44	Quality		EACH	TOTAL	TOTAL
45	White Paper A4 Size 80gm Best Quality	50 Box			
			EACH	TOTAL	TOTAL
46	White Paper Legal Size 80gm Best Quality	20 Box			
	Laser Jet Printer HP 1102 Tonner	6	EACH	TOTAL	TOTAL
47	Original	6	EACH	TOTAL	TOTAL
ADP	SCHEME No. 95/2015-16			701112	101112
	· · · · · · · · · · · · · · · · · · ·				
OFFI	ICE STATIONERY				
1	White Paper A4 Size 80gm	2 Box			
	· · · · · · · · · · · · · · · · · · ·		EACH	TOTAL	TOTAL
2	Calculator Citizen / Casio 12 Digit	4 Nos			
		12 N	EACH	TOTAL	TOTAL
3	Binding Tape 2"	12 Nos	EACH	TOTAL	TOTAL
4	Coiner Stool (Standard Size) Back Out !!	3 Nos			
4	Seizer Steel (Standard Size) Best Quality		EACH	TOTAL	TOTAL
5	Laser Jet Printer HP 1102 Cartridge	1			
	(Original)		EACH	TOTAL	TOTAL

	Aut Court A4 Cine	1 Pkt			
6	Art Card A4 Size	_	EACH	TOTAL	TOTAL
7	Plastic Sheet A4 Size	1 Pkt			-
	0.0015145.11 0.0012045.40		EACH	TOTAL	TOTAL
AD	P SCHEME No. 96/2015-16				
ELE	CTRONIC COMMUNICATION				
4	Samsung Mobile (Grand Prime) or	2			
1	Equivalent Latest Model		EACH	TOTAL	TOTAL
ΑD	VERTISEMENT & PUBLICITY (PRON	OTION	OF SITE)		1
	Multi-Color Sign Board 3x4, iron/steel	6	-		
2	frame with Best Quality Printing	6	EACH	TOTAL	TOTAL
	Multi-Color Pena flex Banner 6x8, with			101712	
3	stand/Fitting at sites	25	FACIL	TOTAL	TOTAL
			EACH	TOTAL	TOTAL
4	Multi-Color Pena flex Banner 4x5, with stand/Fitting at sites	50			
-	stand/Titting at sites		EACH	TOTAL	TOTAL
_	Advertisement at Local Media for 3	1 Job			
5	Months to Promote the Site		EACH	TOTAL	TOTAL
	Pamphlets/Banner A4 Size Multi Color	E000			
6	Art Card	5000	EACH	TOTAL	TOTAL
	Broachers Standard Size Multi Color Art			_	
7	Card	3000	EACH	TOTAL	TOTAL
			EACH	IOIAL	IOIAL
PRI	NTING & PUBLICATIONS				
	Publication of Promotion Material of				
8	Site, Broachers, Poster, Art Card,	1 Job			
0	Booklets & Other Material etc. (as per requirement)		EACH	TOTAL	TOTAL
	. oqui ameni,				
OFF	FICE STATIONERY	Г		T	
9	White Paper A4 Size 80gm	2 Box			
		4.01	EACH	TOTAL	TOTAL
10	Calculator Citizen / Casio 12 Digit	4 Nos	EACH	TOTAL	TOTAL
	District Toronto	12 Nos	LAGII	IOIAL	IOIAL
11	Binding Tape 2"		EACH	TOTAL	TOTAL
12	Seizer Steel (Standard Size) Best Quality	3 Nos			-
14			EACH	TOTAL	TOTAL
13	Laser Jet Printer HP 1102 Cartridge	1			
	(Original)		EACH	TOTAL	TOTAL

14	Art Card A4 Size	1 Pkt			
14	Art Card A4 3126		EACH	TOTAL	TOTAL
15	Plastic Sheet A4 Size	1 Pkt			
			EACH	TOTAL	TOTAL
ADI	P SCHEME No. 97/2015-16				
OFF	ICE STATIONERY				
1	White Paper A4 Size 80gm	2 Box			
	,		EACH	TOTAL	TOTAL
2	Calculator Citizen / Casio 12 Digit	4 Nos	EACH	TOTAL	TOTAL
	District Table 2"	12 Nos	LACII	TOTAL	TOTAL
3	Binding Tape 2"		EACH	TOTAL	TOTAL
4	Seizer Steel (Standard Size) Best Quality	3 Nos			
-			EACH	TOTAL	TOTAL
5	Laser Jet Printer HP 1102 Cartridge (Original)	1	EACH	TOTAL	TOTAL
		1 Pkt	EACH	TOTAL	TOTAL
6	Art Card A4 Size	TIKC	EACH	TOTAL	TOTAL
7	Plastic Sheet A4 Size	1 Pkt			
,	Trastic Street A4 Size		EACH	TOTAL	TOTAL
AD\	VERTISEMENT & PUBLICITY (PROM	NOTION	OF SITE)		
	Multi-Color Sign Board 3x4,				
8	iron/steel frame with Best Quality	6			
	Printing		EACH	TOTAL	TOTAL
	Multi-Color Pena flex Banner 6x8,	25			
9	with stand/Fitting at sites	25	EACH	TOTAL	TOTAL
			LACII	TOTAL	TOTAL
	Multi-Color Pena flex Banner 4x5,	50			
10	with stand/Fitting at sites	30	EACH	TOTAL	TOTAL
	Advertisement at Local Media for 3				
11	Months to Promote the Site	1 Job	EACH	TOTAL	TOTAL
			LACII	IOIAL	IOIAL
	Pamphlets/Banner A4 Size Multi	5000			
12	Color Art Card	3000	EACH	TOTAL	TOTAL
	Broachers Standard Size Multi Color	3000			
13	Art Card	3000	EACH	TOTAL	TOTAL
•	•			•	•

	Publication of Promotion Material of				
14	Site, Broachers, Poster, Art Card,	1 Job			
14	Booklets & Other Material etc. (as per requirement)		EACH	TOTAL	TOTAL
AD	P SCHEME No. 98/2015-16	l I			1
ELE	CTRONIC COMMUNICATION				
1	Samsung Mobile (Grand Prime) or Equivalent Latest Model	2 -	EACH	TOTAL	TOTAL
0 F I	ICE STATIONEDY		271011	101712	10171
OF	FICE STATIONERY			<u> </u>	1
2	White Paper A4 Size 80gm	2 Box	EACH	TOTAL	TOTAL
	Calculator Citizen / Casio 12 Digit	4 Nos	LACII	TOTAL	IOIA
3	Caronical Critically Carrie 22 1 gr		EACH	TOTAL	TOTAL
4	Binding Tape 2"	12 Nos			
			EACH	TOTAL	TOTAI
5	Seizer Steel (Standard Size) Best Quality	3 Nos	FACU	TOTAL	
	Laser Jet Printer HP 1102 Cartridge		EACH	TOTAL	TOTA
6	(Original)	1 -	EACH	TOTAL	TOTAL
			ЕАСП	IOIAL	IUIAI
7	Art Card A4 Size	1 Pkt	EACH	TOTAL	TOTAL
	Plastic Sheet A4 Size	1 Pkt	ЕАСП	IOIAL	IOIA
8	Trastic Sheet A4 Size		EACH	TOTAL	TOTAL
AD'	VERTISEMENT & PUBLICITY (PROM	10TION C	OF SITE)	1	1
	Multi-Color Sign Board 3x4, iron/steel	6	<u> </u>		
9	frame with Best Quality Printing	6 _	EACH	TOTAL	TOTA
	Multi-Color Pena flex Banner 6x8, with	25			
10	stand/Fitting at sites	23 <u>-</u>	EACH	TOTAL	TOTAL
	Multi-Color Pena flex Banner 4x5, with	F0			
11	stand/Fitting at sites	50 -	EACH	TOTAL	TOTAL
	Advertisement at Local Media for 3				
12	Months to Promote the Site	1 Job	EACH	TOTAL	TOTAL
	Pamphlets/Banner A4 Size Multi Color		LACH	IUIAL	IOIA
13	Art Card	5000			
			EACH	TOTAL	TOTA
1 //	Broachers Standard Size Multi Color Art	3000			
14	Card		EACH	TOTAL	TOTA

	Publication of Promotion Material of				
	Site, Broachers, Poster, Art Card,	1 Job			
15	Booklets & Other Material etc. (as per	1 100 -	EACH	TOTAL	TOTAL
	requirement)				
AD	P SCHEME No. 99/2015-16				
ELE	CTRONIC COMMUNICATION				
1	Samsung Mobile (Grand Prime) or	3 -			
1	Equivalent Latest Model	3 -	EACH	TOTAL	TOTAL
	Card Less Telephone Set				
2	Specifications:	1 -			
	Panasonic or EquivalentComplete in all respect		EACH	TOTAL	TOTAI
OFF	FICE STATIONERY	1			1
3	White Paper A4 Size 80gm Best Quality	10 Box			
			EACH	TOTAL	TOTAI
	White Paper Legal Size 80gm Best	10 Box			
4	Quality	-	EACH	TOTAL	TOTAL
5	Calculator Citizen / Casio 12 Digit	10 Nos			
			EACH	TOTAL	TOTAI
6	Binding Tape 2"	12 Nos _			
			EACH	TOTAL	TOTAL
7	Seizer Steel (Standard Size) Best Quality	3 Nos	EACH	TOTAL	TOTAL
	Laser Jet Printer HP 1102 Cartridge		LACII	TOTAL	IOIA
8	(Original)	1 -	EACH	TOTAL	TOTAL
			ЕАСП	TOTAL	IOIAI
9	Art Card A4 Size	10 Pkt			
,			EACH	TOTAL	TOTAI
10	Plastic Sheet A4 Size	10 Pkt			
			EACH	TOTAL	TOTAI
11	Hole punch 2 way heavy duty best	6			
	quality Standard Size		EACH	TOTAL	TOTAL
	Stapler Machine (Standard Size) Best	6			
12	Quality		EACH	TOTAL	TOTAL
	Stapler Machine Heavy Duty (Size	4			
13	923/8mm to 923/23mm) Best Quality	1 _			

AD	P SCHEME No. 100/2015-16				
OF	FICE STATIONERY				
1	White Paper A4 Size 80gm	50 Box	EACH	TOTAL	TOTAL
2	Calculator Citizen / Casio 12 Digit	24 Nos	EACH	TOTAL	TOTAL
3	Binding Tape 2"	24 Nos	EACH	TOTAL	TOTAL
4	Binding Tape 2 ½	24 Nos	EACH	TOTAL	TOTAL
5	Binding Tape 3"	24 Nos			
6	Art Card A4 Size	40 Pkt	EACH	TOTAL	TOTAL
7	Plastic Sheet A4 Size	40 Pkt	EACH	TOTAL	TOTAL
8	Photo State Machine Cartridge 2520	10 Nos	EACH	TOTAL	TOTAL
9	Seizer Steel (Standard Size) Best Quality	12 Nos	EACH	TOTAL	TOTAL
10	Binder Clip ½ " Best Quality	2 Box	EACH	TOTAL	TOTAL
11	Binder Clip 1" Best Quality	2 Box	EACH	TOTAL	TOTAL
12	Binder Clip 1 ½ " Best Quality	2 Box	EACH	TOTAL	TOTAL
	Binder Clip 2" Best Quality	1 Box	EACH	TOTAL	TOTAL
13	Color Printer 7610 Cartridge 933XL set	1 Set	EACH	TOTAL	TOTAL
14			EACH	TOTAL	TOTAL
011	Tissue Box Rose Petal (multi-color)				
15	Large Size	60	EACH	TOTAL	TOTAL
16	Dettol Hand Wash (Standard Size)	24	EACH	TOTAL	TOTAL
17	Morten Spray Ultra-Fast (Jumbo Size)	24	EACH	TOTAL	TOTAL
18	Room Spray (Best Quality)	60	EACH	TOTAL	TOTAL
19	Mosquito Killer Liquid	60	EACH	TOTAL	TOTAL
20	Lux Soap Bath Size	60			
			EACH	TOTAL	TOTAL

	(Harpic) Toilet Cleaner Jumbo Size	24			
21	(***)		EACH	TOTAL	TOTAL
22	Hard Groom	12			
			EACH	TOTAL	TOTAL
23	Soft Groom	12	EACH	TOTAL	TOTAL
	Mop steel Standard Size (Best Quality)	12	EACH	IOIAL	IOIAL
24	Wiop steel Standard Size (Best Quanty)	12	EACH	TOTAL	TOTAL
25	Towel Standard Size (Best Quality)	48			
25			EACH	TOTAL	TOTAL
26	Office Call Bell	12			
	Tookika/Mayall Dattorias/Ulasyar Duty		EACH	TOTAL	TOTAL
27	Toshiba/Maxell Batteries (Heavy Duty AAA Size) 1x40 Box	1 box			
	,		EACH	TOTAL	TOTAL
28	Toshiba/Maxell Batteries (Heavy Duty	1 box			
28	Pencil Size) 1x40 Box		EACH	TOTAL	TOTAL
29	Hand Wash (Dove)	1			
			EACH	TOTAL	TOTAL
ADI	P SCHEME No. 104/2015-16				
451	(505165145115 0 0110110151/ 10001		0.5 (1.7.5)		
ADV	/ERTISEMENT & PUBLICITY (PROM	MOHON	OF SITE)		
1	Multi-Color Sign Board 3x4, iron/steel	3			
	frame with Best Quality Printing		EACH	TOTAL	TOTAL
2	Multi-Color Pena flex Banner 6x8, with	12			
	stand/Fitting at sites	12	EACH	TOTAL	TOTAL
_	Multi-Color Pena flex Banner 4x5, with				
3	stand/Fitting at sites	25	EACH	TOTAL	TOTAL
	Advertisement at Local Media for 2		LACII	TOTAL	TOTAL
4	Months to Promote the Site	1 Job			
			EACH	TOTAL	TOTAL
	Pamphlets/Banner A4 Size Multi Color				
5	Art Card	2500			
			EACH	TOTAL	TOTAL
	Broachers Standard Size Multi Color Art				
6	Card	1500			
	54		EACH	TOTAL	TOTAL
6	TED MICCELL AND OUT				
OTF	IER MISCELLANEOUS				
	Tissue Box Rose Petal (multi-color)	95			
7	Large Size				
			EACH	TOTAL	TOTAL

8	Dettol Hand Wash Standard Size	48			
8			EACH	TOTAL	TOTAL
9	Morten Spray Ultra-Fast (Jumbo Size)	48	EACH	TOTAL	TOTAL
10	Room Spray (Best Quality)	96	EACH	TOTAL	TOTAL
11	Mosquito Killer Liquid	72	-		
12	Lux Soap Bath Size	96	EACH	TOTAL	TOTAL
13	(Harpic) Toilet Cleaner Jumbo Size	60	EACH	TOTAL	TOTAL
14	Hard Groom	60	EACH	TOTAL	TOTAL
	Soft Groom	60	EACH	TOTAL	TOTAL
15			EACH	TOTAL	TOTAL
16	Mop steel Standard Size (Best Quality)	30	EACH	TOTAL	TOTAL
17	Towel Standard Size (Best Quality)	60	EACH	TOTAL	TOTAL
18	Office Call Bell	24	EACH	TOTAL	TOTAL
19	Toshiba/Maxell Batteries (Heavy Duty AAA Size) 1x40 Box	5 box	LACII	TOTAL	
	Toshiba/Maxell Batteries (Heavy Duty	5 box	EACH	TOTAL	TOTAL
20	Pencil Size) 1x40 Box	,	EACH	TOTAL	TOTAL
21	Wall Clock (Standard Size) Best Quality	6	EACH	TOTAL	TOTAL
22	Air Freshener (Standard Size) Best Quality	72			
	Waste Paper Basket/Dustbin (Standard	24	EACH	TOTAL	TOTAL
23	Size) Best Quality		EACH	TOTAL	TOTAL
24	Washroom Chapal (Standard Size) Best Quality	6	EACH	TOTAL	TOTAL
25	Bath Room Set with Mirror (Standard	6	LACII	TOTAL	IOIAL
	Size) Best Quality	3.1	EACH	TOTAL	TOTAL
26	Mosquito Killer Machine with Liquid (Standard Size)	24	EACH	TOTAL	TOTAL

27	Tube Lights 4ft Philips or Equivalent	24			
27		-	EACH	TOTAL	TOTAL
28	USB 16 GB (Kingston or Equivalent)	36	_		
		444	EACH	TOTAL	TOTAL
29	Duster for Cleaning (Standard Size) Best Quality	144	FACIL	TOTAL	TOTAL
30	Foot Mate (Standard Size) Best Quality	12	EACH	TOTAL	TOTAL
30		-	EACH	TOTAL	TOTAL
31	Saver 24 Vault (Philips or Equivalent)	60			
			EACH	TOTAL	TOTAL
32	Tissue Party Pack (Multi Color) Rose Petal	48			
	retai		EACH	TOTAL	TOTAL
33	Roll Tissue (Rose Petal) Multi Color	36 Box			
	1x10 Box	-	EACH	TOTAL	TOTAL
34	Emergency Light (Standard Size) Best	6			
34	Quality	-	EACH	TOTAL	TOTAL
25	Extension Lead Board (Standard Size)	12			
35	Best Quality	-	EACH	TOTAL	TOTAL
	Fiber Measuring Tape 100ft Best	6			
36	Quality	-	EACH	TOTAL	TOTAL
	Canon Photo Copier Machine Image	24	LACII	TOTAL	TOTAL
37	Runner 2520 Cartridge	-			
		_	EACH	TOTAL	TOTAL
38	Card less Telephone Set Panasonic	5 -	FACIL	TOTAL	TOTAL
	Laser Jet Printer HP 1102 Tonner	12	EACH	TOTAL	TOTAL
39	Original	-	EACH	TOTAL	TOTAL
			LACII	TOTAL	IOIAL
OFF	ICE STATIONERY				
40	White Paper (A4 Size 80gm) Best	75 Box			
	Quality White Paragraph and Size (Ograph Past	20 Pay	EACH	TOTAL	TOTAL
41	White Paper (Legal Size 80gm) Best Quality	30 Box	EACH	TOTAL	TOTAL
_	White Paper (A3 Size 80gm) Best	30 Box	EACH	TOTAL	IOIAL
42	Quality	-	EACH	TOTAL	TOTAL
43	Calculator Citizen / Casio 12 Digit	24 Nos			
			EACH	TOTAL	TOTAL
44	Binding Tape 2"	24 Nos -	FACIL	TOTAL	
	Binding Tape 2 ½	24 Nos	EACH	TOTAL	TOTAL
45		-	EACH	TOTAL	TOTAL

TENDER REF. #1 (c) "PURCHASE OF GENERAL"

4.0	Binding Tape 3"	24 Nos			
46			EACH	TOTAL	TOTAL
47	Art Card A4 Size	80 Pkt			
	Diagram Charact AA Cina	00.01+	EACH	TOTAL	TOTAL
48	Plastic Sheet A4 Size	80 Pkt	FACIL	TOTAL	TOTAL
40	Photo State Machine Cartridge 2520	20 Nos	EACH	TOTAL	TOTAL
49	The to state maximis cartings 2020		EACH	TOTAL	TOTAL
50	Seizer Steel (Standard Size) Best Quality	12 Nos			
30			EACH	TOTAL	TOTAL
51	Binder Clip ½ " Best Quality	2 Box			
			EACH	TOTAL	TOTAL
52	Binder Clip 1" Best Quality	2 Box			
	Binder Clin 4.1/ # Best Ovelity	2.0	EACH	TOTAL	TOTAL
53	Binder Clip 1 ½ " Best Quality	2 Box			
	Binder Clip 2" Best Quality	1 Box	EACH	TOTAL	TOTAL
54	binder clip 2 best equality	1 box	EACH	TOTAL	TOTAL
55	Color Printer 7610 Cartridge 933XL set	5 Set	LACII	IOIAL	TOTAL
33	, and the second		EACH	TOTAL	TOTAL
56	UHU Glue Stick (Large Size) 1x12	6 Box	_		
30			EACH	TOTAL	TOTAL
57	UHU Glue Stick (Small Size) 1x12	5 Box			
			EACH	TOTAL	TOTAL
58	Transparent Neon Indexer (Pronoti)	6 Box			
	1x24		EACH	TOTAL	TOTAL
F0	Desk Accessories Set (Standard Size)	10 Set			
59	Best Quality		EACH	TOTAL	TOTAL
	Binder Clip 1/2 " (Deli Group) 60 Pcs	3 Box			1000
60	Box	J BOX			
			EACH	TOTAL	TOTAL
61	Highlighter Yellow, Pink & Green	12 Box			
	(Pelikan Text Marker 490) 1x10		EACH	TOTAL	TOTAL
63	Pencil (Faber Castell) Standard Size	12 Pkt			
62	1x12		EACH	TOTAL	TOTAL
	Cutter Knife (SDI Corporation # 0426)	2 Pkt			
63	1x12	ZINU			
			EACH	TOTAL	TOTAL
64	Eraser (Pelikan Redier) 30 Stuck Pcs	6 Pkt		_	
		4.51	EACH	TOTAL	TOTAL
65	Staple Remover KW-TRIO (508 B) 1x12	1 Pkt			
	Correction Pen / Whitton (Tux)	2 Pkt	EACH	TOTAL	TOTAL
66	Correction ren / Willitton (Tux)	2 FNL		TOTAL	TOTAL
			EACH	IUIAL	IUIAL

67	Paper Clip Small Size	10 Box			
			EACH	TOTAL	TOTAL
68	Paper Clip Medium Size	10 Box			.
			EACH	TOTAL	TOTAL
69	Paper Clip Large Size	10 Box			
	Chicles Notes (NAUlti Color Circ 2"v2")	26	EACH	TOTAL	TOTAL
70	Sticky Notes (Multi Color Size 3"x3") Post-it Pad	36			.
	FOST-IT FAU		EACH	TOTAL	TOTAL
71	Sticky Notes (Multi Color Size 2"x2")	36			
/1	Post-it Pad		EACH	TOTAL	TOTAL
	Ball Pen (Picaso Standard Size) Blue,	12 Pkt			
72	Black & Red				
			EACH	TOTAL	TOTAL
	Uni-Ball (Eye Fine 0.7 m/m Ink Color	24Pkt			
73	Blue, Black & Red) 1x12 Mitsubishi Co. Ltd.		EACH	TOTAL	TOTAL
	Ltd.		LACII	IOIAL	IOIAL
74	Steel Seizer (Size 12 Inch) Heavy Duty	5			
			EACH	TOTAL	TOTAL
75	Foot Scale Steel (Size 12 Inch) Best	12			
	Quality		EACH	TOTAL	TOTAL
	Plastic File Cover (Size Legal) Best	60			
76	Quality		EACH	TOTAL	TOTAL
	Plastic File Cover (Size A4) Best Quality	60	LACII	TOTAL	TOTAL
77	Flastic File Cover (Size A4) Best Quality	00	EACH	TOTAL	TOTAL
ΔDI	P SCHEME No. 105/2015-16		EACH	TOTAL	IOIAL
ADI	F 3CHEWIE NO. 103/2013-10				
AD\	VERTISEMENT & PUBLICITY (PRON	MOTION	OF SITE)		
	<u> </u>	1	,		
1	Voice Recording of Radio 30 Seconds	1 Job	EACH	TOTAL	TOTAL
	Air Massage Radio Commercial		LACII	TOTAL	TOTAL
2	Throughout Sindh Province 30 Seconds	1 Job			
	Duration (6 Times) 30 Days		EACH	TOTAL	TOTAL
	Cloth Danner 6/22/ (Matter 9, Decision of				
3	Cloth Banner 6'x2' (Matter & Designed Approved by Directorate)	100			
	Approved by Directorate)		EACH	TOTAL	TOTAL
4	Hiring of Hoarding / Bill Board on Rent	2			
4	Size 8'x16'		EACH	TOTAL	TOTAL
	Designing & Printing of Pena flex for				
	Hoarding for Bill Board Size 8'x16'				
5	Printed Area (Matter & Designed	2			TOTAL
	Approved by Directorate)		EACH	TOTAL	TOTAL

6	Broachers Art Card 310 Grams, Both Sides Printing, 4 Color with Mate Lamination Size A4	10000	EACH	TOTAL	TOTAL
7	Pena Flex 3'x6' with Printing (Matter & Designed Approved by Directorate)	100	EACH	TOTAL	TOTAL
8	Human Bill Boards Printing of T-Shirts (Matter & Designed Approved by Directorate)	1000	EACH	TOTAL	TOTAL
9	Printing of News Letter No. of Pages 16, A4 Size, Printing in 4 color, Mate Paper 128 Grams for Distribution (Matter &Designed Approved by Directorate)	50	EACH	TOTAL	TOTAL
OF	FICE STATIONERY			1	
10	White Paper A4 Size 80gm	2 Box	EACH	TOTAL	TOTAL
11	Calculator Citizen / Casio 12 Digit	4 Nos	EACH	TOTAL	TOTAL
12	Binding Tape 2"	12 Nos	EACH	TOTAL	TOTAL
13	Seizer Steel (Standard Size) Best Quality	3 Nos			
14	Laser Jet Printer HP 1102 Cartridge (Original)	1	EACH	TOTAL	TOTAL
			EACH	TOTAL	TOTAL
15	Art Card A4 Size	1 Pkt	EACH	TOTAL	TOTAL
16	Plastic Sheet A4 Size	1 Pkt	EACH	TOTAL	TOTAL
PUF	RCHASE OF VEHICLES				
17	DOUBLE CABIN TOYOTA M/T	01	EACH	TOTAL	TOTAL

18	JEEP JIMINY JLX	02	EACH	TOTAL	TOTAL
19	MOTOR CYCLE (70CC)	04	EACH	TOTAL	TOTAL
AD	P SCHEME No. 118/2015-16	I		1	
PUR	CHASE OF VEHICLES				
1	MOTOR CYCLE – CD HONDA (70 CC)	01	EACH	TOTAL	TOTAL
PRIN	ITING, PUBLICATION & DOCUMENTATI	ON		I	
2	RECEIPT BOOK (FOR MAIN GATE) Specification: Offset Paper 1x200 pages with counter Folio Size 3"x6" 1x100 Box Multi-Color Draft/Matter as per requirement of Department Gum Binding Complete in All Respect	200 Box	EACH	TOTAL	TOTAL
3	RECEIPT BOOK (FOR MUSEUM) Specification: Offset Paper 1x200 pages with counter Folio Size 3"x6" 1x100 Box Multi-Color Draft/Matter as per requirement of Department Gum Binding Complete in All Respect	200 Box	EACH	TOTAL	TOTAL

4	RECEIPT BOOK (FOR PARKING) Specification: Offset Paper 1x200 pages with counter Folio Size 3"x6" 1x100 Box Multi-Color Draft/Matter as per requirement of Department Gum Binding Complete in All Respect	200 Box	EACH	TOTAL	TOTAL
5	HAND BOOKS (WILD LIFE) FOR VISITORS / TOURISTS Specification: Art Card / Best Quality 6"x10" or Standard Size 1x100 Box Multi-Color Draft/Matter in different categories Complete in All Respect	200 Box	EACH	TOTAL	TOTAL
6	BOOKLET (FOR ZOO) FOR VISITORS / TOURISTS Specification:	500 Box	EACH	TOTAL	TOTAL

7 OTH	CAUTION/INDICATION BOARD (FOR SITE) VISITORS / TOURISTS Specification: Steel / Iron Board Size 2'x3' Fixed stand (2' Pipe width) Gauge Light with installation Stand Size 4' Ft from surface Printing & Oil Paint Complete Color & Draft as per requirement of Department Complete in All Respect	30	EACH	TOTAL	TOTAL
8	Tissue Box Rose Petal (multi-color) Large Size	20	EACH	TOTAL	TOTAL
9	Dettol Hand Wash (Standard Size)	12	EACH	TOTAL	TOTAL
10	Morten Spray Ultra-Fast (Jumbo Size)	4	EACH	TOTAL	TOTAL
11	Room Spray (Best Quality)	30	EACH	TOTAL	TOTAL
12	Mosquito Killer Liquid	30	EACH	TOTAL	TOTAL

TENDER REF. #1 (c) "PURCHASE OF GENERAL"

Delivery Time: a) 04 weeks for local articles

b) 12-14 weeks for import products

6. Place of Delivery: Planning, Development, Monitoring,

Implementation & Evaluation Cell of Culture, Tourism & Antiquities Department, Government of Sindh Block 76/A, Pak Secretariat, Opp: MPA

Hostel – Karachi.

7. Dispatch Instructions: Stores should be delivered free of

transportation charges to the consignee at

place mentioned above.

8. Inspection Authority: The Procurement Committee constituted by the

Secretary, Culture, Tourism & Antiquities Dept.

9. Place at which stores to be inspected: Directorate General of Culture Office.

Block 76/A, Pak Secretariat, Opp: MPA Hostel –

Karachi

10. Payment:

- Part payment against part supply is allowed.
- ii. 100% payment to be made on the proof of inspection & consignee's receipt certificate by Accountant General Sindh, Karachi, during the fiscal year 2015-16.
- iii. Less 0.25% as service charges and 0.30% stamp duty of the value of the contract by Accountant General Sindh Karachi, while making payment to the contractor.

ASSISTANT DIRECTOR / DDO (PDMI&E CELL)
CULTURE, TOURISM & ANTIQUITIES DEPARTMENT
GOVERNMENT OF SINDH, KARACHI

GOVERNMENT OF SINDH PLANNING, DEVELOPMENT, MONITORING, IMPLEMENTATION & EVALUATION CELL CULTURE, TOURISM & ANTIQUITIES DEPARTMENT GOVERNMENT OF SINDH

1.	Tender No.	CTA-110/15
2.	Name & Address of Bidder	
3.	Indenters Name and Address	PLANNING, DEVELOPMENT, MONITORING, IMPLEMENTATION & EVALUATION CELL OF CULTURE, TOURISM & ANTIQUITIES DEPARTMENT, GOVERNMENT OF SINDH-KARACHI.
4.	Tender Terms and Conditions	As contained in items & Conditions of this tender, DIS-12-14, Sindh Purchase Manual & Other relevant laws in force.
5.	Particulars of the stores	As below:
6.	Particulars of the stores	

Sr. #	DECRIPTION	QTY.	UNIT PRICE (IN PAK RUPEES)	TOTAL AMOUNT (IN WORDS)	TOTAL AMOUNT (IN FIGURES)
	HINERY EQUIPMENT, HARDWARE& SOFT	WARE		1	l
ADP	SCHEME No. 58/2015-16	1		T	T
	FUMIGATION CHAMBER Specifications:				
	Specifications.				
	• 70"x30"x36"				
	Loading Ramp				
	Gas Circulation System				
	Lighted View Port				
1	Vacuum Pump	1			
	Insert Material & Close Door		EACH	TOTAL	TOTAL
	Set Air Wash Selector to Desire Number				
	Turn Switch to Run				
	Push Start Button				
	Gas Making ChamberPower Source A/C Local Voltage				
	Complete in all respect				
	Complete in all respect				
	ELECTRIC WATER COOLER 100 GALLON Specifications: • Stainless Steel Body				
2	Body textured	1			
	voltage 230/50 HzTwo taps		EACH	TOTAL	TOTAL
	Electric type				
	extended wire				
	BRAND IMPORTED				
	DE ACIDIFICATION UNIT				
	Specifications:				
2	• Size 24"x30"x36"	1			
3	Non Re-Active Metal No. 316Vacuum Unit	1		TOTAL	TOTAL
	Sprinkling Unit		EACH	TOTAL	TOTAL
	Paper de-acidification				
	Imported High quality				
ADP	SCHEME No. 65/2015-16				
·	-				T
	BRACKET FAN				
	Specifications:				
1	Imported quality	40			
_			EACH	TOTAL	TOTAL
	Imported material		•. •		

	SOUND SYSTEM/VOICE COMMUNICATION SYSTEM /PUBLIC ADDRESS SYSTEM Specifications:				
	 Speaker 05units TOA/equivalent Integrated with a speaker unit and panel, 				
	the Ceiling Mount Speaker is of all metallic				
	construction and ideal for use in a voice				
	alarm system. It feature spring clamp				
	mechanism for easy speaker mounting to				
	the ceiling. The input impedance can be				
	easily changed by changing the tap position				
	of the transformer. The push-in type input				
	terminal block makes cable connections				
	easy and allows bridge wiring.				
	Extension card 24lines				
	The offered PABX must have following features:				
	Call Forwarding - Immediate (calls are forwarded				
2	to a defined extension) - After timeout (calls are forwarded after predefined rings) - Busy (calls are forwarded from busy extension)	1	EACH	TOTAL	TOTAL
	Call Forwarding of individual trunk line to an extension				
	Power Supply with battery connection terminals				
	Option to connect Automated Attendant/DID (Callers with DTMF phones can reach directly to extensions bypassing the Operator)				
	Music on hold- internal				
	Consultation Hold				
	Option for ISDN communication				
	extension)				
	Call Pickup – directed (call ringing at some other extension can be picked up)				
	-aroun				
	-group (up to 8 call pickup groups can be configured)				
	 (up to 8 call pickup groups can be configured) Option to connect Digital / System Telephones with following features: Powered from the PABX 				
	 (up to 8 call pickup groups can be configured) Option to connect Digital / System Telephones with following features: Powered from the PABX Internal caller's name identification 				
	 (up to 8 call pickup groups can be configured) Option to connect Digital / System Telephones with following features: Powered from the PABX Internal caller's name identification Caller list (of missed / unanswered calls) 				
	 (up to 8 call pickup groups can be configured) Option to connect Digital / System Telephones with following features: Powered from the PABX Internal caller's name identification Caller list (of missed / unanswered calls) Interactive menu for features activation 				
	 (up to 8 call pickup groups can be configured) Option to connect Digital / System Telephones with following features: Powered from the PABX Internal caller's name identification Caller list (of missed / unanswered calls) Interactive menu for features activation Message texts /Absence Texts 				
	 (up to 8 call pickup groups can be configured) Option to connect Digital / System Telephones with following features: Powered from the PABX Internal caller's name identification Caller list (of missed / unanswered calls) Interactive menu for features activation 				
	Music on hold- internal Consultation Hold Option for ISDN communication Camp-on (camp-on tone can be activated for busy extension) Call Pickup — directed (call ringing at some other				

- + / keys for volume adjustment
- Internal telephone directory with names

Do Not Disturb (on activation, the caller hears a busy tone)

Do Not Disturb override

Intrusion / Override (Busy extension can be overheard)

Conference (5 parties).

Group / Parallel Ringing (incoming call is signaled at other telephones also)

Night Service – fixed (incoming calls are diverted to a defined extension)

- variable (incoming calls are diverted to variable extensions)

Differential Ringing (for internal & external calls)

Hunting Group - Linear - Cyclic

Code Lock individual Call Park (calls put on hold and can be retrieved from any other extension)

Camp on without tone for incoming trunk call

Central Abbreviated Dialing

Individual Abbreviated Dialing

Project Code (a call can be charged to a particular account code)

Call restrictions (variable class for service)

Call-back on busy (automatic call back when extension is free)

Toggling between two lines

Option for Call Logging

Remote Maintenance

Executive/Secretary Functions

Option to connect Group 4 Fax Machine (with ISDN access)

Recall (if an attempt to transfer a call is unsuccessful, it returns to the original user)

CLI facility on all analogue extension.

CLI facility on all analogue trunks.

- Power supply box 40units
- Telephone set 24 Panasonic / equivalent
- BNC lead 32 units
- Speaker wiring 900rft
- DVR 16 channel 02units
- Imported brand
- Material imported

	A/C SPLIT TYPE UNIT 2.0 TON				
4	 Specifications: 24000 Btu/H (British Thermal Unit / Hour) – Cooling Capacity Rated Frequency 50 Hz Rated Voltage 220-240 Volts Air Flow Rate 1000 M3/H Sound Pressure Level 44db(A) Climate Type T1 Refrigerant R22 Cooling Power Input 2277w Wireless Remote Control Gree or equivalent 	5	EACH	TOTAL	TOTAL
5	MULTIMEDIA PROJECTOR WITH FULL SIZE SCREEN Specifications: PROJECTOR TYPE LED / LATEST Beyond 3000 lumens Wall mount screen Wall mount for projector Remote Control Imported Brand	1	EACH	TOTAL	TOTAL
6	SOUND SYSTEM Specifications: • Speaker 05units TOA/equivalent Integrated with a speaker unit and panel, the Ceiling Mount Speaker is of all metallic construction and ideal for use in a voice alarm system. It feature spring clamp mechanism for easy speaker mounting to the ceiling. The input impedance can be easily changed by changing the tap position of the transformer. The push-in type input terminal block makes cable connections easy and allows bridge wiring. • Imported brand • Material imported	1	EACH	TOTAL	TOTAL
7	LED 42" DISPLAY Specifications:	1	EACH	TOTAL	TOTAL

8	DVD/MEDIA PLAYER Specifications: Progressive scan technology one simple remote control operation better playback DVD upscaling to HD quality Quick start / Quick load mode Digital coaxial audio input	1	EACH	TOTAL	TOTAL
9	DE ACIDIFICATION UNIT Specifications: Size 24"x30"x36" Non Re-Active Metal No. 316 Vacuum Unit Sprinkling Unit Paper de-acidification Imported High quality	1	EACH	TOTAL	TOTAL
10	ELECTRIC WATER COOLER 100 GALLON Specifications: Stainless Steel Body Body textured voltage 230/50 Hz Two taps Electric type extended wire BRAND IMPORTED	2	EACH	TOTAL	TOTAL
11	A/C SPLIT TYPE UNIT 1.5 TON Specifications: • 18000 Btu/H (British Thermal Unit/Hour) – Cooling Capacity • Rated Frequency 50 Hz • Rated Voltage 220-240 Volts • Air Flow Rate 850 M3/H • Sound Pressure Level 44db(A) • Climate Type T1 • Refrigerant R22 • Cooling Power Input 1900w • Wireless Remote Control • Gree or Equivalent	1	EACH	TOTAL	TOTAL

	MONO COLOR COPIER/PHOTO STATE MACHINE Specifications:				
	 Mono/Color Speed (CPM) 31/20 copies per minute 				
	Manufacturer's Recommend Monthly Volume 50000				
	Output Resolution 600x600 dpi				
	Warm Up Time 5 min.				
	First Copy Time 7.9/14 sec.				
	Zoom 25-400%				
	Std/Max Copier Memory 512MB/512MB -10GB HDD				
	Standard Paper Capacity 250/500 sheets				
	Bypass Single sheet Resolution				
	Copy: 600 x 600 dpi (equivalent) Print: 600 x 1800 dpi (equivalent) Scan: 600 x 600 dpi				
	Output Speeds				
	Warm-Up Time: 5 min First Copy Out Color: 14.1 sec				
	First copy Out Mono: 7.9 sec CPM/PPM (Color/Mono)				
	Letter: 20/31 Legal: 12/18				
12	Ledger: 10/15	1			
	Standard Paper Supply 250 Sheet Multi-Purpose Drawer (up to 12.25" x 18")		EACH	TOTAL	TOTAL
	500 Sheet Paper Drawer (up to 11" x 17") Single Sheet ByPass (up to 12.25" x 18")				
	Memory Standard: 128 MB Max: 512MB				
	Paper Weights 17 - 140 lbs. Index				
	Paper Size Postcard, Statement, Letter, Legal, Ledger, 12.25" x 18"				
	Input Materials Plain Paper, Transparencies, Labels , Card Stock, Postcards, Envelopes				
	Exposure Modes Text, Text/Photo, Photo, Printed Image, Map, Copied Image				
	Additional Features Multi-page Enlargement, Gloss Mode, Positive/Negative Reverse, Mirror Image, Color Separation, Image Repeat, Image rotate, Postcard Mode				
	Job Management Job interrupt, Job build, 10 Job Programs, Job List, Job History, Sample copy, Priority Job Change, Job Recall, Automatic Job Skip, Watermark Page Numbers				
	Color Adjustments				

	Auto, TestPrint, Saturation, Portrait, Brightness, Sharpness, contrast, Hue, Auto/Manual Density, Red, Green, Blue, color Balance, 20 Monotone Colors, 18 Background colors, Gradation or Resolution Screen Pattern Settings Booklet Making Saddle-Stitch & Fold - 20 Books (1-5 sheets) 10 Books (6-10 sheets)				
	Book Mode Separation, Spread				
	Margin Erase Separation, Spread				
	Additional Options Include Print, Scan and Internet Fax, 10GB HDD, Scanner rack, Copy Table, Copy Desk, Key Counter				
	Paper Handling Options Duplexing Document Feeder Automatic Duplex Unit Up to Two Universal Drawers Large Capacity Drawer Single Position Staple Finisher Multi-Position Staple Booklet Finisher				
	Imported Brand				
	FAX MACHINE				
	Specifications:				
4.0	Soft keypadSpeaker phone				
13	Handheld unit	1			
	Redial option		EACH	TOTAL	TOTAL
	Memory option				
	Laser type				
	Branded FIRE EXTINGUISHER WITH WALL BRACKET				
	Specifications: • 5 Kg				
	Working Temperature -10 Degree Celsius To				
	• -/+55 Degree Celsius				
	Fire Rating 5-B: C				
14	Built-In Pressure Gauge	6			
	Pressure Gauge For Added Reassurance		EACH	TOTAL	TOTAL
	• Co2 Type				
	FDA / CE Approved Wall-Bracket				
	Is 9001 Standard				
	Imported				
	EU Approved Brand				
ADP	SCHEME NO. 77/2015-16				
	ADJUSTABLE DRAWING LAMP				
	Specifications:				
	Black fluorescent type				
	100watts bulbs				
	LED TYPE				
1	Die cast aluminum housing	2			
	Powder paint finish		EACH	TOTAL	TOTAL
	Anti-corrosion priming				
	• 200 -277v				
	Imported branded				
	Imported quality				
1	<u> </u>	I	l	I	<u> </u>

2	DESKTOP TYPE COMPUTER SYSTEM (LATEST CONFIGURATION) Specification Operating System Windows 7Pro x 64 bit Intel Core i3, 3.10GHZ L2Cache3Mb GGBB RAM DDR3 S00GB 7200 RPM HDD Chipset Intel Express Graphics integrated Intel HD Graphics Video memory shared Optical Drive DVD multi Ethernet 10/100/1000 Sound Card Built-in 18.5" Widescreen Flat Panel Flat Monitor, Keyboard Quiet Key, Mouse Labels Windows 7 sticker or equivalent Security Hardware Chassis intrusion switch option Processing Branding v Pro Sticker Complete in all respect	2	EACH	TOTAL	TOTAL
3	LAPTOP — (LATEST CONFIGURATION) BRANDED Specifications:	2	EACH	TOTAL	TOTAL
4	A/C SPLIT TYPE UNIT 1.5 TON Specifications: • 18000 Btu/H (British Thermal Unit/Hour) – Cooling Capacity • Rated Frequency 50 Hz • Rated Voltage 220-240 Volts • Air Flow Rate 850 M3/H • Sound Pressure Level 44db(A) • Climate Type T1 • Refrigerant R22 • Cooling Power Input 1900w • Wireless Remote Control • Gree or Equivalent	2	EACH	TOTAL	TOTAL

	DIGITAL CAMERA – MODEL NO. NIKKKON D 7100 Specification:				
	 Image Sensor: 2/3-inch EXR CMOS with primary color filter Storage Media: Internal memory (approx.26 MB) SD/SDHC/SDXC(UHS-I) Memory Card File Format: JPEG Digital Zoom: Intelligent digital zoom approx.2X (up to 8 x when combined with optical zoom) 				
5	 Aperture: F2.0-F11 (wide) F2.8-F11 (Telephoto) 1/3 EV Step (Controlled 7-blade aperture diaphragm) 	3	EACH	TOTAL	TOTAL
	 Image Stabilizer: Lens shift type Face Detection: Yes 				
	 Focus Mode single AF/ Continuous AF (EXR AUTO, Movie) Manual AF (One-Push AF mode included) 				
	 Self-Timer: 10sec./ 2 sec. delay Flash: Auto Flash 				
	(super intelligent flash) • LCD Monitor 2.8-inch, approx.460,000 dots, TFT color LCD monitor, approx. 100% coverage				
	Imported				

6	VIDEO CAMERA – MODEL NO. PANASONIC MD H2 Specification: • Media type flash card • Storage Media: Internal memory (approx.26 MB) SD/SDHC/SDXC (UHS-I) Memory Card • File Format: JPEG • Digital Zoom: Intelligent digital zoom approx.2X (up to 8 x when combined with optical zoom) • Aperture: F2.0-F11 (wide) F2.8-F11 (Telephoto) 1/3 EV Step (Controlled 7-blade aperture diaphragm) • Image Stabilizer: Lens shift type • Face Detection: Yes • Self Timer: 10sec./ 2 sec. delay • Flash: Auto Flash (super intelligent flash) • Movie Recording: 1920 x1080 pixels /1280x720 pixels/640x840 pixels (30 frames/sec) with stereo sound optical zoom (manual) can be used. • Complete with standard accessories	1	EACH	TOTAL	TOTAL
7	MULTIMEDIA PROJECTOR Specifications: PROJECTOR TYPE LED / LATEST Beyond 3000 lumens Wall mount for projector Remote Control Imported Brand	1	EACH	TOTAL	TOTAL

	MODELLING TOOLS				
	MODELLING TOOLS				
8	Specifications:	1			
		Job	EACH	TOTAL	TOTAL
	• IMPORTED		LACH	IOIAL	IOIAL
	PRINTER LASER JET TYPE				
	Specifications:				
9		1			
	● HP PRO 400		EACH	TOTAL	TOTAL
	TIP PRO 400				
ADP	SCHEME NO. 79/2015-16				
	DESKTOP TYPE COMPUTER SYSTEM (LATEST				
	CONFIGURATION)				
	Specification				
	Operating System Windows 7Pro x 64 bit				
	Intel Core i3, 3.10GHZ L2Cache3Mb				
	6GBB RAM DDR3				
	• 500GB 7200 RPM HDD				
	Simpoet inter Express				
	Graphics integrated Intel HD Graphics				
1	Video memory shared	3			
_	Optical Drive DVD multi		EACH	TOTAL	TOTAL
	• Ethernet 10/100/1000		LACII	IOIAL	IOIAL
	Sound Card Built-in				
	• 18.5" Widescreen Flat Panel Flat Monitor,				
	 Keyboard Quiet Key, 				
	Mouse				
	 Labels Windows 7 sticker or equivalent 				
	Security Hardware Chassis intrusion switch				
	option				
	Processing Branding v Pro Sticker				
	Complete in all respect				
	DDINITED LACED IFT TVDF				
	PRINTER LASER JET TYPE Specifications:				
2	Specifications.	1			
			EACH	TOTAL	TOTAL
	● HP PRO 400				
	COLOR PRINTER				
	Specifications:				
3	A HD or Equivalent	1			
)	HP or EquivalentModel NW - 451	1			TOTA:
	Model NW - 451 Best Quality		EACH	TOTAL	TOTAL
	Complete in all respect				
	Somplete in an respect				
	SCANNER				
	Specifications:				
4	SIZE A3	1			.
	Flat Bed Type		EACH	TOTAL	TOTAL
	Best Quality				
	Complete in all respect				
	Complete in all respect				
				<u>I</u>	

	LARTOR		 		
	LAPTOP -			ı	
	(LATEST CONFIGURATION)			ı	
	BRANDED			ı	
	Specifications:			ı	
				ı	
5	• core-i7 series	3			
1	8GB RAM		EACH	TOTAL	TOTAL
	• 500GB HDD			ı	
	2 GB Graphic Card			ı	
	WIN 8 LICENSED VERSION			ı	
	LCD DISPLAY			ı	
	IMPORTED BRAND			ı	
	A/C SPLIT TYPE UNIT 1.5 TON WITH STABILIZER				
	Specifications:			ı	
	·			ı	
	18000 Btu/H (British Thermal Unit/Hour) – Cooling			ı	
	Capacity			ı	
	Rated Frequency 50 Hz				
	Rated Voltage 220-240 Volts			i	
	Air Flow Rate 850 M3/H				
6	Sound Pressure Level 44db(A)	3			
	Climate Type T1		EACH	TOTAL	TOTAL
	Refrigerant R22			- -	
	Cooling Power Input 1900w			ı	
	Wireless Remote Control			ı	
1	Gree or Equivalent			ı	
	Stabilizer 7000 V copper winding			i	
				i	
	Including Installation				
	Complete in all respect				
	WATER DISPENSER			i	
_	Specifications:	_		i	
7	1	2		= -	
	Homage or equivalent Read Outsite:		EACH	TOTAL	TOTAL
	Best Quality Complete in all respect			ı	
	Complete in all respect MONO COLOR CORIER (PLIOTO STATE MACHINE)				
	MONO COLOR COPIER/PHOTO STATE MACHINE			i	
	Specifications:			i	
				i	
	Mono/Color Speed (CPM) 31/20 copies per minute			i	
	minute			i	
	Manufacturer's Recommend Monthly Volume			i	
	50000			ı	
	Output Resolution 600x600 dpi			i	
	Warm Up Time 5 min.			i	
8	First Copy Time 7.9/14 sec.	1		ı	
	Zoom 25-400%	•	EACH	TOTAL	TOTAL
	Std/Max Copier Memory 512MB/512MB -10GB			l	
	HDD			ı	
	Standard Paper Capacity 250/500 sheets				
	Bypass Single sheet			i	
	Resolution			ı	
	Copy: 600 x 600 dpi (equivalent) Print: 600 x 1800 dpi (equivalent)				
	Scan: 600 x 600 dpi			ı	
	·			i	
	Output Speeds Warm-Up Time: 5 min			İ	
			1		

First Copy Out Color: 14.1 sec First copy Out Mono: 7.9 sec CPM/PPM (Color/Mono)

Letter: 20/31 Legal: 12/18 Ledger: 10/15

Standard Paper Supply

250 Sheet Multi-Purpose Drawer (up to 12.25"

x 18")

500 Sheet Paper Drawer (up to 11" x 17") Single Sheet ByPass (up to 12.25" x 18")

Memory

Standard: 128 MB Max: 512MB

Paper Weights 17 - 140 lbs. Index

Paper Size

Postcard, Statement, Letter, Legal, Ledger, 12.25" x 18"

Input Materials

Plain Paper, Transparencies, Labels, Card Stock, Postcards, Envelopes

Exposure Modes

Text, Text/Photo, Photo, Printed Image, Map, Copied Image

Additional Features

Multi-page Enlargement, Gloss Mode, Positive/Negative Reverse, Mirror Image, Color Separation, Image Repeat, Image rotate, Postcard Mode

Job Management

Job interrupt, Job build, 10 Job Programs, Job List, Job History, Sample copy, Priority Job Change, Job Recall, Automatic Job Skip, Watermark Page Numbers

Color Adjustments

Auto, TestPrint, Saturation, Portrait, Brightness, Sharpness, contrast, Hue, Auto/Manual Density, Red, Green, Blue, color Balance, 20 Monotone Colors, 18 Background colors, Gradation or Resolution Screen Pattern Settings

Booklet Making

Saddle-Stitch & Fold - 20 Books (1-5 sheets) 10 Books (6-10 sheets)

Book Mode

Separation, Spread

Margin Erase Separation, Spread

Additional Options

Include Print, Scan and Internet Fax, 10GB HDD, Scanner rack, Copy Table, Copy Desk, Key Counter

Paper Handling Options
Duplexing Document Feeder
Automatic Duplex Unit
Up to Two Universal Drawers
Large Capacity Drawer
Single Position Staple Finisher
Multi-Position Staple Booklet Finisher Imported

ADP	SCHEME NO. 87/2015-16				
1	DESKTOP TYPE COMPUTER SYSTEM (LATEST CONFIGURATION) Specification Operating System Windows 7Pro x 64 bit Intel Core i3, 3.10GHZ L2Cache3Mb GGBB RAM DDR3 S00GB 7200 RPM HDD Chipset Intel Express Graphics integrated Intel HD Graphics Video memory shared Optical Drive DVD multi Ethernet 10/100/1000 Sound Card Built-in 18.5" Widescreen Flat Panel Flat Monitor, Keyboard Quiet Key, Mouse Labels Windows 7 sticker or equivalent Security Hardware Chassis intrusion switch option Processing Branding v Pro Sticker Complete in all respect	8	EACH	TOTAL	TOTAL
2	A/C SPLIT TYPE UNIT 1.5 TON Specifications: • 18000 Btu/H (British Thermal Unit/Hour) – Cooling Capacity • Rated Frequency 50 Hz • Rated Voltage 220-240 Volts • Air Flow Rate 850 M3/H • Sound Pressure Level 44db(A) • Climate Type T1 • Refrigerant R22 • Cooling Power Input 1900w • Wireless Remote Control • Gree or Equivalent • Including Installation • Complete in all respect	4	EACH	TOTAL	TOTAL
3	TUBE LIGHTS FANCY Specifications: 4 ft. size Philips or Equivalent	4	EACH	TOTAL	TOTAL
4	 CELLING FAN Size 56" Copper Winding J.F.C or Equivalent 	6	EACH	TOTAL	TOTAL
5	Medium Size Dawlance or Equivalent	2	EACH	TOTAL	TOTAL

	LED 4011 DICDLAY				
	LED 40" DISPLAY				
	Specifications:				
	• 40" LED				
	HDMI PORT	2			
6	HD Clarity	2			
	Thin design		EACH	TOTAL	TOTAL
	Clear resolution enhancer				
	Edge LED back light				
	Samsung or Equivalent				
_	Telephone Set				
7	Specifications:	2			
	Panasonic or Equivalent		EACH	TOTAL	TOTAL
	Complete in all respect				
ADP	SCHEME NO. 88/2015-16				
	DESKTOP TYPE COMPUTER SYSTEM (LATEST				
	CONFIGURATION)				
	Specification				
	Operating System Windows 7Pro x 64 bit				
	Intel Core i3, 3.10GHZ L2Cache3Mb				
	6GBB RAM DDR3				
	• 500GB 7200 RPM HDD				
	Chipset Intel Express				
	 Graphics integrated Intel HD Graphics 				
	Video memory shared				
1	Optical Drive DVD multi	2			
	• Ethernet 10/100/1000		EACH	TOTAL	TOTAL
	Sound Card Built-in				
	18.5" Widescreen Flat Panel Flat Monitor,				
	 Keyboard Quiet Key, 				
	Mouse				
	 Labels Windows 7 sticker or equivalent 				
	 Security Hardware Chassis intrusion switch 				
	option				
	Processing Branding v Pro Sticker				
	Complete in all respect				
	Complete in an respect				
	SCANNER				
	Specifications:				
2	• SIZE A3	1			
	Flat Bed Type		EACH	TOTAL	TOTAL
	Best Quality				
	Complete in all respect	1			
	A/C SPLIT TYPE UNIT 1.5 TON				
	Specifications:				
	 18000 Btu/H (British Thermal Unit/Hour) – Cooling 				
	Capacity				
	Rated Frequency 50 Hz				
	Rated Voltage 220-240 Volts				
3	Air Flow Rate 850 M3/H	12			
	 Sound Pressure Level 44db(A) 		EACH	TOTAL	TOTAL
	Climate Type T1		LACH	IOIAL	IOIAL
	Refrigerant R22				
	Cooling Power Input 1900w				
	Wireless Remote Control				
	 Including Installation 				
	Gree or Equivalent				
	Complete in All respect				
	The state of the s		I		<u> </u>

	DEEP FREEZER 2 DOOR				
4	Specifications:	2			
	Dawlance or Equivalent		EACH	TOTAL	TOTAL
	DISH ANTENA WITH BOOSTER				
	Specifications:	1			
5					
	• 12 Rooms	Job	EACH	TOTAL	TOTAL
	Cable with Installation				
	ELECTRIC WATER COOLER 100 GALLON				
	Specifications:				
	Stainless Steel Body				
6	Body textured	1			
	• voltage 230/50 Hz		EACH	TOTAL	TOTAL
	Two taps				
	Electric typeextended wire				
	extended wireBrand imported				
	ELECTRIC WORK				
	Specifications:				
7	Specifications:	1			
	R.G 6 Coil Cable, Electric Wiring, Controlling Wiring,	Job	EACH	TOTAL	TOTAL
	Installation & Sharing Transportation Charges				
	Stabilizer				
	Specifications:				
8	·	12			
	Copper Winding		EACH	TOTAL	TOTAL
	• 7000 Vaults				
	Stabilizer				
_	Specifications:				
9		4			
	Copper Winding		EACH	TOTAL	TOTAL
	3000 Vaults				
	LED 32" DISPLAY				
	Specifications:				
	22" 150				
	• 32" LED				
10	HDMI PORTHD Clarity	6			
	Thin design		EACH	TOTAL	TOTAL
	Clear resolution enhancer				
	Edge LED back light				
	Samsung or Equivalent				
	LED 40" DISPLAY				
	Specifications:				
	• 40" LED				
11	HDMI PORT	1			
	HD Clarity		EACH	TOTAL	TOTAL
	Thin design				
	Clear resolution enhancer Floor LED back light				
	Edge LED back light Samsung or Equivalent				
	Samsung or Equivalent]

	LED 30" DISPLAY				
	Specifications:				
12	 30" LED HDMI PORT HD Clarity Thin design Clear resolution enhancer Edge LED back light Samsung or Equivalent 	1	EACH	TOTAL	TOTAL
	PCS CAMERA				
	Specifications:				
13	housing weather proofimported	4	EACH	TOTAL	TOTAL
	FRIDGE				
14	Medium Size	8			
	Medium Size Dawlance or Equivalent		EACH	TOTAL	TOTAL
	GENERATOR				
4.5	• 50 KVA				
15	Best Quality	1	EACH	TOTAL	TOTAL
	Complete in all respect		LACII	TOTAL	IOIAL
	PABX EXCHANGE				
	16 Lines/Connections	1			
16	Telephone Sets	Job			
	 Including Installation charges 	300	EACH	TOTAL	TOTAL
	Complete in all respects				
	TOWER FOR CCTV CAMERA				
17	As per site requirement	2			
	Complete in all respect		EACH	TOTAL	TOTAL
	ELECTRIC WATER PUMP				
18	Boring 1 HP Copper Winding	2			
	Installation Charges		EACH	TOTAL	TOTAL
	Complete in all Respect				
	FAX MACHINE				
19	Panasonic FX-FL 422 Laser Plan Paper	1			
	Fax & Copier Function Complete in all Bouncet		EACH	TOTAL	TOTAL
	Complete in all Respect DVR SYSTEM SUPPORTING				
		1			
20	72 hours data back up	Job			
	12 ports for CameraImported	100	EACH	TOTAL	TOTAL
	Complete in all respect				

	DCC CANAEDA	1			T
	PCS CAMERA				
21	Night Version	4			
21	• 100 TVL	1		TOTAL	TOTAL
	Auto Arms Branded		EACH	TOTAL	TOTAL
	• Auto Amis Branded				
	PCS CAMERA Day Version				
22	100 TV/I	3			
	100 TVLAuto Arms		EACH	TOTAL	TOTAL
	Auto Arms Branded				
	PCS PANING MOTOR				
	PCS PAINING WOTOR				
23	• 100-60 cc	2			
	Branded		EACH	TOTAL	TOTAL
	Branded				
ADP	SCHEME NO. 95/2015-16				I
	DESKTOP TYPE COMPUTER SYSTEM HI-END (LATEST				
	CONFIGURATION) WITH LASER TYPE PRINTER &				
	FLAT BED SCANNER				
	Specification				
	DESKTYOP TYPE				
	 Operating System Windows 7Pro x 64 bit 				
	 Intel Core i5, 3.10GHZ L2Cache3Mb 				
	6GBB RAM DDR3				
	• 500GB 7200 RPM HDD				
	Chipset Intel Express Complice into protect U.D. Crowning				
	Graphics integrated Intel HD GraphicsVideo memory shared				
	 Video memory shared Optical Drive DVD multi 				
1	Ethernet 10/100/1000	1			
	Sound Card Built-in		EACH	TOTAL	TOTAL
	18.5" Widescreen Flat Panel Flat Monitor,				
	Keyboard Quiet Key,				
	Mouse				
	 Labels Windows 7 sticker or equivalent 				
	 Security Hardware Chassis intrusion switch 				
	option				
	 Processing Branding v Pro Sticker 				
	Complete in all respect				
	12ppm laser type printer Slab land type are seen as				
	Flat bed type scannerBranded				
	- Branueu				
	FAX MACHINE				
	Specifications:				
	Soft keypad				
	Speaker phone				
2	Handheld unit				
2	Redial option	1	EACH	TOTAL	TOTAL
	Memory option		EACH	IOIAL	IOIAL
	• Laser type				
	Branded				

3 ADP	LAPTOP – (LATEST CONFIGURATION)BRANDED Specifications:	1	EACH	TOTAL	TOTAL
1	SOLAR PUMP / PANEL Specifications: Solar panel 6 KVA Motor 1 HP Copper Winding and Boring Installation as per site Imported quality Imported material	2	EACH	TOTAL	TOTAL
2	DIGITAL CAMERA — MODEL CANNON 70 D Specification: Type digital Size handy Exceptional result oriented Easy to carry pouch Long last battery set Super sleek type USB supportable Transferrable data progress indicator Number of effective pixels: 18.0 mega pixels Image Sensor: 2/3-inch EXR CMOS with primary color filter Storage Media: Internal memory (approx.26 MB) SD/SDHC/SDXC(UHS-I) Memory Card File Format: JPEG Digital Zoom: Intelligent digital zoom approx.2X (up to 8 x when combined with optical zoom) Aperture: F2.0-F11 (wide) F2.8-F11 (Telephoto) 1/3 EV Step (Controlled	1	EACH	TOTAL	TOTAL

	7-blade				
	aperture diaphragm)				
	Image Stabilizer :				
	Lens shift type				
	Face Detection:				
	Yes				
	• Focus Mode				
	single AF/ Continuous AF				
	• (EXR AUTO, Movie)				
	Manual AF				
	(One-Push AF mode included)				
	Self-Timer:				
	10sec./ 2 sec. delay				
	• Flash :				
	Auto Flash				
	(super intelligent flash)				
	LCD Monitor				
	2.8-inch,				
	approx.460,000 dots,				
	TFT color LCD monitor,				
	approx. 100% coverage				
	Imported				
	LAPTOP – BRANDED WITH LASER TYPE PRINTER &				
	FLAT BED SCANNER				
	Specifications:				
	• core-i5 series				
	• 4 GB RAM				
3	• 500GB HDD	1			
	2 GB Graphic Card		EACH	TOTAL	TOTAL
	Win 8 licensed version				
	LCD Display				
	Flatbed type scanner				
	1102 Laser Jet type printer				
	Imported brand				
ADD	SCHEME No. 97 /2015-16				
ADP	LAPTOP – BRANDED WITH LASER TYPE PRINTER &				
	FLAT BED SCANNER				
	Specifications:				
	Specifications.				
	• core-i5 series				
	• 4 GB RAM				
4	• 500GB HDD	1			
	2 GB Graphic Card		EACH	TOTAL	TOTAL
	Win 8 licensed version				
	LCD Display				
	Flatbed type scanner				
	1102Laser Jet type printer				
	Imported brand				

5	DESKTOP TYPE COMPUTER SYSTEM HI-END (LATEST CONFIGURATION) WITH LASER TYPE PRINTER & FLATBED TYPE SCANNER Specification Desktop type Operating System Windows 7Pro x 64 bit Intel Core i5, 3.10GHZ L2Cache3Mb GGBB RAM DDR3 SOOGB 7200 RPM HDD Chipset Intel Express Graphics integrated Intel HD Graphics Video memory shared Optical Drive DVD multi Ethernet 10/100/1000 Sound Card Built-in 18.5" Widescreen Flat Panel Flat Monitor, Keyboard Quiet Key, Mouse Labels Windows 7 sticker or equivalent Security Hardware Chassis intrusion switch option Processing Branding v Pro Sticker Complete in all respect Laser type printer 12ppm Flat bed type scanner	1	EACH	TOTAL	TOTAL
6	DESKTOP TYPE COMPUTER SYSTEM (LATEST CONFIGURATION) Specification Operating System Windows 7Pro x 64 bit Intel Core i7, 3.10GHZ L2Cache3Mb GGBB RAM DDR3 SOOGB 7200 RPM HDD Chipset Intel Express Graphics integrated Intel HD Graphics Video memory shared Optical Drive DVD multi Ethernet 10/100/1000 Sound Card Built-in Sound Card Built-in Security Hardware Chassis intrusion switch option Processing Branding v Pro Sticker Complete in all respect	1	EACH	TOTAL	TOTAL

7	USB INTERNET CONNECTIVITY Specifications:	1	EACH	TOTAL	TOTAL
8	SOLAR PUMP / PANEL Specifications:	2	EACH	TOTAL	TOTAL
9	SECURITY CHECK POST MATERIAL Specifications:	2	EACH	TOTAL	TOTAL
10	PROVIDING & FIXING SOLAR POWER SYSTEM PANELS FOR EXISTING BUILDING OF MUSEUM AS ALTERNATE ENERGY Specifications: 10 KVA 8 Hours Back up As per requirement of site Imported quality Imported material Complete in all Respect	4	EACH	TOTAL	TOTAL
11	DIGITAL CAMERA – MODEL CANNON 70 D Specification: Type digital Size handy Exceptional result oriented Easy to carry pouch Long last battery set Super sleek type USB supportable Transferrable data progress indicator Number of effective pixels: 18.0 mega pixels Image Sensor: 2/3-inch EXR CMOS with primary color filter Storage Media:	1	EACH	TOTAL	TOTAL

	Internal memory (approx.26 MB) SD/SDHC/SDXC(UHS-I) Memory Card File Format: JPEG Digital Zoom: Intelligent digital zoom approx.2X (up to 8 x when combined with optical zoom) Aperture: F2.0-F11 (wide)				
	F2.8-F11 (Telephoto) 1/3 EV Step (Controlled 7-blade aperture diaphragm) Image Stabilizer: Lens shift type				
	 Face Detection: Yes Focus Mode single AF/ Continuous AF (EXR AUTO, Movie) Manual AF 				
	(One-Push AF mode included) Self-Timer: 10sec./ 2 sec. delay Flash: Auto Flash (super intelligent flash)				
	 LCD Monitor 2.8-inch, approx.460,000 dots, TFT color LCD monitor, approx. 100% coverage Imported 				
ADP	SCHEME No. 98 /2015-16				
1	SOLAR PUMP / PANEL Specifications:	2			
	 Installation as per site Imported quality Imported material 	_	EACH	TOTAL	TOTAL
2	FAX MACHINE Specifications:	1			
	 Handheld unit Redial option Memory option Laser type Branded 	_	EACH	TOTAL	TOTAL

3	DESKTOP TYPE COMPUTER SYSTEM HI-END (LATEST CONFIGURATION) WITH LASER TYPE PRINTER & FLATBED TYPE SCANNER Specification Desktop type Operating System Windows 7Pro x 64 bit Intel Core i5, 3.10GHZ L2Cache3Mb GGBB RAM DDR3 SOOGB 7200 RPM HDD Chipset Intel Express Graphics integrated Intel HD Graphics Video memory shared Optical Drive DVD multi Ethernet 10/100/1000 Sound Card Built-in 18.5" Widescreen Flat Panel Flat Monitor, Keyboard Quiet Key, Mouse Labels Windows 7 sticker or equivalent Security Hardware Chassis intrusion switch option Processing Branding v Pro Sticker Complete in all respect Laser type printer 12ppm Flatbed type scanner Branded	1	EACH	TOTAL	TOTAL
4	LAPTOP – BRANDED WITH LASER TYPE PRINTER & FLAT BED SCANNER Specifications:	1	EACH	TOTAL	TOTAL
5	DIGITAL CAMERA – MODEL CANNON 70 D Specification: Type digital Size handy Exceptional result oriented Easy to carry pouch Long last battery set Super sleek type	1	EACH	TOTAL	TOTAL

 Transferrable data progress indicator Number of effective pixels: 18.0 mega pixels Image Sensor: 2/3-inch EXR CMOS with primary color filter Storage Media: Internal memory 	
18.0 mega pixels Image Sensor: 2/3-inch EXR CMOS with primary color filter Storage Media:	
 Image Sensor: 2/3-inch EXR CMOS with primary color filter Storage Media: 	
2/3-inch EXR CMOS with primary color filter Storage Media:	
with primary color filter Storage Media:	
color filter Storage Media:	
Storage Media:	
Internal memory	
(approx.26 MB)	
SD/SDHC/SDXC(UHS-I)	
Memory Card	
• File Format:	
JPEG	
Digital Zoom :	
Intelligent digital zoom approx.2X	
(up to 8 x when combined with optical zoom)	
Aperture:	
F2.0-F11 (wide)	
F2.8-F11	
(Telephoto) 1/3	
EV Step	
(Controlled	
7-blade	
aperture diaphragm)	
Image Stabilizer :	
Lens shift type	
Face Detection:	
Yes	
Focus Mode Focus Mode	
single AF/ Continuous AF	
(EXR AUTO, Movie)	
Manual AF	
(One-Push AF mode included)	
Self-Timer:	
10sec./ 2 sec. delay	
• Flash :	
Auto Flash	
(super intelligent flash)	
LCD Monitor	
2.8-inch,	
approx.460,000 dots,	
TFT color LCD monitor,	
approx. 100% coverage	
Imported	
ADP SCHEME NO. 99/2015-16	
LAPTOP – BRANDED	
Specifications:	
• core-i5 series	
• 4 GB RAM	
	TOTAL
2 GB Graphic Card	
Win 8 licensed version	
LCD Display - IMPORTED BRAND	

	COLOR TYPE LASER PRINTER (20/22)ppm				
	Specifications:				
	Print Speed (A4 and letter) Black : up to 22 ppm,				
	Color: up to 18 ppm				
	Document delivery speed (A4 and letter)				
	First page out: black: as fast as 26 seconds from Ready				
	mode,				
	color: as fast as 32 seconds from Ready mode Time to				
	completion: as fast as 55 seconds				
	• Resolution Up to 600 by 600 dpi;				
2	Image REt 3600, Color Sphere toner, HP edge-	1			
2	enhancement technologies	1	EACH	TOTAL	TOTAL
	Processor450 MHz memory 96 MB				
	Recommended monthly volume:				
	250 to 1000 pages				
	Maximum monthly duty cycle: Up to 30000 pages				
	Paper Input: 150-sheet input tray,				
	single-sheet priority feed slot				
	Output: 125-sheet output bin				
	Two-sided printing Manual (driver support provided)				
	• Sizes: Priority feed slot, 150-sheet input tray:				
	Complete with standard accessories				
	DIGITAL CAMERA – MODEL NIKKON D 7100				
	Specification:				
	Type digital single lens reflector				
	Size handy				
	Exceptional result oriented				
	Easy to carry pouchLong last battery set				
	Super sleek type				
	USB supportable				
	Transferrable data progress indicator				
3	Number of effective pixels :	1			
	18.0 mega pixels		EACH	TOTAL	TOTAL
	Image Sensor: 2/3-inch EXR CMOS				
	with primary				
	color filter • Storage Media:				
	Internal memory				
	(approx.26 MB)				
	SD/SDHC/SDXC(UHS-I) Memory Card				
	• File Format:				
	JPEG				
	Digital Zoom : Intelligent digital zoom approx 2Y				
	Intelligent digital zoom approx.2X	1			

	(up to 8 x when combined with optical zoom)				
	Aperture:				
	F2.0-F11 (wide)				
	F2.8-F11				
	(Telephoto) 1/3				
	EV Step (Controlled				
	7-blade				
	aperture diaphragm)				
	Image Stabilizer :				
	Lens shift type				
	Face Detection:				
	Yes				
	Focus Mode				
	single AF/				
	Continuous AF				
	• (EXR AUTO, Movie)				
	Manual AF				
	(One-Push AF mode included)				
	Self-Timer:				
	10sec./ 2 sec. delay				
	• Flash :				
	Auto Flash				
	(super intelligent flash)				
	LCD Monitor				
	2.8-inch,				
	approx.460,000 dots,				
	TFT color LCD monitor,				
	approx. 100% coverage				
	Imported				
	Imported				
	VIDEO CAMERA – MODEL SONY FXWX 70				
	Specification:				
	Media type flash card				
	Storage Media:				
	Internal memory				
	(approx.26 MB)				
	SD/SDHC/SDXC				
	(UHS-I)				
	Memory Card				
	File Format: JPEG				
1	Digital Zoom :				
4	Intelligent digital zoom	1			
	approx.2X	_	EACH	TOTAL	TOTAL
	(up to 8 x		LACII	IOIAL	IOIAL
	when combined				
	with optical zoom)				
1	Aperture: F2.0-F11 (wide)				
	F2.8-F11	1			
1					
	(Telephoto) 1/3 EV Step	1			
1	(Controlled 7-blade				
	aperture diaphragm)	1			
1	Image Stabilizer :				
1	Lens shift type				
1	Face Detection:				
	Yes	1			

	 Self-Timer: 10sec./ 2 sec. delay Flash: Auto Flash				
ADP	SCHEME No. 100/2015-16		1		Г
1	BRANDED SYSTEM HI-END (LATEST CONFIGURATION) WITH MULTIMEDIA PROJECTOR ALONG WITH ACCESSORIES Specification Branded type Operating System Windows 7Pro x 64 bit Intel Core i7, 3.10GHZ L2Cache3Mb BGBB RAM DDR3 TTB 7200 RPM HDD Chipset Intel Express Graphics Integrated Intel HD Graphics Video memory shared Optical Drive DVD multi Ethernet 10/100/1000 Sound Card Built-in Sound Card Built-in B8.5" Widescreen Flat Panel Flat Monitor, Keyboard Quiet Key, Mouse Labels Windows 7 sticker or equivalent Security Hardware Chassis intrusion switch option Processing Branding v Pro Sticker Complete in all respect Multimedia projector beyond 3000 lumens and wall mount screen along with wall mount. Branded	1	EACH	TOTAL	TOTAL
2	LAPTOP — (LATEST CONFIGURATION) BRANDED Specifications:	1	EACH	TOTAL	TOTAL

	DESKTOP TYPE COMPUTER SYSTEM HI-END (LATEST CONFIGURATION) WITH LASER TYPE PRINTER & FLATBED TYPE SCANNER Specification				
	Desktop type				
	Operating System Windows 7Pro x 64 bit				
	Intel Core i5, 3.10GHZ L2Cache3Mb				
	• 6GBB RAM DDR3				
	• 500GB 7200 RPM HDD				
	Chipset Intel Express				
	Graphics integrated Intel HD Graphics				
	Video memory shared		EACH	TOTAL	TOTAL
3	Optical Drive DVD multi	2			
	• Ethernet 10/100/1000				
	Sound Card Built-in				
	• 18.5" Widescreen Flat Panel Flat Monitor,				
	Keyboard Quiet Key,				
	• Mouse				
	Labels Windows 7 sticker or equivalent				
	Security Hardware Chassis intrusion switch				
	option				
	12ppm laser printer				
	Flatbed type scanner				
	Branded				
	MONO COLOR COPIER / PHOTO COPY MACHINE Specifications:				
	Mono/Color Speed (CPM) 31/20 copies per minute				
4	Manufacturer's Recommend Monthly Volume 50000	1	EACH	TOTAL	TOTAL
	Output Resolution 600x600 dpi				
	Warm Up Time 5 min.				
	First Copy Time 7.9/14 sec.				

TENDER REF. # 1(b) "PURCHASE OF MACHINERY EQUIPMENT, HARDWARE & SOFTWARE" Zoom 25-400% Std/Max Copier Memory 512MB/512MB -10GB HDD Standard Paper Capacity 250/500 sheets Bypass Single sheet Resolution Copy: 600 x 600 dpi (equivalent) Print: 600 x 1800 dpi (equivalent) Scan: 600 x 600 dpi **Output Speeds** Warm-Up Time: 5 min First Copy Out Color: 14.1 sec First copy Out Mono: 7.9 sec CPM/PPM (Color/Mono) Letter: 20/31 Legal: 12/18 Ledger: 10/15

Standard Paper Supply

250 Sheet Multi-Purpose Drawer (up to 12.25"

x 18")

500 Sheet Paper Drawer (up to 11" x 17") Single Sheet ByPass (up to 12.25" x 18")

Memory

Standard: 128 MB Max: 512MB

Paper Weights 17 - 140 lbs. Index

Paper Size

Postcard, Statement, Letter, Legal, Ledger, 12.25" x 18"

12.23 X 10

Input Materials

Plain Paper, Transparencies, Labels, Card Stock, Postcards, Envelopes

Stock, Fostedras, Envelo

Exposure Modes

Text, Text/Photo, Photo, Printed Image, Map,

Copied Image

Additional Features

Multi-page Enlargement, Gloss Mode, Positive/Negative Reverse, Mirror Image, Color

Separation, Image Repeat, Image rotate,

Postcard Mode

Job Management

Job interrupt, Job build, 10 Job Programs, Job List, Job History, Sample copy, Priority Job Change, Job Recall, Automatic Job Skip,

Watermark Page Numbers

Color Adjustments

Auto, TestPrint, Saturation, Portrait, Brightness, Sharpness, contrast, Hue, Auto/Manual Density, Red, Green, Blue, color Balance, 20 Monotone Colors, 18 Background colors, Gradation or Resolution Screen Pattern

	Cottings	1			
	Settings				
	Booklet Making				
	Saddle-Stitch & Fold - 20 Books (1-5 sheets)				
	10 Books (6-10 sheets)				
	To Books (6 To Sheets)				
	Book Mode				
	Separation, Spread				
	Margin Erase				
	Separation, Spread				
	Additional Options				
	Include Print, Scan and Internet Fax, 10GB				
	HDD, Scanner rack, Copy Table, Copy Desk,				
	Key Counter				
	Paper Handling Options				
	Duplexing Document Feeder				
	Automatic Duplex Unit				
	Up to Two Universal Drawers				
	Large Capacity Drawer				
	Single Position Staple Finisher				
	Multi-Position Staple Booklet Finisher				
	Imported Brand				
	FAX MACHINE				
	Specifications:				
	7,000				
	Soft keypad				
_	Speaker phone				
5	Handheld unit	1			
	Redial option		EACH	TOTAL	TOTAL
	Memory option				
	Laser type				
	Branded				
	DIGITAL GALASTIA ALGOSTI GALANIGA GO				
	DIGITAL CAMERA – MODEL CANNON 6 D				
	Specification:				
	Type digital				
	Size handy				
	Exceptional result oriented				
	Easy to carry pouch				
	Long last battery set				
	Super sleek type				
	USB supportable				
	Transferrable data progress indicator				
6	Number of effective pixels : 18.0 maga pixels	1			
	18.0 mega pixels		EACH	TOTAL	TOTAL
	• Image Sensor :				
	2/3-inch EXR CMOS with primary				
	color filter				
	Storage Media:				
	Internal memory				
	(approx.26 MB)				
	SD/SDHC/SDXC(UHS-I)				
	Memory Card				
	File Format:				
	JPEG				
	Digital Zoom :				
	Intelligent digital zoom approx.2X				

	(up to 8 x when combined with optical zoom)				
	Aperture:				
	F2.0-F11 (wide)				
	F2.8-F11				
	(Telephoto) 1/3				
	EV Step				
	(Controlled				
	7-blade				
	aperture diaphragm)				
	Image Stabilizer:				
	Lens shift type				
	Face Detection:				
	Yes				
	• Focus Mode				
	single AF/				
	Continuous AF • (EXR AUTO, Movie)				
	Manual AF				
	(One-Push AF mode included)				
	Self-Timer:				
	10sec./ 2 sec. delay				
	• Flash :				
	Auto Flash				
	(super intelligent flash)				
	LCD Monitor				
	2.8-inch,				
	approx.460,000 dots,				
	TFT color LCD monitor,				
	approx. 100% coverage				
	Imported				
ADP	SCHEME No. 104/2015-16				
		405			
WAC	HINERY EQUIPMENT, HARDWARE& SOFTW	AKE	_	T	
	FAX MACHINE				
	Specifications:				
	Soft keypad				
	Speaker phone	1			
1	Handheld unit	1	EACH	TOTAL	TOTAL
	Redial option		LACH	IOIAL	IOIAL
	Memory option				
	Laser typeBranded				
	• branded				
	ELECTRIC WATER RUMP MAACHING		1		
	ELECTRIC WATER PUMP MACHINE				
	Daving 4 LID Common MC (Pro	1			
2	Boring 1 HP Copper Winding	_	EACH	TOTAL	TOTAL
	 Installation Charges 		LACII	IOIAL	IOIAL
	Complete in all Respect				
	UPS				
3		4			
3	 UPS 1050 Mission Intex 		EACH	TOTAL	TOTAL
	MONO COLOR COPIER/PHOTO STATE MACHINE				
	Specifications:				
4		1			
-	Mono/Color Speed (CPM) 31/20 copies per		EACH	TOTAL	TOTAL
	minute				
			•	•	

Manufacturer's Recommend Monthly Volume 50000 Output Resolution 600x600 dpi Warm Up Time 5 min. First Copy Time 7.9/14 sec. Zoom 25-400% Std/Max Copier Memory 512MB/512MB -10GB Standard Paper Capacity 250/500 sheets Bypass Single sheet Resolution Copy: 600 x 600 dpi (equivalent) Print: 600 x 1800 dpi (equivalent) Scan: 600 x 600 dpi **Output Speeds** Warm-Up Time: 5 min First Copy Out Color: 14.1 sec First copy Out Mono: 7.9 sec CPM/PPM (Color/Mono) Letter: 20/31 Legal: 12/18 Ledger: 10/15 Standard Paper Supply 250 Sheet Multi-Purpose Drawer (up to 12.25" 500 Sheet Paper Drawer (up to 11" x 17") Single Sheet ByPass (up to 12.25" x 18") Standard: 128 MB Max: 512MB Paper Weights 17 - 140 lbs. Index Paper Size Postcard, Statement, Letter, Legal, Ledger, 12.25" x 18" Input Materials Plain Paper, Transparencies, Labels, Card Stock, Postcards, Envelopes **Exposure Modes** Text, Text/Photo, Photo, Printed Image, Map, Copied Image Additional Features Multi-page Enlargement, Gloss Mode, Positive/Negative Reverse, Mirror Image, Color Separation, Image Repeat, Image rotate, Postcard Mode Job Management Job interrupt, Job build, 10 Job Programs, Job List, Job History, Sample copy, Priority Job Change, Job Recall, Automatic Job Skip, Watermark Page Numbers Color Adjustments Auto, TestPrint, Saturation, Portrait, Brightness, Sharpness, contrast, Hue, Auto/Manual Density, Red, Green, Blue, color Balance, 20 Monotone Colors, 18 Background colors, Gradation or Resolution Screen Pattern Settings

	Booklet Making Saddle-Stitch & Fold - 20 Books (1-5 sheets) 10 Books (6-10 sheets) Book Mode Separation, Spread Margin Erase Separation, Spread Additional Options Include Print, Scan and Internet Fax, 10GB HDD, Scanner rack, Copy Table, Copy Desk, Key Counter Paper Handling Options Duplexing Document Feeder Automatic Duplex Unit Up to Two Universal Drawers Large Capacity Drawer Single Position Staple Finisher Multi-Position Staple Booklet Finisher				
5	BLOOR MACHINE Bloor Machine Heavy Duty Best Quality Complete in all respect	2	EACH	TOTAL	TOTAL
6	LAPTOP — (LATEST CONFIGURATION) BRANDED Specifications:	1	EACH	TOTAL	TOTAL
7	MONO COLOR LASER TYPE PRINTER 12PPM (LATEST CONFIGURATION) Specification: Mono Color Print Toner Laser Print Type Printer Wi Fi Enabled 250 Sheet Paper Tray 12 Ppm Branded	4	EACH	TOTAL	TOTAL

	SCANNER A-3 TYPE				
8	SCANNER A-3 TYPE Specifications: A3 size scanning functionality Built-in transparent material adaptor tma Media type paper inkjet / laser material Copy – scan – scan to email – scan to pdf Ccd technology Output 75, 100, 150, 200, 300, 400, 500, 600 dpi 48 bit internal 24 bit external 256 gray scale levels Preview mode Dynamic range 3 Scan resolution up to 4800 dpi Standard connectivity usb Enlargement range 10 to 2400% in 1% increments	1	EACH	TOTAL	TOTAL
ADP	SCHEME No. 118/2015-16				
MAC	HINERY EQUIPMENT, HARDWARE& SOFTW	ARE			
	LAPTOP – (LATEST CONFIGURATION)				
	BRANDED Specifications:				
	• core-i7 series				
1	8GB RAM	1			
	• 1 TB HDD				
	4 GB Graphic Card				
	WIN 8 LICENSED VERSION				
	LCD DISPLAY IMPORTED BRAND				
L	1 INTEGRATED DIVAMO	<u> </u>		l	<u> </u>

	DIGITAL CAMERA – MODEL CANNON 70 D			
	Specification:			
	Type digital			
	Size handy			
	Exceptional result oriented			
	Easy to carry pouch			
	Long last battery set			
	Super sleek type			
	 USB supportable 			
	Transferrable data progress indicator			
	Number of effective pixels :			
	18.0 mega pixels			
	Image Sensor :			
	2/3-inch EXR CMOS			
	with primary			
	color filter			
	Storage Media:			
	Internal memory			
	(approx.26 MB) SD/SDHC/SDXC(UHS-I)			
	Memory Card			
	File Format:			
	JPEG			
	Digital Zoom :			
	Intelligent digital zoom approx.2X			
	(up to 8 x when combined with optical zoom)			
	Aperture:			
_	F2.0-F11 (wide)	1		
2	F2.8-F11			
	(Telephoto) 1/3			
	EV Step			
	(Controlled			
	7-blade			
	aperture diaphragm)			
	Image Stabilizer :			
	Lens shift type			
	Face Detection:			
	Yes			
	• Focus Mode			
	single AF/ Continuous AF			
	(EXR AUTO, Movie)			
	Manual AF			
	(One-Push AF mode included)			
	Self-Timer:			
	10sec./ 2 sec. delay			
	• Flash :			
	Auto Flash			
	(super intelligent flash)			
	LCD Monitor			
	2.8-inch,			
	approx.460,000 dots,			
	TFT color LCD monitor,			
	approx. 100% coverage			
	• Imported			

3	 CELLING FAN Size 56" Copper Winding J.F.C or Equivalent 	2				
4	WATER DISPENSER Specifications: • Homage or equivalent • Including Mini Fridge • Best Quality • Complete in all respect	1				
5	BRACKET FAN Specifications: Copper Winding J.F.C or Equivalent Imported material	1				
	JLAR COMPONENT /2015-16	רבי ו			NAONU	TODING
	NGTHENING OF PLANNING, EMENTATION & EVALUATION CELL	DEVEL	OPIVI	ENI,	MON	TORING,
1	MONO COLOR LASER TYPE PRINTER 12PPM (LATEST CONFIGURATION) Specification:	12	12 EACH		TOTAL	TOTAL
2	WIFI DONGLE (PLUG N PLAY) BRANDED	48	-	ACH	TOTAL	TOTAL
3	PCI LAN CARD WIRELESS BRANDED	12	_ E	ACH	TOTAL	TOTAL
4	ROUTER GIGA HERTZ FREQUENCY BRANDED	12	_ E	ACH	TOTAL	TOTAL
5	HP-CP-2022-COLOR CARTRIDGE ORIGINAL BRANDED	06	_	ACH	TOTAL	TOTAL
6	HP CARTRIDGE HP1002 ORIGINAL BRANDED		_	ACH	TOTAL	TOTAL
7	CARTRIDGE KYOCERA TASKALFA TA100 BRANDED	12	_	ACH	TOTAL	TOTAL
8	CARTRIDGE KYOCERA TASKALFA 3232E COLOR SET BRANDED	12	_	ACH	TOTAL	TOTAL

9	DVD-RW WITH CASE	1000			
	BRANDED	1000	EACH	TOTAL	TOTAL
	RAM DDR3 4GB	36			
10	BRANDED	30	EACH	TOTAL	TOTAL
4.4	8GB USB FLASH DRIVE	96			
11	BRANDED		EACH	TOTAL	TOTAL
12	500GB POCKET DRIVE USB TYPE	24			
	BRANDED		EACH	TOTAL	TOTAL
13	1TB POCKET DRIVE USB TYPE	24			
	BRANDED		EACH	TOTAL	TOTAL
14	WI-FI KEYBOARD MULTIMEDIA	24			
	BRANDED		EACH	TOTAL	TOTAL
15	PANASONIC LASER FAX TONER CARTRIDGE	36			
	BRANDED	30	EACH	TOTAL	TOTAL
					_
	MONO COLOR LASER TYPE PRINTER HI-SPEED				
	Specifications:				
16	Mono Color Print Toner Least Print Tone Printer	02			
10	Laser Print Type PrinterHi-Speed 20/22ppm		EACH	TOTAL	TOTAL
	250 Sheet Paper Tray				
	Branded				
	SCANNER A-3 TYPE				
	Specifications:				
	A3 size scanning functionality				
	Built-in transparent material adaptor tma				
	 Media type paper inkjet / laser material Copy – scan – scan to email – scan to pdf 				
	Ccd technology				
	Output				
17	75, 100, 150, 200, 300, 400, 500, 600 dpi	12			
	48 bit internal 24 bit external		EACH	TOTAL	TOTAL
	256 gray scale levels				
	Preview mode				
	Dynamic range 3Scan resolution up to 4800 dpi				
	Standard connectivity usb				
	Enlargement range				
	10 to 2400% in 1% increments				
	Imported brand				
	FLAT BED SCANNER				
	Specifications:				
	Flat Bed Scanner				
18	• 48-Bit	12			
	256 Grayscale LevelsDynamic Range 3		EACH	TOTAL	TOTAL
	Scan Resolution Up To 4800 Dpi				
	Standard Connectivity USB				
	Enlargement Range 10 To 2400%				
·	<u> </u>	1	1 1		

19	A/C SPLIT TYPE UNIT 1.0 TON Specifications: 12000 Btu/H (British Thermal Unit / Hour) – Cooling Capacity Rated Frequency 50 Hz Rated Voltage 220-240 Volts Air Flow Rate 630 M3/H Sound Pressure Level 44db(A) Climate Type T1 Refrigerant R22 Cooling Power Input 1250w Wireless Remote Control Imported Brand	12	EACH	TOTAL	TOTAL
20	A/C SPLIT TYPE UNIT 2.0 TON Specifications: • 24000 Btu/H (British Thermal Unit / Hour) – Cooling Capacity • Rated Frequency 50 Hz • Rated Voltage 220-240 Volts • Air Flow Rate 1000 M3/H • Sound Pressure Level 44db(A) • Climate Type T1 • Refrigerant R22 • Cooling Power Input 2277w • Wireless Remote Control • Imported Brand		EACH	TOTAL	TOTAL
21	A/C FLOOR STANDING TYPE UNITS 2.0 TON Specifications: • 24000 Btu/H (British Thermal Unit / Hour) – Cooling Capacity • Rated Frequency 50 Hz • Rated Voltage 220-240 Volts • Air Flow Rate 1100 M3/H • Sound Pressure Level 56db(A) • Climate Type T1 • Refrigerant R22 • Cooling Power Input 2650w • Wireless Remote Control • Imported Brand	06	EACH	TOTAL	TOTAL
22	A/C INSTALLATION MATERIAL EXTRA PIPE Specifications: • extra pipe • (imported quality)	400 rft	EACH	TOTAL	TOTAL
23	AIR CONDITIONER INSTALLATION MATERIAL MASKING TAPE Specifications: • Masking tape • Moisture Protection) • Imported quality	350 rft	EACH	TOTAL	TOTAL

24	AIR CONDITIONER INSTALLATION MATERIAL DRAIN PIPE Specifications: • drain pipe • Imported quality AIR CONDITIONER INSTALLATION MATERIAL ELECTRIC CABLE 110/76 (PAK / EQUIVALENT) Specifications: • Electric cable 110/76 coil • Pak equivalent	660	EACH	TOTAL	TOTAL
26	DIGITAL CAMCORDER WITH BUILT-IN HDD Specification: 1080 Camcorder Image Sensor: 2/3-inch EXR CMOS with primary color filter Digital zoom 10x Effective photo resolution 6mega Camcorder interpolated photo resolution 12mega Media type flash card Storage Media: Internal memory (approx.26 MB) SD/SDHC/SDXC (UHS-I) Memory Card File Format: JPEG Digital Zoom: Intelligent digital zoom approx.2X (up to 8 x when combined with optical zoom) Aperture: F2.0-F11 (wide) F2.8-F11 (Telephoto) 1/3 EV Step (Controlled 7-blade aperture diaphragm) Image Stabilizer: Lens shift type Face Detection: Yes Self Timer: 10sec./ 2 sec. delay Flash: Auto Flash (super intelligent flash) Movie Recording: 1920 x1080 pixels /1280x720 pixels/640x840 pixels (30 frames/sec) with stereo sound optical zoom (manual) can be used. Complete with standard accessories BRAND IMPORTED	12	EACH	TOTAL	TOTAL

	DIGITAL CAMERA				
	Specification:				
	Type digital				
	Size handy				
	Exceptional result oriented				
	Easy to carry pouch				
	 Long last battery set 				
	Super sleek type				
	USB supportable				
	 Transferrable data progress indicator 				
	Number of effective pixels :				
	18.0 mega pixels				
	Image Sensor :				
	2/3-inch EXR CMOS				
	with primary				
	color filter • Storage Media:				
	Storage Media: Internal memory				
	(approx.26 MB)				
	SD/SDHC/SDXC(UHS-I)				
	Memory Card				
	File Format:				
	JPEG				
	Digital Zoom :				
	Intelligent digital zoom approx.2X				
	(up to 8 x when combined with optical zoom)				
27	Aperture:	12			
	F2.0-F11 (wide)		EACH	TOTAL	TOTAL
	F2.8-F11				
	(Telephoto) 1/3				
	EV Step (Controlled				
	7-blade				
	aperture diaphragm)				
	Image Stabilizer:				
	Lens shift type				
	Face Detection:				
	Yes				
	Focus Mode				
	single AF/				
	Continuous AF				
	• (EXR AUTO, Movie)				
	Manual AF				
	(One-Push AF mode included)				
	Self-Timer: 10000 / 2000 delay:				
	10sec./ 2 sec. delay				
	• Flash :				
	Auto Flash				
	(super intelligent flash)				
	LCD Monitor 3.8 inch				
	2.8-inch,				
	approx.460,000 dots,				
	TFT color LCD monitor, approx. 100% coverage				
			100	i e	i
	Imported				

	SOUND SYSTEM/VOICE COMMUNICATION SYSTEM				
	Specifications:				
	Speaker 05units TOA/equivalent				
	Integrated with a speaker unit and panel,				
	the Ceiling Mount Speaker is of all metallic				
	construction and ideal for use in a voice				
	alarm system. It feature spring clamp				
	mechanism for easy speaker mounting to				
	the ceiling. The input impedance can be				
	easily changed by changing the tap position				
	of the transformer. The push-in type input				
	terminal block makes cable connections				
	easy and allows bridge wiring.				
	Extension card 24lines				
	The offered PABX must have following features:				
	Call Forwarding - Immediate (calls are forwarded				
	to a defined extension) - After timeout (calls are				
	forwarded after pre-				
	defined rings)				
	 Busy (calls are forwarded from busy extension) 				
	Call Forwarding of individual trunk line to an				
	extension				TOTAL
	Power Supply with battery connection terminals				
	Option to connect Automated Attendant/DID (Callers				
28	with DTMF phones can reach directly to extensions bypassing the Operator)	1			
	Music on hold- internal		EACH	TOTAL	
	Consultation Hold —group				
	(up to 8 call pickup groups can be configured)				
	Option to connect Digital / System Telephones with				
	following features: • Powered from the PABX				
	Caller list (of missed / unanswered calls) Interactive menu for features activation				
	Message texts /Absence Texts				
	Date & Time Display				
	Hands free function / Open listening				
	Voice calling (announcement)				
	+ / - keys for volume adjustment				
	Internal telephone directory with names				
	Do Not Disturb (on activation, the caller hears a busy				
	tone)				
	Do Not Disturb override				
	Intrusion / Override (Busy extension can be overheard)				
	Conference (5 parties).				
	Group / Parallel Ringing (incoming call is signaled at other telephones also)				
	Night Service – fixed (incoming calls are diverted to a defined extension)				

	- variable (incoming calls are diverted to variable extensions)				
	Differential Ringing (for internal & external calls)				
	Hunting Group – Linear - Cyclic				
	Project Code (a call can be charged to a particular account code)				
	Call restrictions (variable class for service)				
	Call-back on busy (automatic call back when extension is free)				
	Toggling between two lines				
	Option for Call Logging				
	Remote Maintenance				
	Executive/Secretary Functions				
	Option to connect Group 4 Fax Machine (with ISDN access)				
	Recall (if an attempt to transfer a call is unsuccessful, it returns to the original user)				
	CLI facility on all analogue extension.				
	 CLI facility on all analogue trunks. Power supply box 40units Telephone set 24 Panasonic / equivalent BNC lead 32 units Speaker wiring 900rft DVR 16 channel 02units Imported brand Material imported 				
	VIDEO SURVEILLANCE SYSTEM (ENHANCED) Specification:				
	Indoor dome camera 17units				
	1.Ambient Operating Temperature-4,oC -				
	50°C				
	2.Horizontal Resolution-570 line at B/W or				
29	480 line at colour imaging	1			
25	3. SIN Ratio-50dB (AGC off, weight on)	1	EACH	TOTAL	TOTAL
	4. Minimum illumination-0.61ux at B/W or 1				
	lux at colour imaging				
	5. Panning Range -360°C endless				
	6. Zoom Ratio > 22x optical zoom				
	7. Scanning Area-% " CCD .				
	8. Back Light Compensation-Digital				
	9. Camera ID-Upto 16 characters				

1	10. On screen set up menu-Alphanumeric
	character display
1	11. Mounting of Camera-on camera
r	mounting angle
1	12. Camera Enc1osure-Flame proof Dust
F	proof type dome provided.
	Outdoor dome camera 15units
	1.Ambient Operating Temperature-4,oC -
	50°C
	2.Horizontal Resolution-570 line at B/W or
	480 line at colour imaging
	3. SIN Ratio-50dB (AGC off, weight on)
	4. Minimum illumination-0.61ux at B/W or
	1 lux at colour imaging
	5. Panning Range -360°C endless
	6. Zoom Ratio > 22x optical zoom
	7. Scanning Area-% " CCD .
	8. Back Light Compensation-Digital
	9. Camera ID-Upto 16 characters
	10. On screen set up menu-Alphanumeric
	character display
	11. Mounting of Camera-on camera
	mounting angle
	12. Camera Enc1osure-Flame proof Dust
	proof type dome provided.
•	Power supply 40units
•	Camera housing stand
•	Camera wiring 19000rft
•	Extension wiring 7000rft
•	Net wiring 3000rft
•	Hard drive 1tb for backup
•	Imported brand
•	Material imported

	MULTICOPIER (MONO-COLOR HIGH RESOLUTION) Specifications:				
30	 Up to 35 pages per minute A4 in b/w 16B RAM, storage capacity of 160 GB HDD Standard network printing and colour scanning Expandable fax functions of dual fax, network fax, and internet fax Optional 175-sheet one-path duplex document processor for up to 160 ipm network scanning Individual paper-handling options incl. booklet and tri-folding Enhanced security functions: Optional Data Security Kit, Copy Guard Kit and USB IC Card Reader Long-life components provide unprecedented efficiency and reliability General type Monochrome multifunctional for A3 format Technology Laser Monochrome, HyPAS™ solution platform Engine speed Up to 35/17 pages per minute A4/A3 Resolution 600x600 dpi, Multi-bit technology for print quality of 9,600 dpi equivalent x 600 dpi Warm-up time Approx. 23 seconds or less Time to first copy Approx. 5.6 seconds or less Power consumption Printing: 740 W, Stand-by: 170 W, Sleep-mode: 16 W Power source AC 220 V – 240 V, 50/60 Hz Noise (ISO 7779) Noise (sound pressure level ISO 7779/ISO 9296) Printing: 49.4 dB(A) LpA, Stand-by: 35.4 dB(A) LpA Safety standards GS, TÜV, CE - This unit is manufactured according to ISO 9001 quality standard and ISO 14001 environmental standard. ROHS compatibility General memory 1024 MB RAM + 160 GB HDD PAPER HANDLING Input capacity 150-sheet multi-purpose tray, 60-300 g/m² (banner 136-163 g/m²), AGR-304.8 x 457.2 mm Max. input capacity in 50-sheet multi-purpose tray, 60-300 g/m² (banner 136-163 g/m²), AGR-304.8 x 457.2 mm Max. input capacity with options 7,150 sheets A4 Duplex unit Duplex as standard 	1	EACH	TOTAL	TOTAL

TENDER REF. # 1(b) "PURCHASE OF MACHINERY EQUIPMENT, HARDWARE & SOFTWARE" supports A5R-304.8 x 457.2 mm, 60-256 g/m² **PRINT** Processor IBM PowerPC 750CL/600 MHz Controller language PRESCRIBE IIe Emulations PCL 6 (PCL5c / PCL-XL), KPDL3 (Postscript 3 compatible), XPS Direct print, PDF Direct print

Fonts 93 outline fonts (PCL), 136 fonts (KPDL3), 8 fonts (Windows Vista), 1 Bitmap font, 45 types of one-dimensional barcodes plus two-dimensional barcode (PDF-417)

Features Encrypted PDF Direct Print, IPP printing, e-mail printing, WSD print, secure printing via SSL, IPSec, SNMPv3, quick copy, proof and hold, private print, job storage and job management functionality

Applicable OS All current Windows operating systems, Mac OS X Version 10.4 or higher, UNIX, LINUX, as well as other operating systems on request.

COPY

Max. original size Α3 Digital copy features Scan-once-copy-many, electronic sort, 2in1 and 4in1 function, image

repeat copy, page numbering, cover mode, booklet copy, interrupt copy, form overlay

Exposure modes

Auto, manual: 7 or 13 steps

Preset magnification ratios

Reductions/5 Enlargements

Zoom range 25 - 400 % in 1 % steps

Continuous copy 1 - 999

Image adjustments Text, Photo, Text + Photo,

Map

SCAN

PDF (high compressive, File type

encrypted, PDF/A), JPEG, TIFF, XPS

Original recognition Text, Photo, Text + Photo,

optimized for OCR

Max. scan size Α3

Scan functionalities Scan-to-email, Scan-to-FTP, Network TWAIN, Scan-to-SMB, Scan-to-

BOX, Scan-to-USB Host, WSD scan

Scan resolution 600 dpi, 400 dpi, 300 dpi,

200 dpi, 200x100 dpi, 200x400 dpi, (256

greyscales)

Scan speed Colour 80 images per minute, b/w 160 image per minute, (A4, 300dpi with DP-771)

FAX

Compatibility ITU-T Super G3 Modem speed Max. 33.6 kbps Transmission speed Max. 3 seconds (JBIG) Scanning density Normal: 8 dot/mm x 3.85 line/mm, Fine: 8 dot/mm x 7.7 line/mm, Superfine: 8 dot/mm x 15.4 line/mm, Ultrafine: 16 dot/mm x 15.4 line/mm halftone Max. original size A3 Compression method JBIG, MMR, MR, MH INTERFACES Standard interface USB 2.0 (Hi-Speed) Latest model / branded				
COPIER (HIGH RESOLUTION) cations: Up to 35 pages per minute A4 in b/w 1GB RAM, storage capacity of 160 GB HDD Standard network printing and colour scanning Expandable fax functions of dual fax, network fax, and internet fax Optional 175-sheet one-path duplex document processor for up to 160 ipm network scanning Individual paper-handling options incl. booklet and tri-folding Enhanced security functions: Optional Data Security Kit, Copy Guard Kit and USB IC Card Reader Long-life components provide unprecedented efficiency and reliability General type Monochrome multifunctional for A3 format Technology Laser Monochrome, HyPAS™ solution platform Engine speed Up to 35/17 pages per minute A4/A3 Resolution 600x600 dpi, Multi-bit technology for print quality of 9,600 dpi equivalent x 600 dpi Warm-up time Approx. 23 seconds or less Time to first copy Approx. 5.6 seconds or less Power consumption Printing: 740 W, Stand-by: 170 W, Sleep-mode: 16 W	1	EACH	TOTAL	TOTAL

- Power source AC 220 V 240 V, 50/60
 Hz
 Noise (ISO 7779) Noise (sound pressure)
- Noise (ISO 7779) Noise (sound pressure level ISO 7779/ISO 9296) Printing: 49.4 dB(A) LpA, Stand-by: 35.4 dB(A) LpA
- Safety standards GS, TÜV, CE This unit is manufactured according to ISO 9001 quality standard and ISO 14001 environmental standard. RoHS compatibility
- General memory
 1024 MB RAM + 160 GB HDD
- PAPER HANDLING

Input capacity 150-sheet multi-purpose tray, 60–300 g/m² (banner 136-163 g/m²), A6R-304.8 x 457.2 mm, Banner max. 304.8 x 1,219.2 mm; 2 x 500-sheet universal paper cassette, 60-220 g/m², A5R-304.8 x 457.2 mm Max. input capacity with options 7,150 sheets A4

Duplex unit

Duplex as standard
supports A5R-304.8 x 457.2 mm, 60–256 g/m²

Max. output capacity 250 sheets face-down,
max. output capacity 320 sheets

General paper handling All paper capacities
quoted are based on paper thickness of max.

0.11 mm. Please use paper

PRESCRIBE IIe

Emulations PCL 6 (PCL5c / PCL-XL), KPDL3 (Postscript 3 compatible), XPS Direct print, PDF Direct print

Fonts 93 outline fonts (PCL), 136 fonts (KPDL3), 8 fonts (Windows Vista), 1 Bitmap font, 45 types of one-dimensional barcodes plus two-dimensional barcode (PDF-417)

Features Encrypted PDF Direct
Print, IPP printing, e-mail printing, WSD print,
secure printing via SSL, IPSec, SNMPv3, quick
copy, proof and hold, private print, job storage
and job management functionality
Applicable OS All current Windows

operating systems, Mac OS X Version 10.4 or higher, UNIX, LINUX, as well as other operating systems on request.

COPY

Max. original size A3

Digital copy features Scan-once-copy-many, electronic sort, 2in1 and 4in1 function, image repeat copy, page numbering, cover mode, booklet copy, interrupt copy, form overlay Exposure modes

Auto, manual: 7 or 13 steps
Preset magnification ratios 5
Reductions/5 Enlargements

		Zoom range	25 - 400 % in 1 % steps				1
		Continuous copy	1 - 999				
		Image adjustments	Text, Photo, Text + Photo,				
		Map	rext, riloto, rext rilloto,				
	_	SCAN					
	•	File type	PDF (high compressive,				
		• •					
		encrypted, PDF/A), JF					
		= =	Text, Photo, Text + Photo,				
		optimized for OCR	4.2				
		Max. scan size	A3				
		Scan functionalities	·				
			, Scan-to-SMB, Scan-to-				
		BOX, Scan-to-USB Ho					
		Scan resolution	600 dpi, 400 dpi, 300 dpi,				
		200 dpi, 200x100 dpi greyscales)	, 200x400 dpi, (256				
		Scan speed	Colour 80 images per				
		•	ge per minute, (A4, 300dpi				
		with DP-771)	8- h				
	•	FAX					
		Compatibility	ITU-T Super G3				
		Modem speed	Max. 33.6 kbps				
		•	Max. 3 seconds (JBIG)				
		Scanning density	Normal: 8 dot/mm x 3.85				
		line/mm, Fine: 8 dot/					
			x 15.4 line/mm, Ultrafine:				
		16 dot/mm x 15.4 lin					
		Max. original size	A3				
		Compression method	JBIG, MMR, MR, MH				
		INTERFACES					
		Standard interface	USB 2.0 (Hi-Speed)				
		Latest model / brand	ed				
	WATE	R COOLING FILTERAT	TION PLANT / SYSTEM				
	Specific						
		 Stainless Steel B 	ody				
32		Body texturedvoltage 230/50 I	П •	03			
		Two taps	112		EACH	TOTAL	TOTAL
		Electric type					
		 extended wire 					
		BRAND IMPORT	ED				
	-	LIT TYPE UNIT 1.5 TO	ON				
	Specific		The amount 11 at 10 at 1				
	•	 18000 Btu/H (British) Capacity 	Thermal Unit/Hour) – Cooling				
			Нz				
33	•	Rated Voltage 220-24	10 Volts	12			
33	•			12	EACH	TOTAL	TOTAL
	•		44db(A)		LACH	IOIAL	IOIAL
	•		1900w				
	•		ntrol				
	•	Imported Brand					

SOFTWARE								
34	ANTIVIRUS SOFTWARE LICENSED VERSION	36	EACH	TOTAL	TOTAL			
35	MS WINDOWS 8.1 (R) LICENSED VERSION	12	EACH	TOTAL	TOTAL			
36	MS SERVER WINDOWS (UPGRADE) LICENSED VERSION	01	EACH	TOTAL	TOTAL			
37	MS OFFICE HOME & BUSSINESS 2013 WITH MEDIA KIT LICENSED VERSION	06	EACH	TOTAL	TOTAL			
38	SOFTWARE EZ TOUCH PLUS (IMAGE CAPTURING SOFTWARELICENSED) LICENSED VERSION	01	EACH	TOTAL	TOTAL			
39	SOFTWARESMART WORKS PRO (MANAGEMENT SOFTWARE LICENSED) LICENSED VERSION	01	EACH	TOTAL	TOTAL			
40	SOFTWARE SMARTWORKS SMART LF ISIS TM (DATA CAPTURING SOFTWARE LICENSED)	01	EACH	TOTAL	TOTAL			
41	MS OFFICE 2013 PROFESSIONAL	03	EACH	TOTAL	TOTAL			

42	ADOBE PHOTOSHOP PROFESSIONAL SUITE	01	EACH	TOTAL	TOTAL
----	------------------------------------	----	------	-------	-------

Delivery Time: a) 04 weeks for local articles

b) 12-14 weeks for import products

6. Place of Delivery: Planning, Development, Monitoring,

Implementation & Evaluation Cell of Culture, Tourism & Antiquities Department, Government of Sindh Block 76/A, Pak Secretariat, Opp: MPA

Hostel – Karachi.

7. Dispatch Instructions: Stores should be delivered free of

transportation charges to the consignee at

place mentioned above.

8. Inspection Authority: The Procurement Committee constituted by the

Secretary, Culture, Tourism & Antiquities Dept.

9. Place at which stores to be inspected: Directorate General of Culture Office.

Block 76/A, Pak Secretariat, Opp: MPA Hostel –

Karachi

10. Payment:

- Part payment against part supply is allowed.
- ii. 100% payment to be made on the proof of inspection & consignee's receipt certificate by Accountant General Sindh, Karachi, during the fiscal year 2015-16.
- iii. Less 0.25% as service charges and 0.30% stamp duty of the value of the contract

by Accountant General Sindh – Karachi, while making payment to the contractor.

ASSISTANT DIRECTOR / DDO (PDMI&E CELL)
CULTURE, TOURISM & ANTIQUITIES DEPARTMENT
GOVERNMENT OF SINDH, KARACHI