

OFFICE OF THE EXECUTIVE ENGINEER, EDUCATION WORKS DIVISION SUKKUR

No. E.E/EWD/TC/

934

Of 2015

Sukkur, Dated:

8 - 9 - 2015

NOTICE INVITING TENDERS

Executive Engineer, Education Works Division Sukkur invites sealed Tenders on Composite Schedule of Rates (CSR) / Item Rats Basis from interested Contractors / firms for the following works as per (SPPRA) Rules 2010 .


Sr. No:	Name of Works	Taluka	Estimated Cost in (MI)	Bid Security	Tender Fee	Time for completion
MPA PRIORITY PROGRAMME 2013-13.800						
(ELECTRIC WORKS)						
1	Construction of Dispensary at Village Dakhano Main Stop	Rohri				
i	Civil Work		3.800	76000	3000	12 Months
ii	Electric Work		0.200	4000	500	12 Months
2	Construction of Dispensary at Village Ali Murad Shanbhani at Kalmi Quran Stop Saleh Pat Road UC Lal Jurio Stop 212	Saleh Pat				
i	Civil Work		3.800	76000	3000	12 Months
ii	Electric Work		0.200	4000	500	12 Months
3	Construction of Dispensary at Village Ali Kohar Shanbhani Golai Stop Near Januji Police Station	Saleh Pat				
i	Civil Work		3.800	76000	3000	12 Months
ii	Electric Work		0.200	4000	500	12 Months
3.8	Construction of Dispensary at Village Waroo Bhumbhro at Main Road	Saleh Pat				
i	Civil Work		3.800	76000	3000	12 Months
ii	Electric Work		0.200	4000	500	12 Months
5	Construction of Dispensary at Village Ali Muhammad Shanbhani RD-159 stop Saleh Pat UC Tarai	Saleh Pat				
i	Civil Work		3.800	76000	3000	12 Months
ii	Electric Work		0.200	4000	500	12 Months

Sr. No:	Details	First Date	In case of Non receipt of tenders Second Date
1	The date for receipt of applications & issue of tenders	01.10.2015	15.10.2015
2	The tenders will be received back (1.00 Pm) & to be opened on (2.00 Pm)	02.10.2015	16.10.2015

TERMS & CONDITIONS OF THE TENDERS


- 1 The terms & condition of the contract & the blank tenders can be obtained from the office of the undersigned on payment of tenders fee (Non-Refundable).
- 2 Conditional tender will not be accepted.
- 3 The blank tender / documents will be available for the interested persons / contractors from the First date of publication till the date of closing.
- 3.8 3.800% of the offered bid amount in the shape of call deposit of the scheduled bank located in the Pakistan in favour of undersigned will be received on the receipt of tender.
- 5 In case of Holiday or the undersigned is out of Head quarter, the submission shall also be on next working day and bid shall be openend within one hour of deadline for submission.
- 6 The competent authority rservees the rights to reject any or all tenders as per Provision of SPPRA Rules.
- 7 **The details of eligibility for participation in the tenders are as under: -**
 - (i) Certificate issued by at least two Divisions showing the performance satisfactory in the field.
 - (ii) The biodata of Technical staff who will work to-gather with firm.
 - (iii) Certificate from the undersigned / documentary evidence of the completed works satisfactory.
 - (iv) List of work completed /& copy of work order.
- 8 Registration with Income Tex Department (NTN certificate) and copy of National Identity Card.
- 9 As affidavit which shows that firm is not involved in any letigation.

- 10 As affidavit which shows that firm / contractor has not been black listed from any Agency.
- 11 As affidavit which shows that documents information submitted are correct & true.


EXECUTIVE ENGINEER
EDUCATION WORKS DIVISION
SUKKUR

Copy submitted to:-

- 1 Copy is forwarded to the Director of information Public Relation Department (Advertisement) Block-96 Sindh Secretariat Karachi, for publication in News Papers Specially in "DAWN English" , Jang Urdu , and Kawish Sindhi.
- 2 The Secretary, Information Technology, Government of Sindh Secretariat No: 6, @ Karachi, along with copies of N.I.T's for favour of information and placing them on the web site of Sindh Government.
- 3 The Secretary Government of Sindh Education & Literacy Department Karachi, for favour of information.
- 4 The Chief Engineer Education Works Region Sukkur, for favour of information.
- 5 The Deputy Comissioner Sukkur for favour of information.
- 6 ✓ The Director (C.B) Government of Sindh Public Procurement regularity authority Planning & Development Department Karachi, for favour of information with the request to hoist the NIT on SPPRA website.
- 7 The Superintending Engineer, Education Works Circle Sukkur, for favour of information.
- 8 The Executive Engineer, Education Works Khairpur / Ghotki, for information & wide publicity.
- 9 The Assistant Engineer, (Education Works Sub-Division) Rohri / Saleh Pat / Electric Sukkur, for publicity and directed to submit the Estimates within (07) days.
- 10 The Assistant Engineer, (Public Health Engineering Sub-Division) Sukkur, for information.
- 11 Copy to Notice Board and Drawing Branch / HC (Local).



EXECUTIVE ENGINEER
EDUCATION WORKS DIVISION
SUKKUR

BIDDING DATA

This Section should be filled in by the Executive Engineer Education Works Division Sukkur, before issuance of the Bidding Documents.

- (a) Name of Procuring Agency Executive Engineer, Education Works Division Sukkur
- (b) Brief Discription of Works CONSTRUCTION OF DISPENSARY AT VILLAGE
DHAKHANO MAIN STOP TALUKA ROHRI.
- (c) Procuring Agency Address Near Shikarpur Phatak Golimar Road Sukkur
- (d) Estimated Cost _____
- (e) Amount of Bid Security _____
- (f) Period of Bid Validity (Days) 28 Days
- (g) Security Deposit (i/c bid Security) _____
- (h) Percentage, if any, to be deducted from bills 8%
- (i) Deadlines for submission of bids along with times 01.10.2015 (1:00 PM)
- (j) Venue, Time and Date of Bid Opening 02.10.2015 (2:00 PM)
- (k) Time for completion from written order of commences 12 Months
- (L) Liquidity Demages -
- (m) Deposit Receipt _____ Date _____ Amount _____
- (n) D.R No. _____ Date _____ Amount _____
- (o) Tender Issued to (Mr. / M/S) _____


DIVISIONAL ACCOUNTS OFFICER
EDUCATION WORKS DIVISION
SUKKUR


EXECUTIVE ENGINEER
EDUCATION WORKS DIVISION
SUKKUR

BILL OF QUANTITIES

Discription and Rate of Items based on Composite Schedule of Rates

NAME OF WORK :- CONSTRUCTION OF DISPENSARY AT VILLAGE DHAKHANO MAIN STOP TALUKA ROHRI.

Item No.	Quantities	Description of item to be executed at site	Rate	Units	Amount
PART "A" SCHEDULE ITEMS					
1	2,811	Excavtion in foundation of Building Bridges and other structures including dagbelling dressing,refilling around structrure with excavated earth Watering and ramming lead upto 5 ft (b) in ordinary soil (C.S.I No:18 (b)P.4)	3,176.25	%0Cft	8,928
2	1,180	Cement concrete brick or stone ballast 1 1/2" to 2" guage ratio 1:4:8 (C.S.I No: 4 (b) Page No:15)	9,416.28	%Cft	111,112
3	2,775	Pacca brick work in foundation and plinth in cement sand mortor ratio 1:6(C.S.I No:4 (e) P.21).	11,948.36	%Cft	331,567
5	851	Reinforced cement concrete work including all labour and material except the cost of steel reinforcement and its labour for bending and binding which will be paid sepretey this rate also includes all kinds of forms moulds:lifting shuttering curing rending and finishing the exposed surface (including screening and washing of shingle) (a) RC work in slabe bams columns rafts lintels and other structural members laid in situ or pre cost laid in position complete in all respects. (l)Ratio (1:2:4) 90 Lbs cement 2 Cft. sand 4 Cft . shingle 1/8" to 1/4" guage.(C.S.I No:6 A (1) P.17).	337.00	P.Cft	286,787
6	37,991	Fabrication of Tor steel reinfocement for cement concrete including cutting bending and laying in position making joints and fastings including cost of binding wire also includes removal of rust from bars (C.S.I No:8 B P.17).	5,001.70	P.Cwt	190,020
B	3,799	Fabrication of Mild steel reinfocement for cement concrete including cutting bending and laying in position making joints and fastings including cost of binding wire also includes removal of rust from bars (C.S.I No:8 A P.17).	4820.20	P.Cwt	18,312
6	1,874	Filling watering and raming earth in floor with surplus from foundation lead upto one chain and lift upto 5ft. (C.S.I No: 21 P.4).	1,512.50	%0Cft	2,834
7	997	Filling watering and raming earth under floor with new earth excavated from outside lead upto on chain and lift upto 5ft. (C.S.I No: 22 P.4).	3,630.00	%0Cft	3,619
8	997	Extra lead three miles	579.41	%Cft	5,777
9	2,121	Pacca brick work in ground floor in cement sand mortor ratio: (C.S.I No: 5 (e) Page No: 21)	12,674.36	%Cft	268,823
10	791	Pacca brick work other then building including stricking of joints up to feet height (C.S.I No: 7 (e) Page No: 22)	12,346.65	%Cft	97,662
11	6,908	Cement plaster upto 20' height 1/2" thick rario 1:6 (C.S.I No: 13 (b)Page No: 52).	2,206.60	%Sft	152,432
12	6,908	Cement plaster upto 20' height 3/8" thick rario 1:4 (C.S.I No: 11 (a) Page No: 52).	2,197.52	%Sft	151,805
13	3,374	Cement pointing strucking of joints of walls ratio 1:2 (C.S.I No: 19 (a) Page. 53)	1,287	%Sft	43,438
14	188	Providing and fixing G.I frames /Chowkates 7"2" or 4 1/2" x 3" for door using 20 guage G.I sheet i/c welded hinges and fixing at site with necessary hols fast filling with cement sand slurry of ration 1:6 and repairing the jambs. Cost also i/c all carrage tools and plants used in making and fixing (C.S.I No:29 P.93).	228.90	P.Rft	43,033
15	212	Providing and fixing G.I frames /Chowkates 7"2" or 4 1/2" x 3" for windows using 20 guage G.I sheet i/c welded hinges and fixing at site with necessary hols fast filling with cement sand slurry of ratio 1:6 and repairing the janbs. Cost also i/c all carrage tools and plants used in making and fixing (C.S.I No:28 P.93).	240.50	P.Rft	50,986
16	152	Suppling and fixing in position iron steel grill of 3/4"x 1/4" size flate iron of approved design i/c painting three coats etcomplete weightg not less than 3.7 lbs of finshed grill (C.S.I No:26 P.93).	180.50	P.Sft	27,436
17	424	First class deodar wood wrought joinery in doors and windos etcfied inosition i/c in chwoakts holds fasts hings iron tower bolts chowks cleats handles and cards with hooks etc Deodar paneled or paned are fully glazed 1/3/4"only shutter (C.S.I No:7 (b) P.58).	902.93	P.Sft	382,842

Item No.	Quantities	Description of item to be executed at site	Rate	Units	Amount
18	1,595	Providing and lying 2" thick topping cement concrete 1:2:4. Including surface finishing dividing into panels(C.S.I No:16 (c) P-42) .	3,275.50	%Sft	52,244
19	190	Cement Concrete plain including placing compacting finishing and curing complete including screening complete and washing of stone aggregate without shuttering Ratio: 1:2:4. (C.S.I No. 5 (f) Page No:16)	14,429.25	%Cft	27,416
20	2,164	Laying mosaic topping 1/2" thick in pannels of approved any pattern of one part of white cement to two parts of marble chips of required shade and size and of approved pigment in the ratio of 1: 12 of cement used in topping including rubbing and polishing etc. complete.	12,316.49	%Sft	266,529
21	75	Laying floor of approved with glazed tile 1/4" thick in white cement 1:2 over 3/4" thick cement mortar 1:2 complete (C.S.I No:24 P-43) .	27,678.86	%Sft	20,759
22	300	White glazed tile 14" thick dado jointed in white cement and laid over 1:2 cement sand mortar 3/4 " thick including finishing (C.S.I No:37 P-45) .	28,253.61	%Sft	84,761
23	70	Making & fixing steel grated door with 1/16" thick sheeting including angle iron frame 2" x 2" 3/8"and 3/4" square bars 4" centre to centre with locking arrangement. (C.S.I No:24 P-92)	726.72	P.Sft	50,870
24	400	P/F Fixing paving blocks flooring having size of 197x97x80 (mm) of city / guddra / cobble shape with pigmented having strength b/w 5000 psi to 8500 psi i/c filling the joints with hill sand and laying in specified manner / pattern and design etc complete (C.S.I No. 74 P-50) .	248.17	P.Sft	99,268
25	28.071	S/F Girder at Site of Work	3,850.00	P.Cwt	108,073
26	27.598	S/F T.Iron at Site of Work	3,575.00	P.Cwt	98,663
27	55.669	Erection rooled steel beam or old rails in roof etc erection and fixing in position (C.S.I No:6 P-91).	186.34	P.Cwt	10,373
28	1,297	1st class tiles roofing consisting of 4"earth and 1" mud plaster with leeping over 1/2"thick cement plaster 1:6 with 34 lbs of hot bitumen coating sand blinded provided over one layer of 12"x6"x1"1/4 tiles laid in 1"6 cement mortar including 1:2 cement pointing under neath of tiles complete including curing etc (C.S.I No:1 P.33).	11,443.10	%Sft	148,417
25	1,416	White wash three coats (C.S.I No:26 (c) P-54).	829.95	%Sft	11,752
26	6,908	Primary coat of chalk under destember (C.S.I No:23 P-54).	442.75	%Sft	30,585
27	6,908	Destember three coats (C.S.I No:24 (c) P-54).	1,079.65	%Sft	74,582
28	3,374	Colour washing two coats (C.S.I No:25 (b) P-54).	859.90	%Sft	29,013
29	914	Painting new surface, and painting of doors and windows any type (i/c edges) 3 coats (C.S.I No:4 (c) P-76).	2,116.41	%Sft	19,344
30	1,491	Painting guard bars gats iron bars grating railing including standard braces etc and smiller open work three coat (C.S.I No:4 (d) (ii) P-70).	1,270.83	%Sft	18,948
				TOTAL :-	3,329,012

PART "B" SCHEDULE ITEMS

1	2	Providing & fixing squating type white glazed of flushe cisten with internal fitting&flush pippe with bend and making requesite numbers of holes in wall plinth & floor for pipe conection & making good in cement concrete 1:2:4. W.C not less than 19" clear opening between flushing rims and 3 gallons flushing tank with4" dia C.I trap with C.I thumble. (S.I No:1 (b) i P-No:1)	4802.60	Each	9,605
2	2	Providing & fixing 24" x 18" lavatory basin in white glazed earthen ware complete with & l/c the cost of W.I or C.I cantilever brackets 6 inches built into wall, painted white in two coast after a primary coat of red lead paint, a pair of 1/2" dia rubber plug & chrome plate brass chain 1-1/4" dia malleable iron or c.P brass traps malleable iron or brass unions and making requisite number of holes in walls, plinth & floor for pipe connection and making good in cement concrete 1: 2: 4 (Standard pattern). (S.I No:8 P-No:3).	4253.70	Each	8,507
3	2	Add: extra labour for providing and fixing of earthen wire padestle whiute or colored glass standared pattern (S.I No:9 P-No:3) .	938.47	Each	1,877
4	4	P/F in position nyloon connections complete with 1/2"dia brass stop cock with pair of brass nuts and lining joints to nyloon connection (S.I No:23 P-No:6).	447.15	Each	1,789
5	2	P/F 6" x 4" c.c gully trap with 4" dia out let complete with 4" thick 1:2:4 c.c for bed and 1/2" thick cement plaster 1:3 to the karb c.I caning 6" x 6" and c.I cover and frame 12" x 12" in side etc complete (S.I No:1(a-i) P-No:21).	1193.17	Each	2,386

Item No.	Quantities	Description of item to be executed at site	Rate	Units	Amount
6		RCC pipe with collar class "B" and didding the traches to the required depth an fixing in positin l/c cutting fitting and jointing with max phalt composition and cemen mtor 1:1 and testing with water presure to head of 4 Ft aboe the top of the heigh			
	50	4"dia	146.57	P.Rft	7,329
	100	6"dia	199.25	P.Rft	19,925
7	2	Providing & fixing 6" x 2" or 6" x 3" C.I floor trap of the approved self cleaning design with a C.I screwed down grating with or without a vent arm complete with & l/c making requisite number of holes in walls, plinth & floor for Pipe connections & making good cement concrete 1:2:4. (S.I No.. 20 Page No.3).	2042.43	P.Rft	4,085
8		Providing G.I Pipes, specials, and clamps etc, including fixing cutting & fitting complete with and l/c the cost of breaking thorough walls and roof, making good etc. painting two coats after cleaning the Pipe etc. with white zink paint with pigment to match the colour5 of the building and testing with water to a pressure head of 200 feet and handling. (SI No. 1 Page No.12)			
i	100	1/2"dia	73.21	P.Rft	7,321
ii	50	3/4"dia	95.79	P.Rft	4,790
iii	50	1"dia	128.55	P.Rft	6,428
9		Add : Extra labor for concealed G.I pipe and Fitting i/c making recess in the wall for pipe and making good in Cement motor etc Complete			
	100	1/2" dia	7.82	P.Rft	782
	50	3/4" dia	8.45	P.Rft	423
10		Providing and fixing full way gun metal valves with wheels threaded or flanged ends with rubber washing (b) standared pattern (Note standared Manufacture by M/S Anwar Mechanical works (S.I No:4 (b) P-No:17).			
	2	1/2"dia	161.92	Each	324
	2	3/4 dia	227.92	Each	456
11	3	S/F cancelled stop cock of superior quality with crystal head head 1/2" dia (S.I No:11 (b) P-No:18).	478.28	Each	1,435
12	6	S/F long bib cock of crystal head with c.p head1/2" dia (S.I No:13 (b) P-No:19).	1109.46	Each	6,657
13	3	S./F wash been mixture of superior quality with c.p head 1/2" dia with crystal head (S.I No:16 (b) P-No:15).	2882.00	Each	8,646
14	3	S/F Swan type Pillars Cock of supreior quality with arvstal Head.	795.30	Each	2,386
15	1	Supplying & fixing Bath room accessories set (7 pieces l/c towel rod, brush hlder, soap tray, shelf of approved quality and design etc complete. (Si No: 22 P-No:19)	8122.40	Each	8,122
16		P/F handle values (China) (S.I No:7 P-No:14).			
ii	2	3/4" dia	271.92	Each	544
iii	2	1" dia	365.42	Each	731
17		Supplying & fixing fibre glass tank of approved quality and design and wall thicness as specified l/c cost of nutes, bolts and fixing in plateform of cement concrete 1: 3: 6 and makin connections for in -let ,& ou-let & over flow pipes etc. complete.			
A	1	250 Gallons	21989.61	Each	21,990
18	1	P/F piston pump set 1 H.P single phase 220 valts with 1/1/4" x 1/1/4" suction and delivery (Local made) (Electric)	16500.00	Each	16,500
TOTAL :-					143,035

Amount Total (CSR)

Part "A" % Above / Below _____


Total Amount _____

Part "B" % Above / Below _____

Total Amount _____

Total "A+B" _____

CONTRACTOR



 EXECUTIVE ENGINEER
 EDUCATION WORKS DIVISION
 BUKKUR

BIDDING DATA

This Section should be filled in by the Executive Engineer Education Works Division Sukkur, before issuance of the Bidding Documents.

- (a) Name of Procuring Agency Executive Engineer, Education Works Division Sukkur
- (b) Brief Discription of Works CONSTRUCTION OF DISPENSARY AT VILLAGE
DHAKHANO MAIN STOP TALUKA ROHRI.
(INTERNAL ELECTRIFICATION)
- (c) Procuring Agency Address Near Shikarpur Phatak Golimar Road Sukkur
- (d) Estimated Cost _____
- (e) Amount of Bid Security _____
- (f) Period of Bid Validity (Days) 28 Days
- (g) Security Deposit (i/c bid Security) _____
- (h) Percentage, if any, to be deducted from bills 8%
- (i) Deadlines for submission of bids along with times 01.10.2015 (1:00 PM)
- (j) Venue, Time and Date of Bid Opening 02.10.2015 (2:00 PM)
- (k) Time for completion from written order of commences 12 Months
- (L) Liquidity Damages -
- (m) Deposit Receipt _____ Date _____ Amount _____
- (n) D.R No. _____ Date _____ Amount _____
- (o) Tender Issued to (Mr. / M/S) _____


DIVISIONAL ACCOUNTS OFFICER
EDUCATION WORKS DIVISION
SUKKUR


EXECUTIVE ENGINEER
EDUCATION WORKS DIVISION
SUKKUR

BILL OF QUANTITIES

Discription and Rate of Items based on Composite Schedule of Rates

NAME OF WORK :- CONSTRUCTION OF DISPENSARY AT VILLAGE DHAKHANO MAIN STOP TALUKA ROHRI. (INTERNAL ELECTRIFICATION)

Item No.	Quantities	Description of item to be executed at site	Rate	Units	Amount
<u>PART "A" SCHEDULE ITEMS</u>					
1	35	Wiring for light or fan point with 3/.029 PVCinsulated wire in 20mm (3/4") channel patti on surface as required (S.No. 129 P-15).	910	per point	31,850
2	8	Wiring for plug point with 3/.029 PVC insulated wire in 20mm (3/4") channel patti on surface as required (S.I.No:130 P- No:15)	742	per point	5,936
3	2	Wiring for call bell point with 3/.029 PVC insulated wire in 20mm (3/4") channel patti on surface as required. (S.I.No:131 P- No:15)	1,590	per point	3,180
4	100	Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-7/.029 copper conductor in 3/4" dia PVC conduit on surface	171	P.Mtr	17,100
5	50	Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-7/.036 (4mm ²) copper conductor in 3/4" dia PVC conduit on surface.	200	per Meter	10,000
9	99	Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-7/.044 (6mm ²) copper conductor in 1" dia PVC conduit on surface	305	P.Mtr	30,195
7	35	Providing & fixing one way SP 5amp switch flush type	54	P.No	1,890
8	8	Providing & fixing two pin 5amp plug & socket	83	P.No	664
9	14	Providing & fixing three pin 10/15amp plug & socket flush type	151	P.No	2,114
10	10	Providing & fixing circuit breaker 6,10,15,20, 30,40,50 & 63amp SP (TB-5S) on prepared board as required	916	P.No	9,160
11	1	Providing & fixing circuit breaker 3,5,10,15,20 & 30amp TP (XS-30NS[NB]) on prepared board as required	5,301	P.No	5,301
12	9	Providing & fixing Bakelite ceiling rose with two terminals	72	P.No	648
13	19	Providing & fixing Brass Battern holder c(S.I.No:232 P- No:33)	70	P.No	1,330
14	9	Providing & fixing Brass Ceiling fan 56" (good quality)	3,185	P.No	28,665
15	50	Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-7/.052 (10 mm ²) copper conductor in 1" dia PVC conduit on surface:	428	P.Mtr	21,400
TOTAL :-					169,433

<u>PART "B" SCHEDULE ITEMS</u>					
1	5	P/F distribution metal board double shutter to accommodate circuit breakers including painting with enamel paint and for other simmlar job on surface (S.I.No:18 P- No:13)	1,426	P.Sft	7,132
2	9	P/F mild steel bar fan clamp 15.8 mm (5/8")dia suitable for RCC roof (S.I.No:1 (c) P- No:14)	141	Each	1,269
3	5	P/F wall bracket light fancy type superior quality including necessary electric connection and fixing on wall oe ceiling etc complete.(S.I.No:5 P- No:33)	497	Each	2,485
3	19	P/Fenergy sever superior quality including fixing on existing holder etc complete.(S.I.No:6 P- No:33)	497	Each	9,443
4	2	P/F AC or DC electric bell 200/250 volt 70MM. (S.I.No:21 P- No:11)	151	Each	301
5	2	P/F flush type electric bell bush button (S.I.No:23 P- No:12)	25	Each	50
6	1	P/F earthing set with 2x2x1/4" cooper plate burried in groud at a depth of 12" or less if water comes out from the ground level with salt and chorcoal .etc,in/c.making the pit 12" deep by excavation of all type of soil. Earth plat to be connected with No:8	3,610	Each	3,610
7	9	P/F A.C ceiling fan regulator on metal board recessed in the walls column and covered with plastic sheet (S.I.No:2b P- No:14)	124	Each	1,119
TOTAL :-					25,409

Amount Total (CSR)

Part "A" % Above / Below _____


Total Amount _____

Part "B" % Above / Below _____

Total Amount _____

Total "A+B" _____


CONTRACTOR



 EXECUTIVE ENGINEER
 EDUCATION WORKS DIVISION
 SUKKUR

BIDDING DATA

This Section should be filled in by the Executive Engineer Education Works Division Sukkur, before issuance of the Bidding Documents.

- (a) Name of Procuring Agency Executive Engineer, Education Works Division Sukkur
- (b) Brief Discription of Works CONSTRUCTION OF DISPENSARY AT VILLAGE ALI MURAD AT KALMI QURAN STOP SALEH PAT ROAD UC LAL JURIO STOP 212 TALUKA SALEH PAT.
- (c) Procuring Agency Address Near Shikarpur Phatak Golimar Road Sukkur
- (d) Estimated Cost _____
- (e) Amount of Bid Security _____
- (f) Period of Bid Validity (Days) 28 Days
- (g) Security Deposit (i/c bid Security) _____
- (h) Percentage, if any, to be deducted from bills 8%
- (i) Deadlines for submission of bids along with times 01.10.2015 (1:00 PM)
- (j) Venue, Time and Date of Bid Opening 02.10.2015 (2:00 PM)
- (k) Time for completion from written order of commences 12 Months
- (L) Liquidity Demages _____
- (m) Deposit Receipt _____ Date _____ Amount _____
- (n) D.R No. _____ Date _____ Amount _____
- (o) Tender Issued to (Mr./ M/S) _____


DIVISIONAL ACCOUNTS OFFICER
EDUCATION WORKS DIVISION
SUKKUR


EXECUTIVE ENGINEER
EDUCATION WORKS DIVISION
SUKKUR

BILL OF QUANTITIES

Discription and Rate of Items based on Composite Schedule of Rates

NAME OF WORK :- CONSTRUCTION OF DISPENSARY AT VILLAGE ALI MURAD AT KALMI QURAN STOP SALEH PAT ROAD UC LAL JURIO STOP 212 TALUKA SALEH PAT.

Item No.	Quantities	Description of item to be executed at site	Rate	Units	Amount
<u>PART "A" SCHEDULE ITEMS</u>					
1	2,811	Excavtion in foundation of Building Bridges and other structures including dagbelling dressing,refilling around structurure with excavated earth Watering and ramming lead upto 5 ft (b) in ordinary soil (C.S.I No:18 (b)P.4)	3,176.25	%0Cft	8,928
2	1,180	Cement concrete brick or stone ballast 1 1/2" to 2" guage ratio 1:4:8 (C.S.I No: 4 (b) Page No:15)	9,416.28	%Cft	111,112
3	2,775	Pacca brick work in foundation and plinth in cement sand mortor ratio 1:6(C.S.I No:4 (e) P.21).	11,948.36	%Cft	331,567
5	851	Reinforced cement concrete work including all labour and material except the cost of steel reinforcement and its labour for bending and binding which will be paid sepreteley this rate also includes all kinds of forms moulds:lifting shuttering curing rending and finishing the exposed surface (including screening and washing of shingle) (a) RC work in slabe bams columns rafts lintels and other structural members laid in situ or pre cost laid in position complete in all respects. (l)Ratio (1:2:4) 90 Lbs cement 2 Cft. sand 4 Cft . shingle 1/8" to 1/4" guage.(C.S.I No:6 A (1) P.17).	337.00	P.Cft	286,787
6	37.991	Fabrication of Tor steel reinforcement for cement concrete including cutting bending and laying in position making joints and fastings including cost of binding wire also includes removal of rust from bars (C.S.I No:8 B P.17).	5,001.70	P.Cwt	190,020
B	3.799	Fabrication of Mild steel reinforcement for cement concrete including cutting bending and laying in position making joints and fastings including cost of binding wire also includes removal of rust from bars (C.S.I No:8 A P.17).	4820.20	P.Cwt	18,312
6	1,874	Filling watering and raming earth in floor with surplus from foundation lead upto one chain and lift upto 5ft. (C.S.I No: 21 P.4).	1,512.50	%0Cft	2,834
7	997	Filling watering and raming earth under floor with new earth excavated from outside lead upto on chain and lift upto 5ft. (C.S.I No: 22 P.4).	3,630.00	%0Cft	3,619
8	997	Extra lead three miles	579.41	%Cft	5,777
9	2,121	Pacca brick work in ground floor in cement sand mortor ratio: (C.S.I No: 5 (e) Page No: 21)	12,674.36	%Cft	268,823
10	791	Pacca brick work other then building including stricking of joints up to feet height (C.S.I No: 7 (e) Page No: 22)	12,346.65	%Cft	97,662
11	6,908	Cement plaster upto 20' height 1/2" thick rario 1:6 (C.S.I No: 13 (b)Page No: 52).	2,206.60	%Sft	152,432
12	6,908	Cement plaster upto 20' height 3/8" thick rario 1:4 (C.S.I No: 11 (a) Page No: 52).	2,197.52	%Sft	151,805
13	3,374	Cement pointing strucking of joints of walls ratio 1:2 (C.S.I No: 19 (a) Page. 53)	1,287	%Sft	43,438
14	188	Providing and fixing G.I frames /Chowkates 7"2" or 4 1/2" x 3" for door using 20 guage G.I sheet i/c welded hinges and fixing at site with necessary hols fast filling with cement sand slurry of ration 1:6 and repairing the jambs. Cost also i/c all carrage tools and plants used in making and fixing (C.S.I No:29 P.93).	228.90	P.Rft	43,033
15	212	Providing and fixing G.I frames /Chowkates 7"2" or 4 1/2" x 3" for windows using 20 guage G.I sheet i/c welded hinges and fixing at site with necessary hols fast filling with cement sand slurry of ratio 1:6 and repairing the janbs. Cost also i/c all carrage tools and plants used in making and fixing (C.S.I No:28 P.93).	240.50	P.Rft	50,986
16	152	Suppling and fixing in position iron steel grill of 3/4"x 1/4" size flate iron of approved design l/c painting three coats etcomplete weightg not less than 3.7 lbs of finished grill (C.S.I No:26 P.93).	180.50	P.Sft	27,436
17	424	First class deodar wood wrought joinery in doors and windos etcfied inosition l/c in chwoakts holds fasts hings iron tower bolts chowks cleats handles and cards with hooks etc Deodar paneled or paned are fully glazed 1/3/4"only shutter (C.S.I No:7 (b) P.58).	902.93	P.Sft	382,842

Item No.	Quantities	Description of item to be executed at site	Rate	Units	Amount
18	1,595	Providing and lying 2" thick topping cement concrete 1:2:4. Including surface finishing dividing into panels(C.S.I No:16 (c) P-42) .	3,275.50	%Sft	52,244
19	190	Cement Concrete plain including placing compacting finishing and curing complete including screening complete and washing of stone aggregate without shuttering Ratio: 1:2:4. (C.S.I No. 5 (f) Page No:16)	14,429.25	%Cft	27,416
20	2,164	Laying mosaic topping 1/2" thick in pannels of approved any pattern of one part of white cement to two parts of marble chips of required shade and size and of approved pigment in the ratio of 1: 12 of cement used in topping including rubbing and polishing etc. complete.	12,316.49	%Sft	266,529
21	75	Laying floor of approved with glazed tile 1/4" thick in white cement 1:2 over 3/4: thick cement mortar 1:2 complete (C.S.I No:24 P-43) .	27,678.86	%Sft	20,759
22	300	White glazed tile 14" thick dado jointed in white cement and laid over 1:2 cement sand mortar 3/4 " thick including finishing (C.S.I No:37 P-45) .	28,253.61	%Sft	84,761
23	70	Making & fixing steel grated door with 1/16" thick sheeting including angle iron frame 2" x 2" 3/8"and 3/4" square bars 4" centre to centre with locking arrangement. (C.S.I No:24 P-92)	726.72	P.Sft	50,870
24	400	P/F Fixing paving blocks flooring having size of 197x97x80 (mm) of city / guddra / cobble shape with pigmented having strength b/w 5000 psi to 8500 psi i/c filling the joints with hill sand and laying in specified manner / pattern and design etc complete (C.S.I No. 74 P-50).	248.17	P.Sft	99,268
25	28.071	S/F Girder at Site of Work	3,850.00	P.Cwt	108,073
26	27.598	S/F T.Iron at Site of Work	3,575.00	P.Cwt	98,663
27	55.669	Errection rooled steel beam or old rails in roof etc errection and fixing in position (C.SI No:6 P-91).	186.34	P.Cwt	10,373
28	1,297	1st class tiles roofing consisting of 4"earth and 1" mud plaster with leeping over 1/2"thick cement plaster 1:6 with 34 lbs of hot bitumen coating sand blinded provided over one layer of 12"x6"x1"1/4 tiles laid in 1"6 cement mortar including 1:2 cement pointing under neath of tiles complete including curing etc (C.S.I No:1 P.33).	11,443.10	%Sft	148,417
25	1,416	White wash three coats (C.S.I No:26 (c) P-54).	829.95	%Sft	11,752
26	6,908	Primary coat of chalk under destember (C.S.I No:23 P-54).	442.75	%Sft	30,585
27	6,908	Destember three coats (C.S.I No:24 (c) P-54).	1,079.65	%Sft	74,582
28	3,374	Colour washing two coats (C.S.I No:25 (b) P-54).	859.90	%Sft	29,013
29	914	Painting new surface, and paiting of doors and windows any type (i/c edges) 3 coats (C.S.I No:4 (c) P-76).	2,116.41	%Sft	19,344
30	1,491	Painting guard bars gats iron bars grating railing including standard braces etc and smiller open work three coat (C.S.I No:4 (d) (ii) P-70).	1,270.83	%Sft	18,948
TOTAL :-					3,329,012

PART "B" SCHEDULE ITEMS

1	2	Providing & fixing squatting type white glazed of flushe cisten with internal fitting&flush pippe with bend and making requesite numbers of holes in wall plinth & floor for pipe conection & making good in cement concrete 1:2:4. W.C not less than 19" clear opening between flushing rims and 3 gallons flushing tank with 4" dia C.I trap with C.I thumble. (S.I No:1 (b) i P-No:1)	4802.60	Each	9,605
2	2	Providing & fixing 24" x 18" lavatory basin in white glazed earthen ware complete with & l/c the cost of W.I or C.I cantilever brackets 6 inches built into wall, painted white in two coast after a primary coat of red lead paint, a pair of 1/2" dia rubber plug & chrome plate brass chain 1-1/4" dia malleable iron or c.P brass traps malleable iron or brass unions and making requisite number of holes in walls, plinth & floor for pipe connection and making good in cement concrete 1: 2: 4 (Standard pattern). (S.I No:8 P-No:3).	4253.70	Each	8,507
3	2	Add: extra labour for providing and fixing of earthen wire padestle whiute or colored glass standared pattern (S.I No:9 P-No:3) .	938.47	Each	1,877
4	4	P/F in position nyloon connections complete with 1/2"dia brass stop cock with pair of brass nuts and lining joints to nyloon connection (S.I No:23 P-No:6).	447.15	Each	1,789
5	2	P/F 6" x 4" c.c gully trap with 4" dia out let complate with 4" thick 1:2:4 c.c for bed and 1/2" thick cement plaster 1:3 to the karb c.l caning 6" x 6" and c.l cover and frame 12" x 12" in side etc complete (S.I No:1(a-i) P-No:21).	1193.17	Each	2,386

Item No.	Quantities	Description of item to be executed at site	Rate	Units	Amount
6		RCC pipe with color class "B" and didding the traches to the required depth an fixing in positin l/c cutting fitting and jointing with max phalt composition and cemen mortor 1:1 and testing with water presure to head of 4 Ft aboe the top of the heigh			
	50	4"dia	146.57	P.Rft	7,329
	100	6"dia	199.25	P.Rft	19,925
7	2	Providing & fixing 6" x 2" or 6" x 3" C.I floor trap of the approved self cleaning design with a C.I screwed down grating with or without a vent arm complete with & l/c making requisite number of holes in walls, plinth & floor for Pipe connections & making good cement concrete 1:2:4. (S.I No. 20 Page No.3).	2042.43	P.Rft	4,085
8		Providing G.I Pipes, specials, and clamps etc, including fixing cutting & fitting complete with and l/c the cost of breaking thorough walls and roof, making good etc. painting two coats after cleaning the Pipe etc. with white zink paint with pigment to match the colour5 of the building and testing with water to a pressure head of 200 feet and handling. (SI No. 1 Page No.12)			
i	100	1/2"dia	73.21	P.Rft	7,321
ii	50	3/4"dia	95.79	P.Rft	4,790
iii	50	1"dia	128.55	P.Rft	6,428
9		Add : Extra labor for concealed G.I pipe and Fitting i/c making recess in the wall for pipe and making good in Cement motor etc Complete			
	100	1/2" dia	7.82	P.Rft	782
	50	3/4" dia	8.45	P.Rft	423
10		Providing and fixing full way gun metal values with wheels threaded or flanged ends with rubber washing (b) standared pattern (Note standared Manufacture by M/S Anwar Mechanical works (S.I No:4 (b) P-No:17).			
	2	1/2"dia	161.92	Each	324
	2	3/4 dia	227.92	Each	456
11	3	S/F cancelled stop cock of superior quality with crystal head head 1/2" dia (S.I No:11 (b) P-No:18).	478.28	Each	1,435
12	6	S/F long bib cock of crystal head with c.p head 1/2" dia (S.I No:13 (b) P-No:19).	1109.46	Each	6,657
13	3	S/F wash been mixture of superior quality with c.p head 1/2" dia with crystal head (S.I No:16 (b) P-No:15).	2882.00	Each	8,646
14	3	S/F Swan type Pillars Cock of supreior quality with arvstal Head.	795.30	Each	2,386
15	1	Supplying & fixing Bath room accessories set (7 pieces l/c towel rod, brush hloder, soap tray, shelf of approved quality and design etc complete. (Si No: 22 P-No:19)	8122.40	Each	8,122
16		P/F handle values (China) (S.I No:7 P-No:14).			
ii	2	3/4" dia	271.92	Each	544
iii	2	1" dia	365.42	Each	731
17		Supplying & fixing fibre glass tank of approved quality and design and wall thicness as specified l/c cost of nutes, bolts and fixing in plateform of cement concreete 1: 3: 6 and makin connections for in -let ,& ou-let & over flow pipes etc. complete.			
A	1	250 Gallons	21989.61	Each	21,990
18	1	P/F piston pump set 1 H.P single phase 220 valts with 1/1/4" x 1/1/4" suction and delivery (Local made) (Electric)	16500.00	Each	16,500
				TOTAL :-	143,035

Amount Total (CSR)

Part "A" % Above / Below _____


Total Amount _____

Part "B" % Above / Below _____

Total Amount _____

Total "A+B" _____


CONTRACTOR



EXECUTIVE ENGINEER
EDUCATION WORKS DIVISION
SUKKUR

BIDDING DATA

This Section should be filled in by the Executive Engineer Education Works Division Sukkur, before issuance of the Bidding Documents.

- (a) Name of Procuring Agency Executive Engineer, Education Works Division Sukkur
- (b) Brief Discription of Works CONSTRUCTION OF DISPENSARY AT VILLAGE ALI MURAD AT KALMI QURAN STOP SALEH PAT ROAD UC LAL JURIO STOP 212 TALUKA SALEH PAT. (INTERNAL ELECTRIFICATION)
- (c) Procuring Agency Address Near Shikarpur Phatak Golimar Road Sukkur
- (d) Estimated Cost _____
- (e) Amount of Bid Security _____
- (f) Period of Bid Validity (Days) 28 Days
- (g) Security Deposit (i/c bid Security) _____
- (h) Percentage, if any, to be deducted from bills 8%
- (i) Deadlines for submission of bids along with times 01.10.2015 (1:00 PM)
- (j) Venue, Time and Date of Bid Opening 02.10.2015 (2:00 PM)
- (k) Time for completion from written order of commences 12 Months
- (L) Liquidity Damages _____
- (m) Deposit Receipt _____ Date _____ Amount _____
- (n) D.R No. _____ Date _____ Amount _____
- (o) Tender Issued to (Mr./ M/S) _____


DIVISIONAL ACCOUNTS OFFICER
EDUCATION WORKS DIVISION
SUKKUR


EXECUTIVE ENGINEER
EDUCATION WORKS DIVISION
SUKKUR

BILL OF QUANTITIES

Discription and Rate of Items based on Composite Schedule of Rates

NAME OF WORK :- CONSTRUCTION OF DISPENSARY AT VILLAGE ALI MURAD AT KALMI QURAN STOP SALEH PAT ROAD UC LAL JURIO STOP 212 TALUKA SALEH PAT. (INTERNAL ELECTRIFICATION)

Item No.	Quantities	Description of item to be executed at site	Rate	Units	Amount
<u>PART "A" SCHEDULE ITEMS</u>					
1	35	Wiring for light or fan point with 3/029 PVCinsulated wire in 20mm (3/4") channel patti on surface as required (S.No. 129 P-15).	910	per point	31,850
2	8	Wiring for plug point with 3/029 PVC insulated wire in 20mm (3/4") channel patti on surface as required (S.I.No:130 P- No:15)	742	per point	5,936
3	2	Wiring for call bell point with 3/029 PVC insulated wire in 20mm (3/4") channel patti on surface as required. (S.I.No:131 P- No:15)	1,590	per point	3,180
4	100	Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-7/029 copper conductor in 3/4" dia PVC conduit on surface	171	P.Mtr	17,100
5	50	Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-7/036 (4mm ²) copper conductor in 3/4" dia PVC conduit on surface.	200	per Meter	10,000
9	99	Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-7/044 (6mm ²) copper conductor in 1" dia PVC conduit on surface	305	P.Mtr	30,195
7	35	Providing & fixing one way SP 5amp switch flush type	54	P.No	1,890
8	8	Providing & fixing two pin 5amp plug & socket	83	P.No	664
9	14	Providing & fixing three pin 10/15amp plug & socket flush type	151	P.No	2,114
10	10	Providing & fixing circuit breaker 6,10,15,20, 30,40,50 & 63amp SP (TB-5S) on prepared board as required	916	P.No	9,160
11	1	Providing & fixing circuit breaker 3,5,10,15,20 & 30amp TP (XS-30NS[NB]) on prepared board as required	5,301	P.No	5,301
12	9	Providing & fixing Bakelite ceiling rose with two terminals	72	P.No	648
13	19	Providing & fixing Brass Battern holder (S.I.No:232 P- No:33)	70	P.No	1,330
14	9	Providing & fixing Brass Ceiling fan 56" (good quality)	3,185	P.No	28,665
15	50	Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-7/052 (10 mm ²) copper conductor in 1" dia PVC conduit on surface	428	P.Mtr	21,400
TOTAL :-					169,433

<u>PART "B" SCHEDULE ITEMS</u>					
1	5	P/F distribution metal board double shutter to accommodate circuit breakers including painting with enamel paint and for other simmlar job on surface (S.I.No:18 P- No:13)	1,426	P.Stt	7,132
2	9	P/F mild steel bar fan clamp 15.8 mm (5/8")dia suitable for RCC roof (S.I.No:1 (c) P- No:14)	141	Each	1,269
3	5	P/F wall bracket light fancy type superior quality including necessary electric connection and fixing on wall oe ceiling etc complete.(S.I.No:5 P- No:33)	497	Each	2,485
3	19	P/Fenergy sever superior quality including fixing on existing holder etc complete.(S.I.No:6 P- No:33)	497	Each	9,443
4	2	P/F AC or DC electric bell 200/250 volt 70MM. (S.I.No:21 P- No:11)	151	Each	301
5	2	P/F flush type electric bell bush button (S.I.No:23 P- No:12)	25	Each	50
6	1	P/F earthing set with 2x2x1/4" cooper plate burried in groud at a depth of 12" or less if water comes out from the ground level with salt and chorcoal ,etc,in/c.making the pit 12"deep by excavation of all type of soil. Earth plat to be connected with No:8	3,610	Each	3,610
7	9	P/F A.C ceiling fan regulator on metal board recessed in the walls column and covered with plastic sheet (S.I.No:2b P- No:14)	124	Each	1,119
TOTAL :-					25,409

Amount Total (CSR)

Part "A" % Above / Below _____


Total Amount _____

Part "B" % Above / Below _____

Total Amount _____

Total "A+B" _____


CONTRACTOR



EXECUTIVE ENGINEER
EDUCATION WORKS DIVISION
SUUKUR

BIDDING DATA

This Section should be filled in by the Executive Engineer Education Works Division Sukkur, before issuance of the Bidding Documents.

- (a) Name of Procuring Agency Executive Engineer, Education Works Division Sukkur
- (b) Brief Discription of Works CONSTRUCTION OF DISPENSARY AT VILLAGE ALI GOHAR SHAMBHANI GOLAI STOP NEAR JANUJI POLICE STATION TALUKA SALEH PAT.
- (c) Procuring Agency Address Near Shikarpur Phatak Golimar Road Sukkur
- (d) Estimated Cost _____
- (e) Amount of Bid Security _____
- (f) Period of Bid Validity (Days) 28 Days
- (g) Security Deposit (i/c bid Security) _____
- (h) Percentage, if any, to be deducted from bills 8%
- (i) Deadlines for submission of bids along with times 01.10.2015 (1:00 PM)
- (j) Venue, Time and Date of Bid Opening 02.10.2015 (2:00 PM)
- (k) Time for completion from written order of commences 12 Months
- (L) Liquidity Damages _____
- (m) Deposit Receipt _____ Date _____ Amount _____
- (n) D.R No. _____ Date _____ Amount _____
- (o) Tender Issued to (Mr. / M/S) _____


DIVISIONAL ACCOUNTS OFFICER
EDUCATION WORKS DIVISION
SUKKUR


EXECUTIVE ENGINEER
EDUCATION WORKS DIVISION
SUKKUR

BILL OF QUANTITIES

Discription and Rate of Items based on Composite Schedule of Rates

NAME OF WORK :- CONSTRUCTION OF DISPENSARY AT VILLAGE ALI GOHAR SHAMBHANI GOLAI STOP NEAR JANUJI POLICE STATION TALUKA SALEH PAT.

Item No.	Quantities	Description of item to be executed at site	Rate	Units	Amount
PART "A" SCHEDULE ITEMS					
1	2,811	Excavtion in foundation of Building Bridges and other structures including dagbelling dressing,refilling around structrure with excavated earth Watering and ramming lead upto 5 ft (b) in ordinary soil (C.S.I No:18 (b)P.4)	3,176.25	%0Cft	8,928
2	1,180	Cement concrete brick or stone ballast 1 1/2" to 2" guage ratio 1:4:8 (C.S.I No: 4 (b) Page No:15)	9,416.28	%Cft	111,112
3	2,775	Pacca brick work in foundation and plinth in cement sand mortor ratio 1:6(C.S.I No:4 (e) P.21).	11,948.36	%Cft	331,567
5	851	Rein forced cement concrete work including all labour and material except the cost of steel reinforcement and its labour for bending and binding which will be paid sepretey this rate also includes all kinds of forms moulds:lifting shuttering curing rending and finishing the exposed surface (including screening and washing of shingle) (a) RC work in slabe bams columns rafts lintels and other structural members laid in situ or pre cost laid in position complete in all respects. (l)Ratio (1:2:4) 90 Lbs cement 2 Cft. sand 4 Cft . shingle 1/8" to 1/4" guage.(C.S.I No:6 A (1) P.17).	337.00	P.Cft	286,787
6	37,991	Fabrication of Tor steel reinforcement for cement concrete including cutting bending and laying in position making joints and fastings including cost of binding wire also includes removal of rust from bars (C.S.I No:8 B P.17).	5,001.70	P.Cwt	190,020
B	3,799	Fabrication of Mild steel reinforcement for cement concrete including cutting bending and laying in position making joints and fastings including cost of binding wire also includes removal of rust from bars (C.S.I No:8 A P.17).	4820.20	P.Cwt	18,312
6	1,874	Filling watering and raming earth in floor with surplus from foundation lead upto one chain and lift upto 5ft. (C.S.I No: 21 P.4).	1,512.50	%0Cft	2,834
7	997	Filling watering and raming earth under floor with new earth excavated from outside lead upto on chain and lift upto 5ft. (C.S.I No: 22 P.4).	3,630.00	%0Cft	3,619
8	997	Extra lead three miles	579.41	%Cft	5,777
9	2,121	Pacca brick work in ground floor in cement sand mortor ratio: (C.S.I No: 5 (e) Page No: 21)	12,674.36	%Cft	268,823
10	791	Pacca brick work other then building including stricking of joints up to feet height (C.S.I No: 7 (e) Page No: 22)	12,346.65	%Cft	97,662
11	6,908	Cement plaster upto 20' height 1/2" thick rario 1:6 (C.S.I No: 13 (b)Page No: 52).	2,206.60	%Sft	152,432
12	6,908	Cement plaster upto 20' height 3/8" thick rario 1:4 (C.S.I No: 11 (a) Page No: 52).	2,197.52	%Sft	151,805
13	3,374	Cement pointing strucking of joints of walls ratio 1:2 (C.S.I No: 19 (a) Page. 53)	1,287	%Sft	43,438
14	188	Providing and fixing G.I frames /Chowkates 7"2" or 4 1/2" x 3" for door using 20 guage G.I sheet i/c welded hinges and fixing at site with necessary hols fast filling with cement sand slurry of ration 1:6 and repairing the jamb. Cost also i/c all carrage tools and plants used in making and fixing (C.S.I No:29 P.93).	228.90	P.Rft	43,033
15	212	Providing and fixing G.I frames /Chowkates 7"2" or 4 1/2" x 3" for windows using 20 guage G.I sheet i/c welded hinges and fixing at site with necessary hols fast filling with cement sand slurry of ratio 1:6 and repairing the janbs. Cost also i/c all carrage tools and plants used in making and fixing (C.S.I No:28 P.93).	240.50	P.Rft	50,986
16	152	Suppling and fixing in position iron steel grill of 3/4"x 1/4" size flate iron of approved design l/c painting three coats etcomplete weightg not less than 3.7 lbs of finshed grill (C.S.I No:26 P.93).	180.50	P.Sft	27,436
17	424	First class deodar wood wrought joinery in doors and windos etcfied inosition l/c in chwoakts holds fasts hings iron tower bolts chowks cleats handles and cards with hooks etc Deodar paneled or paned are fully glazed 1/3/4"only shutter (C.S.I No:7 (b) P.58).	902.93	P.Sft	382,842

Item No.	Quantities	Description of item to be executed at site	Rate	Units	Amount
18	1,595	Providing and lying 2" thick topping cement concrete 1:2:4. Including surface finishing dividing into panels(C.S.I No:16 (c) P-42) .	3,275.50	%Sft	52,244
19	190	Cement Concrete plain including placing compacting finishing and curing complete including screening complete and washing of stone aggregate without shuttering Ratio: 1:2:4. (C.S.I No. 5 (f) Page No:16)	14,429.25	%Cft	27,416
20	2,164	Laying mosaic topping 1/2" thick in pannels of approved any pattern of one part of white cement to two parts of marble chips of required shade and size and of approved pigment in the ratio of 1: 12 of cement used in topping including rubbing and polishing etc. complete.	12,316.49	%Sft	266,529
21	75	Laying floor of approved with glazed tile 1/4" thick in white cement 1:2 over 3/4: thick cement mortar 1:2 complete (C.S.I No:24 P-43) .	27,678.86	%Sft	20,759
22	300	White glazed tile 14" thick dado jointed in white cement and laid over 1:2 cement sand mortar 3/4 " thick including finishing (C.S.I No:37 P-45) .	28,253.61	%Sft	84,761
23	70	Making & fixing steel grated door with 1/16" thick sheeting including angle iron frame 2" x 2" 3/8"and 3/4" square bars 4" centre to centre with locking arrangement. (C.S.I No:24 P-92)	726.72	P.Sft	50,870
24	400	P/F Fixing paving blocks flooring having size of 197x97x80 (mm) of city / guddra / cobble shape with pigmented having strength b/w 5000 psi to 8500 psi i/c filling the joints with hill sand and laying in specified manner / pattern and design etc complete (C.S.I No. 74 P-50).	248.17	P.Sft	99,268
25	28.071	S/F Girder at Site of Work	3,850.00	P.Cwt	108,073
26	27.598	S/F T.Iron at Site of Work	3,575.00	P.Cwt	98,663
27	55.669	Errrection rooled steel beam or old rails in roof etc errrection and fixing in position (C.SI No:6 P-91).	186.34	P.Cwt	10,373
28	1,297	1st class tiles roofing consisting of 4"earth and 1" mud plaster with leeping over 1/2"thick cement plaster 1:6 with 34 lbs of hot bitumen coating sand blinded provided over one layer of 12"x6"x1"1/4 tiles laid in 1"6 cement mortar including 1:2 cement pointing under neath of tiles complete including curing etc (C.S.I No:1 P.33).	11,443.10	%Sft	148,417
25	1,416	White wash three coats (C.S.I No:26 (c) P-54).	829.95	%Sft	11,752
26	6,908	Primary coat of chalk under destember (C.S.I No:23 P-54).	442.75	%Sft	30,585
27	6,908	Destember three coats (C.S.I No:24 (c) P-54).	1,079.65	%Sft	74,582
28	3,374	Colour washing two coats (C.S.I No:25 (b) P-54).	859.90	%Sft	29,013
29	914	Painting new surface, and paiting of doors and windows any type (i/c edges) 3 coats (C.S.I No:4 (c) P-76).	2,116.41	%Sft	19,344
30	1,491	Painting guard bars gats iron bars grating raling including standard braces etc and smiller open work three coat (C.S.I No:4 (d) (ii) P-70).	1,270.83	%Sft	18,948
				TOTAL :-	3,329,012

PART "B" SCHEDULE ITEMS

1	2	Providing & fixing squatting type white glazed of flushe cisten with internal fitting&flush pippe with bend and making requesite numbers of holes in wall plinth & floor for pipe conection & making good in cement concrete 1:2:4. W.C not less than 19" clear opening between flushing rims and 3 gallons flushing tank with4" dia C.I trap with C.I thumble. (S.I No:1 (b) i P-No:1)	4802.60	Each	9,605
2	2	Providing & fixing 24" x 18" lavatory basin in white glazed earthen ware complete with & l/c the cost of W.I or C.I cantilever brackets 6 inches built into wall, painted white in two coast after a primary coat of red lead paint, a pair of 1/2" dia rubber plug & chrome plate brass chain 1-1/4" dia malleable iron or c.P brass traps malleable iron or brass unions and making requisite number of holes in walls, plinth & floor for pipe connection and making good in cement concrete 1: 2: 4 (Standard pattern). (S.I No:8 P-No:3).	4253.70	Each	8,507
3	2	Add: extra labour for providing and fixing of earthen wire padestle whiute or colored glass standared pattern (S.I No:9 P-No:3).	938.47	Each	1,877
4	4	P/F in position nyloon connections complete with 1/2"dia brass stop cock with pair of brass nuts and lining joints to nyloon connection (S.I No:23 P-No:6).	447.15	Each	1,789
5	2	P/F 6" x 4" c.c gully trap with 4" dia out let compite with 4" thick 1:2:4 c.c for bed and 1/2" thick cement plaster 1:3 to the karb c.I caning 6" x 6" and c.I cover and frame 12" x 12" in side etc complete (S.I No:1(a-i) P-No:21).	1193.17	Each	2,386

Item No.	Quantities	Description of item to be executed at site	Rate	Units	Amount
6		RCC pipe with collar class "B" and didding the traches to the required depth an fixing in positin l/c cutting fitting and jointing with max phalt composition and cemen mortar 1:1 and testing with water presure to head of 4 Ft aboe the top of the heigh			
	50	4" dia	146.57	P.Rft	7,329
	100	6" dia	199.25	P.Rft	19,925
7	2	Providing & fixing 6" x 2" or 6" x 3" C.I floor trap of the approved self cleaning design with a C.I screwed down grating with or without a vent arm complete with & l/c making requisite number of holes in walls, plinth & floor for Pipe connections & making good cement concrete 1:2:4. (S.I No.. 20 Page No.3).	2042.43	P.Rft	4,085
8		Providing G.I Pipes, specials, and clamps etc, including fixing cutting & fitting complete with and l/c the cost of breaking thorough walls and roof, making good etc. painting two coats after cleaning the Pipe etc. with white zink paint with pigment to match the colour5 of the building and testing with water to a pressure head of 200 feet and handling. (SI No. 1 Page No.12)			
i	100	1/2" dia	73.21	P.Rft	7,321
ii	50	3/4" dia	95.79	P.Rft	4,790
iii	50	1" dia	128.55	P.Rft	6,428
9		Add : Extra labor for concealed G.I pipe and Fitting i/c making recess in the wall for pipe and making good in Cement motor etc Complete			
	100	1/2" dia	7.82	P.Rft	782
	50	3/4" dia	8.45	P.Rft	423
10		Providing and fixing full way gun metal values with wheels threaded or flanged ends with rubber washing (b) standared pattern (Note standared Manufacture by M/S Anwar Mechnical works (S.I No:4 (b) P-No:17).			
	2	1/2" dia	161.92	Each	324
	2	3/4 dia	227.92	Each	456
11	3	S/F concelled stop cock of superior quality with crystal head head 1/2" dia (S.I No:11 (b) P-No:18).	478.28	Each	1,435
12	6	S/F long bib cock of crystal head with c.p head 1/2" dia (S.I No:13 (b) P-No:19).	1109.46	Each	6,657
13	3	S/F wash been mixture of superior quality with c.p head 1/2" dia with crystal head (S.I No:16 (b) P-No:15).	2882.00	Each	8,646
14	3	S/F Swan type Pillars Cock of supreior quality with arvstal Head.	795.30	Each	2,386
15	1	Supplying & fixing Bath room accessories set (7 pieces l/c towel rod, brush hloer, soap tray, shelf of approved quality and design etc complete. (Si No: 22 P-No:19)	8122.40	Each	8,122
16		P/F handle values (China) (S.I No:7 P-No:14).			
ii	2	3/4" dia	271.92	Each	544
iii	2	1" dia	365.42	Each	731
17		Supplying & fixing fibre glass tank of approved quality and design and wall thicness as specified l/c cost of nutes, bolts and fixing in plateform of cement concreete 1: 3: 6 and makin connections for in -let ,& ou-let & over flow pipes etc. complete.			
A	1	250 Gallons	21989.61	Each	21,990
18	1	P/F piston pump set 1 H.P single phase 220 vaits with 1/1/4" x 1/1/4" suction and delivery (Local made) (Electric)	16500.00	Each	16,500
TOTAL :-					143,035


Amount Total (CSR)

Part "A" % Above / Below _____ Total Amount _____

Part "B" % Above / Below _____ Total Amount _____

Total "A+B" _____


CONTRACTOR



 EXECUTIVE ENGINEER
 EDUCATION WORKS DIVISION
 SUKKUR

BIDDING DATA

This Section should be filled in by the Executive Engineer Education Works Division Sukkur, before issuance of the Bidding Documents.

- (a) Name of Procuring Agency Executive Engineer, Education Works Division Sukkur
- (b) Brief Discription of Works CONSTRUCTION OF DISPENSARY AT VILLAGE ALI GOHAR SHAMBHANI GOLAI STOP NEAR JANUJI POLICE STATION TALUKA SALEH PAT. (INTERNAL ELECTRIFICATION)
- (c) Procuring Agency Address Near Shikarpur Phatak Golimar Road Sukkur
- (d) Estimated Cost _____
- (e) Amount of Bid Security _____
- (f) Period of Bid Validity (Days) 28 Days
- (g) Security Deposit (i/c bid Security) _____
- (h) Percentage, if any, to be deducted from bills 8%
- (i) Deadlines for submission of bids along with times 01.10.2015 (1:00 PM)
- (j) Venue, Time and Date of Bid Opening 02.10.2015 (2:00 PM)
- (k) Time for completion from written order of commences 12 Months
- (L) Liquidity Damages -
- (m) Deposit Receipt _____ Date _____ Amount _____
- (n) D.R No. _____ Date _____ Amount _____
- (o) Tender Issued to (Mr./M/S) _____


DIVISIONAL ACCOUNTS OFFICER
EDUCATION WORKS DIVISION
SUKKUR


EXECUTIVE ENGINEER
EDUCATION WORKS DIVISION
SUKKUR

BILL OF QUANTITIES

Discription and Rate of Items based on Composite Schedule of Rates

NAME OF WORK :- CONSTRUCTION OF DISPENSARY AT VILLAGE ALI GOHAR SHAMBHANI.GOLAI STOP NEAR JANUJI POLICE STATION TALUKA SALEH PAT. (INTERNAL ELECTRIFICATION)

Item No.	Quantities	Description of item to be executed at site	Rate	Units	Amount
<u>PART "A" SCHEDULE ITEMS</u>					
1	35	Wiring for light or fan point with 3/029 PVCinsulated wire in 20mm (3/4") channel patti on surface as required (S.No. 129 P-15).	910	per point	31,850
2	8	Wiring for plug point with 3/029 PVC insulated wire in 20mm (3/4") channel patti on surface as required (S.I.No:130 P- No:15)	742	per point	5,936
3	2	Wiring for call bell point with 3/029 PVC insulated wire in 20mm (3/4") channel patti on surface as required. (S.I.No:131 P- No:15)	1,590	per point	3,180
4	100	Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-7/029 copper conductor in 3/4" dia PVC conduit on surface	171	P.Mtr	17,100
5	50	Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-7/036 (4mm ²) copper conductor in 3/4" dia PVC conduit on surface.	200	per Meter	10,000
9	99	Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-7/044 (6mm ²) copper conductor in 1" dia PVC conduit on surface	305	P.Mtr	30,195
7	35	Providing & fixing one way SP 5amp switch flush type	54	P.No	1,890
8	8	Providing & fixing two pin 5amp plug & socket	83	P.No	664
9	14	Providing & fixing three pin 10/15amp plug & socket flush type	151	P.No	2,114
10	10	Providing & fixing circuit breaker 6,10,15,20, 30,40,50 & 63amp SP (TB-5S) on prepared board as required	916	P.No	9,160
11	1	Providing & fixing circuit breaker 3,5,10,15,20 & 30amp TP (XS-30NS[NB]) on prepared board as required	5,301	P.No	5,301
12	9	Providing & fixing Bakelite ceiling rose with two terminals	72	P.No	648
13	19	Providing & fixing Brass Battern holder c(S.I.No:232 P- No:33)	70	P.No	1,330
14	9	Providing & fixing Brass Ceiling fan 56" (good quality)	3,185	P.No	28,665
15	50	Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-7/052 (10 mm ²) copper conductor in 1" dia PVC conduit on surface	428	P.Mtr	21,400
TOTAL :-					169,433

<u>PART "B" SCHEDULE ITEMS</u>					
1	5	P/F distribution metal board double shutter to accommodate circuit breakers including painting with enemel paint and for other simmlar job on surface (S.I.No:18 P- No:13)	1,426	P.Sft	7,132
2	9	P/F mild steel bar fan clamp 15.8 mm (5/8")dia suitable for RCC roof (S.I.No:1 (c) P- No:14)	141	Each	1,269
3	5	P/F wall bracket light fancy type superior quality including necessary electric connection and fixing on wall oe ceiling etc complete.(S.I.No:5 P- No:33)	497	Each	2,485
3	19	P/Fenergy sever superior quality including fixing on existing holder etc complete.(S.I.No:6 P- No:33)	497	Each	9,443
4	2	P/F AC or DC electric bell 200/250 volt 70MM. (S.I.No:21 P- No:11)	151	Each	301
5	2	P/F flush type electric bell bush button (S.I.No:23 P- No:12)	25	Each	50
6	1	P/F earthing set with 2x2x1/4" cooper plate burried in groud at a depth of 12" or less if water comes out from the ground level with salt and chorcoal ,etc,in/c.making the pit 12"deep by excavation of all type of soil. Earth plat to be connected with No:8	3,610	Each	3,610
7	9	P/F A.C ceiling fan regulator on metal board recessed in the walls column and covered with plastic sheet (S.I.No:2b P- No:14)	124	Each	1,119
TOTAL :-					25,409

Amount Total (CSR)

Part "A" % Above / Below _____


Total Amount _____

Part "B" % Above / Below _____

Total Amount _____

Total "A+B" _____

CONTRACTOR



EXECUTIVE ENGINEER
EDUCATION WORKS DIVISION
SUKKUR

BIDDING DATA

This Section should be filled in by the Executive Engineer Education Works Division Sukkur, before issuance of the Bidding Documents.

- (a) Name of Procuring Agency Executive Engineer, Education Works Division Sukkur
- (b) Brief Discription of Works CONSTRUCTION OF DISPENSARY AT VILLAGE WAROO BHUMBHRO TALUKA SALEH PAT.
- (c) Procuring Agency Address Near Shikarpur Phatak Golimar Road Sukkur
- (d) Estimated Cost _____
- (e) Amount of Bid Security _____
- (f) Period of Bid Validity (Days) 28 Days
- (g) Security Deposit (i/c bid Security) _____
- (h) Percentage, if any, to be deducted from bills 8%
- (i) Deadlines for submission of bids along with times 01.10.2015 (1:00 PM)
- (j) Venue, Time and Date of Bid Opening 02.10.2015 (2:00 PM)
- (k) Time for completion from written order of commences 12 Months
- (L) Liquidity Damages -
- (m) Deposit Receipt _____ Date _____ Amount _____
- (n) D.R No. _____ Date _____ Amount _____
- (o) Tender Issued to (Mr. /M/S) _____


DIVISIONAL ACCOUNTS OFFICER
EDUCATION WORKS DIVISION
SUKKUR


EXECUTIVE ENGINEER
EDUCATION WORKS DIVISION
SUKKUR

BILL OF QUANTITIES

Discription and Rate of Items based on Composite Schedule of Rates

NAME OF WORK :- CONSTRUCTION OF DISPENSARY AT VILLAGE WAROO BHUMBHRO TALUKA SALEH PAT

Item No.	Quantities	Description of item to be executed at site	Rate	Units	Amount
<u>PART "A" SCHEDULE ITEMS</u>					
1	2,811	Excavtion in foundation of Building Bridges and other structures including dagbelling dressing,refilling around structruere with excavated earth Watering and ramming lead upto 5 ft (b) in ordinary soil (C.S.I No:18 (b)P.4)	3,176.25	%Cft	8,928
2	1,180	Cement concrete brick or stone ballast 1 1/2" to 2" guage ratio 1:4:8 (C.S.I No: 4 (b) Page No:15)	9,416.28	%Cft	111,112
3	2,775	Pacca brick work in foundation and plinth in cement sand mortor ratio 1:6(C.S.I No:4 (e) P.21).	11,948.36	%Cft	331,567
5	851	Reinforced cement concrete work including all labour and material except the cost of steel reinforcement and its labour for bending and binding which will be paid sepretely this rate also includes all kinds of forms moulds:lifting shuttering curing rending and finishing the exposed surface (including screening and washing of shingle) (a) RC work in slabe bams columns rafts lintels and other structural members laid in situ or pre cost laid in position complete in all respects. (l)Ratio (1:2:4) 90 Lbs cement 2 Cft. sand 4 Cft . shingle 1/8" to 1/4" guage.(C.S.I No:6 A (1) P.17).	337.00	P.Cft	286,787
6	37.991	Fabrication of Tor steel reinforcement for cement concrete including cutting bending and laying in position making joints and fastings including cost of binding wire also includes removal of rust from bars (C.S.I No:8 B P.17).	5,001.70	P.Cwt	190,020
B	3.799	Fabrication of Mild steel reinforcement for cement concrete including cutting bending and laying in position making joints and fastings including cost of binding wire also includes removal of rust from bars (C.S.I No:8 A P.17).	4820.20	P.Cwt	18,312
6	1,874	Filling watering and raming earth in floor with surplus from foundation lead upto one chain and lift upto 5ft. (C.S.I No: 21 P.4).	1,512.50	%Cft	2,834
7	997	Filling watering and raming earth under floor with new earth excavated from outside lead upto on chain and lift upto 5ft. (C.S.I No: 22 P.4).	3,630.00	%Cft	3,619
8	997	Extra lead three miles	579.41	%Cft	5,777
9	2,121	Pacca brick work in ground floor in cement sand mortor ratio: (C.S.I No: 5 (e) Page No: 21)	12,674.36	%Cft	268,823
10	791	Pacca brick work other then building including striking of joints up to feet height (C.S.I No: 7 (e) Page No: 22)	12,346.65	%Cft	97,662
11	6,908	Cement plaster upto 20' height 1/2" thick rario 1:6 (C.S.I No: 13 (b)Page No: 52).	2,206.60	%Sft	152,432
12	6,908	Cement plaster upto 20' height 3/8" thick rario 1:4 (C.S.I No: 11 (a) Page No: 52).	2,197.52	%Sft	151,805
13	3,374	Cement pointing strucking of joints of walls ratio 1:2 (C.S.I No: 19 (a) Page. 53)	1,287	%Sft	43,438
14	188	Providing and fixing G.I frames /Chowkates 7"2" or 41/2" x 3" for door using 20 guage G.I sheet i/c welded hinges and fixing at site with necessary hols fast filling with cement sand slurry of ration 1:6 and repairing the jambs. Cost also i/c all carrage tools and plants used in making and fixing (C.S.I No:29 P.93).	228.90	P.Rft	43,033
15	212	Providing and fixing G.I frames /Chowkates 7"2" or 41/2" x 3" for windows using 20 guage G.I sheet i/c welded hinges and fixing at site with necessary hols fast filling with cement sand slurry of ratio 1:6 and repairing the janbs. Cost also i/c all carrage tools and plants used in making and fixing (C.S.I No:28 P.93).	240.50	P.Rft	50,986
16	152	Suppling and fixing in position iron steel grill of 3/4"x 1/4" size flate iron of approved design l/c painting three coats etccomplete weightg not less than 3.7 lbs of finshed grill (C.S.I No:26 P.93).	180.50	P.Sft	27,436
17	424	First class deodar wood wrought joinery in doors and windos etcfied inosition l/c in chwoakts holds fasts hings iron tower bolts chowks cleats handles and cards with hooks etc Deodar paneled or paned are fully glazed 1/3/4"only shutter (C.S.I No:7 (b) P.58).	902.93	P.Sft	382,842

Item No.	Quantities	Description of item to be executed at site	Rate	Units	Amount
18	1,595	Providing and lying 2" thick topping cement concrete 1:2:4. Including surface finishing dividing into panels(C.S.I No:16 (c) P-42) .	3,275.50	%Sft	52,244
19	190	Cement Concrete plain including placing compacting finishing and curing complete including screening complete and washing of stone aggregate without shuttering Ratio: 1:2:4. (C.S.I No. 5 (f) Page No:16)	14,429.25	%Cft	27,416
20	2,164	Laying mosaic topping 1/2" thick in pannels of approved any pattern of one part of white cement to two parts of marble chips of required shade and size and of approved pigment in the ratio of 1: 12 of cement used in topping including rubbing and polishing etc. complete.	12,316.49	%Sft	266,529
21	75	Laying floor of approved with glazed tile 1/4" thick in white cement 1:2 over 3/4: thick cement mortar 1:2 complete (C.S.I No:24 P-43) .	27,678.86	%Sft	20,759
22	300	White glazed tile 14" thick dado jointed in white cement and laid over 1:2 cement sand mortar 3/4 " thick including finishing (C.S.I No:37 P-45) .	28,253.61	%Sft	84,761
23	70	Making & fixing steel grated door with 1/16" thick sheeting including angle iron frame 2" x 2" 3/8"and 3/4" square bars 4" centre to centre with locking arrangement. (C.S.I No:24 P-92)	726.72	P.Sft	50,870
24	400	P/F Fixing paving blocks flooring having size of 197x97x80 (mm) of city / guddra / cobble shape with pigmented having strength b/w 5000 psi to 8500 psi i/c filling the joints with hill sand and laying in specified manner / pattern and design etc complete (C.S.I No. 74 P-50).	248.17	P.Sft	99,268
25	28.071	S/F Girder at Site of Work	3,850.00	P.Cwt	108,073
26	27.598	S/F T.Iron at Site of Work	3,575.00	P.Cwt	98,663
27	55.669	Errection rooled steel beam or old rails in roof etc errection and fixing in position (C.SI No:6 P-91).	186.34	P.Cwt	10,373
28	1,297	1st class tiles roofing consisting of 4"earth and 1" mud plaster with leeping over 1/2"thick cement plaster 1:6 with 34 lbs of hot bitumen coating sand blinded provided over one layer of 12"x6"x1"1/4 tiles laid in 1"6 cement mortar including 1:2 cement pointing under neath of tiles complete including curing etc (C.S.I No:1 P.33).	11,443.10	%Sft	148,417
25	1,416	White wash three coats (C.S.I No:26 (c) P-54).	829.95	%Sft	11,752
26	6,908	Primary coat of chalk under destember (C.S.I No:23 P-54).	442.75	%Sft	30,585
27	6,908	Destember three coats (C.S.I No:24 (c) P-54).	1,079.65	%Sft	74,582
28	3,374	Colour washing two coats (C.S.I No:25 (b) P-54).	859.90	%Sft	29,013
29	914	Painting new surface, and painting of doors and windows any type (i/c edges) 3 coats (C.S.I No:4 (c) P-76).	2,116.41	%Sft	19,344
30	1,491	Painting guard bars gats iron bars grating raling including standard braces etc and smiller open work three coat (C.S.I No:4 (d) (ii) P-70).	1,270.83	%Sft	18,948
			TOTAL :-		3,329,012

PART "B" SCHEDULE ITEMS

1	2	Providing & fixing squatting type white glazed of flush cisten with internal fitting&flush pipe with bend and making requisite numbers of holes in wall plinth & floor for pipe conection & making good in cement concrete 1:2:4. W.C not less than 19" clear opening between flushing rims and 3 gallons flushing tank with4" dia C.I trap with C.I thumble. (S.I No:1 (b) i P-No:1)	4802.60	Each	9,605
2	2	Providing & fixing 24" x 18" lavatory basin in white glazed earthen ware complete with & i/c the cost of W.I or C.I cantilever brackets 6 inches built into wall, painted white in two coast after a primary coat of red lead paint, a pair of 1/2" dia rubber plug & chrome plate brass chain 1-1/4" dia malleable iron or c.P brass traps malleable iron or brass unions and making requisite number of holes in walls, plinth & floor for pipe connection and making good in cement concrete 1: 2: 4 (Standard pattern). (S.I No:8 P-No:3).	4253.70	Each	8,507
3	2	Add: extra labour for providing and fixing of earthen wire pedestal whiute or colored glass standared pattern (S.I No:9 P-No:3).	938.47	Each	1,877
4	4	P/F in position nyloon connections complete with 1/2"dia brass stop cock with pair of brass nuts and lining joints to nyloon connection (S.I No:23 P-No:6).	447.15	Each	1,789
5	2	P/F 6" x 4" c.c gully trap with 4" dia out let complate with 4" thick 1:2:4 c.c for bed and 1/2" thick cement plaster 1:3 to the karb c.l caning 6" x 6" and c.l cover and frame 12" x 12" in side etc complete (S.I No:1(a-i) P-No:21).	1193.17	Each	2,386

Item No.	Quantities	Description of item to be executed at site	Rate	Units	Amount
6		RCC pipe with colar class "B" and didding the traches to the required depth an fixing in positin l/c cutting fitting and jointing with max phalt composition and cemen mortar 1:1 and testing with water presure to head of 4 Ft aboe the top of the heigh			
	50	4" dia	146.57	P.Rft	7,329
	100	6" dia	199.25	P.Rft	19,925
7	2	Providing & fixing 6" x 2" or 6" x 3" C.I floor trap of the approved self cleaning design with a C.I screwed down grating with or without a vent arm complete with & l/c making requisite number of holes in walls, plinth & floor for Pipe connections & making good cement concrete 1:2:4. (S.I No.. 20 Page No.3).	2042.43	P.Rft	4,085
8		Providing G.I Pipes, specials, and clamps etc, including fixing cutting & fitting complete with and l/c the cost of breaking thorough walls and roof, making good etc. painting two coats after cleaning the Pipe etc. with white zink paint with pigment to match the colour5 of the building and testing with water to a pressure head of 200 feet and handling. (SI No. 1 Page No.12)			
i	100	1/2" dia	73.21	P.Rft	7,321
ii	50	3/4" dia	95.79	P.Rft	4,790
iii	50	1" dia	128.55	P.Rft	6,428
9		Add : Extra labor for concealed G.I pipe and Fitting l/c making recess in the wall for pipe and making good in Cement motor etc Complete			
	100	1/2" dia	7.82	P.Rft	782
	50	3/4" dia	8.45	P.Rft	423
10		Providing and fixing full way gun metal values with wheels threaded or flanged ends with rubber washing (b) standared pattern (Note standared Manufacture by M/S Anwar Mechanical works (S.I No:4 (b) P-No:17).			
	2	1/2" dia	161.92	Each	324
	2	3/4 dia	227.92	Each	456
11	3	S/F cancelled stop cock of superior quality with crystal head head 1/2" dia (S.I No:11 (b) P-No:18).	478.28	Each	1,435
12	6	S/F long bib cock of crystal head with c.p head 1/2" dia (S.I No:13 (b) P-No:19).	1109.46	Each	6,657
13	3	S./F wash been mixture of superior quality with c.p head 1/2" dia with crystal head (S.I No:16 (b) P-No:15).	2882.00	Each	8,646
14	3	S/F Swan type Pillars Cock of supreior quality with arvstal Head.	795.30	Each	2,386
15	1	Supplying & fixing Bath room accessories set (7 pieces l/c towel rod, brush hloder, soap tray, shelf of approved quality and design etc complete. (Si No: 22 P-No:19)	8122.40	Each	8,122
16		P/F handle values (China) (S.I No:7 P-No:14).			
ii	2	3/4" dia	271.92	Each	544
iii	2	1" dia	365.42	Each	731
17		Supplying & fixing fibre glass tank of approved quality and design and wall thicness as specified l/c cost of nutes, bolts and fixing in plateform of cement concrete 1: 3: 6 and makin connections for in -let ,& ou-let & over flow pipes etc. complete.			
A	1	250 Gallons	21989.61	Each	21,990
18	1	P/F piston pump set 1 H.P single phase 220 valts with 1/1/4" x 1/1/4" suction and delivery (Local made) (Electric)	16500.00	Each	16,500
				TOTAL :-	143,035

Amount Total (CSR)

Part "A" % Above / Below _____


Total Amount _____

Part "B" % Above / Below _____

Total Amount _____

Total "A+B" _____


CONTRACTOR



EXECUTIVE ENGINEER
EDUCATION WORKS DIVISION
SUKKUR

BIDDING DATA

This Section should be filled in by the Executive Engineer Education Works Division Sukkur, before issuance of the Bidding Documents.

- (a) Name of Procuring Agency Executive Engineer, Education Works Division Sukkur
- (b) Brief Discription of Works CONSTRUCTION OF DISPENSARY AT VILLAGE WAROO BHUMBHRO TALUKA SALEH PAT. (INTERNAL ELECTRIFICATION)
- (c) Procuring Agency Address Near Shikarpur Phatak Golimar Road Sukkur
- (d) Estimated Cost _____
- (e) Amount of Bid Security _____
- (f) Period of Bid Validity (Days) 28 Days
- (g) Security Deposit (i/c bid Security) _____
- (h) Percentage, if any, to be deducted from bills 8%
- (i) Deadlines for submission of bids along with times 01.10.2015 (1:00 PM)
- (j) Venue, Time and Date of Bid Opening 02.10.2015 (2:00 PM)
- (k) Time for completion from written order of commences 12 Months
- (L) Liquidity Demages -
- (m) Deposit Receipt _____ Date _____ Amount _____
- (n) D.R No. _____ Date _____ Amount _____
- (o) Tender Issued to (Mr. /M/S) _____


DIVISIONAL ACCOUNTS OFFICER
EDUCATION WORKS DIVISION
SUKKUR


EXECUTIVE ENGINEER
EDUCATION WORKS DIVISION
SUKKUR

BILL OF QUANTITIES

Discription and Rate of Items based on Composite Schedule of Rates

NAME OF WORK :- CONSTRUCTION OF DISPENSARY AT VILLAGE WAROO BHUMBHRO TALUKA SALEH PAT. (INTERNAL ELECTRIFICATION)

Item No.	Quantities	Description of item to be executed at site	Rate	Units	Amount
<u>PART "A" SCHEDULE ITEMS</u>					
1	35	Wiring for light or fan point with 3/029 PVCinsulated wire in 20mm (3/4") channel patti on surface as required (S.No. 129 P-15).	910	per point	31,850
2	8	Wiring for plug point with 3/029 PVC insulated wire in 20mm (3/4") channel patti on surface as required (S.I.No:130 P- No:15)	742	per point	5,936
3	2	Wiring for call bell point with 3/029 PVC insulated wire in 20mm (3/4") channel patti on surface as required. (S.I.No:131 P- No:15)	1,590	per point	3,180
4	100	Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-7/029 copper conductor in 3/4" dia PVC conduit on surface	171	P.Mtr	17,100
5	50	Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-7/036 (4mm ²) copper conductor in 3/4" dia PVC conduit on surface.	200	per Meter	10,000
9	99	Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-7/044 (6mm ²) copper conductor in 1" dia PVC conduit on surface	305	P.Mtr	30,195
7	35	Providing & fixing one way SP 5amp switch flush type	54	P.No	1,890
8	8	Providing & fixing two pin 5amp plug & socket	83	P.No	664
9	14	Providing & fixing three pin 10/15amp plug & socket flush type	151	P.No	2,114
10	10	Providing & fixing circuit breaker 6,10,15,20, 30,40,50 & 63amp SP (TB-5S) on prepared board as required	916	P.No	9,160
11	1	Providing & fixing circuit breaker 3,5,10,15,20 & 30amp TP (XS-30NS[NB]) on prepared board as required	5,301	P.No	5,301
12	9	Providing & fixing Bakelite ceiling rose with two terminals	72	P.No	648
13	19	Providing & fixing Brass Battern holder c(S.I.No:232 P- No:33)	70	P.No	1,330
14	9	Providing & fixing Brass Ceiling fan 56" (good quality)	3,185	P.No	28,665
15	50	Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-7/052 (10 mm ²) copper conductor in 1" dia PVC conduit on surface	428	P.Mtr	21,400
TOTAL :-					169,433

<u>PART "B" SCHEDULE ITEMS</u>					
1	5	P/F distribution metal board double shutter to accommodate circuit breakers including painting with enemel paint and for other simmlar job on surface (S.I.No:18 P- No:13)	1,426	P.Sft	7,132
2	9	P/F mild steel bar fan clamp 15.8 mm (5/8")dia suitable for RCC roof (S.I.No:1 (c) P- No:14)	141	Each	1,269
3	5	P/F wall bracket light fancy type superior quality including necessary electric connection and fixing on wall oe ceiling etc complete.(S.I.No:5 P- No:33)	497	Each	2,485
3	19	P/Fenergy sever superior quality including fixing on existing holder etc complete.(S.I.No:6 P- No:33)	497	Each	9,443
4	2	P/F AC or DC electric bell 200/250 volt 70MM. (S.I.No:21 P- No:11)	151	Each	301
5	2	P/F flush type electric bell bush button (S.I.No:23 P- No:12)	25	Each	50
6	1	P/F earthing set with 2x2x1/4" cooper plate burried in groud at a depth of 12" or less if water comes out from the ground level with salt and chorcoal ,etc,in/c.making the pit 12"deep by excavation of all type of soil. Earth plat to be connected with No:8	3,610	Each	3,610
7	9	P/F A.C ceiling fan regulator on metal board recessed in the walls column and covered with plastic sheet (S.I.No:2b P- No:14)	124	Each	1,119
TOTAL :-					25,409

Amount Total (CSR)

Part "A" % Above / Below _____


Total Amount _____

Part "B" % Above / Below _____

Total Amount _____

Total "A+B" _____


CONTRACTOR


 EXECUTIVE ENGINEER
 EDUCATION WORKS DIVISION
 SUKKUR

BIDDING DATA

This Section should be filled in by the Executive Engineer Education Works Division Sukkur, before issuance of the Bidding Documents.

- (a) Name of Procuring Agency Executive Engineer, Education Works Division Sukkur
- (b) Brief Discription of Works CONSTRUCTION OF DISPENSARY AT VILLAGE ALI MUHAMMAD SHAMBHANI RD-159 STOP SALEH PAT UC TARAI TALUKA SALEH PAT.
- (c) Procuring Agency Address Near Shikarpur Phatak Golimar Road Sukkur
- (d) Estimated Cost _____
- (e) Amount of Bid Security _____
- (f) Period of Bid Validity (Days) 28 Days
- (g) Security Deposit (i/c bid Security) _____
- (h) Percentage, if any, to be deducted from bills 8%
- (i) Deadlines for submission of bids along with times 01.10.2015 (1:00 PM)
- (j) Venue, Time and Date of Bid Opening 02.10.2015 (2:00 PM)
- (k) Time for completion from written order of commences 12 Months
- (L) Liquidity Demages _____
- (m) Deposit Receipt _____ Date _____ Amount _____
- (n) D.R No. _____ Date _____ Amount _____
- (o) Tender Issued to (Mr. / M/S) _____


DIVISIONAL ACCOUNTS OFFICER
EDUCATION WORKS DIVISION
SUKKUR


EXECUTIVE ENGINEER
EDUCATION WORKS DIVISION
SUKKUR

BILL OF QUANTITIES

Discription and Rate of Items based on Composite Schedule of Rates

NAME OF WORK :- CONSTRUCTION OF DISPENSARY AT VILLAGE ALI MUHAMMAD SHAMBHANI RD-159 STOP SALEH PAT UC TARAI TALUKA SALEH PAT. (INTERNAL ELECTRIFICATION)

Item No.	Quantities	Description of item to be executed at site	Rate	Units	Amount
PART "A" SCHEDULE ITEMS					
1	2,811	Excavtion in foundation of Building Bridges and other structures including dagbelling dressing,refilling around structurure with excavated earth Watering and ramming lead upto 5 ft (b) in ordinary soil (C.S.I No:18 (b)P.4)	3,176.25	%Cft	8,928
2	1,180	Cement concrete brick or stone ballast 1 1/2" to 2" guage ratio 1:4:8 (C.S.I No: 4 (b) Page No:15)	9,416.28	%Cft	111,112
3	2,775	Pacca brick work in foundation and plinth in cement sand mortor ratio 1:6(C.S.I No:4 (e) P.21).	11,948.36	%Cft	331,567
5	851	Reinforced cement concrete work including all labour and material except the cost of steel reinforcement and its labour for bending and binding which will be paid sepreteley this rate also includes all kinds of forms moulds:lifting shuttering curing rending and finishing the exposed surface (including screening and washing of shingle) (a) RC work in slabe bams columns rafts lintels and other structural members laid in situ or pre cost laid in position complete in all respects. (I)Ratio (1:2:4) 90 Lbs cement 2 Cft. sand 4 Cft . shingle 1/8" to 1/4" guage.(C.S.I No:6 A (1) P.17).	337.00	P.Cft	286,787
6	37.991	Fabrication of Tor steel reinforcement for cement concrete including cutting bending and laying in position making joints and fastings including cost of binding wire also includes removal of rust from bars (C.S.I No:8 B P.17).	5,001.70	P.Cwt	190,020
B	3.799	Fabrication of Mild steel reinforcement for cement concrete including cutting bending and laying in position making joints and fastings including cost of binding wire also includes removal of rust from bars (C.S.I No:8 A P.17).	4820.20	P.Cwt	18,312
6	1,874	Filling watering and raming earth in floor with surplus from foundation lead upto one chain and lift upto 5ft. (C.S.I No: 21 P.4).	1,512.50	%Cft	2,834
7	997	Filling watering and raming earth under floor with new earth excavated from outside lead upto on chain and lift upto 5ft. (C.S.I No: 22 P.4).	3,630.00	%Cft	3,619
8	997	Extra lead three miles	579.41	%Cft	5,777
9	2,121	Pacca brick work in ground floor in cement sand mortor ratio: (C.S.I No: 5 (e) Page No: 21)	12,674.36	%Cft	268,823
10	791	Pacca brick work other then building including stricking of joints up to feet height (C.S.I No: 7 (e) Page No: 22)	12,346.65	%Cft	97,662
11	6,908	Cement plaster upto 20' height 1/2" thick rario 1:6 (C.S.I No: 13 (b)Page No: 52).	2,206.60	%Sft	152,432
12	6,908	Cement plaster upto 20' height 3/8" thick rario 1:4 (C.S.I No: 11 (a) Page No: 52).	2,197.52	%Sft	151,805
13	3,374	Cement pointing strucking of joints of walls ratio 1:2 (C.S.I No: 19 (a) Page. 53)	1,287	%Sft	43,438
14	188	Providing and fixing G.I frames /Chowkates 7"2" or 4 1/2" x 3" for door using 20 guage G.I sheet i/c welded hinges and fixing at site with necessary hols fast filling with cement sand slurry of ration 1:6 and repairing the jambs. Cost also i/c all carrage tools and plants used in making and fixing (C.S.I No:29 P.93).	228.90	P.Rft	43,033
15	212	Providing and fixing G.I frames /Chowkates 7"2" or 4 1/2" x 3" for windows using 20 guage G.I sheet i/c welded hinges and fixing at site with necessary hols fast filling with cement sand slurry of ratio 1:6 and repairing the janbs. Cost also i/c all carrage tools and plants used in making and fixing (C.S.I No:28 P.93).	240.50	P.Rft	50,986
16	152	Suppling and fixing in position iron steel grill of 3/4"x 1/4" size flate iron of approved design l/c painting three coats etcomplete weightg not less than 3.7 lbs of finshed grill (C.S.I No:26 P.93).	180.50	P.Sft	27,436
17	424	First class deodar wood wrought joinery in doors and windos etcfied inosition l/c in chwoakts holds fasts hings iron tower bolts chowkks cleats handles and cards with hooks etc Deodar paneled or paned are fully glazed 1/3/4"only shutter (C.S.I No:7 (b) P.58).	902.93	P.Sft	382,842

Item No.	Quantities	Description of item to be executed at site	Rate	Units	Amount
18	1,595	Providing and lying 2" thick topping cement concrete 1:2:4. Including surface finishing dividing into panels(C.S.I No:16 (c) P-42) .	3,275.50	%Sft	52,244
19	190	Cement Concrete plain including placing compacting finishing and curing complete including screening complete and washing of stone aggregate without shuttering Ratio: 1:2:4. (C.S.I No. 5 (f) Page No:16)	14,429.25	%Cft	27,416
20	2,164	Laying mosaic topping 1/2" thick in pannels of approved any pattern of one part of white cement to two parts of marble chips of required shade and size and of approved pigment in the ratio of 1: 12 of cement used in topping including rubbing and polishing etc. complete.	12,316.49	%Sft	266,529
21	75	Laying floor of approved with glazed tile 1/4" thick in white cement 1:2 over 3/4: thick cement mortor 1:2 complete (C.S.I No:24 P-43) .	27,678.86	%Sft	20,759
22	300	White glazed tile 14" thick dado jointed in white cement and laid over 1:2 cement sand mortor 3/4 " thick including finishing (C.S.I No:37 P-45) .	28,253.61	%Sft	84,761
23	70	Making & fixing steel grated door with 1/16" thick sheeting including angle iron frame 2" x 2" 3/8"and 3/4" square bars 4" centre to centre with locking arrangement. (C.S.I No:24 P-92)	726.72	P.Sft	50,870
24	400	P/F Fixing paving blocks flooring having size of 197x97x80 (mm) of city / guddra / cobble shape with pigmented having strength b/w 5000 psi to 8500 psi i/c filling the joints with hill sand and laying in specified manner / pattern and design etc complete (C.S.I No. 74 P-50).	248.17	P.Sft	99,268
25	28.071	S/F Girder at Site of Work	3,850.00	P.Cwt	108,073
26	27.598	S/F T.Iron at Site of Work	3,575.00	P.Cwt	98,663
27	55.669	Errection rooled steel beam or old rails in roof etc errection and fixing in position (C.SI No:6 P-91).	186.34	P.Cwt	10,373
28	1,297	1st class tiles roofing consisting of 4"earth and 1" mud plaster with leeping over 1/2"thick cement plaster 1:6 with 34 lbs of hot bitumen coating sand blinded provided over one layer of 12"x6"x1"1/4 tiles laid in 1"6 cement mortor icluding 1:2 cement pointing under neath of tiles complete including curing etc (C.S.I No:1 P.33).	11,443.10	%Sft	148,417
25	1,416	White wash three coats (C.S.I No:26 (c) P-54).	829.95	%Sft	11,752
26	6,908	Primary coat of chalk under destember (C.S.I No:23 P-54).	442.75	%Sft	30,585
27	6,908	Destember three coats (C.S.I No:24 (c) P-54).	1,079.65	%Sft	74,582
28	3,374	Colour washing two coats (C.S.I No:25 (b) P-54).	859.90	%Sft	29,013
29	914	Painting new surface, and paiting of doors and windows any type (i/c edges) 3 coats (C.S.I No:4 (c) P-76).	2,116.41	%Sft	19,344
30	1,491	Painting guard bars gats iron bars grating raling including standard braces etc and smiller open work three coat (C.S.I No:4 (d) (ii) P-70).	1,270.83	%Sft	18,948
			TOTAL :-		3,329,012

PART "B" SCHEDULE ITEMS

1	2	Providing & fixing squatting type white glazed of flush cisten with internal fitting&flush pippe with bend and making requisite numbers of holes in wall plinth & floor for pipe conection & making good in cement concrete 1:2:4. W.C not less than 19" clear opening between flushing rims and 3 gallons flushing tank with 4" dia C.I trap with C.I thumble. (S.I No:1 (b) i P-No:1)	4802.60	Each	9,605
2	2	Providing & fixing 24" x 18" lavatory basin in white glazed earthen ware complete with & i/c the cost of W.I or C.I cantilever brackets 6 inches built into wall, painted white in two coast after a primary coat of red lead paint, a pair of 1/2" dia rubber plug & chrome plate brass chain 1-1/4" dia malleable iron or c.P brass traps malleable iron or brass unions and making requisite number of holes in walls, plinth & floor for pipe connection and making good in cement concrete 1: 2: 4 (Standard pattern). (S.I No:8 P-No:3).	4253.70	Each	8,507
3	2	Add: extra labour for providing and fixing of earthen wire padestle whiute or colored glass standared pattern (S.I No:9 P-No:3).	938.47	Each	1,877
4	4	P/F in position nyloon connections complete with 1/2"dia brass stop cock with pair of brass nuts and lining joints to nyloon connection (S.I No:23 P-No:6).	447.15	Each	1,789
5	2	P/F 6" x 4" c.c gully trap with 4" dia out let complete with 4" thick 1:2:4 c.c for bed and 1/2" thick cement plaster 1:3 to the karb c.I caning 6" x 6" and c.I cover and frame 12" x 12" in side etc complete (S.I No:1(a-i) P-No:21).	1193.17	Each	2,386

Item No.	Quantities	Description of item to be executed at site	Rate	Units	Amount
6		RCC pipe with collar class "B" and didding the traches to the required depth an fixing in positin l/c cutting fitting and jointing with max phalt composition and cemen mortar 1:1 and testing with water presure to head of 4 Ft aboe the top of the heigh			
	50	4"dia	146.57	P.Rft	7,329
	100	6"dia	199.25	P.Rft	19,925
7	2	Providing & fixing 6" x 2" or 6" x 3" C.I floor trap of the approved self cleaning design with a C.I screwed down grating with or without a vent arm complete with & l/c making requisite number of holes in walls, plinth & floor for Pipe connections & making good cement concrete 1:2:4. (S.I No. 20 Page No.3).	2042.43	P.Rft	4,085
8		Providing G.I Pipes, specials, and clamps etc, including fixing cutting & fitting complete with and l/c the cost of breaking thorough walls and roof, making good etc. painting two coats after cleaning the Pipe etc. with white zink paint with pigment to match the colour5 of the building and testing with water to a pressure head of 200 feet and handling. (SI No. 1 Page No.12)			
i	100	1/2"dia	73.21	P.Rft	7,321
ii	50	3/4"dia	95.79	P.Rft	4,790
iii	50	1"dia	128.55	P.Rft	6,428
9		Add : Extra labor for concealed G.I pipe and Fitting i/c making recess in the wall for pipe and making good in Cement motor etc Complete			
	100	1/2" dia	7.82	P.Rft	782
	50	3/4" dia	8.45	P.Rft	423
10		Providing and fixing full way gun metal values with wheels threaded or flanged ends with rubber washing (b) standared pattern (Note standared Manufacture by M/S Anwar Mechanical works (S.I No:4 (b) P-No:17).			
	2	1/2"dia	161.92	Each	324
	2	3/4 dia	227.92	Each	456
11	3	S/F cancelled stop cock of superior quality with crystal head head 1/2" dia (S.I No:11 (b) P-No:18).	478.28	Each	1,435
12	6	S/F long bib cock of crystal head with c.p head 1/2" dia (S.I No:13 (b) P-No:19).	1109.46	Each	6,657
13	3	S./F wash been mixture of superior quality with c.p head 1/2" dia with crystal head (S.I No:16 (b) P-No:15).	2882.00	Each	8,646
14	3	S/F Swan type Pillars Cock of supreior quality with arvstal Head.	795.30	Each	2,386
15	1	Supplying & fixing Bath room accessories set (7 pieces l/c towel rod, brush hloer, soap tray, shelf of approved quality and design etc complete. (Si No: 22 P-No:19)	8122.40	Each	8,122
16		P/F handle values (China) (S.I No:7 P-No:14).			
ii	2	3/4" dia	271.92	Each	544
iii	2	1" dia	365.42	Each	731
17		Supplying & fixing fibre glass tank of approved quality and design and wall thicness as specified l/c cost of nutes, bolts and fixing in plateform of cement concreete 1: 3: 6 and makin connections for in -let ,& ou-let & over flow pipes etc. complete.			
A	1	250 Gallons	21989.61	Each	21,990
18	1	P/F piston pump set 1 H.P single phase 220 valts with 1/1/4" x 1/1/4" suction and delivery (Local made) (Electric)	16500.00	Each	16,500
TOTAL :-					143,035


Amount Total (CSR)

Part "A" % Above / Below _____ Total Amount _____

Part "B" % Above / Below _____ Total Amount _____

Total "A+B" _____


CONTRACTOR


 EXECUTIVE ENGINEER
 EDUCATION WORKS DIVISION
 SUKKUR

BIDDING DATA

This Section should be filled in by the Executive Engineer Education Works Division Sukkur, before issuance of the Bidding Documents.

- (a) Name of Procuring Agency Executive Engineer, Education Works Division Sukkur
- (b) Brief Discription of Works CONSTRUCTION OF DISPENSARY AT VILLAGE ALI MUHAMMAD SHAMBHANI RD-159 STOP SALEH PAT UC TARAI TALUKA SALEH PAT. (INTERNAL ELECTRIFICATION)
- (c) Procuring Agency Address Near Shikarpur Phatak Golimar Road Sukkur
- (d) Estimated Cost _____
- (e) Amount of Bid Security _____
- (f) Period of Bid Validity (Days) 28 Days
- (g) Security Deposit (i/c bid Security) _____
- (h) Percentage, if any, to be deducted from bills 8%
- (i) Deadlines for submission of bids along with times 01.10.2015 (1:00 PM)
- (j) Venue, Time and Date of Bid Opening 02.10.2015 (2:00 PM)
- (k) Time for completion from written order of commences 12 Months
- (L) Liquidity Damages -
- (m) Deposit Receipt _____ Date _____ Amount _____
- (n) D.R No. _____ Date _____ Amount _____
- (o) Tender Issued to (Mr. / M/S) _____


DIVISIONAL ACCOUNTS OFFICER
EDUCATION WORKS DIVISION
SUKKUR


EXECUTIVE ENGINEER
EDUCATION WORKS DIVISION
SUKKUR

BILL OF QUANTITIES

Discription and Rate of Items based on Composite Schedule of Rates

NAME OF WORK :- CONSTRUCTION OF DISPENSARY AT VILLAGE ALI MUHAMMAD SHAMBHANI RD-159 STOP SALEH PAT UC TARAI TALUKA SALEH PAT. (INTERNAL ELECTRIFICATION)

Item No.	Quantities	Description of item to be executed at site	Rate	Units	Amount
<u>PART "A" SCHEDULE ITEMS</u>					
1	35	Wiring for light or fan point with 3/029 PVCinsulated wire in 20mm (3/4") channel patti on surface as required (S.No. 129 P-15).	910	per point	31,850
2	8	Wiring for plug point with 3/029 PVC insulated wire in 20mm (3/4") channel patti on surface as required (S.I.No:130 P- No:15)	742	per point	5,936
3	2	Wiring for call bell point with 3/029 PVC insulated wire in 20mm (3/4") channel patti on surface as required. (S.I.No:131 P- No:15)	1,590	per point	3,180
4	100	Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-7/029 copper conductor in 3/4" dia PVC conduit on surface	171	P.Mtr	17,100
5	50	Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-7/036 (4mm ²) copper conductor in 3/4" dia PVC conduit on surface.	200	per Meter	10,000
9	99	Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-7/044 (6mm ²) copper conductor in 1" dia PVC conduit on surface	305	P.Mtr	30,195
7	35	Providing & fixing one way SP 5amp switch flush type	54	P.No	1,890
8	8	Providing & fixing two pin 5amp plug & socket	83	P.No	664
9	14	Providing & fixing three pin 10/15amp plug & socket flush type	151	P.No	2,114
10	10	Providing & fixing circuit breaker 6,10,15,20, 30,40,50 & 63amp SP (TB-5S) on prepared board as required	916	P.No	9,160
11	1	Providing & fixing circuit breaker 3,5,10,15,20 & 30amp TP (XS-30NS[NB]) on prepared board as required	5,301	P.No	5,301
12	9	Providing & fixing Bakelite ceiling rose with two terminals	72	P.No	648
13	19	Providing & fixing Brass Battern holder c(S.I.No:232 P- No:33)	70	P.No	1,330
14	9	Providing & fixing Brass Ceiling fan 56" (good quality)	3,185	P.No	28,665
15	50	Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-7/052 (10 mm ²) copper conductor in 1" dia PVC conduit on surface	428	P.Mtr	21,400
TOTAL :-					169,433

<u>PART "B" SCHEDULE ITEMS</u>					
1	5	P/F distribution metal board double shutter to accommodate circuit breakers including painting with enamel paint and for other simmlar job on surface (S.I.No:18 P- No:13)	1,426	P.Sft	7,132
2	9	P/F mild steel bar fan clamp 15.8 mm (5/8")dia suitable for RCC roof (S.I.No:1 (c) P- No:14)	141	Each	1,269
3	5	P/F wall bracket light fancy type superior quality including necessary electric connection and fixing on wall or ceiling etc complete.(S.I.No:5 P- No:33)	497	Each	2,485
3	19	P/Fenergy sever superior quality including fixing on existing holder etc complete.(S.I.No:6 P- No:33)	497	Each	9,443
4	2	P/F AC or DC electric bell 200/250 volt 70MM. (S.I.No:21 P- No:11)	151	Each	301
5	2	P/F flush type electric bell bush button (S.I.No:23 P- No:12)	25	Each	50
6	1	P/F earthing set with 2x2x 1/4" cooper plate burried in groud at a depth of 12" or less if water comes out from the ground level with salt and chorcoal etc,in/c.making the pit 12"deep by excavation of all type of soil. Earth plat to be connected with No:8	3,610	Each	3,610
7	9	P/F A.C ceiling fan regulator on metal board recessed in the walls column and covered with plastic sheet (S.I.No:2b P- No:14)	124	Each	1,119
TOTAL :-					25,409


Amount Total (CSR)


Part "A" % Above / Below _____ Total Amount _____

Part "B" % Above / Below _____ Total Amount _____

Total "A+B" _____

CONTRACTOR


 EXECUTIVE ENGINEER
 EDUCATION WORKS DIVISION
 SUKKUR



GOVERNMENT OF SINDH
WORKS & SERVICES DEPARTMENT

Karachi, dated the ^{27th} June, 2013.

NOTIFICATION

No. E&A(W&S)3-9/91/2013: With the approval of competent authority, a Procurement Committee with the following composition, in terms of Rule-7 of Sindh Public Procurement Rules-2010, is hereby constituted for procurement of "Goods & Works" in the office of Executive Engineer, Education Works Division, Sukkur, excluding procurement involving foreign exchange with the following composition:-

- | | | |
|------|--|------------|
| i) | Executive Engineer,
Education Works Division,
Sukkur | Chairman ✓ |
| ii) | Assistant Engineer,
Public Health Engineering Sub-Division,
Sukkur | Member |
| iii) | Assistant Engineer,
Education Works Sub-Division,
Sukkur. | Member |

2. The Functions & Responsibilities of the Committee, in term of Rule-8 of SPPR-2010, shall be as under:

- Preparing of bidding documents.
- Carrying out Technical as well as Financial Evaluation of the bids.
- Preparing Evaluation report as provided in Rule-45;
- Making recommendation for the award of contract to the competent authority; and
- Perform any other function ancillary and incidental to the above.

GAZI SHAHID PERVEZ
SECRETARY TO GOVT. OF SINDH

Karachi dated the ^{27th} June, 2013.

No. E&A(W&S)3-9/91-2013

A copy is forwarded for information to:-

- The Accountant General, Sindh, Karachi.
- The Secretary to Govt. of Sindh, Public Health Engineering Department, Karachi.
- The Managing Director, SPPRA, Karachi.
- The Chief Engineer (Buildings), Sukkur.
- The Superintending Engineer, Provincial Buildings Circle, Sukkur.
- The Deputy Secretary (Tech) Works & Services Department.
- The Deputy Secretary (Admin) Works & Services Department.
- The Deputy Director, PI&E Cell, W&SD.
- PS to Secretary Works & Services Department.
- PA to Additional Secretary (Tech), Works & Services Department.
- ✓ The Chairman / members of the Committee.
- Notification file.

stamps



OFFICE OF THE
DEPUTY COMMISSIONER/PD
SUKKUR

No.DC/Suk-Dev/2013-14/ 1398

Sukkur, dated: 26-3-2014

ORDER

In pursuance of Rule 31 of Sindh Public Procurement Regulatory Authority Rules 2010, the "Redressal of Grievances and settlement of Dispute Committee" is hereby constituted in the Works & Services Department Sukkur (Projects of District Development portfolios) with following composition:

S.No.	Designation	Position held
1	Superintending Engineer Works & Services Sukkur	Chairman
2	District Accounts Officer Sukkur	Member
3	Additional Deputy Commissioner-II of Deputy Commissioner Office Sukkur	Member
4	Executive Engineer Provincial Highway Division Sukkur	Member
5	Executive Engineer of the Division concerned	Member

TERMS OF REFERENCE:

- i) The Committee will hear the complaints of bidders against the decisions of procuring agency.
- ii) Prohibit the procurement committee from acting or deciding in a manner, inconsistent with these rules and regulations;
- iii) Annul in whole or in part, any unauthorized act or decision of the procurement committee; and
- iv) Recommend to the Head of Department that the case be declared a null procurement if material violation of Act, Rules, Regulations, orders, instructions or any other law relating to public procurement, has been established.
- v) Reverse any decision of the Procurement Committee or substitute its own decision for such a decision provided that the complaint Redressal Committee shall not make any decision to award the contract.
- vi) The Complaint Redressal Committee shall announce its decision within seven days and intimate the same to the bidder and the authority within 3 working days.

(SHAHZAD TAHIR THAHEEM)
DEPUTY COMMISSIONER/PD
SUKKUR

Copy fwd: for information to:

1. The Superintending Engineer Works & Services Sukkur.
2. The District Accounts Officer Sukkur
3. The Additional Deputy Commissioner-II Sukkur
4. The Executive Engineer Provincial Highways Division, Sukkur
5. The Executive Engineer Highways/Buildings/Education Works & Public Health/Engineering Divisions, Sukkur.

DEPUTY COMMISSIONER/PD
SUKKUR

PROCUREMENT PLAN 2015-16
IN RESPECT OF EDUCATION WORKS DIVISION SUKKUR

S.No	ADP No.	Name of Scheme	Estimated Cost	Source of Funds ADP / Non ADP	Proposed procurement method	Cost of New works	Funds for New works	Nature of procurement	Timing of procurement			
									1st Qtr	2nd Qtr	3rd Qtr	4th Qtr
1	2	3	4	5	6	7	8	9	10	11	12	13

MPA PRIORITY PROGRAMME

SPONSERED BY SYED AWAIS QADIR SHAH

Construction of Dispensary at Village *Dea Kharo Main stop*

Civil Work
Electric Work

Construction of Dispensary at Village Ali Murad Shanbhani at Kalmi Quran Stop Saleh Pat Road UC Lal Jurio Stop 212

Civil Work
Electric Work

Construction of Dispensary at Village Ali Gohar Shanbhani Golai Stop Near Januji Police Station

Civil Work
Electric Work


Construction of Dispensary at Village Waroo Bhumbhro at Main Road

Civil Work
Electric Work

Construction of Dispensary at Village Ali Muhammad Shanbhani RD-159 stop Saleh Pat UC Tarai

Civil Work
Electric Work

1			3.800 0.200	MPA Programme MPA Programme	N.CB N.CB	3.800 0.200	3.800 0.200	Construction of Dispensary at Village Azizabad Civil Work Electric Work	0.950 0.050	0.950 0.050	0.950 0.050	0.950 0.050
2			3.800 0.200	MPA Programme MPA Programme	N.CB N.CB	3.800 0.200	3.800 0.200	Construction of Dispensary at Village Ali Murad Shanbhani at Kalmi Quran Stop Saleh Pat Road UC Lal Jurio Stop 212 Civil Work Electric Work	0.950 0.050	0.950 0.050	0.950 0.050	0.950 0.050
3			3.800 0.200	MPA Programme MPA Programme	N.CB N.CB	3.800 0.200	3.800 0.200	Construction of Dispensary at Village Ali Gohar Shanbhani Golai Stop Near Januji Police Station Civil Work Electric Work	0.950 0.050	0.950 0.050	0.950 0.050	0.950 0.050
4			3.800 0.200	MPA Programme MPA Programme	N.CB N.CB	3.800 0.200	3.800 0.200	Construction of Dispensary at Village Waroo Bhumbhro at Main Road Civil Work Electric Work	0.950 0.050	0.950 0.050	0.950 0.050	0.950 0.050
5			3.800 0.200	MPA Programme MPA Programme	N.CB N.CB	3.800 0.200	3.800 0.200	Construction of Dispensary at Village Ali Muhammad Shanbhani RD-159 stop Saleh Pat UC Tarai Civil Work Electric Work	0.950 0.050	0.950 0.050	0.950 0.050	0.950 0.050


EXECUTIVE ENGINEER
EDUCATION WORKS DIVISION
SUUKUR