

STANDARD BIDDING DOCUMENT PROCUREMENT OF WORKS

NAME OF CONTRACTOR	
MAINE OF CONTINACTOR	

NAME OF WORK

Rehabilitation of Government Girls Higher Secondary School @ GGHSS Mirokhan Taluka Mirokhan ADP No: 71

NIT SR: NO: <u>01</u>

Standard Bidding Document

Is intended as a model for admeasurements (Percentage Rate / Unit price for unit rates in a Bill of Quantities) types of contract. The main text refers to admeasurements contract

	(This section should be filled in by the Executive / Procu	ring Agency before issuance of the Bidding Documents)
Α	Name of Procuring Agency	Executive Engineer, Education Works Division Kambe Shahdadkot
	Brief Description of Works	Rehabilitation of Government Girls Higher Secondar School @ Mirokhan Taluka Mirokhan
В	Procuring Agency Address	D.C Complex Kamber
С	Estimated Cost	700,000
D	Amount of Bid Security:- (Fill in lump sum amount or in % age of bid amount / Estimated cost, but not exceeding 5%)	2%
E F	Period of Bid Validity (days) Security Deposit:-	28 Days (Not more than Sixty Days)
	(in % age of bid amount / estimated cost equal to 10%)	Rs: 14,000/-
G	Percentage, if any, to be deducted from Bills	7.5% Income Tax & 5% Security Deposit
Н	Deadline for submission of Bids along with Time	
1	Venue, Time and Date of Bid Opening	Executive Engineer, Education Works Kambe Shahdadkot
J	Time for completion from written order of commence	Ghandedikot
K	Liquidity damages:- (0.05 of Estimated Cost or Bid Cost per day of delay, but total not exceeding 10%)	Nil
L	Call Deposit Receipt	No: Dated
		Amount Rs:
M	D.R No:	No: Dated
		Rs:
N	Rate Quoted by Contractor	Part A
		Part B
		(Marine Care
,	CONTRACTORY	EXECUTIVE ENGINEER
(CONTRACTOR)	EDUCATION WORKS DIVISION KAMBER-SHAHDADKOT

2

Schedule B>

Mir=no.1

Mame of Work: Rehabilitation of Secondary in District Kamber Shahdadkot (2013-14 Progg.)

at:GGH SS Mirokhan Taluka Mirokhan, (Electric) ADP No:362

SNo	ITEM OF W	RK	Qnty:	T	Rate			I_A	mount.
1	Wiring for light or far as required (S.I.No.		n 1/1.13(3/.029)PV	/C insu	lated wire in	2 <u>9</u> mn	n(3/4") channe	el patti on	surface
	145.00 /		@ Rs: 910.0		P.Point	*	Rs:	1	31,950.00
2	Wiring for Plug policions required (S.I.No.)	,	29) PVC insulated	l wire in	1 20mm(3/4") Char	nnel patti on si	urface	A Company of the Comp
	17.00	,	@ Rs: 742.0		P.Point		Rs:		12,614.00
3	. Wiring for Call bee! عمر 3.00	1/1,13 المنز.	(37.029)PVC insul @ Rs; 1590.0	Jarled w	ire in 20mmi P.Point	(3/4")F	PVC conduit (S Rs:	S.I.No: 131	1 P 15) 4,770.00
4	Providing and laying dia PVC conduit on			ılated x	virh size 2-7	(029}	Copper condu	ctor in 3/4	
	60 0,00		@ Rs: 171.0 /		P.Meter	ŗ	Rs:		02,600.00
5	Providing and laying dia PVC conduit on .		.No: 5 P 1).	Jated					1
3	250.00 Providing and laying	ino or c	@ Rs: 305.0	ulated s	P.Meter	# 1521/1	Rs:		76,250.00
5	dia PVC conduit on 120.00 /	್ಯಚಿಂe (S.I		nated V	P.Meter	002)(I	Rs:		51,360.00
ອີ	Providing & Fixing /	one way	S.P 5ampsswitch	rflush I	ype (S.I.No:	219 F	[,] 33)		
	100,00 \rightarrow Providing & Fixing 1					13			5,400.00
7	Providing & Fixing . 23.00 ►		@ Rs: 83.0	ты тург	P.Each	5 F 5	Rs:		1,909.00
3	Providing & Fixing 35.00	ikalite cei	ling rose with two @ Rs: 70.0	termina	al.(S.I.No: 23 P.Each	32 P 3	3) Rs:		2,450.00
9	P/Fixing / C Bakits 30.00	eding ros	e with two termina @ Rs: 72.0	I.S.). alı	.No: 228 P 3 P.Each	3). n	Rs:		2,160.0
10	Providing and fixing 45,00 f	rass ceilir	ng fan 56" (good q @ Rs. 3186.0	juelity).	P.Each	4	Rs:	1	43,370.00
• •	Providing a Fixing 1 repessed in the wall 2 00 Z	ુ⁄ €oloum	SP plug socket syns & covered with @ Rs: 156.97	vitch ar pľastic	nd shoe unit sheet.(S.I.N P.Each	on giv lo: 18	ven board P11) Rs:		314.00
12	Fixing All ceiling to 45.00 4	x égulator	on S W board.(\$/ -	.No. 1	(b) P 14) P.Each	n n	Rs:		4,108.0
13	P/F mild uteel bar f. 45.00	cjem 15.8	mm (5/8") dia sui ⊕ Rs: 141.01 ✓	taiole fo	or RCC roof. P Each	(S.I.N	o: 1 P 14) Rs:		6,345.0
14	P/F main panel book bus bar into painting 3.00 Z	SXNo: 8 P		odate h	eavey duty o	circuit n	breakers Rs:		4,279.0
15	P/F Earthing set with if water comes out if pit 12" deep by excurs. S.W.G bare copper electrical assarary 2.00	im the group scation of a line run in the providing	und level with salt ill type of soil. Ear 1/2″dia C.I pipe str	and cl th Plate aight fr	narcoal,etc,i. e to be canno om the earth	c mak ected	ting the with No:8		5,140.0

Mr.	TTEM OF WORK	is to 63 Amps Dir We fixth			Amount
	necessary connection (S.I.N 8.00	@ Rs: 948.0	P.Each	Rs:	7,584.0
• •	P.F. Cirectiff breakers 15,20, as required (3.1.Not 23,27.3)	,30.40,50,60,75 & 100 Am	ips (TP (XS-	100/NS on a prepar	red board
•	us required .3.LNor.D378.3 2.00	@ Rs: 9261.0 /	P.Each	<u> </u>	Rs: 18,522.00
	P/F 1-40 (W) tube light comp to necessary electric corporate 48.00			and puty with philip	os
	48.00 /	@ Rs: 396.0 /	P.Each		Rs: 19,008.00
10	ੂਟੀ Energy naver supplifor qu	uality i/c fixing on extg; ho	lder etc comp		
	:00.00 /	@ Rs: 497.0	P.Each	Rs:	49,700.00
				8	
			TOTAL:	Rs:	649,833.0

Executive Engineer
Education Works Division
(Camber-Shahrladke)

iì

0) 19

11

i į

.



STANDARD BIDDING DOCUMENT PROCUREMENT OF WORKS

IAME OF CONTRACTOR			

NAME OF WORK

Rehabilitation of Government Girls High Secondary School @ GGHS Mirokhan Taluka Mirokhan ADP No: 72

NIT SR: NO: <u>02</u>

Standard Bidding Document

Is intended as a model for admeasurements (Percentage Rate / Unit price for unit rates in a Bill of Quantities) types of contract. The main text refers to admeasurements contract

NAM	E OF CONTRACTOR:-	
	(This section should be filled in by the Executive / Procu	ring Agency before issuance of the Bidding Documents)
Α	Name of Procuring Agency Brief Description of Works	Executive Engineer, Education Works Division Kamber-Shahdadkot Rehabilitation of Government Girls High School @ Mirokhan Taluka Mirokhan
В	Procuring Agency Address	D.C Complex Kamber
C D	Estimated Cost Amount of Bid Security:- (Fill in lump sum amount or in % age of bid amount	650,000/- 2%
E F	/ Estimated cost, but not exceeding 5%) Period of Bid Validity (days) Security Deposit:-	28 Days (Not more than Sixty Days)
	(in % age of bid amount / estimated cost equal to 10%)	Rs: 13,000/-
G	Percentage, if any, to be deducted from Bills	7.5% Income Tax & 5% Security Deposit
Н	Deadline for submission of Bids along with Time	
l	Venue, Time and Date of Bid Opening	Executive Engineer, Education Works Kamber- Shahdadkot
J	Time for completion from written order of commence	Shandadkot
K	Liquidity damages:- (0.05 of Estimated Cost or Bid Cost per day of	Nil
L	delay, but total not exceeding 10%) Call Deposit Receipt	No: Dated
		Amount Rs:
М	D.R No:	No: Dated
N	Rate Quoted by Contractor	Part A Part B
(CONTRACTOR)	EXECUTIVE ENGINEER EDUCATION WORKS DIVISION KAMBER-SHAHDADKOT

Schedule"B"

NIT: No: 2

Name of Work:- Reliabilitation of Secondary in District Kamber Shahdadkot (2013-14 Progg:) at JGHS Mirokhan Taluka Mirokhan, (Electric) ADP No:361

SNo:	ITEM O	WORK	Qnty:	Rate		Amount
1	Winning for light	r fan Ipolint ভূাt	n 1/1.13(3/.029)PVC ir	isulated wire in 2	:! 0mm(3/4") channe	I patti on surface
	as required (S.				• •	
		30	@ Rs: 910.0	P.Point	Rs:	136,500.00
2	Wiri:) for Plug- as required (S	/	129) PVC insulated wire	e in 20mm(3/4") (Channel patti on su 	irface
		10	@ Rs. 742.0	P.Point	Rs:	14,840.00
3	Wiring for Call b	/	(3/.029)PVC insulated @ Rs: 1590.0	f wire in 20mm(3. P.Point	/4")PVC conduit (S Rs:	.I.No: 131 P 15) 7,950.00
	Providing and la		ub-Main) PVC insulate	d wirh size 2-7/02	29} Copper conduc	stor in 3/4"
	670		@ Rs: 171.0	P.Meter	Rs:	114,570.00
	Providing and la dia PMC conduit		ub-Main) PVC insulate	d wirh size 2-/.04	: 4}(6 MM2) Copper	conductor in 1"
		511 SUITABLE (3.1	@ Rs: 305.0	P.Meter	Rs:	91,500.00
	Provising and to drain PNC conduct		ub-Main) PVC insulate	d wirh size 2-/.05	<u>2</u> }(10mm2) Coppε	er conductor in 1"
		3	@ Rs 428.0	P.Meter	Rs:	64.200.00
6 i	Providing & Fixe	A.C. arke way	S.P 5ampsswitch flus	• •		
	100	S. C.	@ Rs 54.0 **	P.Each	. Rs:	5,400.00
71 1	Providing & Fixin 23	. 2 pp 5 amp	s plug & socket flush ty @ Rs 83.0	/pe.(S.I.No: 225 I P.Each	⊇ 33). Rs;	1,909.00
3 1	Providing & Fix.:	bakelite cel	ling rose with two termi	inal (S.I.No: 232	P. 33)	process and the second
	35 .		@ Rs 70.0	P.Each	Rs:	2,450.00
9 I	રિFixing A.C Ba⊬ 30 (e with two terminals .(S @ Rs. 72.0	S.I.No: 228 P 33) P.Each	Rs:	2,160.0
1G F	Providing and for	hende on he	ng fan 56" (good quali¢			me series and a series are a series and a se
10 1	45	g oliginas Contr	© Rs 3186.0	P.Each	Rs:	143,370.00
11 /	Provide g & Fixe	flush type: S	Pilptug socket switch	and shoe unit on	given board	· · · · · · · · · · · · · · · · · · ·
i	2.0		© Rs 156.97	P.Each	Rs:	314.00
12 F	fixing A.C ceiling 45.0	/ -	on S W board.(S.LMo: @ Rs. 91.30	1 (b) P 14) P.Each	Rs:	4,108.0
15 F	MF musi steel ba	- 2 y 6.am 15 8	mm (5/8") dia surfable			· ·
	45.0		@ Rs 141 01	P Each	Rs.	3,345.0
	Wiff malit panel to bus but the paint.	/		heavey duty circ	uit breakers r	Production of the second
	3.0	,	@ Rs 1426.34	P.Sq:ft:	Rs	4,279.0
j:	fwater Jomes c.	in the grou	copper plate buried in quind level with salt and if type of soil. Earth Pla	charcoal,etc.i.c :	naking the	
5	S.W.Gure cop:	- arcytún in t	/2"dia C.I pipe straight	from the earth u		
6	electricii, assarar	/	necessary tee.(S.I.Xo.	22 M20).	Da:	6.140.0
	2.0	•	@ Rs: 2570.37	P.Each	Rs:	5,140 0

SNo	ITEM OF WC	⊠K, Qntv:	Rate			Amount
1.6	P/F Cirecuit breakers	Amps to 63 Amps D.F	i/c fixing on a prepa	red board		
	necessary connection	(SINO 2 P 20)				
	₹,00.€	@ Rs 948 0	P.Each	Rs.		7,584.0
				17		
17	P/F_Cirecut breaker:	15,20,30.40,50,60,75 &	100 Amps (T.P. (XS-	100 NS on a pr	epared bo	ard
	as required (S.I.No: 2, 2.00	∕ P 31).		a a		
	2.00 /	@ Rs 9261.0	P.Each	•	Rs:	18,522.00
		complete with 40 w 4-0		r and puty with	philips	
	i/c necessary electric	ginection (S.I No P	V			
	48.00 /	@ Rs 396 0	P.Each		Rs:	19,008.00
						- Andrews
19		mor quality i/c fixing on e		lete, (S.I.No: 6 l	2 33)	· ·
	100.00 🗸	@ Rs: 497.0	P.Each	n Rs:		49,700.00
				•		
			TOTAL:	Rs:		699,849.0

Executive Engineer
Education Works Division
Kamber-Shahdadkot

. Ω



STANDARD BIDDING DOCUMENT PROCUREMENT OF WORKS

NAME OF CONTRACTOR	

NAME OF WORK

Up-Gradation of Middle School to High School & High School to Higher Secondary School @ GGLSS Bago Dero Taluka Kamber (Electric) ADP No: 162

NIT SR: NO: <u>03</u>

Standard Bidding Document

Is intended as a model for admeasurements (Percentage Rate / Unit price for unit rates in a Bill of Quantities) types of contract. The main text refers to admeasurements contract

NAM	E OF CONTRACTOR:-	
	(This section should be filled in by the Executive / Procu	ring Agency before issuance of the Bidding Documents)
Α	Name of Procuring Agency Brief Description of Works	Executive Engineer, Education Works Division Kamber-Shahdadkot Up-Gradation of Middle School to High School & High School To Higher Secondary School @ GGLSS Bago Dero Taluka Kamber (Electric) ADP No: 162
В	Procuring Agency Address	D.C Complex Kamber
С	Estimated Cost	400,000/-
D	Amount of Bid Security:- (Fill in lump sum amount or in % age of bid amount / Estimated cost, but not exceeding 5%)	2%
Ε	Period of Bid Validity (days)	28 Days (Not more than Sixty Days)
F	Security Deposit:- (in % age of bid amount / estimated cost equal to 10%)	Rs: 8,000/-
G	Percentage, if any, to be deducted from Bills	7.5% Income Tax & 5% Security Deposit
Н	Deadline for submission of Bids along with Time	
1	Venue, Time and Date of Bid Opening	Executive Engineer, Education Works Kamber- Shahdadkot
J	Time for completion from written order of commence	Shandadkot
K	Liquidity damages:- (0.05 of Estimated Cost or Bid Cost per day of delay, but total not exceeding 10%)	Nil
L	Call Deposit Receipt	No: Dated
		Amount Rs:
М	D.R No:	No: Dated
		Rs:
N	Rate Quoted by Contractor	Part A Part B
		anin 5
(CONTRACTOR)	EXECUTIVE ENGINEER EDUCATION WORKS DIVISION KAMBER-SHAHDADKOT


SCHEDULE "B"

NIT No 5

Name of Work: - Up-Gradation of Middle School to High School & High School to Higher School in Sindh (2007 08 Progg.) Estrict Kamber Strandadkot at GGLSS Bago Dero Taluka Kamber (Flectric)ADP No:163

		Qnty:	Rate	Unit	Amoun!
1	Winnerton light or fan Ipolier with as required (s.I.No: 129 P.15).	71 13(3/ 029)PVC Jus	sulated wire in 20mm(3/4") channel patti:	on surface
	100.00	⊕ Rs: 910.0	P Pqnt	Rs:	91,000
2	Wining for Plug point with (3/.0)	(a) PVC insulated wire	jn 20mm(3/4") Chanr	nel patti on surface	<i></i>
	as required (S.E.No. 180 P 15) 8.00	③ Rs. 742.0	P.Point	Rs:	5,936 00
3	Writing for Call bool with 1/1.13	3/.029)PVC insulated ② Rs: 1590.0	wire in 20mm(3/4")P\ P.Point	/C conduit (S.I.No: Rs.	131 P 15) 4,790 00
c i	Providing and laying (Main or su		 wirh size 2-7/029} Ci	apper conductor in	3/4"
	Jia PVC conduit on surface (S.I 250 00	No: 3 P 1) 愛 Rs: 171.0	P.Meter	Rs:	42.750.00
5	Providing and laying (Main or sc		Lwith sizg[2-/.044](6 [MM2) Copper condi	uctor in 1"
	ara PVC conduit on surface (S.I (a) 00 f	√o: 5 P 1). § Rs 305.0	P.Mater	Rs:	27.450.00
0	Previding and laying (Maix-or so		,	inm2). Соррег сове	Juctur in 1"
	90.00	③ Rs: 428.0	P.Meter	Rs.	38,520 00
7	Providing & Lixing Accone way 100.00	D.P 5ampsswitch flush ② Rs: 54.0	type (S.J.No: 219 P.3 P.Each	83) Rs:	5,400.60
8	Providing & Fixing 2 pin 5 amps	plug & socket flush typ .@ Rs: 83.0	pe.(S.FNo. 225 P 33) P.Each	i Rs :	1,660.00
9	Providing & Fixing bakelite ceit 30.00	ing rose with two termin ② Rs: 70.0	nal.(S.I.No: 232 P 33) P.Each	Rs:	2,160.00
10	P/Fixing A.C Baklite Ceiting rose 30.00	with two terminals .(S. Rs: 72.0	I.No: 228 P 33) P.Each	Rs:	2.160 Č
11	Providing and lixing brass ceiling 19.00	្ fan 56" (good qualify) -ច ទោ ៤៤ ទែ ប	P. Cap. In	1 .	92394·a
12	Providing & Lixing flush type S	Plug socket switch a	ind shoe unit on giver	r board	
	recessed in the walls or coloum: 4.00 <	© Rs: 156.97	P.Each	Rs.	628.00 [°]
13	Fixing A.C coiling fan regulator c	a S.W board.(SJ-No: 1	(b) P 14) P.Each	Rs:	2,647 C
14	P/F mid steel bar fan clam 15.8 20 00	.nm (5/8") dia suitable f ② Rs: 141.01	for RCC roof.(\$.1.No: P.Elach	1 P 14) Rs	n green C
15	P/F main panel board double's pus bar inc painting (\$,I.No: 8 P		heavey duty circuit br	eakers	

1



Exacutive Engineer dyshion Works Prision Works Prision Works Prision Works Prision

П

71



STANDARD BIDDING DOCUMENT PROCUREMENT OF WORKS

NAME OF CONTRACTOR			

NAME OF WORK

Up-Gradation of Middle School to High School & High School to Higher Secondary School @ GGLSS Gathar Taluka Kamber (Electric) ADP No: 162

NIT SR: NO: <u>04</u>

Standard Bidding Document

Is intended as a model for admeasurements (Percentage Rate / Unit price for unit rates in a Bill of Quantities) types of contract. The main text refers to admeasurements contract

NAM	E OF CONTRACTOR:-	
	(This section should be filled in by the Executive / Procu	ring Agency before issuance of the Bidding Documents)
A	Name of Procuring Agency Brief Description of Works	Executive Engineer, Education Works Division Kamber-Shahdadkot Up-Gradation of Middle School to High School & High School To Higher Secondary School @ GGLSS Gathar Taluka Kamber (Electric) ADP No: 162
В	Procuring Agency Address	D.C Complex Kamber
С	Estimated Cost	400,000/-
D	Amount of Bid Security:- (Fill in lump sum amount or in % age of bid amount / Estimated cost, but not exceeding 5%)	2%
E	Period of Bid Validity (days)	28 Days (Not more than Sixty Days)
F	Security Deposit:- (in % age of bid amount / estimated cost equal to 10%)	Rs: 8,000/-
G	Percentage, if any, to be deducted from Bills	7.5% Income Tax & 5% Security Deposit
Н	Deadline for submission of Bids along with Time	
1	Venue, Time and Date of Bid Opening	Executive Engineer, Education Works Kamber-
J	Time for completion from written order of commence	Shahdadkot
K	Liquidity damages:- (0.05 of Estimated Cost or Bid Cost per day of	Nil
L	delay, but total not exceeding 10%) Call Deposit Receipt	No: Dated
		Amount Rs:
М	D.R No:	No: Dated
		Rs:
N	Rate Quoted by Contractor	Part A Part B
		aim
(1	CONTRACTOR)	EXECUTIVE ENGINEER EDUCATION WORKS DIVISION KAMBER-SHAHDADKOT

2

SCHEDULE "B"

Teach of The Control acadation of Middle School to High School & High School acadagian Semichae Sc

II = No 4

ine Costa e que l'annoté Gamber Shahuedkot at GGLSS Cathar Taluka Kember et le chrysta i Neutil Rate winning remark or tan ipownt with 1/1 13(3/.029)PVC insulated wind in 20mmps in reference page on suggest 26 F 15) P Point @ Rs 910.0 Velitra (m. 116) poton wyla (37029) PVC insulated wiperin 20mm(374") Chainse poto een orfisca: Grand Carlot ASTR (6) (d) Rs. 742.0 @ Rs. 1590.0° P.Point . 12 Provided Lead Baying (Majir or sub-Main) PVC insulated with size 2-7/029} Copper conductor in 3/4 es: Pive contact on surface (STNo: 3 P.1) 17) OOM @ Rs: 171.0 💆 P.Meter Theoriding and laying (Martíon sub-Main) PVC insulated with size 2 (0/44)(6 MAIZ). During the influence dia PVC conduit on salface (S.I.No. 5.P.1). -37 E V -@ Rs. 305.**ď** P Meter Theyron, in the Evening (Main) persup Main) PVC insulated with size 2 - 052}(thereby if or recommending ± 200 su la recon digitace (€ (No. 6 (2.1)) @ Rs 428.0° P Meter n vigne in Edith) A Come way S P Sampsswitch flush type (S I No. 219 P 33). tao oo 🥙 @ Rs 54 0 Piath Providing & Liking / pin 5 anips plug & socket flush type.(S.I No. 225 P.33) milled @ Rs 83.6 135 ு அது by Kelite ceiling rose with two terminal (S.I.Nc. 232 P.33 (CKS 100 ° filling rose with two terminats (S Live 228 P 33) @ Rs 72.0 🗸 P.Fach individual and recinq orassi ceiling fan 56" (good quality). -(£) Rs 3186.0 -こ Ben type IS P in blug socket switch and shop and obliging こっぷ coloumns & covered with piastic sheet (SEN). 18 🗆 ja Ro. 150.97€ 11 rogalator on S.W. board.(S.I.No. 1 (b) P. 🙀 29 00 🖍 @ Rs: 91 30 Z . PPT bald are in Earline glvm 15.8 mm (5/8") dia suntable for RCC coof (S.LNo. 132 res @ Rs 14101 P., act: and the common could be shutter to accommodate heavey duly discuit become No 5 P TW (a) Rts 1426 34 📝 ij

16	il mater constribution the net 12' show by excaveation	n of all type of soil. Earth P	charcoal.etc i c mak late to be connected v	ing the with No 5	
	SW G band beonds wire xit alternative with a markety in the province of the pr			metallic	
	2.04	@ Rs: 2570 37	P.Fach	Rs	
		/	7		
1	Of Charles and Lakers 6/Ar	nps to 63 Amps DP //c fix		EP)	
	necessary consection (S.I	@ Rs 948 0	Plash	13100	
28.	and the extremely since 100 Grant State	99.36 40 50 60 75 & 100 Ar 31)	nps (LD (Ver too NS)	w a pyr parod Epa c	
		@ Rs. 9261.0 €	P1 ach	Ris	A 111 .
ы	i a 1940). After dabe light con No necessary electric conn	,	od cock starter and pu	ty with philips	
		@ Rs: 396.0	P.Each	Rs	
ZQ	P/FE nergy saver superior	∠ quality i/c fixing on extg: ੁਸ਼ੇਂ	older etc complete.(S.I	.Nor (CP 30-)	Comment
	80,00	@ Rs 497.0	Plach	R .	. '
			TOTAL:		

Executive day sura Education Winks Govision Kamber-Shishdadkot

s i



STANDARD BIDDING DOCUMENT PROCUREMENT OF WORKS

					— —		
NI.	A N	16	\cap E	\mathbf{c}	NTR	$\Lambda C I$	
IN	M IV		LJE.		IN 1 TK	ML,	L JR

NAME OF WORK

Up-Gradation of Middle School to High School & High School to Higher Secondary School @ GBMS Thori Bijar Taluka Kamber (Electric) ADP No: 162

NIT SR: NO: <u>05</u>

Standard Bidding Document

Is intended as a model for admeasurements (Percentage Rate / Unit price for unit rates in a Bill of Quantities) types of contract. The main text refers to admeasurements contract

<u>BIGGING DATA</u>


NAN	IE OF CONTRACTOR:-	
	(This section should be filled in by the Executive / Procu	uring Agency before issuance of the Bidding Documents)
A	Name of Procuring Agency Brief Description of Works	Executive Engineer, Education Works Division Kamber-Shahdadkot Up-Gradation of Middle School to High School & High School To Higher Secondary School @ GBMS Thori Bijar Taluka Kamber (Electric) ADP No: 162
В	Procuring Agency Address	D.C Complex Kamber
С	Estimated Cost	400,000/-
D	Amount of Bid Security:- (Fill in lump sum amount or in % age of bid amount / Estimated cost, but not exceeding 5%)	2%
E F	Period of Bid Validity (days)	28 Days (Not more than Sixty Days)
r	Security Deposit:- (in % age of bid amount / estimated cost equal to 10%)	Rs: 8,000/-
G	Percentage, if any, to be deducted from Bills	7.5% Income Tax & 5% Security Deposit
Н	Deadline for submission of Bids along with Time	
İ	Venue, Time and Date of Bid Opening	Executive Engineer, Education Works Kamber-Shahdadkot
J	Time for completion from written order of commence	
K	Liquidity damages:- (0.05 of Estimated Cost or Bid Cost per day of	Nil
L	delay, but total not exceeding 10%) Call Deposit Receipt	No: Dated
		Amount Rs:
M	D.R No:	No: Dated
		Rs:
N	Rate Quoted by Contractor	Part A
		Part B
		- Current
(CONTRACTOR)	EXECUTIVE ENGINEER EDUCATION WORKS DIVISION KAMBER-SHAHDADKOT


SCHEDULE "B"

MIT = MO 5

Hame of Went — Op thradation of Middle School to High School & High School to Higher School in Since 17997-08 Program Platest Kamber Shahdadkot at:GBMS Thori Bijar Taluka Kamber (Hectis)ADP Neuto'

Siyo.	j – nakrož WÖRK	Qnty:	Rate		Amezai
,	Machaella depotadican ipplint	: with 1/1 13(3/ 029)PVC ii	isulated wifte in 20mm	man danah yang	on partabil
	200 00 com (1990 1990 1990 1990 1990 1990 1990 199	(6) (6) (8) (9) (8) (9) (9) (9) (9) (9) (9) (9) (9) (9) (9	P Paym	18%	de la companya della companya della companya de la companya della
	- various services point with a - all trapers of the May 2001?	(9/029) PVC insulated wir 15:	e in 20mm(341") Chaic	and postfold in the site?	
	200	(0) Rs /420 e	PPois	534.	
Ü	Some may be a serial interespond of the serial series of the series of t	1 13 (3/ 029)PVC insulate @ Rs. 1590.0	d wire in 2gmm(3/4")P P Point	VC conducts (\$ 156) . Re	(3) P (0)
7	Providing and laying (Main dia PVC conduit on surface		ed wirh siz _§ 2-7/029} (Sopper conductor in	300
	250 00	@ Rs: 171.0	P.Meter	Rs.	42 - 1 - 10
`3	Providing and laying (Main doctors of surface	2 (S No. 5 P 1).		ММ2) Ферре: совф	actor at
	,	gr Rs 305 0*	P Meter **		
	The warrang make through (Main		ed with siz模 2 / 952其1	thoughth, a sugar of a re-	e de la companya de La companya de la co
	Gia PVU contint on surface	@ Rs: 428.0	P Meter	K.	
		0.01.00		()·))	· · · · · · · · · · · · · · · · · · ·
	Providing a Lixing A Cone	(a) Rs: 54.0	P Fach	Ha Ha	to the second
		amps pag & socket/tush l	/ luna /C NIS 221, D 32		P icture.
	at varyt and be	@ Rs. 83 0	P.F. ach	:	
V	Providing & Excise - payolite		ninaL(S.L.No. 232 P.33		Residence.
	30 00	@ Rs. 70.0	P.Fach	R.,	
1.1	T/Enxing A.C. Esakiite peiling	rose with two terminals .(S.I.No: 228 P 33)		· ·
	30.00	@ Rs: 72.0	P.Lach	Rs	· ·
	The state of the s	ceiling fan 56" (godd quall (ĝi Rs. 3186 0	ity). Pil-aun	PA:	
	- Coviding County (IGSI) y ;	sa C.D. etua enekat ewilat	eranak olara a mari da da da		
	recessee is the walls or col	oumns & covered with pla @ Rs 156.97	stic shoet (\$ 1 No. 18 P Lack	P*1,	And the second second
			. 4 /lea 12 4.43		
13	Fixing Assumbling tanyogul	ator on S.vv board (\$21.140 @ Rs 91.30	Plach	R	y'
ŧ :	ero mana atao narifan dagar	15 8 mm (5/8") dia suitabl @ Rs 141.01	e for RCC foof (STNc P Hach) (11 a)) (-	
	- P/F mana pando board dod Trais barana area (%) No		te heavey auty circuit I	break is	Bern January .
	4 00	@ Rs: 1426.34	P Sq.fc	is	





 i_1^*

П

3.1



STANDARD BIDDING DOCUMENT PROCUREMENT OF WORKS

		_					
N	ΔΝΛ		UE.	CO	NTR	ΔC	rn Þ
	- 11		.				

NAME OF WORK

Up-Gradation of Middle School to High School & High School to Higher Secondary School @ GBMS Junani Sharif (Azizullah Qureshi) Taluka Warah (Electric) ADP No: 162

NIT SR: NO: <u>06</u>

Standard Bidding Document

Is intended as a model for admeasurements (Percentage Rate / Unit price for unit rates in a Bill of Quantities) types of contract. The main text refers to admeasurements contract

NAM	IE OF CONTRACTOR:-					
	(This section should be filled in by the Executive / Procu	uring Agency b	efore issuand	e of the Bidding	g Document	ts)
Α	Name of Procuring Agency Brief Description of Works	Shahdadko Up-Gradation School To	t on of Middle Higher Sec rizullah Qui	ducation Wor e School to l condary Scho reshi) Taluka	High Scho ol @ GBI	ool & High MS Junani
В	Procuring Agency Address	D.C Comple	ex Kamber			
C D	Estimated Cost Amount of Bid Security:-	400,000/-				
	(Fill in lump sum amount or in % age of bid amount / Estimated cost, but not exceeding 5%)	2%				
E F	Period of Bid Validity (days) Security Deposit:-	28 Days (Not more than Sixty Days)				
	(in % age of bid amount / estimated cost equal to 10%)	Rs: 8,000/-				
G	Percentage, if any, to be deducted from Bills	7.5% Income Tax & 5% Security Deposit				
Н	Deadline for submission of Bids along with Time					
1	Venue, Time and Date of Bid Opening	Executive Shahdadkot	Engineer,	Education	Works	Kamber-
J	Time for completion from written order of commence	Orlandaukoi	•			
K	Liquidity damages:-	AI:I				
	(0.05 of Estimated Cost or Bid Cost per day of delay, but total not exceeding 10%)	IVII				
L	Call Deposit Receipt	No: Amount Rs:			Dated	
М	D.R No:	No: Rs:				
N	Rate Quoted by Contractor	Part A				
				aum		
((CONTRACTOR)		EXECUTI	VE ENGINE	ER	

EDUCATION WORKS DIVISION

2

SCHEDULE "B"



Name of Work — the condition of Middle School to High School & High School to Higher School in Sindh (2007-08 Proger) District Kamber Shahdadkot at GBMS Junani Sharif Taluka Warah (Electric)ADP No.162

SNo:	TEM ÖF WORK	Qnty:	Rate	<u>l Una l</u>	Anyco
·	Wiring to Elight or fart Ipolint wit as required (S.I.No. 1/9 P. 15)	h 1/1.13(3/.029)PV(Çınsulated wire in 20mm	n(3/4") channel par	iti on surta.:
	10 (1)	@ Rs 910.0	P Pojnt	Rs	
J	Weren or this point with (3/1 > > > ≤ SOP 16)	ار (29) PVC insulated با (29)	wire in 20mm(3/4") Chai	med pails on accase	() *
		@ Rs. 742.0 🐔	P Palie N	e¢.,	,
13	Winne for Cali beet with 1/1-13 3.00	3 (3/ 029)PVC insulæ @ Rs 1590.0 *	nted wire in 20 min(3/4°)f P Point	*VC concord (CEP) RO	
	Providing and laying (Main of some 1973) denient on suitace (S.		ated wirh size.2-7/029}	Copper conductor i	in 3/4"
	×50 00 🐔	@ Rs: 1/1.0	P.Mater	Rs.	42
	Providing and laying (Main or side PVC conduit on surface (S.		atod wirh size 2 /.044}(6	SMM2) Capaer our	anaan i
	50 00 *	@ Rs. 305.0	P.Meter	let:	<i>y</i>
	Providing and laying (Majir or s for PV - conduction syrface (S		ated wirh size 27.052}(1	0mm/2) Copper oc	Priorition In The Section 2
	a tad	@ Rs: 428.0	P. Me tor	Res	30 - S
	Province of Estard A.C opé way	SP 5ampsswitchf @ Rs 54.0	โนsh type (S.t.No. 219 P P Each เก	(33) Ru	
3	Providing & Fixing 12 pp/ 5 amp	s plug & socket flus @ Rs 83.0	h type.(STNe -225 P 33 P.Each	(5)	Comment of the Commen
.)	r', was a jib sa sa sa hakama car	ling rose with two to @ Rs 70.0	rminal (STN _C 202 P 3) P Fach); (3.	
10	incixing A C Bakille Celling ros	e with two terminals @ Rs: 72.0	.(S.LNo: 228 P 33) P.Each	Ks	
11	Providing as ditixing brass coilir .dv (XI	ng fan 56" (good ศ น์ _@ Rs_3186.0	álity). P Fæth	Ra	
	Providenças – sing flush typic S - 1995 – 1995 – seas optobloum - 1995		<i>y</i>		garante en
ζ :	okinsoka – romog fan regulatori Zamia	on S.W board (8É.N @ Rs 91.30	lo. 1 (b) P 14) P Each	iç.	
, :	ci mua susa per tan dem 15.8	mm (5/8") dia surfal @ Rs 141.01	ble for RCC roof (Sit.No Pitiagn	(* 15.44) 19	
116 - 1	The amendment deuble st		สโต heavey daty circuit โ	Z. Wilker (F	e e e e e e e e e e e e e e e e e e e
		@ Rs 1426.34	P Sq.R	• •	

11

Oses.	HOWER WORK	Qnty:	Rate	Urait	Ange
*	Part arising on with 2'x2'x' dimates course inclinant the pit 12' deep by alcaydation S.W.G bard copper wire run	ground level with salt and of all type of soil. Earth F in 1/2"dia C.I pipe stydig	d charcoal etc.i.c r Plate to be connect ht from the earth u	making ਇਹ ed with ਅੱਚ ਨੇ	/
	cleatrical destructy (oprovid	@ Rs: 2570.37	P.Fach	!ks	
			wi.		
1 -	177 Cook of Escakora 6 Air	ips to 63 Amps D.P i/g/fix No. 2 P 20)	ang on a prepared	board	
	necessary connection (S.I.	@ Rs 948 0	Pitash		
în.	1971 - Operation of the Parkers (1971) The following of the first of the Parkers (1971)	3 30 40 50,60,75 & 10 0 A	mps (1 P (XS 100	NS on a prepared b	ount 🗸
	mangar a sente da (1)	@ Rs 92610	Pirach	13%	70-10-0
15	144 * 40 (W) tabe light com se necessary acudino comic		rod cock stårter an	d puty with philips	
	34.00	@ Rs: 396.0	P.Each	Rs	1000
2G	P/Entinergy paver superi <mark>or (</mark>	auality i/c fixing on extquh	older etc complete	e.(S.I No. 0 12 30)	
	fr. 00	@ Rs: 497.0	Plach	Rs	
			TOTĄL:	Rs	Desc. 100
			a		

Executive Engineer Education Works Division Kamber-Shahdadkot

17

 V_{ℓ}



STANDARD BIDDING DOCUMENT PROCUREMENT OF WORKS

NAME OF CONTRACTOR	

NAME OF WORK

Up-Gradation of Middle School to High School & High School to Higher Secondary School @ GBLSS Sijawal Taluka Sijawal (Electric) ADP No: 162

NIT SR: NO: <u>07</u>

Standard Bidding Document

Is intended as a model for admeasurements (Percentage Rate / Unit price for unit rates in a Bill of Quantities) types of contract. The main text refers to admeasurements contract

<u>BIGGING DATA</u>

NAM	ME OF CONTRACTOR:-	
	(This section should be filled in by the Executive / Procu	rring Agency before issuance of the Bidding Documents)
Α	Name of Procuring Agency Brief Description of Works	Executive Engineer, Education Works Division Kamber-Shahdadkot Up-Gradation of Middle School to High School & High School To Higher Secondary School @ GBLSS Sijawal Taluka Sijawal (Electric) ADP No: 162
В	Procuring Agency Address	D.C Complex Kamber
С	Estimated Cost	400,000/-
D	Amount of Bid Security:- (Fill in lump sum amount or in % age of bid amount / Estimated cost, but not exceeding 5%)	2%
E	Period of Bid Validity (days)	28 Days (Not more than Sixty Days)
F	Security Deposit:- (in % age of bid amount / estimated cost equal to 10%)	Rs: 8,000/-
G	Percentage, if any, to be deducted from Bills	7.5% Income Tax & 5% Security Deposit
Н	Deadline for submission of Bids along with Time	
1	Venue, Time and Date of Bid Opening	Executive Engineer, Education Works Kamber-Shahdadkot
J	Time for completion from written order of commence	
K	Liquidity damages:- (0.05 of Estimated Cost or Bid Cost per day of	Nil
L	delay, but total not exceeding 10%) Call Deposit Receipt	No: Dated
		Amount Rs:
М	D.R No:	No: Dated
		Rs:
N	Rate Quoted by Contractor	Part A
		Part B
		au -
1	CONTRACTOR\	EVECUTIVE ENGINEED
('	CONTRACTOR)	EXECUTIVE ENGINEER EDUCATION WORKS DIVISION KAMBER-SHAHDADKOT

SCHEDULE "B"

NIT-No: 7

Name of Work — Jip Gradation of Middle School to High School & High School to Higher School in Sirver (2007-08 Progent) is fact Kamber Shahdadkot at:GGLSS Sijawal Taluka Sijawal (Llectric)ADF No.162

SNo	J — dasja wokk <u>.</u> .	Qnty:	Rate	Tunit T	Ajng c.
	- Amagina galase tan apolan		nsulated wire in 20mm	(34°, control rate)	10 . 11. 11. 11. 11
	ingespracie a side 1960 Pa congres	(a) Rs: 910 0	triba.प	15 -	• • • • • • • • • • • • • • • • • • •
2	Wining for Plug-point with (3		re in 20mm(3/4") Chan	del patiron sudace	
	- ar acquiros (t. 1945) (3e) P. 1	% Rs. 742 0	P Pojm	C.a	í
	and the second s	13 (3/ 029)PVC ins ⊮a te @ Rs 1590.0 ⁴	d wire in 20mm(3/4°56) P.Point	Ville, ya kunati saki s Re	Carrier P
4	Providing and laying (Main o dia PVC conduit on surface i		ed wirh siz $\frac{0}{8}$ 2 7/029} C	Copper conductor in	3/4" , ,
	250 00	@ Rs: 171.0	P.Meter	Rs	4.2 %
	Providing and laying (Main o		ed wirh size 2 / 044}(6	MM2) Capper condi	actories .
	district conduit on seffiace ((8) Rs: 305.0	P Motor	: **	gar ⁱ gr
	a viceg a Erving Main o	·*	+ ed wirh sizc 2 / 052}(10 - ∰	артива Семьен за г	aurdonin (1997)
	aia PVC conduit on surface.(Sin (0)	© Rs. 428 0	P Metor	R1	• :
ż	irrovioling at Eixing A.C one v	vay S.P 5ampsswitch flus @ Rs: 54.0	shitype (S.F.No: 219 P. P.F.ach	33) Ik.	general and the second
		nps pag & socket flash t	ype.(\$1 N o-225 P-33)		
		@ Rs 83.0	P Equit	4 - ₁₂	
ij	Providing surviving trakelite : 30,00	ceiling rose with two term	ก์inal.(S.I.No: 232 P 35 P.Each) Ra	er min
10	P/Fixing A C Baklite Coding i	ose with two terminals.(S.I.No. 228 P 33)		<u>, </u>
	3000	@ Rs: 72.0	P.Each	Rs:	
! "	are with a maked wino lightest co	illing tan 56" (good qual (# Rs 3186 0)	ly). Pilinger	<i>i</i> 1	Comment of the Commen
-)	Providing a maing Hush type Processe in the walls or color	imns & covered with plai			
		పు Rs. 156 . 97	Piran	Ik	
• • • •	Textisa November of my Cyulat	ວເວດ S W beard (S.I.No @ Rs. 91.30	1 (b) P 1(g P Fach	4.4	, ,
	and the state of t	: 8 mm (5/8") dia suitable :c) iks = '41.01	e for RCC poof (STNe) Place	g Produce	e e
	17/F many acciboard gouble	shutter to accommode	tt n beavey duty circus b	FFYCKFUU.	
	The first of the second of the			a tope (1800 a)	
	71 + W1 **	© Rs 1426.34	P.Sa.fr	Eq. (

:	in the second section through the properties of	z all lype of soil. Earth F in 1721dia C Epi <mark>pe str</mark> aig	d icharcoasetc, comak Mate to be o ccinected nt from the gourth upto	ng ha Water	
	electrica, amin'ny via providir 7 00	ng nocessary tee.(SLMc @ Rs 2570 37	or 22 P26). ⁴ P Hadh	<u> (</u> ₹-	· ·
	(Pholo) - Cod Monakero S Amp	s to 63 Amps D.P i/c fix	ung on a prepared boa	ed.	
	op vir all land map is the	o 2 F 20) @ Rs 948 0	P.Fersh	4	<i>y</i>
	in the following of the second		ngper(1 Professionale)	e i del alta de e	· ·
	out regions right 1967-1969 1969 Order	@ Rs 92610	Plan	fixto	(v)
19	P/I 1-40 (VV) tabe light comp		rod cock starter and pr	ity with philips	
	En activities (en trajación nec	@ Rs 396.0	P.Lach	18.	1
	т III — в поставронот qu	iality i/c fixing on extgr h	older etc cymplete.(S	i Meraner N	Č
	(*) (3.9 4	(ii) Rs 497.0	Piliačn H	15 v	
			TOTAL:	Rs	
			TOTAL:	185	

Executive angineer

Executive Engineer Education Works Division Kamber-Shahdadket

13



STANDARD BIDDING DOCUMENT PROCUREMENT OF WORKS

NAME OF CONTRACTOR	

NAME OF WORK

Up-Gradation of Middle School to High School & High School to Higher Secondary School @ GBHS Arzi Bhutto Taluka Sijawal (Electric) ADP No: 162

NIT SR: NO: <u>08</u>

Standard Bidding Document

Is intended as a model for admeasurements (Percentage Rate / Unit price for unit rates in a Bill of Quantities) types of contract. The main text refers to admeasurements contract

(This section should be filled in by the Executive / Procu	ring Agency before issuance of the Bidding Documents)						
Name of Procuring Agency	Executive Engineer, Education Works Division Kamber Shahdadkot Up-Gradation of Middle School to High School & High School To Higher Secondary School @ GBHS Arzi Bhutto Taluka Sijawal (Electric) ADP No: 162						
Brief Description of Works							
Procuring Agency Address	D.C Complex Kamber						
Estimated Cost	1,000,000/-						
(Fill in lump sum amount or in % age of bid amount	2%						
Period of Bid Validity (days)	28 Days (Not more than Sixty Days)						
(in % age of bid amount / estimated cost equal to	Rs: 20,000/-						
Percentage, if any, to be deducted from Bills	7.5% Income Tax & 5% Security Deposit						
Deadline for submission of Bids along with Time							
Venue, Time and Date of Bid Opening	Executive Engineer, Education Works Kamber-Shahdadkot						
Time for completion from written order of commence							
Liquidity damages:-							
	Nil						
Call Deposit Receipt	No: Dated						
	Amount Rs:						
D.R No:	No: Dated						
	Rs:						
Rate Quoted by Contractor	Part A						
	Part B						
	anim 5						
	Procuring Agency Address Estimated Cost Amount of Bid Security:- (Fill in lump sum amount or in % age of bid amount / Estimated cost, but not exceeding 5%) Period of Bid Validity (days) Security Deposit:- (in % age of bid amount / estimated cost equal to 10%) Percentage, if any, to be deducted from Bills Deadline for submission of Bids along with Time Venue, Time and Date of Bid Opening Time for completion from written order of commence Liquidity damages:- (0.05 of Estimated Cost or Bid Cost per day of delay, but total not exceeding 10%) Call Deposit Receipt D.R No:						

EXECUTIVE ENGINEER EDUCATION WORKS DIVISION KAMBER-SHAHDADKOT

2

(CONTRACTOR)

NAME OF CONTRACTOR:-

SCHEDULE "B"

11:No: 8

Nettic of Weak - Ap Gradation of Middle School to High School & High School to Higher School in Shell (2007 08 Proggt) District Kamber Shahdadkot at:GBHS Arzi Bhutio Taluka Sijawal (filestiis)ADP iNo. is

Ν <u>ο</u>	HEIVEDE VVORK	Qnty:	Rate	Unit	All View
:	Wiring to: light or fact boltr		insulated wire in 20r	nm(3/4") enviolact politic	on mariant
	and the second section of the	(15)			•
		(2) Rs 910 0 €	P Point	R. R.	220
	ana sa kata kata kata Misir	(3/ 029) PVC insulated wj	⊯€ in 20mm∰3/4°) Ch	Manitas prisso na confessor	
	- as required at 1Not 180 P		()		And the same of th
	20.00	@ Rs: 742.0	P.Point	:15	**
			· · · · · · · · · · · · · · · · · · ·		No. 10 a game
	Wining over a pool with 1	/1 13 (3/ 029)PVC insulate			
	5.00	@ Rs: 1590.0	P Pont	Re.	$f \cdot f_{ij} = 0$
/;	The washing send taying diverge	⊬or sub-Main) PVC insulaț	ted wirh size 2-7/029	} Copper conductor in	3/4
	on in Millerada Las audace				
	181.00	@ Rs: 171.0	P.M ó ter	Ro Rs	29
Ĺ.,	Providing and laying (Main	Coreuh Main DVC incula	6d with \$120 2 1 04 21	VA KAMPY I V OGGESTY STEEL	s tare was "
5			GO WITH SIZE Z 7 UPP	Ma man Contains no or	Marie Contraction
	dia PVC conduit on surfac		1 \ 1 \ 2 \ 4		*
	113C+4(1)	@ Rs 305.0 *	P Meter	Re Re	*1
, i	- Croveleggare Hayang (Madu	⊝≓sub Main) PVC insulat	led wirh sizer2 / 052)	(10mm2) Copper cond	Audional III
	Lien The Distribution spirate				and the state of t
	man affi	@ Rs 428.0	P Meter	100 (6)	•
			à		/
	Providing & Lixing Autono	: way S.P 5ampsswitch flu	ısh type (S İNo. 219	(1133)	
	100.30	@ Rs 54.0	P.Lach	1 4 A	
	***************************************	G2 - 122 G 112			
	Providing & Exing 2 pm 5		Type.(S.I No. 225 P	33)	3 parament
	23 00	@ Rs 83.0 /	_P.Each	Rs	1000
			/	No.	
)	- Coviding & Exinc - bakefil	· · · · · · · · · · · · · · · · · · ·			¢0.00
	· · · · · · · ·	(g) Rs 70 0	ittach	14,.	
	ara ixii	1 rose with two terminals	∠		
	39.50	@ Rs. 72 0	Place	IX: KS	-
		- Cop 110, 12, 0			
15	- Crovida : o al Exing brass	ceiling fan 56" (good qual	lity)		Comment of the second
	4,60	@ Rs 3186.0	P Lach	Re Re	en en en en en en en en en en en en en e
		9.44.4			
1	are welling Kit lang diushity				يت المستعدد
	and some of a large smalls grace		ấstic sheet (STNo. 1	81111	e.
		@ Rs: 156.97	Plach	Rp Is	
	· · · · · · · · · · · · · · · · · · ·	ator on C M board (C i No	5 1 (b) P 14)		
7	Horing A. Fremmy Tue roudul				,
		@ Rs 91.30	P Lash	An An	
3	P/F and superbar ton claim		Te for RCC roof (ST)	No. 111 (4)	معمون يدين
,	-1 -1 -10 00 30 00 0740 1010 1010 10111	@ Rs 141 01		Ro Pr	
	· · ·	@ No 14101	P Fach	(AG) 12	

		. WW	K. I.	Qnty		Rate	ļ C33	•			
[-]	PA manapa Discorrecti	ou dec (M	Na. 8 P 13	er to accomi i Ro. 1426.3 4	Service Control of the avey duty d P Sq t	rout best o	en R)		ş*		
) () · *	(J.)	KD 1420. 39		l'abij ii	1 2 7 3	1 .			
13		in Marian Marian	the ground ten at all ty	tevel with sa pelof soil. Ha	ilt and ichi arth Plate	arcoal, do co to be obcues	omakee ter oli 1000 oo				
	. :	THE TOP W	Stanon 1/2"	da Cilipipe s	straight fro	om the learth.	appears to a				
	a Maria Maria e e e		ov destjined Jil	ussary tee (\$ Rs: 2570 :3 7	j∤NO ZZ	Pilape				e'	
•17	Н.Н. Султана пераментул	Jernalofs 6 Concellar (SENo 2P	3 Amps D.P 20) Rs. 948.0 €	i/c fixjug (on a propare P.F.ach		Ky			,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
	Heli organi Garana eta	. meakerb j e- 1 Me Xv	5:20:30:40 F 311	50.60.75 & 1	1 00 Amps	(TP (XS-10	0 NS on a p	negared	boanc		· · · · · · · · · · · · · · · · · · ·
			(0)	Rs 9261.0		P.Faph	1 · · · .		(Ši)		
ļ	To Table 19				long rod c	ock startar a	and puty that	. n.:: la			Commence of the second
		and the second	(0)	Rs 396 0 [©]		P.Lact	18%		1433		
	11 1 1 1 1 1		or auty i	e tivina on e	xfa holde	r etc comple	te (S FNo d	4 * 18 * 1			Comment of the second
		Secretary of the second	(P)	Rs 497 0		P.Lach	Reg.	100			
						4					<i>y</i> .
						101A					€

anim 3

Crecutive Engineer
Education Works Division
Kamber-Shahdadkot



STANDARD BIDDING DOCUMENT PROCUREMENT OF WORKS

NAME OF WORK

Addition of C/Rooms, Construction of Labs & Libraries in Existing Secondary & Higher Secondary School @ GBHS Nasirabad (4 C/Rooms) Taluka Nasirabad (Electric) ADP No: 163

NIT SR: NO: 09

Standard Bidding Document

Is intended as a model for admeasurements (Percentage Rate / Unit price for unit rates in a Bill of Quantities) types of contract. The main text refers to admeasurements contract

NAM	IE OF CONTRACTOR:-							
	(This section should be filled in by the Executive / Procu	rring Agency before issuance of the Bidding Documents)						
Α	Name of Procuring Agency	Executive Engineer, Education Works Division Kamber-Shahdadkot Addition of C/Rooms & Construction of Labs & Libraries in Existing Secondary & Higher Secondary School @ GBHS Nasirabad (4 C/Rooms) Taluka Nasirabad (Electric) ADF No: 163						
	Brief Description of Works							
В	Procuring Agency Address	D.C Complex Kamber						
C	Estimated Cost	200,000/-						
D	Amount of Bid Security:- (Fill in lump sum amount or in % age of bid amount	2%						
E F	/ Estimated cost, but not exceeding 5%) Period of Bid Validity (days)	28 Days (Not more than Sixty Days)						
Г	Security Deposit:- (in % age of bid amount / estimated cost equal to 10%)	Rs: 4,000/-						
G	Percentage, if any, to be deducted from Bills	7.5% Income Tax & 5% Security Deposit						
Н	Deadline for submission of Bids along with Time							
1	Venue, Time and Date of Bid Opening	Executive Engineer, Education Works Kamber-Shahdadkot						
J	Time for completion from written order of commence	Shahuaukot						
K	Liquidity damages:- (0.05 of Estimated Cost or Bid Cost per day of	Nit						
L	delay, but total not exceeding 10%) Call Deposit Receipt	No: Dated						
		Amount Rs:						
М	D.R No:	No: Dated						
		Rs:						
N	Rate Quoted by Contractor	Part A						
		Part B						
		aim -						
((CONTRACTOR)	EXECUTIVE ENGINEER EDUCATION WORKS DIVISION KAMBER-SHAHDADKOT						

Schedule B. NITENO: 9

. Name of Work:- Addition Class Rooms, Construction of labs & Libraries" in existing Secondary & Higher Secondary School (2007-08 Progg.) Distt: Kamber Shahdad Kot at: GBHS Nasirabad (4 C/R) (Electric) Taluka Nasirabad ADP No: 163

41.	ITEM OF WORK	Qnty:	Rate	• i	j	Amount.
No: 1	Wiring for light or fan Ipplint with			20mm(3/4")	channel patti	
	as required (S.I.No: 129 P 15).		,	b	,	i primo
	30.00	@ Rs: 910.0	P.Point	0	Rs:	27,300.00
		_		ŭ		
2	Wiring for Plug polint with (3/.0)	29) PVC insulated wi	re in 20mm(3/4") Channel pa	tti on surface	:
	as required (S.I.No: 130 P 15)	1	· ·	•		- Lander
	8.00	@ Rs. 742.0	P.Point		Rs:	5,936.00
		•				.=
;	Providing and laying (Main or su	ıb-Main) PVC insulat	ed wirh size 2-7.	/029} Copper	conductor in	3/4"
	dia PVC conduit on surface (S.I			0		
	270.00	@ Rs: 171.0	P.Meter	.,	Rs:	46,170.06
ţ	Providing and laying (Main or su	ub-Main) PVC insulat	ed wirh size 2-1.	04 ⁴ / ₄ }(6 MM2)	Copper cond	ductor in 1"
	dia PVC conduit on surface (S.I			•••		
	88.00	@ Rs: 305.0	P.Meter	Rs:		26,840.00
		_		3.		
	Providing and laying (Main or su	ıb-Main) PVC insulat	ed wirh size 2-/.	05 2 }(10mm2)	Copper cor	nductor in 1"
	dia PVC conduit on surface.(S.I				•	
	70.00 €	@ Rs: 428.0	P.Meter	'n	Rs:	29,960.00
		/	1	n e		/
	Providing & Fixing A.C one way	S.P 5ampsswiteth flu	ish type (S.I.No:	21 ₉ P 33)		and the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of th
	40.00/	@ Rs: 54.0	P.Each	0y	Rs:	2,160.00
	/	G 1.2. 0 1.0				
6	Providing & Fixing 2 pin 5 amps	s plug & socket flมศัก	type,(S.I.No: 22	5 R 33).		
,	8.00	@ Rs: 83.0	P.Each		Rs;	664.00
	5.00 \	@ N3. 03.0	1.000	V	110.	001.00
	Providing & Fixing Brass Battern	holder (S No. 232	2 P 33)	:		(
	40.00 4	@ Rs: 70.0	P.Each	A.	Rs:	2,800.00
	70.00 €	© 110. 10.0	/	.,	1.5,	_,000.00
	P/Fixing A.C Baklita Ceiting rose	with two terminals	(S.I.No: 228 P.3	3)		e de la companya de la companya de la companya de la companya de la companya de la companya de la companya de
,	12.00	@ Rs: 72.0	P.Each	~ ₁ ·	Rs:	864.00
	12.00 €	w 115. 12.0	7 .Lacii		113.	004.00
	Providing and fixing brass ceiling	ng fan 56" (good Aug	ity)			p ^N
3	12.00	@ Rs: 3185.0	P.Each	*	Rs:	38,220.00
	12.00	w 113. 3103.0	ı .laUI	· :	113.	50,220.00
)	Providing & Fixing flush type S	P plug socket swife	h and shoe unit	on given ho	ard	
-	recessed in the walls or coloumn					A statement
	1.00	@ Rs: 156.97	P.Each	A	Rs:	157.00
		G 1.55. 755.01		*1		/
1	Fixing A C ceiling fan regulator o	on S.W board (S-YNo	o: 1 (b) P 14)			and the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of th
	8.00	@ Rs: 91.30	P.Each	×	Rs:	730.00
	0.007					
2	P/F mile steel bar tunxlam 15.8	mm (5/8") dia suitah	le for RCC roof	(S.LNo: 1 P 1	(4)	and the second
-	8.00e	@ Rs 141.01	P.Each	(5115. 7.1	Rs:	1,128.00
3	P/F Earthing set with 2'x2'x1/2" (_		oth of 12" or		,,120.00
,	if water comes out from the grou					
	pit 12" deep by excavoation of a					
	S.W.G bare copper wire run in 1					
				rupto metalli	C	port of the same
	electrical assarary #5 providing (@ Pet 2570 27		•.	De-	2,570.37
,	1.00	@ Rs: 2570.37	P.Each	od boord	R s :	2,010.01
4	P/F Cirecuit breakers 6 Amps to		king on a prepar	eu Doard		Market Control
	necessary connection. (S.I.No: 2		D.E.			* noc oo
_	2.00	@ Rs: 948.0	/ P.Each	.".	Rs:	1,896.00
5	PIF Energy saver superior qualit			ete. (S.I.No: 6		10 10 00
	25.00 <	@ Rs: 497.0 💆	P.Each	*	Rs:	12,425.00
					,	
				1.		~
				TOTAL:	Rs:	199,820.4

Executive sugment Education Weaks Division Hamber Englandkot



STANDARD BIDDING DOCUMENT PROCUREMENT OF WORKS

١	J	Δ	٨	Λ	F	O	F	C	O	N	TR	Δ	C.	Γ	R
•	٧,		ш	Ħ	_	v		·	·	1			•	·	/ I 🔪

NAME OF WORK

Addition of C/Rooms, Construction of Labs & Libraries in Existing Secondary & Higher Secondary School @ GBHS Mirokhan (2 C/Rooms) Taluka Mirokhan (Electric) ADP No: 163

NIT SR: NO: 10

Standard Bidding Document

Is intended as a model for admeasurements (Percentage Rate / Unit price for unit rates in a Bill of Quantities) types of contract. The main text refers to admeasurements contract

NAM	IE OF CONTRACTOR:-						
	(This section should be filled in by the Executive / Procu	rring Agency before issuance of the Bidding Documents)					
A	Name of Procuring Agency Brief Description of Works	Executive Engineer, Education Works Division Kamb Shahdadkot Addition of C/Rooms & Construction of Labs & Libraries Existing Secondary & Higher Secondary School @ GBI Mirokhan (2 C/Rooms) Taluka Mirokhan (Electric) Al No: 163					
В	Procuring Agency Address	D.C Complex Kamber					
C D	Estimated Cost Amount of Bid Security:-	100,000/-					
	/ Estimated cost, but not exceeding 5%) Period of Bid Validity (days)	2%					
E		28 Days (Not more than Sixty Days)					
F	Security Deposit:- (in % age of bid amount / estimated cost equal to 10%)	Rs: 2,000/-					
G	Percentage, if any, to be deducted from Bills	7.5% Income Tax & 5% Security Deposit					
Н	Deadline for submission of Bids along with Time						
1	Venue, Time and Date of Bid Opening	Executive Engineer, Education Works Kamber-					
J	Time for completion from written order of commence	Shahdadkot					
K	Liquidity damages:- (0.05 of Estimated Cost or Bid Cost per day of	Nil					
L	delay, but total not exceeding 10%) Call Deposit Receipt	No: Dated					
		Amount Rs:					
М	D.R No:	No: Dated					
		Rs:					
N	Rate Quoted by Contractor	Part A Part B					
		amu 5					
((CONTRACTOR)	EXECUTIVE ENGINEER EDUCATION WORKS DIVISION KAMBER-SHAHDADKOT					

Schedule B. NITENO10

Name of Work:- Addition Class Rooms, Construction of Lab & Libraries in Existing Secondary & Higher Sec School (2007-08 Progg.) Distt: Kamber Shahdadkot at: GBHS Mirokhan (2 C/R) (Electric)

Taluka Mirokhan ADP No: 163 SNo: ITEM OF WORK Qnty: Rate Amount. Wiring for light or fan Ipolint with 1/1.13(3/.029)PVC insulated wire in 20mm(3/4") channel patti on surface as required (S.I.No. 129 P 15) 20.00 @ Rs: 910.0 P.Point 18,200.00 Rs: Wiring for Plug polint with (3/.029) PVC insulated wire in 20mm(3/4") Channel patti on surface as required (S.I.No: 136 P 15) @ Rs: 742.0 4.00 / P.Point 2,968.00 Providing and laying (Maja or sub-Main) PVC insulated wirh size 2-7/029} Copper conductor in 3/4" dia PVC conduit an sufface (S.I.No: 3 P 1) 70.00 @ Rs: 17 @ Rs: 171.0 P.Meter 11,910.00 Providing and laying (Main or sub-Main) PVC insulated wirh size 2-/.052}(10mm2) Copper conductor in 1" dia PVC conduit on surface.(S.I.No: 6 P 1). 70.00 @ Rs: 428.0 29,960.00 P.Meter Rs: Providing & Fixing A.C one way S.P 5ampsswitch flush type (S.I.No: 219 P 33) 25.00 ~ @ Rs: 54.0 P.Each Rs: 1,350.00 Providing & Fixing 2 pin 5 amps plug & socket flush-type.(S.I.No: 225 P 33). 4.00 @ Rs: 83.0 P.Each Rs: 332.00 Providing & Fixing Brass-Battern holder..(S.I.Noj. 232 P 33) P.Each 15.00 / @ Rs: 70.0 1 Rs: 1,050.00 P/Fixing A.C Bakite &eiling rose with two terminals (S.I.Not 228 P 33) 8.00 @ Rs: 72.0 🗸 576.00 Rs: Providing and fixing brass ceiling fan 56" (good quatify). 8.00 @ Rs: 3185.0 P.Each Rs: 25,480.00 Providing & Fixing flush type S.P plug socket switch and shoe unit on given board recessed in the walls of coloumns & covered with plastic sheet. (S.I.No: 18 P11) @ Rs: 156.97 Rs: P.Each 157.00 Fixing A C ceiling fan/fegulator on S.W board. (S.f.No: 1 (b) P 14) @ Rs: 91.30 Rs: 730.00 8.00 P.Each P/F mild steel bar fan øfam 15.8 mm (5/8") dia suitable for RCC roof (S.I.No: 1 P 14) 12 @ Rs: 141.01 🗳 1,128.00 00.3 P.Each Rs: P/F Earthing set with 2'x2'x1/2" copper plate buried in ground at a depth of 12" or less if water comes out from the ground level with salt and charcoal, etc, i.c making the pit 12" deep by excavcation of all type of soil. Earth Plate to be connected with No:8 S.W.G bure copper wire ann 1/2"dia C.I pipe straight from the earth upto metallie electrical assarary is providing necessary tee, (S.I.) Mo. 22 P26). 1.00 4 @ Rs: 2570.37 Rs: 2,570.37 P/F Circouit breakers 6 Amps to 63 Amps | D.P. i/p fixing on a prepared board necessary connection, \$8.1.Na: 2 P 20) 1,896.00 2.00 / @ Rs: 948.0 P.Each Rs: P/F Energy saver superior quality i/c fixing on extg. Molder etc complete.(S.I.No: 6 P 33) 4.00 @ Rs: 497.0 🕜 P.Each Rs: 1,988.00 TOTAL: Rs: 100,295.4

> Executive degister Education Trades Division Kambor-Shalidadkat



STANDARD BIDDING DOCUMENT PROCUREMENT OF WORKS

١	J	Δ	٨	٨	F	0	F	C	O	N.	ΓR	Δ	C	ΓO	R
E	٧.	_	ш	Ħ	_	u		v	v		117	_	•		

NAME OF WORK

Addition of C/Rooms, Construction of Labs & Libraries in Existing Secondary & Higher Secondary School @ GBHS Gaji Khuhawar (Science Lab) Taluka Warah (Electric) ADP No: 163

NIT SR: NO: 11

Standard Bidding Document

NAM	E OF CONTRACTOR:-	Acres 61
	(This section should be filled in by the Executive / Procu	ring Agency before issuance of the Bidding Documents)
A	Name of Procuring Agency Brief Description of Works	Executive Engineer, Education Works Division Kamber-Shahdadkot Addition of C/Rooms & Construction of Labs & Libraries in Existing Secondary & Higher Secondary School @ GBHS Gaji Khuhawar (Science Lab) Taluka Warah (Electric) ADP No: 163
В	Procuring Agency Address	D.C Complex Kamber
C	Estimated Cost Amount of Bid Security:-	100,000/-
	(Fill in lump sum amount or in % age of bid amount / Estimated cost, but not exceeding 5%)	
E F	Period of Bid Validity (days) Security Deposit:-	28 Days (Not more than Sixty Days)
ı	(in % age of bid amount / estimated cost equal to 10%)	Rs: 2,000/-
G	Percentage, if any, to be deducted from Bills	7.5% Income Tax & 5% Security Deposit
Н	Deadline for submission of Bids along with Time	
I	Venue, Time and Date of Bid Opening	Executive Engineer, Education Works Kamber- Shahdadkot
J	Time for completion from written order of commence	
K	Liquidity damages:- (0.05 of Estimated Cost or Bid Cost per day of	Nil
L	delay, but total not exceeding 10%) Call Deposit Receipt	No: Dated
		Amount Rs:
М	D.R No:	No: Dated
		Rs:
N	Rate Quoted by Contractor	Part A
		Part B
		a.m.
(1	CONTRACTOR)	EXECUTIVE ENGINEER EDUCATION WORKS DIVISION KAMBER-SHAHDADKOT

All manipron NI 1/2WOUL

. The proof of a restriction of the box for the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the se Commence of the Alberta Commence of the Commence of the Commence of the Commence of the Commence of the Commence of the Commence of the Commence of the Commence of the Commence of the Commence of the Commence of the Commence of the Commence of the Commence of the Commence of the Commence of the Commence of the Commence of the Commence of the Commence of the Commence of the Commence of the Commence of the Commence of the Commence of the Commence of the Commence of the Commence of the Commence of the Commence of the Commence of the Commence of the Commence of the Commence of the Commence of the Commence of the Commence of the Commence of the Commence of the Commence of the Commence of the Commence of the Commence of the Commence of the Commence of the Commence of the Commence of the Commence of the Commence of the Commence of the Commence of the Commence of the Commence of the Commence of the Commence of the Commence of the Commence of the Commence of the Commence of the Commence of the Commence of the Commence of the Commence of the Commence of the Commence of the Commence of the Commence of the Commence of the Commence of the Commence of the Commence of the Commence of the Commence of the Commence of the Commence of the Commence of the Commence of the Commence of the Commence of the Commence of the Commence of the Commence of the Commence of the Commence of the Commence of the Commence of the Commence of the Commence of the Commence of the Commence of the Commence of the Commence of the Commence of the Commence of the Commence of the Commence of the Commence of the Commence of the Commence of the Commence of the Commence of the Commence of the Commence of the Commence of the Commence of the Commence of the Commence of the Commence of the Commence of the Commence of the Commence of the Commence of the Commence of the Commence of the Commence of the Commence of the Commence of the Commence of the Commence of the Commence of the Commence of the Commence of the Commence of the Commence of the Commence of the Commen

10.1	2	. Only.	"Rate Unit	Alle
			insulated wire in Allenn(341 o	common with one and they
		. (0(0) (2.0))		
	p. P. Carlotte	- & Rs 910 0 🗸	P Pont	
			же in 20mm, жа" I Салана се п	
	/ " "	er (1941 - 1910) illiautaticu vy	MC 0120HHJOH I CORP. C.	
1.4		100 Day 1120 P	P.Point	:
		(a) Rs 742 0 °		
	200		ted with size 2 7/1/25g Clayers	to the protection of the
	and the second	(31 (3) (3) (3) (4) (4) (4) (4) (4) (4) (4) (4) (4) (4	P.Meter	; <i>I</i> : .
		@ Rs 1/10 *		
the second of the second			ted with size 25 052}(10mm2)	A Confidence of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the c
	The second section (1.1)	FNC 6 F 1).	1) B.B. et av	* /
		@ Rs 428.0	P Meter	1 P
		. Settle	ush (ypa) (Citavo iz nami se	
		(a) Rs 54.0 €	Plan	
Albert Market Control	a juli anio		itype (S i No.⊉z → F 5.4)	
		## Rs 83 0 €	- 1 · 10	
	1 (10 mm) (10 mm)	n nelder (STNgc23)		
		-10, 110 7 (11) P	- Prince	
17.1 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (17.4 (المارا في المعالمة المسالة الم	e with two terminats		
		Q 120 72 Om	P Lach	
	9.30	ng tan 56" (good gue		
		@ Rs 3185.0	P.I. acij,	T. C.
e e e e cura a			ch and shoe und on given but	
minosawał i m	notes or profession		astic sheet (SII No. 18 P11)	
		୍ବର Rs 156 97 🔧	r P. cach	
	garter	un ⊆ W beard.(SÍN	o 1 (b) P 141	
		æ1ks ⊴1 30 Î	Place	
Astronomic States	/ 1:	. നാണ (5/8") dia syyla f	śle for RCC rown (Sir Do 💎 🕟	
		g Rs R : 01	P.Eaco.	
	1, 11	aduper plate buried	in ground at a dept 🧸 😥 👵	
	The gran	mail-vel with salt ar	nd charcoalles, colerato 🗀 🗀	
and the second	www.woodayn.com	attaype of soit. Farth-	Plate to be connected with $\mathcal{L}_{\mathbb{R}}$	
SAVEGIORES IN	.e- १५५ ० मध्यामा	1/2°dia C I pipe straij	ght from the capte ueto 🚈 🖂	
1,970	- 🏏 enig	neccusary tee.(\$ lyN	o. 22 P26)	
	~	ുള് Rs. 2570 37 ื -	P.Lacri	
The same of the same	ar i 📈 ertas l	a 63 Amps DPℋ€fi	xing on a propared bears	
pto victory at	- 1 Mg - 160 - 140 -	2 (0)		
	* /	วา คะ เพริ์ด	Pirm	
	· John Hine		golder etc complete (S.F.v. 🔻	1
		gr Rs 4970 🖊	Plach	:
			11	
			LIATOT	Fess

Executive Engineer Education Works Division Kamber-Shahdadkot

-11



STANDARD BIDDING DOCUMENT PROCUREMENT OF WORKS

N	ΛΙ	NI⊏	$^{\cap}$	co	NTR	ΛC	$\Gamma \cap D$
N	MΙ	VI C	VE.	\mathbf{u}	IN I IT	AL.	UN

NAME OF WORK

Addition of C/Rooms, Construction of Labs & Libraries in Existing Secondary & Higher Secondary School @ GGHSS Warah (Science Lab) Taluka Warah (Electric) ADP No: 163

NIT SR: NO: 12

Standard Bidding Document

NAM	IE OF CONTRACTOR:-	
	(This section should be filled in by the Executive / Procu	uring Agency before issuance of the Bidding Documents)
A	Name of Procuring Agency Brief Description of Works	Executive Engineer, Education Works Division Kamber-Shahdadkot Addition of C/Rooms & Construction of Labs & Libraries in Existing Secondary & Higher Secondary School @ GGHSS Warah (Science Lab) Taluka Warah (Electric) ADP No: 163
В	Procuring Agency Address	D.C Complex Kamber
С	Estimated Cost	100,000/-
D	Amount of Bid Security:- (Fill in lump sum amount or in % age of bid amount / Estimated cost, but not exceeding 5%)	2%
E	Period of Bid Validity (days)	28 Days (Not more than Sixty Days)
F	Security Deposit:- (in % age of bid amount / estimated cost equal to 10%)	Rs: 2,000/-
G	Percentage, if any, to be deducted from Bills	7.5% Income Tax & 5% Security Deposit
Н	Deadline for submission of Bids along with Time	
J	Venue, Time and Date of Bid Opening	Executive Engineer, Education Works Kamber-
J	Time for completion from written order of commence	Shahdadkot
K	Liquidity damages:- (0.05 of Estimated Cost or Bid Cost per day of	Nil
L	delay, but total not exceeding 10%) Call Deposit Receipt	No: Dated
		Amount Rs:
М	D.R No:	No: Dated
		Rs:
N	Rate Quoted by Contractor	Part A
		Part B
		armin 3
((CONTRACTOR)	EXECUTIVE ENGINEER EDUCATION WORKS DIVISION KAMBER-SHAHDADKOT

SCHEOULE "B"

MS END 12

Table of Palitic Council and Risk Rooms, Construction of Lab & Libraries in Lixisting accompany & Higher of Front (19607-08 Progg.) Distr. Kamber Shahdadkot, at. GGHSS Warah (Flectric) of the Child Faluka Warah, ADP No. 163

	i Hiberiwork I	Qnty:	Rate Ur		Am
	or a man and a man and a man and a man and a man and a man and a man and a man and a man and a man and a man a The training term higher than a man and a man and a man and a man and a man and a man and a man and a man and a				ATMITTAL Transport
	a manufació 11.25 (12.65 (16.)		o mandad who in a ominador i	7 (100) of South 1 11 (200)	•
		.@ Rs. 910.0 €	r P Point	14:0	
	Maranta a ne ne ne cui di prasen 30.44		wire in 20mm(3/4% Coannes) p		
	and the second second		34. 10 mm (40 mm (40 mm) 1 mm (40 mm) 1 mm (40 mm) 1 mm (40 mm) 1 mm (40 mm) 1 mm (40 mm) 1 mm (40 mm) 1 mm (40 mm) 1 mm (40 mm) 1 mm (40 mm) 1 mm (40 mm) 1 mm (40 mm) 1 mm (40 mm) 1 mm (40 mm) 1 mm (40 mm) 1 mm (40 mm) 1 mm (40 mm) 1 mm (40 mm) 1 mm (40 mm) 1 mm (40 mm) 1 mm (40 mm) 1 mm (40 mm) 1 mm (40 mm) 1 mm (40 mm) 1 mm (40 mm) 1 mm (40 mm) 1 mm (40 mm) 1 mm (40 mm) 1 mm (40 mm) 1 mm (40 mm) 1 mm (40 mm) 1 mm (40 mm) 1 mm (40 mm) 1 mm (40 mm) 1 mm (40 mm) 1 mm (40 mm) 1 mm (40 mm) 1 mm (40 mm) 1 mm (40 mm) 1 mm (40 mm) 1 mm (40 mm) 1 mm (40 mm) 1 mm (40 mm) 1 mm (40 mm) 1 mm (40 mm) 1 mm (40 mm) 1 mm (40 mm) 1 mm (40 mm) 1 mm (40 mm) 1 mm (40 mm) 1 mm (40 mm) 1 mm (40 mm) 1 mm (40 mm) 1 mm (40 mm) 1 mm (40 mm) 1 mm (40 mm) 1 mm (40 mm) 1 mm (40 mm) 1 mm (40 mm) 1 mm (40 mm) 1 mm (40 mm) 1 mm (40 mm) 1 mm (40 mm) 1 mm (40 mm) 1 mm (40 mm) 1 mm (40 mm) 1 mm (40 mm) 1 mm (40 mm) 1 mm (40 mm) 1 mm (40 mm) 1 mm (40 mm) 1 mm (40 mm) 1 mm (40 mm) 1 mm (40 mm) 1 mm (40 mm) 1 mm (40 mm) 1 mm (40 mm) 1 mm (40 mm) 1 mm (40 mm) 1 mm (40 mm) 1 mm (40 mm) 1 mm (40 mm) 1 mm (40 mm) 1 mm (40 mm) 1 mm (40 mm) 1 mm (40 mm) 1 mm (40 mm) 1 mm (40 mm) 1 mm (40 mm) 1 mm (40 mm) 1 mm (40 mm) 1 mm (40 mm) 1 mm (40 mm) 1 mm (40 mm) 1 mm (40 mm) 1 mm (40 mm) 1 mm (40 mm) 1 mm (40 mm) 1 mm (40 mm) 1 mm (40 mm) 1 mm (40 mm) 1 mm (40 mm) 1 mm (40 mm) 1 mm (40 mm) 1 mm (40 mm) 1 mm (40 mm) 1 mm (40 mm) 1 mm (40 mm) 1 mm (40 mm) 1 mm (40 mm) 1 mm (40 mm) 1 mm (40 mm) 1 mm (40 mm) 1 mm (40 mm) 1 mm (40 mm) 1 mm (40 mm) 1 mm (40 mm) 1 mm (40 mm) 1 mm (40 mm) 1 mm (40 mm) 1 mm (40 mm) 1 mm (40 mm) 1 mm (40 mm) 1 mm (40 mm) 1 mm (40 mm) 1 mm (40 mm) 1 mm (40 mm) 1 mm (40 mm) 1 mm (40 mm) 1 mm (40 mm) 1 mm (40 mm) 1 mm (40 mm) 1 mm (40 mm) 1 mm (40 mm) 1 mm (40 mm) 1 mm (40 mm) 1 mm (40 mm) 1 mm (40 mm) 1 mm (40 mm) 1 mm (40 mm) 1 mm (40 mm) 1 mm (40 mm) 1 mm (40 mm) 1 mm (40 mm) 1 mm (40 mm) 1 mm	11 - 11 - 12 - 11 - 12 - 11 - 11 - 11 -	
	and the second second	30 Rs 7426	P Point	1:,	
	The second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second secon		latearwith bize 2 + 505.] Crijin		
		No 3 P 1)			
		3) Rs 1/10	P Meter		
	moviding and dving dylangor su	1.0		ri in comandonale, lea	1.3
	mative comment of signace (\$)				
		@ Rs: 428 0	P Mote:	Rs	
	Froviding a Long A Fone way	~ /			
		@ Rs. 54.0	P.Fach	Ris	
	ht amps کا مرکز کا این کا در این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا این کا کا این کا این کا این کا این کا این کا این کا این کا این کا این	plug & socket flus	strtype.(S.I.No. 225 P 33)		
	and the second	@ Rs. 83.0	P Faco	1 4 1 4	
	The second section of the second sections	i noider. (S LNo≥2	32 P 33)		
	and the second second	@ Rs: 70 0	→ P Each	(*.1	
75	P4 ixing A C Buklite Cejing rose	with two termipals	≶ (STNo 228 ₱33)		
		@ Rs 72.0	→ P Fach	, A., .	
	on the area to a margarette contin	g fan 56" (good qj	vertity)		
	and the second second	@ Ris 3185.0 🍧	P Lach	HS	
16.	Providing 8 among Hush type, 3	e ping socket swi	tch and shoe unit on diven the	1.37(1)	
			plastic shoot.(STN:= 10 F11 F		
	er en en en en en en en en en en en en en	g jarra (p.6.97* –)	Profession		
		n S ۷۷ hoard (S الرج			
		g) rac 91 30 🐔 -	P 1 800	:	
,	The mild step, and the sign hold.		able for RCC rapids into 1111	r * · ·	
	•	@ Rs 141 01 🥒	P Fach:	17.4	
	[10] Fragthers, and with 11%25/1721 c				
	in water come local com the grou				
	paratitide gaby assuration of all				
	GM/ Gibaro I sopor wire Jupin 1			b '	
	and the second section of the second section of the second section of the second section of the second section of the second section of the second section of the second section of the second section of the second section of the second section of the second section of the second section of the second section of the second section of the second section of the second section of the second section of the second section of the second section of the second section of the second section of the second section of the second section of the second section of the second section of the second section of the second section of the second section of the second section of the second section of the second section of the second section of the second section of the second section of the second section of the second section of the second section of the second section of the second section of the second section of the second section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the sect				
		@ Rs 2570.37 €		1.35	
	and makes and resource amount				
	medessary of modition (\$) No. 2				
		@ Rs 948 0*	Plach	***	
	The most by which is specified Condide				
	No. a	@ Ros 497.0	Plach	(15 5	
			(Cr) _A t		
		. .			
		مسسب	- 5 "		

Executive Engineer
Education Works Division
Kamber-Shahdadkot

n

.



STANDARD BIDDING DOCUMENT PROCUREMENT OF WORKS

N	J.	Δ	N	Л	E	O	F	C	O	N	T	R	Δ	C.	T	n	R
r	4	м	ш	и	_	u		u	u	IA		П	м	·		u	П

NAME OF WORK

Addition of C/Rooms, Construction of Labs & Libraries in Existing Secondary & Higher Secondary School @ GBHS Nasirabad (Science Lab) Taluka Nasirabad (Electric) ADP No: 163

NIT SR: NO: <u>13</u>

Standard Bidding Document

NAM	IE OF CONTRACTOR:-	
	(This section should be filled in by the Executive / Procu	uring Agency before issuance of the Bidding Documents)
Α	Name of Procuring Agency Brief Description of Works	Executive Engineer, Education Works Division Kamber-Shahdadkot Addition of C/Rooms & Construction of Labs & Libraries in Existing Secondary & Higher Secondary School @ GBHS Nasirabad (Science Lab) Taluka Nasirabad (Electric) ADP No: 163
В	Procuring Agency Address	D.C Complex Kamber
C	Estimated Cost	100,000/-
D	Amount of Bid Security:- (Fill in lump sum amount or in % age of bid amount	2%
E F	/ Estimated cost, but not exceeding 5%) Period of Bid Validity (days) Security Deposit:-	28 Days (Not more than Sixty Days)
	(in % age of bid amount / estimated cost equal to 10%)	Rs: 2,000/-
G	Percentage, if any, to be deducted from Bills	7.5% Income Tax & 5% Security Deposit
Н	Deadline for submission of Bids along with Time	
1	Venue, Time and Date of Bid Opening	Executive Engineer, Education Works Kamber-Shahdadkot
J	Time for completion from written order of commence	Shandaukot
K	Liquidity damages:- (0.05 of Estimated Cost or Bid Cost per day of	Nil
L	delay, but total not exceeding 10%) Call Deposit Receipt	No: Dated
		Amount Rs:
М	D.R No:	No: Dated
		Rs:
N	Rate Quoted by Contractor	Part A
		Part B
		anim 3
((CONTRACTOR)	EXECUTIVE ENGINEER EDUCATION WORKS DIVISION KAMBER-SHAHDADKOT

NIT= NO=13

Schlieber Buss Rooms Construction of Lab & Fibraries in Existing Secondary & Higher Research 2007 (1987) District Amber Shahdadkç: at GBHS Newtahad (Liectine) 100 mm; Faluka Nasirabad ADP No. 163 Commercial Wichile

#***	Rater Unit	<u>l</u> .	/Min in
	withing the layer or transported with 1/1 13(3/ 029)PVC insulated wire in 20mm(3/4") cha	ennet patti on so	MACO.
	na redumna ((no. 7/9) P. 15)		í
	@ Rs 910 0 P.Point	Exa.	
2	Ninning to 10 to 10 to 36 to write (37.029) PVC insulated wire in 20mm(3/4") Channel patti o	n stafface	
	as regula di (5 chegi 30 P 15)		e e
	@ Rs. 742.0 P Point	155	
	The summan of the Grand (Montrer sub Main) PVC insulated with size 2,7/029} Copper cor	kidator in 0/4"	
	and PVC another organiface (STNo, 3 P.1)		· Paris
	@ Rs. 171.0 P.Mete#	Hs	
4	Providing and laying (Main of sub-Main) PVC insulated wirh size 2-7.052}(10mm2) Co	otoubinuo rogac	rin 1"
	dia PVC constitut on syrface (S.I.No. 6 P.1).	1.5	
	70 00 (@ Rs: 428.0 P.Meter	Rs.	a filipa kana filipa. Marangan
5	Providing & Fixing A Clone way S.P 5ampsswitch flush type (S.LNo. 219 P.33; 25:00 @ Rs: 54.0 P.Each	* .	· ·
,		Rs.	
	President long Craft Camps plug & socket flush type. (S.I.No. 225 P.33).		· Comment
	© Rs: 83 0 P (ach second recommendation in the comment of the comment of the comment of the comment of the comment of the comment of the comment of the comment of the comment of the comment of the comment of the comment of the comment of the comment of the comment of the comment of the comment of the comment of the comment of the comment of the comment of the comment of the comment of the comment of the comment of the comment of the comment of the comment of the comment of the comment of the comment of the comment of the comment of the comment of the comment of the comment of the comment of the comment of the comment of the comment of the comment of the comment of the comment of the comment of the comment of the comment of the comment of the comment of the comment of the comment of the comment of the comment of the comment of the comment of the comment of the comment of the comment of the comment of the comment of the comment of the comment of the comment of the comment of the comment of the comment of the comment of the comment of the comment of the comment of the comment of the comment of the comment of the comment of the comment of the comment of the comment of the comment of the comment of the comment of the comment of the comment of the comment of the comment of the comment of the comment of the comment of the comment of the comment of the comment of the comment of the comment of the comment of the comment of the comment of the comment of the comment of the comment of the comment of the comment of the comment of the comment of the comment of the comment of the comment of the comment of the comment of the comment of the comment of the comment of the comment of the comment of the comment of the comment of the comment of the comment of the comment of the comment of the comment of the comment of the comment of the comment of the comment of the comment of the comment of the comment of the comment of the comment of the comment of the comment of the comment of the comment of the comment of the comment of the com	F 117	i markan markan markan markan markan markan markan markan markan markan markan markan markan markan markan mar Markan markan
			•
	(© Rs. 70.0 P Each: The subject of earlie Cephing rose with two termipels (STNo. 228 P33)	1.	, and a
		1.0	
	5 00	144	· · · · · · · · · · · · · · · · · · ·
•		13.0	
1.71		Re	viet tee
10	Providing & Examp flush type S.P plug socket switch and shoe unit on given board		a de la companya de
	economic and subsolutions & covered with practic shoot (S.I.No. 18 P11) @ Rs: 156.97 P Each	f. V	•
		Rs:	J. 67
!	CKBig As Casenes, rain regulator on S.W board∢S l.No. 1 (b) P.14)	PLS	A Participation of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of th
	12/F cand block that idea of Arm 15.8 mm (5/8") dia suntable for RCC roof (S.LNo. 3.12.14)	Diss	zeron.
-	(Section 1) (Section 1) (Section 1) (Section 1) (Section 1) (Section 1) (Section 1)		*
٠,	P# Farthing oct with 2'x2'x1/2" copper plate buried in ground at a dopth of 12' or loss	140	
	it water comes out from the ground level with salt and icharcoal,etg.i.c making the		
	pa 12" deep by excavention of all type of soil. Earth Plate to be connected with No.8		
	SM C is as a program with jun in 1/2"dia C I pipe straight from the earth upto motality		
	elective and many perproviding necessary tee, (\$JNo. 22 P26).		- - (*
	(a) Rs 25/0.37 P Each	C. Carrier	
	akin: ഗ്രാസ് 63 Amps. D.P. i/c fixing on a propared board	4 - 44.4	
	cherenan in the second of 1 Nor 2 P 20)		service
	@ Rs: 948 0 P.E.acm	ite	
٠.	P/E-Energy scaler superior quality //c fixing on externology folder etc complete.(S.LNo. 6.P. at		
• .	# P Each	i.c.	
	(c) (c) (d) (d)	1 4 . 7	

TOTAL:

135

Executive Engineer Education Works Division Kamber-Shahdadkot



STANDARD BIDDING DOCUMENT PROCUREMENT OF WORKS

NΔ	ME	OF	CO	NTR	ACT	
	IVI L	C/I	-	14 : 17	~~	·

NAME OF WORK

Addition of C/Rooms, Construction of Labs & Libraries in Existing Secondary & Higher Secondary School @ GBHS Bago Dero (Library) Taluka Kamber (Electric) ADP No: 163

NIT SR: NO: <u>14</u>

Standard Bidding Document

NAM	IE OF CONTRACTOR:-	 					
	(This section should be filled in by the Executive / Procu	uring Agency b	efore issuanc	e of the Bidding	g Documen	s)	
A	Name of Procuring Agency Brief Description of Works	Executive Engineer, Education Works Division Kamber Shahdadkot Addition of C/Rooms & Construction of Labs & Libraries Existing Secondary & Higher Secondary School @ GBH Bago Dero (Library) Taluka Kamber (Electric) ADP No.					
В	Procuring Agency Address	D.C Comple	ex Kamber				
C D	Estimated Cost Amount of Bid Security:-	100,000/-					
	(Fill in lump sum amount or in % age of bid amount / Estimated cost, but not exceeding 5%)	2%					
E F	Period of Bid Validity (days)	28 Days (No	28 Days (Not more than Sixty Days)				
Г	Security Deposit:- (in % age of bid amount / estimated cost equal to 10%)	Rs: 2,000/-					
G	Percentage, if any, to be deducted from Bills	7.5% Incom	e Tax & 5%	Security Depo	osit		
Н	Deadline for submission of Bids along with Time						
I	Venue, Time and Date of Bid Opening	Executive Shahdadkot	Engineer,	Education	Works	Kamber-	
J	Time for completion from written order of commence	<i>Onana</i> ano	•				
K	Liquidity damages:- (0.05 of Estimated Cost or Bid Cost per day of	Nil					
L	delay, but total not exceeding 10%) Call Deposit Receipt	No: Amount Rs:			Dated		
M	D.R No:						
N	Rate Quoted by Contractor	Part A					
				a	~ ~~		
(CONTRACTOR)	EDU		VE ENGINE VORKS DIV			

KAMBER-SHAHDADKOT

SCHEDULE "B"

Margo of World

IT-NO 15

Figition Class Rooms, Construction of Lab & Libraries in Existing Secondary & Higher 1991

Macool (2007-08 Progg.) Distrikamber Shahdadkot at: GBHS Bago Dere (Electric) the try: Taluka Kamber ADP No. 163 THEM OF WORK Rate Ontv. Wiring for light or fan Ipolint with 1/1.13(3/ 029)PVC insulated wire n 20mm(3/4") changel patti on surface as required (S.I.No. 129 P.15). 120) ()(News @ Rs: 910 Ó P.Point Wiring for Plug point with (3/2029) PVC insulated wire in 20mm(3/4") Channel path on surface no regained (C) (Not 130, 14, 15). @ Rs. 742.0 🗸 P.Point Provided and Jayang (Main or sub-Main) PVC insulated with size 2 7/029} Copper conductor in 3/4 ilia Profesio en contracto an atentació (S.I.No. 3.P. 1). @ Rs: 1/1.0 * P.Meter Providing and taying (Main or sub-Main) PVC insulated with size 2/.052}(10mm2). Copper conductor in 1 dia PVC conduit on surface (S.I.No: 6 P.1). √() (B) 📝 @ Rs. 428.0' P.Meter 135 Providing & Lixing A Lone way S.P 5ampsswitch flush type (S.I.No. 219 P.33) v(, (;i)**/** @ Rs: 54.0 (P.Each Rs Provided at 1 Strey 12 pm 5 amps plug & socket flush type.(S.I No: 225 P 33) @ Rs: 83 0 1 P.Fach its ு ஏ செஷ்க Battern holder..(S.I.Noj.**23**2 P 33). @ Rs: 700 ~ P Each P/Fixing A.C Bakitte Ceiting rose with two terminals (S.I.No: 228 🗗 33) 8 00 / P.Lach @ Rs: 72.0 133 Providing and fixing brass ceiling fan 56" (good quality) 800 / @ Rs 3185.0 P.I.ach Rs Providing & Exing flush type S.P. plug socket switch and shoe unit on given, board choolised in the walls of coloumns & covered with plastic sheet (S / No. 18 P11) 1 (11) @ Rs 156.91 Res P.F.ach Tixing 7-C density fan pegulator on S.W board.(S-ENo. 1 (b) P 14). @ Rs: 91.30 ^{*} P.Each P/L mild steer par fan claim 15.8 mm (5/8") dia suitable for RCC roll (STNo: 112.14). @ Rs: 141.01 P.Each1 8 OU 🗸 135 174 It arroing set with 2'x2'x1/2" copper plate buried in ground at a depth of 12" or less if water comes cut from the ground level with salt and charcoal etc. i.c. making the pst 12" draw by excludeation of all type of soil. Earth Plate to be connected with No $8\,$ Second practice copper wire fun in 1/2"dia C.I pipe straight from the earth upto metallical providing necessary tea (\$.1 No. 22 P26). 130 @ Rs 2570 37 P Fach, ாக புருமுகர் காக்களைக் Apples to 63 Amps. D.P i/c fixing on a propared board necessary connection. (5.1 No. 2 P 20) P Each 2.00 @ Rs: 948.0 **′** Ks P/F Energy saver superior quality i/c fixing on extg: holder etc complete.(\$.1.No: 6 + 35) @ Rs: 497.0 P.Each Rs TOTAL: Rs

Executive Engineer Education Works Division LKamber-Shahdadkot

17



STANDARD BIDDING DOCUMENT PROCUREMENT OF WORKS

NIARRE ME MMRITDAME	
NAME OF CONTRACT	NR

NAME OF WORK

Addition of C/Rooms, Construction of Labs & Libraries in Existing Secondary & Higher Secondary School @ GBHS Mirokhan (Library) Taluka Mirokhan (Electric) ADP No: 163

NIT SR: NO: <u>15</u>

Standard Bidding Document

NAM	E OF CONTRACTOR:-	
	(This section should be filled in by the Executive / Procu	uring Agency before issuance of the Bidding Documents)
A	Name of Procuring Agency Brief Description of Works	Executive Engineer, Education Works Division Kamber-Shahdadkot Addition of C/Rooms & Construction of Labs & Libraries in Existing Secondary & Higher Secondary School @ GBHS Mirokhan (Library) Taluka Mirokhan (Electric) ADP No: 163
В	Procuring Agency Address	D.C Complex Kamber
C D	Estimated Cost Amount of Bid Security:-	100,000/-
	(Fill in lump sum amount or in % age of bid amount / Estimated cost, but not exceeding 5%)	2%
E F	Period of Bid Validity (days)	28 Days (Not more than Sixty Days)
Г	Security Deposit:- (in % age of bid amount / estimated cost equal to 10%)	Rs: 2,000/-
G	Percentage, if any, to be deducted from Bills	7.5% Income Tax & 5% Security Deposit
Н	Deadline for submission of Bids along with Time	
1	Venue, Time and Date of Bid Opening	Executive Engineer, Education Works Kamber-Shahdadkot
J	Time for completion from written order of commence	
K	Liquidity damages:- (0.05 of Estimated Cost or Bid Cost per day of	Nil
L	delay, but total not exceeding 10%) Call Deposit Receipt	No: Dated
		Amount Rs:
М	D.R No:	No: Dated
		Rs:
N	Rate Quoted by Contractor	Part A
		Part B
		anim 5
(CONTRACTOR)	EXECUTIVE ENGINEER EDUCATION WORKS DIVISION KAMBER-SHAHDADKOT

NITEMO: 15

house in 189 of a final on Class Rooms, Construction of Lab & Libraries in Existing Secondary & Higher - Jacob (2007-08 Progg:)Distt:Kamber Shahdadkot, all GBHS Mirkhon (Flootric) (Library) Taluka Mirokhan ADP No: 163

sNo.	L TEMOLWORK	Qnty:	Rate Un		Ämeri.
i	Wiring to: light or fan Ipolint with 1/1	13(3/.029)PVC ii	ารulated wite in 20mm(3/4")	chambel partition su	nfarre J
	as ree arco (3 FNa 129 P. (6)				* The second second second second second second second second second second second second second second second
	20 00 PM (@ F	ks: 910. 6	P.Point	138	
	Winny and Englipoline with (3/ 029) P	VC insulated with	e in 20mm/3/4") Channei p:	din on starfates:	
	- a + a-0 - 1 − NH (\$ 2 \$£ 15)				and the second
	4.00 / @ R	ls. 742.0	P.Pojnt	ks:	2.500 カナ
	The second of the second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second secon	air) i VU irisuiya	la mini su e i i i izvoj kompo	/	
	ina i 777 i sindart de s <mark>artac</mark> e (SENo I	3 P 1)			
	The state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the s	ts. 171.0	P.Metor	14.1	
*:	Providing and laying (Majb or sub-Ma		dwirh size 27.062}(10mm2	 Copper conducto 	n in S
	GenPVC conduit on surface.(S.I No: (3 P 1).			and the same
		s: 428.0	P.Meter	Rs	
()	Providing & Fixing A C or ic way S.P :	5ampsswitch flus	#rtype (S.t.No: 219 P.33)		
		s: 54.0	- P.Each	Rs:	t term
*	The working of Francy 2 pm 5 amps plug		ype.(S.I.No: 225 P 33).		yn (
		s: 83.0	/ P.Each	14v	
	ார் கக்கர் காலிற்ற Brase Battern hold		P 33)		
		s: 70.0	P.Each	180	* *
8	P/Fixing A.C Baklite & filing rose with		S.I.No: 228 P 33)		and the second second
	/	s: 72.0	P.Fach	Rs	
9	Froviding and fixing brass ceiling far		(y).		· ·
		s. 3185.0 🔨	P.Each	Rs	J. 18
10	Providing κ , ixing flush type SP pl	ug socket switch	and shoe unit on given, bo	ard	
	roucusco ir ahe whilig of coloumns &	covered with pla	stic sheet.{S.I.Nor.18 P11) -		
		s 156.97	P.Lách	Ext	A.
	ு பார் சார் பார் வரு⊀ழ்யator on S™		4 (b) P 14 ₉		p#*
	✓ 🥠 @R	ร 51 30 ี้	∠ Plach	17	
2	Fif mild secol par tan plam 15.8 mm i		e for RCCHout (STNo TTP)	14	· ·
	8 00 🖍 — @ R	s. 141.01 🐔 👚	Plast	14.5	
1.5	Hor Farthing set with 2'x2'x1/2" coppe	er plate buried in	ground at a depth of 12" or	losc	
	it water comes out from the ground le	vel with salt and	charcoalletculd making the	3	
	pit 12' does by excavcation of all type	e of soil. Earth Pl	ate to be cannected with No	o:8	
	3) 50 c. parc copper wirgสน์ท in 1/2"di.	a C.I pipe straigh	t from the earth upto metal!	io.	1
	elective if insuarary incorrolling neces	ssary tee.(S.I.Nø	(22 P26)		
	100 (@ R	s: 2570.37 🔏 –	Pitach	* 2	
7.	ett. Ett kom i enkolis 6 Amps to 63 /	Amps D.P i/g-fixi	ng on a prepared boat.		ي م
	necessary connection (8.1.No. 2 P 20	0)	II		American Control
		s 948.0	P.Each	173	أنشمت بين الماء الأواع
10	Printenergy saver superior quality i/c		lder etc complete.(S LNo -ଟ	1:331;	gar
		s: 497.0 g	P.Fach	Ro	.*
	<u> </u>				appendix
					1

Executive Engineer Education Works Division Kamber-Shahdadkot

 \mathfrak{A}

TOTAL



STANDARD BIDDING DOCUMENT PROCUREMENT OF WORKS

I	N	Δ	M	1E	\cap	- C	OI	JT.	RΔ	CT	'n	P
	N	м	ш		UI	~ U	· OI	N I	ΚА	U	v	π

NAME OF WORK

Addition of C/Rooms, Construction of Labs & Libraries in Existing Secondary & Higher Secondary School @ GBHS Thoof Chowsool (Library) Taluka Sijawal (Electric) ADP No: 163

NIT SR: NO: <u>16</u>

Standard Bidding Document

NAM	IE OF CONTRACTOR:-	
	(This section should be filled in by the Executive / Proce	uring Agency before issuance of the Bidding Documents)
A	Name of Procuring Agency Brief Description of Works	Executive Engineer, Education Works Division Kamber-Shahdadkot Addition of C/Rooms & Construction of Labs & Libraries in Existing Secondary & Higher Secondary School @ GBHS Thoof Chowsool (Library) Taluka Sijawal (Electric) ADP No: 163
В	Procuring Agency Address	D.C Complex Kamber
С	Estimated Cost	100,000/-
D	Amount of Bid Security:- (Fill in lump sum amount or in % age of bid amount / Estimated cost, but not exceeding 5%)	2%
E	Period of Bid Validity (days)	28 Days (Not more than Sixty Days)
F	Security Deposit:- (in % age of bid amount / estimated cost equal to 10%)	Rs: 2,000/-
G	Percentage, if any, to be deducted from Bills	7.5% Income Tax & 5% Security Deposit
Н	Deadline for submission of Bids along with Time	
I	Venue, Time and Date of Bid Opening	Executive Engineer, Education Works Kamber-
J	Time for completion from written order of commence	Shahdadkot
K	Liquidity damages:- (0.05 of Estimated Cost or Bid Cost per day of	Nil
L	delay, but total not exceeding 10%) Call Deposit Receipt	No: Dated
		Amount Rs:
М	D.R No:	No: Dated
		Rs:
N	Rate Quoted by Contractor	Part A
		Part B
		amin 3
(CONTRACTOR)	EXECUTIVE ENGINEER EDUCATION WORKS DIVISION KAMBER-SHAHDADKOT

SCHEDULE "B"

NIPNO:16

Name of Work—Admess Class Rooms,Construction of Lab & Lib¶anes in fixistical Sectionary 3.4 legher— . appear (2007-08 Proggr)Distt:Kamber Shahdadkot, at: GBH & chool Chouse≪ (Hicete-, appeary) Taiuka Sijawal ADP No: 163

SNo.	TIT MOE WORK Qnty: Rate	Unit	Amoun'
:	Vising for agh or fari Ipolint with 1/1 13(3/.029)PVC insulated wire in 20mm(3	/4") channel patti on	surface
	10. (Continue) S.F.No. 128 P. 15)		e de la companya de la companya de la companya de la companya de la companya de la companya de la companya de
	(a) P.Point	r\$ti	1.7 2.7
5	- Wagag or Lawy Bolint with (3/.029) PVC insulated wire in 20mm(3/4") Channe	al patti on surface	
	an regulary (0.1 No. x30 P. 15)		e ^{co}
	A PO / @ Rs 742.0 P Point	13	
	Providing and raying (Main or sub-Main) PVC insulated with size 2-7/029) Co	pper conductor in 34	
	dia PVC condust on sylface (S.I.No: 3 P 1)		3
	© Rs: 171.0 P.Moter	123	* * · · · · · · · · · · · · ·
Δ	Providing and Raying (Majn or sub-Main) PVC insulated with size 2 / 052}(10n	nm2). Copper conduc	atorius 10
	dia PMC conduit on adriace (S.I.No: 6 P.1).		· · ·
	. 435 @ Rs: 428.0 P Mejer	Rs	\$4 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -
- *	ார் நார் நார் பெள்ள A முள்ள way S.P 5ampsswitch flush type (S kNor 219 P 🖔	3)	*
	25.00 P.Each	Rs	
ř	Providing % Lixing 2 prin 5 amps plug & socket flush type (S.I No. 225 P.33)		• *
	4 00 💆 🔑 @ Rs: 83.0 💞 P.Hacn	: N.	
	Providing & Fixing Brass Battern holder(S.I.No: 23212 33)		r
	15 00 P.Each	Rs	1.05:
-3	P/Fixing A C Baktite Certing rose with two terminals .(S.f.No: 228 P 33)		W. Carlotte
	8.00 @ Rs: 72.0 P.Each	Rs	9.00 p
.)	recycling and fixing prass coiling fan 56" (good quality).		1
	8.00 / @ Rs: 3185.0 P.Fach	Rs	** *:
10	Providing & Fixing I flush type S.P. plug socket switch and shoquint on given	board	
	recessed in the walls precloumns & covered with plastic sheet (S.I.No. 1812)		1
	(00 P.Fach	Rs	
11	Fixing A.C ceiling fair regulator on S.W board (8 LNo: 1 (b) P.14)		1
	P Lach	Ks	10
42	ார் and steel buritag dam 15.8 mm (5/8") dia suitable for RCC roof (S.I.No. 1	1 P 14)	,
	8,00 € @ Rs: 141.01 P.Each	Rs	
13	101 (arching) set with 2'x2'x1/2" coppor plate buried in ground at a depth of 12	" or lead	
	in water conversion from the ground level with salt and charcoal, etc. i.e. making		
	pit 12" deep by excavcation of all type of soil. Earth Plate to be gonnected with	h No 8	
	S.W.G bare copper wire rain in 1/2"dia C.I pipe straight from the earth upto me		
	electrical assemby the providing necessary tee.(S LMo: 22 P26)		1
	6 0n (@ Rs 2570.37 P.Lacn	Rts	
14	P/F Circouit breakers & Amps to 63 Amps D.P i/c fixing on a prepared board		
	necessary connection. (S.I.No. 2 P.20)		
	@ Rs: 948.0 P.Each	Rs	1.866
148	Fig. 1 decay stayes superior quality i/c fixing on extgr holder etc complete.(STN	ln 6 P 33)	armin same
	@ Rs: 497.0 P.L.ach	K8	San San San San San San San San San San
			J*
	n		are the second
	TOTAL:	Rs	to the con-

Executive Engineer
Education Works Divictor
Kamber-Shahdadkot

: 1