

*Tender Fee: Rs.1000/-
(Non-Refundable)*

TENDER FORM

Tender # ME/03/2015-16

Provide & Supply of Surveillance Equipment

Date of Issue : October 16, 2015

Last Date of Submission : November 3, 2015 (3:00 pm)

Date of Opening of Tender : November 3, 2015 (3:30 pm)

Pay Order / Demand Draft #, Drawn on Bank.....

Amount of Rs..... Dated.....

CONTENTS

1. Introduction.....	Page 3
2. Instructions.....	Page 4
3. Tender Form.....	Page 5
4. Terms & Conditions.....	Page 14
5. Integrity Pact.....	Page 16

1. Introduction

Dear Tenderer:

Thank you the interest you have shown in response to the IBA's advertisement which has floated on website of IBA & SSPRA and leading newspapers on October 16, 2015 to "Provide & Supply of Surveillance Equipment".

The Institute of Business Administration, Karachi (IBA) is the oldest business school outside North America. It was established in 1955 with initial technical support provided by the Wharton School of Finance, University of Pennsylvania. Later, the University of Southern California (USC) set up various facilities at the IBA & several prominent American professors were assigned to the IBA. The course contents, the curriculum, the pedagogical tools & the assessment & testing methods were developed under the guidance of reputed scholars from these two institutions. IBA has zealously guarded the high standards & academic traditions it had inherited from Wharton & USC while adapting and adjusting them with the passage of time.

We expect to avail services/works/items of high standards meet our prime & basic specifications through this transaction.

Please contact Purchase Executive on 38104700 ext: 2150 for any information and query

Thank you.

-sd-
Registrar

2. Instructions

- (a) The Institute of Business Administration, Karachi (IBA) expects that aspirant manufacturer/supplier/firm should furnish all the required documents to ensure a transparent and genuine presentation. Therefore, it is necessary to fill in the Tender Form meticulously and sign & stamp each and every page. Moreover, attach required supporting document according to the requirement.
- (b) It is of utmost important to fill in the Tender Form in writing in ink or type. Do not leave any column/item blank. If you want to leave the item/column un-answered please, write 'Doesn't Apply/Doesn't Arise'. If you need more space please attach a paper & clearly mention item/column name or number etc that referred the column/item of the Tender Form.
- (c) You can collect the Tender Document from the office of Manager Purchase & Stores, IBA Main Campus, University Road, Karachi from October 16, 2015 to November 3, 2015 during working 9:00 am to 3:00 pm.
- (d) The last date of submit the Tender Document in sealed envelope in November 3, 2015 by 3:00 pm in the Office of the Manager Purchase & Stores, IBA, Main Campus, University Road, Karachi. The Tender will be opened on same day at 3:30 pm in the presence of representatives who may care to attend.
- (e) Bid Security of 5% of total charges will be submitted along with Tender Documents in shape of PAY ORDER / DEMAND DRAFT only in the name of Institute of Business Administration.
- (f) Successful bidder should provide 5% Performance Security of total value of Purchase Order / Work Order in the form of Pay Order or bank guarantee before submission of invoice. The Performance Security shall extend at least three months beyond the Date of Delivery/Completion of work / Contract.
- (g) Please attached at least 5 plus years experience for this tender.
- (h) Please attached last 3 plus years' financial turnover in terms of bank statement or financial statement.
- (i) Copy of Sales Tax & Income Tax Certificate should be attached.
- (j) Cliental list is required.
- (k) Please mention "Tender Number" at top left corner of the envelopes. IBA, Karachi may reject any bid subject to relevant provision of SPP Rules 2010 any may cancel the bidding Process at any time prior to acceptance of bid or proposal as per Rule-25(i) of said rules.

Stamp & Signature

3.

TENDER FORM
Provide & Supply of Surveillance Equipment

S. #	DESCRIPTION	QTY	RATE (RS.)	AMOUNT (RS.)
1	<p><u>IP CAMERA- MINI DOME - 1.3 MP HIK VISION OR EQUIVALENT</u></p> <ol style="list-style-type: none"> 1. Support dual stream, and the sub-stream for mobile surveillance 2. High-performance and long service life infrared LED, Approx. 10 to 30 meters IR range 3. Must Support intrusion detection, line crossing detection 4. Must Support VCA, which is compatible with NVR for the second time of video searching and analyzing 5. Up to 1.3 megapixel (1280 × 960) resolution 6. Wi-Fi Support 7. Standard video compression with high compression ratio, ROI (region of interest) encoding 8. Progressive scan CMOS, capture motion video without incised margin 9. Built-in Micro SD/SDHC/SDXC card slot, up to 128 GB 10. Ingress Protection level: IP66 11. Two-way audio Support 12. Audio Support Input Output 13. IR cut filter with auto switch 14. PoE (Power over Ethernet) 15. Impact Protection: IEC60068-2-75 test, Eh, 20J; EN50102, up to IK10 16. Other functions: rotate mode, alarm, mirror, reset button, etc 17. Image Sensor: 1/3" Progressive Scan CMOS 18. Min. Illumination: 0.01Lux @ (F1.2, AGC ON), 0 Lux with IR, 0.028 Lux @ (F2.0, AGC ON), 0 Lux with IR 19. Shutter Speed: 1/3 s to 1/100,000 s 20. Lens: Angle of view: 92.5°@2.8mm 	42 units		

	<p>LENS</p> <p>21. Lens Mount: M12</p> <p>22. Day & Night: IR cut filter with auto switch</p> <p>23. Digital Noise Reduction: 3D DNR</p> <p>24. Wide Dynamic Range: Digital WDR</p> <p>25. Angle Adjustment: Pan:0° - 355°, Tilt: 0° - 75°, Rotation: 0-355°</p> <p>26. Video Compression H.264+</p> <p>27. H.264 Type: Main Profile</p> <p>28. Video Bit Rate:32 Kbps – 12 Mbps</p> <p>29. Dual Stream: Yes</p> <p>30. Audio Compression: G.711/G.722.1/G.726/MP2L2</p> <p>31. Audio Bit Rate: 64Kbps(G.711) /16Kbps(G.722.1)/16Kbps(G.726) /32-128Kbps(MP2L2)</p> <p>32. Max. Resolution: 1280 x 960</p> <p>33. Frame Rate: 50 Hz: 25 fps (1280 × 960), 25 fps (1280 x 720) 60 Hz: 30 fps (1280 × 960), 30 fps (1280 x 720)</p> <p>34. Image Settings: Rotate mode, Saturation, Brightness, Contrast adjustable by client software or web browser</p> <p>35. Backlight compensation: Yes, zone optional</p> <p>36. ROI: (Region of interest) Support</p> <p>37. Line crossing Detection Support</p> <p>38. Network Storage:Local storage: Built-in Micro SD/SDHC/SDXC card slot, up to 128 GB.</p> <p>39. NAS: Must Supported NAS (Support NFS, SMB/CIFS)</p> <p>40. Protocol:TCP/IP,ICMP,HTTP,HTTPS,FTP,DHCP,DNS,DDNS RTP,RTSP,RTCP, PPPoE, NTP, UPnP, SMTP,SNMP PPPoE,NTP,UPnP,SMTP,SNMP,IGMP 802.1X,QoS,IPv6,Bonjour</p> <p>41. Standard: ONVIF, PSIA, CGI, ISAPI</p> <p>42. Communication Interface: 1 RJ45 10M/100M Ethernet interface</p> <p>43. Alarm interface: 1 alarm I/O</p> <p>44. Audio interface: 1 audio I/O</p>			
--	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	--	--

<p>45. Wireless Standards: IEEE802.11b, 802.11g, 802.11n</p> <p>46. Frequency Range: 2.4 GHz ~ 2.4835 GHz</p> <p>47. Channel Bandwidth: 20/40MHz Support</p> <p>48. Protocols: 802.11b: CCK, QPSK, BPSK</p> <p>49. 802.11g/n: OFDM</p> <p>50. Security: 64/128-bit WEP, WPA/WPA2, WPA-PSK/WPA2-PSK, WPS</p> <p>51. Transmit Output Power: 11b: 17±1.5dBm @ 11Mbps 11g: 14±1.5dBm @ 54Mbps 11n: 12.5±1.5dBm</p> <p>52. Receive Sensitivity: 11b: -90dBm @ 11Mbps (Typical) 11g: -75dBm @ 54Mbps (Typical) 11n: -74dBm (Typical)</p> <p>53. Transfer Rates: 11b: 11Mbps 11g: 54Mbps 11n: up to 150Mbps</p> <p>54. Wireless Range: 50m (minimum)</p> <p>55. Wireless Standards: IEEE802.11b, 802.11g, 802.11n</p> <p>56. Operating Conditions: -30 °C – 60 °C (-22 °F – 140 °F)</p> <p>57. Humidity: 95% or less (non-condensing)</p> <p>58. Power Supply: 12 V DC ± 10%</p> <p>59. PoE: (802.3af)</p> <p>60. Power Consumption: Max. 5W</p> <p>61. Ingress Protection level: IP66</p> <p>62. IR Range: 30 meters</p> <p>63. Impact Protection: IEC60068-2-75Eh, 20J; EN50102, up to IK10</p> <p>64. Dimensions: Φ111 × 82 (4.4" × 3.2")</p> <p>65. Weight: 500g (1.1 lb)</p> <p>65. Alarm Trigger: Line Crossing, Intrusion Detection, Motion detection, Dynamic analysis, Tampering, alarm, One-key reset, Network disconnect, IP address conflict, Storage</p>			
-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	--	--

	<p>exception, Flash-prevention, dual stream, heartbeat, mirror, password protection, privacy mask, watermark, IP address filtering.</p> <p>66. The camera Box should include following items:-</p> <ol style="list-style-type: none"> a. IP Camera b. Power Adaptor 220 v c. Screw driver L Key type for camera d. Weather proof network connector cover e. Camera manual f. Packing <p>67. Power supply should be included on each camera.</p>			
2	<p><u>NVR – 32 channel HIK VISION OR EQUIVALENT</u></p> <ol style="list-style-type: none"> 1. Connectable to the third-party network cameras like like ACTI, Arecont, AXIS, Bosch, Brickcom, Canon, ONVIF, PANASONIC, Pelco, PSIA, SAMSUNG, SANYO, SONY and Vivotek and ZAVIO. 2. Video Content Analysis: NVR Should support VCA for smart search 3. Stream Media Server: NVR should support Stream Media Server to increase the number of users on Network or to decrease the load over WAN connection for multiple users at remote location 4. Up to 64 network cameras can be connected 5. Support live view, storage, and playback of the connected camera with up to the resolution of 5 megapixels. 6. Simultaneous HDMI and VGA at 1920 × 1080 resolution. 7. New GUI and support starting record with one key; 8. Redundant recording, holiday recording and capture schedule configuration; 9. Realize instant playback for assigned channel during multi-channel display mode. 10. Up to 16-ch synchronous playback at 4CIF resolution. 11. Smart search for the selected area in the video. 12. Customization of tags, searching, and playing back by tags. 	05 units		

	<ol style="list-style-type: none"> 13. Locking and unlocking record files. 14. Compression: "H.264+" (NVR Should not be H.264 or below) 15. Support HDD quota and group modes; different capacity can be assigned to different channel. 16. Up to 4 SATA hard disks and 1 eSATA disk can be connected, for both recording and backup. 17. 1 self-adaptive 10M/100M/1000M network interface. 18. Support Hikvision DDNS (Dynamic Domain Name System); 19. Must Support Channel-zero encoding, which enables you to get a view in the remote client or web browser of all the channels in one screen. 20. Support network detection, including network delay, packet loss, etc. 21. Adopt pioneering dual-OS design to ensure the security of system running. 22. Channel Zero: NVR Should Support Channel Zero function with VBR function i.e. (32Kbps ~ 2Mbps) which sucks one camera bandwidth and shows at most 16-cameras View at a time 23. VGA/HDMI or CVBS: NVR should independently operate (VGA/HDMI) & CVBS 24. IP video/Audio input :32-ch 25. Two-way audio: 1-ch, BNC (2.0 Vp-p, 1kΩ) 26. Incoming bandwidth: 160Mbps 27. Outgoing bandwidth: 160Mbps 28. Remote Connection: 128 29. Video/Audio output: 32 30. Recording resolution 5MP /3MP /1080P/UXGA /720P /VGA /4CIF /DCIF /2CIF /CIF /QCIF 31. Compression: "H.264+" (NVR Should not be H.264 or below) 32. Channel Zero: NVR Should Support Channel Zero function with VBR ability i.e. (32Kbps ~ 2Mbps) which sucks one camera bandwidth and shows at most 16-cameras View at a time 33. VGA/HDMI or CVBS: NVR should independently operate (VGA/HDMI) & CVBS 34. Video Content Analysis: NVR Should support VCA for smart search 35. Stream Media Server: NVR should support Stream Media Server to increase the number of users on Network or to decrease the load over WAN connection for multiple users at remote location 36. NAS: NVR should support NAS function 			
--	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	--	--

	<p>37. Frame rate: Main stream: 25 fps (P) / 30 fps (N) 1. Sub-stream: 25 fps (P) / 30 fps (N)</p> <p>38. CVBS output: 1-ch, BNC (1.0 Vp-p, 75 Ω)</p> <p>39. Resolution: 704 × 576 (PAL); 704 × 480 (NTSC)</p> <p>40. HDMI output: 1-ch, resolution: 1920 × 1080P /60Hz, 1920 × 1080P /50Hz, 1600 × 1200 /60Hz, 1280 × 1024 /60Hz, 1280 × 720 /60Hz, 1024 × 768 /60Hz</p> <p>41. VGA output: 1-ch, resolution: 1920 × 1080P /60Hz, 1600 × 1200 /60Hz, 1280 × 1024 /60Hz, 1280 × 720 /60Hz, 1024 × 768 /60Hz</p> <p>42. Audio output: 2-ch, BNC (Linear, 600Ω)</p> <p>43. Playback resolution 5MP /3MP /1080P /UXGA /720P /VGA /4CIF /DCIF /2CIF /CIF /QCIF</p> <p>44. Synchronous playback: 16-ch</p> <p>45. Hard disk (SATA) 4 SATA interfaces</p> <p>46. eSATA 1 eSATA interface</p> <p>47. Capacity: Up to 4TB capacity for each HDD</p> <p>48. Network interface: 1 RJ-45 10 /100 /1000 Mbps self-adaptive Ethernet</p> <p>49. Serial interface: RS-232; RS-485; Keyboard</p> <p>50. USB interface: 3 × USB 2.0</p> <p>51. Alarm in: 16</p> <p>52. Alarm out: 4</p> <p>53. Power supply: 100 ~ 240 VAC, 6.3 A, 50 ~ 60 Hz</p> <p>54. Power Consumption: (without hard disk) ≤ 45 W</p> <p>55. Working temperature: -10 °C ~ +55 °C</p> <p>56. Working humidity: 10 % ~ 90 %</p> <p>57. Chassis 19-inch rack-mounted 1.5U chassis</p> <p>58. Dimensions (W × D × H) 445 × 390 × 70 mm</p> <p>59. Weight ≤ 4 Kg (8.82 lb) (without hard disk)</p>			
3	<p><u>Hard Disk Surveillance grade</u></p> <p>1. Formatted capacity 4 TB</p> <p>2. Form factor 3.5-inch</p> <p>3. Advanced Format (AF) Yes</p> <p>4. RoHS compliant Yes</p> <p>5. Data transfer rate (max)</p> <p>6. Buffer to host 6 Gb/s</p>	10 units		

7. Host to/from drive (sustained)	150 MB/s		
8. Cache (MB)	64		
9. Rotational speed (RPM)	IntelliPower		
10. Load/unload cycles	300,000		
11. Non-recoverable read errors per bits read	<1 in 10^{14}		
12. Limited warranty (years) ⁵	3		
13. Average power requirements (W)			
14. Read/Write	5.1		
15. Idle	4.5		
16. Standby and Sleep	0.4		
17. Temperature (°C, on the base casting)			
18. Operating	0 to 65		
19. Non-operating	-40 to 70		
20. Shock (Gs)			
21. Operating (2 ms, read/write)	30		
22. Operating (2 ms, read)	65		
23. Non-operating (2 ms)	250		
24. Acoustics (dBA) ⁷			
25. Idle	25		
26. Seek (average)	26		
27. Height (in./mm, max)	1.028/26.1		
28. Length (in./mm, max)	5.787/147		
29. Width (in./mm, ± .01 in.)	4/101.6		
30. Weight (lb./kg, ± 10%)	1.50/0.68		
<p>Reduces video frame loss with surveillance-class storage.</p> <p>Specifically tuned for surveillance security systems.</p> <p>Caching algorithms are tuned for write-intensive, low bit rate, high stream count applications that are typical of surveillance applications.</p> <p>Priority change for write allocations and preemptive caching policies.</p> <p>TLER & ATA streaming support.</p> <p>Supports up to eight drives.</p>			

4	<p><u>LED- 32 channel SAMSUNG or EQUIVALENT</u></p> <p>1.Display Technology LED 2.2D/3D 2D 3.Internet Enabled No 4.Refresh Rate EMR 120Hz 5.Aspect Ratio 16:9 6.Resolution 720p or higher 7.Energy Grade Energy Star 8.Category LED TV 9.Brightness (cd/m2) 250 10. Contrast Ratio 1200:1 or better 11. Response Time 6.5ms 12. Viewing Angle (H/V) 170°/170° 13. Life Time >30,000hrs (min) 14. Colors 16.7M 15. Speakers Integrated speakers (Bottom side) 16. Audio Power Output 5W+5W 17. SRS True Surround HD Yes 18. HDMI 2 19. USB 1 20. AV in 1 21. AV out 1 22. RF 1 23. Component (Y/Pb/Pr) 1 24. VGA 1 25. SPDIF Coaxial 26. 3D Glasses No 27. Power Supply AC 220V 50/60Hz 28. Power Consumption - TV on 50W 29. Power Consumption – Standby <0.5W</p>	3 unit		
---	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------	--	--

5	<p><u>SD Card 32 GB KINGSTON or Equivalent</u></p> <ul style="list-style-type: none"> • Capacities¹: 32 GB. Must work with HIKVISION 1.3 MP IP camera or Equipment • Speed²: Class 4 or above (Data writing speed 4MB/s or higher) • Dimensions: 11mm x 15mm x 1mm • Operating temperature: -25° C to 85° C • Storage temperature: -40° C to 85° C • Voltage: 3.3v • Compliant: with the SD Card Association specification • Compatible: with micro SDHC/SDXC host devices only • Reliable: lifetime warranty⁷ 	1 unit		
Total				
17% GST				
Total Amount				

Total Amount Rupees (in words) _____

General Instructions:-

- All the items should be available in ready stock and displayed in front of the end user.
- No un marked items acceptable
- No Neutral version and Chinese version acceptable.
- Supplier should have office located in Karachi.
- Items should have local warranty.

Stamp & Signature

4. Terms & Conditions

- (i) **Receiving/Acceptance of Purchase Order:** The manufacturers / distributor / supplier will sign the copy of the Purchase Order as acknowledgement.
- (ii) **Delivery Challan:** Copies of Delivery Challan on which the Order number, date of delivery execution, quantity, quality, specs, manufacturer name clearly mentioned. Non-compliance with this condition renders the goods / works liable to non-acceptance. After seven days, IBA will not be responsible for any claim(s) / responsibility.
- (ii) **Place of Delivery:** As specified in the Purchase Order unless otherwise informed accordingly.
- (iv) **Delayed Delivery:** 2% penalty of the total amount will be imposed per month for which the manufacturer/supplier/distributor failed to deliver within the delivery/execution period.
- (v) **Inspection:** Physical inspection will be carried out by IBA authority. Ordered material is subject to final inspection at the time of delivery.
- (vi) **Quantity:** Competent Authority reserves the right to change/alter/remove any item or article or reduce/enhance quantity without assigning any reason and contractor will abide the instruction.
- (vii) **Condition of Goods:** All items must meet in all respects with the primary specs & conditions of the Order and must be in good condition otherwise they will be liable to reject.
- (viii) **Delivery of Goods:** All the items must be delivered to the Store of the IBA and sign receipt with stamp on delivery note should be obtained.
- (ix) **Rejection of Goods:** We reserve the right to cancel any or all the items if material is not in accordance with the primary specification or if the delivery is delayed.
- (x) **Termination:** That upon termination of this agreement the service provider shall be permitted to remove all its devices and equipment which may have been placed at premises from the time to time.
- (xi) **Submission of Bills/Invoices:** Invoice/bill, Purchase Order & Delivery Challan should be submitted to Finance Department.
- (xii) **Advance Payment:** Advance Payment subject to Bank Guarantee.
- (xiii) **Bid Security:** Kindly deposit a Pay Order / Demand Draft of 5% of the offered amount, the Bid Security, issued in favor of the Institute of Business Administration, Karachi
- (xiv) **Performance Security:** 5% Performance Security should be submitted in form of PAY ORDER / DEMAND DRAFT only in the name of Institute of Business Administration, Karachi before award of work order. The Performance Security shall extend at least three months beyond the Date of Delivery/Completion of work / Contract.
- (xv) **Validity of Bid:** Validity is for ninety (90) days.
- (xvi) **Price / Rate:** Price / rate must be quoted on Tender Form only and submitted in sealed envelope.
- (xvii) **General Sales Tax:** General Sales Tax will be paid on applicable items only by the company/firm/agency.

Stamp & Signature

- (xviii) **Arbitration:** In case of any dispute, difference or and question which may at any time arise between the parties hereto or any person under them, arising out in respect of this letter of intent or this subject matter thereof shall be referred to the Registrar of the IBA and CEO of the manufacturer/supplier/distributor for arbitration/settling of the dispute, failing which the decision of the court law in the jurisdiction of Karachi binding to the parties.
- (xix) **Company Profile:** Company Profile be attached with this document.
- (xx) **Rules, Regulations & Policies:** All rules, regulations and policies will be governed in accordance to the SPPRA & IBA PP&P.
- (xxi) **Government tax(es), levi(es) and charges(s):** It will be charged at actual as per SRO.
- (xxii) **Rights:** IBA, Karachi may reject any bid subject to relevant provision of SPP Rules 2010 any may cancel the bidding process at any time prior to acceptance of bid or proposal as per Rule-25(i) of said rules. IBA, also reserve the right to issue Purchase Order for any single items to different lowest responsive bidders or issue Purchase Order for all the items to any lowest responsive bidder.
- (xxiii) **Tender Document:** Tender Document available at the Office of Manager Purchase & Stores, IBA Main Campus, University Road, Karachi.
- (xxiv) **Submission of Documents:** Last date for tender submission is November 3, 2015 upto 3:00 pm.
- (xxv) **Opening of Tender:** Tender will be opened on November 3, 2015 on 3:30 pm at IBA Main Campus, University Road, Karachi.
- (xxvi) **Government tax(es), levi(es) and charges(s):** All Government taxes (including Income tax and stamp duty), levies and charges will be charged as per applicable rates / denomination of Purchase Order.
- (xxvii) **Stamp Duty:** Stamp duty 0.35% for Goods against total value of Work/Purchase Order will be levied accordingly.
- (xxviii) **Experience:** Please provide at least 10 plus years experience for this tender
- (xxix) **Turn Over:** Please attached last 3 plus years' financial turnover in terms of bank statement or financial statement.
- (xxx) **Sales Tax & Income Tax:** Copy of Sales Tax & Income Tax Certificate should be attached.
- (xxxi) **Warranty:** 12 months maintenance warranty will be given by supplier without any extra payment.

Note:

This Terms & Conditions is integral part of contract agreement besides other clauses / articles.

Stamp & Signature

5. **Integrity Pact**

Declaration of Charges, Fees, Commission, Taxes, Levies etc payable by the manufacturer/supplier/distributor works;

M/s _____, the manufacturer / supplier / distributor hereby declares that:

- (a) Its intention not to obtain the procurement work of any Contract, right, interest, privilege, or other obligation or benefit from the IBA or any administrative or financial offices thereof or any other department under the control of the IBA through any corrupt practice(s).
- (b) Without limiting the generality of the forgoing the manufacturer/supplier/distributor represents and warrants that it has fully declared the charges, fees, commission, taxes, levies etc, paid or payable to anyone and not given or agreed to give and shall not give or agree to give to anyone within the IBA directly or indirectly through any means any commission, gratification, bribe, gifts, kickback whether described as consultation fee or otherwise, with the object of obtaining or including the procurement or service contract or order or other obligations whatsoever from the IBA, except that which has been expressly declared pursuant hereto.
- (c) The manufacturer/supplier/distributor accepts full responsibility and strict liability for making any false declaration/statement, not making full disclosure, misrepresenting facts or taking any action likely to degrade the purpose of declaration, representation and warranty. It agrees that any contract/order obtained aforesaid shall without prejudice to any other right & remedies available to the IBA under any law, contract, or other instrument, be stand void at the discretion of the IBA.
- (d) Notwithstanding any right and remedies exercised by the IBA in this regard, manufacturer/supplier/distributor agrees to indemnify the IBA for any loss or damage incurred by it on account of its corrupt business practice & further pay compensation to the IBA in any amount equivalent to the loss of any commission, gratification, bribe, gifts, kickback given by the company/firm/supplier/agency/service provider as aforesaid for the purpose of obtaining or inducing procurement/work/service or other obligation or benefit in whatsoever from the IBA.

Note:

This integrity pact is mandatory requirement other than auxiliary services / works.

Stamp & Signature

It is hereby certified that the terms and conditions have been read, agreed upon and signed.

M/s _____

Contact Person: _____

Address _____

Tel # _____ Fax # _____

Mobile # _____ e-mail: _____

SIGNATURE & STAMP

Stamp & Signature