

STANDARD FORM OF BIDDING DOCUMENT FOR PROCUREMENT OF WORKS

(for contracts (Small) amounting between Rs. 2.5 to Rs. 50 Million)

PUBLIC HEALTH ENGINEERING DIVISION SHAHEED BENAZIR ABAD



TABLE OF CONTENTS

INSTRUCTIONS TO BIDDERS

Clause No.	Description Page No.			
	A. GENERAL			
IB.1	Scope of Bid & Source of Funds			
1B.2	Eligible Bidders6			
IB.3	Cost of Bidding 7			
	B. BIDDING DOCUMENTS			
IB.4	Contents of Bidding Documents			
IB.5	Clarification of Bidding Documents			
1B.6	Amendment of Bidding Documents			
	C- PREPARATION OF BID			
IB.7	Language of Bid			
lB.8	Documents Comprising the Bid 8			
IB.9	Sulficiency of Bid 8			
IB.10	Bid Prices, Currency o. Bid & Payment			
lB.11	Documents Establishing Bidder's Eligibility and Qualifications 9			
IB.12	Documents Establishing Works Conformity to			
	Bidding Documents9			
IB.13	Bidding Security10			
IB.14	Validity of Bids, Format, Signing and Submission of Bid 10			
	D-SUBMISSION OF BID			
TB.15	Deadline for Submission, Modification & Withdrawal of Bids 11			
E. BID OPENING AND EVALUATION				
IB.16	Bid Opening, Clarification and Evaluation. 12			
IB.17	Process to be Confidential 13			
F. AWARD OF CONTRACT				
IB.18	Qualification			
IB.19	Award Criteria & Procuring Agency's Right			
IB.20	Notification of Award & Signing of Contract Agreement 14			
1B.21	Performance Security			
18.22	Integrity Pact			
	gy - moto			



INSTRUCTIONS TO BIDDERS

(Note: (These Instructions to Bidders (IB) along with Bidding Data will not be part of Contract and will cease to have effect once the Contract is signed).

A. GENERAL

IB.1 Scope of Bid & Source of Funds

1.1 Scope of Bid

The Procuring Agency as defined in the Bidding Data (hereinafter called "the Procuring Agency") wishes to receive Bids for the Works summarized in the Bidding Data (hereinafter referred to as "the Works").

Bidders must quote for the complete scope of work. Any Bid covering partial scope of work will be rejected as non-responsive.

1.2 Source of Funds

The Procuring Agency has arranged funds from its own sources or Federal/ Provincial /Donor agency or any other source, which may be indicated accordingly in bidding data towards the cost of the project/scheme.

IB.2 Eligible Bidders

- 2.1 Bidding is open to all firms and persons meeting the following requirements:
 - a) duly licensed by the Pakistan Engineering Council (PEC) in the appropriate category for value of works.

Provided that the works costing Rs. 2.5 million or less shall not require any registration with PEC.

b) duly pre-qualified with the Procuring Agency. (Where required).

In the event that prequalification of potential bidders has been undertaken, only bids from prequalified bidders will be considered for award of Contract.

- c) if prequalification has not undertaken, the procuring agency may ask information and documents not limited to following:-
 - (i) company profile:
 - (ii) works of similar nature and size for each performed in last 3/5 years;
 - (iii) construction equipments;
 - (iv) qualification and experience of technical personnel and key site management;

- (v) financial statement of last 3 years;
- (vi) information regarding litigations and abandoned works if any.

1B.3 Cost of Bidding

3.1 The bidder shall bear all costs associated with the preparation and submission of its bid and the Procuring Agency will in no case be responsible or liable for those costs, regardless of the conduct or outcome of the bidding process (SPP Rules 24 & 25).

B. BIDDING DOCUMENTS

IB.4 Contents of Bidding Documents

- In addition to Invitation for Bids, the Bidding Documents are those stated below, and should be read in conjunction with any Addendum issued in accordance with Sub-Clause IB.6.1.
 - 1. Instructions to Bidders & Bidding Data
 - 2. Form of Bid, Qualification Information & Schedules to Bid Schedules to Bid comprise the following:
 - (i) Schedule A: Schedule of Prices/Bill of Quantities (BoQ).
 - (ii) Schedule B: Specific Works Data
 - (iii) Schedule C: Works to be Performed by Subcontractors
 - (iv) Schedule D: Proposed Programme of Works
 - (v) Schedule E: Method of Performing Works
 - (vi) Schedule F: Integrity Pact (works costing Rs 10 million and above)
 - 3. Conditions of Contract & Contract Data
 - 4. Standard Forms:
 - (i) Form of Bid Security,
 - (ii) Form of Performance Security;
 - (iii)Form of Contract Agreement;
 - (iv) Form of Bank Guarantee for Advance Payment.
 - 5. Specifications
 - 6. Drawings, if any

ID.5 Charification of Bidding Documents

- 5.1 A prospective bidder requiring any clarification(s) in respect of the Bidding Documents may notify the Engineer/Procuring Agency at the Engineer's/ Procuring Agency's address indicated in the Bidding Data.
- 5.2 An interested bidder, who has obtained bidding documents, may request for clarification



of contents of bidding documents in writing and procuring agency shall respond to such quarries in writing within three calendar days, provided they are received at least five calendar days prior to the date of opening of bid (SPP Rule 23-1).

1B.6 Amendment of Bidding Documents (SPP Rules 22(2) & 22).

- At any time prior to the deadline for submission of Bids, the Procuring Agency may, for any reason, whether at his own initiative or in response to a clarification requested by a interested bidder, modify the Bidding Documents by issuing addendum.
- 6.2 Any addendum thus issued shall be part of the Bidding Documents pursuant to Sub-Clause 6.1 hereof, and shall be communicated in writing to all purchasers of the Bidding Documents. Prospective bidders shall acknowledge receipt of each addendum in writing to the Procuring Agency.
- 6.3 To afford interested bidders reasonable time in which to take an addendum into account in preparing their Bids, the Procuring Agency may at its discretion extend the deadline for submission of Bids.

C. PREPARATION OF BIDS

IB.7 Language of Bid

7.1 All documents relating to the Bid shall be in the language specified in the Contract Data.

IB.8 Documents Comprising the Bid

- 8.1 The Bid submitted by the bidder shall comprise the following:
 - (a) Offer /Covering Letter
 - (b) Form of Bid duly filled, signed and sealed, in accordance with IB.14.3.
 - (c) Schedules (A to F) to Bid duly filled and initialed, in accordance with the instructions contained therein & in accordance with IB.14.3.
 - (d) Bid Security furnished in accordance with IB.13.
 - (e) Power of Attorney in accordance with IB 14.5.
 - (f) Documentary evidence in accordance with IB.2(c) & IB.11
 - (g) Documentary evidence in accordance with IB.12.

IB.9 Sufficiency of Bid

9.1 Each bidder shall satisfy himself before Bidding as to the correctness and sufficiency of his Bid and of the premium on the rates of CSR / rates and prices quoted/entered in the Schedule of Prices, which rates and prices shall except in so far as it is otherwise expressly provided in the Contract, cover all his obligations under the Contract and all matters and things necessary for the proper completion of the works.

9.2 The bidder is advised to obtain for himself at his own cost and responsibility all information that may be necessary for preparing the bid and entering into a Contract for execution of the Works.

1B.10 Bid Prices, Currency of Bid and Payment

- 10.1 The bidder shall fill up the Schedule of Prices (Schedule A to Bid) indicating the percentage above or below the Composite Schedule of Rates/unit rates and prices of the Works to be performed under the Contract. Prices in the Schedule of Prices/Bill of Quantities shall be quoted entirely in Pak Rupees keeping in view the instructions contained in the Preamble to Schedule of Prices.
- 10.2 Unless otherwise stipulated in the Conditions of Contract, prices quoted by the bidder shall remain fixed during the bidder's performance of the Contract and not subject to variation on any account.
- 10.3 The unit rates and prices in the Schedule of Prices or percentage above or below on the composite schedule of rates shall be quoted by the bidder in the currency as stipulated in Bidding Data.
- 10.4 Items for which no rate or price is entered by the Bidder will not be paid for by the Procuring Agency when executed and shall be deemed covered by the other rates and prices in the Bill of Quantities.

1B.11 Documents Establishing Bidder's Eligibility and Qualifications

- 11.1 Pursuant to Clause IB.8, the bidder shall furnish, as part of its bid, documents establishing the bidder's eligibility to bid and its qualifications to perform the Contract if its bid is accepted.
- 11.2 Bidder must possess and provide evidence of its capability and the experience as stipulated in Bidding Data and the Qualification Criteria mentioned in the Bidding Documents.

IB.12 Documents Establishing Works' Conformity to Bidding Documents

- 12.1 The documentary evidence of the Works' conformity to the Bidding Documents may be in the form of literature, drawings and data and the bidder shall furnish documentation as set out in Bidding Data.
- 12.2 The bidder shall note that standards for workmanship, material and equipment, and references to brand names or catalogue numbers, if any, designated by the Procuring Agency in the Technical Provisions are intended to be descriptive only and not restrictive.



IB.13 Bid Security

- 13.1 Each bidder shall furnish, as part of his bid, at the option of the bidder, a Bid Security as percentage of bid price/estimated cost or in the amount stipulated in Bidding Data in Pak. Rupees in the form of Deposit at Call/ Payee's Order or a Bank Guarantee issued by a Scheduled Bank in Pakistan in favour of the Procuring Agency valid for a period up to twenty eight (28) days beyond the bid validity date (Bid security should not be below 1% and not exceeding 5% of bid price/estimated cost SPP Rule 37).
- 13.2 Any bid not accompanied by an acceptable Bid Security shall be rejected by the Procuring Agency as non-responsive.
- 13.3 The bid securities of unsuccessful bidders will be returned upon award of contract to the successful bidder or on the expiry of validity of Bid Security whichever is earlier.
- 13.4 The Bid Security of the successful bidder will be returned when the bidder has furnished the required Performance Security, and signed the Contract Agreement (SPP Rule 37).
- 13.5 The Bid Security may be forfeited:
 - (a) if a bidder withdraws his bid during the period of bid validity; or
 - (b) if a bidder does not accept the correction of his Bid Price, pursuant to Sub-Clause 16.4 (b) hereof; or
 - (c) in the case of a successful bidder, if he fails within the specified time limit to:
 - (i) furnish the required Performance Security or
 - (ii) sign the Contract Agreement.

IB.14 Validity of Bids, Format, Signing and Submission of Bid

- 14.1 Bids shall remain valid for the period stipulated in the Bidding Data after the date of bid opening.
- 14.2 In exceptional circumstances, Procuring Agency may request the bidders to extend the period of validity for a additional period but not exceeding I/3 of the original period. The request and the bidders' responses shall be made in writing or by cable. A Bidder may refuse the request without forfeiting the Bid Security. A Bidder agreeing to the request will not be required or permitted to otherwise modify the Bid, but will be required to extend the validity of Bid Security for the period of the extension, and in compliance with IB.13 in all respects (SPP Rule 38).
- 14.3 All Schedules to Bid are to be properly completed and signed.
- 14.4 No alteration is to be made in the Form of Bid except in filling up the blanks as directed. If any alteration be made or if these instructions be not fully complied with, the bid may be rejected.

- 14.5 Each bidder shall prepare Original and number of copies specified in the Bidding Data of the documents comprising the bid as described in IB.8 and clearly mark them "ORIGINAL" and "COPY" as appropriate. In the event of discrepancy between them, the original shall prevail.
- 14.6 The original and all copies of the bid shall be typed or written in indefible ink and shall be signed by a person or persons duly authorized to sign (in the case of copies, Photostats are also acceptable). This shall be indicated by submitting a written Power of Attorney authorising the signatory of the bidder to act for and on behalf of the bidder. All pages of the bid shall be initialed and official seal be affixed by the person or persons signing the bid.
- 14.7 The Bid shall be delivered in person or sent by registered mail at the address to Procuring Agency as given in Bidding Data.

D. SUBMISSION OF BID

13.15 Deadline for Submission, Modification & Withdrawal of Bids

- 15.1 Bids must be received by the Procuring Agency at the address/provided in Bidding Data not later than the time and date stipulated therein.
- 15.2 The inner and outer envelopes shall
 - (a) be addressed to the Procuring Agency at the address provided in the Bidding Data;
 - (b) bear the name and identification number of the Contract as defined in the Bidding and Contract Data; and
 - (c) provide a warning not to open before the specified time and date for Bid opening as defined in the Bidding Data.
 - (d) in addition to the identification required in 15.2, the inner envelopes shall indicate the name and address of the Bidder to enable the Bid to be returned unopened in case it is declared late.
 - (e) If the outer envelope is not sealed and marked as above, the Procuring Agency will assume no responsibility for the misplacement or premature opening of the Bid.
- 15.3 Bids submitted through telegraph, telex, fax or e-mail shall not be considered.
- 15.4 Any bid received by the Procuring Agency after the deadline for submission prescribed in Bidding Data will be returned unopened to such bidder.
- 17.5 Any bidder may modify or withdraw his bid after bid submission provided that the modification or written notice of withdrawal is received by the Procuring Agency prior to the deadline for submission of bids.
- 15.6 Withdrawal of a bid during the interval between the deadline for submission of bids and the expiration of the period of bid validity specified in the Form of Bid may result in forfeiture of the Bid Security pursuant to IB.13.5 (a).



E. BID OPENING AND EVALUATION

IB.16 Bid Opening, Clarification and Evaluation (SPP Rules 41, 42 & 43)

- 16.1 The Procuring Agency will open the bids, in the presence of bidders' representatives who choose to attend, at the time, date and in the place specified in the Bidding Data.
- 16.2 The bidder's name, Bid Prices, any discount, the presence or absence of Bid Security, and such other details as the Procuring Agency at its discretion may consider appropriate, will be announced by the Procuring Agency at the bid opening. The Procuring Agency will record the minutes of the bid opening. Representatives of the bidders who choose to attend shall sign the attendance sheet.
 - Any Bid Price or discount which is not read out and recorded at bid opening will not be taken into account in the evaluation of bid.
- 16.3 To assist in the examination, evaluation and comparison of Bids the Engineer/Procuring Agency may, at its discretion, ask the bidder for a clarification of its Bid. The request for clarification and the response shall be in writing and no change in the price or substance of the Bid shall be sought, offered or permitted (SPP Rule 43).
- 16.4 (a) Prior to the detailed evaluation, pursuant to 1B.16.7 to 16.9, the Engineer/Procuring Agency will determine the substantial responsiveness of each bid to the Bidding Documents. For purpose of these instructions, a substantially responsive bid is one which conforms to all the terms and conditions of the Bidding Documents without material deviations. It will include determining the requirements listed in Bidding Data.
 - (b) Arithmetical errors will be rectified on the following basis:

If there is a discrepancy between the unit price and total price that is obtained by multiplying the unit price and quantity, the unit price shall prevail and the total price shall be corrected. If there is a discrepancy between the words and figures the amount in words shall prevail. If there is a discrepancy between the Total Bid price entered in Form of Bid and the total shown in Schedule of Prices-Summary, the amount stated in the Form of Bid will be corrected by the Procuring Agency in accordance with the Corrected Schedule of Prices.

If the bidder does not accept the corrected amount of Bid, his Bid will be rejected and his Bid Security forfeited.

- 16.5 A Bid determined as substantially non-responsive will be rejected and will not subsequently be made responsive by the bidder by correction of the non-conformity.
- 16.6 Any minor informality or non-conformity or irregularity in a Bid which does not constitute a material deviation (major deviation) may be waived by Procuring Agency,

provided such waiver does not prejudice or affect the relative ranking of any other bidders.

(A). Major (material) Deviations include:-

- (i) has been not properly signed;
- (ii) is not accompanied by the bid security of required amount and manner;
- (iii) stipulating price adjustment when fixed price bids were called for;
- (iv) failing to respond to specifications;
- (v) failing to comply with Mile-stones/Critical dates provided in Bidding Documents;
- (vi) sub-contracting contrary to the Conditions of Contract specified in Bidding Documents:
- (vii) refusing to bear important responsibilities and liabilities allocated in the Bidding Documents, such as performance guarantees and insurance coverage:
- (viii) taking exception to critical provisions such as applicable law, taxes and duties and dispute resolution procedures;
- (ix) a material deviation or reservation is one:
 - (a) which affect in any substantial way the scope, quality or performance of the works;
 - (b) adoption/rectification whereof would affect unfairly the competitive position of other bidders presenting substantially responsive bids.

(B) Minor Deviations

Bids that offer deviations acceptable to the Procuring Agency and which can be assigned a monetary value may be considered substantially responsive at least as to the issue of fairness. This value would however be added as an adjustment for evaluation purposes only during the detailed evaluation process.

16.7 The Engineer/Procuring Agency will evaluate and compare only the bids previously determined to be substantially responsive pursuant to IB.16.4 to 16.6 as per requirements given hereunder. Bids will be evaluated for complete scope of works. The prices will be compared on the basis of the Evaluated Bid Price pursuant to IB.16.8 herein below.

Technical Evaluation: It will be examined in detail whether the works offered by the bidder complies with the Technical Provisions of the Bidding Documents. For this purpose, the bidder's data submitted with the bid in Schedule B to Bid will be compared with technical features/criteria of the works detailed in the Technical Provisions. Other technical information submitted with the bid regarding the Scope of Work will also be reviewed.

16.8 Evaluated Bid Price

In evaluating the bids, the Engineer/Procuring Agency will determine for each bid in addition to the Bid Price, the following factors (adjustments) in the manner and to the extent indicated below to determine the Evaluated Bid Price:

(i) making any correction for arithmetic errors pursuant to IB.16.4 hereof.



- (ii) discount, if any, offered by the bidders as also read out and recorded at the time of bid opening.
- (iii) excluding provisional sums and the provisions for contingencies in the Bill of Quantities if any, but including Day work, where priced competitively.

IB.17 Process to be Confidential

- 17.1 Subject to IB.16.3 heretofore, no bidder shall contact Engineer/Procuring Agency on any matter relating to its Bid from the time of the Bid opening to the time the bid evaluation result is announced by the Procuring Agency. The evaluation result shall be announced at least seven (07) days prior to award of Contract (SPP Rule 45). The announcement to all bidders will include table(s) comprising read out prices, discounted prices, price adjustments made, final evaluated prices and recommendations against all the bids evaluated.
- 17.2 Any effort by a bidder to influence Engineer/Procuring Agency in the Bid evaluation, Bid comparison or Contract Award decisions may result in the rejection of his Bid. Whereas any bidder feeling aggrieved, may lodge a written complaint to Complaint Redressal Committee as per terms and conditions mentioned in SPP Rules 31 & 32. However, mere fact of lodging a complaint shall not warrant suspension of procurement process.
- 17.3 Bidders may be excluded if involved in "Corrupt and Fraudulent Practices" means either one or any combination of the practices given below SPP Rule2(q);
- (i) "Coercive Practice" means any impairing or harming, or threatening to impair or harm, directly or indirectly, any party or the property of the party to influence the actions of a party to achieve a wrongful gain or to cause a wrongful loss to another party;
- (ii) "Collusive Practice" means any arrangement between two or more parties to the procurement process or contract execution, designed to achieve with or without the knowledge of the procuring agency to establish prices at artificial, noncompetitive levels for any wrongful gain;
- (iii) "Corrupt Practice" means the offering, giving, receiving or soliciting, directly or indirectly, of anything of value to influence the acts of another party for wrongful gain;
- (iv) "Fraudulent Practice" means any act or omission, including a misrepresentation, that knowingly or recklessly misleads, or attempts to mislead, a party to obtain a financial or other benefit or to avoid an obligation;
- (v) "Obstructive Practice" means harming or threatening to harm, directly or indirectly, persons or their property to influence their participation in a procurement process, or affect the execution of a contract or deliberately destroying, falsifying, altering or concealing of evidence material to the investigation or making false statements before investigators in order to

materially impede an investigation into allegations of a corrupt, fraudulent, coercive or collusive practice; or threatening, harassing or intimidating any party to prevent it from disclosing its knowledge of matters relevant to the investigation or from pursuing the investigation, or acts intended to materially impede the exercise of inspection and audit rights provided for under the Rules.

F. AWARD OF CONTRACT

IB.18. Post Qualification

18.1 The Procuring Agency, at any stage of the bid evaluation, having credible reasons for or prima facie evidence of any defect in contractor's capacities, may require the contractors to provide information concerning their professional, technical, financial, legal or managerial competence whether already pre-qualified or not:

Provided, that such qualification shall only be laid down after recording reasons therefore in writing. They shall form part of the records of that bid evaluation report.

18.2 The determination will take into account the bidder's financial and technical capabilities. It will be based upon an examination of the documentary evidence of the bidders' qualifications submitted under B.11, as well as such other information required in the Bidding Documents.

IB.19 Award Criteria & Procuring Agency's Right

- 19.1 Subject to IB.19.2, the Procuring Agency will award the Contract to the bidder whose bid has been determined to be substantially responsive to the Bidding Documents and who has offered the lowest evaluated Bid Price, provided that such bidder has been determined to be qualified to satisfactory perform the Contract in accordance with the provisions of the IB.18.
- 19.2 Not withstanding IB.19.1, the Procuring Agency reserves the right to accept or reject any bid, and to annul the bidding process and reject all bids, at any time prior to award of Contract, without thereby incurring any liability to the affected bidders or any obligation to inform the affected bidders of the grounds for the Procuring Agency's action except that the grounds for its rejection of all bids shall upon request be communicated, to any bidder who submitted a bid, without justification of the grounds. Notice of the rejection of all the bids shall be given promptly to all the bidders (SPP Rule 25).

1B.20 Notification of Award & Signing of Contract Agreement

- 20.1 Prior to expiration of the period of bid validity prescribed by the Procuring Agency, the Procuring Agency will notify the successful bidder in writing ("Letter of Acceptance") that his bid has been accepted (SPP Rule 49).
- 20.2 Within seven (07) days from the date of furnishing of acceptable Performance Security under the Conditions of Contract, the Procuring Agency will send the successful bidder the Form of Contract Agreement provided in the Bidding Documents, incorporating all agreements between the parties.
- 20.3 The formal Agreement between the Procuring Agency and the successful bidder duly stamped at rate of ----% of bid price(updated from time to time) stated in Letter of Acceptance shall be executed within seven (07) days of the receipt of Form of Contract Agreement by the successful bidder from the Procuring Agency.

1B.21 Performance Security

- 21.1 The successful bidder shall furnish to the Procuring Agency a Performance Security in the form and the amount stipulated in the Conditions of Contract within a period of fourteen (14) days after the receipt of Letter of Acceptance (SPP 39).
- 21.2 Failure of the successful bidder to comply with the requirements of Sub-Clauses IB.20,2 & 20.3 or 21.1 or Clause IB.22 shall constitute sufficient grounds for the annulment of the award and forfeiture of the Bid Security.
- 21.3 Publication of Award of Contract: within seven days of the award of contract, the procuring shall publish on the website of the authority and on it; own website, if such a website exists, the results of the bidding process, identifying the bid through procurement identifying Number if any and the following information:
- (1) Evaluation Report;
- (2) Form of Contract and letter of Award;
- (3) Bill of Quantities or Schedule of Requirements. (SPP Rule 50)

IB.22 Integrity Pact The Bidder shall sign and stamp the Form of Integrity Pact provided at Schedule-F to Bid in the Bidding Document for all Sindh Government procurement contracts exceeding Rupees ten (10) million. Failure to provide such Integrity Pact shall make the bid non-responsive (SPP Rule 89).

FORM OF BID (LETTER OF OFFER)

(Name of Works)
-	
- ntlem	cii,
ı	Bidding Data, Conditions of Contract, Contract Data, Specifications Drawings, if any, Schedule of Prices and Addenda Nos for the execution of the above-named works we, the undersigned, being a company doing business under the name of and others.
	duly incorporated under the laws of Pakistan hereby offer to execute and complete such works and remedy any defects therein in conformity with the said Documents including Addenda thereto for the Total Bid Price of Rs (Rupees) or such other sum as may be ascertained in accordance with the said Documents.
2	We understand that all the Schedules attached hereto form part of this Bid.
3	As security for due performance of the undertakings and obligations of this Bid, we submit herewith a Bid Security in the amount of drawn in your favour or made payable to you and valid for a period of twenty eight (28) days beyond the period of validity of Bid.
4	We undertake, if our Eld is accepted, to commence the Works and to deliver and complete the Works comprised in the Contract within the time(s) stated in Contract Data.
5	We agree to abide by this Bid for the period of days from the date fixed for receiving the same and it shall remain binding upon us and may be accepted at any time before the expiration of that period.
6	Unless and until a formal Agreement is prepared and executed, this Bid, together with your written acceptance thereof, shall constitute a binding contract between us.
7.	We undertake, if our Bid is accepted, to execute the Performance Security

(Signature)____

Name:_____Address:_____

[SCHEDULES TO BID INCLUDE THE FOLLOWING:

- Schedule A to Bid: Schedule of Prices
- Schedule B to Bid: Specific Works Data
- Schedule C to Bid: Works to be Performed by Subcontractors
- Schedule D to Bid: Proposed Program of Works
- Schedule E to Bid: Method of Performing Works
- Schedule F to Bid: Integrity Pact]

SCHEDULE - A TO BID

SCHEDULE OF PRICES

Sr. No.	<u>ī</u>	age No.
1.	Preamble to Schedule of Prices	24
2.	Schedule of Prices	26
	*(a) Summary of Bid Prices	
	* (b) Detailed Schedule of Prices /Bill of Qu	antities (BOQ)

* [To be prepared by the Engineer/Procuring Agency]

PREAMBLE TO SCHEDULE OF PRICES

1. General

- 1.1 The Schedule of Prices shall be read in conjunction with the Conditions of Contract, Contract Data together with the Specifications and Drawings, if any.
- 1.2 The Contract shall be for the whole of the works as described in these Bidding Documents. Bids must be for the complete scope of works.

2. Description

2.1 The general directions and descriptions of works and materials are not necessarily repeated nor summarized in the Schedule of Prices. References to the relevant sections of the Bidding Documents shall be made before entering prices against each item in the Schedule of Prices.

3. Units & Abbreviations

3.1 Units of measurement, symbols and abbreviations expressed in the Bidding Documents shall comply with the Systeme Internationale d' Unites (SI Units).

(Note: The abbreviations to be used in the Schedule of Prices to be defined by the Procuring Agency).

4. Rates and Prices

- 4.1 Except as otherwise expressly provided under the Conditions of Contract, the rates and amounts entered in the Schedule of Prices shall be the rates at which the Contractor shall be paid and shall be the full inclusive value of the works set forth or implied in the Contract; except for the amounts reimbursable, if any to the Contractor under the Contract.
- 4.2 Unless otherwise stipulated in the Contract Data, the premium, rates and prices entered by the bidder shall not be subject to adjustment during the performance of the Contract.
- 4.3 All duties, taxes and other levies payable by the Contractor shall be included in the rates and prices.
- 4.4 The whole cost of complying with the provisions of the Contract shall be included in the items provided in the Schedule of Prices, and where



no items are provided, the cost shall be deemed to be distributed among the rates and prices entered for the related items of the Works and no separate payment will be made for those items.

The rates, prices and amounts shall be entered against each item in the Schedule of Prices. Any item against which no rate or price is entered by the bidder will not be paid for by the Procuring Agency when executed and shall be deemed covered by the rates and prices for other items in the Schedule of Prices.

- 4.5 (a) The bidder shall be deemed to have obtained all information as to and all requirements related thereto which may affect the bid price.
 - *(b) The Contractor shall be responsible to make complete arrangements for the transportation of the Plant to the Site.

*(Procuring Agency may modify as appropriate)

4.6 The Contractor shall provide for all parts of the Works to be completed in every respect. Notwithstanding that any details, accessories, etc. required for the complete installation and satisfactory operation of the Works, are not specifically mentioned in the Specifications, such details shall be considered as included in the Contract Price.

5. Bid Prices

5.1 Break-up of Bid Prices

The various elements of Bid Prices shall be quoted as detailed by the Procuring Agency in the format of Schedule of Prices.

The bidder shall recognize such elements of the costs which he expects to incur the performance of the Works and shall include all such costs in the rates and amounts entered in the Schedule of Prices.

5.2 Total Bid Price

The total of bid prices in the Schedule of Prices shall be entered in the Summary of Bid Prices.

6. Provisional Sums and Day work

- 6.1 Provisional Sums included and so designated in the Schedule of Prices if any, shall be expended in whole or in part at the direction and discretion of the Engineer/Procuring Agency. The Contractor will only receive payment in respect of Provisional Sums, if he has been instructed by the Engineer/Procuring Agency to utilize such sums.
- 6.2 Day work rates in the contractor's bid are to be used for small additional amounts of work and only when the Engineer have given written instructions in advance for additional work to be paid for in that way.

SCHEDULE OF PRICES – SUMMARY OF BID PRICES (Sample)

Bill No.	Description	Total Amount (Rs)
	(A) Building Work	
1.	Civil works	
2	Internal sanitary and water supply	
3	Electrification	
4	External Development works	
5	Miscellaneous Items	
	(B) Road Work.	
1.	Earthwork	
2,	Hard Crust and Surface Treatment	
3,	Culverts and Bridges	
4.	Miscellaneous Items	
	(C) Public Health Engineering Works.	
1.	Earthwork	
2.	Subsurface Drains	
3.	Pipe Laying and Man holes	
4.	Tube wells, Pump houses	
5,	Compound wall	
б.	Miscellaneous Items	
0.	Wiscenancous Items	
		1
		1
		ĺ
	Total Bid Price (The amount to be entered in Paragr	raph Lof the Form of Rid)
	(in words).	alm tot me total of tittl



SCHEDULE OF PRICES

Description	Quantity	Unit Rate(Rs)	Total Amount (Rs)
I. (Civil works)			
II.Internal sanitary and water supply.			
III. Electrification.			
IV. External Development works.			
V. Miscellaneous Items			
	I. (Civil works) II.Internal sanitary and water supply. III. Electrification. IV. External Development works.	I. (Civil works) II.Internal sanitary and water supply. III. Electrification. IV. External Development works.	I. (Civil works) II.Internal sanitary and water supply. III. Electrification. IV. External Development works.

Total (to be carried to Summary of Bid Price)

Add/ Deduct the percentage quoted above/below on the prices of items based on Composite Schedule of Rates.

*SPECIFIC WORKS DATA

(To be prepared and incorporated by the Procuring Agency)

*(Note: The Procuring Agency shall spell out the information & data required to be filled out by the bidder and to furnish complementary information).

WORKS TO BE PERFORMED BY SUBCONTRACTORS*

The bidder will do the work with his own forces except the work listed below which he intends to sub-contract.

Items of Works to be Sub-Contracted

Name and address of Sub-Contractors

Statement of similar works previously executed. (attach evidence)

Note:

- * The Procuring Agency should decide whether to allow subcontracting or not.

 In case Procuring Agency decides to allow subcontracting then following conditions shall be complied with:
- No change of Sub-Contractors shall be made by the bidder without prior approval of the Procuring Agency.
- 2. The truthfulness and accuracy of the statement as to the experience of Sub-Contractors is guaranteed by the bidder. The Procuring Agency's judgment shall be final as to the evaluation of the experience of Sub-Contractors submitted by the bidder.
- Statement of similar works shall include description, location & value of works, year completed and name & address of the clients.

PROPOSED PROGRAMME OF WORKS

Bidder shall provide a programme in a bar-chart or Program Evaluation and Review Technique (PERT) or Critical Path Method (CPM) showing the sequence of work items by which he proposes to complete the works of the entire Contract. The programme should indicate the sequence of work items and the period of time during which he proposes to complete the works including the activities like designing, schedule of submittal of drawings, ordering and procurement of materials, manufacturing, delivering, construction of civil works, erection, testing and commissioning of works to be supplied under the Contract.

METHOD OF PERFORMING WORKS

The bidder is required to submit a narrative outlining the method of performing the Works. The narrative should indicate in detail and include but not be limited to:

- The sequence and methods in which he proposes to carry out the Works, including the number of shifts per day and hours per shift, he expects to work.
- A list of all major items of construction and plant erection, tools and vehicles proposed to be used in delivering/carrying out the works at site.
- The procedure for installation of equipment and transportation of equipment and materials to the site.
- Organisation chart indicating head office & field office personnel involved in management, supervision and engineering of the Works to be done under the Contract.

TABLE OF CONTENTS

CONDITIONS OF CONTRACT

Clause No	Description	Page No
I Committee		<u> </u>
1. General Prov	risions	
2. The Procurin	g Agency	37
Engineer's A¹	rocuring Agency's Representatives	37
4. The Contract	or	
5. Design by Co	ontractor	
6. Procuring Ag	gency's Risks	39
Time for Cor	npletion	40
8. Taking Over.		41
	Defects	
Variations an	nd Claims	41
11. Contract Price	ee And Payment	43
12. Default		44
	sponsibilities	

15. Resolution of	f Disputes	47
16. Integrity Pact	l	48

CONDITIONS OF CONTRACT

1. GENERAL PROVISIONS

1.1 Definitions

In the Contract as defined below, the words and expressions defined shall have the following meanings assigned to them, except where the context requires otherwise:

The Contract

- 1.1.1 "Contract" means the Contract Agreement and the other documents listed in the Contract Data.
- 1.1.2 "Specifications" means the document as listed in the Contract Data, including Procuring Agency's requirements in respect of design to be carried out by the Contractor (if any), and any Variation to such document.
- "Drawings" means the Procuring Agency's drawings of the Works as listed in the Contract Data, and any Variation to such drawings.

Persons

- 1.1.4 "Procuring Agency" means the person named in the Contract Data and the legal successors in title to this person, but not (except with the consent of the Contractor) any assignee.
- 1.1.5 "Contractor" means the person named in the Contract Data and the legal successors in title to this person, but not (except with the consent of the Procuring Agency) any assignee.
- 1.1.6 "Party" means either the Procuring Agency or the Contractor.

Dates, Times and Periods

- 1.1.7 "Commencement Date" means the date fourteen (14) days after the date the Contract comes into effect or any other date named in the Contract Data.
- 1.1.8 "Day" means a calendar day
- 1.1.9 "Time for Completion" means the time for completing the Works as stated in the Contract Data (or as extended under Sub-Clause 7.3), calculated from the Commencement Date.

Money and Payments

1.1.10 "Cost" means all expenditure properly incurred (or to be incurred) by the Contractor, whether on or off the Site, including overheads and similar charges but

does not include any allowance for profit.

Other Definitions

~"_

- 1.1.11 "Contractor's Equipment" means all machinery, apparatus and other things required for the execution of the Works but does not include Materials or Plant intended to form part of the Works.
- 1.1.12 "Country" means the Islamic Republic of Pakistan.
- 1.1.13 "Procuring Agency's Risks" means those matters listed in Sub-Clause 6.1.
- 1.1.14 "Force Majeure" means an event or circumstance which makes performance of a Party's obligations illegal or impracticable and which is beyond that Party's reasonable control.
- 1.1.15 'Materials' means things of all kinds (other than Plant) to be supplied and incorporated in the Works by the Contractor.
- 1.1.16 "Plant" means the machinery and apparatus intended to form or forming part of the Works.
- 1.1.17 "Site" means the places provided by the Procuring Agency where the Works are to be executed, and any other places specified in the Contract as forming part of the Site.
- 1.1.18 "Variation" means a change which is instructed by the Engineer/Procuring Agency under Sub-Clause 10.1.
- 1.1.19 'Works' means any or all the works whether Supply, Installation, Construction etc. and design (if any) to be performed by the Contractor including temporary works and any variation thereof.
- 1.1.20 "Engineer" means the person notified by the Procuring Agency to act as Engineer for the purpose of the Contract and named as such in Contract Data.

1.2 Interpretation

Words importing persons or parties shall include firms and organisations. Words importing singular or one gender shall include plural or the other gender where the context requires.

1.3 Priority of Documents

The documents forming the Contract are to be taken as mutually explanatory of one another. If an ambiguity or discrepancy is found in the documents, the priority of the documents shall be in accordance with the order as listed in the Contract Data.



1.4 Law

The law of the Contract is the relevant Law of Islamic Republic of Pakistan.

1.5 Communications

All Communications related to the Contract shall be in English language.

1.6 Statutory Obligations

The Contractor shall comply with the Laws of Islamic Republic of Pakistan and shall give all notices and pay all fees and other charges in respect of the Works.

2. THE PROCURING AGENCY

2.1 Provision of Site

The Procuring Agency shall provide the Site and right of access thereto at the times stated in the Contract Data.

Site Investigation Reports are those that were included in the bidding documents and are factual and interpretative reports about the surface and subsurface conditions at the Site.

2.2 Permits etc.

The Procuring Agency shall, if requested by the Contractor, assist him in applying for permits, licences or approvals which are required for the Works.

2.3 Engineer's/Procuring Agency's Instructions

The Contractor shall comply with all instructions given by the Procuring Agency or the Engineer, if notified by the Procuring Agency, in respect of the Works including the suspension of all or part of the works.

2.4 Approvals

No approval or consent or absence of comment by the Engineer/Procuring Agency shall affect the Contractor's obligations.

3. ENGINEER'S/PROCURING AGENCY'S REPRESENTATIVES

3.1 Authorised Person

The Procuring Agency shall appoint a duly authorized person to act for him and on his behalf for the purposes of this Contract. Such authorized person shall be duly identified in the Contract Data or otherwise notified in writing to the Contractor as soon as he is so appointed. In either case the Procuring Agency shall notify the Contractor, in writing, the precise scope of the authority of such authorized person at the time of his appointment.

3.2 Engineer's/Procuring Agency's Representative

The name and address of Engineer's/Procuring Agency's Representative is given in Contract Data. However the Contractor shall be notified by the Engineer/Procuring Agency, the delegated duties and authority before the Commencement of works.

4. THE CONTRACTOR

4.1 General Obligations

- *

The Contractor shall carry out the works properly and in accordance with the Contract. The Contractor shall provide all supervision, labour, Materials, Plant and Contractor's Equipment which may be required

4.2 Contractor's Representative

The Contractor shall appoint a representative at site on full time basis to supervise the execution of work and to receive instructions on behalf of the Contractor but only after obtaining the consent of the Procuring Agency for such appointment which consent shall not be withheld without plausible reason(s) by the Procuring Agency. Such authorized representative may be substituted/ replaced by the Contractor at any time during the Contract Period but only after obtaining the consent of the Procuring Agency as aforesaid.

4.3 Subcontracting

The Contractor shall not subcontract the whole of the works. The Contractor shall not subcontract any part of the works without the consent of the Procuring Agency.

4.4 Performance Security

The Contractor shall furnish to the Procuring Agency within fourteen (14) days after receipt of Letter of Acceptance a Performance Security at the option of the bidder, in the form of Papee's order /Bank Draft or Bank Guarantee from scheduled bank for the amount and validity specified in Contract Data.

5. DESIGN BY CONTRACTOR

5.1 Contractor's Design

The Contractor shall carry out design to the extent specified, as referred to in the Contract Data. The Contractor shall promptly submit to the Engineer/Procuring Agency all designs prepared by him, within fourteen (14) days of receipt the Engineer/Procuring Agency shall notify any comments or, if the design submitted is not in accordance with the Contract, shall reject it stating the reasons. The



Contractor shall not construct any element of the works designed by him within fourteen (14) days after the design has been submitted to the Engineer/Procuring Agency or which has been rejected. Design that has been rejected shall be promptly amended and resubmitted. The Contractor shall resubmit all designs commented on taking these comments into account as necessary.

5.2 Responsibility for Design

The Contractor shall remain responsible for his bided design and the design under this Clause, both of which shall be fit for the intended purposes defined in the Contract and he shall also remain responsible for any infringement of any patent or copyright in respect of the same. The Engineer/Procuring Agency shall be responsible for the Specifications and Drawings.

6. PROCURING AGENCY'S RISKS

6.1 The Procuring Agency's Risks

The Procuring Agency's Risks are:-

- a) war, hostilities (whether war be declared or not), invasion, act of foreign enemies, within the Country;
- b) rebellion, terrorism, revolution, insurrection, military or usurped power, or civil war, within the Country;
- c) riot, commotion or disorder by persons other than the Contractor's personnel and other employees including the personnel and employees of Sub-Contractors, affecting the Site and/or the Works;
- d) ionising radiations, or contamination by radio-activity from any nuclear fuel, or from any nuclear waste from the combustion of nuclear fuel, radio-active toxic explosive, or other hazardous properties of any explosive nuclear assembly or nuclear component of such an assembly, except to the extent to which the Contractor/Sub-Contractors may be responsible for the use of any radio-active material;
- e) Pressure waves caused by aircraft or other aerial devices travelling at sonic or supersonic speeds;
- use or occupation by the Procuring Agency of any part of the Works, except as may be specified in the Contract;
- g) late handing over of sites, anomalies in drawings, late delivery of designs and drawings of any part of the Works by the Procuring Agency's personnel or by others for whom the Procuring Agency is responsible;
- h) a suspension under Sub-Clause 2.3 unless it is attributable to the Contractor's failure; and

 physical obstructions or physical conditions other than climatic conditions, encountered on the Site during the performance of the Works, for which the Contractor immediately notified to the Procuring Agency and accepted by the Procuring Agency.

7. TIME FOR COMPLETION

7.1 Execution of the Works

The Contractor shall commence the Works on the Commencement Date and shall proceed expeditiously and without delay and shall complete the Works, subject to Sub-Clause 7.3 below, within the Time for Completion.

7.2 Programme

- 1

Within the time stated in the Contract Data, the Contractor shall submit to the Engineer/Procuring Agency a programme for the Works in the form stated in the Contract Data.

7.3 Extension of Time

The Contractor shall, within such time as may be reasonable under the circumstances, notify the Procuring Agency/Engineer of any event(s) falling within the scope of Sub-Cicuse 6.1 or 10.3 of these Conditions of Contract and request the Procuring Agency/Engineer for a reasonable extension in the time for the completion of works. Subject to the aforesaid, the Procuring Agency/Engineer shall determine such reasonable extension in the time for the completion of works as may be justified in the light of the details/particulars supplied by the Contractor in connection with the such determination by the Procuring Agency/Engineer within such period as may be prescribed by the Procuring Agency/Engineer for the same; and the Procuring Agency may extend the time for completion as determined.

7.4 Late Completion

If the Contractor fails to complete the Works within the Time for Completion, the Contractor's only liability to the Procuring Agency for such failure shall be to pay the amount as **liquidity** damages stated in the Contract Data for each day for which he fails to complete the Works.

8. TAKING-OVER

8.1 Completion

The Contractor may notify the Engineer/Procuring Agency when he considers that the Works are complete.

8.2 Taking-Over Notice

Within fourteen (14) days of the receipt of the said notice of completion from the Contractor the Procuring Agency/Engineer shall either takeover the completed works and issue a Certificate of Completion to that effect or shall notify the Contractor his reasons for not taking-over the works. While issuing the Certificate of Completion as aforesaid, the Procuring Agency/Engineer may identify any outstanding items of work which the Contractor shall undertake during the Maintenances Period.

9. REMEDYING DEFECTS

9.1 Remedying Defects

The Contractor shall for a period stated in the Contract Data from the date of issue of the Certificate of Completion carry out, at no cost to the Procuring Agency, repair and rectification work which is necessitated by the earlier execution of poor quality of work or use of below specifications material in the execution of Works and which is so identified by the Procuring Agency/Engineer in writing within the said period. Upon expiry of the said period, and subject to the Contractor's faithfully performing his aforesaid obligations, the Procuring Agency/Engineer shall issue a Maintenance Certificate whereupon all obligations of the Contractor under this Contract shall come to an end.

Failure to remedy any such defects or complete outstanding work within a reasonable time shall entitle the Procuring Agency to carry out all necessary works at the Contractor's cost. However, the cost of remedying defects not attributable to the Contractor shall be valued as a Variation.

9.2 Uncovering and Testing

The Engineer/Procuring Agency may give instruction as to the uncovering and/or testing of any work. Unless as a result of an uncovering and/or testing it is established that the Contractor's design, materials, plant or workmanship are not in accordance with the Contract, the Contractor shall be paid for such uncovering and/or testing as a Variation in accordance with Sub-Clause 10.2.

10. VARIATIONS AND CLAIMS

10.1 Right to Vary

The Procuring Agency/Engineer may issue Variation Order(s) in writing. Where for any reason it has not been possible for the Procuring Agency/Engineer to issue such Variations Order(s), the Contractor may confirm any verbal orders given by the Procuring Agency/Engineer in writing and if the same are not refuted/denied by the Procuring Agency/Engineer within ten (10) days of the receipt of such confirmation the same shall be deemed to be a Variation Orders for the purposes of this Sub-Clause.

10.2 Valuation of Variations

Variations shall be valued as follows:

- a) at a lump sum price agreed between the Parties, or
- b) where appropriate, at rates in the Contract, or
- c) in the absence of appropriate rates, the rates in the Contract shall be used as the basis for valuation, or failing which
- d) at appropriate new rates, as may be agreed or which the Engineer/Procuring Agency considers appropriate, or
- e) if the Engineer/Popuring Agency so instructs, at day work rates set out in the Contract Data for which the Contractor shall keep records of hours of labour and Contractor's Equipment, and of Materials, used.

10.3 Changes in the Quantities.

- a) If the final quantity of the work done differs from the quantity in the Bill of Quantities for the particular item by more than 25 percent, provided the change exceeds I percent of the Initial Contract Price, the Procuring Agency/Engineer shall adjust the rate to allow for the change and will be valued as per sub clause 10.2.
- b) The Engineer shall not adjust rates from changes in quantities if thereby the Initial Contract Price is exceeded by more than 15 percent, except with the prior approval of the Procuring Agency.
- c) If requested by the Engineer, the contractor shall provide the Engineer with a detailed cost breakdown of any rate in the Bill of Quantities.

10.4 Early Warning

The Contractor shall notify the Engineer/Procuring Agency in writing as soon as he is aware of any circumstance which may delay or disrupt the Works, or which may give rise to a claim for additional payment.

To the extent of the Contractor's failure to notify, which results to the Engineer/Procuring Agency being unable to keep all relevant records or not taking steps to minimise any delay, disruption, or Cost, or the value of any Variation, the Contractor's entitlement to extension of the Time for Completion or additional payment shall be reduced/rejected.

10.5 Valuation of Claims

If the Contractor incurs Cost as a result of any of the Procuring Agency's Risks, the Contractor shall be entitled to the amount of such Cost. If as a result of any



Procuring Agency's Risk, it is necessary to change the Works, this shall be dealt with as a Variation subject to Contractor's notification for intention of claim to the Engineer/Procuring Agency within fourteen (14) days of the occurrence of cause.

10.6 Variation and Claim Procedure

The Contractor shall submit to the Engineer/Procuring Agency an itemised detailed breakdown of the value of variations and claims within twenty eight (28) days of the instruction or of the event giving rise to the claim. The Engineer/Procuring Agency shall check and if possible agree the value. In the absence of agreement, the Procuring Agency shall determine the value.

11. CONTRACT PRICE AND PAYMENT

11.1 (a) Terms of Payments

The amount due to the Contractor under any Interim Payment Certificate issued by the Engineer pursuant to this Clause, or to any other terms of the Contract, shall, subject to Clause 11.3, be paid by the Procuring Agency to the Contractor within 30 days after such Interim Payment Certificate has been jointly verified by Procuring Agency and Contractor, or, in the case of the Final Certificate referred to in Sub Clause 11.5, within 60days after such Final Payment Certificate has been jointly verified by Procuring Agency and Contractor;

Provided that the Interim Payment shall be caused in thirty (30) days and Final Payment in 60 days in case of foreign funded project. In the event of the failure of the Procuring Agency to make payment within 90 days then Procuring Agency shall pay to the Contractor compensation at the 28 days rate of KIBOR+2% per annum in local currency and LIBOR+1% for foreign currency, upon all sums unpaid from the date by which the same should have been paid.

(b) Valuation of the Works

The Works shall be valued as provided for in the Contract Data, subject to Clause 10.

11.2 Monthly Statements

The Contractor shall be entitled to be paid at monthly intervals:

- a) the value of the Works executed less to the cumulative amount paid previously; and
- b) value of secured advance on the materials and valuation of variations (if any).

The Contractor shall submit each month to the Engineer/Procuring Agency a statement showing the amounts to which he considers himself entitled.

11.3 Interim Payments

Within a period not exceeding seven (07) days from the date of submission of a statement for interim payment by the Contractor, the Engineer shall verify the same and within a period not exceeding thirty (30/60) days from the said date of submission by the Contractor, the Procuring Agency shall pay to the Contractor the sum subject to adjustment for deduction of the advance payments and retention money.

11.4 Retention

Retention money shall be paid by the Procuring Agency to the Contractor within fourteen (14) days after either the expiry of the period stated in the Contract Data, or the remedying of notified defects, or the completion of outstanding work, all as referred to in Sub-Clause 9.1, whichever is the later.

11.5 Final Payment

Within twenty one (21) days from the date of issuance of the Maintenance Certificate the Contractor shall submit a final account to the Engineer to verify and the Engineer shall verify the same within fourteen (14) days from the date of submission and forward the same to the Procuring Agency together with any documentation reasonably required to enable the Procuring Agency to ascertain the final contract value.

Within sixty (60) days from the date of receipt of the verified final account from the Engineer, the Procuring Agency shall pay to the Contractor any amount due to the Contractor. While making such payment the Procuring Agency may, for reasons to be given to the Contractor in writing, withhold any part or parts of the verified amount.

11.6 Currency

Payment shall be in the currency stated in the Contract Data.

12. DEFAULT

12.1 Defaults by Contractor

If the Contractor abandons the Works, refuses or fails to comply with a valid instruction of the Engineer/Procuring Agency or fails to proceed expeditiously and without delay, or is, despite a written complaint, in breach of the Contract, the Procuring Agency may give notice referring to this Sub-Clause and stating the default.

If the Contractor has not taken all practicable steps to remedy the default within fourteen (14) days after receipt of the Procuring Agency's notice, the Procuring Agency may by a second notice given within a further twenty one (21) days, terminate the Contract. The Contractor shall then demobilize from the Site leaving behind any Contractor's Equipment which the Procuring Agency instructs, in the second notice, to be used for the completion of the Works at the risk and cost of the Contractor.



12.2 Defaults by Procuring Agency

If the Procuring Agency fails to pay in accordance with the Contract, or is, despite a written complaint, in breach of the Contract, the Contractor may give notice referring to this Sub-Clause and stating the default. If the default is not remedied within fourteen (14) days after the Procuring Agency's receipt of this notice, the Contractor may suspend the execution of all or parts of the Works.

If the default is not remedied within twenty eight (28) days after the Procuring Agency's receipt of the Contractor's notice, the Contractor may by a second notice given within a further twenty one (21) days, terminate the Contract. The Contractor shall then demobilise from the Site.

12.3 Insolvency

If a Party is declared insolvent under any applicable law, the other Party may by notice terminate the Contract immediately. The Contractor shall then demobilise from the site leaving behind, in the case of the Contractor's insolvency, any Contractor's Equipment which the Procuring Agency instructs in the notice is to be used for the completion of the Works.

12.4 Payment upon Termination

After termination, the Contractor shall be entitled to payment of the unpaid balance of the value of the works executed and of the Materials and Plant reasonably delivered to the site, adjusted by the following:

- a) any sums to which the Contractor is entitled under Sub-Clause 10.4,
- b) any sums to which the Procuring Agency is entitled,
- c) if the Procuring Agency has terminated under Sub-Clause 12.1 or 12.3, the Procuring Agency shall be entitled to a sum equivalent to twenty percent (20%) of the value of parts of the Works not executed at the date of the termination, and
- d) if the Contractor has terminated under Sub-Clause 12.2 or 12.3, the Contractor shall be entitled to the cost of his demobilisation together with a sum equivalent to ten percent (10%) of the value of parts of the works not executed at the date of termination.

The net balance due shall be paid or repaid within twenty eight (28) days of the notice of termination.

13. RISKS AND RESPONSIBILITIES

13.1 Contractor's Care of the Works

Subject to Sub-Clause 9.1, the Contractor shall take full responsibility for the care

of the Works from the Commencement Date until the date of the Procuring Agency's/Engineer's issuance of Certificate of Completion under Sub-Clause 8.2. Responsibility shall then pass to the Procuring Agency. If any loss or damage happens to the Works during the above period, the Contractor shall rectify such loss or damage so that the Works conform with the Contract.

Unless the loss or damage happens as a result of any of the Procuring Agency's Risks, the Contractor shall indemnify the Procuring Agency, or his agents against all claims loss, damage and expense arising out of the Works.

13.2 Force Majeure

If Force Majeure occurs, the Contractor shall notify the Engineer/Procuring Agency immediately. If necessary, the Contractor may suspend the execution of the Works and, to the extent agreed with the Procuring Agency demobilize the Contractor's Equipment.

If the event continues for a period of eighty four (84) days, either Party may then give notice of termination which shall take effect twenty eight (28) days after the giving of the notice.

After termination, the Contractor shall be entitled to payment of the unpaid balance of the value of the Works executed and of the Materials and Plant reasonably delivered to the Site, adjusted by the following:

- a) any sums to which the Contractor is entitled under Sub-Clause 10.4,
- b) the cost of his demobilization, and
- c) less any sums to which the Procuring Agency is entitled.

The net balance due shall be paid or repaid within thirty five (35) days of the notice of termination.

14. INSURANCE

14.1 Arrangements

The Contractor shall, prior to commencing the Works, effect insurances of the types, in the amounts and naming as insured the persons stipulated in the Contract Data except for items (a) to (e) and (i) of the Procuring Agency's Risks under Sub-Clause 6.1. The policies shall be issued by insurers and in terms approved by the Procuring Agency. The Contractor shall provide the Engineer/Procuring Agency with evidence that any required policy is in force and that the premiums have been paid.

14.2 Default

If the Contractor fails to effect or keep in force any of the insurances referred to in the previous Sub-Clause, or fails to provide satisfactory evidence, policies or receipts, the Procuring Agency may, without prejudice to any other right or



remedy, effect insurance for the cover relevant to such as a default and pay the premiums due and recover the same plus a sum in percentage given in Contractor Data from any other amounts due to the Contractor.

15. RESOLUTION OF DISPUTES

15.1 Engineer's Decision

If a dispute of any kind whatsoever arises between the Procuring Agency and the Contractor in connection with the works, the matter in dispute shall, in the first place, be referred in writing to the Engineer, with a copy to the other party. Such reference shall state that it is made pursuant to this Clause. No later than the twenty eight (28) days after the day on which he received such reference, the Engineer shall give notice of his decision to the Procuring Agency (Superintending Engineer) and the Contractor.

Unless the Contract has already been repudiated or terminated, the Contractor shall, in every case, continue to proceed with the work with all due diligence, and the Contractor and the Procuring Agency (Superintending Engineer)shall give effect forthwith to every such decision of the Engineer unless and until the same shall be revised, as hereinafter provided in an arbitral award.

15.2 Notice of Dissatisfaction

If a Party is dissatisfied with the decision of the Engineer of consultant or if no decision is given within the time set out in Sub-Clause 15.1 here above, the Party may give notice of dissatisfaction referring to this Sub-Clause within fourteen (14) days of receipt of the decision or the expiry of the time for the decision. If no notice of dissatisfaction is given within the specified time, the decision shall be final and binding on the Parties. If notice of dissatisfaction is given within the specified time, the decision shall be binding on the Parties who shall give effect to it without delay unless and until the decision of the Engineer is revised by an arbitrator.

If a contractor is dissatisfied with the decision of the Engineer of the department or decision is not given in time then he can approach Superintending Engineer within 14 days, in case of dissatisfaction with decision of Superintending Engineer or not decided within 28 days, then arbitration process would be adopted as per clause 15.3.

15.3 Arbitration

A dispute which has been the subject of a notice of dissatisfaction shall be finally settled as per provisions of Arbitration Act 1940 (Act No. X of 1940) and Rules made there under and any statutory modifications thereto. Any hearing shall be held at the place specified in the Contract Data and in the language referred to in Sub-Clause 1.5.

16 INTEGRITY PACT

- 16.1 If the Contractor or any of his Sub-Contractors, agents or servants is found to have violated or involved in violation of the Integrity Pact signed by the Contractor as Schedule-F to his Bid, then the Procuring Agency shall be entitled to:
 - (a) recover from the Contractor an amount equivalent to ten times the sum of any commission, gratification, bribe, finder's fee or kickback given by the Contractor or any of his Sub-Contractors, agents or servants;
 - (b) terminate the Contract; and
 - (c) recover from the Contractor any loss or damage to the Procuring Agency as a result of such termination or of any other corrupt business practices of the Contractor or any of his Sub-Contractors, agents or servants.

On termination of the Contract under Sub-Para (b) of this Sub-Clause, the Contractor shall demobilize from the site leaving behind Contractor's Equipment which the Procuring Agency instructs, in the termination notice, to be used for the completion of the works at the risk and cost of the Contractor. Payment upon such termination shall be made under Sub-Clause 12.4, in accordance with Sub-Para (c) thereof, after having deducted the amounts due to the Procuring Agency under Sub-Para (a) and (c) of this Sub-Clause.

CONTRACT DATA

(Note: Except where otherwise indicated, all Contract Data should be filled in by the Procuring Agency prior to issuance of the Bidding Documents.)

o-C ndi	itions of Contract
3	Procuring Agency's Drawings, if any
	(To be listed by the Procuring Agency)
	The Procuring Agency means
	The Contractor means
	Commencement Date means the date of issue of Engineer's Notice to Commence which shall be issued within fourteen (14) days of the signing of the Contract
	Agreement.
	Time for Completion
	Time for Completion days
)	(The time for completion of the whole of the Works should be assessed by the Procuring Agency) Engineer (mention the name along with the designation including whether I
:0 ng:	(The time for completion of the whole of the Works should be assessed by the Procuring Agency) Engineer (mention the name along with the designation including whether he s to department or consultant) and other details
g	(The time for completion of the whole of the Works should be assessed by the Procuring Agency) Engineer (mention the name along with the designation including whether he is to department or consultant) and other details Documents forming the Contract listed in the order of priority:
) g	(The time for completion of the whole of the Works should be assessed by the Procuring Agency) Engineer (mention the name along with the designation including whether he is to department or consultant) and other details Documents forming the Contract listed in the order of priority: The Contract Agreement
o •g:	(The time for completion of the whole of the Works should be assessed by the Procuring Agency) Engineer (mention the name along with the designation including whether he s to department or consultant) and other details Documents forming the Contract listed in the order of priority: The Contract Agreement Letter of Acceptance
0 • g :	(The time for completion of the whole of the Works should be assessed by the Procuring Agency) Engineer (mention the name along with the designation including whether he is to department or consultant) and other details Documents forming the Contract listed in the order of priority: The Contract Agreement
) g:	(The time for completion of the whole of the Works should be assessed by the Procuring Agency) Engineer (mention the name along with the designation including whether he is to department or consultant) and other details Documents forming the Contract listed in the order of priority: The Contract Agreement Letter of Acceptance The completed Form of Bid Contract Data
0 1g:	(The time for completion of the whole of the Works should be assessed by the Procuring Agency) Engineer (mention the name along with the designation including whether he is to department or consultant) and other details Documents forming the Contract listed in the order of priority: The Contract Agreement Letter of Acceptance The completed Form of Bid Contract Data Conditions of Contract
0 rg:	(The time for completion of the whole of the Works should be assessed by the Procuring Agency) Engineer (mention the name along with the designation including whether he is to department or consultant) and other details Documents forming the Contract listed in the order of priority: The Contract Agreement Letter of Acceptance The completed Form of Bid Contract Data Conditions of Contract The completed Schedules to Bid including Schedule of Prices
:0 ng:	(The time for completion of the whole of the Works should be assessed by the Procuring Agency) Engineer (mention the name along with the designation including whether he is to department or consultant) and other details Documents forming the Contract listed in the order of priority: The Contract Agreement Letter of Acceptance The completed Form of Bid Contract Data Conditions of Contract The completed Schedules to Bid including Schedule of Prices The Drawings, if any
20 ng:	(The time for completion of the whole of the Works should be assessed by the Procuring Agency) Engineer (mention the name along with the designation including whether he is to department or consultant) and other details Documents forming the Contract listed in the order of priority: The Contract Agreement Letter of Acceptance The completed Form of Bid Contract Data Conditions of Contract The completed Schedules to Bid including Schedule of Prices

		prized person:		
		Name and address of Engineer's/Procuring Agency's representative		
Performance Security:				
	Amou	ınt		
	Valid	ity		
	(Forn	v: As provided under Standard Forms of these Documents)		
	Requ	irements for Contractor's design (if any):		
	Speci	fication Clause No's		
	Progr	ramme:		
	Time	for submission: Within fourteen (14) days* of the Commencement Date.		
	Form	of programme:(Bar Chart/CPM/PERT or other)		
	Amou	int payable due to failure to complete shall be% per day up to a maximum of		
	(10%)	of sum stated in the Letter of Acceptance		
	(Usua day.)	lly the liquidated damages are set between 0.05 percent and 0.10 percent per		
	In case	Completion e of earlier completion of the Work, the Contractor is entitled to be paid bonus limit and at a rate equivalent to 50% of the relevant limit and rate of liquidated ges stated in the contract data.		
	Perio	d for remedying defects		
Z	(e)	Variation procedures:		
		Day work rates(details)		
1		Terms of Payments		
a)	Mobil	ization Advance		
	(1)	Mobilization Advance up to 10 % of the Contract Price stated in the Letter of Acceptance shall be paid by the Procuring Agency to the Contractor on the works costing Rs.2.5 million or above on following conditions:		

- on submission by the Contractor of a Mobilization Advance Guarantee for the full amount of the Advance in the specified form from a Scheduled Bank in Pakistan to the Procuring Agency;
- (ii) Contractor will pay interest on the mobilization advance at the rate of 10% per annum on the advance; and
- (iii) This Advance including the interest shall be recovered in 5 equal installments from the five (05) R.A bills and in case the number of bills is less than five (05) then 1/5th of the advance inclusive of the interest thereon shall be recovered from each bill and the balance together with interest be recovered from the final bill. It may be insured that there is sufficient amount in the final bill to enable recovery of the Mobilization Advance.

OR

2) Secured Advance on Materials

- (a) The Contractor shall be entitled to receive from the Procuring Agency Secured Advance against an INDENTURE BOND in P W Account Form No. 31(Fin. R. Form No. 2 acceptable to the Procuring Agency of such sum as the Engineer may consider proper in respect of non-perishable materials brought at the Site but not yet incorporated in the Permanent Works provided that:
 - (i) The materials are in accordance with the Specifications for the Permanent Works;
 - (ii) Such materials have been delivered to the Site and are properly stored and protected against loss or damage or deterioration to the satisfaction and verification of the Engineer but at the risk and cost of the Contractor;
 - (iii) The Contractor's records of the requirements, orders, receipts and use of materials are kept in a form approved by the Engineer, and such records shall be available for inspection by the Engineer;
 - (iv) The Contractor shall submit with his monthly statement the estimated value of the materials on Site together with such documents as may be required by the Engineer for the purpose of valuation of materials and providing evidence of ownership and payment therefore;
 - (v) Ownership of such materials shall be deemed to vest in the Procuring Agency and these materials shall not be removed from the Site or otherwise disposed of without written permission of the Procuring Agency;
 - (vi) The sum payable for such materials on Site shall not exceed 75 % of the (i) landed cost of imported materials, or (ii) ex-factory / ex-warehouse price of locally manufactured or produced materials, or (iii) market price of stands other materials;

- (vii) Secured Advance should not be allowed unless &until the previous advance, if an, fully recovered:
- (viii) Detailed account of advances must be kept in part II of running account bill; and
- (ix) Secured Advance may be permitted only against materials/quantities anticipated to be consumed / utilized on the work within a period of 3 months from the date of issue of secured advance and definitely not for full quantities of materials for the entire work/contract
- (b) Recovery of Secured Advance:
 - (i) Secured Advance paid to the Contractor under the above provisions shall be effected from the monthly payments on actual consumption basis, but not later than period specified in the rules not more than three months (e. cn if unutilized); other conditions.
 - (ii)As recoveries are made the outstanding accounts of the items concerned in Part II should be reduced b making deduction entries in the column; "deduct quantity utilized in work measured since previous bill," equivalent to the quantities of materials used by the contractor on items of work shown as executed in part 1 of the bill.
- Interim payments: The Contractor shall submit to the Engineer monthly statements of the estimated value of the work completed less the cumulative amount certified previously.
 - (i) The value of work completed comprises the value of the quantities of the items in the Bill of Quantities completed.
 - (ii) value of secured advance on the materials and valuation of variations (if any).
 - (iii) Engineer may exclude any item certified in a previous certificate or reduce the proportion of any item previously certified in any certificate in the light of later information.
 - Retention money and other advances are to be recovered from the bill (v) submitted by contractor,

11.2	*(a)	Valuation of the Works:								
		i) Lump sum price(details), or								
		ii) Lump sum price with schedules of rates (details), or								
		iii) Lump sum price with bill of quantities (details), or								
		Prices or e: premium above or below quoted on the rates								
		mentioned in CSR (details), or/and								

v)	Cost reimbu: sable	(details)



11.3	Percentage of retention*: five (5%)
11.6	Currency of payment: Pak. Rupees
14.1	Insurances: (Procuring Agency may decide, keeping in view the nature and the scope of the work)
	Type of cover
	The Works
	Amount of cover
	The sum stated in the Letter of Acceptance plus fifteen percent (15%) Type of cover
	Contractor's Equipment:
	Amount of cover
	Full replacement cost
Турс	e of cover
	Third Party-injury to persons and damage to property
	(The minimum amount of third party insurance should be assessed by the Procuring Agency and entered).
	Workers:
	Other cover*:
	(In each case name of insured is Contractor and Procuring Agency)
14.2	Amount to be recovered
	Premium plus percent (%).
15.3	Arbitration**
	Place of Arbitration:
* (Pro	curing Agency to specify as appropriate)
	has to be in the Province of Sindh)

STANDARD FORMS

(Note: Standard Forms provided in this document for securities are to be issued by a bank. In case the bidder chooses to issue a bond for accompanying his bid or performance of contract or receipt of advance, the relevant format shall be tailored accordingly without changing the spirit of the Forms of securities).

FORM OF BID SECURITY

(Bank Guarantee)

			Guarantee No.
(Lei	tter by t	the Gua	EXCENSED OF
(200	iter by	ine Ona	rantor to the Procuring Agency)
Nan add:	ne of G ress:	luaranto	r (Scheduled Bank in Pakistan) with
Nan addi	ne of P	rincipal	(Bidder) with
Sun	of Sec	curity (e	express in words and
			Date of Bid
Agei we t firm	ncy") is pind ou ly by th	n the surselves, sese pre-	N OF THIS OBLIGATION IS SUCH, that whereas the Principal has
	ıcy; and		accompanying Bid numbered and dated as above for (Particulars of Bid) to the said Procuring
		, the Pr ncipal f as unde	rocuring Agency has required as a condition for considering the said Bid irrnishes a Bid Security in the above said sum to the Procuring Agency, er:
(1) 2)	me p	the Bid eriod of in the ev	Security shall remain valid for a period of twenty eight (28) days beyond validity of the bid; vent of;
	(a)	the P	rincipal withdraws his Bid during the period of validity of Bid, or
	(b)	the P	rincipal does not accept the correction of his Bid Price, pursuant to Subse 16.4 (b) of Instructions to Bidders, or
	(c)		re of the successful bidder to
		(i)	furnish the required Performance Security, in accordance with Sub-Clause IB-21.1 of Instructions to Bidders, or
		(ii)	sign the proposed Contract Agreement, in accordance with Sub-Clauses IB-20.2 & 20.3 of Instructions to Bidders,

the entire sum be paid immediately to the said Procuring Agency for delayed completion and not as penalty for the successful bidder's failure to perform.

NOW THEREFORE, if the successful bidder shall, within the period specified therefore, on the prescribed form presented to him for signature enter into a formal Contract Agreement with the said Procuring Agency in accordance with his Bid as accepted and furnish within fourteen (14) days of receipt of Letter of Acceptance, a Performance Security with good and sufficient surety, as may be required, upon the form prescribed by the said Procuring Agency for the faithful performance and proper fulfilment of the said Contract or in the event of non-withdrawal of the said Bid within the time specified then this obligation shall be void and of no effect, but otherwise to remain in fell force and effect.

PROVIDED THAT the Guarantor shall forthwith pay to the Procuring Agency the said sum stated above upon first written demand of the Procuring Agency without cavil or argument and without requiring the Procuring Agency to prove or to show grounds or reasons for such demand, notice of which shall be sent by the Procuring Agency by registered post duly addressed to the Guarantor at its address given above.

PROVIDED ALSO THAT the Procuring Agency shall be the sole and final judge for deciding whether the Principal has duly performed his obligations to sign the Contract Agreement and to furnish the requisite Performance Security within the time stated above, or has defaulted in fulfilling said requirements and the Guarantor shall pay without objection the sum stated above upon first written demand from the Procuring Agency forthwith and without any reference to the Principal or any other person.

IN WITNESS WHEREOF, the above bounded Guarantor has executed the instrument under its seal on the date indicated above, the name and seal of the Guarantor being hereto affixed and these presents duly signed by its undersigned representative pursuant to authority of its governing body.

	Guarantor (Bank)
Witness:	1. Signature
1.	2. Name
Corporate Secretary (Seal)	3. Title
2.	
(Name, Title & Address)	Corporate Guarantor (Seal)

FORM OF PERFORMANCE SECURITY (Bank Guarantee)

	Guarantee No. Executed on Expiry Date
(Letter by the Guarantor to the Procuring Agen	cy)
Name of Guarantor (Scheduled Bank in Pakista address:	•
Name of Principal (Contractor) with address:	
Penal Sum of Security (express in words and figures)	
Letter of Acceptance No.	Dated
KNOW ALL MEN BY THESE PRESENTS, Documents and above said Letter of Acceptance request of the said Principal we, the Guarantor the Procuring Agency) in the penal sum of the ansum well and truly to be made to the said Procuring, administrators and successors, jointly THE CONDITION OF THIS OBLIGATION accepted the Procuring Agency's above sa (Name of Condition of Condit	the (hereinafter called the Documents) and at the rabove named, are held and firmly bound unto the hereinafter called the count stated above, for the payment of which bouring Agency, we bind ourselves, our heirs, y and severally, firmly by these presents. IS SUCH, that whereas the Principal has id Letter of Acceptance for the of Contract) for the
NOW THEREFORE, if the Principal (Contract the undertakings, covenants, terms and condition terms of the said Documents and any extensions Agency, with or without notice to the Guarant also well and truly perform and fulfill all the unthe Contract and of any and all modifications made, notice of which modifications to the	tor) shall well and truly perform and fulfill all ons of the said Documents during the original s thereof that may be granted by the Procuring for, which notice is, hereby, waived and shall idertakings, covenants terms and conditions of of the said Documents that may hereafter be

Our total liability under this Guarantee is limited to the sum stated above and it is a condition of any liability attaching to us under this Guarantee that the claim for payment in writing shall

obligation to be void; otherwise to remain in full force and virtue till all requirements of

Clause 9, Remedying Defects, of Conditions of Contract are fulfilled.

be received by us within the validity period of the discharged of our liability, if any, under this Guaran	iis Gu tee.	arantee, failing which we shall be
We,	ng Age ring A to the ncipal ent wi	ency's first written demand without agency to prove or to show grounds a amount stated above, against the has refused or failed to perform the It be effected by the Guarantor to
PROVIDED ALSO THAT the Procuring Agency deciding whether the Principal (Contractor) has decounted or has defaulted in fulfilling said obligated objection any sum or sums up to the amount stated. Procuring Agency forthwith and without any referent IN WITNESS WHEREOF, the above bounded Gualits seal on the date indicated above, the name and confixed and these presents duly signed by its understoof its governing body.	luly perions and above to to the total above to the total arantor or por at the total arantor	erformed his obligations under the nd the Guarantor shall pay without upon first written demand from the the Principal or any other person. has executed this Instrument under the seal of the Guarantor being hereto
Witness:		Guarantor (Bank)
1.	1.	Signature
(C)	2.	Name
Corporate Secretary (Seal)	3.	Title
2.		
(Name, Title & Address)		Corporate Guarantor (Seal)

FORM OF CONTRACT AGREEMENT

THIS	S CON	TRACT AGRE	EMENT (herei	naster called the	"Agreement") made	on the
"Pro	CUTÍDO	200	between		(hereinaf	ter called the
110	varing	") of the other p	the one part	and	(hereinafte	r called the
001.	macioi	y of the other p	art,			
WHE	EREAS	the Procuring	Agency is de	sirous that certs	ain Works, viz	
shou	ld be e	executed by the	Contractor ar	nd has accepted	I a Bid by the Contr	ractor for the
exect	ution ar	nd completion o	f such Works a	nd the remedyin	g of any defects there	in.
NOV	V this A	greement witne	esseth as follow	s:		
Ι.	ln th	nis Agreement ectively assigned	words and ex d to them in the	pressions shall Conditions of (have the same mea Contract hereinafter re	nings as are ferred to.
2.	retair	following docu ng to Instruction of this Agree	ns to Bidders, s	ncorporating ad shall be deemed	denda, if any except to form and be read a	t those parts and construed
	(a)	The Letter of	Accentance:			
	(b)	The complete	ed Form of Bid	along with Sche	edules to Rid:	
	(c)	Conditions of	f Contract & Co	ontract Data	dates to Did,	
	(d)	The priced So	chedule of Pric	es/Bill of quanti	ities (BoO)	
	(e)	The Specifica	ntions; and			
	(f)	The Drawing		•		
3.	Procu	actor as nerest	namer mention execute and c	ed, the Contra omplete the Wo	by the Procuring Ag actor hereby covenar orks and remedy defect of the Contract.	ste suith the
l.	execu	Procuring Agenc	etion of the Wo	ants to pay the rks as per provi	Contractor, in conside sions of the Contract,	eration of the the Contract

Price or such other sum as may become payable under the provisions of the Contract

at the times and in the manner prescribed by the Contract.

IN WITNESS WHEREOF the parties hereto have caused this Contract Agreement to b
executed on the day, month and year first before written in accordance with their respective
laws.

Signature of the Contactor	Signature of the Procuring Agency
(Seal)	(Seal)
Signed, Sealed and Delivered in the presence of:	
Witness:	Witness:
(Name, Title and Address)	(Name, Title and Address)

MOBILIZATION ADVANCE GUARANTEE

	Guarantee No.			
(Letter by the Guaranter to the Brooming Agency)	Executed on			
(Letter by the Guarantor to the Procuring Agency)				
WHEREAS the	(hereinafter			
called the Procuring Agency) has entere	d into a Contract for			
	(Particulars of Contract) with			
	(Farticulars of Contract), with			
(hereinafter called				
• • • • • • • • • • • • • • • • • • •				
AND WHEREAS the Procuring Agency has agreed to	advance to the Contractor, at the			
Contractor's request, an amount of Rs.	Rupees			
) which amount shall be a				
provisions of the Contract.	The second secon			
AND WHEREAS the Procuring Agency has asked the C secure the advance payment for the performance of his obli	gations under the said Contract, (Scheduled, Bank)			
(hereinafter called the Guarantor) at the request of the Cor Procuring Agency agreeing to make the above advance furnish the said Guarantee.	tractor and in consideration of the			
NOW THEREFORE the Guarantor hereby guarantees to advance for the purpose of above mentioned Contract and fulfillment of any of his obligations for which the advance shall be liable to the Procuring Agency for payment in amount.	if he fails, and commits default in e payment is made, the Guarantor			
Notice in writing of any default, of which the Procuring 2 judge, as aforesaid, on the part of the Contractor, shall be the Guarantor, and on such first written demand payment all sums then due under this Guarantee without any refere any objection.	given by the Procuring Agency to shall be made by the Guarantor of			
Sindh Public Procurement Regulatory Authority www.pprasindh.gov.p	ok 61%			

61,

This Guarantee shall expire not later than	
by which date we must have received any telefax.	claims by registered letter, telegram, telex or
It is understood that you will return this Guar total amount to be claimed hereunder.	rantee to us on expiry or after settlement of the
	Guarantor (Scheduled Bank)
Witness:	
1.	1. Signature
Corporate Secretary (Seal)	2. Name
corporate beeretary (bear)	3. Title
2	
2.	

This Guarantee shall come into force as soon as the advance payment has been credited to the

account of the Contractor,

INDENTURE FOR SECURED ADVANCES.

(For use in cases in which is contract is for finished work and the contractor has entered into an agreement for the execution of a certain specified quantity of work in a given time).
This INDENTURE made the
Contractor" which expression shall where the context so admits or implied be deemed to include his heirs, executors, administrators and assigns) of the one part and THE GOVERNOR OF SINDH (hereinafter called "the Government" of the other part).
WHEREAS by an agreement, dated (hereinafter called the said agreement, the contractor has agreed to perform the under-mentioned works (hereinafter referred to as the said work):-
(Here enter (the description of the works).1
AND WHEREAS the contractor has applied to the
NOW THIS INDENTURE WITNESSETH that in pursuance of the said agreement and in consideration of the sum of Rupees
And doth hereby covenant and agree with the Government and declare ay follow:-
(I) That the said sum of Rupees
(Rf) so advanced by the Government to the Contractor as aforesaid and all or any further sum or sums which may be advanced aforesaid shall be employed by the contractor in or towards expending the execution of the said works and for no other purpose whatsoever.

(2) That the materials detailed in the said Running Account Bill (B) which have been Fig R Form No. 17-A

Offered to and accepted by (he Government as security for the said amount are absolutely by the Contractors own property free from encumbrances of any kind and the Contractor will not make any application for or receive a further advance on the security of materials which are not absolutely his own property and free from encumbrances of any kind and the contractor hereby agrees, at all times, to indemnify and save harmless the Government against all claims whatsoever to any materials in respect of which an advance has been made to him as aforesaid.

- (4) That the Contractor shall make at his own cost all necessary and adequate arrangement for the proper watch, safe custody and protection against all risks of the said material and that until used in construction as aforesaid the said materials shall remain at the site of the said works in the Contractor's custody and at his own risk and on his own responsibility and shall at all times be open to inspection by (he Divisional Officer or any officer authorized by him. In the event of the said materials of any part (hereof being stolen, destroyed or damaged or becoming deteriorated in a grater degree than is due to reasonable use and wear thereof Contractor will forthwith replace the same with other materials of like qualify or repair and make good the same as required by the Divisional Officer and the materials so brought to replace the said materials so repaired and made good shall also be considered as security for the said amount.
- (5) 'Hurt the said materials shall not on any account be removed from the site of the said works except with the written permission of the Divisional Officer or an officer authorized by him in that behalf
- (6) That the said amount shall be payable in full when or before the Contractor receives payment, from the Government of the price payable to him for the said works under the terms and provisions of the said agreement PROVIDED THAT—if any intermediate payments are made to the contractor on account of work done then on the occasion—of each such payment the Government will be at liberty to make a recovery from the Contractors Bill for such payment by deducting there from in the value of the said materials (hen actually used in the construction and in respect of which recovery has not been made previously the value for this purpose being determined in respect of each description of material at (he rates at which the amount of the advances made under these presents were calculated.
- (7) That if the Contractor shall at any time make any default in the performance or observation in any respect of any of the terms and provisions of the said agreement or of these presents the total amount of the advance or advances that may still be owing to the Government shall immediately on the happening of such default be repayable by the Contractor to the Government together with interest thereon at twelve

64(₽)

percent per annum from the date or respective dates of such advance or advances to the date or repayment and with all costs, charges, damages and expenses incurred by the Government in or for the recovery thereof or the enforcement of this security or otherwise by reason of (he default of the Contractor and any moneys so becoming due and payable shall constitute a debt due from the Contractor to the Government and the Contractor hereby covenants and agrees with the Government to repay and the same respectively to it accordingly.

Once therewith the Government may at any time thereafter adopt all or any of following courses as it may deem best;-

- (a) Seize and utilize the said materials or any part thereof in the completion of the said works on behalf of the Contractor in accordance with the provisions in that behalf contained in the said agreement debiting the Contractor with the actual cost of effecting such completion the amount due in respect of advances under these presents and crediting the Contractor with the value of work done as he had carried it out in accordance with the said agreement and at the rates thereby provided. If the balance is against the Contractor he is to pay the same to the Government on demand.
- (b) Remove and sell by public auction the seized materials or any part thereof and out of the moneys arising from the sale retain all the sums aforesaid repayable to the Government under these presents and pay over the surplus (if any) to the Contractor.
- (c) Deduct all or any part of the moneys owing out of the security deposit or any sum due to the Contractor under the said agreement.
- (9) That except as is expressly provided by the presents interest on the aid advance shall not be payable.

Signed, sealed and delivered by* In the presence of

Scal

1st witness 21td witness

Signed, sealed and delivered by* In the presence of

Seal

1st Witness 2nd witness

SPECIFICATIONS

[Note for Preparing the Specifications]

A set of precise and clear specifications is a prerequisite for bidders to respond realistically and competitively to the requirements of the user without qualifying their Bids. The specifications must be drafted to permit the widest possible competition and, at the same time, present a clear statement of the required standards of workmanship, materials, performance of the works. Only if this is done objectives of economy, efficiency, and fairness in procurement will be realized and responsiveness of Bids can be ensured, and the subsequent task of bid evaluation can be facilitated. The specifications should require that materials to be incorporated in the works be new, unused, and of the most recent or current models, and incorporated all recent improvements in design and materials unless provided for otherwise in the contract.

Samples of specifications from similar to previous procurements are useful in this respect. The use of metric units is encouraged. Depending on the complexity of the works and the repetitiveness of the type of procurement, it may be advantageous to standardize the Technical Specifications that should cover all classes of workmanship, materials and equipment although not necessarily to be used in a particular procurement.

Care must be taken in drafting specifications to ensure that they are not restrictive. In the specification of standards for equipment, materials, and workmanship, recognized international standards should be used as much as possible. The specifications shall consider all conditions but not limited to seismic conditions, weather conditions and environmental impact. The specifications should state that equipment, materials, and workmanship that meet other authoritative standards, and which ensure at least a substantially equal quality than the standards mentioned, will also be acceptable. The following clause may be inserted in the Specifications.

Sample Clause: Equivalency of Standards and Codes

Wherever reference is made in the Specifications to specific standards and codes to be met by Works to be furnished and tested, the provisions of the latest current edition or revision of the relevant shall apply, unless otherwise expressly stated in the Contract. Other authoritative standards that ensure equivalence to the standards and codes specified will be acceptable.]

*DRAWINGS

*(Note: The Engineer/Procuring Agency may incorporate specific Drawings for Bidding purposes only or may include the detailed drawings in a separate volume, if necessary).

(B) Description and rate of Items based on Market (Offered rates)

Item No	Quantities	Description of item to be executed as site	Rate	Unit	Amunuti
	 			<u></u>	Amount in Rupees
			ļ		<u> </u>
					ļ <u> </u>
- · .	<u> </u>				
					
					
· . <u></u> -			İ	· · · · · · · · · · · · · · · · · · ·	
-,	 -				
					i
					1

Total (B) in words & figures:

Contractor

Executive Engineer/Procuring Agency



Summary of Bill of Quantities.

Cost of Bid


Amount

- 1. (A) Cost based on Composite Schedule of Rates.
- 2. (B) Cost based on Non/Offered Schedule of Rates.

TOTAL COST OF BID (C) = Total(A) + Total(B)

Contractor

Executive Engineer/Procuring Agency



Bid No: (02)

Office of the Executive Engineer Public Health Engg: Division

BIDDING DATA

(This section should be filled in by the Engineering / Procuring Agency before issuance of the bidding documents. The following specific data for the Works to be procured shall complement, amend, or supplement the provisions in the instructions to Bidders. Whereever there is a conflict, the provisions herein shall prevail over those in the instruction to bidders)

Instruction to Bidders

Ĵ

Clause Reference.

10.3

PUBLIC HEALTH ENGG: DIVISION SHAHEED BENAZIR ABAD 1.38 Name of Procuring Agency

(Insert name of the Procuring Agency)

REHABILITATION OF RURAL DRAINAGE SCHEME MARI JALBANI, KHABAR LAKHMIR, KARAM KHAN Brief Description of work. JAMALI, PUNHAL KHAN CHANDIO & NOOR BHOORA

TALUKA SAKRAND

Office of the Executive Engineer Public Health Engg: Division 5.1 (a) Procuring Agency's Address

Jam Sahib Road Shaheed Benazir Abad

Jam Sahib Road Shaheed Benazir Abad

Phone/ Fax No. 0244.9370051

Phone/ Fax No. 0244.9370051 (Insert address of the Procuring Agency with

Tele/ Fax)

(b) Engineer's Address

(Insert address of the Procuring Agency with

Tele/ Fax)

Bid Shall be guoted entirely in Pak Rupees

The Payment shall be made in Pak Rupees

The bidder has the financial, technical and contructional capability necessary to perform the contract as 11.2 follovis: (Insert required capabilities and documents)

i Financial Capacity (must have turnover of Rs. 5.0 M).

Technical Capacity (mention the appropriate category of registration with PEC & Qualification & experience of the staff).

iii Construction capacity: (mention the names and number of equipments required for the work.

12.1 (a) A detail description of the works, essential technical and performance characteristics.

Complete set of technical information, Description data, literature and drawing ad required in accordance with Schedule-B to Bid, Specific work data. This include but not be limited to a sufficient number of drawing,

(b) photographs, catalogues, illustrations and such other information as is necessary to illustrate clearly the significant characteristics, such as general construction dimension and other, relevant information, about the work to be performed.



13.1 Amount of Bid Security.

2% Rs. 954,000/-

(Fill in jump sum amount or in %age of bit amount/ Estimated cost, but not below 1% and not exceeding 5%)

14.1 Period of Bid Validity

14.4

16.1

(90 days)

(Fill in number of days not exceeding 90)

No: of copies of the Bid to be submitted.

One Original Plus Copies

Procuring Agency's Address for the purpose of bid submission.

Procuring Agency's Address for the purpose of Office of the Executive Engineer Public Health Engg: Division

Jam Sahib Road Shaheed Benazir Abad

(Insert postal Address of location of Bid Box for delivery by hand)

15.1 Dead I ne for submission of Bids

On 25.11.2015, Time 01.00 pm

On 25.11.2015, Time 02:00 pm Office of the Executive Engineer

Venue Time and date of Bid Opening

Public Health Engg: Division Jam Şahib Road Shaheed Benazir

Abad

16.4 Responsiveness of Bids.

- (i) Bid is valid till required period.
- (ii) Bid prices are firm during currency of contract / price adjustment.
- (iii) Completion period offered is within specified limits.
- (iv) Bidder is eligible to bid and possesses the requisite experience, capability and qualification.
- (v) Bid do as not deviate from basic technical requirements and .
- (vi) Bids are generally in order, etc." Procuring Agency can adpot either of two options (Select either of them.)

(a) Fixed Price Contract.

In these contract no escalation will be provided during currency of the contract and normely period of completion these works is upto 04 Months.

(b) Price Adjustment contract

In the contracts no escalation will be paid only on those items and in the manner as notified by the Fianance Department, Government of Sindh, after bid opening during currency of the the contract.


EXECUTIVE ENGINEER
PUBLIC HEALTH ENGE: DIVISION
SHAHEED BENAZIR ABAD



Item No.	Description of item to be executed at site '	Unit	Quantity	Rate	Amount
	PAINTING OLD SURFACE				
17	(GSI No. 4 P-67)	P:% Sft:	187.0	1160.06	2.169
18	Making and fixing steel grated door with 1-16" thick sheeting angle iron frame 2"x2"x 3/8" and 34" sq: bars 4" Center to center with locking arrangement (GSI No. 24 P-91)	P: Sft:	156.0	726.72	113.368
	PAINTING NEW SURFACE				
19	Preparing surface and painting doors and windows any type i/c edges 3 coats (GSI No. 5 P-69)	P:% Sft:	144.0	2116.41	3.048
20	Barrow pit excavation undressed lead upto 100 ft; (ordinary soil) (CSI Nc. <u>3 P-1</u>)	P:%0 Cft:	20635.09	2117.50	43.695
21	Earth work compaction (Soft, ordinary and hard soil) (b) Laying earth in 6" layers levelling and dressing watering for compaction etc completed (CSI No. 3 P-4)	P:%0 Cft:	20635.09	263.0	5,427
22	Earth from outside (Lead 3 Mile)	P:% Cft:	20635.09	579.41	119,562
23	Fabrication of heavy steel work with angle tee flats iron round iron and sheet iron for making tr uses griders tanks etc i c cutting bending drilling reviting handing assessmling and fixing etc complete (CSI No. 2 P-90)	P; Cwt:	4.67	1928.49	23.016
24	Exection and fitting in position of iron trusses staging of water tank etc (GSI No. 3 P-90)	P: Cwt:	4.67	271.04	1,266
25	Pacca brick work in ground floor cement, sand, mortar (1:6) (GSI No. 9 (c) P-22)	P:% Cft:	176.34	12346.65	21,773
26	Bailing or pumping out sub soil water during excavation concreting, cost it, s tu concrete or masonary work in foundation etc (GSLNo. 18 P-75)	P:% Cft:	262.50	543.0	1,425
27	Supplying & fixing in position iron/steel grill of 3/4" x 1/4" size flat iron of approved design i/e painting 3 coats etc complete (weight not to be less than 3.7 Lbs 'Sq ft: of finished grill) (GSI No.26 P-93)	P: Sft:	72.0	180.50	12,996
				TOTAL	1,157,863

CONTRACTOR

EXECUTIVE ENGINEER
PUBLIC HEALTH ENGO: DIVISION
SHAHEED PENAZIR ABAD



BILL OF QUANTITIES

(A) Description and rate of Items based on Composite Schedule of Rates.


PART-C SURFACE DRAINS TYPE-L& II

Item No.	Description of item to be executed at site	Unit	Quantity	Rate	Amount in Rupees	
: I	Excavation in foundation of building bridges and other structures 1'c dag belling dressing refilling around the structures with excavated Earth watering ramming lead up to one chain and lift up to 5' (GSI No. 18 P-04)		8506.88	3176.25	27.020	
2	Cement concrete plain i/e placing compacting finishing and curing complete i/e screening and washing of stone aggregate without shuttering (GSI No. 5 (i) P-16)					
	Ratio 1:4:8	P: % Cft:	1497.25	11288.75	169,021	
3	Pacca brick work in foundation and plinth in cement, sand, mortar (1:6) (GSI No 5.(e) P-21)	P: % Cft:	4500.0	11288.75	507,994	
4	Construction of Standard open drains bundle block of cement concret (1:2:4) in situ to the design profile illic cost of module as per drawing i/c applying floating cost of cement 1/2" thick to the exposed face finished smooth curing etc complete as per detailed drawing (PHSI No. 1 (ii) P-58)					
	Type-I	P: Rft:	1500.0	94.0	141.000	
	Туре-П	P: Rft:	700.0	174.0	121,800	
5	Cement Plaster (1:4) 1/2" thick up to 12' height (GSI No.11 (b) P-52)	P: % Sft:	8196.0	2283.93	187.191	
6	R.C.C work in roof slab beams columns rafts lintels and other structural members laid in situ or prrecast laid in position complete in all respect. (i) Ratio 1:2:4 Lbs cement2 Cft, sand 4 cft shingle1/8" to ½" gauge (GS1 No. 6 P-49)	P: Cit:	283.33	337.0	95.483	
7	Fabrication of mild steel reinforcement for C.C i/c cutting, bending, laying in position making joints and fastening i/c cost of binding wire (also i c removal of rust from bars) (Using Tor Bars) (GSI No. 8 (b) P-17)	P: Cwt:	11.384	5001.70	56,939	

CONTRACTOR

PUBLIC HEALTH ENGG: DIVISION SHAHEAD BENAZIR ABAD

TOTAL 1,306,447



(A) Description and rate of Items based on Composite Schedule of Rates.

PART-D C.C. TOPPING

item No.	Description of item to be executed at site	Unit	Quantity	Rate	Amount in Rupees
ı	Barrow pil excavation undressed lead upto 100 ft; (ordinary soil) (CSI No. 3 P=1)	P; %0 Cft:	38500.0	2117.50	81.524
2	Earth work compaction (Soft, ordinary and hard soil) (b) Laying earth in 6" layers levelling and dressing watering for compaction etc completed (CSI No. 13 (b) P-3)	P: %0 Cft:	38500.0	354.0	13.629
3	Cement concrete brick or stone ballast 1 1/2" to 2" gauge Ratio 1:4:8 (GS) No. 5 P-15)	P: % Cft:	5808.0	9416.28	546.898
4	Cement concrete plain i/e placing compacting finishing and curing complete i c screening and washing of stone aggregate without shuttering Ratio 1:2:4 (CSI No. 5 P-16)	P: % Cft:	4400.0	14429,25	634.887
5	Earth from outside (Lead 3 Miles)	P: % Cft:	38500.0	579.41	223.073
				TOTAL	1,500,010

CONTRACTOR

EXECUTIVE ENGINEER
PUBLIC HEALTY ENGGE DIVISION
SHAHEER BENAZIR ABAD



(B) Description and rate of Items based on Market (Offered rates)

Item Description of item to be executed at site	Unit	Quantity	Rate	Amount in Rupees

Supp ying & installing in position i/c transportation to site of work @ Village Mari Jalbani & Mari Sabki electric pumping set consisting of A.C electric motor 15 BHP 3 Phase 50 cycle 400/420 volts of 1450 RPM made type (1LA4-163-4AA-60) coupled with KSB non-clogging pump type KWPZ (65-315) size 3" x 2 1/2" mounted on common steel frame or base plate capable of discharge 230 gpm against the head of 100 ft; ire installing of pumping set on cement concrete foundation Ratio (1:2:4) and C.C Ratio (1:4:8) with I allast with M.S nuts and bolts of 5/8" dia to be embedded in C.C foundation i/c providing and fixing automatic start delta starter Type (MCU) i/c providing & fixing prepared board iron (clad) triple pole and neutral switch fuse with requireable type fuse link carrier 500 volts and 0-50 ampars installed on metaled board i'e previding internal electric wiring for main switch with 3-7/0.52 (10mm) PVC insulated wire 660 volts grade in 25 mm (1") PVC conduit on surface as required i/c providing and fixing earthing with set with 0.6m x 0.6m x 6.3 mm (2 x 2 x \lg ") G.I plate buried in gro ind at a depth of 3.7 m (12 ft:) for base plate & testing of the pumping set against the required head of 72 hours etc complete (R.A Attached).

P:Set . 2.0

2 Flange Adopter (M.R)

3" dia Each 20.0

TOTAL

Amc unt TOTAL

Rs.

TOTAL (B)

Rs.

Total (%) in words & figures

CONTRACTOR

ENECCTIVE ENGINEED

BLIC HEAL FILENGG; DIVISION

SHAHEED BENAZIR ABAD

(A) Description and rate of Items based on Composite Schedule of Rates.

PART-F STAFF QUARTER (HUT TYPE)

Item No.	Description of item to be executed at site	Unit	Quantity	Rate	Amount in Rupees
l	Excavation in foundation of building bridges and other structures 1/c dag belling dressing refilling around the structures with excavated Earth watering ramming lead up to one chain and lift up to 5°(GSI No. 18 (b) P-04)	P: %0 Cft:	329.0	3176.25	1.045
2	Cement concrete brick or stone ballast 1/12" to 2" gauge Ratio 1:4:8 (GSLNo. 4 (b) P-15)	P: % Cft:	173,31	9416.28	16.320
3	Cement concrete plain i/c placing compacting finishing and curing complete i/c screening and washing of stone aggregate without shuttering Ratio 1:3:6 (GSI No. 5 P-16)	P: % Cft:	239.97	12595.0	30,224
4	Erection and removal of centering for RCC or plain C.C Work of Partal Wood 1st class(vertical) (GS1 No. 18 (b) P-19)	P: % Sft:	334,50	3127.41	10.461
5	Pacca prick work (1:6) in ground floor cement, sand, mortar (GSLN 0. 5 P-21)	P: % Cft:	478.88	12674.36	60.694
6	R.C.C. work in roof slab beams columns rafts lintels and other structural members laid in situ or prrecast laid in position complete in all respect. (1) Ratio 1:2:4 Lbs cement2 Cft, sand 4 cft shingle1 8" to ¼" gauge (GSI No. 6 (b) P-17)	P: Cft:	139,11	337.0	46.879
7	Fabrication of mild steel reinforcement for C.C i/c cutting, bending, laying in position making joints and fastening i/c cost of binding wire(also i/c removal of rust from bars) (GSIN), 8 (b) P-17)	P: Cwt:	5.59	5001.70	27,955
8	Cement, Plaster (1:6) 1/2" thick up to 12' height (GS) No.13 P-52)	P: % Sft:	767.25	2206.60	16,930
9	Cement, Plaster (1:4) 3/8" thick up to 12' height (GSI No.13 P-52)	P: % Sft:	767.25	2197.52	16,860
10	Providing and laying 2" thick to toping Cement Concrete (1:2:4) I/c surface. finishing and dividing in to panel (GSI No. 16 P-42)	P: % Sft:	192.0	3275.50	6,289
11	Making and fixing steel grated door with 1.16" thick sheeting angle iron frame 2"x2"x 3/8" and 34" sq: bars 4" Center to center with locking arrangement (GSI No. 24/P-92)	P: Sft:	22.75	726 72	16.533
12	Fabrication of heavy steel work with angle tee flats iron round iron and sheet iron for making tr uses griders tanks etc i/c cutting bending drilling reviting handing assessiling and fixing etc complete (CSI No. 2 P-II)	P: Cwt:	6.72	4928.49	33,119

Item No.	Description of item to be executed at site	l nit	Quantity	Rate	Amount in Rupees
	•				
13	Coment, Pointing struck joint on walls (1:3) (GSI No.19 P-53)	P: % Sft:	541.25	1213.58	6,569
14	Earth filling water and ramming earth under floor with surplus earth excavated from out side lead upto one chain and lift upto 5 ft; (CS1) No.22 P-4)	P: %0 Cft:	273.19	3630.0	992
15	Painting new surface preparing surface and painting doors and windows any type i/e edges (GSI No.5 (c) P ₂ 70)	P: % Sf t:	109.50	2116.43	2,315
16	White washing of one coat (GSI No.26 P-54)	P: % Sft:	1308.50	416.63	5,452
17	White washing of Three coats (GSI No. 26 P-54)	P: % Sft:	192.0	859.90	1,651
18	Colour Washing Two Coats (GSI No. 26 (b) P-54).	P: % Sft:	1308.50	859.90	11.252
	_			TOTAL	311,540

CONTRACTOR

EXECUTIVE ENGINEER
PUBLIC HEAD FREE ENGINE DIVISION
SHAILEED BENAZIR ABAD

(A) Description and rate of Items based on Composite Schedule of Rates.

PART-G P.E PIPE RISING MAIN 8" & 6" DIA

-24

<u> </u>			,			, , , , , , , , , , , , , , , , , , ,
item	Description of item to be exec	uted at site	Unit	Quantity	Rate	Amount in
No.	<u> </u>					Rupees
l	Excavation for pipe line in trenches and pits mud trim ning and dressing sides to true alipbeds of trenches to correct level & grade ou laying earth in 6" layers for construction of disposal of surplus earth within one chain a Incharge providing fence guards lights flags non vehicular traffic where ever required littone chain (PIISI No: 1 P-60)	griment shape leveling of itting joints holes i/c banks & banks dressing is directed by Engineer is temporary crossing for	P: %0 Cft:	25875.0	3600.00	93.150
2	Excavation for pipe line in trenches and pits mud trimining and dressing sides to true alipbeds of trenches to correct level & grade outlaying earth in 6" layers for construction of disposal of surplus earth within one chain a tricharge providing fence guards lights flags non vehicular traffic where ever required littone chain (PHSI No: 14 P-66)	gnment shape leveling of atting joints holes i.c banks & banks dressing is directed by Engineer is temporary crossing for	P: %0 Cft:	13500.0	5400,00	72,900
3	Providing. Laying & fixing in trench i/c fitti complete in all respect the high Density Pol 100) for W/S confirming ISO 4427/DIN807 3051 (PHSLNo. F (i) P-25).	ythylene PE Pipes (HDPE	-			
	<u>PN-8</u> (i)	<u>6" dia (160 mm)</u>	P; Rft:	1800.0	440.0	792,000
	(ii)	8" dia (200 mm)	P: Rfi:	2700.0	691.0	1,865,700
4	Supplying of High Density Polyethlene Fitt Equivalen: make (SMI No. ix P-104)					
(i)	Tee Equal 6" dia					
	(160 x 160 x 160)		Each	4.0	10163.0	40,652
(ii)	Tee Equal 8" dia					
	(200 x 200 x 200)		Each	5.0	6517.0	32,585
(iii)	Tee Un-Equal					
	(160 x 90 × 160)		Each	3.0	3003.0	9,009

Item No.	Description of item to be executed at site	Unit	Quantity	Rate	Amount in Rupees
	Tag Ha Equal				
(iv)	<u>Tee Un-Equal</u> (200 x 90 x 200)	Each	3.0	5007.0	15,021
•(v)	Elbow 90°				
	<u>6" dia (160 mm)</u>	Each	3.0	3480.0	10,440
	8" dia (2\0 mm)	Each	3.0	5431.0	16,293
(vi)	Elbow 45°				
	<u>6" dja (150 mm)</u>	Each	3.0	2784.0	8,352
	8" dia (2)0 mm)	Hach	3.0	4345.0	13,035
(vii)	S/ End Piece				
	<u>6" dia (100 mm)</u>	Each	5.0	3386.0	16,930
	8" dia (200 mm)	Each	5.0	5281.0	26,405
(viii)		4			3
	4" to 6" dia	Each	20.0	1000.0	20,000
	(180-250 nm)	r. 1	15.0	1000.0	27.000
	8" to 10" dia	Each	15.0	1800.0	27,000
5	Refilling the excavated stuff in 6" thick layers watering ramming to full compaction etc complete (PHSI No: 24 P=77)	P: %0 Cft:	35437.5	2760.00	97,808
				TOTAL	3,157,280

TOTAL (a)	De	8 335 675	
PART-G	Rs.	3,157,280	
PAR F-F	Rs.	311,540	
PART-E	Rs.	69,824	
PAR '-D	Rs.	1,500,010	
PART-C	Rs.	1,306,447	
PART-B	Rs.	1,157,863	
PART-A	Rs.	832,711	

% above/ below on the rates of CSR.	Amount to be added/ deducted on the basis of
78 above, below on the rotes of esta	141104114

of premium quoted Total (b)

Total (A) = a + b in words & figures

CONTRACTOR

EXECUSIVE ENGINEER
PUBLIC HEALTH ENGINEER
SHAHEED SENAZIR ABAD

(A) Description and rate of Items based on Composite Schedule of Rates.

Name of Work REHABILITATION OF RURAL DRAINAGE SCHEME VILLAGE KHABAR LAKHMIR TALUKA SAKRAND DISTRICT SHAHEED BENAZIR ABAD

PART-A REPAIR OF CIVIL STRUCTURE

Item No.	Description of item to be executed at site	Unit	Quantity	Rate	Amount
1	Dismentling cement concrete plain (1:3:6) (GSI No. 19 P-10)	P:% Cft:	300.0	1306.80	3,920
2	Dismentling cement concrete plain (1:2/4) (GSI No. 19 P-10)	P:% Cft:	78.0	3327.50	2,595
3	Dismentling cement concrete reinforcement saperating from concrete and cleaning and straightening the same (GSI No. 20 P-10)	P:% Cft:	235.15	5445.0	12,804
4	Cleaning of Collecting Tank/ sump below ground level i/c dewatering of sullage water & disposal of garbage, solid waste outside the tank etc complete (PHSLNo. + P-59)	P:º₀0 Cft:	1946.25	11900.0	23,160
5	Cement concrete plain ise placing compacting finishing and curing complete i/c screening and washing of stone aggregate without shuttering Ratio 1:3:6 (GSI No. 5 P-16)	P:% Cft	1800.0	12595.0	226,710
6	Cement concrete plain i/c placing compacting finishing and curing complete i/c screening and washing of stone aggregate without shuttering Ratio 1:2:4 (GSI No. 5 P-15)	P:% Cf t:	237.72	14429.25	34.301
ij	Erection and removal of centering for RCC or plain C.C Work of deodar 'Vood 2nd class (Vertical) (GSI No. 19 (ii) P-18)	P:% Sft:	4081.44	3127.41	127.643
8	Pacea brick work (1:6) in other than building in cement, sand, mortar (GSI_No.7 P-21)	P5% Cft:	879.12	12346.65	108,542
9	Providing and laying 3" thick topping Cement Concrete (1:2:4) 1/c surface, finishing and dividing in to panel (GSI No. 16 P-41)	P:% Sft:	312.0	4411.82	13.765
10	R.C.C work in roof slab beams columns rafts lintels and other structur. I members laid in situ or prrecast laid in position complete in all respect. (I) Ratio 2:2:4 Lbs cement2 Cft, sand 4 cft shingle1 8" to 14" gauge (GSI No. 6 P-16)	P: Cft:	298.65	337.0	100,644
11	habricat on of mild steel reinforcement for C.C i c cutting, bending, laying in position making joints and fastening i/c cost of binding wire (also i/c removal of rust from bars) (GSI No. 8 P-16)	P: Cwt:	12.0	5001.70	60.020
12	Cement, Plaster (1:6) 1/2" thick up to 12' height (GSI No.13 P-51)	P:% Sft:	4361.98	2206.60	96,251
13	Cement. Plaster (1:4) 3/8" thick up to 12' height (GSI No 11 P-51)	P:% Sft:	4361.98	2197.52	95.855
14	Cement, Pointing struck joint on walls (1:3) (GSI No.19 P-52)	P:º% Sft:	1488.0	1213.58	18,058
15	White washing of Two coats (GS) No.26 P-53)	P:% Sft:	4054.50	425.84	17,266
16	Colour V ashing Two Coats (GSI No. 25 P-53).	P:% Sft:	5949.85	859.90	51.163

Item No.	Description of item to be executed at site	Unit	Quantity	Rate	Amount
	PAINTING OLD SURFACE				
17	Preparing surface and painting doors and windows any type i/c edges 2 coats (GSI No. 4 P-67)	P:% Sft:	187.0	1160.06	2,169
18	Making and fixing steel grated door with 1/16" thick sheeting angle iron frame 2"x2"x 3/8" and 34" sq; bars 4" Center to center with locking arrangement (GSI No. 24 P-91)	P: Sft:	72.0	726.72	52,324
	PAINTING NEW SURFACE				
19	Preparing surface and painting doors and windows any type i/c edges 3 coats (GSLNo. 5 P-69)	P:% Sft:	144.0	2116.41	3,048
20	Barrow pit excavation undressed lead upto 100 ft; (ordinary soil) (CSI No. 3 P-1)	P:%0 Cft:	37936.03	2117.50	80,330
21	Earth work compaction (Soft, ordinary and hard soil) (b) Laying earth in 6" layers levelling and dressing watering for compaction etc completed (CSI No. 3 P-4)	P:%00 Cft:	37936.03	263.0	9,977
22	Cartage of Earth work/ Barrow pit (Lead Mile)	P:% Cft:	37936.03	407.0	154,400
23	Fabrica ion of heavy steel work with angle tee flats iron round iron and she at iron for making tr uses griders tanks etc i/c cutting bending drilling reviting handing assesmling and fixing etc complete (CSI No. 2 P 90)	P: Cwt:	4.67	4928,49	23,016
24	Erection and fitting in position of iron trusses staging of water tank etc (GS No. 3 P-90)	P: Cwt:	4.67	271.04	1.266
				TOTAL	1,319,227

CONTRACTOR

EXECUTIVE ENGAGED PUBLIC HEALTH ENGA: DIVISION SHAHEEL DENAZIR ABAD

(A) Description and rate of Items based on Composite Schedule of Rates.

PÄRT B SURFACE DRAINS TYPE-I & II

Item No.	Description of item to be executed at site	Unit	Quantity	Rate	Amount in Rupees
ì	Excavation in foundation of building bridges and other structures I/e dag belling dressing refilling around the structures with excavated Earth watering ramming lead up to one chain and lift up to 5' (GSLNo. 18 P-04)	P: %0 Cft:	4977.75	3176.25	15,811
2	Cement concrete plain i/c placing compacting finishing and curing complete i/c screening and washing of stone aggregate without shuttering (GSI No. 5 (i) P-16)				
	Ratio 1:4:8	P: % Cft:	881.50	11288.75	99,510
3	Pacca brick work in foundation and plinth in cement, sand, mortar (1:6) (C SI No. 5 (e) P-21)	P: % Cft:	2643.75	11288.75	298,446
4	Construction of Standard open drains bundle block of cement concret (1:2:4) in situ to the design profile i/c cost of module as per drawing i/c applying floating cost of cement 1/2" thick to the exposed face finished smooth curing etc complete as per detailed drawing (PHS) No. 1 (i) P-58)				
	Type-I	P: Rft:	900.0	94.0	84,600
	Type-II	P: Rft:	400.0	174.0	69,600
5	Cement Plaster (1:4) 1/2" thick up to 12' height (GSI No. 11 (b) P-52)	P: % Sft:	4815.0	2283.93	109,971
6	R.C.C work in roof slab beams columns rafts lintels and other structural members laid in situ or prrecast laid in position complete in all respect. (i) Ratio 1:2:4 Lbs cement2 Cft, sand 4 cft shingle1/8" to \\\4" gauge (GS1 No. 6 P-49)	P: Cfi:	204.86	337.0	69.038
7	Fabrication of mild steel reinforcement for C.C i/c cutting, bending, laying it position making joints and fastening it clost of binding wire (also i/c removal of rust from bars) (Using Tor Bars) (GSI No. 8 (b) P-17)	P: Cwt:	8.231	5001.70	41,169

TOTAL

788,145

CONTRACTOR

PUBLIC HEALTH ENGG: DIVISION SHAHFED BENAZIR ABAD

(A) Description and rate of Items based on Composite Schedule of Rates.

PART-C C.C TOPPING

Item No.	Description of item to be executed at site	Unit	Quantity	Rate	Amount in Rupees
1	Barrow pit excavation undressed lead upto 100 ft; (ordinary soil) (CSI No. 3 P-1)	P: %0 Cft:	19250.0	2117.50	40.762
2	Earth work compaction (Soft, ordinary and hard soil) (b) Laying earth in 6" layers levelling and dressing watering for compaction etc completed (CSI No. 13 (b) P-3)	P: %0 Cft:	19250.0	354.0	6,815
3	Cement concrete brick or stone ballast 1 1/2" to 2" gauge Ratio 1:4:8 (GSI No. 5 P-15)	P: % Cft;	2904.0	9416.28	273.449
4	Cement concrete plain i/c placing compacting finishing and curing complete i/c screening and washing of stone aggregate without shuttering Ratio 1:2:4 (CSI No. 5 P-16)	P: % Cft:	2200.0	14429.25	317.444
5	Earth from outside (Lead 3 Miles)	P: % Cft:	19250.0	579.41	111,536
				TOTAL	750,005

CONTRACTOR

PUBLIC HEALTH ENGG: DIVISION SHAHEED JENAZIR ABAD

(A) Description and rate of Items based on Composite Schedule of Rates.

PART-D

PUMPING MACHINERY 10 BHP (1 SET)

Item No.	Description of item to be executed at site	Unit	Quantity	Rate	Amount in Rupees
ı	C.I Reflex valve heavy pattern (Test pressure) 21 kg per sq: or 300 Lbs:/ Sq. inch (SMI No. 6 (b) P-12)				
	3" dia	Each	2.0	1543.75	3,088
2	C.1 Sluice valve heavy pattern (Test pressure) 21 kg per sq: or 300 Lbs:/ _s Sq_inch (SMLNo. 2 (b) P-12)				
	<u>3" dia</u>	Each	2.0	4290.0	8,580
3	Manufacturing installing M.S Pipe 3" & 4" made out M.S sheet 3/16" (4.8 mm thick) i c cutting folding proper curvature shape i c welding etc complete (R.A approved Based on Schedule rates)				
	<u>3" dia</u>	P: Rft:	16.0	385.89	6,174
4	Providing, Laying & Fixing in trench its fitting, jointing & testing etc complete in all respect the high Density Polyethylene P.E pipes (HDPE- 00) for W'S confirming ISO 4427/DIN8074 /8075 B.S 3580 & PSI 3051 (PHSI No. F_(i) P-25)				
	<u>(90 mm)</u>				
	For suction & delivery 3" dia	P: Rft:	48.0	178.0	8,544
5	Manufacturing installing M.S Flanged 3/8" (12 mm thick) M.S sheet of required size drilling holes i/c cutting bending to correct shape welding etc complete (R.A approved Based on Schedule rates)				
	<u>3" dia</u>	Each	20.0	500.89	10,018
6	C.l Foot valve heavy pattern with cone type gate (Imported) (SMLNo.4 P-12)				
	<u>3" dia</u>	Each	2.0	731.25	1.463
7	C.I Bend with flanged and with holes i/c turning and facing of flanges for all sizes (PHS1 No. 8 P-12)				
	Bend 90 3" dia	P: Kg	33.40	120.0	4,008
8	C.I Tee flanged and with holes i/c turning and facing of flanges for all size (PHSI No. 12 P-13)				
	<u>3" dia</u>	P; Kg	22.90	120.0	2,748
9	Supplying of C.I specials for A.C pressure pipe (standard-weight) for ACL. 'B' class (SMI No: 9 P-15)				
	Tail Piece 4" dia	Hach	0.1	487.50	188

item No.	Description of item to be executed at site	Unit	Quantity	Rate	Amount in Rupees
10	C.I Tappers flat bottomed or central tapper flanged ends with hole i/c turning & fixing for all sizes (SMI No. 9 P-12)	P: Kg	10.50	120.0	1,260
11	But fusior Joint (PHS Mat: No. 1 P-21)				
	<u>3" dia</u>	Each	15.0	600.0	9,000
12	Jointing C.I.M.S Flanged pipe and specials flanged and inside a trenches nuts and bolts with washer etc and other is required for joining and testing joints to the specified pressure etc complete (PHSI No.1 P-40)				
	<u>3" dia</u>	P: Joint	15.0	499.0	7,485

TOTAL 62,855

CONTRACTOR

EXECUTIVE ENGINEER
PUBLIC HEALTH FINGG: DIVISION
SHAHEED BENAZIR ABAD

(B) Description and rate of Items based on Market (Offered rates)

ltem	Description of item to be executed at site	Unit	Quantity	Rate	Amount in
No.		l • .	1	,,,,,,,	Rupees

Supplying & installing in position i/c transportation to site of work @ Village Khabar Lakhmir electric pumping set consisting of A.C electric motor 10 BHP 3 Phase 50 cycle 400/420 volts of 1450 RPM made type (ILA4-130-4AA-60) coupled with KSB noncloggi ig pump type KWPZ (65-315) size 3" x 2 1/2" mounted on common steel frame or base plate capable of discharge 205 gpm against the head of 80 ft; ise installing of pumping set on cement concrete foundation Ratio (1:2:4) and C.C Ratio (1:4:8) with ballast with M.S nuts and bolts of 5/8" dia to be embedded in C.C foundation i/c providing and fixing automatic start delta starter Type (MCU) i/c providing & fixing prepared board iron (clad) triple pole and neutral switch fuse with requireable type fuse link carrier 500 volts and 0-50 ampars installed on metaled board i.e. providing internal electric wiring for main switch with 3-7/0.52 (10mm) PVC insulated wire 660 volts grade in 25 mm (1") PVC conduit on surface as required i/c providing and fixing earthing with set with 0.6m x 0.6m x 6.3 mm $(2 \times 2 \times \frac{1}{2})$ G.I plate buried in ground at a depth of 3.7 m (12 ft:) for base plate & testing of the pumping set against the required head of 72 hours etc complete (R.A attached).

P:Set 1.0

2 Flange Adopter (M.R)

3" dia Each 15.0

TOTAL

Amc unt TOTAL Rs.
TOTAL (B) Rs.

Total (B) in words & figures

CONTRACTOR

FXECUTIVE ENGINERAL
PUBLIC HEALTH ENGG: DIVISION
SHAHEAD BENAZIR ABAD

(B) Description and rate of Items based on Market (Offered rates)

DIESEL ENGINE 16 BHP (1 SET) (TROLLY MOUNTED)

Item	Description of item to be executed at site	Unit	Quantity	Rate	Amount in
No.	Description of item to be executed at site	Unit	Quantity	Nate	Rupees

Supplying & installing in position i/c transportation to site of work Willage Khabar Lakhmir Diesel Engine 16 BHP (Golden) type (GD-1100) coupled with KSB non-clogging pump type (65-315) size 3" x 2 1/2" mounted on common steel frame or base plate capable of discharge 205 gpm against the head of 80 ft: i/c installing of pumping set on cement concrete foundation Ratio (1:2:4) and C.C Ratio (1:4:8) with ballast with M.S nuts and bolts of 5/8" dia to be embedded in C.C foundation & testing of the pumping set against the required head of 72 hours etc complete (R.A attached).

P: Set

TOTAL

EXECUTIVE ENGINEER
PUBLIC HEALTH ENGG: DIVISION
SHAHEEL BENAZIR ABAD

CONTRACTOR

(A) Description and rate of Items based on Composite Schedule of Rates.

				Amount in
Description of item to be executed at site	Unit	Quantity	Kate	Rupees
Dismantling & removing road metling (GSI No: 51 P-13)	P: % Cft:	4000.0	605.0	24,200
Excavation for pipe line in trenches and pits in soft soil i/c clay or mud trimming and dressing sides to true alignment shape leveling of beds of trenches to correct level & grade cutting joints holes i/c laying earth in 6" layers for construction of banks & banks dressing disposal o surplus earth within one chain as directed by Engineer Incharge providing fence guards lights flags temporary crossing for non-vehicular traffic where ever required lift upto 5 ft; and lead upto one chain [PIJSI No: 1 P-60)	P: %0 Cft:	23000.0	3600.0	82.800
Excavation for pipe line in trenches and pits in wet soil i/c clay or mud trimming and dressing sides to true alignment shape leveling of beds of trenches to correct level & grade cutting joints holes i/c laying earth in 6" layers for construction of banks & banks dressing disposal of surplus earth within one chain as directed by Engineer Incharge providing fence guards lights flags temporary crossing for non-vehicular traffic where ever required lift upto 5 ft; and lead upto one chain (PHSI Not 14 P-66)	P: %0 Cft:	10350.0	5400.0	55,890
Providing. Laying & fixing in trench i e fitting, jointing & testing etc complete i) all respect the high Density Polythylene PE Pipes (HDPL 100) for W/S confirming ISO 4427/DIN8074/8075 B.S 3580 & PSI 3051 (PIST No. F (i) P-25).	-			
PN-8 6" dia (160 mm)	P: Rft:	4600.0	440.0	2.024,000
Supplying of High Density Polyethlene Fitting (PE-100) (Per Each) Equivalen: make (SMJ No. ix P-104)				
Tee Equal 6" dia				
(160 x 160 x 160)	Each	4.0	4175.0	16,700
Tee Un-Equat				
$(160 \times 90 \times 160)$	Each	4.0	3003.0	12,012
Elbow 90°				
<u>6" dia (16) mm)</u>	Each	4.0	3480.0	13,920
	Excavation for pipe line in trenches and pits in soft soil i/c clay or mud trimming and dressing sides to true alignment shape leveling of beds of trenches to correct level & grade cutting joints holes i/c laying earth in 6" layers for construction of banks & banks dressing disposal o' surplus earth within one chain as directed by Engineer Incharge providing fence guards lights flags temporary crossing for non vehicular traffic where ever required lift upto 5'ft; and lead upto one chain. PHSI No; 1.P=60) Excavation for pipe line in trenches and pits in wet soil i/c clay or mud trimming and dressing sides to true alignment shape leveling of beds of trenches to correct level & grade cutting joints holes i/c laying earth in 6" layers for construction of banks & banks dressing disposal of surplus earth within one chain as directed by Engineer Incharge providing fence guards lights flags temporary crossing for non vehicular traffic where ever required lift upto 5'ft; and lead upto one chain .PHSI No; 14.P=66) Providing. Laying & fixing in trench i c fitting, jointing & testing etc complete in all respect the high Density Polythylene PE Pipes (HDPI 100) for W/S confirming ISO 4427/DIN8074/8075 B.S. 3580 & PSI 3051 (PHS1.No.F (i).P=25). PN-8 6" dia (160 mm) Supplying of High Density Polythlene Fitting (PE-100) (Per Each) Equivalent make (SMI No. ix P=104) Tee Equal 6" dia (160 mm) Tee Un-Equal (160 x 160) Tee Un-Equal (160 x 160)	Dismantling & removing road metling (GSLNo: 51_P.J3) Excavation for pipe line in trenches and pits in soft soil i/c clay or mud trimming and dressing sides to true alignment shape leveling of beds of trenches to correct level & grade cutting joints holes i/c laying earth in 6° layers for construction of banks & banks dressing disposal o 'surplus earth within one chain as directed by Engineer Incharge providing fence guards lights flags temporary crossing for non-vehicular traffic where ever required lift upto 5°ft; and lead upto one chain [PHSLNo; 1.P-60] Excavation for pipe line in trenches and pits in wet soil i/c clay or mud trimming and dressing sides to true alignment shape leveling of beds of trenches to correct level & grade cutting joints holes i/c laying earth in 6° layers for construction of banks & banks dressing disposal of surplus earth within one chain as directed by Engineer Incharge providing fence guards lights flags temporary crossing for non-vehicular traffic where ever required lift upto 5°ft; and lead upto one chain [PHSLNo; 14.P-66] Providing, Laying & fixing in trench i c fitting, jointing & testing etc complete in all respect the high Density Polythylene PE Pipes (HDPI-100) for W/S confirming ISO 4427/DIN8074/8075 B.S 3580 & PSI 3051 (PHSLNo; F (i) P-25). PN-8 6" dia (160 mm) Supplying of High Density Polyethlene Fitting (PE-100) (Per Each) Equivalent make (SMI No, ix P-104) Tee Equal 6" dia (160 x 160) Tee Un-Equal (160 x 160) Each Elbow 90°	Dismantling & removing road metling (GSI No: 51.P-13) Excavation for pipe line in trenches and pits in soft soil i/e clay or mud trimming and dressing sides to true alignment shape leveling of beds of trenches to correct level & grade cutting joints holes i'e laying earth in 6" layers for construction of banks & banks dressing disposal o' surplus earth within one chain as directed by Engineer Incharge providing fence guards lights flags temporary crossing for non vehicular traffic where ever required lift upto 5"fit and lead upto one chain. PI[SI No; 1 P=60) Excavation for pipe line in trenches and pits in wet soil i/e clay or mud trimming and dressing sides to true alignment shape leveling of beds of trenches to correct level & grade cutting joints holes i/e laying eart in 6" layers for construction of banks & banks dressing disposal o' surplus earth within one chain as directed by Engineer Incharge providing fence guards lights flags temporary crossing for non vehicular traffic where ever required lift upto 5"fit and lead upto one chain. PI[SI No; 14 P=66) Providing. Laying & fixing in trench i e fitting, jointing & testing etc complete i all respect the high Density Polythylene PI: Pipes (HDPI-100) for W/S confirming ISO 4427/DIN8074/8075 B.S 3580 & PSI 3051 (PI[SI No; F (i) P=25). PN-8 6' dia (160 mm) P: Rfi: 4600.0 Equivalen: make (SMJ No; IX P=104) Tee Equal 6" dia (160 x 160 x 160) Each Each 4.0 Tee Un-Equal (160 x 90 x 160) Each 4.0	Dismantling & removing road metling (GSLNo: 51 P-13) Excavation for pipe line in trenches and pits in soft soil i/c clay or mud trimming and dressing sides to true alignment shape leveling of beds of trenches to correct level & grade cutting joints holes i/c laying earth in 6" layers for construction of banks & banks dressing disposal o' surplus earth within one chain as directed by Engineer Incharge providing fence guards lights flags temporary crossing for non-vehicular traffic where ever required lift upto 5'ft; and lead upto one chain PHSI No; LP-60) Excavation for pipe line in trenches and pits in wet soil i/c clay or mud trimming and dressing sides to true alignment shape leveling of beds of trenches to correct level & grade cutting joints holes i/c laying earth in 6" layers for construction of banks & banks dressing disposal o' surplus earth within one chain as directed by Engineer Incharge providing fence guards lights flags temporary crossing for non-vehicular traffic where ever required lift upto 5'ft; and lead upto one chain .PHSI No; L4,P-66) Providing. Laying & fixing in trench i c fitting, jointing & testing etc complete i all respect the high Density Polythylene PE. Pipes (HDPI-100) for W/S confirming ISO 4427/DIN8074/8075 B.S 3580 & PSI 3051 (PHS1 No; L4,P-65). PN-8 6" dia (160 mm) P: Rft: 4600.0 440.0 Supplying of High Density Polytethene Fitting (PE-100) (Per Each) Equivalent make (SMI No; IN,P-104) Tee Equal 6" dia (160 x 160) Each 4.0 4175.0 Tee Un-Equal (160 x 160) Each 4.0 3003.0

item No.		Description	of item to be executed at site	Unit	Quantity	Rate	Amount in Rupees
•				•			
(vi)	Elbow 45°						
•	<u>6" dia (160 m</u>	<u>m)</u>		Each	3.0	2784.0	8.352
(v)	S/ End Piece						
	<u>6" dia (160 m</u>	<u>m)</u>		Each	5.0	3386.0	16,930
(vi)	Butt Fusion J	oint					
. ,	4" - 6" (110-1			Each	12.0	1000.0	12,000
6	•		aff in 6" thick layers watering ramming to ete (PHSLNo: 24 P-77)	P: %0 Cft:	30015.0	2760.00	82,841
						TOTAL	2,349,645
	PART-A	Rs.	1,319,227				
	PART-B	Rs.	788,145				
	PART-C	Rs.	750,005				
	PART-D	Rs.	62,855				
	PARC-E	Rs.	2,349,645				
	TOTAL (a	ı) Rs.	5,269,877				

% above/ below on the rates of CSR.

Amount to be added/ deducted on the basis of

of premium quoted

Total (b)

Total (A) = a + b in words & figures

CONTRACTOR

EXECUTIVE ENGAGER

PUBLIC HEALTH ENGG: DIVISION
SHAHEER BENAZIR ABAD

(A) Description and rate of Items based on Composite Schedule of Rates.

Name of Work

REHABILITATION OF RURAL DRAINAGE SCHEME VILLAGE KARAM KHAN JAMALI TALUKA SAKRAND DISTRICT SHAHEED BENAZIR ABAD

PART-A SURFACE DRAINS TYPE-I & II

Item No.	Description of item to be executed at site	Unit	Quantity	Rate	Amount in Rupees
1	Excavation in foundation of building bridges and other structures 1/e dag belling dressing refilling around the structures with excavated Earth watering ramming lead up to one chain and lift up to 5' (GSI_No. 18_P-04)	P: %0 Cft:	7058.25	3176.25	22,419
2	Cement concrete plain i/c placing compacting finishing and curing complete i/c screening and washing of stone aggregate without shuttering (GSI No. 5 (i) P-16)				
	<u>Ratio 1:4:8</u>	P: % Cft:	1231.50	11288.75	139,021
3	Pacca brick work in foundation and plinth in cement, sand, mortar (1:6) (GSI No 5 (e) P-21)	P: % Cft:	3712.50	11288.75	419.095
4	Construction of Standard open drains bundle block of cement concret (1:2:4) ir situ to the design profile i/c cost of module as per drawing i/c applying floating cost of cement 1/2" thick to the exposed face finished smooth curing etc complete as per detailed drawing (PHSI_NoL(ii) P-58)				
	Type-I	P: Rft:	1200.0	94.0	112,800
	Type-II	P: Rft:	600.0	174.0	104,400
5	Cement P aster (1:4) 1/2" thick up to 12' height (GSI No.11 (b) P-52)	P: % Sft:	6762.0	2283.93	154,439
6	R.C.C work in roof slab beams columns rafts lintels and other structural members laid in situ or prrecast laid in position complete in all respect. (i) Ratio 1:2:4 Lbs cement2 Cft, sand 4 cft shingle 1'8" to \(\frac{1}{4}\) gauge (\(\text{GSI No. 6 P-49} \)	P: Cft:	172.92	337.0	58.273
7	Fabrication of mild steel reinforcement for C.C i/c cutting, bending. laying in position making joints and fastening i/c cost of binding wire (also i/c removal of rust from bars) (Using Tor Bars) (GSI No. 8 (b) P-17)	P: Cwt:	6.948	5001.70	34,752

CONTRACTOR

EXECUTIVE EXGINEER
PUBLIC HEALTH ENGG: DIVISION
SHAHERD BENAZIR ABAD

TOTAL 1,045,196

(A) Description and rate of Hems based on Composite Schedule of Rates.

PART-B C.C TOPPING

Item No.	Description of item to be executed at site	Unit	Quantity	Rate	Amount in Rupees
1	Barrow p t excavation undressed lead upto 100 ft: (ordinary soil) (CSLNo. 3 P-1)	P: %0 Cft:	29750.0	2117.50	62,996
2	Earth work compaction (Soft, ordinary and hard soil) (b) Laying earth in 6° layers levelling and dressing watering for compaction etc completed (CSI No. 13 (b) P-3)	P: %0 Cft:	29750.0	354.0	10,532
3	Cement concrete brick or stone ballast 1 1/2" to 2" gauge Ratio 1:4:8 (GSI No. 5 P-15)	P: % Cft:	4488,0	9416.28	422,603
4	Cement concrete plain ite placing compacting finishing and curing complete ite screening and washing of stone aggregate without shuttering Ratio 1:2:4 (CSI No. 5 P-16)	P: % Cft:	3400.0	14429.25	490,595
5	Earth from outside (Lead 3 Miles)	P: % Cft:	29750.0	579.41	172,374
				TOTAL	1,159,099

CONTRACTOR

EXECUTIVE ENGINEER
PUBLIC HEADSH ENGG: DIVISION
SHAHEBIDBENAZIR ABAD

(A) Description and rate of Rems based on Composite Schedule of Rates.

PART 45 PUMPING MACHINERY 7.5 BHP (2 SETS)

Item No.	Description of item to be executed at site	Unit	Quantity	Rate	Amount in Rupees
1	C., Reflex valve heavy pattern (Test pressure) 21 kg per sq: or 300 Lbs:/ Sq: inch (SMLNo, 6.(b) P-12)				
	<u>3" dia</u>	Each	1.0	1543.75	1,544
2	C.1 Sluice valve heavy pattern (Test pressure) 21 kg per sq: or 300 Lbs://Sq: inch (SMI No. 2 (b) P-12)				
	<u>3" día</u>	Each	1.0	4290.0	4,290
3	Manufacturing installing M.S Pipe 3" & 4" made out M.S sheet 3/16" (4.8 mm thick) i/c cutting folding proper curvature shape i/c welding etc complete (R.A. approved Based on Schedule rates)				
	3" dia	P: Rft:	0.01	385.89	3,859
4	Providing, Laying & Fixing in trench i/c fitting, jointing & testing etc complete in all respect the high Density Polyethylene P.E pipes (HDPE-100) for W/S confirming ISO 4427/DIN8074 /8075 B.S 3580 & PSI 3051 (PHSI No. F (i) P-25)				
	(90 mm)				
	For suction & delivery 3" dia	P: Rft:	25.0	178.0	4,450
5	Manufacturing installing M.S Flanged 3/8" (12 mm thick) M.S sheet of required size drilling holes i/c cutting bending to correct shape welding etc complete (R.A approved Based on Schedule rates)				
	3" dia	Each	14.0	500.89	7,012
6	C.I Foot valve heavy pattern with cone type gate (Imported) (SMI No. 4 P-12)				
	<u>3" día</u>	Each	1.0	731.25	731
7	C.1 Bend with flanged and with holes i/c turning and facing of flanges for all sizes (PHSI No. 8 P-12)				
	Bend 90 3" dia	P: Kg	13.36	120.0	1.603
8	C.I Tee flanged and with holes i/c turning and facing of flanges for all size (PHSI No. 12 P-13)				
	<u>3" dia</u>	P: Kg	11.45	120.0	1,374
9	Supplying of C.I specials for A.C pressure pipe (standard-weight) for ACIL 'B' class (SMI No: 9 P-15)				
	Tail Piece 4" dia	Each	1.0	487.50	488

Item No.	Description of item to be executed at site	Unit	Quantity	Rate	Amount in Rupees
10	C.1 Tappers flat bottomed or central tapper flanged ends with hole i/c urning & fixing for all sizes (SMI No. 9 P-12)	P: Kg	15.80	120.0	1,890
t I	But fusion Joint (PHS Mat: No. 1 P-21)				
	<u>3" dia</u>	Each	36.0	600.0	21,600
12	Join ting C.I.M.S Flanged pipe and specials flanged and inside a trenches nuts and bolts with washer etc and other is required for joining and testing joints to the specified pressure etc complete (PHSt No.I P-40)				
	<u>3" dia</u>	P: Joint	40.0	499.0	19,960
			٠ ٨	TOTAL	68,801

CONTRACTOR

EXECUTIVE ENGINEER
PUBLIC HEALTH ENGG: DIVISION
SHAHERD BENAZIR ABAD

(B) Description and rate of Items based on Market (Offered rates)

Item	Description of item to be executed at site	41.74			Amount in
ايدا	Description of item to be executed at site	Unit	Quantity	Rate	
No.			1		Rupees

Supplying & installing in position i'c transportation to site of work @ Village Karam Khan Jamali electric pumping set consisting of A C electric motor 7.5 BHP 3 Phase 50 cycle 400/420 volts of 1450 RPM made type (ILA7-113-4AA-60) coupled with KSB nonclogging pump type KWPZ (65-315) size 3" x 2 1/2" mounted on common steel frame or base plate capable of discharge 160 gpm against the head of 40 ft: i/c installing of pumping set on cement concrete foundation Ratio (1:2:4) and C.C Ratio (1:4:8) with ballast with M.S nuts and bolts of 5/8" dia to be embedded in C.C founcation i/c providing and fixing automatic start delta starter Type (MCU) i/c providing & fixing prepared board iron (clad) triple pole and neutral switch fuse with requireable type fuse link carrie: 500 volts and 0-50 ampars installed on metaled board i/c providing internal electric wiring for main switch with 3-7/0.52 (10mm) PVC insulated wire 660 volts grade in 25 mm (1") PVC conduit on surface as required i/c providing and fixing earthing with set with 0.6m x 0.6m x 6.3 mm (2 x 2 x $\frac{1}{2}$ ") G.1 plate buried in ground at a depth of 3.7 m (12 ft:) for base plate & testing of the pumping set against the required head of 72 hours etc complete (R.A attached).

P:Set 1.0

2 Flange Adopter (M.R)

3" dia Each 15.0

TOTAL

Amount TOTAL Rs.

TOTAL (B) Rs.

Total (B) in words & figures

CONTRACTOR

PUBLIC HEALTH ENGE: DIVISION SHAHEED BENAZIR ABAD

Item No.	D	escription	of item to be executed at site	Unit	Quantity	Rate	Amount in Rupees
•	•						
(vi)	Elbow 45°						
•	<u>6" dia (160 mm</u>)		Each	2.0	2784.0	5,568
(v)	S/ End Piece						
	<u>6" dia (160 mm</u>)		Each	5.0	3386.0	16.930
(vi)	Butt Fusion Join	<u>nt</u>					
	4" - 6" (110-160	<u>) mm)</u>		Each	0.8	0.0001	8,000
6	_		off in 6" thick layers watering ramming to ete (PHSI No: 24 P-77)	P: %0 Cft:	5546.25	2760.00	15.308
						TOTAL	471,589
	Part-A	Rs.	1,045.196				
	Part-B	Rs.	1,159,099				
	. Part-C	Rs.	68.801				
	Part-D	Rs.	471,589				

% above/ below on the rates of CSR.

TOTAL (a)

Amount to be added/ deducted on the basis of

of premium quoted

otal (b) ________

Total (A) = a + b in words & figures

CONTRACTOR

Rs. 2,744,685

EXECUTIVE ENGINEER
PUBLIC HEALTH ENGG: DIVISION
SHAHERD BENAZIR ABAD

(A) Description and rate of Items based on Composite Schedule of Rates.

Name of Work

REHABILITATION OF RURAL DRAINAGE SCHEME VILLAGE PUNHAL KHAN CHANDIO TALUKA SAKRAND DISTRICT SHAHEED BENAZIR ABAD

PART-A SURFACE DRAINS TYPE-I

Item No.	Description of item to be executed at site	Unit	Quantity	Rate	Amount in Rupees
1	Excavation in foundation of building bridges and other structures Ve dag belling dressing refilling around the structures with excavated Earth watering ramming lead up to one chain and lift up to 5' (GSI No. 18 P-04)	P: %0 Cft;	7199.50	3176.25	22.867
2	Cement concrete plain i/c placing compacting finishing and curing complete i-c screening and washing of stone aggregate without shuttering (GSI No. 5 (i) P-16)				
ι	Ratio 1:4:8	P: % Cft:	1028.50	11288.75	116,105
3	Pacca brick work in foundation and plinth in cement, sand, mortar (1:6) (GSL No.5 (e) P-21)	P: % Cft:	3506.25	12674.36	444,395
4	Construction of Standard open drains bundle block of cement concret (1:2:4) in situ to the design profile i/c cost of module as per drawing i/c applying floating cost of cement 1/2" thick to the exposed face finished smooth curing etc complete as per detailed drawing (PHSI No. 1 (ii) P.58)				
	Type-I	P: Rft:	1700.0	94.0	159,800
5	Cement Plaster (1:4) 1'2" thick up to 12' height (GSI No.11 (b) P-52)	P: % Sft:	6375.0	2283.93	145,601
6	R.C.C work in roof slab beams columns rafts lintels and other structural members laid in situ or prrecast laid in position complete in all respect. i) Ratio 1:2:4 Lbs cement2 Cft, sand 4 cft shingle 1.8" to 3/4" gauge (GSI No. 6 P-49)	P: Cít:	975.55	337.0	308.761
7	Fabrication of mild steel reinforcement for C.C i/c cutting, bending, laying in position making joints and fastening i c cost of binding wire (also i/c removal of rust from bars) (Using Tor Bars) (GSI No. 8 (b) P-17)	P: Cwt:	39.20	5001.70	196,048

TOTAL |

1,413,57

CONTRACTOR

PUBLIC HEALTH ENGG: DIVISION SHAHFED BENAZIR ABAD

(A) Description and rate of Items based on Composite Schedule of Rates.

PART-B RCC SEWER

-

tam Vø.	Description of item to be executed at site	Unit	Quantity	Rate	Amount in Rupees
1	Dismantling and removing road metalling (CSI No. 51 P-13)	P: % Cft:	3000.0	605.0	18,150
17	Excavation for sipe line in trenches and pits in soft soil i/c clay or mud trimming and dressing sides to true alignment shape leveling of beds of trenches to correct level & grade cutting joints holes i/c laying earth in 6" layers for construction of banks & banks dressing disposal of surplus earth within one chain as directed by Engineer Incharge providing fence guards lights flags temporary crossing for non vehicular traffic where ever required lift upto 5 ft; and lead upto one chain (PHSLNo: J P-60).	P: %0 Cft:	3600.0	3600.0	12.960
3	Excavation for pipe line in trenches and pits in wet soil i-c clay or mud trimming and dressing sides to true alignment shape leveling of beds of trenches to correct level & grade cutting joints holes i/c laying earth in 6" layers for construction of banks & banks dressing disposal of surplus earth within one chain as directed by Engineer Incharge providing fence guards lights flags temporary crossing for non vehicular traffic where ever required lift upto 5"ft; and lead upto one chain (PHSLNo: 14 P-66).				
	<u>0'-5' depth</u>	P: %0 Cft:	5400.0	5400.0	29,160
.	Excavation in foundation of building bridges and other structures i/c dag belling dressing refilling around the structures with excavated Earth watering ramming lead up to one chain and lift up to 5' (GSI No. 18 (b) 2-04)	P: %0 Cft:	2472.75	3176.25	7.854
:	Extra for wet earth work (GSI No. 15 P-03)	P: %0 Cft:	1413.0	1058.75	1.496
ŧ,	Providing RCC Pipe of ASTM C-76-62 T C 76-70 Class-II wall-B and fixing in trenches i/c cutting binding and jointing with rubber rings i/c				
	esting with water to specified pressure (14.5). No. 12-17)				
	<u>12" dia</u>	P: Rft:	600.0	412.0	247,200
:	Cement concrete plain i/c placing compacting finishing and curing completed i/c screening and washing of stone aggregate without shuttering (CSI No: 5 (t) P-16)				
	(i) <u>Ratio 1:4:8</u>	P: % Cft:	176.63	11288.75	19,939
	(ii) <u>Ratio 1:2:4</u>	P: % Cft:	120.37	14429,25	17,368
{	RCC work in roof slab beams columns rafts lintels and other structural remen bers laid in situ or pre-cost laid in position complete in all respect Ratio: 1:2:4 (CSLNo: 6 (a) P-15).	P: Cft:	843.69	337.0	284.323

Item No.	Description of item to be executed at site	Unit	Quantity	Rate	Amount in Rupees
9	Fabrication of mild steel reinforcement cement concrete ize cutting bending laying in position making jointing and fastening if c cost of binding wire also izes removal of rust from bars (CSI No: 8 (a) P-16)	P: Cwt:	33.898	5001.70	169,549
10	Providing C.1 Mainhole cover & frame i.c cost of material etc complete (PHSI No: 1 (i) P-35).	P: Cwt:	21.88	6985.0	152.797
11	Manufacturing and Supplying RCC Manhole covers cost in 1:2:1 concrete ratio 3" deep @ centre reinforced with 1:2" dia steel bar 4" C.C welded to 3/16" thick 2" wide M.S plate two hook of 3/8" for bar i.e compacting i e curring & transportation with 10 mile (Sant: Sch: item No. 1/P-31)	Each	12.5	1881.18	23,515
12	Refilling the excavated stuff in 6" thick layers watering ramming to full compaction etc complete (PHS1 No: 24 P-77).	P: %0 Cft:	8100.0	2760.0	22.356
				TOTAL	1,006,666

CONTRACTOR

EXECUTIVE ENGINEER
PUBLIC HEALTH ENGINEER
SHAHEED BEXAZIR ABAD

(A) Description and rate of Items based on Composite Schedule of Rates.

PART-C PUMPING MACHINERY 7.5 BHP (1 SET)

Item No.	Description of item to be executed at site	Unit	Quantity	Rate	Amount in Rupees
I	C.I Reflex valve heavy pattern (Test pressure) 21 kg per sq: or 300 Lbs:/ Sq: inch (SMI_No_6 (b) P_12)				
	<u>3" dia</u>	Each	1.0	1543.75	1,544
2	C.I Sk ice valve heavy pattern (Test pressure) 21 kg per sq: or 300 Lbs:/ \$q: inch (SMLNo. 2 (b) P-12)				
	3º dia	Each	1.0	4290.0	4,290
3	Manuf-cturing installing M.S Pipe 3" & 4" made out M.S sheet 3/16" (4.8 mm thick) i/c cutting folding proper curvature shape i.e welding etc complete (R.A approved Based on Schedule rates)				
	<u>3" dia</u>	P: Rft:	24.0	385.89	9,261
4	Providing, Laying & Fixing in trench i/e fitting, jointing & testing etc complete in all respect the high Density Polyethylene P.E pipes (HDPE-100) for W/S confirming ISO 4427/D1N8074 8075 B.S 3580 & PSI 3051 (PHSI No. F (i) P-25)				
	(90 mm)				
	For suction & delivery 3" dia	P: Rft:	67.0	178.0	11,926
5	Manufacturing installing M.S Flanged 3/8" (12 mm thick) M.S sheet of required size drilling holes i/c cutting bending to correct shape welding etc complete (R.A approved Based on Schedule rates)				
	<u>3" dia</u>	Hach	28.0	500.89	14,025
6	C.) Foot valve heavy pattern with cone type gate (Imported) (SMI No. 4 P-12).				
	<u>3" dia</u>	Each	1.0	73 L.25	731
7	C.I Bend with flanged and with holes i/c turning and facing of flanges for all sizes (PHSI No. 8 P-12)				
	Bend 90 3" dia	P: Kg	26.72	120.0	3,206
8	C.I Tee flanged and with holes i/e turning and facing of flanges for all size (PHSI No. 12 P-13)				
	<u>3" dia</u>	P: Kg	11.45	120.0	1.374
9	Supplying of C.I specials for A.C pressure pipe (standard-weight) for ACIL/B' class (SMLNo; 9 P-15)				
	Tail Piece 4" dia	Each	1.0	487.50	488

Item No.	Description of item to be executed at site	Unit	Quantity	Rate	Amount in Rupees
10	C.I Tappers flat bottomed or central tapper flanged ends with hole i/c urning & fixing for all sizes (SMI No. 9 P-12)	P: Kg	10.50	120.0	1,260
11	But fusion Joint (PHS Matt No. 1 P-21)				
12	Jointing C.I.M.S Flanged pipe and specials flanged and inside a trenches nots and bolts with washer etc and other is required for joining and testing joints to the specified pressure etc complete (PHSI No.1 P-40)	Each	15.0	6 00.0	9,000
	311 46.	P: Joint	20.0	409 ñ	0.080

3" dia P: Joint

20.0

499,0

9,980

TOTAL 67,085

CONTRACTOR

EXECUTIVE ENGINEED
PUBLIC HEAATH ENGINEED BENAZIR ABAD

(B) Description and rate of Items based on Market (Offered rates)

Item	Description of item to be executed at site	Unit	Quantity	Rate	Amount in
No.					Rupees

Supplying & installing in position i/c transportation to site of work @ Village Punhal Khan Chandio electric pumping set consisting of A.C electric motor 7.5 BHP 3 Phase 50 cycle 400/420 volts of 1450 RPM made type (ILA7-113-4AA-60) coupled with KSB nonclogging pump type KWPZ (65-315) size 3" x 2 1/2" mounted on common steel frame or base plate capable of discharge 95 gpm agains, the head of 40 ft; i/c installing of pumping set on cement concrete foundation Ratio (1:2:4) and C.C Ratio (1:4:8) with ballast with M.S nuts and bolts of 5'8" dia to be embedded in C.C foundation i/c providing and fixing automatic start delta starter Type (MCU) i/c providing & fixing prepared board iron (clad) triple pole and neutral switch fuse with requireable type fuse link carrier 500 volts and 0-50 ampars installed on metaled board i/c providing internal electric wiring for main switch with 3-7/0.52 (10mm) PVC insulated wire 660 volts grade in 25 mm (1") PVC conduit on surface as required i/c providing and fixing earthing with set with 0.6m x 0.6m x 6.3 mm $(2 \times 2 \times 12^{-n})$ G.1 plate buried in ground at a depth of 3.7 m (12 ft:) for base plate & testing of the pumping set against the required head of 72 hours etc complete (R.A a tached).

P:Set 1.0

2 Flange Adopter (M.R)

3" dia Each 15.0

TOTAL

Amount TOTAL Rs.
TOTAL (B) Rs.

Total (B) in words & figures

CONTRACTOR

PUBLIC HEALTH ENGG: DIVISION SHAHEEI RENAZIBABAD

(A) Description and rate of Items based on Composite Schedule of Rates.

PART-D DIESEL GENERATOR 20 KVA (1 SET)

Item No.	Description of item to be executed at site	Unit	Quantity	Rate	Amount in Rupees
l	Providing & laying (MAIN or SUB MAIN) PVC insulated & PVC sheetec with 4core Armoured copper conductor 600 1000 volts size 50mm2 (with 4core Armoured Copper conductor 660/ 1000 volts). SMI (I) No. 4 P-149)	P: Mtr:	25.0	2435.0	60.875

TOTAL

60,875

 $\underline{COSTRACTOR}$

PARCUTIVE ENGINEED

I BLIC HE VITH ENGO: BIVISION
SHAHLE DELEGATIR ABAD

(B) Description and rate of Items based on Market (Offered rates)

tem No.	Description of item to be executed at site		Unit	Quantity	Rate	Amount in Rupees
t	Supplying Diesel Generator Set with perkin engine & KVA (Standby) 380 200 volts 3 phase 50 Hz 1500 R started batteries, exhaust, silencer control pannel etc (R.A attached).	PM (with	P:Set	1.0	TOTAL	
	Amount TOTAL Rs.				TOTAL	
	TOTAL (B) Rs.					
	Total (b) in words & figures			۸ ۸،		

CONTRACTOR

EXECUTIVE ENGINEER
PUBLIC HEARTH ENGG: DIVISION
SHAHEID BENAZIR ABAD

(A) Description and rate of Items based on Composite Schedule of Rates.

PART-E OXIDATION PONDS I/C SUMP WELL (SIZE 55' x 30')

Item No.	Description of item to be executed at site	Unit	Quantity	Rate	Amount
]	Excavation for tanks & reservoir in soft soil if trimming and dressing to true alignment & shape leveling of beds of trenches to correct level & grade cutting joints holes disposal surplus earth within one chain as directed by Engineer Incharge providing fence guards lights flags temporary crossing for non-vehicular traffic where ever required lift upto 5'ft; and lead upto one chain (PHSLNo: 1 P-67)	P: % Cft;	8 15 6 .96	0,000	24.171
2	Excavation for tanks & reservoir in wet soil clay or mud i/c trimming and dressing to true alignment design section profile & shape leveling of tanks to correct level & grade cutting joints holes i/c laying earth in 6" layers for construction of banks & banks dressing disposal of surplus earth within one chain as directed by Engineer Incharge providing lence guards lights flags temporary crossing for non vehicular traffic where ever required lift upto 5 ft; and lead upto one chain (PHSI No; 14 P-74)	P: %0 Cft:	4264,46	4800.0	20.469
3	Earth work compaction (Soft, ordinary and hard soil) (b) Laying earth in 6" layers levelling and dressing watering for compaction etc completed (CSI No. 13 (b) P-3)	P; **60 Cft;	61309.0	354.0	21,793
4	Extra for every 50 ft; additional lead or part thereof for earth work (soft ordinary hard and very hard) (CSI No. 8 (a) P-3)	P: %0 Cft:	48887.58	4837.44	236,491
5	Excavation for pipe line in trenches and pits in soft soil i/c trimming and dressing sides to true alignment shape leveling of beds of trenches to correct level & grade cutting joints holes i/c laying earth in 6" layers for construction of banks & banks dressing disposal of surplus earth within one chain as directed by Engineer Incharge providing fence guards lights flags temporary crossing for non-vehicular traffic where ever required lift upto 5"ft; and lead upto one chain (PHSI No: 1 P-60)	P: %() Cft:	1512.0	3600.0	5,443
6	Providing RCC pipe of ASTM C-76-62 T/C 76 70 Class II wall B and fixing a trenches i/c cutting bending and jointing with rubber rings i/c testing with water to specified pressure (PHSI No. b (i) P-17)				
	<u>12" dia</u>	P: Rft:	144.0	412.0	59.328

No.	Description of item to be executed at site U		Quantity	Rate	Amount in Rupees
• 7	Cement concrete brick or stone ballast 1 ½" to 2" gauge Ratio 1:4:8 (GSUNo. 4 (b) P-15).	P: % Cft:	50.24	9416.28	4,731
8	R.C.C work in roof slab beams columns rafts lintels and other structural members laid in situ or prrecast laid in position complete in all respect. (i) Ratio 1:2:4 Lbs cement2 Cft, sand 4 cft shingle 1/8" to 4/4" gauge (GSI No. 6 (b) P-17)	P: Cft:	176.48	337.0	59,472
9	Fabrication of mild steel reinforcement for C.C i/c cutting, bending, laying in position making joints and fastening i/c cost of binding wire(also c removal of rust from bars) (GSI No. 8 (b) P-17)	P: Cwt:	7.09	5001.70	35.465
10	Refilling the excavated stuff in 6" thick layers watering ramming to full compaction etc complete (PHSI No; 24 P-53)	P: %0 Cft:	1360.80	2760.0	3,756
		() ().	TOTAL	471,329

CONTRACTOR

FXECUTIVE ENGINELR
PUBLIC HEACTH ENGG: DIVISION
SHAREAD BEXAZIR ABAD

(A) Description and rate of Items based on Composite Schedule of Rates.

PART-F PAVING BLOCK

Item No.	Description of item to be executed at site	Unit	Quantity	Rate	Amount
l	Providing & fixing cement paving blocks flooring having size of 197 x 97 x 80 (mm) of city/ quddra/ cobble shape with natural colours, having strength b/w 5000 psi to 8500 psi i.e filling the joints with hill sand and laying in specified manner/ pattern and design etc complete (CSI No. 71 P-49)	P: Sft:	14657.5	223.97	3,282.840
2	Providing & fixing cement paving blocks flooring having size of $197 \times 97 \times 80$ (mm) of city/quddra/cobble shape with natural colours, having strength b/w 5000 psi to 8500 psi i.e filling the joints with hill sand and laying in specified manner/ pattern and design etc. complete (CSI No. 71 P-49)	P: Sft:	7892.5	248.17	1,958.682
3	Cement concrete plain i/c placing compacting finishing and curing complete i/c screening and washing of stone aggregate without shuttering (GSI No. 5 P-16)				
	for sides Packing for Paved Blocks				
	(a) Ratio (1:4:8)	P: % Cft:	100.0	11288.75	11.289
	(b) Ratio (1:2:4)	P: % Cft:	100.0	14429.25	14,429
4	Erection and removal of centering for RCC or plain C.C Work of deodar Wood 2nd class (Vertical) (GSI No. 19 (ii) P-18)	P: % Sft:	0.001	3127.41	3,127
				TOTAL	5,270,367

CONTRACTOR

EXECUTIVE ENGINEER
PUBLIC HEALTH ENGG: DIVISION
SHAHLED BENAZIR ABAD

(A) Description and rate of Items based on Composite Schedule of Rates.

PART-GY FOOT PATHS

Item No.	Des	cription	of item to be ex	xecuted at site	Unit	Quantity	Rate	Amount
1	structures I/c da	g bellin excavat	ng dressing refi ted Earth water	bridges and other lling around the ing ramming lead up to 8 P-04)	P: % Cft:	6400.0	3176.25	203,280
2	curing complete	Cement concrete plain i/c placing compacting finishing and curing completed i/c screening and washing of stone aggrega without shuttering (CSI No: 5 P-15)						
(i)	Ratio 1:4:8				P: % Cft:	1600.0	11288.75	180,620
(ii)	Ratio 1:2:4				P: % Cft:	4800.0	14429.25	692,604
3	Erection and rer work of deodar		-	RCC pre-cost concrete [No: 19_P-17]	P: % Sft:	9600.0	3127.41	300,231
4	Made Size 6 inc Cartage, excava concrete, 2250 I	Providing & fixing Precast Edge Block 3750 PSI Industrial Made Size 6 inches thick x 12 inches high i/c the cost of Cartage, excavation, from work for haunching, 1450 PSI lean concrete, 2250 PSI concrete for haunching, 1:4 cement sand mortar (PHWI No. 14 P-16)				1600.0	297.01	475,216
5	of 197 x 97 x 80 pigment colours) (mm) i, havin with h	of city/ quddra ng strength b/w nill sand and lay	ocks flooring having size of cobble shape with 5000 psi to 8500 psi i/c ving in specified manner/No. 74 P-50)	P: Sft:	9600.0	248.17	2,382,432
							TOTAL	4,234,383
	Part-A	Rs.	1,413,577					
	Part-B	Rs.	1,006,666					
	Part-C	Rs.	67,085					
	Part-D	Rs.	60,875					
	Part-E	Rs.	471,329					
	Part-G Rs. 5,270,367 Part-G Rs. 4,234,383							
				_				
	TOTAL (a)	Rs.	12,524,282					
% above below on the rates of CSR.			ates of CSR.	Amount to be added/ dedu	cted on the b	asis of		
			of premium quoted		Total (b)			

Total (A) = a + b in words & figures

CONTRACTOR

PUBLIC HEALTH ENGG: DIVISION SHAHEED BENAZIR ABAD

(A) Description and rate of Items based on Composite Schedule of Rates.

Name of Work

REHABILITATION OF RURAL DRAINAGE SCHEME VILLAGE NOOR BHOORA TALUKA SAKRAND DISTRICT SHAHEED BENAZIR ABAD

PART-A SURFACE DRAINS TYPE-1 & II

Item No.	Description of item to be executed at site	Unit	Quantity	Rate	Amount in Rupees
1	Excavation in foundation of building bridges and other structures I/c dag belling dressing refilling around the structures with excavated Earth watering ramming lead up to one chain and lift up to 5' (GSI No. 18 P-04)	P: %0 Cft:	7058.25	3176.25	22,419
2	Cement concrete plain i/c placing compacting finishing and curing complete i/c screening and washing of stone aggregate without shuttering (GSI No. 5 (i) P-16)				
	Ratio 1:4:8	P: % Cft:	1231.50	11288.75	139,021
3	Pacca brick work in foundation and plinth in cement, sand, mortar (1:6) (GSI No 5 (e) P-21)	P: % Cft:	3712.50	11288.75	419,095
4	Construction of Standard open drains bundle block of cement concret (1:2:4) in situ to the design profile i/c cost of module as per drawing i/c applying floating cost of cement 1/2" thick to the exposed face finished smooth curing etc complete as per detailed drawing (PHSI No. 1 (ii) P-58)				
	Type-I	P: Rft:	1200.0	94.0	112,800
	Type-II	P: Rft:	600.0	174.0	104,400
5	Cement Plaster (1:4) 1/2" thick up to 12' height (GSI No.11 (b) P-52)	P: % Sft:	6762.0	2283.93	154,439
6	R.C.C work in roof slab beams columns rafts lintels and other structural members laid in situ or prrecast laid in position complete in all respect. (i) Ratio 1:2:4 Lbs cement2 Cft, sand 4 cft shingle1/8" to 1/4" gauge (GSI No. 6 P-49)	P: Cft:	172.92	337.0	58,273
7	Fabrication of mild steel reinforcement for C.C i/c cutting, bending, laying in position making joints and fastening i/c cost of binding wire (also i/c removal of rust from bars) (Using Tor Bars) (GSI No. 8 (b) P-17)	P: Cwt:	6.948	5001.70	34,749

CONTRACTOR

EXECUTIVE ENGINEER
PUBLIC HEALTH ENGG: DIVISION
SHAHEED BENAZIR ABAD

1,045,196

TOTAL

(A) Description and rate of Items based on Composite Schedule of Rates.

PART-B C.C TOPPING

Item No.	Des	cription	of item to be ex	ecuted at site	Unit	Quantity	Rate	Amount in Rupees
1	Barrow pit excavation undressed lead upto 100 ft: (ordinary soil) (CSI No. 3 P-1)		P: %0 Cft:	29750.0	2117.50	62,996		
2	Earth work compaction (Soft, ordinary and hard soil) (b) Laying earth in 6" layers levelling and dressing watering for compaction etc completed (CSI No. 13 (b) P-3)		P: %0 Cft:	29750.0	354.0	10,532		
3	Cement concrete brick or stone ballast 1 1/2" to 2" gauge Ratio 1:4:8 (CSI No. 5 P-15)		P: % Cft:	4488.0	9416.28	422,603		
4	Cement concrete plain i/c placing compacting finishing and curing complete i/c screening and washing of stone aggregate without shuttering Ratio 1:2:4 (CSI No. 5 P-16)		P: % Cft:	3400.0	14429.25	490,595		
5	Earth frem outside	(Lead	3 Miles)		P: % Cft:	29750.0	579.41	172,374
							TOTAL	1,159,099
	Pa:t-A	Rs.	1,248,897					
	Part-B	Rs.	1,159,099	_				
	TOTAL (a)	Rs.	2,407,996					
	TOTAL (a) % above/ below on		,	Amount to be added/ deduc	ted on the bas	is of		

of premium quoted

Total (A) = a + b in words & figures

CONTRACTOR

EXECUTIVE ENGINEER
PUBLIC HEALTH ENGG: DIVISION
SHAHEED BENAZIR ABAD

Total (b)

(A) Description and rate of Items based on Composite Schedule of Rates.

__CONSTRUCTION OF SURFACE DRAINS TYPE-I. C.C. TOPPING & BRICK PAYEMENT IN VILLAGE DANG, NOOR SHAH

Bid No: (3)

BIDDING DATA

(This Section Shoulde be filled in by the Engineer / Procuring Agency before issuance of the Bidding Documents)

Name of Procuring Agency :	PUBLIC HEALTH ENGG: DIVISION SHAHEED BENAZIR ABAD
Brief Description of works	CONSTRUCTION OF SURFACE DRAINS TYPE-I, C.C TOPPING & BRICK PAVEMENT IN VILLAGE DANG, NOOR SHAH & RAZI JATOI TALUKA KAZI AHMED UNDER DRAINAGE SCHEMES (VARIOUS VILLAGES) OF DISTRICT SHAHEED BENAZIR ABAD
Procuring Agency,s Address	Office of the Executive Engineer Public Health Engg: Division Jam Sahib Road Shaheed Benazir Abad
Estimated Cost	Rs. 2,000,000/-
Amount of Bid Security	2% Rs. 40,000/-
(Fill in lump sum amount or in %age of Bid amount / estimated cost, but not exceeding 5%)	
Period of Bid Validity (60 days)	<u>60 days</u>
Security Deposit i/c (Bid Security).	8% of Bill Amount
Percentage , if any, to be deducted from bills.	Income Tax (7.5%)
Deadline for for submission of Bids alongwith time	On 25.11.2015, Time 1.00 pm
Venue, Time and Date of Bid Opening	On 25.11.2015, Time 02:00 pm Office of the Executive Engineer Public Health Engg: Division Jam Sahib Road Shaheed Benazir Abad
Time for completion from written order of commence :	(06) Month
Liquidity Damages :-	(0.05% of Estimated cost of Bid cost per day of delay, but total not exceeding 10%)
Name of Contractor / Agency	
Deposit Receipt No./Agency	
(In words & figers)	
DR.No Rs [Date
Call Deposit No	Dated
of the	amounting to Rs
	h 1.

CONTRACTOR

(a)

b)

(c)

d)

e)

(f)

g)

h)

ji)

j)

(k)

il)

m)

(n)

Bid No: (4)

BIDDING DATA

(This Section Shoulde be filled in by the Engineer / Procuring Agency before issuance of the Bidding Documents)

(a)	Name of Procuring Agency :	PUBLIC HEALTH ENGG: DIVISION SHAHEED BENAZIR ABAL
(b)	Brief Description of works	CONSTRUCTION OF SURFACE DRAINS TYPE-I, C.C TOPPING & BRICK PAVEMENT IN VILLAGE BACHAL PUR, HAJI MACHHI (SHABBIR SHAH) 3 GHULAM MARI TALUKA KAZI AHMED UNDER DRAINAGE SCHEMES (VARIOUS VILLAGES) OF DISTRICT SHAHEED BENAZIR ABAD
(c)	Procuring Agency,s Address	Office of the Executive Engineer Public Health Engg: Division Jam Sahib Road Shaheed Benazir Abad
(d)	Estimated Cost	Rs. 2,000,000/-
(e)	Amount of Bid Security	<u>2% Rs. 40,000/-</u>
	(Fill in lump sum amount or in %age of Bid amount / estimated cost, but not exceeding 5%)	
(f)	Period of Bid Validity (60 days)	<u>60 days</u>
(g)	Security Deposit i/c (Bid Security).	8% of Bill Amount
(h)	Percentage , if any, to be deducted from bills.	Income Tax (7.5%)
(i)	Deadline for for submission of Bids alongwith time	On 25.11.2015, Time 1.00 pm
(j)	Venue, Time and Date of Bid Opening	On 25.11.2015, Time 02:00 pm Office of the Executive Engineer Public Health Engg: Division Jam Sahib Road Shaheed Benazir Abad
(k)	Time for completion from written order of commence :	(06) Month
(I)	Liquidity Damages :-	(0.05% of Estimated cost of Bid cost per day of delay, but total not exceeding 10%)
(m)	Name of Contractor / Agency	
(n)	Deposit Receipt No./Agency	
	(In words & figers)	· -
	DR.No Rs D	Date
	Call Deposit No	Dated
	of the	amounting to Rs

CONTRACTOR

(A) Description and rate of Items based on Composite Schedule of Rates.

Name of Work

CONSTRUCTION OF SURFACE DRAINS TYPE-I, C.C TOPPING & BRICK PAVEMENT IN VILLAGE BACHAL PUR, HAJI MACHHI (SHABBIR SHAH) & GUHRAM MARI TALUKA KAZI AHMED UNDER DRAINAGE SCHEMES (VARIOUS VILLAGES) OF DISTRICT SHAHEED BENAZIR ABAD

PART-A SURFACE DRAINS TYPE-I

Item No.	Description of item to be executed at site	Unit	Quantity	Rate	Amount in Rupees
1	Excavation in foundation of building bridges and other structures I/c dag belling dressing refilling around the structures with excavated Earth watering ramming lead up to one chain and lift up to 5' (GSI No. 18 P-04)	P: %0 Cft:	2586.38	3176.25	8,215
2	Cement concrete plain i/c placing compacting finishing and curing complete i/c screening and washing of stone aggregate without shuttering (GSI No. 5 (i) P-16)				
	Ratio 1:4:8	P: % Cft:	574.75	11288.75	64,882
3	Pacca brick work in foundation and plinth in cement, sand, mortar (1:6) (GSI_No_5 (e) P-21)	P: % Cft:	1360.88	11948.36	162,603
4	Construction of Standard open drains bundle block of cement concret (1:2:4) in situ to the design profile i/c cost of module as per drawing i/c applying floating cost of cement 1/2" thick to the exposed face finished smooth curing etc complete as per detailed drawing (PHSI No. 1 (ii) P 58)				
	Туре-І	P: Rft:	950.0	94.0	89,300
S	Cement Plaster (1:4) 1/2" thick up to 12' height (GSI No.11 (b) P-52)	P: % Sft:	2612.50	2283.93	59,668
6	R.C.C work in roof slab beams columns rafts lintels and other structural members laid in situ or prrecast laid in position complete in all respect. (i) Ratio 1:2:4 Lbs cement2 Cft, sand 4 cft shingle1/8" to %" gauge (GSI No. 6 P-19)	P: Cft:	12.0	337.0	4,044
7	Fabrication of mild steel reinforcement for C.C i/c cutting, bending, laying in position making joints and fastening i/c cost of binding wire (also i/c removal of rust from bars) (Using Tor Bars) (GSI No. 8 (b) P-17)	P: Cwt:	0.480	5001.70	2,407
				TOTAL	391,119

CONTRACTOR

(A) Description and rate of Items based on Composite Schedule of Rates.

PART-B C.C TOPPING

item No.	Description of item to be executed at site	Unit	Quantity	Rate	Amount in Rupees
1	Barrow pit excavation undressed lead upto 100 ft: (ordinary soil) (CSI No. 3 F-1)	P; %0 Cft:	12718.75	2117.50	26,932
2	Earth work compaction (Soft, ordinary and hard soil) (b) taying earth in 6" layers level ing and dressing watering for compaction etc completed (CSI No. 13 (b) (-3)	P: %0 Cft.	12718.75	354 0	4,502
3	Cement cor crete brick or stone ballast 1 1/2" to 2" gauge Ratio 1:4:8 (GSI No. 5 P-15)	P: % Cft:	2442.0	9416.28	229,946
4	Cement concrete plain I/c placing compacting finishing and curing complete I/c screening and washing of stone aggregate without shuttering Ratio 1:2:4 (CSI No. 5 P-16)	P: % Cft:	1850.0	14429.25	266,941
5	Extra for every S0 ft: additional lead or part thereof for earth work (soft ordinary hard and very hard) (CSI No. 8 P-3)	P: % Cft:	12718.75	5039.0	64,090
	N	۸.		TOTAL	592,411

CONTRACTOR

(A) Description and rate of Items based on Composite Schedule of Rates.

PART-C BRICK PAVEMENT

Item No.	Description of item to be executed at site	Unit	Quantity	Rate	Amount in Rupees
1	Barrow pit excavation undressed lead upto 100 ft: (ordinary soil) (CSI No. 3 P 1)	P: %0 Cf t:	1 99 50.0	2117.50	42,244
2	Dressing and leveling of earth work to designed section etc complete (ordinary and hard soil) (CSI No. 11 (b) P-3)	P: %0 Cft:	19950.0	187.55	3,742
3	Earth work compaction (Soft, ordinary and hard soil) (b) Laying earth in 6" layers levelling and dressing watering for compaction etc completed (CSI No. 13 (b) P: 3)	P: %0 Cft:	19950.0	263.0	5,247
4	Earth from Outside (Lead 2 Miles)	P: % Cft:	17364.0	502.52	87,258
5	Dry brick on edge paving sand grouted i/c prepartion of bed by watering ramming and bringing the same to proper camber by 1/2" thick mud plaster (CSI No. 5 P-46)	P: % Sft:	9500.0	3823.57	363,239
				TOTAL	501,733

TOTAL (a)	Rs	1.486.263	
Part-C	Rs.	501,733	
Part-I	Rs.	592,411	
Part-is	Rs.	392,119	

% above/ below on the rates of CSR.

Amount to be added/ deducted on the basis of

of premium quoted

Total (b) ______

Total (A) = a + b in words & figures

CONTRACTOR

Bid No: (5)

BIDDING DATA

(This Section Shoulde be filled in by the Engineer / Procuring Agency before issuance of the Bidding Documents)

(a)	Name of Procuring Agency :	PUBLIC HEALTH ENGG: DIVISION SHAHEED BENAZIR ABAD
(b)	Brief Description of works	CONSTRUCTION OF SURFACE DRAINS TYPE-I, C.C TOPPING & BRICK PAVEMENT IN VILLAGE MALOOK SERECHO & ALI MUHAMMAD MARI TALUKA KAZI AHMED UNDER DRAINAGE SCHEMES (VARIOUS VILLAGES) OF DISTRICT SHAHEED BENAZIR ABAD
(c)	Procuring Agency,s Address	Office of the Executive Engineer Public Health Engg: Division Jam Sahib Road Shaheed Benazir Abad
(d)	Estimated Cost	Rs. 1,000,000/-
(e)	Amount of Bid Security	<u>2% Rs. 20,000/-</u>
	(Fill in lump sum amount or in %age of Bid amount / estimated cost, but not exceeding 5%)	
(f)	Period of Bid Validity (60 days)	60 days
(g)	Security Deposit i/c (Bid Security).	8% of Bill Amount
(h)	Percentage , if any, to be deducted from bills.	Income Tax (7.5%)
(i)	Deadline for for submission of Bids alongwith time	On 25.11.2015, Time 1.00 pm
(j)	Venue, Time and Date of Bid Opening	On 25.11.2015, Time 02:00 pm Office of the Executive Engineer Public Health Engg: Division Jam Sahib Road Shaheed Benazir Abad
(k)	Time for completion from written order of commence :	(06) Month
(I)	Liquidity Damages :-	(0.05% of Estimated cost of Bid cost per day of delay, but total not exceeding 10%)
(m)	Name of Contractor / Agency	
(n)	Deposit Receipt No./Agency	
	(In words & figers)	
	DR.No Rs [Date
	Call Deposit No	Dated
	of the	amounting to Rs.

CONTRACTOR

(A) Description and rate of Items based on Composite Schedule of Rates.



CONSTRUCTION OF SURFACE DRAINS TYPE-I, C.C TOPPING & BRICK PAVEMENT IN VILLAGE MALOOK SERECHO & ALI MUHAMMAD MARI TALUKA KAZI AHMED UNDER DRAINAGE SCHEMES (VARIOUS VILLAGES) OF DISTRICT SHAHEED BENAZIR ABAD

PART-A SURFACE DRAINS TYPE-I

ltem No.	Description of item to be executed at site	Unit	Quantity	Rate	Amount in Rupees
1	Excavation in foundation of building bridges and other structures I/c dag belling diessing refilling around the structures with excavated Earth watering ramming lead up to one chain and lift up to 5' (GSI No. 18 P-04)	P: %0 Cft:	1701.56	3176.25	5,405
2	Cement concrete plain i/c placing compacting finishing and curing complete i/c screening and washing of stone aggregate without shuttering (GSI No. 5 (i) P-16)				
	Ratio 1:4:8	P: % Cft:	378.13	11288.75	42,686
3	Pacca brick work in foundation and plinth in cement, sand, mortar (1:6) (GSI No 5 (e) P-21)	P: % Cft:	895.31	11948.36	106,975
4	Construction of Standard open drains bundle block of cement concret (1:2:4) in situ to the design profile i/c cost of module as per drawing i/c applying floating cost of cement 1/2" thick to the exposed face finished smooth curing etc complete as per detailed drawing (PHS) No. 1 (ii) P-58)				
	Туре-І	P: Rft:	625.0	94.0	58,750
5	Cement Plaster (1:4) 1/2" thick up to 12' height (GSI No.11 (b) P-52)	P: % Sft:	1718.75	2283.93	39,255
6	R.C.C work in roof slab beams columns rafts lintels and other structural members laid in situ or prrecast laid in position complete in all respect. (i) Ratio 1:2:4 Lbs cement2 Cft, sand 4 cft shingle1/8" to ¼" gauge (GSI No. 6 P.49)	P; Cft:	8.0	337.0	2,696
7	Fabrication of mild steel reinforcement for C.C i/c cutting, bending, laying in position making joints and fastening i/c cost of binding wire (also i/c removal of rust from bars) (Using Tor Bars) (GSI No. 8 (b) P-17)	P: Cwt:	0.32	5001.70	1,601
				TOTAL	257,368

CONTRACTOR

(A) Description and rate of Items based on Composite Schedule of Rates.

PART-B C.C TOPPING

Item No	Description of item to be executed at site	Unit	Quantity	Rate	Amount in Rupees
1	Barrow pit excavation undressed lead upto 100 ft: (ordinary soil) (CSI No. 3 P-1)	P: %0 Cft:	8250.0	2117.50	17,469
2	Earth work compaction (Soft, ordinary and hard soil) (b) Laying earth in 6" layers levelling and dressing watering for compaction etc completed (CS) No. 13 (b) P-3)	P: %0 Cft:	8250.0	354.0	2,921
3	Cement concrete brick or stone ballast 1 1/2" to 2" gauge Ratio 1:4:8 (GSI No. 5 P-15)	P: % Cft:	1584.0	9416.28	149,154
4	Cement concrete plain i/c placing compacting finishing and curing complete i/c screening and washing of stone aggregate without shuttering Ratio 1:2:4 (CSI No. 5 P-16)	P: % Cft:	1200.0	14429.25	173,151
5	Extra for every 50 ft: additional lead or part thereof for earth work (soft ordinary hard and very hard) (CS) No. 8 P-3)	P: % Cft:	82 50.0	5039.0	41,572
		Λ		TOTAL	384,267

CONTRACTOR

PUBLIC HEALTH ENGE DIVISION SHAHEED BENAZIR ABAD

(A) Description and rate of Items based on Composite Schedule of Rates.

PART-C BRICK PAVEMENT

Item No.	Description of item to be executed at site	Unit	Quantity	Rate	Amount in Rupees
1	Barrow pit excavation undressed lead upto 100 ft: (ordinary soil) (CSI_No_3 >-1)	P: %0 Cft:	13650.0	2117.50	28,904
2	Dressing and leveling of earth work to designed section etc complete (ordinary and hard soil) (CSI No. 11 (b) P-3)	P: %0 Cft:	13650.0	187.55	2,560
3	Earth work compaction (Soft, ordinary and hard soil) (b) Laying earth in 6" layers levelling and dressing watering for compaction etc completed (CSI No. 13 (b) 1'-3)	P: %0 Cft:	13650.0	263.0	3,590
4	Earth from Outside (Lead 2 Miles)	P: % Cft:	11950.0	502.52	60,051
5	Dry brick on edge paving sand grouted i/c prepartion of bed by watering ramming and bringing the same to proper camber by 1/2" thick mud plaster (CSI No. 5 P-46)	P: % Sft:	6500.0	3823 57	248,532
				TOTAL	343,637

TOTAL (a)	Rs.	985,272	
Part-C	Rs.	343,637	
Part-B	Rs.	384,267	
Part-A	Rs.	257,368	

. ----- % above/ be:ow on the rates of CSR.

Amount to be added/ deducted on the basis of

of premium quoted

Total (b)

Total (A) = a + b in words & figures

CONTRACTOR

Bid No: (6)

BIDDING DATA

(This Section Shoulde be filled in by the Engineer / Procuring Agency before issuance of the Bidding Documents)

a)	Name of Procuring Agency :	PUBLIC HEALTH ENGG: DIVISION SHAHEED BENAZIR ABAD
b)	Brief Description of works	CONSTRUCTION OF SURFACE DRAINS TYPE-I & II I/C C.C TOPPING FOR RURAL DRAINAGE SCHEME CHANNESAR (KHAN/ KABIR) ZARDARI TALUKA NAWABSHAH
c)	Procuring Agency,s Address	Office of the Executive Engineer Public Health Engg: Division Jam Sahib Road Shaheed Benazir Abad
d)	Estimated Cost	Rs. 1,000,000/-
e)	Amount of Bid Security	<u>2% Rs. 20,000/-</u>
	(Fill in lump sum amount or in %age of Bid amount / estimated cost, but not exceeding 5%)	
(f)	Period of Bid Validity (60 days)	60 days
g)	Security Deposit i/c (Bid Security).	8% of Bill Amount
h)	Percentage , if any, to be deducted from bills.	Income Tax (7.5%)
(i)	Deadline for for submission of Bids alongwith time	<u>On 25.11.2015, Time 1.00 pm</u>
(j)	Venue, Time and Date of Bid Opening	On 25.11.2015, Time 02:00 pm Office of the Executive Engineer Public Health Engg: Division Jam Sahib Road Shaheed Benazir Abad
(k)	Time for completion from written order of commence:	(06) Month
(I)	Liquidity Damages :-	(0.05% of Estimated cost of Bid cost per day of delay, but total not exceeding 10%)
m)	Name of Contractor / Agency	
(n)	Deposit Receipt No./Agency	
	(In words & figers)	
	DR.No Rs D	Date
	Call Deposit No.	Dated
	of the	amounting to Rs

CONTRACTOR

(A) Description and rate of Items based on Composite Schedule of Rates.

CONSTRUCTION OF SURFACE DRAINS TYPE-1 & H I/C C.C TOPPING FOR RURAL Name of Work DRAINAGE SCHEME CHANNESAR (KHAN/ KABIR) ZARDARI TALUKA NAWABSHAH DISTRICT SHAHEED BENAZIR ABAD

PART-A

SURFACE DRIANS TYPE-I & II

ltem No.	Description of item to be executed at site	Unit	Quantity	Rate	Amount in Rupees
1	Exeavation in foundation of building bridges and other structures I/c dag belling dressing refilling around the structures with excavated Earth watering ramming lead up to one chain and lift up to 5' (GSI No. 18 P-04)	P: %0 Cft:	2673.50	3176.25	8,492
2	Cement concrete plain i/c placing compacting finishing and curing complete i/c screening and washing of stone aggregate without shuttering (GSI No. 5 (i) P-16)				
	Ratio 1:4:8	P: % Cft:	285.50	11288.75	32,229
3	Pacca brick work in foundation and plinth in cement, sand, mortar (1:6) (GSI No.5 (e) P-21)	P: % Cft:	1106.25	12674.36	140,210
4	Construction of Standard open drains bundle block of cement concret (1:2:4) in situ to the design profile i/c cost of module as per drawing i/c applying floating cost of cement 1/2" thick to the exposed face finished smooth curing etc complete as per detailed drawing (PHSI No. 1 (ii) P-58)				
	Туре-І	P: Rft:	100.0	94.0	9,400
	Type-II	P: Rft:	300.0	174.0	52,200
5	Cement Plaster (1:4) 1/2" thick up to 12' height (GSLNo.11 (b) P-52)	P: % Sft:	1875.0	2283.93	42,824
6	R.C.C work in roof slab beams columns rafts lintels and other structural members laid in situ or prrecast laid in position complete in all respect. (i) Ratio 1:2:4 Lbs cement2 Cft, sand 4 cft shingle 1/8" to 14" gauge (GSI No. 6 P-49)	P: Cfü	183.0	337.0	61,671
7	Fabrication of mild steel reinforcement for C.C i/c cutting, bending, laying in position making joints and fastening i/c cost of binding wire (also i/c removal of rust from bars) (Using Tor Bars) (GSI No. 8 (b) P-17)	P: Cwt;	7.353	5001.70	36,776
			N VIA	TOTAL	383,802

CONTRACTOR

(A) Description and rate of Items based on Composite Schedule of Rates.

PART-B C.C. TOPPING

Item No.	Desc	Description of item to be executed at site			Unit	Quantity	Rate	Amount in Rupees
1	Barrow pi excavat (CSI_No_2 P-1)	ion und	ressed lead upto	100 ft: (ordinary soil)	P: %0 Cft:	12250.0	2117.50	25,939
2	Earth work compaction (Soft, ordinary and hard soil) (b) Laying earth in 6" layers levelling and dressing watering for compaction et completed (CSI No. 13 (b) P-3)			P: %0 Cft:	12250.0	354.0	4,337	
3	Coment concrete brick or stone ballast 1 1/2" to 2" gauge Ratio 1:4:8 (GS) No. 5_P-15)			2" to 2" gauge Ratio	P: % Cft:	1848.0	9416.28	174,013
4	Cement concrete plain i/c placing compacting finishing and curing complete i/c screening and washing of stone aggregate without shuttering Ratio 1:2:4 (CSI No. 5 P-16)				P: % Cft:	1400.0	14429.25	202,010
5	Earth from outside	(Lead 3	3 Miles)		P: % Cft:	12250.0	579.41	70,978
							TOTAL	477,276
	Part-A	Rs.	383,802					
	Part-B	Rs.	477,276					
	TOTAl (a)	Rs.	861,078					

% above/ below on the rates of CSR.

Amount to be added/ deducted on the basis of

of premium quoted

Total (b) _____

Total (A) = a - b in words & figures

CONTRACTOR

PUBLIC HEALTH ENGL: DIVISION SHAHELD BENAZIR ABAD

Bid No: (7)

BIDDING DATA

(This Section Shoulde be filled in by the Engineer / Procuring Agency before issuance of the Bidding Documents)

(4)	Name of Frocuring Agency .	PUBLIC HEALTH ENGG: DIVISION SHAHEED BENAZIK ABAD
• (b)	Brief Description of works	SUPPLYING, INSTALLING & TESTING PUMPING MACHINERY 10 BHP I/C SUCTION & DELIVERY FOR RURAL WATER SUPPLY SCHEME BHALAY DINO DAHRI TALUKA DAUR
(c)	Procuring Agency,s Address	Office of the Executive Engineer Public Health Engg: Division Jam Sahib Road Shaheed Benazir Abad
(d)	Estimated Cost	Rs. 650,000/-
(e)	Amount of Bid Security	<u>2% Rs. 13,000/-</u>
	(Fill in lump sum amount or in %age of Bid amount / estimated cost, but not exceeding 5%)	
(f)	Period of Bid Validity (60 days)	60 days
(g)	Security Deposit i/c (Bid Security).	8% of Bill Amount
(h)	Percentage , if any, to be deducted from bills.	Income Tax (7.5%)
(i)	Deadline for for submission of Bids alongwith time	On 25.11.2015, Time 1.00 pm
(j)	Venue, Time and Date of Bid Opening	On 25.11.2015, Time 02:00 pm Office of the Executive Engineer Public Health Engg: Division Jam Sahib Road Shaheed Benazir Abad
(k)	Time for completion from written order of commence :	(06) Month
(1)	Liquidity Damages :-	(0.05% of Estimated cost of Bid cost per day of delay, but total not exceeding 10%)
(m)	Name of Contractor / Agency	
(n)	Deposit Receipt No./Agency	
	(In words & figers)	
	DR.No Rs D	Date
	Call Deposit No.	Dated
	of the	amounting to Rs.

CONTRACTOR

PUBLIC HEALTH ENGG: DIVISION SHAHEED BENAZIR ABAD

(A) Description and rate of Items based on Composite Schedule of Rates.

Name of Work

SUPPLYING, INSTALLING & TESTING PUMPING MACHINERY 10 BHP I/C SUCTION & DELIVERY FOR RURAL WATER SUPPLY SCHEME BHALAY DINO DAHRI TALUKA DAUR DISTRICT SHAHEED BENAZIR ABAD

item No.	Description of item to be executed at site	Unit	Quantity	Rate	Amount in Rupees
ı	C.I Reflex valve heavy pattern (Test pressure) 21 kg per sq; or 300 Lbs; Sq; inch (SMI No. 6 (b) P-12)				
	<u>4" dia</u>	Each	2.0	1706.25	3,413
2	C.I Sluice valve heavy pattern (Test pressure) 21 kg per sq: or 300 Lbs:/ Sq: inch (SMI No. 2 (b) P-12)				
	<u>4" dia</u>	Each	2.0	5460.0	10.920
3	Manufacturing installing M.S Pipe made out M.S sheet 3/16" (4.8 mm thick) i.e cutting folding proper curvature shape i'c welding etc complete (R.A approved) Based on Schedule rates				
	<u>4" dia</u>	P: Rft:	20.0	506.60	10,132
4	Manufacturing installing M.S Flanged 3/8" (12 mm thick) M.S sheet of required size drilling holes i/c cutting bending to correct shape welding etc complete (R.A approved Based on Schedule rates)				
	<u>4" dia</u>	Each	14.0	804.77	11,267
5	C.1 Foor valve heavy pattern with cone type gate (Imported) (SMI No. 4 P-12)				
	<u>4" dia</u>	Each	2.0	893.75	1,788
6	C.I Ben-I with flanged and with holes i/e turning and facing of flanges for all sizes (PHSI No. 8 P-12)				
	Bend 90 4" dia	P: Cwt:	0.804	6096.0	4,899
7	C.I Tee flanged and with holes i/c turning and facing of flanges for all size (PHSI No. 12 P-13)				
	<u>3" dia</u>	P: Cwt:	0.250	6096.0	1,524
8	Supplying of C.I specials for A.C pressure pipe (standard-weight) for ACLL 'B' class (SM1 No: 9 P-15)				
	Tail Piece 4" dia	Each	1.0	487.50	488
9	C.I Tappers flat bottomed or central tapper flanged ends with hole i/c turning & fixing for all sizes (SM1 No. 9 P-12)	P: Cwt:	1.05	6096.0	6.401

Item	Description of item to be executed at site	Unit	Quantity	Rate	Amount in
No.	Description of Rent to be excepted of and	0			Rupees

Jointing C.1.M.S Flanged pipe and specials flanged and inside a trenches nuts and bolts with washer etc and other is required for joining and testing joints to the specified pressure etc complete (PHSI_No.1_P-40)

4" dia Pr Joint 12.0 513.0 6.156 TOTAL 56,986

Amount Part-A Rs. 56.986

TOTAL (A) Rs. 56,986

------ % abov∈/ below on the rates of CSR.

Amount to be added/ deducted on the basis of

of premium quoted

Total (b) ______

Total (A = a + b in words & figures

CONTRACTOR

PUBLIC HEALTH ENGE DIVISION SHAHEED BENAZIR ABAD

(B) Description and rate of Items based on Market (Offered rates)

Item	Description of item to be executed at site	Unit	Quantity	Rate	Amount in
No.	Description of item to be executed at site	Onit	Quantity	Nate	Rupees

Supplying & installing in position i/c transportation to site of work Village Bhalay Dino Dahri electric pumping set consisting of A.C electric motor 10 BHP 3 Phase 50 cycle 400/420 volts of 1450 RPM made type (ILA7-131-2AA-60) coupled with KSB non-clogging pump type ETA 160) size 2" x 2 1/2" mounted on common steel frame or base plate capable of discharge 110 gpm against the head of 110 ft: i/c installing of pumping set on cement concrete foundation Ratio (1:2:4) and C.C Ratio (1:4:8) with ballast with M.S nuts and bolts of $5/8^{\prime\prime}$ dia to be embedded in C.C foundation i/c providing and fixing automatic start delta starter Type (MCU) i/c providing & fixing prepared board iron (clad) triple pole and neutral switch fuse with requireable type fuse link carrier 500 volts and 0-50 empars installed on metaled board i/c providing internal electric wiring for main switch with 3-7/0.52 (10mm) PVC insulated wire 660 volts grade in 25 mm (1") PVC conduit on surface as required i/c providing and fixing earthing with set with 0.6m x 0.6m x 6.3 mm (2 x 2 x 1% ") G.I plate buried in ground at a depth of 3.7 m (12 ft:) for base plate & testing of the pumping set against the required head of 72 hours etc complete R.A attached).

P: Set 2.0

TOTAL

Amoun: TOTAL

١.

Rs.

TOTAL (B)

Rs.

Total (B) in words & figures

CONTRACTOR

Bid No: (8)

BIDDING DATA

(This Section Shoulde be filled in by the Engineer / Procuring Agency before issuance of the Bidding Documents)

(a)	Name of Procuring Agency :	PUBLIC HEALTH ENGG: DIVISION SHAHEED BENAZIR ABAD
(b)	Brief Description of works	CONSTRUCTION OF SURFACE DRAINS TYPE-I & II I/C C.C TOPPING IN RAWAL & GUJAR MUHALLAS FOR RURAL DRAINAGE SCHEME BARI GOTH TALUKA SAKRAND
(c)	Procuring Agency,s Address	Office of the Executive Engineer Public Health Engg: Division Jam Sahib Road Shaheed Benazir Abad
(d)	Estimated Cost	Rs. 1,500,000/-
(e)	Amount of Bid Security	2% Rs. 30,000/-
	(Fill in lump sum amount or in %age of Bid amount / estimated cost, but not exceeding 5%)	
(f)	Period of Bid Validity (60 days)	60 days
(g)	Security Deposit I/c (Bid Security).	8% of Bill Amount
(h)	Percentage , if any, to be deducted from bills.	Income Tax (7.5%)
(i)	Deadline for for submission of Bids alongwith time	On 25.11.2015, Time 1.00 pm
(j)	Venue, Time and Date of Bid Opening	On 25.11.2015, Time 02:00 pm Office of the Executive Engineer Public Health Engg: Division Jam Sahib Road Shaheed Benazir Abad
(k)	Time for completion from written order of commence :	(06) Month
(1)	Liquidity Damages :-	(0.05% of Estimated cost of Bid cost per day of delay, but total not exceeding 10%)
(m)	Name of Contractor / Agency	
(n)	Deposit Receipt No./Agency	
	(In words & figers)	
	DR.No Rs I	Date
	Call Deposit No	Dated
	of the	amounting to Rs

CONTRACTOR

PUBLIC HEALTH ENGG: DIVISION
SHAHEED BENAZIR ABAD

(A) Description and rate of Items based on Composite Schedule of Rates.

CONSTRUCTION OF SURFACE DRAINS TYPE-I & II I/C C.C TOPPING IN RAWAL & GUJAR Name of Work MUHALLAS FOR RURAL DRAINAGE SCHEME BARLGOTH TALUKA SAKRAND DISTRICT SHAHEED BENAZIR ABAD

PART-A

SURFACE DRIANS TYPE-I & II

item No.	Description of item to be executed at site	Unit	Quantity	Rate	Amount in Rupees
1	Excavation in foundation of building bridges and other structures I/c dag belling dressing refilling around the structures with excavated Earth watering ramming lead up to one chain and lift up to 5' (GSLN 3.18 P-04)	P: %0 Cft:	4367.50	3176.25	13,872
2	Cement concrete plain i/c placing compacting finishing and curing comple e i/c screening and washing of stone aggregate without shuttering (<u>GSI No. 5 (i) P-16</u>)				
	Ratio 1:4:8	P: % Cft:	527.50	11288.75	59,548
3	Pacca brick work in foundation and plinth in cement, sand, mortar (1:6) (CSI No.5 (e) P-21)	P: % Cft:	1931.25	12674.36	244,774
4	Construction of Standard open drains bundle block of cement concret (1:2:4) in situ to the design profile i/e cost of module as per drawing i/e applying floating cost of cement 1/2" thick to the exposed face finished smooth curing etc complete as per detailed drawing (PHSI No. 1 (ii) P-58)				
	Type-1	P: Rft:	500.0	94.0	47,000
	Type-II	P: Rft:	300.0	174.0	52,200
5	Cement Plaster (1:4) 1/2" thick up to 12' height (GSI No.11 (b) P-52)	P: % Sft:	3375.0	2283.93	77,083
6	R.C.C work in roof slab beams columns rafts lintels and other structural members laid in situ or prrecast laid in position complete in all respect. (i) Ratio 1:2:4 Lbs cement2 Cft, sand 4 cft shingle1/8" to 44" gauge (GSI No. 6 P-49)	P: Cft:	183.0	337.0	61.671
7	Fabrication of mild steel reinforcement for C.C i/c cutting, bending, laying in position making joints and fastening i/c cost of binding wire (also i/c removal of rust from bars) (Using Tor Bars) (GSI No. 8 (b) P-17)	P; Cwt:	7.353	5001.70	36,776

CONTRACTOR

PUBLIC HEALTH BACKS BY ISION SHAHEED BENAZIDABAD

TOTAL

592,924

(A) Description and rate of Items based on Composite Schedule of Rates.

PART-B C.C TOPPING

item v No.	Description of item to be executed at site			Unit	Quantity	Rate	Amount in Rupees
ı	Barrow pit excavat (CSI No. 3 P-1)	ion undre	essed lead upto 100 ft; (ordinary soil)	P: %0 Cft:	12250.0	2117.50	25,939
2	Earth work compaction (Soft, ordinary and hard soil) (b) Laying earth in 6" layers levelling and dressing watering for compaction etcompleted (CSI No. 13 (b) P-3)			P: %0 Cft:	12250.0	354.0	4,337
3	Cement cor crete brick or stone ballast 1 1/2" to 2" gauge Ratio 1:4:8 (GSI No. 5 P-15)			P: % Cft:	1848.0	9416.28	174,013
4	Cement correcte plain i/c placing compacting finishing and curing complete i/c screening and washing of stone aggregate without shuttering Ratio 1:2:4 (CSI No. 5 P-16)			P: % Cft:	1400.0	14429.25	202,010
5	Earth from outside	(Lead 3	Miles)	P: % Cft:	12250.0	579.41	70,978
						TOTAL	477,276
	Part-A	Rs.	592,924				
	Part-B	Rs.	477,276				
	TOTAL (a)	Rs.	1,070,200				

Amount to be added/ deducted on the basis of

of premium quoted

Total (A) = a - b in words & figures

CONTRACTOR

EXECUTIVE EXHIPTER
PUBLIC HEALTH ENGG. DATISION
SHAHEED BENAZIR ABAD