

SPORTS & YOUTH AFFAIRS DEPARTMENT

CONSTRUCTION OF MULTIPURPOSE GROUND, PAVILION & ALLIED FACILITIES AT GARHI KHAIRO DISTRICT JACOBABAD.

TENDER DOCUMENTS

Issued to M/s

Date of Opening of Tender_____

ENGINEERING WING SPORTS & YOUTH AFFAIRS DEPARTMENT GOVERNMENT OF SINDH, KARACHI.

SUMMARY OF CONTENTS

| | <u>Subject</u> | Page No |
|-------|--|---------|
| (I) | Invitation for Bids | 03 |
| (II) | Instructions to Bidders & Bidding Data | 05 |
| (III) | Form of Bid & Schedule to Bid | 21 |
| (IV) | Conditions of Contract & Contract Data | 45 |
| (V) | Standard Forms | 66 |
| (VI) | Evaluation Criteria | 80 |
| (VII) | Specifications | 81 |

INVITATION FOR BIDS

INVITATION FOR BIDS

- 1. The Procuring Agency, ______ [enter name of the procuring agency], invites sealed bid from interested firms or persons licensed by the Pakistan Engineering Council in the appropriate category (not required for works costing Rs2.5 millions or less) and /or duly prequalified (if pre-qualification is done for specific scheme / project) with the Procuring Agency for the Works ______ [enter title, type and financial volume of work], which will be completed in ______ [enter title, type and propriate time period] days.
- 2. A complete set of Bidding Documents may be purchased by an interested eligible bidder on submission of a written application to the office given below and upon payments of a non-refundable fee of Rupees ______ (Insert amount). Bidders may acquire the bidding document from the office the procuring agency, at ______ (mailing address).
- 3. All Bids mist be accompanied by a Bid Security in the amount of Rs._______ (Rupees ________) or ________ percentage of bid price in the form of (pay order / demand draft / bank guarantee) and must be delivered to ________ (indicate address and exact location) at or before _______ hours on _______(date). Bids will be opened at _______ hours on the same day in the presence of bidders, representatives who chose to attend, at the same address [indicate the address if it differs].

[Note:1. Procuring Agency to enter the requisite information in blank spaces.
2. The bid shall be opened within one hour after the deadline for submission of bids.]

INSTRUCTIONS TO BIDDERS & BIDDING DATA

Notes on the Instructions to Bidders

This section of the bidding documents should provide the information necessary for bidders to prepare responsive bids, in accordance with the requirements of the Procuring Agency. It should also give information on bid submission, opening and evaluation and on the award of contract.

Matters governing the performance of the Contract or payments under the Contract or matters affecting the risks, rights and obligations of the parties under the Contract are not normally included in this section, but rater in the appropriate sections of the Conditions of Contract and /or Contract Data.

TABLE OF CONTENTS

Instructions to Bidders

| Clause No | Description | Page No |
|---|--|---------------------------------|
| | A. GENERAL | |
| IB.1 IB.2 IB.3 | Scope of Bid & Source of funds Eligible Bidders Cost of Bidding | 7 |
| | B. BIDDING DOCUMENTS | |
| IB.4 IB.5 IB.6 | Contents of Bidding Documents Clarification of Bidding Documents Amendment of Bidding Documents | 8 |
| | C. PREPARATION OF BID | |
| IB.7 IB.8 IB.9 IB.10 IB.11 IB.12 IB.13 IB.14 | Language of Bid. Documents Comprising the Bid Sufficiency of Bid Bid Prices, Currency of Bid & Payment Documents Establishing Bidders Eligibility and Qualifications Documents establishing Works Conformity to Bidding Documents Bidding Security Validity of Bids, Format, Signing and Submission of Bid. | 9 10 10 10 10 11 |
| | D.SUBMISSION OF BID | |
| IB.15 | Deadline for Submission, Modification and withdrawal of Bids | 12 |
| | D. BID OPENING AND AVALUATION | |
| IB.16 IB.17 | Bid Opening, Clarification and EvaluationProcess to be ConfidentialE. AWARD OF CONTRACT | |
| IB.18 IB.19 IB.20 IB.21 IB.22 | Qualification Award Criteria & Procuring Agency's Right Notification of Award & Signing of Contract Agreement Performance Security Integrity Pact. | 15 15 15 |

INSTRUCTION TO BIDDERS

(Note: (These instructions to bidder (IB) along with Bidding Date will not be part of Contract and will cease to have effect once the Contract is signed).

IB.1 Scope of Bid & Sources of Funds.

1.1 Scope of Bid.

The Procuring Agency as defined in the Bidding Data (hereinafter called "the procuring agency") wishes to receive Bids for the works summarized in the Bidding Data (hereinafter referred to as "the works").

Bidders must quote for the complete scope of work. Any Bid covering partial scope of work sill be rejected as non-responsive.

1.2 Source of Funds

The Procuring Agency has arranged funds from its own sources or Federal/ Provincial / Donor agency or any other sources, which may be indicated accordingly in bidding data towards the cost of the project/ scheme.

IB.2 Eligible Bidders

- **2.1** Bidding is open to all firms and persons meeting the following requirements:
 - a. duly licensed by the Pakistan Engineering Council (PEC) in the appropriate category for value of works.

Provided that the works costing Rs.2.5 million or less shall not require any registration with PEC.

b. Duly pre-qualified with the procuring agency (Where required).

In the event that prequalification of potential bidders has been undertaken, only bids from prequalified bidders will be considered for award of Contract.

- c. if prequalification has not undertaken, the procuring agency may ask information and documents not limited to following: -
 - (i) Company Profile.
 - (ii) Corks of similar nature and size for each performed in last 3/5 years.
 - (iii) Construction equipments.
 - (iv) Qualification and experience of technical personnel and key site management.
 - (v) Financial statement of last 3 years.
 - (vi) Information regarding litigations and abandoned works if any.

IB.3 Cost of Bidding

3.1 The Bidder shall bear all costs associated with the preparation and submission of its bid and the procuring agency will in no case be responsible or liable for those costs, regardless of the conduct or outcome of the bidding process (SPPRA Rules 24& 25).

B. BIDDING DOCUMENTS

IB.4 Contents of Bidding Documents

- 4.1 In addition to Invitation for bids the bidding documents are those stated below and should be read in conjunction with any addendum issued in accordance with Sub-Clause IB.6.1
 - 1. Instruction to Bidders & Bidding Data.
 - 2. Form of Bid, Qualification Information & Schedules to Bid comprise the following:
 - i. Schedule A: Schedule of Prices/ Bill of Quantities (BOQ).
 - ii. Schedule B: Specific Works Data.
 - iii. Schedule C: Works to be Performed by Sub contractors.
 - iv. Schedule D: Proposed Programme of Works.
 - v. Schedule E: Method of Performing Works.
 - vi. Schedule F: Integrity Pact (Works costing Rs.10 Million and above).
 - 3. Conditions of Contract & Contract Data.
 - 4. Standard Forms:
 - i. From of Bid Security.
 - ii. Form of Performance Security.
 - iii. Form of Contract Agreement.
 - iv. Form of Bank Guarantee for Advance Payment.
 - 5. Specifications.
 - 6. Drawings, if any.

IB.5 Clarification of Bidding Documents.

- 5.1 A prospective bidder requiring any clarification (s) in respect of the Bidding Documents may notify the Engineer / Procuring Agency at the Engineer's / Procuring Agency Address indicated the bidding data.
- 5.2 An Interested Bidder, who has obtained bidding documents, may reque3st for clarification of contents of bidding documents in writing and procuring agency shall respond to such quarries in writing within three clander days, provided they are received at least five calendar days prior to the date of opening of bid (SPPRA Rules 23-1).

IB.6 Amendment of Bidding Documents (SPPRA Rules 22(2) & 22).

- 6.1 At any time prior to the deadline for submission of bids, the Procuring Agency may for any reason, whether at his own initiative or in response to a clarification requested by a interested bidder modify the bidding documents by issuing addendum.
- 6.2 And addendum thus issued shall be part of the Bidding Documents pursuant to Sub-Clause 6.1 hereof and shall be communicated in writing to all purchasers of the Bidding Documents. Prospective bidders shall acknowledge receipt of each addendum in writing to the procuring Agency.
- 6.3 To afford interested bidders reasonable time in which to take an addendum into account in preparing their Bids, the procuring Agency may at its discretion extend the deadline for submission of Bids.

C. PREPARATION OF BIDS.

IB.7 Language of Bid

7.1 All documents relating to the Bid shall be in the language specified in the contract data.

IB.8 Documents Comprising the Bid.

- 8.1 The bid submitted by the bidder shall comprise the following:
 - a. Offer/ Covering Letter.
 - b. Form of Bid duly filled, signed and sealed in accordance with IB.14.3.
 - c. Schedules (A to F) to bid duly filled and initialed in accordance with the instructions contained therein and in accordance with IB.14.3.
 - d. Bid Security furnished in accordance with IB.13.
 - e. Power of Attorney in accordance with IB 14.5.
 - f. Documentary evidence in accordance with IB.2 (c) & IB.11.
 - g. Documentary evidence in accordance with IB.12.

IB.9 Sufficiency of Bid.

9.1 Each Bidder shall satisfy himself before Bidding as to the correctness and sufficiency of his Bid and of the premium of the rates of CSR / rates and prices quoted/ entered in the schedule of prices, which rates and prices shall except in so far as it is otherwise expressly provided in the Contract, cover all his obligations under the Contract and all matters and things necessary for the proper completion of the works.

9.2 The Bidder is advised to obtain for himself at his own cost and responsibility all information that may be necessary for preparing the bid and entering into a Contract for execution of the works.

IB.10 Bid Prices, Currency of Bid and Payment.

- 10.1.1 The bidder shall fill up the Schedule of Prices (Schedule A t Bid) indicating the percentage above or below the Composite Schedule of Rates / unit rates and prices of the Works to be performed under the Contract. Prices in the Schedule of Prices / Bill of Quantities shall be quoted entirely in Pak Rupees keeping in view the instructions contained in the Preamble to Schedule of Prices.
- 10.1.2 Unless otherwise stipulated in the Conditions of Contract, Prices quoted by the Bidder shall remain fixed during the bidder's performance of the Contract and not subject to variation on any account.
- 10.1.3 The unit rate and prices in the schedule of prices or percentage above or below on the composite schedule of rates shall be quoted by the bidder in the currency as stipulated in Bidding Data.
- 10.1.4 Items for which no rate or price is entered by the Bidder will not be paid for by the Procuring Agency when executed and shall be deemed covered by the other rates and prices in the Bill of Quantities.

IB.11 Documents Establishing Bidder's Eligibility and Qualifications.

- 11.1 Pursuant to Clause IB.8, the Bidders furnish, as part of its bid, documents establishing the bidder's eligibility to bid and its qualifications to perform the Contract of its bid is accepted.
- 11.2 Bidder must posses and provide evidence of its capability and the experience as stipulated in Bidding Data and the Qualification Criteria mentioned in the Bidding Documents.

IB.12 Documents Establishing Work's Conformity to Bidding Documents.

- 12.1 The Documentary evidence of the work's conformity to the Bidding Documents may be in the form of literature, drawings and data and the bidder shall furnish documentation as set out in Bidding Data.
- 12.2 The Bidder shall note that standards for workmanship, material and equipments and references to brand names or catalogue numbers, if any, designated by the procuring agency in the Technical Provisions are intended to be descriptive only and not restrictive.

IB.13 Bid Security

- 13.1 Each bidder shall furnish, as part of his bid, at the option of the bidder, a Bid Security as percentage of bid price/estimated cost or in the amount stipulated in Bidding Data in Pak. Rupees in the form of *Deposit at Call/ Payee's Order or a Bank Guarantee* issued by a Scheduled Bank in Pakistan in favour of the Procuring Agency valid for a period up to twenty eight (28) days beyond the bid validity date (*Bid security should not be below 1%.and not exceeding 5% of bid price/estimated cost SPP Rule 37*).
- 13.2 Any bid not accompanied by an acceptable Bid Security shall be rejected by the Procuring Agency as non-responsive.
- 13.3 The bid securities of unsuccessful bidders will be returned upon award of contract to the successful bidder or on the expiry of validity of Bid Security whichever is earlier.
- 13.4 The Bid Security of the successful bidder will be returned when the bidder has furnished the required Performance Security, and signed the Contract Agreement (SPP Rule 37).
- 13.5 The Bid Security may be forfeited:
 - (a) if a bidder withdraws his bid during the period of bid validity; or
 - (b) if a bidder does not accept the correction of his Bid Price, pursuant to Sub-Clause 16.4(b) hereof; or
 - (c) in the case of a successful bidder, if he fails within the specified time limit to:
 - (i) furnish the required Performance Security or
 - (ii) sign the Contract Agreement.

IB.14 Validity of Bids, Format, Signing and Submission of Bid

- 14.1 Bids shall remain valid for the period stipulated in the Bidding Data after the date of bid opening.
- 14.2 In exceptional circumstances, Procuring Agency may request the bidders to extend the period of validity for a additional period but not exceeding 1/3 of the original period. The request and the bidders' responses shall be made in writing or by cable. A Bidder may refuse the request without forfeiting the Bid Security. A Bidder agreeing to the request will not be required or permitted to otherwise modify the Bid, but will be required to extend the validity of Bid Security for the period of the extension, and in compliance with IB.13 in all respects (SPP Rule 38).
- 14.3 All Schedules to Bid are to be properly completed and signed.
- 14.4 No alteration is to be made in the Form of Bid except in filling up the blanks as directed. If any alteration be made or if these instructions be not fully complied with, the bid may be rejected.

- 14.5 Each bidder shall prepare Original and number of copies specified in the Bidding Data of the documents comprising the bid as described in IB.8 and clearly mark them "ORIGINAL" and "COPY" as appropriate. In the event of discrepancy between them, the original shall prevail.
- 14.6 The original and all copies of the bid shall be typed or written in indelible ink and shall be signed by a person or persons duly authorized to sign (in the case of copies, Photostats are also acceptable). This shall be indicated by submitting a written Power of Attorney authorizing the signatory of the bidder to act for and on behalf of the bidder. All pages of the bid shall be initialed and official seal be affixed by the person or persons signing the bid.
- 14.7 The Bid shall be delivered in person or sent by registered mail at the address to Procuring Agency as given in Bidding Data.

D. SUBMISSION OF BID IB.15 Deadline for Submission, Modification & Withdrawal of Bids

- 15.1 Bids must be received by the Procuring Agency at the address/provided in Bidding Data not later than the time and date stipulated therein.
- 15.2 The inner and outer envelopes shall
 - (a) be addressed to the Procuring Agency at the address provided in the Bidding Data;
 - (b) Bear the name and identification number of the Contract as defined in the Bidding and Contract Data; and
 - (c) provide a warning not to open before the specified time and date for Bid opening as defined in the Bidding Data.
 - (d) in addition to the identification required in 15.2, the inner envelopes shall indicate the name and address of the Bidder to enable the Bid to be returned unopened in case it is declared late.
 - (e) If the outer envelope is not sealed and marked as above, the Procuring Agency will assume no responsibility for the misplacement or premature opening of the Bid.
- 15.3 Bids submitted through telegraph, telex, fax or e-mail shall not be considered.
- 15.4 Any bid received by the Procuring Agency after the deadline for submission prescribed in Bidding Data will be returned unopened to such bidder.
- 15.5 Any bidder may modify or withdraw his bid after bid submission provided that the modification or written notice of withdrawal is received by the Procuring Agency prior to the deadline for submission of bids.
- 15.6 Withdrawal of a bid during the interval between the deadline for submission of bids and the expiration of the period of bid validity specified in the Form of Bid may result in forfeiture of the Bid Security pursuant to IB.13.5 (a).

E. BID OPENING AND EVALUATION

IB.16 Bid Opening, Clarification and Evaluation (SPP Rules 41, 42 & 43)

- 16.1 The Procuring Agency will open the bids, in the presence of bidders' representatives who choose to attend, at the time, date and in the place specified in the Bidding Data.
- 16.2 The bidder's name, Bid Prices, any discount, the presence or absence of Bid Security, and such other details as the Procuring Agency at its discretion may consider appropriate, will be announced by the Procuring Agency at the bid opening. The Procuring Agency will record the minutes of the bid opening. Representatives of the bidders who choose to attend shall sign the attendance sheet. Any Bid Price or discount which is not read out and recorded at bid opening will not be taken into account in the evaluation of bid.
- 16.3 To assist in the examination, evaluation and comparison of Bids the Engineer/Procuring Agency may, at its discretion, ask the bidder for a clarification of its Bid. The request for clarification and the response shall be in writing and no change in the price or substance of the Bid shall be sought, offered or permitted (SPP Rule 43).
- 16.4 (a) Prior to the detailed evaluation, pursuant to IB.16.7 to 16.9, the Engineer/Procuring Agency will determine the substantial responsiveness of each bid to the Bidding Documents. For purpose of these instructions, a substantially responsive bid is one which conforms to all the terms and conditions of the Bidding Documents without material deviations. It will include determining the requirements listed in Bidding Data.

(b) Arithmetical errors will be rectified on the following basis:

If there is a discrepancy between the unit price and total price that is obtained by multiplying the unit price and quantity, the unit price shall prevail and the total price shall be corrected. If there is a discrepancy between the words and figures the amount in words shall prevail. If there is a discrepancy between the Total Bid price entered in Form of Bid and the total shown in Schedule of Prices-Summary, the amount stated in the Form of Bid will be corrected by the Procuring Agency in accordance with the Corrected Schedule of Prices.

If the bidder does not accept the corrected amount of Bid, his Bid will be rejected and his Bid Security forfeited.

- 16.5 A Bid determined as substantially non-responsive will be rejected and will not subsequently be made responsive by the bidder by correction of the non-conformity.
- 16.6 Any minor informality or non-conformity or irregularity in a Bid which does not constitute a material deviation (**major deviation**) may be waived by Procuring Agency, provided such waiver does not prejudice or affect the relative ranking of any other bidders.

(A). Major (material) Deviations include:-

- (i) Has been not properly signed;
- (ii) Is not accompanied by the bid security of required amount and manner;
- (iii) Stipulating price adjustment when fixed price bids were called for;
- (iv) Failing to respond to specifications;
- (v) Failing to comply with Mile-stones/Critical dates provided in Bidding Documents;
- (vi) Sub-contracting contrary to the Conditions of Contract specified in Bidding Documents;
- (vii) Refusing to bear important responsibilities and liabilities allocated in the Bidding Documents, such as performance guarantees and insurance coverage;
- (viii) Taking exception to critical provisions such as applicable law, taxes and duties and dispute resolution procedures;
- (ix) A material deviation or reservation is one :
 - (a) Which affect in any substantial way the scope, quality or performance of the works;
 - (b) adoption/rectification whereof would affect unfairly the competitive position
 - of other bidders presenting substantially responsive bids.

(B) Minor Deviations

Bids that offer deviations acceptable to the Procuring Agency and which can be assigned a monetary value may be considered substantially responsive at least as to the issue of fairness. This value would however be added as an adjustment for evaluation purposes only during the detailed evaluation process.

16.7 The Engineer/Procuring Agency will evaluate and compare only the bids previously determined to be substantially responsive pursuant to IB.16.4 to 16.6 as per requirements given hereunder. Bids will be evaluated for complete scope of works. The prices will be compared on the basis of the Evaluated Bid Price pursuant to IB.16.8 herein below.

Technical Evaluation: It will be examined in detail whether the works offered by the bidder complies with the Technical Provisions of the Bidding Documents. For this purpose, the bidder's data submitted with the bid in Schedule B to Bid will be compared with technical features/criteria of the works detailed in the Technical Provisions. Other technical information submitted with the bid regarding the Scope of Work will also be reviewed.

16.8 Evaluated Bid Price

In evaluating the bids, the Engineer/Procuring Agency will determine for each bid in addition to the Bid Price, the following factors (adjustments) in the manner and to the extent indicated below to determine the Evaluated Bid Price:

- (i) Making any correction for arithmetic errors pursuant to IB.16.4 hereof.
- (ii) Discount, if any, offered by the bidders as also read out and recorded at the time of bid opening.

(iii) Excluding **provisional sums** and the provisions for **contingencies** in the Bill of Quantities **if any**, but including **Day work**, where priced competitively.

IB.17 Process to be Confidential

- 17.1 Subject to IB.16.3 heretofore, no bidder shall contact Engineer/Procuring Agency on any matter relating to its Bid from the time of the Bid opening to the time the bid evaluation result is announced by the Procuring Agency. The evaluation result shall be announced at least seven (07) days prior to award of Contract (SPP Rule 45). The announcement to all bidders will include table(s) comprising read out prices, discounted prices, price adjustments made, final evaluated prices and recommendations against all the bids evaluated.
- 17.2 Any effort by a bidder to influence Engineer/Procuring Agency in the Bid evaluation, Bid comparison or Contract Award decisions may result in the rejection of his Bid. Whereas any bidder feeling aggrieved, may lodge a written complaint to Complaint Redressal Committee as per terms and conditions mentioned in SPP Rules 31 & 32. However, mere fact of lodging a complaint shall not warrant suspension of procurement process.
- 17.3 Bidders may be excluded if involved in **"Corrupt and Fraudulent Practices"** means either one or any combination of the practices given below SPP Rule2 (q);

(i) "**Coercive Practice**" means any impairing or harming, or threatening to impair or harm, directly or indirectly, any party or the property of the party to influence the actions of a party to achieve a wrongful gain or to cause a wrongful loss to another party;

(ii) "**Collusive Practice**" means any arrangement between two or more parties to the procurement process or contract execution, designed to achieve with or without the knowledge of the procuring agency to establish prices at artificial, noncompetitive levels for any wrongful gain;

(iii) **"Corrupt Practice"** means the offering, giving, receiving or soliciting, directly or indirectly, of anything of value to influence the acts of another party for wrongful gain;

(iv) "**Fraudulent Practice**" means any act or omission, including a misrepresentation, that knowingly or recklessly misleads, or attempts to mislead, a party to obtain a financial or other benefit or to avoid an obligation;

(v) **"Obstructive Practice"** means harming or threatening to harm, directly or indirectly, persons or their property to influence their participation in a procurement process, or affect the execution of a contract or deliberately destroying, falsifying, altering or concealing of evidence material to the investigation or making false statements before investigators in order to materially impede an investigation into allegations of a corrupt, fraudulent, coercive or collusive practice; or threatening, harassing or intimidating any party to prevent it from disclosing its knowledge of matters relevant to the investigation or from pursuing the investigation, or acts intended to materially impede the exercise of inspection and audit rights provided for under the Rules.

F. AWARD OF CONTRACT

IB.18. Post Qualification

18.1 The Procuring Agency, at any stage of the bid evaluation, having credible reasons for or *prima facie* evidence of any defect in contractor's capacities, may require the contractors to provide information concerning their professional, technical, financial, legal or managerial competence whether already pre-qualified or not:

Provided, that such qualification shall only be laid down after recording reasons therefore in writing. They shall form part of the records of that bid evaluation report.

18.2 The determination will take into account the bidder's financial and technical capabilities. It will be based upon an examination of the documentary evidence of the bidders' qualifications submitted under B.11, as well as such other information required in the Bidding Documents.

IB.19 Award Criteria & Procuring Agency's Right

- 19.1 Subject to IB.19.2, the Procuring Agency will award the Contract to the bidder whose bid has been determined to be substantially responsive to the Bidding Documents and who has offered the lowest evaluated Bid Price, provided that such bidder has been determined to be qualified to satisfactory perform the Contract in accordance with the provisions of the IB.18.
- 19.2 Not withstanding IB.19.1, the Procuring Agency reserves the right to accept or reject any bid, and to annul the bidding process and reject all bids, at any time prior to award of Contract, without thereby incurring any liability to the affected bidders or any obligation to inform the affected bidders of the grounds for the Procuring Agency's action except that the grounds for its rejection of all bids shall upon request be communicated, to any bidder who submitted a bid, without justification of the grounds. Notice of the rejection of all the bids shall be given promptly to all the bidders (SPP Rule 25).

IB.20 Notification of Award & Signing of Contract Agreement

- 20.1 Prior to expiration of the period of bid validity prescribed by the Procuring Agency, the Procuring Agency will notify the successful bidder in writing (—Letter of Acceptancel) that his bid has been accepted (SPP Rule 49).
- 20.2 Within seven (07) days from the date of furnishing of acceptable Performance Security under the Conditions of Contract, the Procuring Agency will send the successful bidder the Form of Contract Agreement provided in the Bidding Documents, incorporating all agreements between the parties.
- 20.3 The formal Agreement between the Procuring Agency and the successful bidder duly stamped at rate of ----% of bid price(updated from time to time) stated in Letter of Acceptance shall be executed within seven (07) days of the receipt of Form of Contract Agreement by the successful bidder from the Procuring Agency.

IB.21 Performance Security

- 21.1 The successful bidder shall furnish to the Procuring Agency a Performance Security in the form and the amount stipulated in the Conditions of Contract within a period of fourteen (14) days after the receipt of Letter of Acceptance (SPP 39).
- 21.2 Failure of the successful bidder to comply with the requirements of Sub-Clauses IB.20.2 & 20.3 or 21.1 or Clause IB.22 shall constitute sufficient grounds for the annulment of the award and forfeiture of the Bid Security.
- 21.3 Publication of Award of Contract: within seven days of the award of contract, the procuring shall publish on the website of the authority and on its own website, if such a website exists, the results of the bidding process, identifying the bid through procurement identifying Number if any and the following information:
 - (1) Evaluation Report;
 - (2) Form of Contract and letter of Award;
 - (3) Bill of Quantities or Schedule of Requirements. (SPP Rule 50)

IB.22 Integrity Pact The Bidder shall sign and stamp the Form of Integrity Pact provided at Schedule-F to Bid in the Bidding Document for all Sindh Government procurement contracts exceeding Rupees ten (10) million. Failure to provide such Integrity Pact shall make the bid non-responsive (SPP Rule 89).

BIDDING DATA

(This section should be filled in by the Engineer/Procuring Agency before issuance of the Bidding Documents. The following specific data for the works to be tendered shall complement, amend, or supplement the provisions in the Instructions to Bidders. Wherever there is a conflict, the provisions herein shall prevail over those in the Instructions to Bidders.)

Instructions to Bidders Clause Reference

1.1 Name of Procuring Agency Sports & Youth Affairs Department Government of Sindh

(Insert name of the Procuring Agency)

Brief Description of Works

<u>CONSTRUCTION OF MULTIPURPOSE GROUND, PAVILION & ALLIED FACILITIES AT</u> <u>GARHI KHAIRO DISTRICT JACOBABAD.</u>

5.1 (a) Procuring Agency's address:

Executive Engineer Sports & Youth Affairs Department 05th Floor State Life Building No.3 Dr Ziauddin Ahmed Road, Karachi

(Insert address of the Procuring Agency with telex/fax)

(b) Engineer's address: <u>05th Floor State Life Building No.3 Dr Ziauddin Ahmed Road, Karachi</u>

(Insert name and address of the Engineer, if any, with telex/fax.)

- 10.3 Bid shall be quoted entirely in Pak. Rupees. The payment shall be made in Pak. Rupees.
- 11.2 The bidder has the financial, technical and constructional capability necessary to perform the Contract as follows: (*Insert required capabilities and documents*)i. Financial capacity: (*must have turnover of Rs----Million*);

ii. Technical capacity:(*mention the appropriate category of registration with PEC and qualification and experience of the staff*);

iii. Construction Capacity: (mention the names and number of equipments required for the work).

- 12.1 (a) A detailed description of the Works, essential technical and performance characteristics.
 - (b) Complete set of technical information, description data, literature and drawings as required in accordance with Schedule B to Bid, Specific Works Data. This will include but not be limited to a sufficient number of drawings, photographs, catalogues, illustrations and such other information as is necessary to illustrate clearly the significant characteristics such as general construction dimensions and other relevant information about the works to be performed.

13.1 **Amount of Bid Security**

2% Percent lump sum

(Fill in lump sum amount or in % age of bid amount /estimated cost, but not below 1% and not exceeding 5%)

14.1 **Period of Bid Validity**

_90 Days _

(Fill in "number of days" not exceeding 90)

14.4 **Number of Copies of the Bid to be submitted:**

One original plus _____ copies.

 (a) Procuring Agency's Address for the Purpose of Bid Submission
 Executive Engineer Sports & Youth Affairs Department 05th Floor State Life Building No.3 Dr Ziauddin Ahmed Road, Karachi (insert postal address or location of bid box for delivery by hand)

15.1 **Deadline for Submission of Bids**

Time: 1300 Hours 07th December, 2015.

16.1 Venue, Time, and Date of Bid Opening

Venue: **Karachi** Time: 1400 Hours 07th December, 2015.

16.4 **Responsiveness of Bids**

(i) Bid is valid till required period,

- *(ii) Bid prices are firm during currency of contract/Price adjustment;
- (iii) Completion period offered is within specified limits,
- (iv) Bidder is eligible to Bid and possesses the requisite experience, capability and qualification.
- (v) Bid does not deviate from basic technical requirements and
- (vi) Bids are generally in order, etc.

*Procuring agency can adopt either of two options. (Select either of them)

- (a) **Fixed Price contract:** In these contracts no escalation will be provided during currency of the contract and normally period of completion of these works is upto 12 months.
- (b) **Price adjustment contract:** In these contracts escalation will be paid only on those items and in the manner as notified by Finance Department, Government of Sindh, after bid opening during currency of the contract.

FORM OF BID AND SCHEDULES TO BID

FORM OF BID (LETTER OF OFFER)

Bid Reference No.

(Name of Works)

To:

Gentlemen,

- Having examined the Bidding Documents including Instructions to Bidders, Bidding 1. Data, Conditions of Contract, Contract Data, Specifications, Drawings, if any, Schedule of Prices and Addenda Nos. _____ for the execution of the above-named works, we, the undersigned, being a company doing business under the name of and address and being duly incorporated under the laws of Pakistan hereby offer to execute and complete such works and remedy any defects therein in conformity with the said Documents including Total Addenda thereto for the Bid Price of) or such other sum as Rs (Rupees may be ascertained in accordance with the said Documents.
- 2. We understand that all the Schedules attached hereto form part of this Bid.
- 3. As security for due performance of the undertakings and obligations of this Bid, we submit herewith a Bid Security in the amount of ______ drawn in your favour or made payable to you and valid for a period of twenty eight (28) days beyond the period of validity of Bid.
- 4. We undertake, if our Bid is accepted, to commence the Works and to deliver and complete the Works comprised in the Contract within the time(s) stated in Contract Data.
- 5. We agree to abide by this Bid for the period of _____ days from the date fixed for receiving the same and it shall remain binding upon us and may be accepted at any time before the expiration of that period.
- 6. Unless and until a formal Agreement is prepared and executed, this Bid, together with your written acceptance thereof, shall constitute a binding contract between us.
- 7. We undertake, if our Bid is accepted, to execute the Performance Security referred to in Conditions of Contract for the due performance of the Contract.

- 8. We understand that you are not bound to accept the lowest or any bid you may receive.
- 9. We do hereby declare that the Bid is made without any collusion, comparison of figures or arrangement with any other person or persons making a bid for the Works.

Dated this ______ day of ______, 20

in the capacity of ______ duly authorized to sign bid for and on behalf of

| (Name of Bidder in Block Capitals) | (Seal) | |
|------------------------------------|--------|--|
| Address | | |
| | | |

Signature _____

Witness:

| (Signature) |
|-------------|
|-------------|

Name:_____

Address: _____

[SCHEDULES TO BID INCLUDE THE FOLLOWING:

- □ □ Schedule A to Bid: Schedule of Prices
- □ □ Schedule B to Bid: Specific Works Data
- □ □ Schedule C to Bid: Works to be Performed by Subcontractors
- □ □ Schedule D to Bid: Proposed Program of Works
- □ □ Schedule E to Bid: Method of Performing Works
- □ □ Schedule F to Bid: Integrity Pact]

SCHEDULE – A TO BID

SCHEDULE OF PRICES

| Sr. No. | | Page No. |
|---------|---|------------|
| 1. | Preamble to Schedule of Prices | |
| 2. | Schedule of Prices | |
| | *(a) Summary of Bid Prices | |
| | * (b) Detailed Schedule of Prices /Bill of Quanti | ties (BOQ) |

• [To be prepared by the Engineer/Procuring Agency]

SCHEDULE - A TO BID

PREAMBLE TO SCHEDULE OF PRICES

1. General

- 1.1 The Schedule of Prices shall be read in conjunction with the Conditions of Contract, Contract Data together with the Specifications and Drawings, if any.
- 1.2 The Contract shall be for the whole of the works as described in these Bidding Documents. Bids must be for the complete scope of works.

2. Description

2.1 The general directions and descriptions of works and materials are not necessarily repeated nor summarized in the Schedule of Prices. References to the relevant sections of the Bidding Documents shall be made before entering prices against each item in the Schedule of Prices.

3. Units & Abbreviations

3.1 Units of measurement, symbols and abbreviations expressed in the Bidding Documents shall comply with the System International d 'Unites (SI Units).

(Note: The abbreviations to be used in the Schedule of Prices to be defined by the Procuring Agency).

4. Rates and Prices

- 4.1 Except as otherwise expressly provided under the Conditions of Contract, the rates and amounts entered in the Schedule of Prices shall be the rates at which the Contractor shall be paid and shall be the full inclusive value of the works set forth or implied in the Contract; except for the amounts reimbursable, if any to the Contractor under the Contract.
- 4.2 Unless otherwise stipulated in the Contract Data, the premium, rates and prices entered by the bidder shall not be subject to adjustment during the performance of the Contract.
- 4.3 All duties, taxes and other levies payable by the Contractor shall be included in the rates and prices.
- 4.4 The whole cost of complying with the provisions of the Contract shall be included in the items provided in the Schedule of Prices, and where no items are provided, the cost shall be deemed to be distributed among the rates and prices entered for the related items of the Works and no separate payment will be made for those items.

SCHEDULE - A TO BID

The rates, prices and amounts shall be entered against each item in the Schedule of Prices. Any item against which no rate or price is entered by the bidder will not be paid for by the Procuring Agency when executed and shall be deemed covered by the rates and prices for other items in the Schedule of Prices.

- 4.5 (a) The bidder shall be deemed to have obtained all information as to and all requirements related thereto which may affect the bid price.
 - *(b) The Contractor shall be responsible to make complete arrangements for the transportation of the Plant to the Site.

*(*Procuring Agency may modify as appropriate*)

4.6 The Contractor shall provide for all parts of the Works to be completed in every respect. Notwithstanding that any details, accessories, etc. required for the complete installation and satisfactory operation of the Works, are not specifically mentioned in the Specifications, such details shall be considered as included in the Contract Price.

5. Bid Prices

5.1 Break-up of Bid Prices

The various elements of Bid Prices shall be quoted as detailed by the Procuring Agency in the format of Schedule of Prices.

The bidder shall recognize such elements of the costs which he expects to incur the performance of the Works and shall include all such costs in the rates and amounts entered in the Schedule of Prices.

5.2 Total Bid Price

The total of bid prices in the Schedule of Prices shall be entered in the Summary of Bid Prices.

6. Provisional Sums and Day work

- 6.1 Provisional Sums included and so designated in the Schedule of Prices if any, shall be expended in whole or in part at the direction and discretion of the Engineer/Procuring Agency. The Contractor will only receive payment in respect of Provisional Sums, if he has been instructed by the Engineer/Procuring Agency to utilize such sums.
- 6.2 Day work rates in the contractor's bid are to be used for small additional amounts of work and only when the Engineer have given written instructions in advance for additional work to be paid for in that way.

BILL OF QUANTITIES

CONSTRUCTION OF MULTIPURPOSE GROUND, PAVILION AND ALLIED FACILITIES AT GARHI KHAIRO DISTRICT JACOBABAD.

SUMMARY OF PRICE

| Sr. No. | Description | Amount (Rs) |
|------------|--|-------------|
| 1. | CONSTRUCTION OF MULTIPURPOSE GROUND, PAVILION AND ALLIED FACILITIES AT GARHI KHAIRO DISTRICT JACOBABAD. | |
| | Sub Head "A" Total = | Rs. |
| | Sub Head "B" Total= | Rs. |
| | Sub Head "C" Total= | |
| | Sub Head "D" Total | |
| | Non Schedule Items Total= | Rs. |
| | Grand Total | Rs. |

(In words _____)

Contractor's Signature

Committee's Signature



SCHEDULE OF PRICES – SUMMARY OF BID PRICES

SCHEDULE ITEMS

| Sr | | Head CONSTRUCTION OF SPORTS GYMNASIUM INDOOR HALL. | | | | |
|------------|--------------------------|--|--------|------------------------|----------|------------|
| No | "A" | | | | | |
| S # | Civil Work S.I No. | Description | Unit | Otv | Rate | Amount |
| 3 # | S.I No. S.I No.18 P. | Description | %0Cft | Qty 34140.75 | 3176.25 | 108439.56 |
| 1 | S.1 No.18 P. No.4 | Excavation in foundation or building bridges and other structures including dabbling dressing, refilling around structure with excavated earth Watering and ramming lead upto 5ft. (b). In ordinary soil. | %0Clt | 54140.75 | 5170.25 | 108439.30 |
| 2 | SI No.2 Page No.15 | Dry rammed brick or stone ballast 1 $1/2$ " to 2" Gauge. | % Cft | 500.00 | 3327.50 | 16637.50 |
| 3 | SI No.21 Page No.04 | Back Filling Surplus Earth Filling, watering and ramming earth in floors with surplus earth from foundation lead upto one chain and lift upto 5 feet. | %0Cft. | 17690.40 | 1512.50 | 26756.73 |
| 4 | SI No. 05 Page No. 16 | Cement Concrete plain including placing compacting finishing and curing, complete (including screening and washing at stone aggregate without shuttering. Ratio 1:4:8 | % Cft | 4001.42 | 11288.75 | 451710.30 |
| 5 | SI No.6 P No.17 | Reinforced Cement concrete work including all labour and material except the cost of steel reinforcement and its labour for bending and binding which will be paid separately. This rate also includes all kinds of forms moulds. Lifting shuttering curing rendering and finishing the exposed surface (including screening and washing of shingle). (i) Ratio (1:2:4) | P. Cft | 15000.00 | 337.00 | 5055000.00 |
| 6 | SI No.22 Page No.04 | EARTHFILLING Filling, Watering and ramming earth under floor with new earth (Excavated from outside) lead upto one chain and lift upto 5 feet. | P. Cft | 30000.00 | 11.00 | 330000.00 |
| 7 | SI No.24 Page No. 19 | Providing and laying 1:3:6 cement concrete solid block masonry wall above 6" in thickness set in 1:6 cement mortar in G.F Ground Floor super structure including raking out joints & curing etc, complete | %Cft | 12006.00 | 15771.01 | 1893467.46 |
| 8 | SI No. 05 Page No. 16 | Cement Concrete plain including placing compacting finishing and curing, complete (including screening and washing at stone aggregate without shuttering. Ratio 1:3:6 | % Cft | 2567.25 | 12595.00 | 323345.14 |

| | ~~ ~ ~ ~ ~ | | | 005.50 | 2012.07 | 270 10 27 |
|----|---|---|---------|-----------|----------|-----------|
| 9 | SI No. 28 | Damp proof course with (cement sand | % Sft | 895.52 | 3912.85 | 35040.35 |
| | Page No. 19 | and shingle concrete 1: 2: 4) including 2 | | | | |
| | | coats of asphaltic mixture. (b) 2" thick | | | | |
| 10 | SI No. 09 | Bitumen coating to plastered or cement | % Sft | 5970.13 | 778.09 | 46452.98 |
| _ | Page No. 71 | concrete surface. | | | | |
| 11 | SI No.6 P | Reinforced Cement concrete work | P. Cft | 1543.50 | 349.00 | 538681.50 |
| | No.17 | including all labour and material except | | | | |
| | | the cost of steel reinforcement and its | | | | |
| | | labour for bending and binding which | | | | |
| | | will be paid separately. This rate also | | | | |
| | | includes all kinds of forms moulds. | | | | |
| | | Lifting shuttering curing rendering and | | | | |
| | | finishing the exposed surface (including | | | | |
| | | screening and washing of shingle). (II) Ratio 1-1 1/2:3 | | | | |
| 12 | SI No.92 | Providing Anti Termite treatment by | P. Sft | | | |
| 14 | Page No.109 | spraying / sprinkling / spreading | 1.011 | 6,500.00 | 9.74 | 63,310.00 |
| | | Neptachlar 0.5% Emulsion as an overall | | -,- 00.00 | | |
| | | pre-construction treatment in slab type | | | | |
| | | construction under the slab and along | | | | |
| | | attached perches or entrances etc | | | | |
| | | complete as per directions of Engineer | | | | |
| 12 | $\mathbf{S} \mathbf{I} \mathbf{N}_{\mathbf{r}} = 1 1 1 1$ | Incharge. | 0/ 5.64 | 2454.50 | 2107.52 | 75012.22 |
| 13 | S.I No. 11(a) SP P. No.52 | Cement Plaster 1:4 up to 12' height. (c). 3/8'' thick. (Ceiling) | %Sft | 3454.50 | 2197.52 | 75913.33 |
| | 31 1. INU.32 | Jo unck. (Cennig) | | | | |
| 14 | S.I No. 11(b) | Cement plaster (1:4) up to 12 ' height | | | | |
| | SP P. No.52 | 1/2" thick Internal walls | %Sft | 18343.50 | 2283.93 | 418952.70 |
| 15 | S.I No. 11(c) | Cement plaster (1:4) up to 12 ' height | 70511 | 10343.30 | 2203.93 | +10732.70 |
| 15 | SP P. No.52 | 3/4" thick External face | | | | |
| | | | %Sft | 9550.80 | 3015.76 | 288029.21 |
| 16 | S.I No. 29 SP | Extra for lime mud or cement plaster | | | | |
| | P. No.54 | and pointing from 12' and above (for | 0/ 84 | 4340.70 | 140.97 | 6110.00 |
| 17 | (S.I No.05/P- | each additional 10' height). Cement concrete plain including placing | %Sft | 4340.70 | 140.97 | 6119.08 |
| 1/ | (S.1 N0.05/F- 16) | compacting, finishing and curing | | | | |
| | | complete including screening and | | | | |
| | | washing at stone aggregate without | | | | |
| | | shuttering. | | | | |
| | | (f). Ration 1:2:4) | %Cft | 75.00 | 14429.25 | 10821.94 |
| 18 | (S.I No.16 | 2" thick C.C Floor | | | | |
| | (c)/ P-42) | Providing and laying 2" thick topping cement concrete (1:2:4) including surface | | | | |
| | | finishing and dividing into panels. | %Sft | 4003.65 | 3275.50 | 131139.56 |
| 19 | (S.I. No.29/P- | P/F G.I. Frames / Chowkats of size 7"x2"/4- | | | | |
| | 93). | 1/2"x3" for doors using 20 gauge G.I. Sheet | | | | |
| | | in/c welded hinges & fixing at site with | | | | |
| | | necessary hold fasts, filling with cement sand slurry of ratio 1:6 & repairing the | | | | |
| | | jambs. The cost also i/c all carriage tools & | | | | |
| | | plants used in making and fixing. | P. Rft | 50.00 | 228.90 | 11445.00 |
| | | | | | | |

| • • | | | | | | |
|-----|---------------------------|--|--------|----------|---------|------------|
| 20 | (S.I No.43/P- 39) | False Ceiling. Providing and fixing false ceiling of thermopile in panels of | | | | |
| | 57) | required design and size including frame | | | | |
| | | work of Aluminum T-Section hanged | | | | |
| | | with nail wire to ceiling etc completed. | Sft | 3454.50 | 91.50 | 316086.75 |
| 21 | SI No.24(c) | Distempering Preparing the surface & | 511 | 5454.50 | 91.30 | 510080.75 |
| 21 | Page No.54 | painting with Distemper Paint Three | | | | |
| | | Coat. | %Sft | 3580.50 | 1079.65 | 38656.87 |
| 22 | S.I No. 38 (a+b+b). | (A) Preparing the surface and painting with matt finish I/c rubbing the surface | | | | |
| | Page No.55 | with Bathy (silicon carbide rubbing | | | | |
| | | brick) filling the voids with zink /chalk / | | | | |
| | | plaster of paris mixture, applying first | | | | |
| | | coat premix, making the surface smooth and then painting 3 coats with matt | | | | |
| | | finish of approved make etc: complete | | | | |
| | | .(new surface). | | | | |
| | | | % Sft | 18343.50 | 1989.62 | 364965.94 |
| 22 | | (B) 2 nd & subsequent coat. | % Sft | 18343.50 | 1454.76 | 266853.90 |
| 23 | S.I No. 38 (a+b+b). | (A) Preparing the surface and painting with weather coat i/c rubbing the surface | %Sft | 9717.75 | 1328.25 | 129076.01 |
| | Page No.56 | with rubbing brick / sand paper. Filling | | | | |
| | _ | the voids with chalk/ plaster of Paris and | | | | |
| | | then painting with weather coat of approved make. | | | | |
| | | approved make. | | | | |
| | | (B) 2^{nd} & subsequent coat. | %Sft | 9717.75 | 1239.70 | 120470.95 |
| 24 | SI No.31 (a+b+b). Page | (A Preparing the surface & painting | | | | |
| | No.73 | with enamel Paint on masonry walls. | % Sft | 210.00 | 579.14 | 1216.19 |
| | | (B) 2 nd & subsequent coat | %Sft | 210.00 | 870.00 | 1827.00 |
| 25 | SI No.8 P | Fabrication of mild steel reinforcement | P. Cwt | 750.00 | 5001.70 | 3751275.00 |
| | No.17 | for cement concrete including cutting, | | | | |
| | | bending laying in position making joints and fastenings including cost of binding | | | | |
| | | wire (also includes removal of rust) | | | | |
| | | (b). Using Tor Bars. | | | | |
| 26 | S.I No. 30 P. | Providing and fixing iron steel grill | P. Sft | 529.20 | 194.16 | 102749.47 |
| 20 | No.94 | using solid square bars of size $\frac{1}{2}$ " x $\frac{1}{2}$ " | 1.51 | 527.20 | 174.10 | 102/47.47 |
| | | placed at 4" and frame of flat iron Patti | | | | |
| | | of ³ / ₄ " x ³ / ₄ " i/c circle shape at 1-0 apart | | | | |
| | | equivalent fitted with screws are pins i/c painting 3 coats with 1st coat of red | | | | |
| | | oxide paints etc. | | | | |
| 27 | S.I No.31 | Providing and fixing of iron steel grill | P. Sft | 88.20 | 231.60 | 20427.12 |
| | Page No.94 | door with angle iron frame of 1 1/2" x 1 1/2" x 1/4" and flat iron of 3/4" x 1/4" | | | | |
| | | with approved design and locking | | | | |
| | | arrangement embedded in Masonry as | | | | |
| | Sports & Youth | per instruction of Engineer Incharge Affairs Department, Government of Sindh | | | | |
| | - | 31 | | | | |
| | | | | 1 | | |

| | Marble, Tile A | Alcop Door, Ply Door and Paving Block V | Vorks. | | | |
|----|------------------------------|---|---------------|--------------------|---------------------------|--------------------------|
| 28 | SI No. 84 Page No. 108 | Supplying and fixing in position Aluminum channels framing for sliding windows and ventilators of Alcop made with 5 mm thick tinted glass glazing (Belgium) etc complete. (a). Deluxe Model (Bronze). | | 1300.00 | 1449.69 | 1884597.00 |
| 29 | (S.I # 83-b Page # 108) | Supplying & fixing in position Aluminum channels framing for hinged doors or Alcop made with 5 mm thick tinted glass glazing (Belgium) and Alpha (Japan) handles, stoppers & locking arrangement etc. Complete. Deluxe model (Bronze) | P.Sft | 132.30 | 1507.66 | 199463.42 |
| 30 | (S. I No/68 Page No.49) | Providing and fixing 3/8" Thick marble tiles of approved quality and colour and shade size 8" x 4" /6" x 4" in dado skirting and facing removal / tucking of existing plaster surface etc. Over 1/2" thick base of cement mortar 1:3 setting of tiles in slurry of white cement over mortar base including filling the joints and washing the tiles with white cement slurry, currint finishing, cleaning and polishing etc complete.(I). For New | | | | |
| 31 | S.I No.60 Page No.47 | Works.Providing and laying tiles glazed 6" x6" x 1/4" on floor or wall facing in required colour and pattern of STILE specification jointed in white cement and pigment over a base of 1:2 grey cement mortar 3/4" thick including washing and filling of joints with slurry of white cement and pigment in desired shape with finishing clearing and cost of wax polish etc completed including cutting tiles to proper profile. | P.Sft %Sft | 3580.50 2340.00 | <u>186.04</u> 30509.77 | 666,116.22 713,928.62 |
| 32 | SI No.60 Page No.66 | Providing and fixing with sunk iron screws wooden Architrave approved design / shape having width not less than 2-1/2 inches as directed by Engineer Incharge. | P. Rft | 165.37 | 49.97 | 8263.54 |
| 33 | SI No.61 Page No.66 | Providing and fixing aluminum sheet on door pasted with glue as per requirement. | P. Sft | 147.00 | 63.77 | 9374.19 |

| 34 | SI No.9 | Providing and fixing in position, | | | | 1 |
|----|----------------|---|--------|--------|----------|-----------|
| 51 | Page No.58 | doors, windows and ventilators of | | | | |
| | 1 age 110.50 | first class deodar wood frames and 1 | | | | |
| | | 3/4" thick commercial, ply veneer | | | | |
| | | shutters of first class deodar skeleton | | | | |
| | | | | | | |
| | | (H ollow) and commercial ply wood | P. Sft | 415.80 | 1227.36 | 510226.20 |
| | | (3 ply) on both sides. | r. Sit | 413.60 | 1227.30 | 510336.29 |
| 25 | | Sanitary Work | | | | |
| 35 | (CSI # 1/P# | Providing and fixing orisa type white | | | | |
| | 1) | glazed earthenware W.C. pan with | | | | |
| | | cost of low level plastic flush tank of | | | | |
| | | 3 gallons capacity of approved | | | | |
| | | quality and flush pipe with bend and | | | | |
| | | making requisite number of holes in | | | | |
| | | walls plinth & floor for pipe | | | | |
| | | connection & making good in cement | | | | |
| | | concrete 1:2:4. (ii). With 4" dia | | | | |
| | | earthen ware trap and plastic | | | | |
| | | thumble. | Each | 4.00 | 6166.60 | 24666.40 |
| 36 | S I No. 4 | Providing & European type white | Each | 4.00 | 5,339.40 | 21,357.60 |
| | Page No: 02 | glazed earthen were wash down w.c pan | | | | |
| | | complete with & laid with C.P brass | | | | |
| | | hinges best quality and buffers 3 gallons | | | | |
| | | plastic flushing cistern with internal fitting with fitting and clown $2/4^{2}$ dia | | | | |
| | | fitting with fitting and clamp 3/4" dia and cutting and making requisite | | | | |
| | | number of holes in walls plinth & floor | | | | |
| | | for pipe connection & making good in | | | | |
| | | cement concrete 1:2:4. | | | | |
| 37 | SI No. 8 Page | | | | | |
| | No.3 | basin in white glazed earthen ware | | | | |
| | | complete with & i/c the cost of W.I OR | | | | |
| | | C.I cantilever brackets 6 inches built | | | | |
| | | into wall, painted white in two coat after | | | | |
| | | a primary coat of red lead paint, a pair | | | | |
| | | of 1/2" dia rubber plug & chrome plate | | | | |
| | | brass chain 1-1/4" dia malleable iron or | | | | |
| | | C.P Brass traps malleable iron or brass union and making requisite number of | | | | |
| | | holes in walls, plinth and floor for pipe | | | | |
| | | connection and making good in cement | | | | |
| | | concrete 1:2:4 | Each | 4.00 | 4,253.70 | 17,014.80 |
| 38 | SI No.11 | Pedestal. Add extra for labour for | | | ., | |
| | Page No.03 | providing and fixing of earthen ware | | | | |
| | 0 | pedestal white or coloured glazed | | | | |
| | | (Foreign or Equivalent) | Each | 4.00 | 2533.47 | 10133.88 |
| 39 | SI No.23 | PVC Connection. Providing and fixing | | | | |
| | Page No.06 | in position nylon connections with $1/2$ " | | | | |
| | | dia, brass stop cock with pair of brass | | | | |
| | | nuts and lining joints to nylon connection. | IV1 | 0.00 | 117 15 | |
| | Sports & Youth | Affairs Department, Government of Sindh | Each | 8.00 | 447.15 | 3577.20 |

| 40 | SI No.18 Page No.5 | Ceramic Sink. Providing and fixing 24" x 18" x 8" white glazed fire clay sinks complete including cost of C.I or W.I brackets 6 inches build into walls, 1 1/2" rubber plug & chrome plated brass chain 1 1/2" C.P brass washer 1-1/2" dia, jmalloable nuions and making requisite number of holes in walls, plinth and floor for pipe connection and making good in cement concrete 1:2:4 (Foreign or | | | | |
|----|--------------------------|---|------|----------|---------|----------|
| | | Equivalent). | Each | 4.00 | 4722.30 | 18889.20 |
| 41 | SI No.21 Page No.06 | Floor Trap. Providing and fixing C.I trap with 4" dia inlet and 4" dia outlet of the approved self cleaning design with a C.I grating with or without a vent arm including cast of making requisite number of holes in walls, plinth & floor for pipe connection and making good cement concrete | | | | |
| | | 1:2:4 | Each | 8.00 | 1671.58 | 13372.64 |
| | | Gully Trap | Ţ | | | |
| 42 | SI No.1 Page No.24 | Providing and fixing 6"x4" gully trap with 4" outlet complete with 4" thick 1:2:4 C.C for bed & 1/2" thick cement plaster (1:3) to the karb, C.I grating 6"x6" & C.I cover and frame 12"x12" (inside) etc. complete. Earthen ware glazed gully trap 6"x6"x4" with C.I cover & frame . Tee Stop Cock | Each | 8.00 | 1220.67 | 9765.36 |
| 43 | ST No 12 A | - | ļ | <u> </u> | | · |
| | SI No.12-A Page No.18 | Supply/Fixing concealed tee-stop cock of superior quality with c.p head 1/2" dia. | Each | 8.00 | 843.92 | 6751.36 |
| 44 | SI No.19 Page NO.19 | (a). Supplying and fixing C.P Muslim Shower with double Bib Cock & Ring Pipe etc complete. | Each | 8.00 | 3432.00 | 27456.00 |
| 45 | SI No.6-I Page No.18 | Gate Valve. Providing and fixing ball valve (with unsoldered copper ball) made to BBS 1212. | | | | |
| | | a) 1/2 inch dia | Each | 8.00 | 235.84 | 1886.72 |
| | | b) 3/4 inch dia | Each | 8.00 | 290.84 | 2326.72 |
| 46 | No.16 | Supplying and fixing in position brass bib cocks. (i). (b). 1/2" dia Brass bib cock, standard pattern. Affairs Department Government of Sindh | | 8.00 | 337.92 | 2,703.36 |

| 47 | SI No.1 | Providing & fixing chrome plated | | | | |
|------------|-----------------------|--|--------------|------|----------------------|------------------------------|
| | Page No.07 | brass towel rail complete with | | | | |
| | _ | brackets fixing on wooden cleats | | | | |
| | | with 1" long C.P brass screws | | | | |
| | | Towel rail 24" long. | | | | |
| | | ³ / ₄ " dia round or square (Standard | | | | |
| | | Pattern) | Each | 4.00 | 972.95 | 3891.80 |
| 48 | SI No.1 Page | Supplying & fixing soap tray earthen | | | | |
| | No.07 | ware with C.P screws etc complete | Each | 4.00 | 497.20 | 1,988.80 |
| 49 | SI No.1 Page | Providing & fixing 24"x18" bavelled | | | | |
| | No.07 | mirror of Belgium glass complete with | | | | |
| | | 1/8" thick hard board and C.P screws | | | | |
| | | fixed to wooden pleat. | El. | 4.00 | 1 711 60 | 6 9 4 6 4 0 |
| 50 | SI No.11 | Standard Pattern. | Each | 4.00 | 1,711.60 | 6,846.40 |
| 50 | Page No.18 | Concealed C.P fittings of superior quality for tiles Bath Rooms. | | | | |
| | 1 age 110.10 | (b). Supply and fixing concealed | | | | |
| | | Stop Cock of superior quality with | | | | |
| | | C.P head $1/2$ " dia | Each | 8.00 | 509.74 | 4077.92 |
| 50 | SI No.23 | Supplying and fixing bath room | | | | |
| | Page No.19 | accessories set (7) pieces i/c towel | | | | |
| | 8 | rod, brush holder, soap try, shelf of | | | | |
| | | approved design including cost of | | | | |
| | | screw, nuts etc complete. (Master | | | | |
| | | Brand) | Each | 4.00 | 10322.40 | 41289.60 |
| 52 | SI No.2 | Providing & fixing C.P brass toilet | | | | |
| | Page No.07 | paper holder of stander size with | | | | |
| | | chrome plated brass brackets | | | | |
| | | complete (Similar to twyfords design | | | | |
| | | no.1108) | | | | |
| | | (b) Superior Quality | Each | 8.00 | 1071.40 | 8571.20 |
| 53 | SI No.17 | Supplying / Fixing sink mixture cock | | | | |
| | page no.19 | of superior quality with C.P head etc | . | 4.00 | 0.5 1.5 10 | |
| 5 4 | | complete. | Each | 4.00 | 2745.60 | 10982.40 |
| 54 | SI No.14 | (a) Supplying / Fixing wash basin | | | | |
| | page no.19 | mixture of superior quality with C.P | D 1 | 4.00 | 2002.00 | 11530.00 |
| 55 | SI No 2 Doco | head 1/2" dia. Supplying and fixing fiber glass tank of | Each Each | 4.00 | 2882.00 21,989.61 | <u>11528.00</u> 43,979.22 |
| 55 | SI No.3 Page No.21 | approved quality and design and wall | Each | 2.00 | 21,989.01 | 43,979.22 |
| | ±10. #1 | thickness as specified i/c cost of nuts, | | | | |
| | | bolts and fixing in platform of cement | | | | |
| | | concrete 1:3:6 and making connections | | | | |
| | | for in-let & out-let & over flow pipes etc | | | | |
| | | complete. (a). 250 Gallons Wall | | | | |
| | | thickness 3.5 mm | | | | |

| 57 | S.I No.01 (P) CH: P.H. Work P. No.46 S.I No.06 P.H. Work P. No.24 | Constructing manhole or inspection chamber for the required diameter of circular sewer and 3'-6" (1067mm) depth with walls of B.B in cement sand mortar 1:3 cement walls and 1" (25mm)n thick over benching and channel i/c fixing C.I manhole cover with frame of clear opening 1-1/2' x 1-1/2' (457x457mm) of 1.75 cwt. (88.9 kg) embedded in plain C.C 1:2:4 and fixing 1" (25mm) dia M.S Steps 6" (150mm) wide projecting 4" (102mm) from the face of wall at 12" (305mm) C/C duly painted etc. complete as per standard specification and drawing (a) 4"to 12" dia 2'x2'x3'.6" Providing, Laying UPVC Pressure Pipes of Class 'D'' fixing in trench i/c cutting, fitting and jointing with solvent cement including testing with water to a head 122 | Each | 2.00 | 14,748.00 | 20,407,00 |
|----|---|---|----------|--------|-----------|-----------|
| | | fitting and jointing with solvent cement | | | | 29,496.00 |
| | | meter or 400 Ft. | | | | |
| | | (a) 1/2" dia | P. Rft | 400.00 | 12.00 | 4800.00 |
| | | (b) 3/4" dia | P. Rft | 400.00 | 19.00 | 7600.00 |
| | | (h) 80 mm (3" dia) | P. Rft | 400.00 | 136.00 | 54400.00 |
| | | (i) 100 mm (4" dia) | P. Rft | 400.00 | 226.00 | 90400.00 |
| | | (k) 150 mm (6'' dia) | P. Rft | 30.00 | 483.00 | 14490.00 |
| | SI No.01 Page No.25 | F. Providing, Laying and Jointing P.E pipes. Providing Laying & Fixing trench i/c fitting jointing & testing etc complete in all respect the high Density Polyethylene PE pipe (HDPE-100) for W/S conforming ISO 4427/DIN8074/8075 B.S 3580 & PSI 3051. | P. Rft | 100.00 | 92.00 | 9200.00 |
|] | Electrical Work. | | | | | |
| | SI No.124 Page No.15 | Wiring for light or fan point with 3/.029 PVC insulated wire in 20mm (3/4") PVC conduit recessed in the wall or column as required. | P. Point | 20.00 | 1130.00 | 22600.00 |
| | SI No.126 Page No.15 | Wiring for plug point with 3/.029 PVC insulated wire in 20mm (3/4") PVC conduit recessed in he wall or column as required. | P. Point | 16.00 | 985.00 | 15760.00 |
| | SI No.227 Page No.33 | Providing and fixing three pin 10/15 amp plug & socket flush type. | P. No | 16.00 | 162.00 | 2592.00 |
| | SI No.227 Page No.33 | Providing and fixing three pin 5amp plug & socket flush type. | P. No | 16.00 | 151.00 | 2416.00 |
| | SI No.11 Page No.02 | Providing and laying (Main or Sub Main) PVC insulated with siz 2-7/.036 copper conductor in 3/4" dia PVC conduit recessed in the wall or column as required. | P. Meter | 30.00 | 252.00 | 7560.00 |
| | SI No. 203 Page No. 31 | Providing & fixing circuit breaker 6,10,15,20,30,40,50, and 63 amp SP (TB- 5S) on prepared board as required. | P. No | 16.00 | 916.00 | 14656.00 |
|] | SI No.197 Page No.30 | Providing & fixing D.P I/C & change over switch 500 volts 100 amp on a prepared board. Affairs Department, Government of Sindh | P. No | 1.00 | 7612.00 | 7612.00 |

| 66 | SI No.228 Page No.33 | Providing & Fixing Bakelite ceiling rose with two terminals. | P. No | 16.00 | 72.00 | 1152.00 |
|-------|--------------------------|--|-----------|------------|------------|-------------|
| 67 | SI No. 235 Page No.34 | Providing & Fixing Brass Ceiling Fan 56" Inches (Good Quality). | P. No | 16.00 | 3185.00 | 50960.00 |
| 68 | SI No. 234 Page No.34 | Providing & Fixing Brass Ceiling Fan 48" Inches (Good Quality). | P. No | 8.00 | 3020.00 | 24160.00 |
| 69 | SI No.236 Page No.34 | Providing & fixing Brass Bracket Fan 18" (Good Quality) | P. No | 6.00 | 2791.00 | 16746.00 |
| 70 | SI No.102 Page No.12 | Providing and laying of (Main or Sub Main) PVC sheeted with 4 core copper conductor 600/1000 volts size 16mm2 | P. Meter | 120.00 | 1300.00 | 156000.00 |
| 71 | SI No.08 Page No.14 | Providing and fixing earthing set with $2x2x1/4$ " copper plate buried in ground at a depth of 12" or less if water comes out from the ground level with salt and chorcoal etc i/c making the pit 12" deep by excavation of all type of soil. Earth plat to be connected with No.8 | Each | 1.00 | 3610.04 | 3610.04 |
| 72 | SI No.02 Page No.14 | Providing & fixing A.c ceiling fan regulator on metal board recessed in the walls column and covered with plastic sheet. | Each | 24.00 | 124.30 | 2983.20 |
| 73 | SI No.06 Page No.33 | Providing & fixing of Energy sever superior quality i/c fixing on existing holder etc complete. | Each | 30.00 | 497.00 | 14910.00 |
| | | | | r. | Total= | 19784106.64 |
| | | | | Above | % | |
| | | | | Below | % | |
| | | | | Sub Head " | 'A" Total= | |
| Sub H | lead "B" | Car Parking & Main Entrance of Gym | nasium Ha | 11 | | |
| 1 | SI No.18 Page No.4 | Excavation in foundation or building bridges and other structures including dabbling dressing, refilling around structure with excavated earth Watering and ramming lead upto 5ft. (b). In ordinary soil. | %0Cft | 3000.00 | 3176.25 | 9528.75 |
| 2 | S.I No.02 P No.15 | Dry rammed brick or stone ballast 1 $1/2$ " to 2" gauge. | %Cft | 6100.00 | 3327.50 | 202977.50 |
| 3 | SI No. 21 Page No. 4 | Earthfilling. Filling, Watering and ramming earth under floor with new earth (Excavated from outside) lead upto one chain and lift upto 5 feet | P. Cft | 5000.00 | 11.00 | 55000.00 |
| 4 | SI No. 05 Page No. 16 | Cement Concrete plain including placing compacting finishing and curing, complete (including screening and washing at stone aggregate without shuttering. Ratio 1:3:6 Affairs Department, Government of Sindh | % Cft | 380.00 | 12595.00 | 47861.00 |

| Image: No.11 (b). Ration 1:4:8 % Cft 4445.00 9416.28 4185 6 SI No.12 Cerrent Plaster 1:4 upto 12' height.(b). 1/2" Thick. % Sft 380.00 2283.93 86 7 SI NO.14 Kerb Stone. Providing & fixing pre-cast Edge Block 3750 PSI Industrial Made size 6 inches thick x 12 inches high including the cost of Cartage, excavation form work for hunching, 1450 PSI lean concrete, 2250 PSI concrete for hunching, 1:4 cement sand mortar. P. Rft 1500.00 297.01 4455 8 SI No.27 Turfing slops of banks or lawns with grass sods including plugging laying, setting and watering (Turf got from within a distance of 5 miles and maintenance for 15 days). %Sft 4000.00 1210.00 484 9 SI No.31 (mb+b). Page (n, 7) Prepring the surface & painting with enamel Paint on masonry walls. %Sft 3800.00 579.14 220 10 SI No.30 P. Providing and fixing iron steel grill using solid square bars of size kj ² x kj ² v kj ² v kj ² ic circle shape at 1-0 apart equivalent fitted with screws are pins ic painting 3 coats with 1st coat of red oxide paints etc. %Sft 3800.00 194.16 2067 12 SI No.71 P Providing act fixing cement paving blocks flooring having size of 197.97x97x0 (mm) of city / quddra / cobble shape with natural colours, having strength BW 5000 PSI to 8500 PSI i/ c fillin | 5 | SI No.04 Daga Na 15 | Cement Concrete Brick or Stone Ballast $1 \frac{1}{2}$ to $2^{"}$ gauge. | | | | |
|--|----|------------------------|--|--------|----------|-----------|-------------------|
| 6 SI No.11 Cement Plaster 1:4 upto 12' height.(b). 96 Sft 380.00 2283.93 86 7 SI NO.14 Kerb Stone. 96 Sft 380.00 2283.93 86 7 Page No.16 Providing & fixing pre-cast Edge Block 3750 PSI Industrial Made size 6 inches thick x 12 inches ligh including the cost of Cartage, excavation form work for hunching, 1450 PSI Lean concrete. 2250 PSI concrete for hunching, 1:4 cement sand mortar. P. Rft 1500.00 297.01 4455 8 SI No.27 Turfing slops of banks or lawns with grass sods including plugging laying, setting and watering Turf got from within a distance of 5 miles and maintenance for 15 days). 96 Sft 3800.00 1210.00 484 9 SI No.31 (at Deparing the surface & painting with enamel Paint on masomy walls. % Sft 3800.00 579.14 220 10 SI No.30 P. Providing and fixing iron steel grill using solid square bars of size k ¹ x k ² x ¹ y ² placed at 4" and frame of flat iron Patti of 3/4" x k'a' i/c circle shape at 1-0 apart equivalent fitted with screws are pins i/c painting 3 coats with 1st coat of red oxide paints etc. 95.5ft 13800.00 194.16 2067 12 SI No.71 P Providing & fixing cement paving blocks flooring having size of 197.97x97x60 (mm) of city / quddra / cobble shape with natural colours, having strength BW 5000 PSI to 8500 PSI to 8500 | | Page No.15 | 88 | %Cft | 4445.00 | 9416 28 | 418553.65 |
| Page No.22 1/2" Thick. 96.Sft 380.00 2283.93 86 7 SI NO.14 Page No.16 Kerb Stone, Providing & fixing pre-cast Edge Block 3750 PSI Industrial Made size 6 inches thick x 12 inches long x12 inches high including the cost of Cartage, excavation form work for hunching, 1450 PSI lean concrete, 2250 PSI concrete for hunching, 1:4 cement sand mortar. P. Rft 1500.00 297.01 4455 8 SI No.29 Supplying and filling sand under floor and plugging in walls. (Sweet Earth) %Cft 6000.00 1141.25 684 9 S.I No.27 Trufing slops of banks or lawns with grass sods including plugging laying, setting and watering (Turf got from with an adistance of 5 miles and maintenance for 15 days). 4000.00 1210.00 484 10 SI No.31 (#+b+b). Page No.73 (A Preparing the surface & painting with enamel Paint on masonry walls. No.94 %Sft 3800.00 579.14 220 11 SI No.71 P Providing and fixing crement paving blocks flooring having size of p3rx97x50 (mm) of city / quddra / coble shape with natural colours, having strength B/W 5000 PSI to 8500 PSI ir cfiling the joints with hill sand and laying in specified manner / pattern and design etc. complete. P.Sft 13800.00 199.77 27568 13 (S.I # 25 page # | 6 | SI No.11 | Cement Plaster 1:4 upto 12' height.(b). | 70011 | 1113.00 | 7110.20 | 110555.05 |
| Page No.16 Providing & fixing pre-cast Edge Block 3750 PS1 Industrial Made size 6 inches hick x 12 inches long x12 inches high including the cost of Cartage, excavation form work for hunching, 1450 PS1 lean concrete, 2250 PS1 concrete for hunching, 1:4 cement sand mortar. P. Rft 1500.00 297.01 4455 8 SI No.27 Supplying and filling sand under floor and plugging in walls. (Sweet Earth) 9 %Cft 6000.00 1141.25 684 9 S.I No.27 Trufing slops of banks or lawns with grass sods including plugging laying, within a distance of 5 miles and maintenance for 15 days). %Sft 4000.00 1210.00 484 10 SI No.31 (arb+b). Page No.73 (A Preparing the surface & painting with enamel Paint on masonry walls. % Sft 3800.00 579.14 2200 (B) 2 nd & subsequent coat % Sft 3800.00 870.00 330 11 SI No.30 P. No.94 Providing and fixing iron steel grill using solid square bars of size ½" ½", ½" placed at 4" and frame of flat iron Pati oxide paints atc. P. Sft 1065.00 194.16 2067 12 SI No.71 P. No.49 Providing & fixing cement paving blocks flooring having size of 197x97x60 (mm) of city / qudra / cobble shape with natural colours, having strength B/W 5000 PS10 8500 PS1 i/c filling the joints with till sand and laying in specified manner / pattern and designe tcc | | Page No.22 | | %Sft | 380.00 | 2283.93 | 8678.93 |
| 3750 PSI Industrial Made size 6 inches thick x 12 inches long x12 inches ligh including the cost of Cartage, excavation form work for hunching, 1450 PSI lean concrete, 2250 PSI concrete for hunching, 1200 PSI load at 4" and frame of flat iron Pati of %" x %" i/c circle shape at 1-0 apart equivalent fitted with screws are pins i/c painting 3 coats with 1st coat of red oxide paints etc. 12 SI No.71 P Providing & fixing cement paving blocks flooring having size of 197x97x60 (mm) of city / quddra / cobble shape with natural colours, having strength B/W S000 PSI to S000 PSI lo filling the joints with hill sand and laying in specified manner / pattern and design etc complete. P.Sft 13800.00 199.77 27568 13 (S.I #25 page #42) Laying floors of approv | 7 | | | | | | |
| 8 SI No.29 Page No.26 Supplying and filling sand under floor and plugging in walls. (Sweet Earth) % Cft 6000.00 1141.25 684 9 S.I No.27 SP:17.1 Trufing slops of banks or lawns with grass sods including plugging laying, setting and watering (Turf got from within a distance of 5 miles and maintenance for 15 days). 4000.00 1210.00 484 10 SI No.31 (a+b+b). Page No.73 (A Preparing the surface & painting with enamel Paint on masonry walls. No.73 % Sft 3800.00 579.14 220 11 S.I No. 30 P. No.94 Providing and fixing iron steel grill using solid square bars of size ½'' x ½'' placed at 4'' and frame of flat iron Patti of ¼'' x ¼'' i/c circle shape at 1-0 apart equivalent fitted with screws are pins i/c painting 3 coats with 1st coat of red oxide paints etc. 1065.00 194.16 2067 12 SI No.71 P No.49 Providing & fixing cement paving blocks flooring having size of 197x97x60 (mm) of city / quddra / cobble shape with natural colours, having strength B/W 5000 PSI to 8500 PSI i/c filling the joints with hill sand and laying in specified manner / pattern and design etc complete. P.Sft 13800.00 199.77 27568 13 (S.I # 25 page # 42) Laying floors of approved coloured glazed tiles 1/4" thick laid in white cement and pigment on a bed of 3/4" thick cement mortar 1:2 %Sft 2,200.00 27,747.06 610.4 | | Page No.16 | 3750 PSI Industrial Made size 6 inches thick x 12 inches long x12 inches high including the cost of Cartage, excavation form work for hunching, 1450 PSI lean concrete, 2250 PSI | | | | |
| Page No.26and plugging in walls. (Sweet Earth)9S.I.No.27 SP:17.1Trufing slops of banks or lawns with grass sods including plugging laying, setting and watering (Turf got from within a distance of 5 miles and maintenance for 15 days).4000.001210.0048410SI No.31 (a+b+b). Page No.73(A. Preparing the surface & painting with enamel Paint on masonry walls. (B) 2 nd & subsequent coat% Sft3800.00579.1422011S.I. No. 30 P. No.94Providing and fixing iron steel grill using solid square bars of size ½" x ½" placed at 4" and frame of flat iron Patti of ¼" x ¼" i/c circle shape at 1-0 apart equivalent fitted with screws are pins i/c painting 3 coats with 1st coat of red oxide paints etc.P. Sft1065.00194.16206712SI No.71 P No.49Providing & fixing cement paving blocks flooring having size of 197x97x60 (mm) of city / quddra / cobble shape with natural colours, having strength B/W 5000 PSI to 8500 PSI to /c filling the joints with hill sand and laying in specified manner / pattern and design etc complete.P. Sft13800.00199.772756813(S.I # 25 page # 42)Laying floors of approved coloured glazed tiles 1/4" thick laid in white cement and pigment on a bed of 3/4" thick cement mortar 1:2% Sft2,200.0027,747.06610,4 | | | | | | | 445515.00 |
| SP:17.1 grass sods including plugging laying, setting and watering (Turf got from within a distance of 5 miles and maintenance for 15 days). Image: solution of the surface & painting with enamel Paint on masonry walls. % Sft 3800.00 579.14 220 10 SI No.31 (a+b+b). Page No.73 (A Preparing the surface & painting with enamel Paint on masonry walls. % Sft 3800.00 579.14 220 (B) 2 nd & subsequent coat % Sft 3800.00 579.14 220 (B) 2 nd & subsequent coat % Sft 3800.00 870.00 330 11 S.I No. 30 P. No.94 Providing and fixing iron steel grill using solid square bars of size ½" x ½" P. Sft 1065.00 194.16 2067 No.94 viig solid square tars of flat iron Patti of ¾" x ¾" i/c circle shape at 1-0 apart equivalent fitted with screws are pins i/c painting 3 coats with 1st coat of red oxide paints etc. 9 10 1065.00 194.16 2067 12 SI No.71 P Providing & fixing cement paving blocks flooring having size of 197x97x60 (mm) of city / quddra / cobble shape with natural colours, having strength B/W 5000 PSI to 8500 PSI i/c filling the joints with hill sand and laying in specified manner / pattern and design etc complete. P.Sft 13800.00 199.77 27568 13 (S.I #25 page #42) | 8 | | | %Cft | 6000.00 | 1141.25 | 68475.00 |
| (a+b+b). Page No.73(if planting bit of blanting with enamel Paint on masonry walls. (B) 2 nd & subsequent coat% Sft3800.00579.14220(B) 2 nd & subsequent coat% Sft3800.00870.0033011S.I No. 30 P. No.94Providing and fixing iron steel grill using solid square bars of size ½" x ½" placed at 4" and frame of flat iron Patti of ¾" x ¾" i/c circle shape at 1-0 apart equivalent fitted with screws are pins i/c painting 3 coats with 1st coat of red oxide paints etc.Providing & fixing cement paving blocks flooring having size of 197x97x60 (mm) of city / quddra / cobble shape with natural colours, having strength B/W 5000 PSI to 8500 PSI i/c filling the joints with hill sand and laying in specified manner / pattern and design etc complete.P.Sft13800.00199.772756813(S.I # 25 page # 42)Laying floors of approved coloured glazed tiles 1/4" thick laid in white cement and pigment on a bed of 3/4" thick cement mortar 1:2% Sft2,200.0027,747.06610,4 | 9 | | grass sods including plugging laying, setting and watering (Turf got from within a distance of 5 miles and | %Sft | 4000.00 | 1210.00 | 48400.00 |
| No.73Will challed 1 and on missing walls.% Sft3800.00579.14220(B) 2nd & subsequent coat% Sft3800.00870.0033011S.I No. 30 P. No.94Providing and fixing iron steel grill using solid square bars of size ½" x ½" placed at 4" and frame of flat iron Patti of ¾" x ¾" i/c circle shape at 1-0 apart equivalent fitted with screws are pins i/c painting 3 coats with 1st coat of red oxide paints etc.P. Sft1065.00194.16206712SI No.71 P No.49Providing & fixing cement paving blocks flooring having size of 197x97x60 (mm) of city / quddra / cobble shape with natural colours, having strength B/W 5000 PSI to 8500 PSI i/c filling the joints with hill sand and laying in specified manner / pattern and design etc complete.P. Sft13800.00199.772756813(S.I # 25 page # 42)Laying floors of approved coloured glazed tiles 1/4" thick laid in white cement and pigment on a bed of 3/4" thick cement mortar 1:2% Sft2,200.0027,747.06610,4 | 10 | | | | | | |
| (B) 2 nd & subsequent coat%Sft3800.00870.0033011S.I No. 30 P. No.94Providing and fixing iron steel grill using solid square bars of size ½" x ½" placed at 4" and frame of flat iron Patti of ¾" x ¾" i/c circle shape at 1-0 apart equivalent fitted with screws are pins i/c painting 3 coats with 1st coat of red oxide paints etc.P. Sft1065.00194.16206712SI No.71 P No.49Providing & fixing cement paving blocks flooring having size of 197x97x60 (mm) of city / quddra / cobble shape with natural colours, having strength B/W 5000 PSI to 8500 PSI i/c filling the joints with hill sand and laying in specified manner / pattern and design etc complete.P.Sft13800.00199.772756813(S.I # 25 page # 42)Laying floors of approved coloured glazed tiles 1/4" thick laid in white cement and pigment on a bed of 3/4" thick cement mortar 1:2%Sft2,200.0027,747.06610,4 | | | with enamel Paint on masonry walls. | % Sft | 3800.00 | 579.14 | 22007.32 |
| No.94 using solid square bars of size ½" x ½" y/2" placed at 4" and frame of flat iron Patti of ½" x ½" i/c circle shape at 1-0 apart equivalent fitted with screws are pins i/c painting 3 coats with 1st coat of red oxide paints etc. oxide paints etc. 12 SI No.71 P Providing & fixing cement paving oxide paints etc. 12 SI No.71 P Providing & fixing cement paving oxide paints etc. 12 SI No.71 P Providing & fixing cement paving oxide paints etc. 14 No.49 blocks flooring having size of of 197x97x60 (mm) of city / quddra / cobble shape with natural colours, naving strength B/W 5000 PSI to 8500 PSI i/c filling the joints with hill sand and laying in specified manner / pattern and design etc complete. P.Sft 13 (S.I # 25 page Laying floors of approved coloured glazed tiles 1/4" thick laid in white cement and pigment on a bed of 3/4" wSft 2,200.00 27,747.06 610,4 | | | (B) 2 nd & subsequent coat | | | | 33060.00 |
| 12 SI No.71 P No.49 Providing & fixing cement paving blocks flooring having size of 197x97x60 (mm) of city / quddra / cobble shape with natural colours, having strength B/W 5000 PSI to 8500 PSI i/c filling the joints with hill sand and laying in specified manner / pattern and design etc complete. P.Sft 13800.00 199.77 27568 13 (S.I # 25 page # 42) Laying floors of approved coloured glazed tiles 1/4" thick laid in white cement and pigment on a bed of 3/4" thick cement mortar 1:2 %Sft 2,200.00 27,747.06 610,4 | 11 | | using solid square bars of size $\frac{1}{2}$ " x $\frac{1}{2}$ " placed at 4" and frame of flat iron Patti of $\frac{3}{4}$ " x $\frac{3}{4}$ " i/c circle shape at 1-0 apart equivalent fitted with screws are pins i/c painting 3 coats with 1st coat of red | P. Sft | 1065.00 | 194.16 | 206780.40 |
| 13(S.I # 25 page # 42)Laying floors of approved coloured glazed tiles 1/4" thick laid in white cement and pigment on a bed of 3/4" thick cement mortar 1:2%Sft2,200.0027,747.06610,4 | 12 | | Providing & fixing cement paving blocks flooring having size of 197x97x60 (mm) of city / quddra / cobble shape with natural colours, having strength B/W 5000 PSI to 8500 PSI i/c filling the joints with hill sand and laying in specified manner / pattern | P.Sft | 13800.00 | 199.77 | 2756826.00 |
| cement and pigment on a bed of 3/4" thick cement mortar 1:2%Sft2,200.0027,747.06610,4 | 13 | | | | | | |
| thick cement mortar 1:2 %Sft 2,200.00 27,747.06 610,4 | | # 42) | 6 | | | | |
| | | | | %Sft | 2 200 00 | 27 747 06 | 610,435.32 |
| 49340 | | | | /0511 | 2,200.00 | | 4934098.87 |
| Above % | | | | | Above | | U)0,0/ |
| Below % | | | | | | % | |
| Sub Head "B" Total= | | | | | | | |

| Sub Head "C" CONSTRUCTION OF PAVILION, FOOTBALL GROUND AND THE FIELD. | | | OTBALL (| GROUND AN | D TOE W | ALL AROUND |
|---|---------------------------|--|----------|-----------|----------|------------|
| | Civil Work | <u>IHE FIELD.</u> | | | | |
| S # | S.I No. | Description | Unit | Qty | Rate | Amount |
| | Civil Work | <u> </u> | | | | |
| 1 | S.I No.18 P. No.4 | Excavation in foundation or building bridges and other structures including dabbling dressing, refilling around structure with excavated earth Watering and ramming lead upto 5ft. (b). In ordinary soil. | 0%Cft | 9300.00 | 3176.25 | 29539.13 |
| 2 | SI No.2 Page No.15 | Dry rammed brick or stone ballast 1 1/2" to 2" Gauge. | % Cft | 1125.00 | 3327.50 | 37434.38 |
| 3 | SI No. 05 Page No. 16 | Cement Concrete plain including placing compacting finishing and curing, complete (including screening and washing at stone aggregate without shuttering. (i) Ratio 1:4:8 | % Cft | 2100.00 | 11288.75 | 237063.75 |
| 4 | SI No.6 P No.17 | Reinforced Cement concrete work including all labour and material except the cost of steel reinforcement and its labour for bending and binding which will be paid separately. This rate also includes all kinds of forms moulds. Lifting shuttering curing rendering and finishing the exposed surface (including screening and washing of shingle). (i) Ratio (1:2:4) | P. Cft | 5310.00 | 337.00 | 1789470.00 |
| | | EARTHFILLING | | | | |
| 5 | SI No.22 Page No.04 | Filling, Watering and ramming earth under floor with new earth (Excavated from outside) lead upto one chain and lift upto 5 feet. | P. Cft | 453500.00 | 11.00 | 4988500.00 |
| 6 | SI No.24 Page No. 19 | Providing and laying 1:3:6 cement concrete solid block masonry wall above 6" in thickness set in 1:6 cement mortar in G.F Ground Floor super structure including raking out joints & curing etc, complete | %Cft | 6880.00 | 15771.01 | 1085045.49 |
| 7 | SI No. 05 Page No. 16 | Cement Concrete plain including placing compacting finishing and curing, complete (including screening and washing at stone aggregate without shuttering. (h) Ratio 1:3:6 | % Cft | 2060.00 | 12595.00 | 259457.00 |
| 8 | S.I No. 11 SP P. No.52 | Cement Plaster 1:4 upto 12' height. (c). 3/4'' thick. | % Sft | 6200.00 | 3015.76 | 186977.12 |
| 9 | (S.NO.11-C/P- 52) | Cement plaster (1:4) upto 12 ' height 1/2" thick | %Sft | 10000.00 | 2283.93 | 228393.00 |
| 10 | (S.I No.05/P- 16) | Cement concrete plain including placing compacting, finishing and curing complete including screening and washing at stone aggregate without shuttering. (f). Ration 1:2:4) | %Cft | 600.00 | 14429.25 | 86575.50 |

| | | | 1 | <u>г </u> | | |
|----|---|---|---------------|--|--------------------------|-----------------------------|
| 11 | (S.I. No.29/P- 93). | P/F G.I. Frames / Chowkats of size 7"x2"/4- 1/2"x3" for doors using 20 gauge G.I. Sheet in/c welded hinges & fixing at site with necessary hold fasts, filling with cement sand slurry of ratio 1:6 & repairing the jambs. The cost also i/c all carriage tools & plants used in making and fixing. | | | | |
| 12 | | | P. Rft | 250.00 | 228.90 | 57225.00 |
| 12 | 2 (S.I No.43/P- 39) False Ceiling. Providing and fixing false ceiling of thermopile in panels of required design and size including frame work of Aluminum T-Section hanged with nail wire to ceiling etc completed. | | Sft | 1100.00 | 91.50 | 100650.00 |
| 13 | SI No.29 Page No.72 | Preparing surface and painting with emulsion paint. | % Sft | 8400.00 | 847.99 | 71231.16 |
| | | (2 nd & subsequent coat). | 0/ 00 | 0.400.000 | 457.00 | |
| 14 | S.I No. 38. Page No.56 | (A) Preparing the surface and painting with weather coat i/c rubbing the surface with rubbing brick / sand paper. Filling the voids with chalk/ plaster of Paris and then painting with weather coat of approved make. | % Sft %Sft | 8400.00 3300.00 | <u>457.38</u> 1328.25 | <u>38419.92</u> 43832.25 |
| | | (B) 2nd & subsequent coat. | %Sft | 3300.00 | 619.85 | 20455.05 |
| 15 | SI No.04 Page No.68 | (c). Painting doors and windows any type.(i). Firs Coat.(ii). Each Subsequent coat. | % Sft %Sft | 1100.00 1100.00 | 657.91 502.15 | 7237.01 5523.65 |
| 16 | SI No.29 Page No.26 | Supplying and filling sand under floor and plugging in walls (Sweet Earth) for Grassy Cricket Ground. | %Cft | 43200.00 | 1141.25 | 493020.00 |
| 17 | S.I No.27 SP:17.1 | Trufing slops of banks or lawns with grass sods including ploughing laying, setting and watering (Turf got from within a distance of 5 miles and maintenance for 15 days). | %Sft | 86400.00 | 1210.00 | 1045440.00 |
| 18 | S.I No.44SP:104 | Supplying Manure | P.Cart Loa | 1080.00 | 298.12 | 321969.60 |
| 19 | SI No.8 P No.17 | Fabrication of mild steel reinforcement for cement concrete including cutting, bending laying in position making joints and fastenings including cost of binding wire (also includes removal of rust) (b). Using Tor Bars. | P. Cwt | 265.00 | 5001.70 | 1325450.50 |
| 20 | S.I No. 30 P. No.94 | Providing and fixing iron steel grill using solid square bars of size $\frac{1}{2}$ " x $\frac{1}{2}$ " placed at 4" and frame of flat iron Patti of $\frac{3}{4}$ " x $\frac{3}{4}$ " i/c circle shape at 1-0 apart equivalent fitted with screws are pins i/c painting 3 coats with 1st coat of red oxide paints etc. | P. Sft | 200.00 | 194.16 | 38832.00 |

| 21 | SI No. 51 Page No. 64 | Providing and fixing in position door and windows and ventilator for first class deodar wood frames 1 1/2" thick and teak wood ply shelters of forest class deodar wood Skelton (Solid) stiled and ply wood stilled and rails core of Portal wood and teak ply wood (3 ply) on both sides including hold fasts hinges al-drops iron tower bolts handles cleats with cord etc. complete. | P. Sft | 300.00 | 1245.96 | 373788.00 |
|----|----------------------------|---|--------|---------|----------|-----------|
| 22 | SI No. 84 Page No. 108 | Supplying and fixing in position Aluminum channels framing for sliding windows and ventilators of Alcop made with 5 mm thick tinted glass glazing (Belgium) and Aluminum fly screen including handles stoppers and locking arrangement etc complete. (a). Deluxe Model (Shite). | P. Sft | 200.00 | 1592.69 | 318538.00 |
| 23 | (S.I # 83-b Page # 108) | Supplying & fixing in position Aluminum channels framing for hinged doors or Alcop made with 5 mm thick tinted glass glazing (Belgium) and Alpha (Japan) handles, stoppers & locking arrangement etc. Complete. Deluxe model (Bronze) | P.Sft | 140.00 | 1507.66 | 211072.40 |
| 24 | SI No. 28 Page No. 43 | Lying of White marble flooring fine dressed on the surface without winding set in lime mortar 1:2 including rubbing and polishing of the joints. (a). 3/4" thick flooring. | P. Sft | 620.00 | 567.48 | 351837.60 |
| 25 | (S. I No/68 Page No.49) | Providing and fixing 3/8" Thick marble tiles of approved quality and colour and shade size 8" x 4" /6" x 4" in dado skirting and facing removal / tucking of existing plaster surface etc. Over 1/2" thick base of cement mortar 1:3 setting of tiles in slurry of white cement over mortar base including filling the joints and washing the tiles with white cement slurry, currint finishing, cleaning and polishing etc complete. (I). For New Works. | P.Sft | 1000.00 | 186.04 | 186040.00 |
| 26 | (S.I # 25 page # 42) | Laying floors of approved coloured glazed tiles 1/4" thick laid in white cement and pigment on a bed of 3/4" thick cement mortar 1:2 | %Sft | 3100.00 | 27747.06 | 860158.86 |
| 27 | SI No.60 Page No.66 | Wooding Beading. Providing and fixing with sunk iron screws wooden architrave approved design / shape having width not less than 2- 1/2 inches as directed by Engineer Incharge. | P. Rft | 250.00 | 49.97 | 12492.50 |
| 28 | SI No.61 Page No.66 | Providing and fixing aluminum sheet on door pasted with glue as per requirement. | P. Sft | 150.00 | 63.77 | 9565.50 |

| | Sanitary Work | | | | | |
|----|--------------------------|---|--------------|-------|-------------------|--------------------|
| 29 | (CSI # 1/P# 1) | Providing and fixing orisa type white glazed earthenware W.C. pan with cost of low level plastic flush tank of 3 gallons capacity of approved quality and flush pipe with bend and making requisite number of holes in walls plinth & floor for pipe connection & making good in cement concrete 1:2:4. (Foreign Equivalent)(i) With 4" dia C.I trap. A. /W.C pain of non less than 23" clear opening between flushing Rim | Each | 2.00 | 5836.60 | 11673.20 |
| 30 | S I No. 4 Page No: 02 | Providing & European type white glazed earthen were wash down w.c pan complete with & laid with C.P brass hinges best quality and buffers 3 gallons plastic flushing cistern with internal fitting with fitting and clamp 3/4" dia and cutting and making requisite number of holes in walls plinth & floor for pipe connection & making good in cement concrete 1:2:4. | Each | 2.00 | 5339.40 | 10678.80 |
| 31 | SI No. 8 Page No.3 | Providing and fixing 24" x 18" lavatory basin in white glazed earthen ware complete with & i/c the cost of W.I OR C.I cantilever brackets 6 inches built into wall, painted white in two coat after a primary coat of red lead paint, a pair of 1/2" dia rubber plug & chrome plate brass chain 1-1/4" dia malleable iron or C.P Brass traps malleable iron or brass union and making requisite number of holes in walls, plinth and floor for pipe connection and making good in cement concrete 1:2:4 | Each | 4.00 | 4253.70 | 17014.80 |
| 32 | SI No.11 Page No.18 | Concealed C.P fittings of superior quality for tiles Bath Rooms. (a). Supply and fixing concealed Stop Cock of superior quality with C.P head | | | | |
| 33 | SI No.22 Page No.19 | 1/2" dia Supplying and fixing bath room accessories set (7) pieces i/c towel rod, brush holder, soap try, shelf of approved quality and design etc complete. | Each Each | 12.00 | 478.28 8122.40 | 5739.36 8122.40 |
| 34 | SI No.1 Page No.16 | Supplying and fixing in position brass bib cocks. (i). (b). 1/2" dia Brass bib cock, standard pattern. | Each | 4.00 | 337.92 | 1351.68 |
| 35 | SI No.15 page no.19 | Providing and fixing jet shower with rod of Superior Quality single C.P head 1/2" dia. | Each | 1.00 | 1142.24 | 1142.24 |
| 36 | SI No.15 page no.19 | (b) Supplying / Fixing wash basin mixture of superior quality with C.P head 1/2" dia. | Each | 2.00 | 3179.00 | 6358.00 |
| 37 | SI No.19 Page NO.19 | (a). Supplying and fixing C.P Muslim Shower with double Bib Cock & Ring Pipe etc complete. | Each | 2.00 | 3432.00 | 6864.00 |

| 20 | CI No 1 Dago | | | | | |
|-----|--|--|------|------|----------|----------|
| 38 | SI No.1 Page No.24 | I-GUILLY TRAP Providing and fixing 6" x 4" C.C Gully Trap with 4" outlet complete with 4" thick 1:2:4 C.C. for bed & 1/2" thick cement plaster (1:3) to the karb, C.I grating 6" x 6" and C.I Cover and frame 12" x 12" (inside) etc complete. | | | | |
| | | (i). With C.I Cover & Frame cement plaster (1:3) to the karb, C.I grating 6" x 6" and C.I Cover and frame 12" x 12" (inside) etc complete. | | | | |
| | | (i). With C.I Cover & Frame. | Each | 6.00 | 1193.17 | 7159.02 |
| 39 | SI No.1 Page No.07 | Providing & fixing chrome plated brass towel rail complete with brackets fixing on wooden cleats with 1" long C.P brass screws (1) Towel rail 36" long (a) ³ /4" dia round or square (Standard | Luch | 0.00 | 11/0/11/ | 1157.02 |
| | | Pattern) | Each | 2.00 | 1269.95 | 2539.90 |
| 40 | SI No.1 Page No.07 | Providing & fixing C.P brass toilet paper holder of stander size with chrome plated brass brackets complete (Similar to twyfords design no.1108) | | | | |
| 4.1 | CLN 1 D | (a) Standard Pattern. | Each | 2.00 | 572.00 | 1144.00 |
| 41 | SI No.1 Page No.07 | Providing & fixing 24"x18" bavelled mirror of Belgium glass complete with 1/8" thick hard board and C.P screws fixed to wooden pleat. (a) Standard Pattern. | | | | |
| 42 | CL No 1 Dago | | Each | 4.00 | 1711.60 | 6846.40 |
| 42 | SI No.1 Page No.07 | Supplying & fixing soap tray earthen ware with C.P screws etc complete | Each | 4.00 | 497.20 | 1988.80 |
| 43 | SI No.3 Page No.21 | Supplying and fixing fiber glass tank of approved quality and design and wall thickness as specified i/c cost of nuts, bolts and fixing in platform of cement concrete 1:3:6 and making connections for in-let & out-let & over flow pipes etc complete. (a). 250 Gallons Wall thickness 3.5 mm | Each | 2.00 | 21989.61 | 43979.22 |
| 44 | S.I No.01 (P) CH:P.H. Work P. No.46 | Constructing manhole or inspection chamber for the required diameter of circular sewer and 3'-6" (1067mm) depth with walls of B.B in cement sand mortar 1:3 cement walls and 1" (25mm)n thick over benching and channel i/c fixing C.I manhole cover with frame of clear opening 1-1/2' x 1-1/2' (457x457mm) of 1.75 cwt. (88.9 kg) embedded in plain C.C 1:2:4 and fixing 1" (25mm) dia M.S Steps 6" (150mm) wide projecting 4" (102mm) from the face of wall at 12" (305mm) C/C duly painted etc. complete as per standard specification and drawing. | | | | |
| | Sports & Vouth | (a) 4"to 12" dia 2'x2'x3'.6" Affairs Department, Government of Sindh | Each | 2.00 | 14748.00 | 29496.00 |

| 45 | S.I No.01 P.H. Work P. No.22 | Providing, Laying UPVC Pressure Pipes of Class ''B'' (equivalent make) fixing in trench i/c cutting, fitting and jointing with 'Z' joint with one rubber ring i/c testing | | | | |
|----|------------------------------------|---|----------|--------|---------|-----------|
| | | with water to a head 61 meter or 200 ft | | | | |
| | | (a) 75 mm (3" dia) | P. Rft | 120.0 | 90.0 | 10800.00 |
| | | (b) 100 mm (4'' dia) | P. Rft | 120.0 | 137.0 | 16440.00 |
| | | (d) 150 mm (6'' dia) | | 300.0 | 262.0 | 78600.00 |
| 46 | SI No.1 Page No.12 | Providing G.I Pipes, specials and clamps etc including fixing cutting &fitting complete with and including the cost of breaking through walls and roof making good etc painting two coats after cleaning the pipe etc with white zink paint with pigment to match the colours of the building and testing with water to pressure head of 200 feet and handling. | | | | |
| | | (i). 1/2" dia GI Pipe. | P. Rft | 260.00 | 73.21 | 19034.60 |
| | | (ii). 3/4" dia GI Pipe. | P. Rft | 220.00 | 95.79 | 21073.80 |
| | | (iii) 1" dia GI Pipe. | P. Rft | 180.00 | 128.55 | 23139.00 |
| | Electrical Work | | | | | |
| 47 | SI No.124 Page No.15 | Wiring for light or fan point with 3/.029 PVC insulated wire in 20mm (3/4") PVC conduit recessed in the wall or column as required. | P. Point | 80.00 | 1130.00 | 90400.00 |
| 48 | SI No.126 Page No.15 | Wiring for plug point with 3/.029 PVC insulated wire in 20mm (3/4") PVC conduit recessed in he wall or column as required. | P. Point | 6.00 | 985.00 | 5910.00 |
| 49 | SI No.227 Page No.33 | Providing and fixing three pin 10/15 amp plug & socket flush type. | P. No | 6.00 | 162.00 | 972.00 |
| 50 | SI No.11 Page No.02 | Providing and laying (Main or Sub Main) PVC insulated with siz 2-7/.036 copper conductor in 3/4" dia PVC conduit recessed in the wall or column as required. | P. Meter | 12.00 | 252.00 | 3024.00 |
| 51 | SI No.102 Page No.12 | Providing and laying (MAIN or SUB MAIN) PVC insulated and PVC sheathed with 4 core armoured copper conductor in 600/1000 volts size 16mm2. | P. Meter | 300.00 | 1679.00 | 503700.00 |
| 52 | SI No. 203 Page No. 31 | Providing & fixing circuit breaker 6,10,15,20,30,40,50, and 63 amp SP (TB-5S) on prepared board as required. | P. No | 16.00 | 916.00 | 14656.00 |
| 53 | SI No.197 Page No.30 | Providing & fixing D.P I/C & change over switch 500 volts 100 amp on a prepared board. | P. No | 1.00 | 7612.00 | 7612.00 |
| 54 | SI No.228 Page No.33 | Providing & Fixing Bakelite ceiling rose with two terminals. | P. No | 18.00 | 72.00 | 1296.00 |
| 55 | SI No. 235 Page No.34 | Providing & Fixing Brass Ceiling Fan 56" Inches (Good Quality). | P. No | 10.00 | 3185.00 | 31850.00 |
| 56 | SI No.236 Page No.34 | Providing & fixing Brass Bracket Fan 18" (Good Quality) | P. No | 2.00 | 2791.00 | 5582.00 |

| 57 | SI No.08 Page No.14 | Providing and fixing earthing set with $2x2x1/4$ " copper plate buried in ground at a depth of 12" or less if water comes out from the ground level with salt and chorcoal etc i/c making the pit 12" deep by excavation of all type of soil. Earth plat to be connected | | | | |
|-------|------------------------|---|---------|---------|----------------|-------------|
| | | with No.8 | Each | 1.00 | 3610.040 | 3610.04 |
| 58 | SI No.02 Page No.14 | Providing & fixing A.c ceiling fan regulator on metal board recessed in the walls column and covered with plastic sheet. | | | | |
| | | | Each | 10.00 | 124.300 | 1243.00 |
| 59 | SI No.06 Page No.33 | Providing & fixing of Energy sever superior quality i/c fixing on existing holder etc complete. | Each | 50.00 | 497.000 | 24850.00 |
| | | complete. | Lacii | 50.00 | Total:- | 15847124.62 |
| | | | | Above | <u>%</u> | 10011121102 |
| | | | | Below | | |
| | | | | | "C" Total:- | |
| Sub H | lead "D" | CONSTRUCTION OF UNDERGROUND | WATER T | | | |
| 1 | SI No.18 Page No.4 | Excavation in foundation or building bridges and other structures including dabbling dressing, refilling around structure with excavated earth Watering and ramming | | | | |
| | | lead upto 5ft. (b). In ordinary soil. | 0%Cft | 6400.00 | 3176.25 | 20328.00 |
| 2 | SI No.22 Page No.04 | Filling, Watering & Ramming earth under floor with new earth (excavated from outside) lead upto one chain and lift upto 5 feet. (Sand Filling). | P. Cft | 2000.00 | 11.00 | 22000.00 |
| | | Making Embankment | T. OR | 2000.00 | 11.00 | 22000.00 |
| 3 | SI No.21 Page No.04 | Filling watering and ramming earth in floors with surplus earth from foundation lead upto one chain and lift upto 5 feet. | 0%Cft | 2000.00 | 1512.50 | 3025.00 |
| 4 | S.I No.02 P | Dry rammed brick or stone ballast 1 1/2" to | 0%CII | 2000.00 | 1312.30 | 3023.00 |
| | No.15 | 2" gauge. | %Cft | 240.00 | 3327.50 | 7986.00 |
| 5 | SI No.04 Page No.15 | Cement Concrete Brick or Stone Ballast 11/2"to2"gauge.(b). Ration 1:4:8 | 70CH | 240.00 | 5521.50 | 1700.00 |
| | | (b). Kation 1.4.8 | %Cft | 240.00 | 9416.28 | 22599.07 |
| 6 | SI No.11 Page No.22 | Cement Plaster 1:4 upto 12' height. (b). 1/2" Thick. | %Sft | 2020.00 | 2283.93 | 46135.39 |
| 7 | SI No.6 Page No.17 | Reinforced cement concrete work including all labour and material except the cost of steel reinforcement and its labour for bending and binding which will be paid separately. This rate also includes all kinds of forms moulds. Lifting shuttering curing rendering and finishing the exposed surface (including screening and washing of shingle). (i). Ratio (1:2:4) | P. Cft | 825.00 | 337.00 | 278025.00 |

| 8 | SI No.5 Page No.17 | Providing & Fixing handle valves china) | | | | |
|----------|-----------------------|---|--------|---------------|------------------|-------------------------------|
| | | (iii) 1" dia | Each | 17.00 | 365.42 | 6212.14 |
| | | (vi) 2" dia. | Each | 3.00 | 1382.92 | 4148.76 |
| 9 | SI No.8 P No.17 | Fabrication of mild steel reinforcement for cement concrete including cutting, bending laying in position making joints and fastenings including cost of binding wire (also includes removal of rust) | P. Cwt | 120.00 | 4820.20 | 578424.00 |
| 10 | SI No.1 Page No.12 | Providing G.I pipes, specials and clamps etc including fixing cutting & fitting complete with and including the cost of breaking through walls and roof, making good etc. Painting two coats after cleaning the pipe etc with white zink paint with pigment to match the colours of the building and testing with water to pressure head of 200 feet and handling. (ii). 1" Dia G.I Pipe. | P. Rft | 670.00 | 128.55 | 86128.50 |
| | | (ii). 1 Dia G.I Pipe. (vi). 2" Dia G.I Pipe. | P. Rft | | | |
| | | (1). 2 Dia Girripe. | 1.141 | 300.00 | 233.00 Total= | 69900.00 1144911.86 |
| | | | | Above | 10tal= % | 1144711.00 |
| | | | | Below | % | |
| | | | | | "D" Total= | |
| | | NON SCHEDULE | E ITEM | IS | | |
| S. No | N.S.I | Description | Unit | Qty | Rate | Amount |
| 1 | NSI | Supply and fixing of MS Railing Pipe in Pavilion as per instruction of Engineer Incharge. | P. Sft | 950.00 | | |
| 2 | NSI | Supply and fixing of fiber glass truss 5mm thick of fiber glass including all truss work weather proof extra after coating weather resistant warranty 55°C and -03°C warranty of fiber glass 10 years. | P. Sft | Rates Only | | |
| 3 | NSI | Providing and Fixing of fiber glass seats including cost of steel frame, rowel bolts etc, fixing complete all respects as per drawings and instructions of the Engineer Incharge. | Each | 330.00 | | |
| 4 | NSI | Pre-Engineered Steel Roof. Providing and fixing of Pre-Engineered Steel building structure (by approved Manufacturer) including all accessories as per specification supplying and fixing by their authorized fixers including the roof panel, wall panels of 0.5mm thick aluzinc coated steel with 50mm thick fiber glass insulation including the shipment and fixing complete in all respect as per drawings and specifications and instruction of Engineer | | | | |

| 5 | NSI | Iron Steel Railing. Providing and fixing of steel iron railing and steel rods and pipes of approved design and shape upto 4 feet high including wastage and welding and fixing with all accessories complete in all respect as per instruction of the Engineer Incharge. | Rft | 147.00 | | |
|---|-----|--|--------|---------|------------|--|
| 6 | NSI | AlcubondFacing.Supplying and Fixing Alcubond facingwith all fixing accessories complete inall respect approved by the client as perspecification and instruction of theengineer Incharge. | Sft | 420.00 | | |
| 7 | NSI | FacingTiles.Supplying and fixing of facing tilesmanufactured by Envicrete or equivalentof approved colour with all fixingaccessories and materials complete in allrespect approved by the client as perspecification and instruction of EngineerIncharge. | Sft | 2100.00 | | |
| 8 | NSI | Supply and laying of filling morrum / Red Clay Soil / Red Surkhi Clay in Jogging Track complete in all respect as per instruction of Engineer Incharge. | P. Cft | 3300.00 | | |
| 9 | NSI | Providing & Fixing of Sports Lights 120 watts classification with 120 w LED highboy light internal wiring complete in all respect at the high-up clear height 32' Feet with the help hydraulic crane or mechanical instrument and manual labour as per site requirement and instruction of Engineer Incharge. | Nos | 20.00 | | |
| | | | | | Total Rs:- | |

SCHEDULE - B TO BID

*SPECIFIC WORKS DATA

(To be prepared and incorporated by the Procuring Agency)

*(Note: The Procuring Agency shall spell out the information & data required to be filled out by the bidder and to furnish complementary information).

WORKS TO BE PERFORMED BY SUBCONTRACTORS*

The bidder will do the work with his own forces except the work listed below which he intends to subcontract.

Items of Works to be Sub-Contracted Name and address of Sub-Contractors

Statement of similar works previously executed. (*attach evidence*)

Note:

* The Procuring Agency should decide whether to allow subcontracting or not.

In case Procuring Agency decides to allow subcontracting then following conditions shall be complied with:

- 1. No change of Sub-Contractors shall be made by the bidder without prior approval of the Procuring Agency.
- 2. The truthfulness and accuracy of the statement as to the experience of Sub-Contractors is guaranteed by the bidder. The Procuring Agency's judgment shall be final as to the evaluation of the experience of Sub-Contractors submitted by the bidder.
- 3. Statement of similar works shall include description, location & value of works, year completed and name & address of the clients.

SCHEDULE – D TO BID

PROPOSED PROGRAMME OF WORKS

Bidder shall provide a programme in a bar-chart or Program Evaluation and Review Technique (PERT) or Critical Path Method (CPM) showing the sequence of work items by which he proposes to complete the works of the entire Contract. The programme should indicate the sequence of work items and the period of time during which he proposes to complete the works including the activities like designing, schedule of submittal of drawings, ordering and procurement of materials, manufacturing, delivering, construction of civil works, erection, testing and commissioning of works to be supplied under the Contract.

SCHEDULE – E TO BID

METHOD OF PERFORMING WORKS

The bidder is required to submit a narrative outlining the method of performing the Works. The narrative should indicate in detail and include but not be limited to:

- The sequence and methods in which he proposes to carry out the Works, including the number of shifts per day and hours per shift, he expects to work.
- A list of all major items of construction and plant erection, tools and vehicles proposed to be used in delivering/carrying out the works at site.
- \Box \Box The procedure for installation of equipment and transportation of equipment and materials to the site.
- □ □ Organization chart indicating head office & field office personnel involved in management, supervision and engineering of the Works to be done under the Contract.

SCHEDULE – F TO BID

(INTEGRITY PACT)

DECLARATION OF FEES, COMMISSION AND BROKERAGE ETC PAYABLE BY CONTRACTORS

(FOR CONTRACTS WORTH RS. 10.00 MILLION OR MORE)

| Contract No | Dated |
|-----------------|-------|
| Contract Value: | |
| Contract Title: | |

Without limiting the generality of the foregoing, [name of Contractor] represents and warrants that it has fully declared the brokerage, commission, fees etc. paid or payable to anyone and not given or agreed to give and shall not give or agree to give to anyone within or outside Pakistan either directly or indirectly through any natural or juridical person, including its affiliate, agent, associate, broker, consultant, director, promoter, shareholder, sponsor or subsidiary, any commission, gratification, bribe, finder's fee or kickback, whether described as consultation fee or otherwise, with the object of obtaining or inducing the procurement of a contract, right, interest, privilege or other obligation or benefit in whatsoever form from, from Procuring Agency (PA) except that which has been expressly declared pursuant hereto.

[name of Contractor] accepts full responsibility and strict liability that it has made and will make full disclosure of all agreements and arrangements with all persons in respect of or related to the transaction with PA and has not taken any action or will not take any action to circumvent the above declaration, representation or warranty. [name of Contractor] accepts full responsibility and strict liability for making any false declaration, not making full disclosure, misrepresenting facts or taking any action likely to defeat the purpose of this declaration, representation and warranty. It agrees that any contract, right, interest, privilege or other obligation or benefit obtained or procured as aforesaid shall, without prejudice to any other rights and remedies available to PA under any law, contract or other instrument, be avoidable at the option of PA.

Notwithstanding any rights and remedies exercised by PA in this regard, [name of Supplier/Contractor/Consultant] agrees to indemnify PA for any loss or damage incurred by it on account of its corrupt business practices and further pay compensation to PA in an amount equivalent to ten time the sum of any commission, gratification, bribe, finder's fee or kickback given by [name of Contractor] as aforesaid for the purpose of obtaining or inducing the procurement of any contract, right, interest, privilege or other obligation or benefit in whatsoever form from PA.

[Procuring Agency]

[Contractor]

CONDITIONS OF CONTRACT

TABLE OF CONTENTS

CONDITIONS OF CONTRACT

| Clause No | Description Page | No |
|-----------|---|----|
| 1. | General Provisions | 55 |
| 2. | The Procuring Agency | |
| 3. | Engineer's/Procuring Agency's Representatives | 57 |
| 4. | The Contractor | 58 |
| 5. | Design by Contractor | 58 |
| 6. | Procuring Agency's Risks | 59 |
| 7. | Time for Completion | 60 |
| 8. | Taking Over | 60 |
| 9. | Remedying Defects | 61 |
| 10. | Variations and Claims | 61 |
| 11. | Contract Price and Payment | |
| 12. | Default | 64 |
| 13. | Risks and Responsibilities | 65 |
| 14. | Insurance | |
| 15. | Resolution of Disputes | 67 |
| 16. | Integrity Pact | 68 |

CONDITIONS OF CONTRACT

1. GENERAL PROVISIONS

1.1 **Definitions**

In the Contract as defined below, the words and expressions defined shall have the following meanings assigned to them, except where the context requires otherwise:

The Contract

- 1.1.1 "Contract" means the Contract Agreement and the other documents listed in the Contract Data.
- 1.1.2 "Specifications" means the document as listed in the Contract Data, including Procuring Agency's requirements in respect of design to be carried out by the Contractor (if any), and any Variation to such document.
- 1.1.3 "Drawings" means the Procuring Agency's drawings of the Works as listed in the Contract Data, and any Variation to such drawings.

Persons

- 1.1.4 "Procuring Agency" means the person named in the Contract Data and the legal successors in title to this person, but not (except with the consent of the Contractor) any assignee.
- 1.1.5 "Contractor means the person named in the Contract Data and the legal successors in title to this person, but not (except with the consent of the Procuring Agency) any assignee.
- 1.1.6 "Partyl means either the Procuring Agency or the Contractor.

Dates, Times and Periods

- 1.1.7 "Commencement Date" means the date fourteen (14) days after the date the Contract comes into effect or any other date named in the Contract Data.
- 1.1.8 "Day∥ means a calendar day.
- 1.1.9 "Time for Completion" means the time for completing the Works as stated in the Contract Data (or as extended under Sub-Clause 7.3), calculated from the Commencement Date.

Money and Payments

1.1.10 "Cost" means all expenditure properly incurred (or to be incurred) by the Contractor, whether on or off the Site, including overheads and similar charges but does not include any allowance for profit.

Other Definitions

- 1.1.11 "Contractor's Equipment means all machinery, apparatus and other things required for the execution of the Works but does not include Materials or Plant intended to form part of the Works.
- 1.1.12 "Country" means the Islamic Republic of Pakistan.
- 1.1.13 "Procuring Agency's Risks" means those matters listed in Sub-Clause 6.1.
- 1.1.14 "Force Majeure" means an event or circumstance which makes performance of a Party's obligations illegal or impracticable and which is beyond that Party's reasonable control.
- 1.1.15 "Materials" means things of all kinds (other than Plant) to be supplied and incorporated in the Works by the Contractor.
- 1.1.16 'Plant means the machinery and apparatus intended to form or forming part of the Works.
- 1.1.17 "Sitel means the places provided by the Procuring Agency where the Works are to be executed, and any other places specified in the Contract as forming part of the Site.
- 1.1.18 "Variation" means a change which is instructed by the Engineer/Procuring Agency under Sub-Clause 10.1.
- 1.1.19 "Works" means any or all the works whether Supply, Installation, Construction etc. and design (if any) to be performed by the Contractor including temporary works and any variation thereof.
- 1.1.20 "Engineer" means the person notified by the Procuring Agency to act as Engineer for the purpose of the Contract and named as such in Contract Data.

1.2 Interpretation

Words importing persons or parties shall include firms and organizations. Words importing singular or one gender shall include plural or the other gender where the context requires.

1.3 **Priority of Documents**

The documents forming the Contract are to be taken as mutually explanatory of one another. If an ambiguity or discrepancy is found in the documents, the priority of the documents shall be in accordance with the order as listed in the Contract Data.

1.4 **Law**

The law of the Contract is the relevant Law of Islamic Republic of Pakistan.

1.5 **Communications**

All Communications related to the Contract shall be in English language.

1.6 **Statutory Obligations**

The Contractor shall comply with the Laws of Islamic Republic of Pakistan and shall give all notices and pay all fees and other charges in respect of the Works.

2. THE PROCURING AGENCY

2.1 **Provision of Site**

The Procuring Agency shall provide the Site and right of access thereto at the times stated in the Contract Data.

Site Investigation Reports are those that were included in the bidding documents and are factual and interpretative reports about the surface and subsurface conditions at the Site.

2.2 **Permits etc.**

The Procuring Agency shall, if requested by the Contractor, assist him in applying for permits, licenses or approvals which are required for the Works.

2.3 Engineer's/Procuring Agency's Instructions

The Contractor shall comply with all instructions given by the Procuring Agency or the Engineer, if notified by the Procuring Agency, in respect of the Works including the suspension of all or part of the works.

2.4 Approvals

No approval or consent or absence of comment by the Engineer/Procuring Agency shall affect the Contractor's obligations.

3. ENGINEER'S/PROCURING AGENCY'S REPRESENTATIVES

3.1 Authorized Person

The Procuring Agency shall appoint a duly authorized person to act for him and on his behalf for the purposes of this Contract. Such authorized person shall be duly identified in the Contract Data or otherwise notified in writing to the Contractor as soon as he is so appointed. In either case the Procuring Agency shall notify the Contractor, in writing, the precise scope of the authority of such authorized person at the time of his appointment.

3.2 Engineer's/Procuring Agency's Representative

The name and address of Engineer's/Procuring Agency's Representative is given in Contract Data. However the Contractor shall be notified by the Engineer/Procuring Agency, the delegated duties and authority before the Commencement of works.

4. THE CONTRACTOR

4.1 **General Obligations**

The Contractor shall carry out the works properly and in accordance with the Contract. The Contractor shall provide all supervision, labour, Materials, Plant and Contractor's Equipment which may be required

4.2 **Contractor's Representative**

The Contractor shall appoint a representative at site on full time basis to supervise the execution of work and to receive instructions on behalf of the Contractor but only after obtaining the consent of the Procuring Agency for such appointment which consent shall not be withheld without plausible reason(s) by the Procuring Agency. Such authorized representative may be substituted/ replaced by the Contractor at any time during the Contract Period but only after obtaining the consent of the Procuring Agency as aforesaid.

4.3 Subcontracting

The Contractor shall not subcontract the whole of the works. The Contractor shall not subcontract any part of the works without the consent of the Procuring Agency.

4.4 **Performance Security**

The Contractor shall furnish to the Procuring Agency within fourteen (14) days after receipt of Letter of Acceptance a Performance Security at the option of the bidder, in the form of Payee's order /Bank Draft or Bank Guarantee from scheduled bank for the amount and validity specified in Contract Data.

5. DESIGN BY CONTRACTOR

5.1 **Contractor's Design**

The Contractor shall carry out design to the extent specified, as referred to in the Contract Data. The Contractor shall promptly submit to the Engineer/Procuring Agency all designs prepared by him, within fourteen (14) days of receipt the Engineer/Procuring Agency shall notify any comments or, if the design submitted is not in accordance with the Contract, shall reject it stating the reasons.

The Contractor shall not construct any element of the works designed by him within fourteen (14) days after the design has been submitted to the Engineer/Procuring Agency or which has been rejected. Design that has been rejected shall be promptly amended and resubmitted. The Contractor shall resubmit all designs commented on taking these comments into account as necessary.

5.2 **Responsibility for Design**

The Contractor shall remain responsible for his bided design and the design under this Clause, both of which shall be fit for the intended purposes defined in the Contract and he shall also remain responsible for any infringement of any patent or copyright in respect of the same. The Engineer/Procuring Agency shall be responsible for the Specifications and Drawings.

6. **PROCURING AGENCY'S RISKS**

6.1 **The Procuring Agency's Risks**

The Procuring Agency's Risks are:-

- a) War, hostilities (whether war be declared or not), invasion, act of foreign enemies, within the Country;
- b) Rebellion, terrorism, revolution, insurrection, military or usurped power, or civil war, within the Country;
- c) riot, commotion or disorder by persons other than the Contractor's personnel and other employees including the personnel and employees of Sub-Contractors, affecting the Site and/or the Works;
- d) Ionizing radiations, or contamination by radio-activity from any nuclear fuel, or from any nuclear waste from the combustion of nuclear fuel, radio-active toxic explosive, or other hazardous properties of any explosive nuclear assembly or nuclear component of such an assembly, except to the extent to which the Contractor/Sub-Contractors may be responsible for the use of any radio-active material;
- e) Pressure waves caused by aircraft or other aerial devices traveling at sonic or supersonic speeds;
- f) use or occupation by the Procuring Agency of any part of the Works, except as may be specified in the Contract;
- g) late handing over of sites, anomalies in drawings, late delivery of designs and drawings of any part of the Works by the Procuring Agency's personnel or by others for whom the Procuring Agency is responsible;
- h) a suspension under Sub-Clause 2.3 unless it is attributable to the Contractor's failure; and

j) Physical obstructions or physical conditions other than climatic conditions, encountered on the Site during the performance of the Works, for which the Contractor immediately notified to the Procuring Agency and accepted by the Procuring Agency.

7. TIME FOR COMPLETION

7.1 **Execution of the Works**

The Contractor shall commence the Works on the Commencement Date and shall proceed expeditiously and without delay and shall complete the Works, subject to Sub-Clause 7.3 below, within the Time for Completion.

7.2 **Programme**

Within the time stated in the Contract Data, the Contractor shall submit to the Engineer/Procuring Agency a programme for the Works in the form stated in the Contract Data.

7.3 **Extension of Time**

The Contractor shall, within such time as may be reasonable under the circumstances, notify the Procuring Agency/Engineer of any event(s) falling within the scope of Sub-Clause 6.1 or 10.3 of these Conditions of Contract and request the Procuring Agency/Engineer for a reasonable extension in the time for the completion of works. Subject to the aforesaid, the Procuring Agency/Engineer shall determine such reasonable extension in the time for the completion of works as may be justified in the light of the details/particulars supplied by the Contractor in connection with the such determination by the Procuring Agency/Engineer within such period as may be prescribed by the Procuring Agency/Engineer for the same; and the Procuring Agency may extend the time for completion as determined.

7.4 **Late Completion**

If the Contractor fails to complete the Works within the Time for Completion, the Contractor's only liability to the Procuring Agency for such failure shall be to pay the amount as **liquidity damages** stated in the Contract Data for each day for which he fails to complete the Works.

8. TAKING-OVER

8.1 **Completion**

The Contractor may notify the Engineer/Procuring Agency when he considers that the Works are complete.

8.2.1 **Taking-Over Notice**

Within fourteen (14) days of the receipt of the said notice of completion from the Contractor the Procuring Agency/Engineer shall either takeover the completed works and issue a Certificate of Completion to that effect or shall notify the Contractor his reasons for not taking-over the works. While issuing the Certificate of Completion as aforesaid, the Procuring Agency/Engineer may identify any outstanding items of work which the Contractor shall undertake during the Maintenances Period.

9. **REMEDYING DEFECTS**

9.1 **Remedying Defects**

The Contractor shall for a period stated in the Contract Data from the date of issue of the Certificate of Completion carry out, at no cost to the Procuring Agency, repair and rectification work which is necessitated by the earlier execution of poor quality of work or use of below specifications material in the execution of Works and which is so identified by the Procuring Agency/Engineer in writing within the said period. Upon expiry of the said period, and subject to the Contractor's faithfully performing his aforesaid obligations, the Procuring Agency/Engineer shall issue a Maintenance Certificate whereupon all obligations of the Contractor under this Contract shall come to an end.

Failure to remedy any such defects or complete outstanding work within a reasonable time shall entitle the Procuring Agency to carry out all necessary works at the Contractor's cost. However, the cost of remedying defects not attributable to the Contractor shall be valued as a Variation.

9.2 **Uncovering and Testing**

The Engineer/Procuring Agency may give instruction as to the uncovering and/or testing of any work. Unless as a result of an uncovering and/or testing it is established that the Contractor's design, materials, plant or workmanship are not in accordance with the Contract, the Contractor shall be paid for such uncovering and/or testing as a Variation in accordance with Sub-Clause 10.2.

10. VARIATIONS AND CLAIMS

10.1 **Right to Vary**

The Procuring Agency/Engineer may issue Variation Order(s) in writing. Where for any reason it has not been possible for the Procuring Agency/Engineer to issue such Variations Order(s), the Contractor may confirm any verbal orders given by the Procuring Agency/Engineer in writing and if the same are not refuted/denied by the Procuring Agency/Engineer within ten (10) days of the receipt of such confirmation the same shall be deemed to be a Variation Orders for the purposes of this Sub-Clause.

10.2 Valuation of Variations

Variations shall be valued as follows:

- a) at a lump sum price agreed between the Parties, or
- b) where appropriate, at rates in the Contract, or
- c) in the absence of appropriate rates, the rates in the Contract shall be used as the basis for valuation, or failing which
- d) at appropriate new rates, as may be agreed or which the Engineer/Procuring Agency considers appropriate, or
- e) if the Engineer/Procuring Agency so instructs, at day work rates set out in the Contract Data for which the Contractor shall keep records of hours of labour and Contractor's Equipment, and of Materials, used.

10.3 **Changes in the Quantities.**

- a) If the final quantity of the work done differs from the quantity in the Bill of Quantities for the particular item by more than 25 percent, provided the change exceeds 1 percent of the Initial Contract Price, the Procuring Agency/Engineer shall adjust the rate to allow for the change and will be valued as per sub clause 10.2.
- b) The Engineer shall not adjust rates from changes in quantities if thereby the Initial Contract Price is exceeded by more than 15 percent, except with the prior approval of the Procuring Agency.
- c) If requested by the Engineer, the contractor shall provide the Engineer with a detailed cost breakdown of any rate in the Bill of Quantities.

10.4 Early Warning

The Contractor shall notify the Engineer/Procuring Agency in writing as soon as he is aware of any circumstance which may delay or disrupt the Works, or which may give rise to a claim for additional payment.

To the extent of the Contractor's failure to notify, which results to the Engineer/Procuring Agency being unable to keep all relevant records or not taking steps to minimise any delay, disruption, or Cost, or the value of any Variation, the Contractor's entitlement to extension of the Time for Completion or additional payment shall be reduced/rejected.

10.5 Valuation of Claims

If the Contractor incurs Cost as a result of any of the Procuring Agency's Risks, the Contractor shall be entitled to the amount of such Cost. If as a result of any Procuring Agency's Risk, it is necessary to change the Works, this shall be dealt with as a Variation subject to Contractor's notification for intention of claim to the Engineer/Procuring Agency within fourteen (14) days of the occurrence of cause.

10.6 Variation and Claim Procedure

The Contractor shall submit to the Engineer/Procuring Agency an itemized detailed breakdown of the value of variations and claims within twenty eight (28) days of the instruction or of the event giving rise to the claim. The Engineer/Procuring Agency shall check and if possible agree the value. In the absence of agreement, the Procuring Agency shall determine the value.

11. CONTRACT PRICE AND PAYMENT

11.1 (a) **Terms of Payments**

The amount due to the Contractor under any Interim Payment Certificate issued by the Engineer pursuant to this Clause, or to any other terms of the Contract, shall, subject to Clause 11.3, be paid by the Procuring Agency to the Contractor within 30 days after such Interim Payment Certificate has been jointly verified by Procuring Agency and Contractor, or, in the case of the Final Certificate referred to in Sub Clause 11.5, within 60days after such Final Payment Certificate has been jointly verified by Procuring Agency and Contractor;

Provided that the Interim Payment shall be caused in thirty (30) days and Final Payment in 60 days in case of foreign funded project. In the event of the failure of the Procuring Agency to make payment within 90 days then Procuring Agency shall pay to the Contractor compensation at the 28 days rate of KIBOR+2% per annum in local currency and LIBOR+1% for foreign currency, upon all sums unpaid from the date by which the same should have been paid.

(b) Valuation of the Works

The Works shall be valued as provided for in the Contract Data, subject to Clause 10.

11.2 Monthly Statements

The Contractor shall be entitled to be paid at monthly intervals:

- a) The value of the Works executed less to the cumulative amount paid previously; and
- b) Value of secured advance on the materials and valuation of variations (if any).

The Contractor shall submit each month to the Engineer/Procuring Agency a statement showing the amounts to which he considers himself entitled.

11.3 Interim Payments

Within a period not exceeding seven (07) days from the date of submission of a statement for interim payment by the Contractor, the Engineer shall verify the same and within a period not exceeding thirty (30/60) days from the said date of submission by the Contractor, the Procuring Agency shall pay to the Contractor the sum subject to adjustment for deduction of the advance payments and retention money.

11.4 **Retention**

Retention money shall be paid by the Procuring Agency to the Contractor within fourteen (14) days after either the expiry of the period stated in the Contract Data, or the remedying of notified defects, or the completion of outstanding work, all as referred to in Sub-Clause 9.1, whichever is the later.

11.5 Final Payment

Within twenty one (21) days from the date of issuance of the Maintenance Certificate the Contractor shall submit a final account to the Engineer to verify and the Engineer shall verify the same within fourteen (14) days from the date of submission and forward the same to the Procuring Agency together with any documentation reasonably required to enable the Procuring Agency to ascertain the final contract value.

Within sixty (60) days from the date of receipt of the verified final account from the Engineer, the Procuring Agency shall pay to the Contractor any amount due to the Contractor. While making such payment the Procuring Agency may, for reasons to be given to the Contractor in writing, withhold any part or parts of the verified amount.

11.6 Currency

Payment shall be in the currency stated in the Contract Data.

12. DEFAULT

12.1 **Defaults by Contractor**

If the Contractor abandons the Works, refuses or fails to comply with a valid instruction of the Engineer/Procuring Agency or fails to proceed expeditiously and without delay, or is, despite a written complaint, in breach of the Contract, the Procuring Agency may give notice referring to this Sub-Clause and stating the default.

If the Contractor has not taken all practicable steps to remedy the default within fourteen (14) days after receipt of the Procuring Agency's notice, the Procuring Agency may by a second notice given within a further twenty one (21) days, terminate the Contract. The Contractor shall then demobilize from the Site leaving behind any Contractor's Equipment which the Procuring Agency instructs, in the second notice, to be used for the completion of the Works at the risk and cost of the Contractor.

12.2 **Defaults by Procuring Agency**

If the Procuring Agency fails to pay in accordance with the Contract, or is, despite a written complaint, in breach of the Contract, the Contractor may give notice referring to this Sub-Clause and stating the default. If the default is not remedied within fourteen (14) days after the Procuring Agency's receipt of this notice, the Contractor may suspend the execution of all or parts of the Works.

If the default is not remedied within twenty eight (28) days after the Procuring Agency's receipt of the Contractor's notice, the Contractor may by a second notice given within a further twenty one (21) days, terminate the Contract. The Contractor shall then demobilize from the Site.

12.3 Insolvency

If a Party is declared insolvent under any applicable law, the other Party may by notice terminate the Contract immediately. The Contractor shall then demobilize from the site leaving behind, in the case of the Contractor's insolvency, any Contractor's Equipment which the Procuring Agency instructs in the notice is to be used for the completion of the Works.

12.4 **Payment upon Termination**

After termination, the Contractor shall be entitled to payment of the unpaid balance of the value of the works executed and of the Materials and Plant reasonably delivered to the site, adjusted by the following:

- a) any sums to which the Contractor is entitled under Sub-Clause 10.4,
- b) any sums to which the Procuring Agency is entitled,
- c) if the Procuring Agency has terminated under Sub-Clause 12.1 or 12.3, the Procuring Agency shall be entitled to a sum equivalent to twenty percent (20%) of the value of parts of the Works not executed at the date of the termination, and
- d) if the Contractor has terminated under Sub-Clause 12.2 or 12.3, the Contractor shall be entitled to the cost of his demobilization together with a sum equivalent to ten percent (10%) of the value of parts of the works not executed at the date of termination.

The net balance due shall be paid or repaid within twenty eight (28) days of the notice of termination.

13. RISKS AND RESPONSIBILITIES

13.1 Contractor's Care of the Works

Subject to Sub-Clause 9.1, the Contractor shall take full responsibility for the care of the

Works from the Commencement Date until the date of the Procuring Agency's/Engineer's issuance of Certificate of Completion under Sub-Clause 8.2. Responsibility shall then pass to the Procuring Agency. If any loss or damage happens to the Works during the above period, the Contractor shall rectify such loss or damage so that the Works conform with the Contract.

Unless the loss or damage happens as a result of any of the Procuring Agency's Risks, the Contractor shall indemnify the Procuring Agency, or his agents against all claims loss, damage and expense arising out of the Works.

13.2 Force Majeure

If Force Majeure occurs, the Contractor shall notify the Engineer/Procuring Agency immediately. If necessary, the Contractor may suspend the execution of the Works and, to the extent agreed with the Procuring Agency demobilize the Contractor's Equipment.

If the event continues for a period of eighty four (84) days, either Party may then give notice of termination which shall take effect twenty eight (28) days after the giving of the notice.

After termination, the Contractor shall be entitled to payment of the unpaid balance of the value of the Works executed and of the Materials and Plant reasonably delivered to the Site, adjusted by the following:

- a) Any sums to which the Contractor is entitled under Sub-Clause 10.4,
- b) The cost of his demobilization, and
- c) Less any sums to which the Procuring Agency is entitled.

The net balance due shall be paid or repaid within thirty five (35) days of the notice of termination.

14. INSURANCE

14.1 Arrangements

The Contractor shall, prior to commencing the Works, effect insurances of the types, in the amounts and naming as insured the persons stipulated in the Contract Data except for items (a) to (e) and (i) of the Procuring Agency's Risks under Sub-Clause 6.1. The policies shall be issued by insurers and in terms approved by the Procuring Agency. The Contractor shall provide the Engineer/Procuring Agency with evidence that any required policy is in force and that the premiums have been paid.

14.2 **Default**

If the Contractor fails to effect or keep in force any of the insurances referred to in the previous Sub-Clause, or fails to provide satisfactory evidence, policies or receipts, the Procuring Agency may, without prejudice to any other right or remedy, effect insurance for the cover relevant to such as a default and pay the premiums due and recover the same plus a sum in percentage given in Contractor Data from any other amounts due to the Contractor.

15. RESOLUTION OF DISPUTES

15.1 Engineer's Decision

If a dispute of any kind whatsoever arises between the Procuring Agency and the Contractor in connection with the works, the matter in dispute shall, in the first place, be referred in writing to the Engineer, with a copy to the other party. Such reference shall state that it is made pursuant to this Clause. No later than the twenty eight (28) days after the day on which he received such reference, the Engineer shall give notice of his decision to the Procuring Agency (Superintending Engineer) and the Contractor.

Unless the Contract has already been repudiated or terminated, the Contractor shall, in every case, continue to proceed with the work with all due diligence, and the Contractor and the Procuring Agency (Superintending Engineer)shall give effect forthwith to every such decision of the Engineer unless and until the same shall be revised, as hereinafter provided in an arbitral award.

15.2 **Notice of Dissatisfaction**

If a Party is dissatisfied with the decision of the Engineer of consultant or if no decision is given within the time set out in Sub-Clause 15.1 here above, the Party may give notice of dissatisfaction referring to this Sub-Clause within fourteen (14) days of receipt of the decision or the expiry of the time for the decision. If no notice of dissatisfaction is given within the specified time, the decision shall be final and binding on the Parties. If notice of dissatisfaction is given within the specified time, the decision shall be binding on the Parties who shall give effect to it without delay unless and until the decision of the Engineer is revised by an arbitrator.

If a contractor is dissatisfied with the decision of the Engineer of the department or decision is not given in time then he can approach Superintending Engineer within 14 days, in case of dissatisfaction with decision of Superintending Engineer or not decided within 28 days, then arbitration process would be adopted as per clause 15.3.

15.3 Arbitration

A dispute which has been the subject of a notice of dissatisfaction shall be finally settled as per provisions of Arbitration Act 1940 (Act No. X of 1940) and Rules made there under and any statutory modifications thereto. Any hearing shall be held at the place specified in the Contract Data and in the language referred to in Sub-Clause 1.5.

16 INTEGRITY PACT

- 16.1 If the Contractor or any of his Sub-Contractors, agents or servants is found to have violated or involved in violation of the Integrity Pact signed by the Contractor as Schedule-F to his Bid, then the Procuring Agency shall be entitled to:
 - (a) recover from the Contractor an amount equivalent to ten times the sum of any commission, gratification, bribe, finder's fee or kickback given by the Contractor or any of his Sub-Contractors, agents or servants;
 - (b) terminate the Contract; and
 - (c) recover from the Contractor any loss or damage to the Procuring Agency as a result of such termination or of any other corrupt business practices of the Contractor or any of his Sub-Contractors, agents or servants.

On termination of the Contract under Sub-Para (b) of this Sub-Clause, the Contractor shall demobilize from the site leaving behind Contractor's Equipment which the Procuring Agency instructs, in the termination notice, to be used for the completion of the works at the risk and cost of the Contractor. Payment upon such termination shall be made under Sub-Clause 12.4, in accordance with Sub-Para (c) thereof, after having deducted the amounts due to the Procuring Agency under Sub-Para (a) and (c) of this Sub-Clause.

CONTRACT DATA

(Note: Except where otherwise indicated, all Contract Data should be filled in by the Procuring Agency prior to issuance of the Bidding Documents.)

Sub-Clauses of Conditions of Contract

- 1.1.3 Procuring Agency's Drawings, if any (*To be listed by the Procuring Agency*)
- 1.1.4 The Procuring Agency means <u>Engineering Wing of Sports & Youth Affairs Department,</u> <u>Government of Sindh, Karachi.</u>
- 1.1.5The Contractor meansThe individual or Firm or Company.
- 1.1.7 **Commencement Date** means the date of issue of Engineer's Notice to Commence which shall be issued within fourteen (14) days of the signing of the Contract Agreement.

1.1.9 Time for Completion <u>730</u> days

(The time for completion of the whole of the Works should be assessed by the Procuring Agency)

1.1.20 Engineer (mention the name along with the designation including whether he belongs to department or consultant) and other details
 <u>Najamuddin Shaikh</u>
 <u>Executive Engineer (Civil), Sports & Youth Affairs Department.</u>

1.3 Documents forming the Contract listed in the order of priority:

- (a) The Contract Agreement
- (b) Letter of Acceptance
- (c) The completed Form of Bid
- (d) Contract Data
- (e) Conditions of Contract
- (f) The completed Schedules to Bid including Schedule of Prices
- (g) The Drawings, if any
- (h) The Specifications
- (i) Nil
- (j) Nil

(The Procuring Agency may add, in order of priority, such other documents as form part of the Contract. Delete the document, if not applicable)

- 2.1 **Provision of Site:** On the Commencement Date
- 3.1 Authorized person: Mr. Najamuddin Shaikh, Executive Engineer (Civil).
- 3.2 Name and address of Engineer's/Procuring Agency's representative Mr. Sajjad Ahmed Soomro, Assistant Executive Engineer (Civil).
- 4.4 **Performance Security:**

 Amount
 Nil

 Validity
 Nil

 (Form: As provided under Standard Forms of these Documents)

- 5.1 **Requirements for Contractor's design (if any):** Specification Clause No's Nil
- 7.2 Programme: Time for submission: Within fourteen (14) days* of the Commencement Date. Form of programme: 90 days (Bar Chart/CPM/PERT or other)

 7.4 Amount neuroble due to failure to commission that shall be 0.05% (non denum to commission)
- 7.4 Amount payable due to failure to complete shall be <u>0.05%</u> per day up to a maximum of (10%) of sum stated in the Letter of Acceptance
 (Usually the liquidated damages are set between 0.05 percent and 0.10 percent per day.)

7.5 Early Completion

In case of earlier completion of the Work, the Contractor is entitled to be paid bonus up-to limit and at a rate equivalent to 50% of the relevant limit and rate of liquidated damages stated in the contract data.

9.1 **Period for remedying defects** 03 Calendar months from the date of completion of work.

10.2 (e) Variation procedures:

Day work rates Para 10 (10.1). condition of contract (details)

11.1 **Terms of Payments**

a) Mobilization Advance

- (1) Mobilization Advance up to 10 % of the Contract Price stated in the Letter of Acceptance shall be paid by the Procuring Agency to the Contractor on the works costing Rs.2.5 million or above on following conditions:
 - (i) on submission by the Contractor of a Mobilization Advance Guarantee for the full amount of the Advance in the specified form from a Scheduled Bank in Pakistan to the Procuring Agency;
 - (ii) Contractor will pay interest on the mobilization advance at the rate of 10% per annum on the advance; and

(iii) This Advance including the interest shall be recovered in 5 equal installments from the five (05) R.A bills and in case the number of bills is less than five (05) then 1/5th of the advance **inclusive of the interest** thereon shall be recovered from each bill and the balance together with interest be recovered from the final bill. It may be insured that there is sufficient amount in the final bill to enable recovery of the Mobilization Advance.

OR

2) Secured Advance on Materials

- (a) The Contractor shall be entitled to receive from the Procuring Agency Secured Advance against an INDENTURE BOND in P W Account Form No. 31(Fin. R. Form No. 2 acceptable to the Procuring Agency of such sum as the Engineer may consider proper in respect of non-perishable materials brought at the Site but not yet incorporated in the Permanent Works provided that:
 - (i) The materials are in accordance with the Specifications for the Permanent Works;
 - (ii) Such materials have been delivered to the Site and are properly stored and protected against loss or damage or deterioration to the satisfaction and verification of the Engineer but at the risk and cost of the Contractor;
 - (iii) The Contractor's records of the requirements, orders, receipts and use of materials are kept in a form approved by the Engineer, and such records shall be available for inspection by the Engineer;
 - (iv) The Contractor shall submit with his monthly statement the estimated value of the materials on Site together with such documents as may be required by the Engineer for the purpose of valuation of materials and providing evidence of ownership and payment therefore;
 - (v) Ownership of such materials shall be deemed to vest in the Procuring Agency and these materials shall not be removed from the Site or otherwise disposed of without written permission of the Procuring Agency;
 - (vi) The sum payable for such materials on Site shall not exceed 75 % of the (i) landed cost of imported materials, or (ii) ex-factory / ex-warehouse price of locally manufactured or produced materials, or (iii) market price of stands other materials;
 - (vii) Secured Advance should not be allowed unless &until the previous advance, if an, fully recovered;
 - (viii) Detailed account of advances must be kept in part II of running account bill; and
 - (ix) Secured Advance may be permitted only against materials/quantities anticipated to be consumed / utilized on the work within a period of 3 months from the date of issue of secured advance and definitely not for full quantities of materials for the entire work/contract

- (b) Recovery of Secured Advance:
 - (i) Secured Advance paid to the Contractor under the above provisions shall be effected from the monthly payments on actual consumption basis, but not later than period specified in the rules not more than three months (even if unutilized); other conditions.
 - (ii) As recoveries are made the outstanding accounts of the items concerned in Part II should be reduced b making deduction entries in the column; —deduct quantity utilized in work measured since previous bill, equivalent to the quantities of materials used by the contractor on items of work shown as executed in part I of the bill.
- (c) Interim payments: The Contractor shall submit to the Engineer monthly statements of the estimated value of the work completed less the cumulative amount certified previously.
 - (i) The value of work completed comprises the value of the quantities of the items in the Bill of Quantities completed.
 - (ii) value of secured advance on the materials and valuation of variations (if any).
 - (iii) Engineer may exclude any item certified in a previous certificate or reduce the proportion of any item previously certified in any certificate in the light of later information.
 - (v) Retention money and other advances are to be recovered from the bill submitted by contractor.

11.2 *(a) Valuation of the Works:

- i) Lump sum price_____(details), or
- ii) Lump sum price with schedules of rates _____ (details), or
- iii) Lump sum price with bill of quantities_____(details), or

iv) Re-measurement with estimated/bid quantities in the Schedule of Prices or on premium above or below quoted on the rates mentioned in CSR _____(details), or/and

v) Cost reimbursable_____(details)

11.3 **Percentage of retention*:** *five (5%)*

11.6 Currency of payment: Pak. Rupees

14.1 **Insurances:** (*Procuring Agency may decide, keeping in view the nature and the scope of the work*)

Type of cover

The Works

Amount of cover

The sum stated in the Letter of Acceptance plus fifteen percent (15%)

Type of cover

Contractor'____s Equipment:

Amount of cover

Full replacement cost

Type of cover Third Party-injury to persons and damage to property

(The minimum amount of third party insurance should be assessed by the Procuring Agency and entered).

Workers:

Other cover*:

(In each case name of insured is Contractor and Procuring Agency)

14.2 **Amount to be recovered**

Premium plus ______ percent (____%).

14.3 Arbitration** Place of Arbitration:_____

* (Procuring Agency to specify as appropriate) ** (It has to be in the Province of Sindh)

STANDARD FORMS

(Note: Standard Forms provided in this document for securities are to be issued by a bank. In case the bidder chooses to issue a bond for accompanying his bid or performance of contract or receipt of advance, the relevant format shall be tailored accordingly without changing the spirit of the Forms of securities).

FORM OF BID SECURITY

(Bank Guarantee)

| (Letter by the Guarantor to the Procuring Agency) | | | |
|--|---|--|--|
| Name of Guarantor (Scheduled Bank in Pakistan) with address: | | | |
| Name of Principal (Bidder) with address: | | | |
| Sum of Security (express in words and figures): | - | | |
| Bid Reference No Date of Bid | - | | |

KNOW ALL MEN BY THESE PRESENTS, that in pursuance of the terms of the Bid and at the request of the said Principal, we the Guarantor above-named are held and firmly bound unto the ________, (hereinafter called The —Procuring Agencyl) in the sum stated above, for the payment of which sum well and truly to be made, we bind ourselves, our heirs, executors, administrators and successors, jointly and severally, firmly by these presents.

 THE CONDITION OF THIS OBLIGATION IS SUCH, that whereas the Principal has submitted the accompanying Bid numbered and dated as above for (Particulars of Bid) to the said Procuring Agency;

and

WHEREAS, the Procuring Agency has required as a condition for considering the said Bid that the Principal furnishes a Bid Security in the above said sum to the Procuring Agency, conditioned as under:

- (1) that the Bid Security shall remain valid for a period of twenty eight (28) days beyond the period of validity of the bid;
- (2) that in the event of;
 - (a) the Principal withdraws his Bid during the period of validity of Bid, or
 - (b) the Principal does not accept the correction of his Bid Price, pursuant to Sub-Clause 16.4 (b) of Instructions to Bidders, or
 - (c) failure of the successful bidder to
 - (i) furnish the required Performance Security, in accordance with Sub-Clause IB-21.1 of Instructions to Bidders, or
 - (ii) Sign the proposed Contract Agreement, in accordance with Sub-Clauses IB-20.2 & 20.3 of Instructions to Bidders,

Sports & Youth Affairs Department, Government of Sindh

the entire sum be paid immediately to the said Procuring Agency for delayed completion and not as penalty for the successful bidder's failure to perform.

NOW THEREFORE, if the successful bidder shall, within the period specified therefore, on the prescribed form presented to him for signature enter into a formal Contract Agreement with the said Procuring Agency in accordance with his Bid as accepted and furnish within fourteen (14) days of receipt of Letter of Acceptance, a Performance Security with good and sufficient surety, as may be required, upon the form prescribed by the said Procuring Agency for the faithful performance and proper fulfilment of the said Contract or in the event of nonwithdrawal of the said Bid within the time specified then this obligation shall be void and of no effect, but otherwise to remain in full force and effect.

PROVIDED THAT the Guarantor shall forthwith pay to the Procuring Agency the said sum stated above upon first written demand of the Procuring Agency without cavil or argument and without requiring the Procuring Agency to prove or to show grounds or reasons for such demand, notice of which shall be sent by the Procuring Agency by registered post duly addressed to the Guarantor at its address given above.

PROVIDED ALSO THAT the Procuring Agency shall be the sole and final judge for deciding whether the Principal has duly performed his obligations to sign the Contract Agreement and to furnish the requisite Performance Security within the time stated above, or has defaulted in fulfilling said requirements and the Guarantor shall pay without objection the sum stated above upon first written demand from the Procuring Agency forthwith and without any reference to the Principal or any other person.

IN WITNESS WHEREOF, the above bounded Guarantor has executed the instrument under its seal on the date indicated above, the name and seal of the Guarantor being hereto affixed and these presents duly signed by its undersigned representative pursuant to authority of its governing body.

Witness: 1. Signature

1._____

Corporate Secretary (Seal)

2._____

(Name, Title & Address)

Corporate Guarantor (Seal)

Guarantor (Bank)

 1.Sognature

 2. Name

 3. Title

FORM OF PERFORMANCE SECURITY (Bank Guarantee)

| | Guarantee No | |
|--|--------------|--|
| | Executed on | |
| | Expiry Date | |
| (Letter by the Guarantor to the Procuring Agency) | | |
| Name of Guarantor (Scheduled Bank in Pakistan) with address: | | |
| Name of Principal (Contractor) with address: | | |
| Penal Sum of Security (express in words and figures) | | |
| Letter of Acceptance No | Dated | |

NOW THEREFORE, if the Principal (Contractor) shall well and truly perform and fulfill all the undertakings, covenants, terms and conditions of the said Documents during the original terms of the said Documents and any extensions thereof that may be granted by the Procuring Agency, with or without notice to the Guarantor, which notice is, hereby, waived and shall also well and truly perform and fulfill all the undertakings, covenants terms and conditions of the Contract and of any and all modifications of the said Documents that may hereafter be made, notice of which modifications to the Guarantor being hereby waived, then, this obligation to be void; otherwise to remain in full force and virtue till all requirements of Clause 9, Remedying Defects, of Conditions of Contract are fulfilled.

Our total liability under this Guarantee is limited to the sum stated above and it is a condition of any liability attaching to us under this Guarantee that the claim for payment in writing shall Sindh Public

be received by us within the validity period of this Guarantee, failing which we shall be discharged of our liability, if any, under this Guarantee.

We, _______ (the Guarantor), waiving all objections and defenses under the Contract, do hereby irrevocably and independently guarantee to pay to the Procuring Agency without delay upon the Procuring Agency's first written demand without cavil or arguments and without requiring the Procuring Agency to prove or to show grounds or reasons for such demand any sum or sums up to the amount stated above, against the Procuring Agency's written declaration that the Principal has refused or failed to perform the obligations under the Contract, for which payment will be effected by the Guarantor to Procuring Agency's designated Bank & Account Number.

PROVIDED ALSO THAT the Procuring Agency shall be the sole and final judge for deciding whether the Principal (Contractor) has duly performed his obligations under the Contract or has defaulted in fulfilling said obligations and the Guarantor shall pay without objection any sum or sums up to the amount stated above upon first written demand from the Procuring Agency forthwith and without any reference to the Principal or any other person.

IN WITNESS WHEREOF, the above bounded Guarantor has executed this Instrument under its seal on the date indicated above, the name and corporate seal of the Guarantor being hereto affixed and these presents duly signed by its undersigned representative, pursuant to authority of its governing body.

Guarantor (Bank)

1. Signature _____

2. Name _____

3. Title _____

2.

Corporate Secretary (Seal)

1._____

(Name, Title & Address)

Witness:

Corporate Guarantor (Seal)

FORM OF CONTRACT AGREEMENT

THIS CONTRACT AGREEMENT (hereinafter called the —Agreement) made on the _____ day of _____ 200 _____ between ______ (hereinafter called the —Procuring Agency) of the one part and ______ (hereinafter called the —Contractor) of the other part.

WHEREAS the Procuring Agency is desirous that certain Works, viz _______ should be executed by the Contractor and has accepted a Bid by the Contractor for the execution and completion of such Works and the remedying of any defects therein.

NOW this Agreement witnesseth as follows:

- 1. In this Agreement words and expressions shall have the same meanings as are respectively assigned to them in the Conditions of Contract hereinafter referred to.
- 2. The following documents after incorporating addenda, if any except those parts relating to Instructions to Bidders, shall be deemed to form and be read and construed as part of this Agreement, viz:
 - (a) The Letter of Acceptance;
 - (b) The completed Form of Bid along with Schedules to Bid;
 - (c) Conditions of Contract & Contract Data;
 - (d) The priced Schedule of Prices/Bill of quantities (BoQ);
 - (e) The Specifications; and
 - (f) The Drawings
- 3. In consideration of the payments to be made by the Procuring Agency to the Contractor as hereinafter mentioned, the Contractor hereby covenants with theProcuring Agency to execute and complete the Works and remedy defects therein inconformity and in all respects within the provisions of the Contract.

4. The Procuring Agency hereby covenants to pay the Contractor, in consideration of the execution and completion of the Works as per provisions of the Contract, the Contract Price or such other sum as may become payable under the provisions of the Contract at the times and in the manner prescribed by the Contract.

IN WITNESS WHEREOF the parties hereto have caused this Contract Agreement to be executed on the day, month and year first before written in accordance with their respective laws.

Signature of the Contactor

Signature of the Procuring Agency

(Seal)

(Seal)

Signed, Sealed and Delivered in the presence of:

Witness:

Witness:

(Name, Title and Address)

(Name, Title and Address)

MOBILIZATION ADVANCE GUARANTEE

| (Letter by the Guarantor to the Procuring | g Agency | <i>v</i>) | | e No ed on | |
|--|----------|---------------------|-----------|-------------------|----------|
| WHEREAS the Procuring Agency) has entered i | | | | _ (hereinafter ca | lled the |
| | | (Particulars | of | Contract), | with |
| | (hereina | fter called the Con | tractor). | | |

AND WHEREAS the Procuring Agency has agreed to advance to the Contractor, at the Contractor's request, an amount of Rs._____ Rupees _____) which amount shall be advanced to the Contractor as per provisions of the Contract.

AND WHEREAS the Procuring Agency has asked the Contractor to furnish Guarantee to secure the advance payment for the performance of his obligations under the said Contract.

AND WHEREAS (Scheduled Bank) (hereinafter called the Guarantor) at the request of the Contractor and in consideration of the Procuring Agency agreeing to make the above advance to the Contractor, has agreed to furnish the said Guarantee.

NOW THEREFORE the Guarantor hereby guarantees that the Contractor shall use the advance for the purpose of above mentioned Contract and if he fails, and commits default in fulfillment of any of his obligations for which the advance payment is made, the Guarantor shall be liable to the Procuring Agency for payment not exceeding the aforementioned amount.

Notice in writing of any default, of which the Procuring Agency shall be the sole and final judge, as aforesaid, on the part of the Contractor, shall be given by the Procuring Agency to the Guarantor, and on such first written demand payment shall be made by the Guarantor of all sums then due under this Guarantee without any reference to the Contractor and without any objection.

This Guarantee shall come into force as soon as the advance payment has been credited to the account of the Contractor.

This Guarantee shall expire not later than ______ by which date we must have received any claims by registered letter, telegram, telex or telefax.

It is understood that you will return this Guarantee to us on expiry or after settlement of the total amount to be claimed hereunder.

(Guarantor (Scheduled Bank)

Witness: 1. _____

Corporate Secretary (Seal)

2._____

(Name, Title & Address)

1. Signature _____

2. Name _____

3. Title _____

Corporate Guarantor (Seal)

INDENTURE FOR SECURED ADVANCES.

(For use in cases in which is contract is for finished work and the contractor has entered into an agreement for the execution of a certain specified quantity of work in a given time).

This INDENTURE made the day of -197--"- BETWEEN (hereinafter called "the Contractor" which expression shall where the context so admits or implied be deemed to include his heirs, executors, administrators and assigns) of the one part and THE GOVERNOR OF SINDH (hereinafter called "the Government" of the other part).

WHEREAS by an agreement, dated (hereinafter called the said agreement, the contractor has agreed to perform the under-mentioned works (hereinafter referred to as the said work):-

(Here enter (the description of the works).1

AND WHEREAS the contractor has applied to the ----- for an security of materials absolutely belonging to him and brought by him to the site of the said works the subject of the said agreement for use in the construction of such of the said works as he has undertaken to execute at rates fixed for the finished work (inclusive of the cost of materials and labour and other charge) AND

WHEREAS the Government has agreed to advance to the Contractor the sum of Rupees, (Rs.) on the security of materials the quantities and other particulars of which are detailed in Part II of Running Account Bill (E). the said works signed by the contractor

Fin R.Form.17.A

on ----- — and on such covenants and conditions as are hereinafter contained and the Government has reserved to itself the option of marking any further advance or advances on the security of other materials brought by the Contractor to the site of the said works.

NOW THIS INDENTURE WTTNESSETH that in pursuance of the said agreement and in consideration of the sum of Rupees - - (Rs. ------) on or before the execution of these presents paid to the Contractor by the Government (the receipt whereof the Contractor doth hereby acknowledge) and of such further advances (if any) as may be made to him as aforesaid (all of which advances are hereinafter collectively referred to as the said amount) the Contractor doth hereby assign unto the Government the said materials by way of security for the said amount

And doth hereby covenant and agree with the Government and declare ay follow :-

That the said sum of Rupees - - - (RF. (1)-----) so advanced by the Government to the Contractor as aforesaid and all or any further sum or sums which may be advanced aforesaid shall be employed by the contractor in or towards expending the execution of the said works and for no other purpose whatsoever.

Sports & Youth Affairs Department, Government of Non Affairs Department, Government, Sinch

Offered to and accepted by (he Government as security for the said amount are absolutely by the Contractors own property free from encumbrances of any kind and the Contractor will not make any application for or receive a further advance on the security of materials which are not absolutely his own property and free from encumbrances of any kind and the contractor hereby agrees, at all times, to indemnify and save harmless the Government against all claims whatsoever to any materials in respect of which an advance has been made to him as aforesaid.

(3) That the said materials detailed in the said Running Account Bill (B) and all other

(4) That the Contractor shall make at his own cost all necessary and adequate arrangement for the proper watch, safe custody and protection against all risks of the said material and that until used in construction as aforesaid the said materials shall remain at the site of the said works in the Contractor's custody and at his own risk and on his own responsibility and shall at all times be open to inspection by (he Divisional Officer or any officer authorized by him. In the event of the said materials of any part (hereof being stolen, destroyed or damaged or becoming deteriorated in a grater degree than is due to reasonable use and wear thereof Contractor will forthwith replace the same with other materials of like qualify or repair and make good the same as required by the Divisional Officer and the materials so brought to replace the said materials so repaired and made good shall also be considered as security for the said amount.

(5) 'Hurt the said materials shall not on any account be removed from the site of the said works except with the written permission of the Divisional Officer or an officer authorized by him in that behalf

(6) That the said amount shall be payable in full when or before the Contractor receives payment, from the Government of the price payable to him for the said works under the terms and provisions of the said agreement PROVIDED THAT if any intermediate payments are made to the contractor on account of work done then on the occasion of each such payment the Government will be at liberty to make a recovery from the Contractors Bill for such payment by deducting there from in the value of the said materials (hen actually used in the construction and in respect of which recovery has not been made previously the value for this purpose being determined in respect of each description of material at (he rates at which the amount of the advances made under these presents were calculated.

(7) That if the Contractor shall at any time make any default in the performance or observation in any respect of any of the terms and provisions of the said agreement or of these presents the total amount of the advance or advances that may still be owing to the Government shall immediately on the happening of such default be repayable by the Contractor to the Government together with interest thereon at twelve percent per annum from the date or respective dates of such advance or advances to the date or repayment and with all costs, charges, damages and expenses incurred by the Government in or for the recovery thereof or the enforcement of this security or otherwise by reason of (he default of the Contractor and any moneys so becoming due and payable shall constitute a debt due from the Contractor to the Government and the Contractor hereby covenants and agrees with the Government to repay and the same respectively to it accordingly.

 not withstanding anything in the said agreement and without prejudice to the powers contained therein if and whether the covenant for payment and repayment hereinbefore contained shall become enforceable and the money owing shall not be paid to accordingly.

Once therewith the Government may at any time thereafter adopt all or any of following courses as it may deem best ;-

- (a) Seize and utilize the said materials or any part thereof in the completion of the said works on behalf of the Contractor in accordance with the provisions in that behalf contained in the said agreement debiting the Contractor with the actual cost of effecting such completion the amount due in respect of advances under these presents and crediting the Contractor with the value of work done as he had carried it out in accordance with the said agreement and at the rates thereby provided. If the balance is against the Contractor he is to pay the same to the Government on demand.
- (b) Remove and sell by public auction the seized materials or any part thereof and out of the moneys arising from the sale retain all the sums aforesaid repayable to the Government under these presents and pay over the surplus (if any) to the Contractor.
- (c) Deduct all or any part of the moneys owing out of the security deposit or any sum due to the Contractor under the said agreement.

(9) That except as is expressly provided by the presents interest on the aid advance shall not be payable.

Signed, sealed and delivered by* In the presence of

Seal

1st witness

2nd witness

Signed, sealed and delivered by* In the presence of

Sports & Youth Affairs Department, Government of Sindh Seal 85 2nd witness

(SPECIAL STIPULATIONS)

The Stipulations outlined hereunder in the form of a Table summaries certain terms and conditions which are set forth in the Instructions to Tenderers, General Conditions of the Contract and Special Provisions and these Stipulations form and integral part of the Contract.

| 1. | Amount of Earnest Money | 2% (Two percent) of the Tendered Price. |
|-----------------|---|--|
| 2. | Form of Earnest Money | Either a Pay Order of Deposit-at-Call from a Schedule Bank of Pakistan in favour of Executive Engineer Sports & Youth Affairs Department Government of Sindh, Karachi. |
| 3. | Release of Earnest Money | i). To be returned to the successful bidder with completion of job release with security deposit. |
| | | ii). To be returned to the unsuccessful tenderes after signing of agreement with the successful Tenderer within ninety days of tender opening at the latest. |
| 4. 5 | Time of signing of formal Agreement with the successful Tenderer. Time of commencement of works | Within 14 (Fourteen) days of the date of issue of the Notice of Award. Within (fifteen) days of the Engineer's order to commence works. |
| 6 | Time of completion of Works. | 24 Calendar months from the date of commencement of works. |
| 7 | Period of Maintenance | 03 Calendar months from the date of issue of the Certificate of Completion. |
| 8 | Amount of maximum liquidated damages for non completion of the works within stipulated time. | 0.05% of the Contract Price per day. |
| 9 | Maximum limit of liquidated damages Price. | 10% (ten percent) of the Contract. |
| 10 | Retention Money | 5% (five percent) of gross amounts of work done as certified in monthly interim payment certificates. |
| 11 | Limit of Retention Money | 6% (Six percent) of the contract price upto limit of 5%. |
| 12 | Release of Retention Money | On issue of Maintenance Certificate. |
| 13 ^S | ports & Youth Affairs Department, Govern Mobilization Advance | ment of Sindh 1). 10% (Ten percent) of the contract price against an irrevocable Bank Guarantee of a Schedule Bank of Pakistan or Insurance Company AA Rating. |

| | ii). To be recovered at the rate of 10% (Ten percent) of gross amount of work done from Interim Payment Requests.Balance if any shall be adjusted in the final bill of Contractor. |
|----------------------|---|
| Income Tax Deduction | Advance deduction as per Government Rules of Income Tax at source shall be made on all the interim/ running payments & final payment to Contractor. |

Signature of the Tenderer: _____

Seal of the Tenderer:

Date: _____

Witness:

14.

1._____

2._____

BID EVALUATION CRITERIA

- 1. Application for Executing Agency in connection with issuance of Tender Documents as per publication alongwith tender fees in shape of Pay Order.
- 2. Pakistan Engineering Counsel Licenses Category C-4 and above.
- 3. NTN Registration Certificate.
- 4. SRB Registration Certificate.
- 5. Construction experience record (Sports related) for particular Tender.
- 6. List of Completed Works (Sports related) alongwith relevant record showing cost of project.
- 7. Copy of acceptance letter / Work Order (Sports related (if any).
- 8. Current Contract Commitments / work in progress (Sports Related).
- 9. Financial Capabilities.
- 10. Authorization letter in case representative detailed by the proprietor.
- 11. Affidavit regarding not debarred / Black Listed for further tendering.

SPECIFICATIONS

[Note for Preparing the Specifications]

A set of precise and clear specifications is a prerequisite for bidders to respond realistically and competitively to the requirements of the user without qualifying their Bids. The specifications must be drafted to permit the widest possible competition and, at the same time, present a clear statement of the required standards of workmanship, materials, performance of the works. Only if this is done objectives of economy, efficiency, and fairness in procurement will be realized and responsiveness of Bids can be ensured, and the subsequent task of bid evaluation can be facilitated. The specifications should require that materials to be incorporated in the works be new, unused, and of the most recent or current models, and incorporated all recent improvements in design and materials unless provided for otherwise in the contract.

Samples of specifications from similar to previous procurements are useful in this respect. The use of metric units is encouraged. Depending on the complexity of the works and the repetitiveness of the type of procurement, it may be advantageous to standardize the Technical Specifications that should cover all classes of workmanship, materials and equipment although not necessarily to be used in a particular procurement.

Care must be taken in drafting specifications to ensure that they are not restrictive. In the specification of standards for equipment, materials, and workmanship, recognized international standards should be used as much as possible. The specifications shall consider all conditions but not limited to seismic conditions, weather conditions and environmental impact. The specifications should state that equipment, materials, and workmanship that meet other authoritative standards, and which ensure at least a substantially equal quality than the standards mentioned, will also be acceptable. The following clause may be inserted in the Specifications.

Sample Clause: Equivalency of Standards and Codes

Wherever reference is made in the Specifications to specific standards and codes to be met by Works to be furnished and tested, the provisions of the latest current edition or revision of the relevant shall apply, unless otherwise expressly stated in the Contract. Other authoritative standards that ensure equivalence to the standards and codes specified will be acceptable.]