

BIDDING DATA

This section should be filled in by the Engineer / Procuring Agency before Issuance of the Bidding Documents)

- a) Name of Procuring Agency JAMSHED ZONE, DMC (EAST)
- b) Brief Description of Works PROVIDING 8" BORING IN AGA KHAN LADIES PARK, UC-12 AND AL MURTAZA PARK, PECHS UC-07 INCLUDING ROUNDABOUT UC-07, JAMSHED ZONE, DMC (EAST)
- c) Procuring Agency's Address Gol Market Block "B" SMCHS Area, Near Darweshia Masjid
- d) Estimated Cost: Rs. 8,18,280/= (+) O/R
- e) Amount of Bid Security: 5% of Quoted Rate
- Fill in lump Sum amount or in % age of bid amount / Estimated Cost, but not exceeding 5%
- f) Period of Bid Validity (days) 90 Days
- g) Security Deposit:- (Including bid security) 05% Earnest Money + 05% Retention Money
(in % age of bid amount / estimated cost equal to 10%)
- h) Percentage, if any, to be deducted from Bills: 05 % Retention Money
- i) Deadline for submission of Bids along with time: 04-DECEMBER-2015 (01:00 PM)
- j) Venue, Time and Date of Bid Opening 04-DECEMBER -2015 (02:00 PM)
- k) Time for Completion from written order of commence After Receiving of Work Order 45 Days
- l) Liquidity damages _____ (0.05 of Estimated Cost or Bid Cost per day of delay, but total not exceeding 10%)
- m) Deposit Receipt No: Date: Amount _____


DIRECTOR

Parks & Recreation
JAMSHED ZONE, DMC (EAST)

OFFICE OF THE DIRECTOR (PARKS)
JAMSHED ZONE, DMC (EAST)



TENDER DOCUMENTS


FOR

**PROVIDING 8" BORING IN AGA KHAN LADIES
PARK, UC-12 AND AL MURTAZA PARK, PECHS
UC-07 INCLUDING ROUNDABOUT UC-07,
JAMSHED ZONE, DMC (EAST)**

ESTIMATED COST:- Rs. 818,280/= (+) OPEN RATE
Bid Security:- 5% for Quoted Amount
Tender Cost:- Rs. 1,000/=

NOTE:

This Document contains 03 pages excluding this page


DIRECTOR (PARKS)
JAMSHED ZONE, DMC (EAST)

Issue to M/s _____ P.O. No. _____
_____ Dated: _____
_____ Bank: _____

Signature & Stamp of Issuing Authority



OFFICE OF THE DIRECTOR PARKS JAMSHED ZONE, DMC (EAST)

SCHEDULE

SUBJECT: PROVIDING 8" BORING IN AGA KHAN LADIES PARK, UC-12, AND AL MURTAZA PARK, PECHS, UC-7, INCLUDING ROUNDABOUT UC-07, JAMSHED ZONE, DMC (EAST)

Estimate Cost: Rs.8,18,280/=

Tender Cost Rs: 1000/=

| S.# | Description Of Work | Quantity | Rate | Amount |
|-----|---|----------|---------------|----------|
| 1. | Boring for Tube well in all Water bearing soil from G/F Level upto 1-100ft or 30.5 Meter depth i/c sinking and with drawing of castling pipe | 300 Rft | 535 P/Rft | 1,60,500 |
| 2. | Boring for Tube well in all Water bearing soil from G/F Level upto 100-200ft or 30.5 Meter depth i/c sinking and with drawing of castling pipe | 240 Rft | 620 P/Rft | 1,48,800 |
| 3. | Supplying and Installation 8" PVC Strainers "B" Class of approved design quality and make i/c necessary socket 6" Dia etc complete | 540 Rft | 363.35 P/Rft | 1,96,209 |
| 4. | Supplying and Installation 6" PVC Strainers "B" Class of approved design quality and make i/c necessary socket 5" Dia etc complete | 400 Rft | 292.60 P/Rft | 1,17,040 |
| 5. | Excavation in foundation of Building Bridges and Other Structures i/c Degbelling, dressing, Refilling around structure with excavated with watering and ramming load upto 5'-0 complete | 270 Cft | 3554.38%0Cft | 960 |
| 6. | Cement Concrete Brick or Stoen Ballast 1 1/2" to 2" gauge 1:4:8 | 107 Cft | 9416.28%0Cft | 10,075 |
| 7. | P/L 1:3:6 C/C Solid Block Masonry Wall 6" and Below in thickness set in 1:6 CM in G/F Super Structure i/c raking, Jointing & Curring etc complete | 212 Cft | 15771.01%0Cft | 33,435 |
| 8. | Precast Reinforcement Cement in Collar, Beams, Linter, Stair cases, Shelves etc complete | 8 Cft | 250 P/Cft | 2,000 |
| 9. | Erecting and Fixing in Position Pre Cast Cement Concrete or Stair Slab in Roof or Linter etc lift upto 20'-0 i/c all charges | 8 Cft | 11.77 P/Cft | 334 |
| 10. | P/L 2" thick topping C/C 1:2:4 i/c surface finishing and dividing into panels | 108 Sft | 3275.50%0Sft | 3,538 |
| 11. | Distempering Three Coat | 612 Sft | 1079.65%0Sft | 6,607 |
| 12. | P/Fixing Iron Steel Grill door with Angle Iron Frame of 1 1/2" x 1 1/2" x 1/4" and flate Iron of 3/4" x 1/4" with approved design and locking arrangements embedded in Masonery as per direction of Engineer Incharge | 36 Sft | 231.60 Sft | 8,338 |
| 13. | P / L UPVC pipe of Class "D" (Equalent Make) fixing in trench i/c cutting, fitting and jointing with Z Joints with an R/R i/c testing with water to ahead 122 Meter or 400 Ft | | | |
| | a) 1" Dia | 100 Rft | 28.00 P/Rft | 2,800 |
| | b) 1 1/4" Dia | 100 Rft | 34.00 P/Rft | 3,400 |
| | c) 1 1/2" Dia | 100 Rft | 44.00 P/Rft | 4,400 |
| | d) 2" Dia | 100 Rft | 66.00 P/Rft | 6,600 |
| | e) 3" Dia | 50 Rft | 137.00 P/Rft | 6,850 |
| | f) 1/2" Dia | 20 Rft | 12.00 P/Rft | 2,400 |
| | g) 3/4" Dia | 100 Rft | 19.00 P/Rft | 1,900 |

| ELECTRICAL WORKS | | | | |
|-------------------------|---|----------|---------------|-----------------|
| 14. | P / Laying (Main or Sub Main) PVC insulated with 3-7 / 029 copper Condenser in ¾" dia PVC conduct an Surface | 50 Mter | 235.00 P/Mtr | 11,750 |
| 15. | P / Laying (Main or Sub Main) PVC insulated with 3-7 / 044 copper Condenser in 1" dia PVC conduct an Surface | 30 Mtr | 422.00 P/Mtr | 12,660 |
| 16. | P / F Deep Wall Electrical Pump (4. 00 HP) Best quality as per approved by E/In Fixing in Position Cement Concrete Foundation in Situ (2 x 1 ½") all Electrical Accessories as per direction of Engineer Incharge | 03 Nos. | 60,500 Each | 1,81,500 |
| 17. | P/Fixing Brass Ceiling Fan 48" (Best Quality) | 03 Nos. | 3,020 Each | 9,060 |
| 18. | P/F Two way Switch 5amp Surface Type | 10 Nos. | 60.00 Each | 600 |
| 19. | P/F two pin 5amp Plug & Socket Flush Type | 05 Nos. | 83.00 Each | 415 |
| 20. | Preparing Surface and Painting with Emulsion Paint Two Coat | 504 Sft | 1305.37%Sft | 6,579 |
| 21. | Painting Guard Bars, Gates, Iron Bars Grating, Railing i/c Standard braces etc | 36 Sft | 674.60 Sft | 243 |
| 22. | Cement Plaster 1:6 upto 12' hiegh ½" thick | 1116 Sft | 2206.60%Sft | 24,626 |
| 23. | Cartage of all kind Material like, silt, Clay, Mud, etc i/c Loading, unloading lead upto 15 Miles | 299 Cft | 1065.00%Cft | 3,184 |
| 24. | Fabrication of mild Steel reinforced for C/c i/c Cutting, Bending Laying in position making joints with fastening i/c cost of binding wire etc using TOR Barss | 2.25 Cwt | 5001.70 P/Cwt | 11,254 |
| 25. | RCC work in roof Slab, beams, Columns rafts, linters and other structural mixture laid in site or pre cast laid in position laid complete in all respect Ratio (1:2:4) | 84 Cft | 258.61 P/Cft | 21,723 |
| Total PC Cost | | | | 8,18,280 |

SUMMARY OF BILL OF QUANTITIES

I / We hereby quoted as follows:

Total Schedule Rate Amount Rs. 8,18,280

_____ % Above / Below of the Schedule Rate Rs. _____

Add Open Rate Item Rs. _____

Grand Total Rs. _____

The Total amount is Rs. _____ (Rupees) _____

_____ for the complete job for all Schedule of Rates.

Time Limit 45 days


Penalty Per Day Rs. 500/=


NOTE:

- ❖ Tender must be quoted in figure & in word Both otherwise liable to be cancelled.
- ❖ All over writing & correction it any must be initiated & stamped by the bidder.
- ❖ We / I read the standard Bidding Documents (Volume-I) available in the Office & Website of DMC (East) and agreed to abide all of them and also provide all these documents with our signature as & when directed.

Signature of the contractor
Name & Address _____


SUB ENGINEER
JAMSHED ZONE


Dy. Director (Parks)
JAMSHED ZONE, DMC (EAST)


DIRECTOR (PARKS)
JAMSHED ZONE, DMC (EAST)

BIDDING DATA

This section should be filled in by the Engineer / Procuring Agency before Issuance of the Bidding Documents)

- a) Name of Procuring Agency JAMSHED ZONE, DMC (EAST)
- b) Brief Description of Works CONSTRUCTION OF RCC UNDERGROUND TANK INCLUDING OFFICE ROOM AND FIXING OF BOUNDARY WALL IN HASSA SINGH PARK AT UC-10, JAMSHED ZONE, DMC (EAST)
- c) Procuring Agency's Address Gol Market Block "B" SMCHS Area, Near Darweshia Masjid
- d) Estimated Cost: Rs.7,47,110/= (+) O/R
- e) Amount of Bid Security: 5% of Quoted Rate
- Fill in lump Sum amount or in % age of bid amount / Estimated Cost, but not exceeding 5%
- f) Period of Bid Validity (days) 90 Days
- g) Security Deposit:- (Including bid security) 05% Earnest Money + 05% Retention Money
(in % age of bid amount / estimated cost equal to 10%)
- h) Percentage, if any, to be deducted from Bills: 05 % Retention Money
- i) Deadline for submission of Bids along with time: 09-DECEMBER-2015 (01:00 PM)
- j) Venue, Time and Date of Bid Opening 09-DECEMBER -2015 (02:00 PM)
- k) Time for Completion from written order of commence After Receiving of Work Order 45 Days
- l) Liquidity damages_____ (0.05 of Estimated Cost or Bid Cost per day of delay, but total not exceeding 10%)
- m) Deposit Receipt No: Date: Amount _____



DIRECTOR
Parks & Recreation
JAMSHED ZONE DMC (EAST)

OFFICE OF THE DIRECTOR (PARKS)
JAMSHED ZONE, DMC (EAST)



TENDER DOCUMENTS

FOR

**CONSTRUCTION OF RCC UNDERGROUND TANK
INCLUDING OFFICE ROOM AND FIXING OF
BOUNDARY WALL IN HASSA SINGH PARK AT UC-10,
JAMSHED ZONE, DMC (EAST)**

ESTIMATED COST:- Rs. 7,47,110/= (+) OPEN RATE

Bid Security:- 5% for Quoted Amount

Tender Cost:- Rs. 1,000/=

NOTE:

This Document contains 02 pages excluding this page

DIRECTOR (PARKS)
JAMSHED ZONE, DMC (EAST)

Issue to M/s _____ P.O. No. _____
_____ Dated: _____
_____ Bank: _____

Signature & Stamp of Issuing Authority



OFFICE OF THE DIRECTOR PARKS JAMSHED ZONE, DMC (EAST)

SCHEDULE

SUBJECT: CONSTRUCTION OF RCC UNDERGROUND TANK INCLUDING OFFICE ROOM AND FIXING OF BOUNDARY WALL IN HASSA SINGH PARK AT UC-10, JAMSHED ZONE, DMC (EAST)

Estimate Cost: Rs.7,47,110/=

Tender Cost Rs: 1000/=

| S.# | Description Of Work | Quantity | Rate | Amount |
|-----|---|-----------|---------------|----------|
| 1. | Dismantling Cement Concrete Plain 1:3:6 | 44 Cft | 1306.80%Cft | 575 |
| 2. | Dismantling RCC Separating reinforced center from lentle, cleaning and straightening the same | 640 Cft | 5445.00%Cft | 34,848 |
| 3. | Dismantling Block Masonry | 144 Cft | 1134.38%Cft | 1,633 |
| 4. | Excavation in foundation of building bridges & Other structure i/c dagbelling dressing refilling around structure with excavated earth watering and ramming lead upto 5 feet | 180 Cft | 3176.25%0Cft | 572 |
| 5. | Filling, Watering and hammering earch water floor with new earth (Excavated from cut side) lead upto one chain of light upto 05' ft | 29 Cft | 3,630.00%0Cft | 105 |
| 6. | Fabrication of mild steel reinforcement for CC i/c cutting, bending, laying in position, making, joints and fastenings i/c cost of binding wire (also i/c removal of rust froms bars. Using Tor Bars | 0.249 Cwt | 5001.70 P/Cwt | 1,245 |
| 7. | RCC work in roof Slab, Beams,Columns Rafts Lintel And other structure member laid site or precast laid in position complete in all respect 1:2:4 | 77 Cft | 258.61 P/Cft | 19,913 |
| 8. | Providing and Laying 1:3:6 Cement Concrete Solid Block Masonry set in 1:6 cement Sand Mortar in Ground Floor Superstructure including raking out joints and curing etc complete | 1575 Cft | 15771.01 %Cft | 2,48,393 |
| 9. | Errection and removal of centering for RCC or plain cement concrete work Partial Wood (2 nd Class) c) Horizontal d) Vertical | 54 Sft | 3127.41%Sft | 1,689 |
| 10. | C/C Plain i/c Placing Compectiong, Finishing and curring complete 1:3:6 | 13 Cft | 12595% Sft | 1,637 |
| 11. | Cement Plaster 1/2" thick 1:4 upto 12' height | 7000 Rft | 2283.93%Sft | 1,59,875 |
| 12. | Distempering Three Coats | 7000 Sft | 1079.65%Sft | 75,575 |
| 13. | S/F Special having type steel door for lock, UPS with angle Iron frame of 2 1/2" to 2 1/2" x 3/8" size and shutter of 2" x 2" x 3/8" with 1" Dia MS Bars placed 4" C/C with separate locking box having size of 12" x 12" of M. Steel sheet embaded in masonry locking arrangements as per approved design i/c cost of section etc complete | 144 Sft | 930.76 P/Sft | 1,34,029 |
| 14. | Cartage of All Kind of Material Lead Upto 15 Miles | 6293 Cft | 1065%Cft | 6,70,021 |

| | | | | |
|-----|--|----------|----------------------|-------------------------|
| 15. | Removing Iron Grill i/c cutting all charges of Labour i/c Loading Unloading, Stacking and site lead upto 2 chain as per direction of E/N | 3500 Sft | O/R P/Sft | |
| | | | Total PC Cost | 7,47,110 (+) O/R |

SUMMARY OF BILL OF QUANTITIES

I / We hereby quoted as follows:

Total Schedule Rate Amount Rs. 7,47,110.00

_____ % Above / Below of the Schedule Rate Rs. _____

Add Open Rate Item Rs. _____

Grand Total Rs. _____

The Total amount is Rs. _____ (Rupees) _____

_____ for the complete job for all Schedule of Rates.

Time Limit 45 days


Penalty Per Day Rs. 500/=


NOTE:

- ❖ Tender must be quoted in figure & in word Both otherwise liable to be cancelled.
- ❖ All over writing & correction it any must be initiated & stamped by the bidder.
- ❖ We / I read the standard Bidding Documents (Volume-I) available in the Office & Website of DMC (East) and agreed to abide all of them and also provide all these documents with our signature as & when directed.

**Signature of the contractor
Name & Address _____**


**SUB ENGINEER
JAMSHED ZONE**


**Dy. Director (Parks)
JAMSHED ZONE, DMC (EAST)**


**DIRECTOR (PARKS)
JAMSHED ZONE, DMC (EAST)**

BIDDING DATA

This section should be filled in by the Engineer / Procuring Agency before
Issuance of the Bidding Documents)

- a) Name of Procuring Agency JAMSHED ZONE, DMC (EAST)
- b) Brief Description of Works IMPROVEMENT OF JAFFARI PARK AND
AFZA ALTAF PARK IN JAMSHED ZONE,
DMC (EAST)
- c) Procuring Agency's Address Gol Market Block "B" SMCHS Area, Near
Darweshia Masjid
- d) Estimated Cost: Rs. 5,87,203/= (+) O/R
- e) Amount of Bid Security: 5% of Quoted Rate
- Fill in lump Sum amount or in % age of bid amount / Estimated Cost, but not exceeding 5%
- f) Period of Bid Validity (days) 90 Days
- g) Security Deposit:- (Including bid security) 05% Earnest Money + 05% Retention
Money
(in % age of bid amount / estimated cost equal to 10%)
- h) Percentage, if any, to be deducted from Bills: 05 % Retention Money
- i) Deadline for submission of Bids along with time: ~~09~~-DECEMBER-2015 (01:00 PM)
- j) Venue, Time and Date of Bid Opening ~~09~~-DECEMBER -2015 (02:00 PM)
- k) Time for Completion from written order of commence After Receiving of Work Order 45 Days
- l) Liquidity damages_____ (0.05 of Estimated Cost or Bid Cost per day of delay, but total not exceeding 10%)
- m) Deposit Receipt No: Date: Amount _____


DIRECTOR

**Parks & Recreation
JAMSHED ZONE, DMC (EAST)**

OFFICE OF THE DIRECTOR (PARKS)
JAMSHED ZONE, DMC (EAST)



TENDER DOCUMENTS

FOR

**IMPROVEMENT OF JAFFARI PARK AND AFZA ALTAF
PARK IN JAMSHED ZONE, DMC (EAST)**

ESTIMATED COST:- Rs. 5,87,203/= (+) OPEN RATE
Bid Security:- 5% for Quoted Amount
Tender Cost:- Rs. 1,000/=

NOTE:

This Document contains 02 pages excluding this page

DIRECTOR (PARKS)
JAMSHED ZONE, DMC (EAST)

Issue to M/s _____

P.O. No. _____
Dated: _____
Bank: _____

Signature & Stamp of Issuing Authority



OFFICE OF THE DIRECTOR PARKS JAMSHED ZONE, DMC (EAST)

SCHEDULE

SUBJECT: IMPROVEMENT OF "SADIQ PARK" UC-NO-9 JAMSHED ZONE, DMC (EAST)

Estimate Cost: Rs.5,87,203/= (+) OPEN RATE

Tender Cost Rs: 1000/=

| S.# | Description Of Work | Quantity | Rate | Amount |
|-----|---|----------|--|----------|
| 1. | Supplying & Spreading Garden Soil (Sweet Earth) in uniform thickness i/c mixing and Breaking clods and dressing find for grassing i/c disposal of rubbish within 03 Chan | 4706 Cft | O/R P/Cft | |
| 2. | Supplying & Spreading Cowdung Manure and Mix the same upto and depth in the prepared sand i/c breaking clods dressing fine from grassing i/c disposal within 03 Chain | 1417 Cft | O/R P/Cft | |
| 3. | Re-Pairing of Iron grill or Samelar work i/c cutting, welding fitting in position i/c providing 250 Sft missing square bars or flat Iron Patti (if Need) i/c all charges of Labour and Transportation i/c one coat of Red Oxide paint tc as per direction of Iron Bars. | 90 Sft | O/R P/Sft | |
| 4. | Providing & Fixing Vectorian Wooden Bench (5 ½" x 2'-0") with Iron Stand as per direction of E / N | 18 Nos. | O/R Each | |
| 5. | S/F in position Iron / Steel Gril of ¾" x ¼" Size Flaturan of approved design i/c painting 3 coat etc complete | 400 Sft | 180.50 P/Sft | 72,200 |
| 6. | Preparing the Surface and Painting with Plastic Emulsion of approved make (Old Surface) two Coat | 462 Sft | 823.63 578.60 1402.23%Sft | 6,478 |
| 7. | Painting Grade bars gate Iron Bars Grating, Ralling i/c Standard bars etc and Simular work | 630 Sft | 371.80 302.80 674.60%Sft | 4,249 |
| 8. | Cement Plaster 1:4 upto 12' height 1/2" thick | 500 Sft | 2283.93%SFt | 11,419 |
| 9. | Erection and removal of Shuttering for Rill or plaint i/c work 2 nd Class Partial Wood | 175 Sft | 3127.41%SFt | 5,473 |
| 10. | C /Concrete plaint i/c placing compacting Ratio 1:2:4 | 44 Cft | 14429.25%Cft | 6,349 |
| 11. | Distempering Three Coat | 3248 Sft | 1079.65%SFt | 35,067 |
| 12. | Electrical Work P/F of MS hexagonal poles as per following specication tabe fixed on pre-cast foundation with help of all this cran and N/covered Labour 40ft longwith Dia of poles at the top 6" by bottom 8' well thickness 6mm base plate 32" x 32" x 1" size 12" x 6" x ½" 6 Nos holes 6 Nos. Making Window in the pole required size with key position two coat oil point as per site requirement in insalation of E/N | 01 No. | 1,17,653.00 Each | 1,17,653 |

| | | | | |
|-------|--|-----------|-------------|---------------------|
| 13. | P/F of Street Light 400 Watt (SON-T) having /P60 specification with 400 w Lamp, Choke, Compaction & Internal wiring complete in all respect the height with help of hydraulic and instruction of E/N | 04 Nos. | 26,330 Each | 1,05,320 |
| 14. | P/L Main Or Sub Main 2 7/044 (6mm) Copper conduction in 1" PVC circuit of Surface | 40 Mtr | 305 P/Mtr | 12,200 |
| 15. | Cartage of all kind Material like, silt, Clay, Mud, etc i/c Loading, unloading lead upto 15 Miles | 19793 Cft | 1065.00%Cft | 2,10,795 |
| Total | | | | 5,87,203 (+) O/R |

SUMMARY OF BILL OF QUANTITIES

I / We hereby quoted as follows:

Total Schedule Rate Amount Rs. 5,87,203.00

_____ % Above / Below of the Schedule Rate Rs. _____

Add Open Rate Amount Rs. _____

Grand Total Rs. _____

The Total amount is Rs. _____ (Rupees) _____

_____ for the complete job for all Schedule & Open Rates Item

Time Limit 45 days


Penalty Per Day Rs. 500/=

NOTE:

- ❖ Tender must be quoted in figure & in word Both otherwise liable to be cancelled.
- ❖ All over writing & correction it any must be initiated & stamped by the bidder.
- ❖ We / I read the standard Bidding Documents (Volume-I) available in the Office & Website of DMC (East) and agreed to abide all of them and also provide all these documents with our signature as & when directed.

Signature of the contractor
Name & Address _____


SUB ENGINEER
JAMSHED ZONE


Dy. Director (Parks)
JAMSHED ZONE, DMC (EAST)


DIRECTOR (PARKS)
JAMSHED ZONE, DMC (EAST)

BIDDING DATA

This section should be filled in by the Engineer / Procuring Agency before Issuance of the Bidding Documents)

- a) Name of Procuring Agency JAMSHED ZONE, DMC (EAST)
- b) Brief Description of Works BORING 15" DIA IN NISHTER PARK UC-12, JAMSHED ZONE, DMC (EAST)
- c) Procuring Agency's Address Gol Market Block "B" SMCHS Area, Near Darweshia Masjid
- d) Estimated Cost: Rs. 2,77,943/= (+) O/R
- e) Amount of Bid Security: 5% of Quoted Rate
- Fill in lump Sum amount or in % age of bid amount / Estimated Cost, but not exceeding 5%
- f) Period of Bid Validity (days) 90 Days
- g) Security Deposit:- (Including bid security) 05% Earnest Money + 05% Retention Money
(in % age of bid amount / estimated cost equal to 10%)
- h) Percentage, if any, to be deducted from Bills: 05 % Retention Money
- i) Deadline for submission of Bids along with time: ~~09~~ DECEMBER-2015 (01:00 PM)
- j) Venue, Time and Date of Bid Opening ~~09~~ DECEMBER -2015 (02:00 PM)
- k) Time for Completion from written order of commence After Receiving of Work Order 45 Days
- l) Liquidity damages_____ (0.05 of Estimated Cost or Bid Cost per day of delay, but total not exceeding 10%)
- m) Deposit Receipt No: Date: Amount _____



DIRECTOR
Parks & Recreation
JAMSHED ZONE, DMC (EAST)

OFFICE OF THE DIRECTOR (PARKS)
JAMSHED ZONE, DMC (EAST)



TENDER DOCUMENTS

FOR

**BORING 15" DIA IN NISHTER PARK UC-12,
JAMSHED ZONE, DMC (EAST)**

ESTIMATED COST:- Rs. 2,77,943/= (+) OPEN RATE
Bid Security:- 5% for Quoted Amount
Tender Cost:- Rs. 1,000/=

NOTE:

This Document contains 02 pages excluding this page

DIRECTOR (PARKS)
JAMSHED ZONE, DMC (EAST)

Issue to M/s _____ P.O. No. _____
_____ Dated: _____
_____ Bank: _____

Signature & Stamp of Issuing Authority



OFFICE OF THE DIRECTOR PARKS JAMSHED ZONE, DMC (EAST)

SCHEDULE

SUBJECT: IMPROVEMENT OF "JAFFARI PARK" AND AFZA ALTAF PARK IN JAMSHED ZONE, DMC (EAST)

Estimate Cost: Rs.2,77,943/= (+) OPEN RATE

Tender Cost Rs: 1000/=

| S.# | Description Of Work | Quantity | Rate | Amount |
|--------------|--|-----------|--|-----------------------------|
| 1. | Supplying & Spreading Garden Soil (Sweet Earth) in uniform thickness i/c mixing and Breaking clods and dressing find for grassing i/c disposal of rubbish within 10 Chan | 9,960 Cft | O/R P/Cft | |
| 2. | Supplying & Spreading Cowdung Manure and Mix the same upto and depth in the prepared sand i/c breaking clods dressing fine from grassing i/c disposal within 10 Chain | 3000 Cft | O/R P/Cft | |
| 3. | Re-Pairing of Iron grill or Main Gate, Cutting, Fitting, Jointing with gass or Electrical Welding i/c providing missing square bars or flate Iron Patti (if Need) i/c all charges of Labour i/c Loading unloading all charges of Transportation i/c painting red oxide paint as per direction of Incharge or E/N | 2300 Sft | O/R P/Sft | |
| 4. | Painting Guard Gates Iron Bars greating, Ralling old work two coat | 18000 Sft | 371.80 302.80 674.60%Sft | 1,21,428 |
| 5. | Preparing Surface and Painting with Emulsion Paint Two Coat | 400 Sft | 847.99 457.38 1305.37%Sft | 5,221 |
| 6. | Cartage of All Kind of Material Lead Upto 15 Miles as per direction of E/N | 14206 Cft | 1065.00%Cft | 1,51,294 |
| 7. | Providing & Fixing (5'.6"x 2'-0") wooden Vectorian (Beach i/c 03 No. Fram , Stand i/c loading, Unloading Fixing in 1:2:4 plate form (6'-0" x 4'-0) i/c 2 nd Class plaint wood stairs as per direction of E/N | 13 Nos | O/R Each | |
| Total | | | | 2,77,943 (+) O/R |

SUMMARY OF BILL OF QUANTITIES

I / We hereby quoted as follows:

Total Schedule Rate Amount Rs. 2,77,943.00

_____ % Above / Below of the Schedule Rate Rs. _____

Add Open Rate Amount Rs. _____

Grand Total Rs. _____

The Total amount is Rs. _____ (Rupees) _____

_____ for the complete job for all Schedule & Open Rates Item

Time Limit 45 days


Penalty Per Day Rs. 500/=


NOTE:

- ❖ Tender must be quoted in figure & in word Both otherwise liable to be cancelled.
- ❖ All over writing & correction it any must be initiated & stamped by the bidder.
- ❖ We / I read the standard Bidding Documents (Volume-I) available in the Office & Website of DMC (East) and agreed to abide all of them and also provide all these documents with our signature as & when directed.

**Signature of the contractor
Name & Address_____**


**SUB ENGINEER
JAMSHED ZONE**


**Dy. Director (Parks)
JAMSHED ZONE, DMC (EAST)**


**DIRECTOR (PARKS)
JAMSHED ZONE, DMC (EAST)**

BIDDING DATA

This section should be filled in by the Engineer / Procuring Agency before Issuance of the Bidding Documents)

- a) Name of Procuring Agency JAMSHED ZONE, DMC (EAST)
- b) Brief Description of Works IMPROVEMENT OF "SAQIB PARK" UC-NO.09, JAMSHED ZONE, DMC (EAST)
- c) Procuring Agency's Address Gol Market Block "B" SMCHS Area, Near Darweshia Masjid
- d) Estimated Cost: Rs. 2,77,943/= (+) O/R
- e) Amount of Bid Security: 5% of Quoted Rate

Fill in lump Sum amount or in % age of bid amount / Estimated Cost, but not exceeding 5%

- f) Period of Bid Validity (days) 90 Days
- g) Security Deposit:- (Including bid security) 05% Earnest Money + 05% Retention Money
(in % age of bid amount / estimated cost equal to 10%)
- h) Percentage, if any, to be deducted from Bills: 05 % Retention Money
- i) Deadline for submission of Bids along with time: ~~02~~-DECEMBER-2015 (01:00 PM)
- j) Venue, Time and Date of Bid Opening ~~02~~-DECEMBER -2015 (02:00 PM)
- k) Time for Completion from written order of commence After Receiving of Work Order 45 Days
- l) Liquidity damages_____ (0.05 of Estimated Cost or Bid Cost per day of delay, but total not exceeding 10%)
- m) Deposit Receipt No: Date: Amount _____


DIRECTOR

Parks & Recreation
JAMSHED ZONE, DMC (EAST)

OFFICE OF THE DIRECTOR (PARKS)
JAMSHED ZONE, DMC (EAST)



TENDER DOCUMENTS

FOR

**IMPROVEMENT OF "SAQIB PARK" UC-NO.09,
JAMSHED ZONE, DMC (EAST)**

ESTIMATED COST:- Rs. 2,77,943/= (+) OPEN RATE

Bid Security:- 5% for Quoted Amount

Tender Cost:- Rs. 1,000/=

NOTE:

This Document contains 02 pages excluding this page

DIRECTOR (PARKS)
JAMSHED ZONE, DMC (EAST)

Issue to M/s _____

P.O. No. _____

Dated: _____

Bank: _____

Signature & Stamp of Issuing Authority



OFFICE OF THE DIRECTOR PARKS JAMSHED ZONE, DMC (EAST)

SCHEDULE

SUBJECT: IMPROVEMENT / REPAIRING OF AGA KHAN PARK UC-12 IN JAMSHED ZONE, DMC (EAST)

Estimate Cost: Rs.2,77,943/= (+) OPEN RATE

Tender Cost Rs: 1000/=

| S.# | Description Of Work | Quantity | Rate | Amount |
|--------------|--|-----------|--|-----------------------------|
| 1. | Supplying & Spreading Garden Soil (Sweet Earth) in uniform thickness i/c mixing and Breaking clods and dressing find for grassing i/c disposal of rubbish within 10 Chan | 9,960 Cft | O/R P/Cft | |
| 2. | Supplying & Spreading Cowdung Manure and Mix the same upto and depth in the prepared sand i/c breaking clods dressing fine from grassing i/c disposal within 10 Chain | 3000 Cft | O/R P/Cft | |
| 3. | Re-Pairing of Iron grill or Main Gate, Cutting, Fitting, Jointing with gass or Electrical Welding i/c providing missing square bars or flate Iron Patti (if Need) i/c all charges of Labour i/c Loading unloading all charges of Transportation i/c painting red oxide paint as per direction of Incharge or E/N | 2300 Sft | O/R P/Sft | |
| 4. | Painting Guard Gates Iron Bars greating, Ralling old work two coat | 18000 Sft | 371.80 302.80 674.60%Sft | 1,21,428 |
| 5. | Preparing Surface and Painting with Emulsion Paint Two Coat | 400 Sft | 847.99 457.38 1305.37%Sft | 5,221 |
| 6. | Cartage of All Kind of Material Lead Upto 15 Miles as per direction of E/N | 14206 Cft | 1065.00%Cft | 1,51,294 |
| 7. | Providing & Fixing (5'.6"x 2'-0") wooden Vectorian (Beach i/c 03 No. Fram , Stand i/c loading, Unloading Fixing in 1:2:4 plate form (6'-0" x 4'-0) i/c 2 nd Class plaint wood stairs as per direction of E/N | 13 Nos | O/R Each | |
| Total | | | | 2,77,943 (+) O/R |

SUMMARY OF BILL OF QUANTITIES

I / We hereby quoted as follows:

Total Schedule Rate Amount Rs. 2,77,943.00

_____ % Above /Below of the Schedule Rate Rs. _____

Add Open Rate Amount Rs. _____

Grand Total Rs. _____

The Total amount is Rs. _____ (Rupees) _____


_____ for the complete job for all Schedule & Open Rates Item


NOTE:

- ❖ Tender must be quoted in figure & in word Both otherwise liable to be cancelled.
- ❖ All over writing & correction it any must be initiated & stamped by the bidder.
- ❖ We / I read the standard Bidding Documents (Volume-I) available in the Office & Website of DMC (East) and agreed to abide all of them and also provide all these documents with our signature as & when directed.

**Signature of the contractor
Name & Address _____**


**SUB ENGINEER
JAMSHED ZONE**


**Dy. Director (Parks)
JAMSHED ZONE, DMC (EAST)**


**DIRECTOR (PARKS)
JAMSHED ZONE, DMC (EAST)**


BIDDING DATA

This section should be filled in by the Engineer / Procuring Agency before Issuance of the Bidding Documents)

- a) Name of Procuring Agency JAMSHED ZONE, DMC (EAST)
- b) Brief Description of Works IMPROVEMENT / REPAIRING OF "AGA KHAN PARK" UC NO. 12, IN JAMSHED ZONE, DMC (EAST)
- c) Procuring Agency's Address Gol Market Block "B" SMCHS Area, Near Darweshia Masjid
- d) Estimated Cost: Rs. 7,77,174/= (+) O/R
- e) Amount of Bid Security: 5% of Quoted Rate

Fill in lump Sum amount or in % age of bid amount / Estimated Cost, but not exceeding 5%

- f) Period of Bid Validity (days) 90 Days
- g) Security Deposit:- (Including bid security) 05% Earnest Money + 05% Retention Money
(in % age of bid amount / estimated cost equal to 10%)
- h) Percentage, if any, to be deducted from Bills: 05 % Retention Money
- i) Deadline for submission of Bids along with time: ~~09~~ DECEMBER-2015 (01:00 PM)
- j) Venue, Time and Date of Bid Opening ~~09~~ DECEMBER -2015 (02:00 PM)
- k) Time for Completion from written order of commence After Receiving of Work Order 45 Days
- l) Liquidity damages _____ (0.05 of Estimated Cost or Bid Cost per day of delay, but total not exceeding 10%)
- m) Deposit Receipt No: Date: Amount _____


DIRECTOR
Parks & Recreation
JAMSHED ZONE, DMC (EAST)

OFFICE OF THE DIRECTOR (PARKS)
JAMSHED ZONE, DMC (EAST)



TENDER DOCUMENTS

FOR

**IMPROVEMENT / REPAIRING OF "AGA
KHAN PARK" UC NO. 12, IN JAMSHED ZONE,
DMC (EAST)**

ESTIMATED COST:- Rs. 7,77,174/= (+) OPEN RATE
Bid Security:- 5% for Quoted Amount
Tender Cost:- Rs. 1,000/=

NOTE:

This Document contains 02 pages excluding this page

DIRECTOR (PARKS)
JAMSHED ZONE, DMC (EAST)

Issue to M/s _____ P.O. No. _____
_____ Dated: _____
_____ Bank: _____

Signature & Stamp of Issuing Authority



OFFICE OF THE DIRECTOR PARKS JAMSHED ZONE, DMC (EAST)

SCHEDULE

SUBJECT: BORING 15" DIA IN NISHTER PARK UC-12, JAMSHED ZONE, DMC (EAST)

Estimate Cost: Rs.7,77,174/= (+) OPEN RATE

Tender Cost Rs: 1000/=

| S.# | Description Of Work | Quantity | Rate | Amount |
|-----|---|---------------------------------------|--|---------------------------------|
| 1. | Boring for tube wellin all water bearing soils from G / Level upto 1-100 + or 30.5 Miter depthi/c sinking and with drawing & feasing pipe 375 mm Dia | 100 Rft | 877 P/Rft | 87,700 |
| 2. | Boring for tube wellin all water bearing soils from G / Level upto 100-200 + or 30.5 Miter depthi/c sinking and with drawing & feasing pipe 375 mm Dia | 100 Rft | 988 P/Rft | 98,800 |
| 3. | Supplying and Installing PVC strainers "B" Class of approved design quality and make i/c necessary socket of complete 250 mm dia | 200 Rft | 1061.25 P/Rft | 2,12,250 |
| 4. | S / and Installation PVC Blind pipe "B" Class approved design quality and make i/c necessary socket etc complete 150 mm Dia | 180 Rft | 338.90 P/Rft | 61,002 |
| 5. | Excavation in foundation of Building Bridges and Other Structures i/c Degbelling, dressing, Refilling around structure with excavated with watering and ramming load upto 5'-0 complete | 36 Cft | 3554.38%0Cft | 360 |
| 6. | Cement Concrete Brick or Stoen Ballast 1 1/2" to 2" gauge 1:4:8 | 13 Cft | 9416.28%Cft | 1,224 |
| 7. | P/L 1:3:6 C/C Solid Block Masonry Wall 6" and Below in thickness set in 1:6 CM in G/F Super Structure i/c raking, Jointing & Curring etc complete | 82 Cft | 15771.01%Cft | 12,932 |
| 8. | Fabrication of Mild Steel Reinforcement for cement concrete i/c cutting, bending laying in position making joints and fastenings i/c cost of binding wire (also includes removal of using tor bars | 0.522 Cwt | 5001.70 P/Cwt | 2,611 |
| 9. | RCC Work in Roof, Slab, Beams Collum, Rofts, Linters and Other Structure etc 1:2:4 | 13 Cft | 258.61 Cft | 3,362 |
| 10. | Cement Plaster 1;4 upto 12' height 1/2" Thick | 288 Cft | 2283.93%Sft | 6,578 |
| 11. | Distempering Three Coat | 288 Sft | 1079.65%Sft | 3,109 |
| 12. | P / L UPVC pipe of Class "D" (Equalent Make) fixing in trench i/c cutting, fitting and jointing with Z Joints with an R/R i/c testing with water to ahead 122 Meter or 400 Ft e) 1/2" Dia f) 1" Dia g) 1 1/2" Dia h) 2" Dia | 50 Rft 50 Rft 50 Rft 450 Rft | 12.00 P/Rft 27.00 P/Rft 43.00 P/Rft 65.00 P/Rft | 600 1,350 2,150 29,250 |
| 13. | Cartage of all kind Material lead upto 15 Miles etc as per direction of Engineer Incharge | 23840 Cft | 1065% Cft | 2,53,896 |

| | | | | |
|-------|--|--------|---------------------|---------------------|
| 14. | P/F on position superior quality 3 HP SP as per approved (Made) best quality (as equalent) stainless steel "SUBMER SIBLE PUMP wihic in made latest Technology and Material. Te remain part of the submersible Pums is made of Stainless Steel and Copper . Olloery i/c SP Electrical Motor 380 V electric Supply 50 HZ i/c Constructual Box i/c as per required Electrical accessories and wiring also i/c all accessories as gien by diagram etc as per direction of Engineer Incharge Complete Job | 01 Job | O/R Complete Job | |
| 15. | P/F Pre Cast Single Lock Steel Door as per direction of Engineer Incharge | 9 ft | O/R | |
| Total | | | | 7,77,147 (+) O/R |

SUMMARY OF BILL OF QUANTITIES

I / We hereby quoted as follows:

Total Schedule Rate Amount Rs. 7,77,140.00

_____ % Above / Below of the Schedule Rate Rs. _____

Add Open Rate Amount Rs. _____

Grand Total Rs. _____

The Total amount is Rs. _____ (Rupees) _____

_____ for the complete job for all Schedule of Rates.

Time Limit 45 days

Penalty Per Day Rs. 500/=


NOTE:

- ❖ Tender must be quoted in figure & in word Both otherwise liable to be cancelled.
- ❖ All over writing & correction it any must be initiated & stamped by the bidder.
- ❖ We / I read the standard Bidding Documents (Volume-I) available in the Office & Website of DMC (East) and agreed to abide all of them and also provide all these documents with our signature as & when directed.

Signature of the contractor
Name & Address _____


SUB ENGINEER
JAMSHED ZONE


Dy. Director (Parks)
JAMSHED ZONE, DMC (EAST)


DIRECTOR (PARKS)
JAMSHED ZONE, DMC (EAST)

BIDDING DATA

This section should be filled in by the Engineer / Procuring Agency before Issuance of the Bidding Documents)

- a) Name of Procuring Agency JAMSHED ZONE, DMC (EAST)
- b) Brief Description of Works BORING 15" DIA IN HASSA SINGH PARK AT UC-10, JAMSHED ZONE, DMC (EAST)
- c) Procuring Agency's Address Gol Market Block "B" SMCHS Area, Near Darweshia Masjid
- d) Estimated Cost: Rs. 7,77,174/= (+) O/R
- e) Amount of Bid Security: 5% of Quoted Rate

Fill in lump Sum amount or in % age of bid amount / Estimated Cost, but not exceeding 5%

- f) Period of Bid Validity (days) 90 Days
- g) Security Deposit:- (Including bid security) 05% Earnest Money + 05% Retention Money
(in % age of bid amount / estimated cost equal to 10%)
- h) Percentage, if any, to be deducted from Bills: 05 % Retention Money
- i) Deadline for submission of Bids along with time: ~~09~~ DECEMBER-2015 (01:00 PM)
- j) Venue, Time and Date of Bid Opening ~~09~~ DECEMBER -2015 (02:00 PM)
- k) Time for Completion from written order of commence After Receiving of Work Order 45 Days
- l) Liquidity damages _____ (0.05 of Estimated Cost or Bid Cost per day of delay, but total not exceeding 10%)
- m) Deposit Receipt No: Date: Amount _____


DIRECTOR

Parks & Recreation
JAMSHED ZONE, DMC (EAST)

OFFICE OF THE DIRECTOR (PARKS)
JAMSHED ZONE, DMC (EAST)



TENDER DOCUMENTS

FOR

**BORING 15" DIA IN HASSA SINGH PARK AT
UC-10, JAMSHED ZONE, DMC (EAST)**


ESTIMATED COST:- Rs. 7,77,174/= (+) OPEN RATE

Bid Security:- 5% for Quoted Amount

Tender Cost:- Rs. 1,000/=

NOTE:

This Document contains 02 pages excluding this page


DIRECTOR (PARKS)
JAMSHED ZONE, DMC (EAST)

Issue to M/s _____ P.O. No. _____
_____ Dated: _____
_____ Bank: _____

Signature & Stamp of Issuing Authority



OFFICE OF THE DIRECTOR PARKS JAMSHED ZONE, DMC (EAST)

SCHEDULE

SUBJECT: BORING 15" DIA IN HASSA SINGH PARK AT UC-10, JAMSHED ZONE, DMC (EAST)

Estimate Cost: Rs.7,77,174/= (+) OPEN RATE

Tender Cost Rs: 1000/=

| S.# | Description Of Work | Quantity | Rate | Amount |
|-----|--|---------------------------------------|--|---------------------------------|
| 1. | Boring for tube well in all water bearing soils from G / Level upto 1-100 + or 30.5 Miter depth i/c sinking and with drawing & feasing pipe 375 mm Dia | 100 Rft | 877 P/Rft | 87,700 |
| 2. | Boring for tube well in all water bearing soils from G / Level upto 100-200 + or 30.5 Miter depth i/c sinking and with drawing & feasing pipe 375 mm Dia | 100 Rft | 988 P/Rft | 98,800 |
| 3. | Supplying and Installing PVC strainers "B" Class of approved design quality and make i/c necessary socket of complete 250 mm dia | 200 Rft | 1061.25 P/Rft | 2,12,250 |
| 4. | S / and Installation PVC Blind pipe "B" Class approved design quality and make i/c necessary socket etc complete 150 mm Dia | 180 Rft | 338.90 P/Rft | 61,002 |
| 5. | Excavation in foundation of Building Bridges and Other Structures i/c Degbelling, dressing, Refilling around structure with excavated with watering and ramming load upto 5'-0 complete | 36 Cft | 3554.38%0Cft | 360 |
| 6. | Cement Concrete Brick or Stoen Ballast 1 ½" to 2" gauge 1:4:8 | 13 Cft | 9416.28%Cft | 1,224 |
| 7. | P/L 1:3:6 C/C Solid Block Masonry Wall 6" and Below in thickness set in 1:6 CM in G/F Super Structure i/c raking, Jointing & Curring etc complete | 82 Cft | 15771.01%Cft | 12,932 |
| 8. | Fabrication of Mild Steel Reinforcement for cement concrete i/c cutting, bending laying in position making joints and fastenings i/c cost of binding wire (also includes removal of using tor bars | 0.522 Cwt | 5001.70 P/Cwt | 2,611 |
| 9. | RCC Work in Roof, Slab, Beams Collum, Rofts, Linters and Other Structure etc 1:2:4 | 13 Cft | 258.61 Cft | 3,362 |
| 10. | Cement Plaster 1;4 upto 12' height ½" Thick | 288 Cft | 2283.93%Sft | 6,578 |
| 11. | Distempering Three Coat | 288 Sft | 1079.65%Sft | 3,109 |
| 12. | P / L UPVC pipe of Class "D" (Equalent Make) fixing in trench i/c cutting, fitting and jointing with Z Joints with an R/R i/c testing with water to ahead 122 Meter or 400 Ft a) ½ " Dia b) 1" Dia c) 1 ½" Dia d) 2" Dia | 50 Rft 50 Rft 50 Rft 450 Rft | 12.00 P/Rft 27.00 P/Rft 43.00 P/Rft 65.00 P/Rft | 600 1,350 2,150 29,250 |
| 13. | Cartage of all kind Material lead upto 15 Miles etc as per direction of Engineer Incharge | 23840 Cft | 1065% Cft | 2,53,896 |

| | | | | |
|-------|---|--------|---------------------|---------------------|
| 14. | P/F on position superior quality 3 HP SP as per approved (Made) best quality (as equalent) stainless steel "SUBMER SIBLE PUMP whic in made latest Technology and Material. Te remain part of the submersible Pums is made of Stainless Steel and Copper . Olloery i/c SP Electrical Motor 380 V electric Supply 50 HZ i/c Constructual Box i/c as per required Electrical accessories and wiring also i/c all accessories as gien by diagram etc as per direction of Engineer Incharge Complete Job | 01 Job | O/R Complete Job | |
| 15. | P/F Pre Cast Single Lock Steel Door as per direction of Engineer Incharge | 9 ft | O/R | |
| Total | | | | 7,77,147 (+) O/R |

SUMMARY OF BILL OF QUANTITIES

I / We hereby quoted as follows:

Total Schedule Rate Amount Rs. 7,77,140.00

_____ % Above / Below of the Schedule Rate Rs. _____

Add Open Rate Amount Rs. _____

Grand Total Rs. _____

The Total amount is Rs. _____ (Rupees) _____

_____ for the complete job for all Schedule of Rates.

Time Limit 45 days


Penalty Per Day Rs. 500/=

NOTE:

- ❖ Tender must be quoted in figure & in word Both otherwise liable to be cancelled.
- ❖ All over writing & correction it any must be initiated & stamped by the bidder.
- ❖ We / I read the standard Bidding Documents (Volume-I) available in the Office & Website of DMC (East) and agreed to abide all of them and also provide all these documents with our signature as & when directed.

**Signature of the contractor
Name & Address _____**


**SUB ENGINEER
JAMSHED ZONE**


**Dy. Director (Parks)
JAMSHED ZONE, DMC (EAST)**


**DIRECTOR (PARKS)
JAMSHED ZONE, DMC (EAST)**

BIDDING DATA

This section should be filled in by the Engineer / Procuring Agency before Issuance of the Bidding Documents)

- a) Name of Procuring Agency JAMSHED ZONE, DMC (EAST)
- b) Brief Description of Works IMPROVEMENT OF ASLAM SHAHEED PARK, CENTRAL COMMERCIAL AREA, TARIQ ROAD, PECHS. JAMSHED ZONE, DMC (EAST)
- c) Procuring Agency's Address Gol Market Block "B" SMCHS Area, Near Darweshia Masjid
- d) Estimated Cost: Rs. 6,78,115/= (+) O/R
- e) Amount of Bid Security: 5% of Quoted Rate

Fill in lump Sum amount or in % age of bid amount / Estimated Cost, but not exceeding 5%

- f) Period of Bid Validity (days) 90 Days
- g) Security Deposit:- (Including bid security) 05% Earnest Money + 05% Retention Money
(in % age of bid amount / estimated cost equal to 10%)
- h) Percentage, if any, to be deducted from Bills: 05 % Retention Money
- i) Deadline for submission of Bids along with time: ~~09~~ DECEMBER-2015 (01:00 PM)
- j) Venue, Time and Date of Bid Opening ~~09~~ DECEMBER -2015 (02:00 PM)
- k) Time for Completion from written order of commence After Receiving of Work Order 45 Days
- l) Liquidity damages _____ (0.05 of Estimated Cost or Bid Cost per day of delay, but total not exceeding 10%)
- m) Deposit Receipt No: Date: Amount _____



DIRECTOR
Parks & Recreation
JAMSHED ZONE, DMC (EAST)

OFFICE OF THE DIRECTOR (PARKS)
JAMSHED ZONE, DMC (EAST)



TENDER DOCUMENTS

FOR

**IMPROVEMENT OF ASLAM SHAHEED PARK,
CENTRAL COMMERCIAL AREA, TARIQ ROAD,
PECHS. JAMSHED ZONE, DMC (EAST)**

ESTIMATED COST:- Rs. 6,78,115/= (+) OPEN RATE
Bid Security:- 5% for Quoted Amount
Tender Cost:- Rs. 1,000/=

NOTE:

This Document contains 03 pages excluding this page

DIRECTOR (PARKS)
JAMSHED ZONE, DMC (EAST)

Issue to M/s _____ P.O. No. _____
_____ Dated: _____
_____ Bank: _____

Signature & Stamp of Issuing Authority




OFFICE OF THE DIRECTOR PARKS JAMSHED ZONE, DMC (EAST)

SCHEDULE

SUBJECT: IMPROVEMENT OF ASLAM SHAHEED PARK CENTRAL COMMERCIAL AREA, TARIQ ROAD, PECHS, JAMSHED ZONE, DMC (EAST)

Estimate Cost: Rs.6,78,115/=

Tender Cost Rs: 1000/=

| S.# | Description Of Work | Quantity | Rate | Amount |
|-----|---|-----------|-----------------------------|----------|
| 1. | Dismantling Cement Concrete Plain 1:3:6 | 1440 Cft | 1306.80%Cft | 18,818 |
| 2. | Dismantling RCC Separating reinforced center from lentle, cleaning and straightening the same | 44 Cft | 5445.00%Cft | 2,396 |
| 3. | Dismantling Block Masonry | 116 Cft | 1134.38%Cft | 1,316 |
| 4. | Excavation in foundation of building bridges & Other structure i/c dagbelling dressing refilling around structure with excavated earth watering and ramming lead upto 5 feet | 96 Cft | 3176.25%0Cft | 305 |
| 5. | Filling, Watering and hammering earch water floor with new earth (Excavated from cut side) lead upto one chain of light upto 05' ft | 792 Cft | 3,630.00%0Cft | 2,875.00 |
| 6. | Fabrication of mild steel reinforcement for CC i/c cutting, bending, laying in position, making, joints and fastenings i/c cost of binding wire (also i/c removal of rust froms bars. Using Tor Bars | 0.240 Cwt | 5001.70 P/Cwt | 1,200 |
| 7. | RCC work in roof Slab, Beams,Columns Rafts Lintel And other structure member laid site or precast laid in position complete in all respect 1:2:4 | 49 Cft | 337 P/Cft | 16,513 |
| 8. | Providing and Laying 1:3:6 Cement Concrete Solid Block Masonry set in 1:6 cement Sand Mortar in Ground Floor Superstructure including raking out joints and curing etc complete | 200 Cft | 15771.01 %Cft | 31,542 |
| 9. | Errection and removal of centering for RCC or plain cement concrete work Partial Wood (2 nd Class)  | 300 Sft | 3588.49% Sft 3127.41%Sft | 9,382 |
| 10. | C/C Plain i/c Placing Compectiong, Finishing and curring complete 1:3:6 | 49 Cft | 12595% Sft | 6,171 |
| 11. | P/Fixing cement Paving Block Flooring Having Size of 197 x 97 x 60 (mm) of City quotation / Cabble Shape with natural Colour, Having strength 500psi to 8500 PSI i/c filling the joints with hill sand and levelling in specification of manner / Pattern and Design etc complete | 160 Sft | 199.77 P/Sft | 31,963 |
| 12. | Cement Plaster 1/2" thick 1:4 upto 12' height | 2000 Rft | 2283.93%Sft | 45,678 |
| 13. | Distempering Three Coats | 15200 Sft | 1079.65%Sft | 1,64,107 |
| 14. | S/F Special having type steel door for lock, UPS with angle Iron frame of 2 1/2" to 2 1/2" x 3/8" size and shutter of 2" x 2" x 3/8" with 1" Dia MS Bars placed 4" C/C with separate locking box having size of 12" x 12" of M. Steel sheet embaded in masonry locking arrangements as per approved design i/c cost of section etc complete | 96 Sft | 930.76 P/Sft | 89,353 |

| | | | | |
|-------------------------|--|----------|--|-------------------------|
| 15. | P/Fixing Precast edge Block 3750 PSI Industrial made size 6" thick x 12" long x 12" height i/c cost of cartage excavation f/W for winching 1450 PSI lead centre 2250 PSI Concrete for 1:4 C/S/M etc complete | 26 Nos. | 297.01 | 7,722 |
| 16. | Painting door / Window any type two coat | 36 Sft | 657.91 502.15 1160.06%Sft | 417 |
| 17. | Painting good Gates Iron Bars grating Railing 2 Coat | 120 Sft | 371.80 302.80 674.60%Sft | 809 |
| 18. | Preparing surface and Painting with emulsion Paint | 948 Sft | 847.99 457.38 1305.37%Sft | 12,375 |
| 19. | Supplying & Spreading Garden Soil approved (Sweet Earth) as per direction of E/N | 5000 Cft | O/R P/Cft | |
| 20. | S/Spreading Cowdung Manure as per direction of E/N | 1660 Cft | O/R P/Cft | |
| 21. | Supplying & Fixing vectorian wooden Bench as per approval by E/N | 10 Nos. | O/R Each | |
| 22. | P/F electrical Motor (Siemens & Its equalent) 2 HPS with Javed Pistion Pump fixing in position C/C foundation/c suitable Dia section & delivery GI Pipe & Brass foot valve / spainer o Nit with all accessories electrical wiring of etc complete i/c commisioning of motor pump (Double Belt) as per direction of E/N | 01 No. | O/R Each | |
| ELECTRICAL WORKS | | | | |
| 23. | P/F of MS Hexagonal Poles as per following specification tube fixed an precast foundation with help of Hydraulic crain and Meawal Labour 40ft long with Dia of poles at the top 6" & Bottom 18" wall thickness 6mm Base plaste 32' x 32" x 1" Stifnes 12" x 6" x 1/2" t Nos Holes, 6 Nos Making Window in the pole required size with 1 N Key position two coat oil paint as per site requirements by Insulation of E/N | 01 Nos. | 1,17,653 Each | 1,17,653 |
| 24. | P/F of Street Light 400 Watts (Son -T) having P60 classification with 400 W lamp, Choke Compaciter, Internal wiring of Hydraulic and instruction of E/I | 04 Nos. | 26,330 Each | 1,05,320 |
| 25. | P/Laying Main Or sub Main 2, 7/044 (6mm) Copper Conduction 1" PVC conduct or surface | 40 Nos. | 305 P/Mtr | 12,200 |
| Total PC Cost | | | | 6,78,115 (+) O/R |

SUMMARY OF BILL OF QUANTITIES

I / We hereby quoted as follows:

Total Schedule Rate Amount Rs. 6,78,115.00

_____ % Above /Below of the Schedule Rate Rs. _____

Add Open Rate Item Rs. _____

Grand Total Rs. _____

The Total amount is Rs. _____ (Rupees)_____


_____ for the complete job for all Schedule of Rates.


NOTE:

- ❖ Tender must be quoted in figure & in word Both otherwise liable to be cancelled.
- ❖ All over writing & correction it any must be initiated & stamped by the bidder.
- ❖ We / I read the standard Bidding Documents (Volume-I) available in the Office & Website of DMC (East) and agreed to abide all of them and also provide all these documents with our signature as & when directed.

Signature of the contractor
Name & Address _____


SUB ENGINEER
JAMSHED ZONE


Dy. Director (Parks)
JAMSHED ZONE, DMC (EAST)


DIRECTOR (PARKS)
JAMSHED ZONE, DMC (EAST)