BIDDING DATA

INSTRUCTION TO BIDDERS

Clause Reference

1.1 Name of Procuring Agency

Office of the Town Committee Sindhri District Mirpurkhas P.O 12 Mile Mirpurkhas Sindhri Road

Brief Description of Works

Construction of Black Top Road from Phullahdyoun Khipro road to Village _____ Khalefo Abdul Rahim Bhunpar UC Phullahdyoun (Including 2 Culvert) (6 _____ Ferlong)


5.1 (a) Procuring Agency's address:

Office of the Town Committee Sindhri District Mirpurkhas P.O 12 Mile Mirpurkhas Sindhri Road

(b) Engineer's address:

Office of the Town Committee Sindhri District Mirpurkhas P.O 12 Mile Mirpurkhas Sindhri Road

- 10.3. Bid shall be quoted entirely in Pak. Rupees. The payment shall be made in Pak. Rupees.
- The bidder has the financial, technical and constructional capability necessary to perform the Contract as follows:
 - Relevant Experience
 - Turn-over of at least last three years
 - Registration with Income Tax, Sales Tax and Pakistan Engineering Council (Where applicable)
 - NTN (FBR) Certificate
 - Sindh Revenue Board (SRB) Certificate
 - i. Financial capacity: (must have turnover of Rs. 0.10 Million)
 - ii. Technical capacity: (mention the appropriate category of registration with PEC and qualification and experience of the staff)
 - iii. Construction Capacity: (Mention the name and number of equipments required for the work)
- 12.1 (a) A detailed description of the works, essential technical and performance characteristics
 - (b) Complete set of technical information, description data, literature and drawings as required in accordance with Schedule B to Bid, Specific works Data. This will include but not be limited to a sufficient number of drawings, photographs, catalogues, illustrations and such other information as is necessary to illustrate clearly the significant characteristics such as general construction dimensions and other relevant information about the works to be performed.



13.F	Amount of Bid Security
4	2% of Each Work
14.1	Period of Bid Validity
2 1	90 Days
14.4	Number of Copies of the Bid to be submitted:
1.0	One Original plus copies
14.6	(a) Procuring Agency's Address for the purpose of Bid submission Office of the Town Committee Sindhri District Mirpurkhas P.O 12 Mile Mirpurkhas Sindhri Road
15.1	Deadline for submission of Bids Time 02:00 PM on 11-01-2016
16.4	Venue, Time, and Date of Bid Opening Venue: Office of the Town Committee Sindhri District Mirpurkhas
•	Time 03:00 PM Date 11-01-2016
16,4 (i) (ii) (iii) (iv)	Responsiveness of Bids. Bid is valid till required period Bid prices are firm duing currency of contract/price adjustment: Completion period offered is within specified limites. Bidder is eligible to bid and possesses the requisite experience, capability and qualification. Bids are generally in order, etc.
(*)	Dias are generally in order, etc.

Prorucing agency acan adopt either of two options.

- (a) **Fixed Price contract**: In these contracts no escalation will be provided during currency of the contract and normally period of completion of these works is upto 12 months.
- (b) **Price adjustment contract**: In these contracts escalation will be paid only on those items and in the manner as notified by Finance Department, Government of Sindh, after bid opening during currency of the contract.

FORM OF BID (LETTER OF OFFER)

Bid I	Reference No	•		
	1			• a
To,	. '			· ·
	•			
Gentl	lemen,	:		
, l.	Having examined the bidding doo Conditions of Contract, Contract Prices and Addenda Nos. we, the name of and address	ct Data, Specificatio	ons, Drawings, if a company doing b	any, Schedule of ousiness under the
•	incorporated under the laws of Pa and remedy any defects therei Addenda thereto for the Total	n in conformity wi	ith the said Docu	uments including(Rupees
	with the said Documents.	•		
2.	We understand that all the Schedu	ules attached hereto f	orm part of this Bi	d.
3.	As security for due performance submit herewith a Bid Security in payable to you and valid for a payable to bid.	the amount of	drawn in you	ır favour or made
4. 5.	We undertake, if our bid is accept the works comprised in the Contra We agree to abide by this Bid for receiving the same and it shall re- before the expiration of that period	act within the time(s) or the period of main binding upon u	stated in contract days from the	Data. ne date fixed for
6.	Unless and until a formal agreen your written acceptance thereof, sl	• •		-

8.	, We understan	nd that you are	not bound to	accept t	he lowest or	any bid yo	u may r€	eceive.
9.		y declare that nt with any otl						of figures
	Dated this	· · · · · · · · · · · · · · · · · · ·	day of		20	15		•
	Signature <u>*</u>	*		•				• •
		ty of				rized to sig	gn bid fo	or and or
a	y						•	4
#1.		•		·			(Seal)	
,	Address						,	
• ;		• 1						
								**c
	Witness:-			•	•			
	(Signature)	. •			 .			
	Name: Address:	•			·			
•								
	Да г.		• .					
•								÷

7. We undertake, if our bid is accepted, to execute the performance security referred to in

1. General

- 1.1 The Schedule of Prices shall be read in conjunction with the conditions of contract, contract Data together with the specifications and Drawings, if any.
- 1.2 The contract shall be for the whole of the works as described in these bidding documents. Bids must be for the complete scope of works.

2. Description

2.1 The general directions and descriptions of works and materials are not necessarily repeated nor summarized in the Schedule of Prices.

Reference to the relevant sections of the Bidding Documents shall be made before

entering prices against each item in the schedule of prices.

3. Units & Abbreviations

3.1 Units of measurement, symbols and abbreviations expressed in the Bidding Documents shall comply with the System International Units (SI Units)

4. Rates and Prices

5.

4.1 Except as otherwise expressly provided under the conditions of contract, the rates and amounts entered in the Schedule of Prices. Shall be the rates at which the contractors shall be paid and shall be the full inclusive value of the works set forth or implied in the Contract or

BIDDING DATA



INSTRUCTION TO BIDDERS

Clause Reference

1.1 Name of Procuring Agency

Office of the Town Committee Sindhri District Mirpurkhas P.O 12 Mile Mirpurkhas Sindhri Road

Brief Description of Works

Construction of Black Top Road from Kanchari Road via Mano Shar, Abdullah ——Qaimkhani to Sandal Qaimkhani UC Phullahdyoun (Including 5 Culverts) (2.25 ——KM)

5.1 (a) Procuring Agency's address:

Office of the Town Committee Sindhri District Mirpurkhas P.O 12 Mile Mirpurkhas Sindhri Road

(b) Engineer's address:

Office of the Town Committee Sindhri District Mirpurkhas P.O 12 Mile Mirpurkhas Sindhri Road

- 10.3. Bid shall be quoted entirely in Pak. Rupees. The payment shall be made in Pak. Rupees.
- The bidder has the financial, technical and constructional capability necessary to perform the Contract as follows:
 - Relevant Experience
 - Turn-over of at least last three years
 - Registration with Income Tax, Sales Tax and Pakistan Engineering Council (Where applicable)
 - NTN (FBR) Certificate
 - Sindh Revenue Board (SRB) Certificate
 - i. Financial capacity: (must have turnover of Rs. 0.10 Million)
 - ii. Technical capacity: (mention the appropriate category of registration with PEC and qualification and experience of the staff)
 - iii. Construction Capacity: (Mention the name and number of equipments required for the work)
- 12.1 (a) A detailed description of the works, essential technical and performance characteristics
 - (b) Complete set of technical information, description data, literature and drawings as required in accordance with Schedule B to Bid, Specific works Data. This will include but not be limited to a sufficient number of drawings, photographs, catalogues, illustrations and such other information as is necessary to illustrate clearly the significant characteristics such as general construction dimensions and other relevant information about the works to be performed.

13:1	Amount of Bid Security
•	2% of Each Work
14.1	Period of Bid Validity 90 Days
14.4	Number of Copies of the Bid to be submitted:
\$# .	One Original plus copies
14.6	(a) Procuring Agency's Address for the purpose of Bid submission Office of the Town Committee Sindhri District Mirpurkhas P.O 12 Mile Mirpurkhas Sindhri Road
15.1	Deadline for submission of Bids Time 02:00 PM on 14-01-2016
16.4	Venue, Time, and Date of Bid Opening Venue: Office of the Town Committee Sindhri District Mirpurkhas
•	Time 03:00 PM Date 11-01-2016
16,4 (i) (ii) (iii) (iv) •	Responsiveness of Bids. Bid is valid till required period Bid prices are firm duing currency of contract/price adjustment: Completion period offered is within specified limites. Bidder is eligible to bid and possesses the requisite experience, capability and qualification. Bids are generally in order, etc.
Prorue	cing agency acan adopt either of two options.

- (a) **Fixed Price contract**: In these contracts no escalation will be provided during currency of the contract and normally period of completion of these works is upto 12 months.
- (b) **Price adjustment contract**: In these contracts escalation will be paid only on those items and in the manner as notified by Finance Department, Government of Sindh, after bid opening during currency of the contract.

FORM OF BID (LETTER OF OFFER)

BidR	deference No	<u> </u>		
				
		•, *		** <u>*</u>
To,				• •
		_		
		_		
.				
Gentle	emen,	:		
, i.	Having examined the bidding docum Conditions of Contract, Contract D Prices and Addenda Nos. we, the unconame of and address	Data, Specifications,	, Drawings, if an ompany doing bus	y. Schedule of
•			a	nd being duly
	incorporated under the laws of Pakist and remedy any defects therein in Addenda thereto for the Total Bi) or such with the said Documents.	n conformity with d Price of Rs	the said Docum	ents including (Rupees
2.	We understand that all the Schedules	attached hereto form	n part of this Bid.	
3.	As security for due performance of submit herewith a Bid Security in the payable to you and valid for a perio validity of bid.	amount of	drawn in your f	favour or made
4 <u>,</u> 5.	We undertake, if our bid is accepted to the works comprised in the Contract where We agree to abide by this Bid for the receiving the same and it shall remain before the expiration of that period.	within the time(s) state ne period of	ated in contract Da days from the	ata. date fixed for
6.	Unless and until a formal agreement your written acceptance thereof, shall			_

			ithout any collusion ons making a bid for	, comparison of figure the works.
·				•
Dated this		_ day of	2015	•.
Signature <u></u>		· ·		
				I to sign bid for and o
v ,				•
	•			
	•			(Seal)
Address				
	• '			
				•
Witness:-	i			
(Signature)	. •			
4			·	
Name:				
Name:	•			
Name: Address:				

Preamble to schedule of Prices

1. General

- 1.1 The Schedule of Prices shall be read in conjunction with the conditions of contract, contract Data together with the specifications and Drawings, if any.
- 1.2 The contract shall be for the whole of the works as described in these bidding documents. Bids must be for the complete scope of works.

2. Description

2.1 The general directions and descriptions of works and materials are not necessarily repeated nor summarized in the Schedule of Prices.

Reference to the relevant sections of the Bidding Documents shall be made before entering prices against each item in the schedule of prices.

3. Units & Abbreviations

3.1 Units of measurement, symbols and abbreviations expressed in the Bidding Documents shall comply with the System International Units (SI Units)

4. Rates and Prices

5.

4.1 Except as otherwise expressly provided under the conditions of contract, the rates and amounts entered in the Schedule of Prices. Shall be the rates at which the contractors shall be paid and shall be the full inclusive value of the works set forth or implied in the Contract or

BIDDING DATA



INSTRUCTION TO BIDDERS

Clause Reference

1.1 Name of Procuring Agency

Office of the Town Committee Sindhri District Mirpurkhas P.O 12 Mile Mirpurkhas Sindhri Road

Brief Description of Works

Construction of Black Top Road from Shakir Shaheed road via Siyal Goth, to Sohrab Mari UC Hingorno (Including 6 Culvert) (2 KM)


5.1 (a) Procuring Agency's address:

Office of the Town Committee Sindhri District Mirpurkhas P.O 12 Mile Mirpurkhas Sindhri Road

(b) Engineer's address:

Office of the Town Committee Sindhri District Mirpurkhas P.O 12 Mile Mirpurkhas Sindhri Road

- 10.3. Bid shall be quoted entirely in Pak. Rupees. The payment shall be made in Pak. Rupees.
- The bidder has the financial, technical and constructional capability necessary to perform the Contract as follows:
 - Relevant Experience
 - Turn-over of at least last three years
 - Registration with Income Tax, Sales Tax and Pakistan Engineering Council (Where applicable)
 - NTN (FBR) Certificate
 - Sindh Revenue Board (SRB) Certificate
 - i. Financial capacity: (must have turnover of Rs. 0.10 Million)
 - ii. Technical capacity: (mention the appropriate category of registration with PEC and qualification and experience of the staff)
 - iii. Construction Capacity: (Mention the name and number of equipments required for the work)
- 12.1 (a) A detailed description of the works, essential technical and performance characteristics
 - (b) Complete set of technical information, description data, literature and drawings as required in accordance with Schedule B to Bid, Specific works Data. This will include but not be limited to a sufficient number of drawings, photographs, catalogues, illustrations and such other information as is necessary to illustrate clearly the significant characteristics such as general construction dimensions and other relevant information about the works to be performed.



Period of Bid Validity 90 Days 14.4 Number of Copies of the Bid to be submitted: One Original plus copies
14.6 (a) Procuring Agency's Address for the purpose of Bid submission Office of the Town Committee Sindhri District Mirpurkhas P.O 12 Mile Mirpurkhas Sindhri Road
15.1 Deadline for submission of Bids Time 02:00 PM on 11-01-2016
16.4 Venue, Time, and Date of Bid Opening Venue: Office of the Town Committee Sindhri District Mirpurkhas
Time 03:00 PM Date 11-01-2016
 Responsiveness of Bids. Bid is valid till required period Bid prices are firm duing currency of contract/price adjustment: Completion period offered is within specified limites. Bidder is eligible to bid and possesses the requisite experience, capability and qualification. Bids are generally in order, etc.
Prorucing agency acan adopt either of two options. (a) Fixed Price contract: In these contracts no escalation will be provided during

- (a) **Fixed Price contract**: In these contracts no escalation will be provided during currency of the contract and normally period of completion of these works is upto 12 months.
- (b) **Price adjustment contract**: In these contracts escalation will be paid only on those items and in the manner as notified by Finance Department, Government of Sindh, after bid opening during currency of the contract.

FORM OF BID (LETTER OF OFFER)

Bid R	Reference No.			
	21			
		• .		More and the second se
To,	•			
,				
	4			•
.				
Gentle	emen,			
, Î.	Having examined the bidding of Conditions of Contract, Cont Prices and Addenda Nos. we, to name of and address	ract Data, Specification	ons, Drawings, if a company doing	any, Schedule o business under the
*				
7	and remedy any defects the Addenda thereto for the To		·	(Rupees
2.	We understand that all the Scho	edules attached hereto	form part of this B	Bid.
3.	As security for due performand submit herewith a Bid Security payable to you and valid for a validity of bid.	in the amount of	drawn in yo	ur favour or made
4.,	We undertake, if our bid is according to the Works comprised in the Cor		•	
5.	We agree to abide by this Bid receiving the same and it shall before the expiration of that per	for the period ofremain binding upon	days from	the date fixed for
6.	Unless and until a formal agree your written acceptance thereof	• •		_

	-		vithout any collusion ons making a bid for	, comparison of figure the works.
Dated this		day of	2015	
Signature <u>*</u>		·.·		
In the capacit	y of			to sign bid for and or
v.	•			
	•			(Seal)
Address				
				
				•
Witness:-				•
(Signature)	. •			
Name:				
Address:		•		
Address:				

Preamble to schedule of Priccs

1. General

- 1.1 The Schedule of Prices shall be read in conjunction with the conditions of contract, contract Data together with the specifications and Drawings, if any.
- 1.2 The contract shall be for the whole of the works as described in these bidding documents. Bids must be for the complete scope of works.

² 2. Description

2.1 The general directions and descriptions of works and materials are not necessarily repeated nor summarized in the Schedule of Prices.

Reference to the relevant sections of the Bidding Documents shall be made before entering prices against each item in the schedule of prices.

3. Units & Abbreviations

3.1 Units of measurement, symbols and abbreviations expressed in the Bidding Documents shall comply with the System International Units (SI Units)

4. Rates and Prices

5.

4.1 Except as otherwise expressly provided under the conditions of contract, the rates and amounts entered in the Schedule of Prices. Shall be the rates at which the contractors shall be paid and shall be the full inclusive value of the works set forth or implied in the Contract or

SCHEDULE "B"

CONST: OF BLACK TOP ROAD FROM PHULLADYOON KHIPRO ROAD TO VILLAGE KHALEFO ABDUL RAHIM BHUNPAR UC PHULLADYOON (INCLUDING 2 CULVERTS)

Mile 0/0-0/6 (1.20 Kms)

Quantity	No	ltem of work.	Rate	e		Amount.
	1	FORMATION Earth work for road embankment by the budozers including plugging, mixing, clod, breaking dressing and compacting with optimum moisture content lead upto 100 ft and lift upto 5.00 ft in all types of soil except rock, (if earth work is done by				
220011 Sft		(a) FOR 85% MODIFIED AASHO DENSITY	Rs	8681.23 P.% Sft	Rs.	1909966 /=
57103 • Sft		(b) FOR 95-100% MODIFIED AASHO	Rs	11215.17 P.% Sft	Rs.	640420 /=
24473 Cft	2	SUB BASE COURSE:- Preparing Sub Base Course by supplying and spreading stone metal of 2"-11/2" in guage of approved quality from approved quarry in required thickness (6" in 2 layers) to proper camber and grade, i/c hand packing, filling voids with 10 cft screening and non plastic quarry fines of approved quality and guage from approved source, watering and compacting to achieve 98-100% density as per modified AASHO specification. (Rate i/cs all cost of materials T&P, labours and carriage upto site of work.	Rs	10380.36 P.% Cft	Rs.	2540386 /=
			٠.			
8158 Rft	3	BRICK ON EDGING:- Laying Brick on end edging including supplying 9"x41/2"x3" first class bricks, excavation for laying edging with small size parallel to the road. Rate includes all cost of materials, T&P, labours, and carriage upto site of work (3 chains)	Rs	2729.96 P.% Rft	Rs.	222710 /=

24473 4 BASE COURSE:-

Rs 11460.75 P.% Cft Rs. 2804789 /=

Cft

Preparing base course including supplying and spreading stone metal of approved quality properly graded to maximum size of 1 1/2" in required thickness of (3") to proper camber and supplying including spreading 15 cft. Screening and non plastic quarry fines, filling depressions with stone metal after initial rolling including watering and compacting the same so as to achieve 100% density as modified **AASHO** specifications.(Rate includes providing and using templates, camber plates, screens, forms etc. as directed). Rate includes all cost of materials, T&P, labours and carriage upto site of work.

48946 5 3 COAT SURFACE DRESSING

Sft Providing surface dressing three

Rs 4314.67

P.% Sft

Rs. 2111858 /=

Providing surface dressing three coat on new or existing surface with 79 lbs Bitumen of 80/100 penetration and 9.75 cft of crush bajri of required size of 3/4". 3/8", including cleaning the road surface, rolling after each etc. complete. Rate includes all cost of materials, labours, T&P, and carriage upto site of work. (3 chains)

60682 6 EARTH WORK ON BERMS:-

Rs 7233.37 P.%0 Cft Rs. 438935 /=

Cft -

Earth work embankment from barrow pits including laying in 6" layers, clod breaking ramming, dressing complete. Lead upto 2.00 miles and lift upto 5.00 ft. in all types of soil except rock. (in ordinary soil).

Total

Rs. 10669064 /=

17.26 M.Ton 7 Ded Difference Cost of Bitumen

Rs 5427.00 (-) Rs.

-93670 /=

Per Ton

Total

Rs. 10575394 /=

Note:-

- No Premium will be allowed on item No.9 above
- As a result of subsequent sanction to the estimate should there by any variation in the quantities and rates of sanctioned estimate & these provided in schedule "B" of the tender, the contractor shall abide by the rates & quantities of sanctioned estimate

CONTRACTOR

TOWN COMMITTEE
SINDHRI

SCHEDULE "B"

CONST: OF BLACK TOP ROAD FROM PHULLADYOON KHIPRO ROAD TO VILLAGE KHALEFO ABDUL RAHIM BHUNPAR UC PHULLADYOON (INCLUDING 2 CULVERTS)

Quantity	No	tem of work.	Rate		An	nount.
1056 Cft	1	EXCAVATION Excavation in foundation of Building, Bridges and other structures including dagbelling dressing, refilling around structure with excavated earth, watering and ramming lead upto 5.00 ft. (In sand, ashes or loose soil)		3176.25 P.%0 Cft		3354 /=
239 Cft	2	CEMENT CONCRETE RATIO 1:4:8 Cement Concrete brick or stone ballast 1 1/2" to 2" gauge. Ratio 1:4:8		9416.28 P.% Cft	Rs.	22505 /=
474 Cft	3	PUCCA BRICK WORK RATIO 1:4 Pucca brick work in foundation and plinth in cement sand mortar Ratio 1:4	Rs	12501.41 P.% Cft	Rs.	59257 /=
72 Cft	4	CEMENT CONCRETE (1:2:4) Cement concrete plain including placing, compacting, finishing and curing, complete (including screening and washing of stone aggregate without shuttering (Ratio 1:2:4)	Rs	14429.25 P.% Cft	Rs.	10389 /=
_5.05 Cwt	5	FEBRICATION Febrication of mild steel reinforcement for cement concrete including cutting, bending, laying in position, making joints and fastenings including cost of binding wire (also includes removal of rust from bars.)	Rs	4820.20 P. Cwt	Rs.	24342 /=
80 Cft	6	R.C.C. WORK. RATIO 1:2:4 Reinforced cement concrete work including all labour and materials except the cost of steel reinforcement and its labour for bending and binding which will be paid separately. This rate also includes all kinds of forms moulds: lifting shuttering curing rendering and finishing the exposed surface (including screening and washing of shingle).R.C.work in roof slab, beams, columns rafts, lintels and other structural members laid in situ or precast laid in position complete in all respects. Ratio (1:2:4) 90 lbs cement 2 Cft. sand 4 Cft. Shingle 1/8" to 1/4" gauge.		337.00 P. Cft	Rs.	26960 /=

68 7 Sft	BRICK ON EDGE FLOORING Brick on edge flooring laid in 1: cement mortar over a bed, 3/4" thic cement mortar Ratio 1:6		5256.63 P.% Sft	Rs.	3575 /=
28 8 Sft	ERECTION AND REMOVAL Erection and removal of centering for R.C.C. or plain cement concrete work of Partal wood (2nd class) (a) Vertical		3127.41 P.% Sft	Rs.	876 /=
261 9 Sft	CEMENT PLASTER RATIO 1:3 Cement Plaster 1:3 upto 20.0' height 1/2" thick.	Rs	2344.59 P.% Sft	Rs.	6119 /=
			Total	Rs.	157377 /=
	01 No	s Culv	erts	Rs.	157377 /=

Note:-

As a result of subsequent sanction to the estimate should there by any variation in the quantities and rates of sanctioned estimate & these provided in schedule "B" of the tender, the contractor shall abide by the rates & quantities of sanctioned estimate

CONTRACTOR

ENGINEER
TOWN COMMITTEE
SINDHRI

SCHEDULE "B"

CONST: OF BLACK TOP ROAD FROM KANCHARI ROAD VIA MANO SHAR, ABDULLAH QAIMKHANI TO SANDAL QAIMKHANI UC PHULLADYOON (INCLD: 05 CULVERTS)

Mile 0/0-1/3+165 (2.25 Kms)

Quantity	No	tem of work.	Rate	9	. /	\mount.
N.	1	FORMATION Earth work for road embankment by the budozers including plugging, mixing, clod, breaking dressing and compacting with optimum moisture content lead upto 100 ft and lift upto 5.00 ft in all types of soil except rock, (if earth work is done by				
503518 Sft		(a) FOR 85% MODIFIED AASHO DENSITY	Rs	8681.23 P.% Sft	Rs.	4371156 /=
114206 Sft		(b) FOR 95-100% MODIFIED AASHO	Rs	11215.17 P.% Sft	Rs.	1280840 /=
48946 Cft	2	SUB BASE COURSE:- Preparing Sub Base Course by supplying and spreading stone metal of 2"-11/2" in guage of approved quality from approved quarry in required thickness (6" in 2 layers) to proper camber and grade, i/c hand packing, filling voids with 10 cft screening and non plastic quarry fines of approved quality and guage from approved source, watering and compacting to achieve 98-100% density as per modified AASHO specification. (Rate i/cs all cost of materials T&P, labours and carriage upto site of work.	Rs	10566.61 P.% Cft	Rs.	5171933 /=
16315 Rft	3	BRICK ON EDGING:- Laying Brick on end edging including supplying 9"x41/2"x3" first class bricks, excavation for laying edging with small size parallel to the road. Rate includes all cost of materials, T&P, labours, and carriage upto site of work.(3 chains)	Rs	2729.96 P.% Rft	Rs.	445393 /=

48946

4 BASE COURSE:-

Rs 11653.51 P.% Cft

5703927 /= Rs.

Cft

base including Preparing course supplying and spreading stone metal of approved quality properly graded to maximum size of 1 1/2" in required thickness of (3") to proper camber and grade including supplying spreading 15 cft. Screening and nonplastic quarry fines, filling depressions with stone metal after initial rolling including watering and compacting the same so as to achieve 100% density as per modified **AASHO** specifications.(Rate includes providing and using templates, camber plates, screens, forms etc. as directed). Rate includes all cost of materials, T&P, labours and carriage upto site of work.

97891 Sft

5 3 COAT SURFACE DRESSING

4331.93

4240570 /= Rs.

P.% Sft

Providing surface dressing three coat on new or existing surface with 79 lbs Bitumen of 80/100 penetration and 9.75 cft of crush bajri of required size of 3/4". 3/8", including cleaning the surface, rolling after each complete. Rate includes all cost of materials, labours, T&P, and carriage upto site of work, (3 chains)

121365 6 EARTH WORK ON BERMS:-

Cft .

Earth work embankment from barrow pits including laying in 6" layers, clod breaking ramming, dressing complete. Lead upto 2.00 miles and lift upto 5.00 ft. in all types of soil except rock. (in ordinary soil).

Rs 7233.37 P.%0 Cft Rs.

877878 /=

Total

Rs. 22091697 /=

34.52 M.Ton 7 Ded Difference Cost of Bitumen

Rs 5427.00 (-) Rs.

-187340 /=

Per Ton

Total

Rs. 21904357 /=

Note:-

- No Premium will be allowed on item No.9 above
- As a result of subsequent sanction to the estimate should there by any variation in the—quantities and rates of sanctioned estimate & these provided in schedule "B" of the tender, the contractor shall abide by the rates & quantities of sanctioned estimate

CONTRACTOR

ENGINEER TOWN COMMITTEE SINDHRI

SCHEDULE "B"

CONST: OF BLACK TOP ROAD FROM KANCHARI ROAD VIA MANO SHAR, ABDULLAH QAIMKHANI TO SANDAL QAIMKHANI UC PHULLADYOON (INCLD: 05 CULVERTS)

Quantity	No	o Item of work.	Rate			Amount.
1056 Cft	1	EXCAVATION Excavation in foundation of Building, Bridges and other structures including dagbelling dressing, refilling around structure with excavated earth, watering and ramming.lead upto 5.00 ft. (In sand, ashes or loose soil)	Rs	3176.25 P.%0 Cft	Rs.	3354 /=
239 Cft	2	CEMENT CONCRETE RATIO 1:4:8 Cement Concrete brick or stone ballast 1 1/2" to 2" gauge. Ratio 1:4:8	Rs	9416.28 P.% Cft	Rs.	22505 /=
474 Cft	3	PUCCA BRICK WORK RATIO 1:4 Pucca brick work in foundation and plinth in cement sand mortar Ratio 1:4	Rs	12501.41 P.% Cft	Rs.	59257 /=
72 Cft	4	CEMENT CONCRETE (1:2:4) Cement concrete plain including placing, compacting, finishing and curing, complete (including screening and washing of stone aggregate without shuttering (Ratio 1:2:4)		14429.25 P.% Cft	Rs.	10389 /=
5.05 Cwt	5	FEBRICATION Febrication of mild steel reinforcement for cement concrete including cutting, bending, laying in position, making joints and fastenings including cost of binding wire (also includes removal of rust from bars.)	Rs	4820.20 P. Cwt	Rs.	24342 /=
80 • Cft		R.C.C. WORK. RATIO 1:2:4 Reinforced cement concrete work including all labour and materials except the cost of steel reinforcement and its labour for bending and binding which will be paid separately. This rate also includes all kinds of forms moulds: lifting shuttering curing rendering and finishing the exposed surface (including screening and washing of shingle).R.C.work in roof slab, beams, columns rafts, lintels and other structural members laid in situ or precast laid in position complete in all respects. Ratio (1:2:4) 90 lbs cement 2 Cft. sand 4 Cft.	Rs	337.00 P. Cft	Rs.	26960 /=
		Shingle 1/8" to 1/4" gauge.			Continu	e on Page - 2

68 7 Sft	BRICK ON EDGE FLOORING Brick on edge flooring laid in 1:6 cement mortar over a bed, 3/4" thick cement mortar Ratio 1:6	Rs	5256.63 P.% S #t	Rs.	3575 /=
28 8 Sft	ERECTION AND REMOVAL Erection and removal of centering for R.C.C. or plain cement concrete works of Partal wood (2nd class) (a) Vertical		3127.41 P.% Sft	Rs.	876 /=
_261 9 Sft	CEMENT PLASTER RATIO 1:3 Cement Plaster 1:3 upto 20.0' height. 1/2" thick.	Rs	2344.59 P.% Sft	Rs.	6119 /=
			Total	Rs.	157377 /=
	01 Nos	Culve	erts 🚤	Rs.	157377 /=

Note:-

As a result of subsequent sanction to the estimate should there by any variation in the quantities and rates of sanctioned estimate & these provided in schedule "B" of the tender, the contractor shall abide by the rates & quantities of sanctioned estimate

CONTRACTOR

ENGINEER
TOWN COMMITTEE
SINDHRI

SCHEDULE "B"



CONSTRUCTION OF BLACK TOP ROAD FROM SHAKIR SHAHEED ROAD VIA SIYAL GOTH TO SOHRAB MARI UC HINGORNO (INCLUDING 6 CULVERT)

Mile 0/0-1/2 (2.Kms)

Quantity	N	o Item of work.	Rat	е		Amount.
	1	FORMATION Earth work for road embankment by the budozers including plugging, mixing, clod, breaking dressing and compacting with optimum moisture content lead upto 100 ft and lift upto 5.00 ft in all types of soil except rock, (if earth work is done by				
430562 Sft		(a) FOR 85% MODIFIED AASHO DENSITY	Rs	8681.23 P.% Sft	Rs.	3737808 /=
98370 Sft		(b) FOR 95-100% MODIFIED AASHO	Rs	11215.17 P.% Sft	Rs.	1103236 /=
42158 Cft	2	SUB BASE COURSE:- Preparing Sub Base Course by supplying and spreading stone metal of 2"-11/2" in guage of approved quality from approved quarry in required thickness (6" in 2 layers) to proper camber and grade, i/c hand packing, filling voids with 10 cft screening and non plastic quarry fines of approved quality and guage from approved source, watering and compacting to achieve 98-100% density as per modified AASHO specification. (Rate i/cs all cost of materials T&P, labours and carriage upto site of work.	Rs	9775.08 P.% Cft	Rs.	4120978 /=
			٠.			:
14053 Rft		BRICK ON EDGING:- Laying Brick on end edging including supplying 9"x41/2"x3" first class bricks, excavation for laying edging with small size parallel to the road. Rate includes all cost of materials, T&P, labours, and	Rs	2729.96 P.% Rft	Rs.	383641 /=

carriage upto site of work (3 chains)

42158 4 BASE COURSE:-

Cft

Sft

Rs. 10834.30 Rs. 4567524 /= P.% Cft

including Preparing base course supplying and spreading stone metal of approved quality properly graded to maximum size of 1 1/2" in required thickness of (3") to proper camber and including grade supplying spreading 15 cft. Screening and non plastic quarry fines, filling depressions with stone metal after initial rolling including watering and compacting the same so as to achieve 100% density as modified **AASHO** specifications.(Rate includes providing and using templates, camber plates, screens, forms etc. as directed). Rate

includes all cost of materials, T&P, labours and carriage upto site of work.

84317 5 3 COAT SURFACE DRESSING

Rs 4272.10 Rs. 3602107 /= P.% Sft

Providing surface dressing three coat on new or existing surface with 79 lbs Bitumen of 80/100 penetration and 9.75 cft of crush bajri of required size of 3/4". 3/8", including cleaning the road surface, rolling after each etc. complete. Rate includes all cost of materials, labours, T&P, and carriage upto site of work. (3 chains)

104535 6 EARTH WORK ON BERMS:-

Cft

Earth work embankment from barrow pits including laying in 6" layers, clod breaking ramming, dressing complete. Lead upto 2.00 miles and lift upto 5.00 ft. in all types of soil except rock. (in ordinary soil).

Rs 7233.37

P.%0 Cft

Rs.

756140 /=

Total

Rs. 18271434 /=

29.74 **7** E

M.Ton

7 Ded Difference Cost of Bitumen

Rs 5427.00 (-) Rs.

-161399 /=

Per Ton

Total

Rs. 18110035 /=

Note:-

- No Premium will be allowed on item No.9 above
- As a result of subsequent sanction to the estimate should there by any variation in the quantities and rates of sanctioned estimate & these provided in schedule "B" of the tender, the contractor shall abide by the rates & quantities of sanctioned estimate

CONTRACTOR

ENGINEER
TOWN COMMITTEE
SINDHRI

SCHEDULE "B" CONSTRUCTION OF BLACK TOP ROAD FROM SHAKIR SHAHEED ROAD VIA SIYAL GOTH TO

SOHRAB MAR	UC HINGORNO	(INCLUDING 6 CULVERT)

No	ltem of work.	Rate)		Amount.
1	Excavation in foundation of Building, Bridges and other structures including		3176.25 P.%0 Cft	Rs.	3354 /=
2			9416.28 P.% Cft	Rs.	22505 /=
3	PUCCA BRICK WORK RATIO 1:4 Pucca brick work in foundation and plinth in cement sand mortar Ratio 1:4	Rs	12501.41 P.% Cft	Rs.	59257 /=
4	CEMENT CONCRETE (1:2:4) Cement concrete plain including placing, compacting, finishing and curing, complete (including screening and washing of stone aggregate without shuttering (Ratio 1:2:4)	Rs	14429.25 P.% Cft	Rs.	10389 /=
5	FEBRICATION Febrication of mild steel reinforcement for cement concrete including cutting, bending, laying in position, making joints and fastenings including cost of binding wire (also includes removal of rust from bars.)	Rs	4820.20 P. Cwt	Rs.	24342 /=
6	R.C.C. WORK. RATIO 1:2:4 Reinforced cement concrete work including	Rs	337.00 P. Cft	Rs.	26960 /=
	1 2 3 4	1 EXCAVATION Excavation in foundation of Building, Bridges and other structures including dagbelling dressing, refilling around structure with excavated earth, watering and ramming.lead upto 5.00 ft. (In sand, ashes or loose soil) 2 CEMENT CONCRETE RATIO 1:4:8 Cement Concrete brick or stone ballast 1 1/2" to 2" gauge. Ratio 1:4:8 3 PUCCA BRICK WORK RATIO 1:4 Pucca brick work in foundation and plinth in cement sand mortar Ratio 1:4 4 CEMENT CONCRETE (1:2:4) Cement concrete plain including placing, compacting, finishing and curing, complete (including screening and washing of stone aggregate without shuttering (Ratio 1:2:4) 5 FEBRICATION Febrication of mild steel reinforcement for cement concrete including cutting, bending, laying in position, making joints and fastenings including cost of binding wire (also includes removal of rust from bars.) 6 R.C.C. WORK. RATIO 1:2:4 Reinforced cement concrete work including all labour and materials except the cost of steel reinforcement and its labour for bending and binding which will be paid separately. This rate also includes all kinds of forms moulds: lifting shuttering curing rendering and finishing the exposed surface (including screening and washing of shingle).R.C.work in roof slab, beams, columns rafts, lintels and other structural members laid in situ or precast laid in position complete in all respects. Ratio	1 EXCAVATION Excavation in foundation of Building, Bridges and other structures including dagbelling dressing, refilling around structure with excavated earth, watering and ramming.lead upto 5.00 ft. (In sand, ashes or loose soil) 2 CEMENT CONCRETE RATIO 1:4:8 Cement Concrete brick or stone ballast 1 1/2" to 2" gauge. Ratio 1:4:8 3 PUCCA BRICK WORK RATIO 1:4 Pucca brick work in foundation and plinth in cement sand mortar Ratio 1:4 4 CEMENT CONCRETE (1:2:4) Cement concrete plain including placing, compacting, finishing and curing, complete (including screening and washing of stone aggregate without shuttering (Ratio 1:2:4) 5 FEBRICATION Febrication of mild steel reinforcement for cement concrete including cutting, bending, laying in position, making joints and fastenings including cost of binding wire (also includes removal of rust from bars.) 6 R.C.C. WORK. RATIO 1:2:4 Reinforced cement concrete work including all labour and materials except the cost of steel reinforcement and its labour for bending and binding which will be paid separately. This rate also includes all kinds of forms moulds: lifting shuttering curing rendering and finishing the exposed surface (including screening and washing of shingle).R.C. work in roof slab, beams, columns rafts, lintels and other structural members laid in situ or precast laid in position complete in all respects. Ratio	1 EXCAVATION Excavation in foundation of Building, Bridges and other structures including dagbelling dressing, refilling around structure with excavated earth, watering and ramming.lead upto 5.00 ft. (In sand, ashes or loose soil) 2 CEMENT CONCRETE RATIO 1:4:8 Cement Concrete brick or stone ballast 1 1/2" to 2" gauge. Ratio 1:4:8 3 PUCCA BRICK WORK RATIO 1:4 Pucca brick work in foundation and plinth in cement sand mortar Ratio 1:4 4 CEMENT CONCRETE (1:2:4) Cement concrete plain including placing, compacting, finishing and curing, complete (including screening and washing of stone aggregate without shuttering (Ratio 1:2:4) 5 FEBRICATION Febrication of mild steel reinforcement for cement concrete including cutting, bending, laying in position, making joints and fastenings including cost of binding wire (also includes removal of rust from bars.) 6 R.C.C. WORK. RATIO 1:2:4 Reinforced cement concrete work including all labour and materials except the cost of steel reinforcement and its labour for bending and binding which will be paid separately. This rate also includes all kinds of forms moulds: lifting shuttering curing rendering and finishing the exposed surface (including screening and washing of shingle) R.C. work in roof slab, beams, columns rafts, lintels and other structural members laid in situ or precast laid in position complete in all respects. Ratio	1 EXCAVATION Excavation in foundation of Building, Bridges and other structures including dagbelling dressing, refilling around structure with excavated earth, watering and ramming.lead upto 5.00 ft. (In sand, ashes or loose soil) 2 CEMENT CONCRETE RATIO 1:4:8 Cement Concrete brick or stone ballast 1 1/2" to 2" gauge. Ratio 1:4:8 3 PUCCA BRICK WORK RATIO 1:4 Pucca brick work in foundation and plinth in cement sand mortar Ratio 1:4 4 CEMENT CONCRETE (1:2:4) Cement concrete plain including placing, compacting, finishing and curing, complete (including screening and washing of stone aggregate without shuttering (Ratio 1:2:4) 5 FEBRICATION Febrication of mild steel reinforcement for cement concrete including cutting, bending, laying in position, making joints and fastenings including cost of binding wire (also includes removal of rust from bars.) 6 R.C.C. WORK. RATIO 1:2:4 Reinforced cement concrete work including all labour and materials except the cost of steel reinforcement and its labour for bending and binding which will be paid separately. This rate also includes all kinds of forms moulds: lifting shuttering curing rendering and finishing the exposed surface (including screening and washing of shingle).R.C.work in roof slab, beams, columns rafts, lintels and other structural members laid in situ or precast laid in position complete in all respects. Ratio

68 Sft	7	BRICK ON EDGE FLOORING Brick on edge flooring laid in 1:6 cement mortar over a bed, 3/4" thick cement mortar Ratio 1:6	Rs	5256.63 P.% Sft	Rs.	3575 /=
28 Sft	8	ERECTION AND REMOVAL Erection and removal of centering for R.C.C. or plain cement concrete works of Partal wood (2nd class) (a) Vertical	Rs	3127.41 P.% Sft	Rs.	876 /=
261 Sft	9	CEMENT PLASTER RATIO 1:3 Cement Plaster 1:3 upto 20.0' height. 1/2" thick.	Rs	2344.59 P.% Sft	Rs.	6119 /=
				Total	Rs.	157377 /=
		01 Nos	Culve	erts	Rs.	157377 /=

Note:-

As a result of subsequent sanction to the estimate should there by any variation in the quantities and rates of sanctioned estimate & these provided in schedule "B" of the tender, the contractor shall abide by the rates & quantities of sanctioned estimate

CONTRACTOR

ENGINEER
TOWN COMMITTEE
SINDHRI