



OFFICE OF THE DIRECTOR PROCUREMENT
DOW UNIVERSITY OF HEALTH SCIENCES

Procurement Directorate at Library Block, SUPARCO Road, off Main University Road, Gulzar-e-Hijri, Scheme No. 33, Karachi.
Direct No. Tel: 99261497 Website: www.duhs.edu.pk E-mail: director.procurement@duhs.edu.pk

No. DUHS/DP/2017/ (Cor-1)/-26

Dated 9 October 2017

C O R R I G E N D U M


Reference to the Notice Inviting Tender (N.I.T) No. DUHS/DP/2017/26 Dated 21 Sep. 2017 for the **PROCUREMENT OF HOSPITAL EQUIPMENT/ INSTRUMENTS** published in Daily Dawn, Daily Jang and Daily Ibrat on 22nd September 2017 and uploaded on Dow University of Health Sciences (DUHS) and Sindh Public Procurement Regulatory Authority (SPPRA) website at Sr. No. 34514.

Following changes have been made in the above-referred tender:

1. In Section G: Technical Specifications of item No. 22, 23, 24, 25, 26, 27 & 28 have been modified / amended, which may be downloaded from the websites of SPPRA (<http://e.pprasindh.gov.pk/>) and DUHS (www.duhs.edu.pk). All the interested eligible bidders are requested to please furnish their bid in accordance with the modified / amended specifications.
2. The closing date for tender purchasing and tender submission has also been extended as per following schedule.

Last Date for Tender Purchase	Bids Delivery Date & Time	Bids Opening Date & Time
20 October 2017	21 October 2017 at 11:00 a.m.	21 October 2017 at 11:30 a.m.

NOTE: *All other terms and conditions of the tender shall remain unchanged.*


Director Procurement
Dow University of Health Sciences (Ojha Campus)
Procurement Directorate at Library Block,
SUPARCO Road, off Main University Road,
Gulzar-e-Hijri, Scheme No. 33, Karachi.
Phone No. + 92-21-99261497
Email: director.procurement@duhs.edu.pk

G: Technical Specifications

MODIFIED / AMENDED SPECIFICATIONS OF ITEM NO. 22 TO ITEM NO. 28

Item No.	Name of Goods, Technical Description, Specifications and Standards	Qty.
22	<p>ELECTRIC MOTORIZED HOSPITAL BED With 4 Motors (Battery backup) Five Function Bed</p> <ul style="list-style-type: none"> • 3-folds design mattress platform ABS • Bed made of Accrylonitrile Butadiene Styren ABS / Cold rolled steel tube material • Fitted with 4-motor unit of Linak/Dewart or equivalent (Five functions) • Backrest, Legrest and Height movements by means of electric motors • Low voltage operation of actuators and remote • Movement control by means of patient remote controller • Nurse control unit which can lock electrical movements • Back Rest 0-75 degree • Knee rest 0-40 degree • Treddenburg and reverse 12 degree • Foldable ABS side rails in 4 pcs. • Mechanical CPR (Flat backrest position for emergency) • Undercarriage mobile on four 125mm diameter castors • Castors having Central locking system • Headboard, footboard & side rails made of polypropylene ABS material • Protected by rotary buffers on all four corners • Both sides with 4 drain hooks • 4 Nos. I.V. Drip holder with 1 No. stainless steel drip pole • Bed size (Bumper to Bumper): 955(W) x 2190(L) mm +- 1% • Height adjustment 480/730 mm +- 1% • Provided with medical mattress: According to the Bed size • ISO9001 & CE certified fabrication • Complete Job: Supply, Installation, Testing, Commissioning and Maintenance (during maintenance period) <p>Country of Origin: Imported or Equivalent</p>	30 Nos.
23	<p>CRASH CART TROLLEY</p> <ul style="list-style-type: none"> • ABS Material. • Trolley dimensions: 850 x 520 x 950 mm. • Overall space requiring dimension: 65 x 67 cm. • Trolley mobile on four rubber 5" swivel castors (two lockable). • Wrap around rubber bumper provides protection of trolley. • Fitted with five drawers having central locking plate internally. • Fitted with writing shelf / sliding side shelf • Fitted with utility container, needle disposal holder, I.V. Pole with height adjustment, dust basket and storage box • Includes: <ol style="list-style-type: none"> a) CPR Board (40 x 55cm). b) Oxygen Tank Holder c) Transparent label cards for the trolley & drawers d) IV Pole. • ISO9001 & CE certified fabrication. 	3 Nos.

Item No.	Name of Goods, Technical Description, Specifications and Standards	Qty.
	<ul style="list-style-type: none"> • Complete Job: Supply, Installation, Testing, Commissioning and Maintenance (during maintenance period) Country of Origin: Imported or Equivalent 	
24	<p>MEDICINE TROLLEY</p> <ul style="list-style-type: none"> • ABS Top • Size: 18" x 26" x 42" • Stainless Steel 304 Grand finish Top • Heavy Duty 18 SWG Sheet body Structure with 16 SWG Pipe Work • 16 Detachable Bins • 1 Drawer Detachable molded Bins • Equipped With Side Bumpers • 5" Imported Casters with 2 breaks • Scratch resistance epoxy powder coated. • ISO9001 & CE certified fabrication • Complete Job: Supply, Installation, Testing, Commissioning and Maintenance (during maintenance period) Country of Origin: Imported or Equivalent 	4 Nos.
25	<p>BEDSIDE CABINET</p> <ul style="list-style-type: none"> • ABS Bedside Cabinet • Two drawer with full extension • Having Shoe Rack • Mobile on 50mm dia Castors • ABS Top • ISO9001 & CE certified fabrication • Complete Job: Supply, Installation, Testing, Commissioning and Maintenance (during maintenance period) Country of Origin: Imported or Equivalent 	30 Nos.
26	<p>OVER BED TABLE (CANTILEVERED)</p> <ul style="list-style-type: none"> • Top of ABS Plastic Tray • Spring loaded type with auto stop facility • Height should be adjustable • Mobile on 50mm dia. rubber castors • ISO9001 & CE certified fabrication • Complete Job: Supply, Installation, Testing, Commissioning and Maintenance (during maintenance period) Country of Origin: Imported or Equivalent 	30 Nos.
27	<p>ATTENDANT BENCH</p> <ul style="list-style-type: none"> • Size: 72" x 24" x 18" • 1/4" 16 SWG Round pipe Structure, • 4" Mattress with plywood and imported Rexene cover, • 4 rubber legs, scratch resistance epoxy powder coated. • ISO9001 & CE certified fabrication • Complete Job: Supply, Installation, Testing, Commissioning and Maintenance (during maintenance period) Country of Origin: Imported or Equivalent 	20 Nos.

Item No.	Name of Goods, Technical Description, Specifications and Standards	Qty.
28	<p>I.V STAND</p> <ul style="list-style-type: none"> • Imported nylon / Steel base with five 50mm dia. Castors • Stainless steel column with telescopic adjustment & tight screw • Four port IV rod of stainless steel wire 5mm dia. • ISO9001 & CE certified fabrication • Complete Job: Supply, Installation, Testing, Commissioning and Maintenance (during maintenance period <p>Country of Origin: Imported or Equivalent</p>	35 Nos.