


**PARAWISE REPLIES OF OBSERVATIONS/INFIRMITIES ON NIT NO. TC/G-55/946 DATED 11-06-2018 (SR.# 37768) RAISED BY SINDH  
PUBLIC PROCUREMENT REGULATORY AUTHORITY, GOVERNMENT OF SINDH, KARACHI,  
IN HALA IRRIGATION DIVISION, HALA.**

S.No	Observations/ Infirmities		Reply
i.	Procuring Agency is required to furnish Newspapers clippings of NIT published three leading widely circulated in English Urdu and Sindhi as per Rule-17(1) & (2) of SPP Rules, 2010. (Amended-2017)	The NIT has published in leading newspaper's English Urdu and Sindhi as per SPPRA Rule-17(1A). (newspaper clippings are enclosed herewith for favour of your kind perusal).	
ii.	Complaints Redressal Committee has been constituted for ADP Scheme 2015-16 Revised copy of CRC for the year 2017-18 is required.	Complaint Redressal Committee stands same, so no need of revised.	
iii.	Estimated cost of the subject procurement is not mentioned in NIT/BIDs as per Rule-17(1).	The procurement is purely on rate quoted format, after completion of bidding process the detailed estimate will be prepared and sanctioned on the basis of lowest rates by successful bidder by the competent authority.	
iv.	P.A has not mentioned Percentage of performance security is not mentioned in Bid Data Sheet in terms of Rule-39 of SPP Rules, 2010.	Performance Security will be got from successful bidder after sanction of bid by competent authority as per Rule-39.	
v.	P.A. is also be advised to exclude F&F and office stationary from instant NIT of rate contract a there items are required to be procured through market instead of rate contract.	The procurement is purely on rate quoted format, and are based on market rates.	
vi.	P.A. has mentioned in eligibility criteria that PEC registration is required if bid exceed Rs. 0.4 (M) is incorrect. The correct amount is Rs. 4.0(M). P.A may rectify.	There is a purely typing mistake, so the rectification is done accordingly.	
vii.	In Schedule of Requirement of S.M. Bund Mile 123/0 to 172/0. P.A. incorporate/ mention various electrical item under sub-head "Procurement of Labour & Ration" which may be rectify.	There is a purely typing mistake, so the rectification is done accordingly.	

  
 Executive Engineer  
 Hala Irrigation Division  
 Hala