



NG.DB/Consultancy/ <sup>1599</sup> of/2018.  
OFFICE OF THE CHIEF ENGINEER,  
PUBLIC HEALTH ENGG. DEPARTMENT,  
GOVERNMENT OF SINDH,  
Hyderabad dated 31/8 /2018.

To,

✓  
The Assistant Director, (Assessment)  
Sindh Public Procurement Regulatory Authority  
Karachi.

SUBJECT:- RFP NO.DB/Consultancy/979/2018 dated  
28.05.2018 SPPRA Sr. No.37769.

In pursuance to your office letter No. AD.(Assess)  
SPPRA/37769/2018/4878, dated 3<sup>rd</sup> August 2018, the para wise replies on  
subjected issue is sent herewith for your kind perusal and further necessary  
action.

S.#	Observations	Replies
1.	The date and time of technical evaluation report is not correct as mentioned in minutes of meeting as technical evaluation report was opened on 06.07.2018 instead of 02.07.2018 and 3:00 PM instead of 01:00 PM, clarification is required.	In reply of your observation, it is submitted that on 02.07.2018 at 01:00 PM. a meeting was held to collect the Technical & Financial proposals of bidders and opened the Technical Proposals before the members of Technical Committee for their scrutinization. 4 Nos. firms were competing in the Tender Process. Hence it took three days for scrutiny and marking them in accordance with the evaluation criteria and same committee was again gathered on 06.07.2018 at 3:00 PM for finalization of technical proposals. Similarly, the meeting was again convened on <u>24.07.2018 at 3:00 PM</u> for opening of financial bids of successful technical bidders to finalize the tender process.
2.	Procuring Agency once again advice to furnish published copies of Corrigendum in leading newspapers i.e Urdu & Sindhi languages are required under rule-22(2) of SPP Rules-2010 (Amended-2017).	In this connection, it is submitted the corrigendum of N.I.T was published in various newspapers. Copy of news paper (Dawn) is attached for ready reference.

SPPRA INWARD DIARY

NO : 646

DATED 04-09-2018


4/9

P. Mutap  
A.M  
5/9/18

3.	Procuring agency has not furnished reply of this Authority letter dated 29.06.2018, which is still awaited.	It is submitted that necessary compliance regarding annual procurement plan has already been made by this office vide letter No.DB/Consultancy/1523, dated 15.08.2018. copy is again enclosed for ready reference.
----	---	--

This is for your kind information and further necessary action please.

DA/ As above.

  
**(Qamaruddin Chandio)**  
CHIEF ENGINEER  
PUBLIC HEALTH ENGG: DEPARTMENT  
GOVT. OF SINDH, HYDERABAD.

C.C to the:-

- Secretary PHE & RD Department GoS Karachi for kind information.



**OFFICE OF THE CHIEF ENGINEER  
PUBLIC HEALTH ENGG., DEPTT:  
GOVERNMENT OF SINDH**

No. DB/Consultancy/1156/of/2018 Hyderabad dated 22-06-2018

*DAWN 28-June-2018*

**CORRIGENDUM**

READ NIT NO. DB/Consultancy/1107

Dated 11-06-2018

01. Procuring Agency withdraws Condition No. 09.
02. Consultants are required to deposit bid security @2% to participate in the bidding process.
03. All other conditions will remain the same.

**CHIEF ENGINEER  
PUBLIC HEALTH ENGG. DEPTT:  
GOVERNMENT OF SINDH, HYDERABAD**

INF-KRY No. 2852/18 - ہم دستخطی کے خلاف محمد علی

Say No to Corruption

Email

*1/2/2018*

هن سان بيو ساهه ٽيڙيون ابرار امري منجهن ڪوشش ڪئي آهي. جتان بعد وري ڪوئي به رٿا ناهي ٺاهي. ٻيهر ٻارن لاءِ رٿا ٺاهڻ جي ڪوشش ڪئي. هن ٻيهر ٻارن لاءِ رٿا ٺاهڻ جي ڪوشش ڪئي. هن ٻيهر ٻارن لاءِ رٿا ٺاهڻ جي ڪوشش ڪئي. هن ٻيهر ٻارن لاءِ رٿا ٺاهڻ جي ڪوشش ڪئي. هن ٻيهر ٻارن لاءِ رٿا ٺاهڻ جي ڪوشش ڪئي.

پروگرام ۽ ٻين ٻه ڏينهن ۾ ٿينديون. ڪوئي به رٿا ناهي ٺاهي. ٻيهر ٻارن لاءِ رٿا ٺاهڻ جي ڪوشش ڪئي. هن ٻيهر ٻارن لاءِ رٿا ٺاهڻ جي ڪوشش ڪئي. هن ٻيهر ٻارن لاءِ رٿا ٺاهڻ جي ڪوشش ڪئي. هن ٻيهر ٻارن لاءِ رٿا ٺاهڻ جي ڪوشش ڪئي.

۴۲ ۴۳ ۴۴ ۴۵ ۴۶ ۴۷ ۴۸ ۴۹ ۵۰ ۵۱ ۵۲ ۵۳ ۵۴ ۵۵ ۵۶ ۵۷ ۵۸ ۵۹ ۶۰ ۶۱ ۶۲ ۶۳ ۶۴ ۶۵ ۶۶ ۶۷ ۶۸ ۶۹ ۷۰ ۷۱ ۷۲ ۷۳ ۷۴ ۷۵ ۷۶ ۷۷ ۷۸ ۷۹ ۸۰ ۸۱ ۸۲ ۸۳ ۸۴ ۸۵ ۸۶ ۸۷ ۸۸ ۸۹ ۹۰ ۹۱ ۹۲ ۹۳ ۹۴ ۹۵ ۹۶ ۹۷ ۹۸ ۹۹ ۱۰۰

۶۸ ۶۹ ۷۰ ۷۱ ۷۲ ۷۳ ۷۴ ۷۵ ۷۶ ۷۷ ۷۸ ۷۹ ۸۰ ۸۱ ۸۲ ۸۳ ۸۴ ۸۵ ۸۶ ۸۷ ۸۸ ۸۹ ۹۰ ۹۱ ۹۲ ۹۳ ۹۴ ۹۵ ۹۶ ۹۷ ۹۸ ۹۹ ۱۰۰

۶۸ ۶۹ ۷۰ ۷۱ ۷۲ ۷۳ ۷۴ ۷۵ ۷۶ ۷۷ ۷۸ ۷۹ ۸۰ ۸۱ ۸۲ ۸۳ ۸۴ ۸۵ ۸۶ ۸۷ ۸۸ ۸۹ ۹۰ ۹۱ ۹۲ ۹۳ ۹۴ ۹۵ ۹۶ ۹۷ ۹۸ ۹۹ ۱۰۰

۶۸ ۶۹ ۷۰ ۷۱ ۷۲ ۷۳ ۷۴ ۷۵ ۷۶ ۷۷ ۷۸ ۷۹ ۸۰ ۸۱ ۸۲ ۸۳ ۸۴ ۸۵ ۸۶ ۸۷ ۸۸ ۸۹ ۹۰ ۹۱ ۹۲ ۹۳ ۹۴ ۹۵ ۹۶ ۹۷ ۹۸ ۹۹ ۱۰۰

۶۸ ۶۹ ۷۰ ۷۱ ۷۲ ۷۳ ۷۴ ۷۵ ۷۶ ۷۷ ۷۸ ۷۹ ۸۰ ۸۱ ۸۲ ۸۳ ۸۴ ۸۵ ۸۶ ۸۷ ۸۸ ۸۹ ۹۰ ۹۱ ۹۲ ۹۳ ۹۴ ۹۵ ۹۶ ۹۷ ۹۸ ۹۹ ۱۰۰

۶۸ ۶۹ ۷۰ ۷۱ ۷۲ ۷۳ ۷۴ ۷۵ ۷۶ ۷۷ ۷۸ ۷۹ ۸۰ ۸۱ ۸۲ ۸۳ ۸۴ ۸۵ ۸۶ ۸۷ ۸۸ ۸۹ ۹۰ ۹۱ ۹۲ ۹۳ ۹۴ ۹۵ ۹۶ ۹۷ ۹۸ ۹۹ ۱۰۰

۶۸ ۶۹ ۷۰ ۷۱ ۷۲ ۷۳ ۷۴ ۷۵ ۷۶ ۷۷ ۷۸ ۷۹ ۸۰ ۸۱ ۸۲ ۸۳ ۸۴ ۸۵ ۸۶ ۸۷ ۸۸ ۸۹ ۹۰ ۹۱ ۹۲ ۹۳ ۹۴ ۹۵ ۹۶ ۹۷ ۹۸ ۹۹ ۱۰۰

۶۸ ۶۹ ۷۰ ۷۱ ۷۲ ۷۳ ۷۴ ۷۵ ۷۶ ۷۷ ۷۸ ۷۹ ۸۰ ۸۱ ۸۲ ۸۳ ۸۴ ۸۵ ۸۶ ۸۷ ۸۸ ۸۹ ۹۰ ۹۱ ۹۲ ۹۳ ۹۴ ۹۵ ۹۶ ۹۷ ۹۸ ۹۹ ۱۰۰

۶۸ ۶۹ ۷۰ ۷۱ ۷۲ ۷۳ ۷۴ ۷۵ ۷۶ ۷۷ ۷۸ ۷۹ ۸۰ ۸۱ ۸۲ ۸۳ ۸۴ ۸۵ ۸۶ ۸۷ ۸۸ ۸۹ ۹۰ ۹۱ ۹۲ ۹۳ ۹۴ ۹۵ ۹۶ ۹۷ ۹۸ ۹۹ ۱۰۰

۶۸ ۶۹ ۷۰ ۷۱ ۷۲ ۷۳ ۷۴ ۷۵ ۷۶ ۷۷ ۷۸ ۷۹ ۸۰ ۸۱ ۸۲ ۸۳ ۸۴ ۸۵ ۸۶ ۸۷ ۸۸ ۸۹ ۹۰ ۹۱ ۹۲ ۹۳ ۹۴ ۹۵ ۹۶ ۹۷ ۹۸ ۹۹ ۱۰۰

CHIEF ENG PUBLIC HEALTH ENG DEPARTMENT HYDERABAD. DAILY 'PAK' KARACHI. Suit No 813, Trade Tower Abdullah Haroon Road Karachi. Ph: 35655872-3. Rs. 10. آفيس آف ڊي چيف انجنيئر پبلڪ هيلٿ انجنيئرنگ ڊپارٽمنٽ گورنمينٽ آف سنڌ. NO.DB/Consultancy/1107/of2018 Hyderabad 11/6/2018. درستگي. پڙهڻ لاءِ آفيس آف 01-ڪر جو اسڪرپ هيلين ريت هونڊو سنڌ ۾ ايربگيشن ڪيئن ٿيڻ ٿي. شهري گندي پاڻي جي چوڙ ڪي خسر ڪرڻ ڏانهن واٽر سپلائي ڊرنيشن جي سڃاڻپ ۽ اڻ ڪم ٿيڻ واري ڊيزائن ريو لاءِ ڪنسلٽنسي سروسز جي پروگرام ٽرمينٽ. 02-آر آف بي اسائنمنٽ 20.06.2018 بجاء 02.07.2018 تي وصول ڪيا ويندا. 03-پيا سمورا شرط ۽ ضابطا ساڳيا رهندا. INF\_KRY.2769/2018. صحیح حقیقی

۵۴ ۵۵ ۵۶ ۵۷ ۵۸ ۵۹ ۶۰ ۶۱ ۶۲ ۶۳ ۶۴ ۶۵ ۶۶ ۶۷ ۶۸ ۶۹ ۷۰ ۷۱ ۷۲ ۷۳ ۷۴ ۷۵ ۷۶ ۷۷ ۷۸ ۷۹ ۸۰ ۸۱ ۸۲ ۸۳ ۸۴ ۸۵ ۸۶ ۸۷ ۸۸ ۸۹ ۹۰ ۹۱ ۹۲ ۹۳ ۹۴ ۹۵ ۹۶ ۹۷ ۹۸ ۹۹ ۱۰۰

۵۴ ۵۵ ۵۶ ۵۷ ۵۸ ۵۹ ۶۰ ۶۱ ۶۲ ۶۳ ۶۴ ۶۵ ۶۶ ۶۷ ۶۸ ۶۹ ۷۰ ۷۱ ۷۲ ۷۳ ۷۴ ۷۵ ۷۶ ۷۷ ۷۸ ۷۹ ۸۰ ۸۱ ۸۲ ۸۳ ۸۴ ۸۵ ۸۶ ۸۷ ۸۸ ۸۹ ۹۰ ۹۱ ۹۲ ۹۳ ۹۴ ۹۵ ۹۶ ۹۷ ۹۸ ۹۹ ۱۰۰

۶۸ ۶۹ ۷۰ ۷۱ ۷۲ ۷۳ ۷۴ ۷۵ ۷۶ ۷۷ ۷۸ ۷۹ ۸۰ ۸۱ ۸۲ ۸۳ ۸۴ ۸۵ ۸۶ ۸۷ ۸۸ ۸۹ ۹۰ ۹۱ ۹۲ ۹۳ ۹۴ ۹۵ ۹۶ ۹۷ ۹۸ ۹۹ ۱۰۰

۶۸ ۶۹ ۷۰ ۷۱ ۷۲ ۷۳ ۷۴ ۷۵ ۷۶ ۷۷ ۷۸ ۷۹ ۸۰ ۸۱ ۸۲ ۸۳ ۸۴ ۸۵ ۸۶ ۸۷ ۸۸ ۸۹ ۹۰ ۹۱ ۹۲ ۹۳ ۹۴ ۹۵ ۹۶ ۹۷ ۹۸ ۹۹ ۱۰۰

۶۸ ۶۹ ۷۰ ۷۱ ۷۲ ۷۳ ۷۴ ۷۵ ۷۶ ۷۷ ۷۸ ۷۹ ۸۰ ۸۱ ۸۲ ۸۳ ۸۴ ۸۵ ۸۶ ۸۷ ۸۸ ۸۹ ۹۰ ۹۱ ۹۲ ۹۳ ۹۴ ۹۵ ۹۶ ۹۷ ۹۸ ۹۹ ۱۰۰



NO.DB/Consultancy/1523/of2018.  
OFFICE OF THE CHIEF ENGINEER,  
PUBLIC HEALTH ENGG. DEPARTMENT,  
GOVERNMENT OF SINDH,  
Hyderabad dated 15/8/2018.


To,

The Assistant Director (Assessment)  
Sindh Public Procurement Regulatory Authority,  
Government of Sindh,  
**KARACHI.**

SUBJECT:- **NIT NO DB/Consultancy/979/2018 DATED 28.05.2018**  
**SPPRA Sr. No.37769.**  
REF'NCE:- No.A.D(Assess)SPPRA/37769/2018/516 dated.09.08.2018.

Kindly find enclosed herewith the Annual Work Plan for  
subject NIT prepared in light of SPPRA Rule 11 & 12 for further necessary action in  
the matter.

DA/As above.

  
(QAMARUDDIN CHANDIO)  
CHIEF ENGINEER,  
PUBLIC HEALTH ENGG.DEPARTMENT,  
GOVERNMENT OF SINDH, HYDERABAD.

C.C.to the:-

Secretary, Public Health Engineering & Rural Department  
Government of Sindh Karachi for kind information.

**DESIGN, REVIEW OF WATER SUPPLY & DRAINAGE SCHEMES, OXIDATION PONDS  
TO ELIMINATE SEWAGE DISCHARGING IN IRRIGATION CANALS**

**ANNUAL WORK PLAN**

S:No	ASSIGNMENT	1ST MONTH	2ND MONTH	3RD MONTH
1	RESURVEY			
2	RE-DESIGN & COSTING			
3	PREPARATION & SUBMISSION OF MODIFIED PC-I			
3	FINANCIAL IMPACT	Rs.6.00 Million	Rs.12.00 Million	Rs.6.00 Million

Note: As per approved PC-II for subject scheme activity is restricted upto 03 Months and accordingly plan is prepared in light of approved scope of subject PC-II

(QAMARUDDIN'CHANDIO)  
CHIEF ENGINEER,  
PUBLIC HEALTH ENGG.DEPARTMENT,  
GOVERNMENT OF SINDH, HYDERABAD.