



OFFICE OF THE SSP / PRINCIPAL  
POLICE TRAINING COLLEGE SAEEDABAD, KARACHI.

Ph:021-32812326, 021-32812343, Fax:021-32811217, E-mail:ptc.saeedabad.khi@gmail.com


No. 8293 /PTC/Acctt:/2015/Karachi, Dated: 30 -04-2015.

The Managing Director  
Government of Sindh,  
Sindh Public Procurement Regulatory Authority,  
Sindh Karachi.

Subject: **BID EVALUATION REPORT, ATTENDANCE SHEET, COMPARATIVE STATEMENT, BIDDING DOCUMENTS AND MINUTES OF MEETING.**

Enclosed please find herewith the Bid Evaluation report, attendance sheet, comparative statement, bidding documents and minutes of meeting for repair / renovation work of following works to place on the web site [www.sppra.gov.pk](http://www.sppra.gov.pk) on account of tender of Police Training College, Saeedabad, Karachi during the current financial year 2014-15 are sent to your office for kind information.

S.#	Bid Evaluation Report
01.	Repair/renovation work of Admin block of PTC Saeedabad
02.	Repair/renovation work of 05 Barrack of PTC Saeedabad
03.	Repair/renovation work of 05 Bathroom block of PTC Saeedabad

  
(JAVED ALI MAHAR), PSP  
SSP/Principal  
Police Training College,  
Saeedabad, **Karachi.**

M. Raza Joddy  
Examine P.

SPPRA INWARD DIARY

NO: 16306

DATED: 04-5-15

M/COB  
LW  
4/5  
AM(CAS)


## BID EVALUATION REPORT

01. Name of Procuring Agency Sindh Police (Police Training College Saeedabad Karachi)
02. Tender Reference No: INF-KRY No. 1288/15
03. Tender Description/Name of work/item Repair Renovation Work of Admin block of PTC Saeedabad Karachi.
04. Method of Procurement Single Stage Single Envelope Procedure
05. Tender Published Roznama Jang, Daily Dawn, Awami Awaz.  
*(Print & Electronic Media (SPPRA ID No. & News papers names)*
06. Total Bid documents Sold 06
07. Total Bids Received 05
08. Technical Bid Opening date: (if applicable) 28-04-2015
09. No. of Bid technically qualified (if applicable) 05
10. Bid(s) Rejected 04
11. Financial Bid Opening date 28-04-2015


12. Bid Evaluation Report:

S #	Name of Firm or Bidder	Cost offered by the Bidder	Ranking in terms of cost	Comparison with Estimated cost	Reasons for acceptance/rejection	Remarks
0	1	2	3	4	5	6
1.	M/s Rajput Associates	Rs.3403421/-	1 <sup>st</sup>	-	Lowest bid	Accepted
2.	M/s Shah & Co.	Rs.3505150/-	2 <sup>nd</sup>	-	Highest bid	Rejected
3.	M/s Al Hakeem Builders	Rs.3547652/-	3 <sup>rd</sup>	-	Highest bid	Rejected
4.	M/s Al Zaman Construction Co.	Rs.3578556/-	4 <sup>th</sup>	-	Highest bid	Rejected
5.	M/s The Best Engineering Co.	Rs.3600295/-	5 <sup>th</sup>	-	Highest bid	Rejected


**Chairman**

  
(Javed Ali Mahar)PSP  
SSP/Principal  
PTC Saeedabad Karachi

**Member-I**

  
(Saqib Ibrahim)PSP  
SP/Vice Principal  
PTC Saeedabad Karachi

**Member-II**

  
( Rizwan Hussain )  
Sub-Engineer  
Works Department




## BID EVALUATION REPORT

01. Name of Procuring Agency Sindh Police (Police Training College Saeedabad Karachi)  
02. Tender Reference No: INF-KRY No. 1288/15  
03. Tender Description/Name of work/item Repair Renovation Work of 05 Nos. Barrack of PTC Saeedabad Karachi.  
04. Method of Procurement Single Stage Single Envelope Procedure  
05. Tender Published Roznama Jang, Daily Dawn, Awami Awaz.  
(Print & Electronic Media (SPPRA ID No. & News papers names))  
06. Total Bid documents Sold 06  
07. Total Bids Received 04  
08. Technical Bid Opening date: (if applicable) 28-04-2015  
09. No. of Bid technically qualified (if applicable) 04  
10. Bid(s) Rejected 03  
11. Financial Bid Opening date 28-04-2015


### 12. Bid Evaluation Report:

S #	Name of Firm or Bidder	Cost offered by the Bidder	Ranking in terms of cost	Comparison with Estimated cost	Reasons for acceptance/rejection	Remarks
0	1	2	3	4	5	6
1.	M/s Al Hakeem Builders	Rs.8564870/-	1 <sup>st</sup>	-	Lowest bid	Accepted
2.	M/s Shah & Co.	Rs.9021770/-	2 <sup>nd</sup>	-	Highest bid	Rejected
3.	M/s Rajput Associates	Rs.9113780/-	3 <sup>rd</sup>	-	Highest bid	Rejected
4.	M/s Al Zaman Construction Co.	Rs.9937550/-	4 <sup>th</sup>	-	Highest bid	Rejected


Chairman

  
(Javed Ali Mahar)PSP  
SSP/Principal  
PTC Saeedabad Karachi

Member-I

  
(Saqib Ibrahim)PSP  
SP/Vice Principal  
PTC Saeedabad Karachi

Member-II

  
( Rizwan Hussain )  
Sub-Engineer  
Works Department


## BID EVALUATION REPORT

01. Name of Procuring Agency Sindh Police (Police Training College Saeedabad Karachi)  
02. Tender Reference No: INF-KRY No. 1288/15  
03. Tender Description/Name of work/item Repair Renovation Work of 05 Nos. Bathroom block of PTC Saeedabad Karachi.  
04. Method of Procurement Single Stage Single Envelope Procedure  
05. Tender Published Roznama Jang, Daily Dawn, Awami Awaz.  
(Print & Electronic Media (SPPRA ID No. & News papers names))  
06. Total Bid documents Sold 06  
07. Total Bids Received 04  
08. Technical Bid Opening date: (if applicable) 28-04-2015  
09. No. of Bid technically qualified (if applicable) 04  
10. Bid(s) Rejected 03  
11. Financial Bid Opening date 28-04-2015


12. Bid Evaluation Report:

S #	Name of Firm or Bidder	Cost offered by the Bidder	Ranking in terms of cost	Comparison with Estimated cost	Reasons for acceptance/rejection	Remarks
0	1	2	3	4	5	6
1.	M/s Al Zaman Construction Co.	Rs.2401685/-	1 <sup>st</sup>	-	Lowest bid	Accepted
2.	M/s Rajput Associates	Rs.2469950/-	2 <sup>nd</sup>	-	Highest bid	Rejected
3.	M/s Al Hakeem Builders	Rs.2682425/-	3 <sup>rd</sup>	-	Highest bid	Rejected
4.	M/s Shah & Co.	Rs.3853326/-	4 <sup>th</sup>	-	Highest bid	Rejected


Chairman

  
(Javed Ali Mahar)PSP  
SSP/Principal  
PTC Saeedabad Karachi

Member-I

  
(Saqib Ibrahim)PSP  
SP/Vice Principal  
PTC Saeedabad Karachi


Member-II


  
(Rizwan Hussain)  
Sub-Engineer  
Works Department




LIST OF CONTRACTORS WERE ATTENDED AT THE TIME OF OPENING TENDER OF  
ADMIN BLOCK ON 28-04-2015 AT PRINCIPAL OFFICE PTC SAEEDABAD KARACHI.

S.No.	Name of Contractors	Signature
01.	M/s Al Hakeem Builders	M. Naeem
02.	M/s Al Zaman Construction Co.	M. Naeem
03.	M/s Bushra & Brothers	Absent
04.	M/s Rajput Associates	M. Naeem
05.	M/s The Best Engineering Co.	Alam
06.	M/s Shah & Company	Tajmeel


  
SAQIB IBRAHIM, PSP  
SP/Vice Principal  
PTC Saeedabad Karachi  
Member-I


  
RIZWAN HUSSAIN  
Sub-Engineer Works Department,  
Member-II


  
JAVED ALI MAHAR, PSP  
SSP/Principal  
PTC Saeedabad Karachi  
Chairman

LIST OF CONTRACTORS WERE ATTENDED AT THE TIME OF OPENING TENDER OF  
05 NOS. BATHROOM BLOCK ON 28-04-2015 AT PRINCIPAL OFFICE PTC SAEEDABAD  
KARACHI.

S.No.	Name of Contractors	Signature
01.	M/s Al Hakeem Builders	M. N. <u>Naum</u> .
02.	M/s Al Zaman Construction Co.	<u>Hossain</u> .
03.	M/s Bushra & Brothers	Absent-
04.	M/s Rajput Associates	<u>M. J. Ramesh</u>
05.	M/s The Best Engineering Co.	Absent-
06.	M/s Shah & Company	<u>Tyquid</u>


  
SAQIB IBRAHIM, PSP  
SP/Vice Principal  
PTC Saeedabad Karachi  
Member-I


  
RIZWAN HUSSAIN  
Sub-Engineer Works Department,  
Member-II


  
JAVED ALI MAHAR, PSP  
SSP/Principal  
PTC Saeedabad Karachi  
Chairman

LIST OF CONTRACTORS WERE ATTENDED AT THE TIME OF OPENING TENDER OF  
05 NOS. BARRACK ON 28-04-2015 AT PRINCIPAL OFFICE PTC SAEEDABAD KARACHI.

S.No.	Name of Contractors	Signature
01.	M/s Al Hakeem Builders	<u>M. Naeem.</u>
02.	M/s Al Zaman Construction Co.	<u>W. Zaman.</u>
03.	M/s Bushra & Brothers	Absent-
04.	M/s Rajput Associates	<u>M. J. Rajput</u>
05.	M/s The Best Engineering Co.	Absent-
06.	M/s Shah & Company	<u>Tajmal</u>

  
SAQIB IBRAHIM, PSP  
SP/Vice Principal  
PTC Saeedabad Karachi  
Member-I

  
RIZWAN HUSSAIN  
Sub-Engineer Works Department,  
Member-II

  
JAVED ALI MAHAR, PSP  
SSP/Principal  
PTC Saeedabad Karachi  
Chairman



COMPARATIVE STATEMENT REGARDING REPAIR / RENOVATION WORK OF  
05 NOS. BATHROOM BLOCK OF P.T.C SAEEDABAD KARACHI.

S.No.	Name of Firm	Rate Quoted	Amount	Earnest Money	Remarks
1	M/s Al Hakeem Builders	As per B.O Supplied by company	Rs= 2682425/-	Rs= 90000/-	Due to high rate tender is rejected.
2	M/s Al Zaman Construction Co.		Rs: 2401685/-	Rs= 90000/-	M/s Al Zaman Construction Co. offered the lowest rate i.e. Rs. 2401685/- which is approved.
3	M/s Bushra & Brothers				He did not submit the tender documents.
4	M/s Rajput Associates		Rs= 24969950/-	Rs= 90000/-	Due to high rate, tender is rejected.
5	M/s The Best Engineering Co.				He did not submit the tender documents.

*Prunip Prunip*

*[Signature]*

*[Signature]*



A

6	M/s Shah & Company		Rs = 3853326/-	R <sub>1</sub> = 118096/-	Due to high rate, tender is rejected.
---	--------------------	--	----------------	---------------------------	---------------------------------------

*[Signature]*  
**SAQIB IBRAHIM, PSP**  
SP/Vice Principal  
PTC Saeedabad Karachi  
Member-I

*[Signature]*  
**RIZWAN HUSSAIN**  
Sub-Engineer Works Department,  
Member-II

*[Signature]*  
**JAVED ALI MAHAR, PSP**  
SSP/Principal  
PTC Saeedabad Karachi  
Chairman

COMPARATIVE STATEMENT REGARDING REPAIR / RENOVATION WORK OF  
05 NOS. BARRACK OF P.T.C SAIEDABAD KARACHI.

S.No.	Name of Firm	Rate Quoted	Amount	Earnest Money	Remarks
1	M/s Al Hakeem Builders	As per B.O Supplied by company	Rs = 8564870/-	Rs = 300000/-	M/S Al Hakeem Builders, offered the lowest rate i.e. Rs. 8564870/- which is approved.
2	M/s Al Zaman Construction Co.		Rs = 9937550/-	Rs = 300000/-	Due to high rate, tender is rejected.
3	M/s Bushra & Brothers		-	-	The bid not submitted the tender documents
4	M/s Rajput Associates		Rs = 9113780/-	Rs = 300000/-	Due to high rate, tender is rejected.
5	M/s The Best Engineering Co.		-	-	The bid not submitted the tender documents.

*M/s Rajput Associates*


*M/s Bushra & Brothers*


*M/s The Best Engineering Co.*



6	M/s Shah & Company	-	Rs = 9021770/-	Rs = 293015/-	Due to high rate, tender is rejected.
---	--------------------	---	----------------	---------------	---------------------------------------

  
**SAQIB IBRAHIM, PSP**  
 SP/Price Principal  
 PTC Saeedabad Karachi  
 Member-I

  
**RIZWAN HUSSAIN**  
 Sub-Engineer Works Department,  
 Member-II

  
**JAVED ALI MAHAR, PSP**  
 SSP/Principal  
 PTC Saeedabad Karachi  
 Chairman

COMPARATIVE STATEMENT REGARDING REPAIR / RENOVATION WORK OF  
ADMIN BLOCK OF P.T.C SAEEDABAD KARACHI.

S.No.	Name of Firm	Rate Quoted	Amount	Earnest Money	Remarks
1	M/s Al Hakeem Builders	As per B.O Supplied by company	Rs = 3547652/-	Rs = 120000/-	Due to high rate, tender is rejected.
2	M/s Al Zaman Construction Co.		Rs = 3578556/-	Rs = 120000/-	- do -
3	M/s Bushra & Brothers		-	-	Absent
4	M/s Rajput Associates		Rs = 3403421/-	Rs = 120000/-	M/s Rajput associates offered the lowest rate i.e. Rs. 3403421/- which is approved.
5	M/s The Best Engineering Co.		Rs = 3600295/-	Rs = 115000/-	Due to high rate, tender is rejected.

*Emp. Emp.*


*[Signature]*

*[Signature]*



6	M/s Shah & Company		Rs=3505150/-	Rs=106121/-	Due to high rate, the tender is rejected
---	--------------------	--	--------------	-------------	---

  
**SAQIB IBRAHIM, PSP**  
 SP/Vice Principal  
 PTC Saeedabad Karachi  
 Member-I

  
**RIZWAN HUSSAIN**  
 Sub-Engineer Works Department,  
 Member-II

  
**JAVED ALI MAHAR, PSP**  
 SSP/Principal  
 PTC Saeedabad Karachi  
 Chairman

Issued to M/s AL-Zaman Construction Co:

REPAIR / RENOVATION WORK OF 05 NOS. BATHROOM BLOCK PTC SAEEEDABAD



SCHEDULE BOOK DOCUMENT

S. NO.	DESCRIPTION	QUANTITY	UNITS	RATE	AMOUNT
1.	Providing and laying of cc plaster 1:4 finished all as specified as repairing work.	2000.0	SFT	28 1/2	56,000-0
2.	P/L of tiles on external walls (national) laid and joint with white or color cement 1:2 gray cement and including finishing complete.	715.0	SFT	148 1/2	105,820-0
3.	P/Laying of wall finish, coat of graphics wall coating 1.5mm thick including SCRAPING of old surface of wall any color straight and swirl in any texture all as specified. (external)	1104.0	SFT	21 1/2	23,736-0
4.	Excavation as in H/ Soil upto 1.5 m depth in foundation and pipe trenches, holes upto 1.5 m wide, in shafts, well and independent holes upto 30 sqm each and throw earth clear of edges of excavation within 10m all as specified.	120.0	SFT	8/-	960-0
5.	Providing and laying of CC type B 1:4:8, using crushed and broken stone graded as specified.	40.0	SFT	85/-	3400-0
6.	Providing and laying of precast P.C.C Kerb stone, size 450x300x150mm, including setting, joining and pointing in C:M 1:4 all as specified.	160.0	RFT	155/-	24,800-0
7.	Scraping of old color for laying of graphics all as specified.	1808.0	SFT	3/-	5424-0
8.	Providing/fixing of RCC slabs for covering of open sewerage system all as spd.	160.0	SFT	78/-	12,480-0
9.	Providing and laying of C.C Paving stone 50mm thick in any colour, as in floors drive way, walk way etc, any pattern, design and any shape (hydraulically compressed) laid and joined in sand including 50mm thick sand bed as laying course all as specified.	640.0	SFT	78/-	49,920-0

*Handwritten signatures and initials:*  
 Ramp Ramp  
 [Signature]  
 [Signature]  
 [Signature]  
 [Signature]







10.	Earth filling as in ordinary or hard soil filling in foundation pipe trenches, shafts, wells independents holes, under floors or around plinth etc. 1.5m below or above, ground level (GL), with spoil obtained from excavation in trenches / over areas within 10m including water and compaction in 150mm layer and dressing to required profile and shape.	960.0	CFT	8/-	7680 -
11.	P/L of PCC solid block masonry as in damaged partitions of bath area all as spd.	199.68	CFT	158/-	31,549 -
12.	19mm thick cement plaster 1:4 finished all as spd.	800.0	SFT	33/-	26,400 -
13.	Repair of plaster i.e cracks,joints,jambs,etc all as spd.	2000.0	RFT	20/-	40,000 -
14.	Providing and fixing UPVC pipe fitting bathroom including Bib cock, stop cock, wash bason plastic connection etc complete.	01 Nos.	Each	20,000/-	20,000 -
15.	Providing and laying of PCC solid block masonry for load bearing wall as specified in building block wall including setting and jointing in CM 1:6 upto ground floor level, all as specified.	300	P.CFT	158/-	47,400 -
16.	Providing and laying of two coats of distemper after the preparation of surface i.e scraping, filling rubbing all as specified.	2568.0	SFT	9/-	23,112 -
TOTAL=					480,337 -
TOTAL X 5 NOS BATHROOMS BLOCK					2401685 -
SAY AMOUNT IN MILLION					2.401 (m)

*Handwritten signature*

*Handwritten signature*  
**Russai**



**Russai**  
**Sub-Engineer.**



Issued to m/s m/s AL-Hakeem Builders.  
 REPAIR / RENOVATION WORK OF 05 NOS. BATHROOM BLOCK PTC SAEEDABAD.



SCHEDULE BOOK DOCUMENT

S. NO.	DESCRIPTION	QUANTITY	UNITS	RATE	AMOUNT
1.	Providing and laying of cc plaster 1:4 finished all as specified as repairing work.	2000.0	SFT	31.50/2	63000 -
2.	P/L of tiles on external walls (national) laid and joint with white or color cement 1:2 gray cement and including finishing complete.	715.0	SFT	155/2	110825 -
3.	P/Laying of wall finish, coat of graphics wall coating 1.5mm thick including SCRAPING of old surface of wall any color straight and swirl in any texture all as specified. (external)	1104.0	SFT	24.75/2	27324 -
4.	Excavation as in H/ Soil upto 1.5 m depth in foundation and pipe trenches, holes upto 1.5 m wide, in shafts, well and independent holes upto 30 sqm each and throw earth clear of edges of excavation within 10m all as specified.	120.0	SFT	10/2	1200 -
5.	Providing and laying of CC type B 1:4:8, using crushed and broken stone graded as specified.	40.0	SFT	95/2	3800 -
6.	Providing and laying of precast P.C.C Kerb stone, size 450x300x150mm, including setting, joining and pointing in C:M 1:4 all as specified.	160.0	RFT	168/2	26880 -
7.	Scraping of old color for laying of graphics all as specified.	1808.0	SFT	6/2	10848 -
8.	Providing/fixing of RCC slabs for covering of open sewerage system all as spd.	160.0	SFT	86/2	13760 -
9.	Providing and laying of C.C Paving stone 50mm thick in any colour, as in floors drive way, walk way etc, any pattern, design and any shape (hydraulically compressed) laid and joined in sand including 50mm thick sand bed as laying course all as specified.	640.0	SFT	85/2	54400 -

*Handwritten signature*

*Handwritten signature*

*Handwritten signature*

*Handwritten signature*







10.	Earth filling as in ordinary or hard soil filling in foundation pipe trenches, shafts, wells independents holes, under floors or around plinth etc. 1.5m below or above, ground level (GL), with spoil obtained from excavation in trenches / over areas within 10m including water and compaction in 150mm layer and dressing to required profile and shape.	960.0	CFT	10/2	9600 -
11.	P/L of PCC solid block masonry as in damaged partitions of bath area all as spd.	199.68	CFT	162/2	32348 -
12.	19mm thick cement plaster 1:4 finished all as spd.	800.0	SFT	38/2	30400 -
13.	Repair of plaster i.e cracks,joints,jamb,etc all as spd.	2000.0	RFT	24/2	48000 -
14.	Providing and fixing UPVC pipe fitting bathroom including Bib cock, stop cock, wash bason plastic connection etc complete.	01 Nos.	Each	24000/2	24000 -
15.	Providing and laying of PCC solid block masonry for load bearing wall as specified in building block wall including setting and jointing in CM 1:6 upto ground floor level, all as specified.	300	P.CFT	160/2	48000 -
16.	Providing and laying of two coats of distemper after the preparation of surface i.e scraping, filling rubbing all as specified.	2568.0	SFT	12.50/2	32100 -
TOTAL=					536485 -
TOTAL X 5 NOS BATHROOMS BLOCK					2682425 -
SAY AMOUNT IN MILLION,					2.682 (m).

*Handwritten signature*

*Handwritten signature*

*Handwritten signature*



*Handwritten signature*

**Sub-Engineer.**



The  
Issued to M/s/Rajput Associates



REPAIR / RENOVATION WORK OF 05 NOS. BATHROOM BLOCK PTC SAEEDABAD

SCHEDULE BOOK DOCUMENT

S. NO.	DESCRIPTION	QUANTITY	UNITS	RATE	AMOUNT
1.	Providing and laying of cc plaster 1:4 finished all as specified as repairing work.	2000.0	SFT	29	58000 -
2.	P/L of tiles on external walls (national) laid and joint with white or color cement 1:2 gray cement and including finishing complete.	715.0	SFT	150	107250 -
3.	P/Laying of wall finish, coat of graphics wall coating 1.5mm thick including SCRAPING of old surface of wall any color straight and swirl in any texture all as specified. (external)	1104.0	SFT	24	26496 -
4.	Excavation as in H/ Soil upto 1.5 m depth in foundation and pipe trenches, holes upto 1.5 m wide, in shafts, well and independent holes upto 30 sqm each and throw earth clear of edges of excavation within 10m all as specified.	120.0	SFT	8.50	1020 -
5.	Providing and laying of CC type B 1:4:8, using crushed and broken stone graded as specified.	40.0	SFT	86	3440 -
6.	Providing and laying of precast P.C.C Kerb stone, size 450x300x150mm, including setting, joining and pointing in C:M 1:4 all as specified.	160.0	RFT	156	24960 -
7.	Scraping of old color for laying of graphics all as specified.	1808.0	SFT	3.75	6780 -
8.	Providing/fixing of RCC slabs for covering of open sewerage system all as spd.	160.0	SFT	79	12640 -
9.	Providing and laying of C.C Paving stone 50mm thick in any colour, as in floors drive way, walk way etc, any pattern, design and any shape (hydraulically compressed) laid and joined in sand including 50mm thick sand bed as laying course all as specified.	640.0	SFT	80	51200 -

*Rajput Associates*

*[Signature]*

*Rajput*







10.	Earth filling as in ordinary or hard soil filling in foundation pipe trenches, shafts, wells independents holes, under floors or around plinth etc. 1.5m below or above, ground level (GL), with spoil obtained from excavation in trenches / over areas within 10m including water and compaction in 150mm layer and dressing to required profile and shape.	960.0	CFT	8.50	8160 -
11.	P/L of PCC solid block masonry as in damaged partitions of bath area all as spd.	199.68	CFT	160	31948 -
12.	19mm thick cement plaster 1:4 finished all as spd.	800.0	SFT	34	27200 -
13.	Repair of plaster i.e cracks,joints,jamb,etc all as spd.	2000.0	RFT	21	42000 -
14.	Providing and fixing UPVC pipe fitting bathroom including Bib cock, stop cock, wash bason plastic connection etc complete.	01 Nos.	Each	20500	20500 -
15.	Providing and laying of PCC solid block masonry for load bearing wall as specified in building block wall including setting and jointing in CM 1:6 upto ground floor level, all as specified.	300	P.CFT	160	48000 -
16.	Providing and laying of two coats of distemper after the preparation of surface i.e scraping, filling rubbing all as specified.	2568.0	SFT	9.50	24396 -
TOTAL=-					493990 -
TOTAL X 5 NOS BATHROOMS BLOCK					2469950 -
SAY AMOUNT IN MILLION					2.46 (m)



*Russeel*

Sub-Engineer.



Issued to M/s Shah Company.



REPAIR / RENOVATION WORK OF 05 NOS. BATHROOM BLOCK PTC

SCHEDULE BOOK DOCUMENT

S. NO.	DESCRIPTION	QUANTITY	UNITS	RATE	AMOUNT
1.	Providing and laying of cc plaster 1:4 finished all as specified as repairing work.	2000.0	SFT	54.0	108000
2.	P/L of tiles on external walls (national) laid and joint with white or color cement 1:2 gray cement and including finishing complete.	715.0	SFT	170.0	121550
3.	P/Laying of wall finish, coat of graphics wall coating 1.5mm thick including SCRAPING of old surface of wall any color straight and swirl in any texture all as specified. (external)	1104.0	SFT	50.0	55200
4.	Excavation as in H/ Soil upto 1.5 m depth in foundation and pipe trenches, holes upto 1.5 m wide, in shafts, well and independent holes upto 30 sqm each and throw earth clear of edges of excavation within 10m all as specified.	120.0	SFT	8.0	960
5.	Providing and laying of CC type B 1:4:8, using crushed and broken stone graded as specified.	40.0	SFT	120.0	4800
6.	Providing and laying of precast P.C.C Kerb stone, size 450x300x150mm, including setting, joining and pointing in C:M 1:4 all as specified.	160.0	RFT	195	31200
7.	Scraping of old color for laying of graphics all as specified.	1808.0	SFT	20	36160
8.	Providing/fixing of RCC slabs for covering of open sewerage system all as spd.	160.0	SFT	290.87	46539.2
9.	Providing and laying of C.C Paving stone 50mm thick in any colour, as in floors drive way, walk way etc, any pattern, design and any shape (hydraulically compressed) laid and joined in sand including 50mm thick sand bed as laying course all as specified.	640.0	SFT	75	48000

*Handwritten signature*

*Handwritten signature*

*Handwritten signature*





10.	Earth filling as in ordinary or hard soil filling in foundation pipe trenches, shafts, wells independents holes, under floors or around plinth etc. 1.5m below or above, ground level (GL), with spoil obtained from excavation in trenches / over areas within 10m including water and compaction in 150mm layer and dressing to required profile and shape.	960.0	CFT	10	9600
11.	P/L of PCC solid block masonry as in damaged partitions of bath area all as spd.	199.68	CFT	200	39936
12.	19mm thick cement plaster 1:4 finished all as spd.	800.0	SFT	54	43200
13.	Repair of plaster i.e cracks,joints,jambs,etc all as spd.	2000.0	RFT	60	120000
14.	Providing and fixing UPVC pipe fitting bathroom including Bib cock, stop cock, wash bason plastic connection etc complete.	01 Nos.	Each	7000	7000
15.	Providing and laying of PCC solid block masonry for load bearing wall as specified in building block wall including setting and jointing in CM 1:6 upto ground floor level, all as specified.	300	P.CFT	200	60000
16.	Providing and laying of two coats of distemper after the preparation of surface i.e scraping, filling rubbing all as specified.	2568.0	SFT	15	38520
TOTAL=					770,665.20
TOTAL X 5 NOS BATHROOMS BLOCK					3853326
SAY AMOUNT IN MILLION					3.853326

*Handwritten signature*

*Handwritten signature*

*Handwritten signature*

**SHAH & COMPANY**

*Handwritten signature*  
Proprietor

*Handwritten signature*

**Sub-Engineer.**



REPAIR / RENOVATION WORK OF 05 NOS. BARRACKS (NO.12 TO 16) OF

PTC SAEEDABAD.

Issued to m/s AL-Hakeem Builders.

SCHEDULE BOOK DOCUMENT



S.NO	DESCRIPTION	QUANTITY	UNITS	RATE	AMOUNT
1.	P/Laying of wall finish, coat of graphics wall coating 1.5mm thick including SCRAPING of old surface of wall any colour straight and swirl in any texture all as specified. (external)	20000.0	SFT	36.50/-	730,000-
2.	Providing and laying of two coats of distemper after the preparation of surface i.e scraping, filling rubbing all as specified.	12958.0	SFT	12/-	155496-
3.	Excavation as in H/ Soil upto 1.5 m depth in foundation and pipe trenches, holes upto 1.5 m wide, in shafts, well and independent holes upto 30 sqm each and throw earth clear of edges of excavation within 10m all as specified.	800.0	CFT	6/-	4800-
4.	Providing and laying of CC type B 1:4:8, using crushed and broken stone graded as specified.	250.0	CFT	120/-	30,000-
5.	Providing and laying of precast P.C.C Kerb stone, size 450x300x150mm, including setting, joining and pointing in C:M 1:4 all as specified.	812.0	CFT	180/-	146160-
6.	Earth filling as in ordinary or hard soil filling in foundation pipe trenches, shafts, wells independents holes, under floors or around plinth etc. 1.5m below or above, ground level (GL), with spoil obtained from excavation in trenches / over areas within 10m including water and compaction in 150mm layer and dressing to required profile and shape.	6090.0	CFT	6/-	36540-
	Providing and laying of C.C Paving stone 50mm thick in any colour, as in floors drive way, walk way etc, any pattern, design and any shape (hydraulically compressed) laid and joined in sand including 50mm thick sand bed as laying course all as specified.	4060.0	SFT	120/-	487200-
8.	Repairing work of Iron Window	72	EACH	999/-	71928-
9.	Repairing & Paint work of Doors	12	EACH	1700/-	20400-
10.	Electric wiring and new switch board.	105	POINT	290/-	30450-
TOTAL					1712974-
TOTAL X5 NOS BARRACKS					8564870-
SAY AMOUNT IN MILLION					8.564(m)

*Handwritten signature*

*Handwritten signature*

*Handwritten signature*



*Handwritten signature*

Sub-Engineer.



Issued to M/s Shah & Company  
REPAIR / RENOVATION WORK OF 05 NOS. BARRACKS (NO.12 TO 16) OF  
PTC SAEEDABAD.



SCHEDULE BOOK DOCUMENT

S.NO	DESCRIPTION	QUANTITY	UNITS	RATE	AMOUNT
1.	P/Laying of wall finish, coat of graphics wall coating 1.5mm thick including SCRAPING of old surface of wall any colour straight and swirl in any texture all as specified. (external)	20000.0	SFT	40.0	800000
2.	Providing and laying of two coats of distemper after the preparation of surface i.e scraping, filling rubbing all as specified.	12958.0	SFT	15.0	194300
3.	Excavation as in H/ Soil upto 1.5 m depth in foundation and pipe trenches, holes upto 1.5 m wide, in shafts, well and independent holes upto 30 sqm each and throw earth clear of edges of excavation within 10m all as specified.	800.0	CFT	8.0	6400
4.	Providing and laying of CC type B 1:4:8, using crushed and broken stone graded as specified.	250.0	CFT	120.0	30000
5.	Providing and laying of precast P.C.C Kerb stone, size 450x300x150mm, including setting, joining and pointing in C:M 1:4 all as specified.	812.0	CFT	245.0	198940
6.	Earth filling as in ordinary or hard soil filling in foundation pipe trenches, shafts, wells independent holes, under floors or around plinth etc. 1.5m below or above, ground level (GL), with spoil obtained from excavation in trenches / over areas within 10m including water and compaction in 150mm layer and dressing to required profile and shape.	6090.0	CFT	15.0	91350
7.	Providing and laying of C.C Paving stone 50mm thick in any colour, as in floors drive way, walk way etc, any pattern, design and any shape (hydraulically compressed) laid and joined in sand including 50mm thick sand bed as laying course all as specified.	4060.0	SFT	85.0	345100
8.	Repairing work of Iron Window	72	EACH	1000	72000
9.	Repairing & Paint work of Doors	12	EACH	2022	24264
10.	Electric wiring and new switch board.	105	POINT	400	42000
TOTAL					1804354
TOTAL X5 NOS BARRACKS					9021770
SAY AMOUNT IN MILLION					9.02177

*Handwritten signature*

*Handwritten signature*

*Handwritten signature*

**SHAH & COMPANY**

Proprietor

*Handwritten signature*

Sub-Engineer.

REPAIR / RENOVATION WORK OF 05 NOS. BARRACKS (NO.12 TO 16) OF

PTC SAEEDABAD.

Issued to M/s The Rajput Associates

SCHEDULE BOOK DOCUMENT



S.NO	DESCRIPTION	QUANTITY	UNITS	RATE	AMOUNT
1.	P/Laying of wall finish, coat of graphics wall coating 1.5mm thick including SCRAPING of old surface of wall any colour straight and swirl in any texture all as specified. (external)	20000.0	SFT	41	82000
2.	Providing and laying of two coats of distemper after the preparation of surface Le scraping, filling rubbing all as specified.	12958.0	SFT	9.50	123101
3.	Excavation as in H/ Soil upto 1.5 m depth in foundation and pipe trenches, holes upto 1.5 m wide, in shafts, well and independent holes upto 30 sqm each and throw earth clear of edges of excavation within 10m all as specified.	800.0	CFT	8.50	6800 -
4.	Providing and laying of CC type B 1:4:8, using crushed and broken stone graded as specified.	250.0	CFT	130	32500
5.	Providing and laying of precast P.C.C Kerb stone, size 450x300x150mm, including setting, joining and pointing in C:M 1:4 all as specified.	812.0	CFT	190	154280
6.	Earth filling as in ordinary or hard soil filling in foundation pipe trenches, shafts, wells independents holes, under floors or around plinth etc. 1.5m below or above, ground level (GL), with spoil obtained from excavation in trenches / over areas within 10m including water and compaction in 150mm layer and dressing to required profile and shape.	6090.0	CFT	7.50	45675
7.	Providing and laying of C.C Paving stone 50mm thick in any colour, as in floors drive way, walk way etc, any pattern, design and any shape (hydraulically compressed) laid and joined in sand including 50mm thick sand bed as laying course all as specified.	4060.0	SFT	128	519680
8.	Repairing work of Iron Window	72	EACH	810	58320
9.	Repairing & Paint work of Doors	12	EACH	2400	28800
10.	Electric wiring and new switch board.	105	POINT	320	33600 -
TOTAL					1822756
TOTAL XS NOS BARRACKS					9113780
SAY AMOUNT IN MILLION					9.11 (M)

*Handwritten signature*

*Handwritten signature*

*Handwritten signature*



*Handwritten signature*

Sub-Engineer.



REPAIR / RENOVATION WORK OF 05 NOS. BARRACKS (NO.12 TO 16) OF

PTC SAEEDABAD. Issued to M/S Al-Zaman Construction Co.

SCHEDULE BOOK DOCUMENT



S.NO	DESCRIPTION	QUANTITY	UNITS	RATE	AMOUNT
1.	P/Laying of wall finish, coat of graphics wall coating 1.5mm thick including SCRAPING of old surface of wall any colour straight and swirl in any texture all as specified. (external)	20000.0	SFT	42/-	8,40,000/-
2.	Providing and laying of two coats of distemper after the preparation of surface Le scraping, filling rubbing all as specified.	12958.0	SFT	15/-	1,94,370/-
3.	Excavation as in H/ Soil upto 1.5 m depth in foundation and pipe trenches, holes upto 1.5 m wide, in shafts, well and independent holes upto 30 sqm each and throw earth clear of edges of excavation within 10m all as specified.	800.0	CFT	10/-	8,000/-
4.	Providing and laying of CC type B 1:4:8, using crushed and broken stone graded as specified.	250.0	CFT	140/-	35,000/-
5.	Providing and laying of precast P.C.C Kerb stone, size 450x300x150mm, including setting, joining and pointing in C:M 1:4 all as specified.	812.0	CFT	199/-	1,58,349/-
6.	Earth filling as in ordinary or hard soil filling in foundation pipe trenches, shafts, wells independents holes, under floors or around plinth etc. 1.5m below or above, ground level (GL), with spoil obtained from excavation in trenches / over areas within 10m including water and compaction in 150mm layer and dressing to required profile and shape.	6090.0	CFT	9/-	54,810/-
7.	Providing and laying of C.C Paving stone 50mm thick in any colour, as in floors drive way, walk way etc, any pattern, design and any shape (hydraulically compressed) laid and joined in sand including 50mm thick sand bed as laying course all as specified.	4060.0	SFT	135/-	548,100/-
8.	Repairing work of Iron Window	72	EACH	1200/-	86,400/-
9.	Repairing & Paint work of Doors	12	EACH	2600/-	31,200/-
10.	Electric wiring and new switch board.	105	POINT	298/-	31,290/-
TOTAL					1,98,750/-
TOTAL X5 NOS BARRACKS					9,93,750/-
SAY AMOUNT IN MILLION					9.937 m

*Handwritten signatures and notes on the left margin.*



*Handwritten signature*  
Sub-Engineer.

Issued to m/s AL-Zaman Construction Co.



REPAIR / RENOVATION WORK OF PTC SAEEDABAD.

REPAIR/RENOVATION WORK OF ADMIN BLOCK.

SCHEDULE BOOK DOCUMENT

S. NO.	DESCRIPTION	QUANTITY	UNITS	RATE	AMOUNT
1.	Excavation as in H/ Soil upto 1.5 m depth in foundation and pipe trenches, holes upto 1.5 m wide, in shafts, well and independent holes upto 30 sqm each and throw earth clear of edges of excavation within 10m all as specified.	367.50	CFT	6/-	2205-0
2.	Providing and laying of CC type B 1:4:8, using crushed and broken stone graded as specified.	123.0	CFT	82/-	10,086-0
3.	Providing and laying of precast P.C.C Kerb stone, size 450x300x150mm, including setting, joining and pointing in C:M 1:4 all as specified.	490.0	RFT	155/-	75,950-0
4.	Earth filling as in ordinary or hard soil filling in foundation pipe trenches, shafts, wells independents holes, under floors or around plinth etc. 1.5m below or above, ground level (GL), with spoil obtained from excavation in trenches / over areas within 10m including water and compaction in 150mm layer and dressing to required profile and shape.	3686.0	CFT	6/-	22,116-0
5.	Providing and laying of C.C Paving stone 50mm thick in any colour, as in floors drive way, walk way etc, any pattern, design and any shape (hydraulically compressed) laid and joined in sand including 50mm thick sand bed as laying course all as specified.	700.0	SFT	78/-	54,600-0
6.	Providing and fixing of false ceiling 24"x24" gypsum including all necessary fittings all as specified.	3143.0	SFT	125/-	392,875-0
7.	Providing and laying of national tiles laid and joint with neat cement 1:2 in any design and pattern all as specified.(dadus)	1122.0	SFT	152/-	170,544-0
8.	P/Laying of wall finish, coat of graphics wall coating 1.5mm thick including SCRAPING of old surface of wall any colour straight and swirl in any texture all as specified.(internal)	7500.0	SFT	38/-	285,000-0

Handwritten signature

Handwritten signature

Handwritten signature







9.	Providing and laying of bath tiles in principle room bath glazed imported including all fittings of u.p.v.c pipes fixtures accessories i.e wash hand basin, water closet, (european) mirror, granite marble top, (all fixtures made by grohee.) all as specified. complete job.	01 job	each	197,000/-	197,000-0.
10.	Providing and laying of two coats of distemper after the preparation of surface i.e scraping, filling rubbing all as specified.	1800.0	SFT	16/-	28,800-0.
11.	Providing and fixing of aluminium door and windows deluxe model complete with glass and all necessary fittings all as specified.	82.0	SFT	655/-	53,710-0.
12.	Repair of back side bath room including 03 nos bath with laying of tiles, false ceiling, wooden doors, aluminum window, all fittings of u.p.v.c pipes, fixtures i.e wash hand basin, water closet (imported) urinals etc. all as specified complete job.	01 job	EACH	270,000/-	270,000-0.
13.	Repair of back side kitchen including laying of tiles, false ceiling, wooden doors, aluminum window, all fittings of u.p.v.c pipes, fixtures i.e sink, marble top (granite) kitchen accessories etc. all as specified complete job.	01 job	EACH	175,000/-	175,000-0.
14.	Providing and laying of artificial stone face tiles as in front elevation. all as specified.	1988.0	SFT	165/-	328,020-0.
15.	Electrical works such as holder, switch, socket, fan point, door bell, power plugs, light point, etc, including wire 3-29/ 7-29 where as required including lights all as specified.	120.00 NOS	EACH	1525/-	183,000-0.
16.	P/Laying of wall finish, coat of graphics wall coating 1.5mm thick including SCRAPING of old surface of wall any colour straight and swirl in any texture all as specified. (external)	4550.0	SFT	45/-	204,750-0.
17.	P/L of tiles on external walls (national) laid and joint with white or colour cement 1:2 gray cement and including finishing complete.	1050.00	SFT	158/-	165,900-0.

*Handwritten signature*

*Handwritten signature*

*Handwritten signature*





18.	Construction of two nos security watch tower on the top of admin block front side 6x6 complete job.	01 job	EACH	135,000/-	135,000 -
19.	Providing and fixing of wall bracket fans all as specified.(pak fan or equivalent)all as specified.	50.0nos	EACH	3750/-	187,500 -
20.	Providing and fixing of precast R.c.c shade complete with R.C.C Columns,beams,griders,lintel,CC plaster colouring for the use of car and motorcycle parking etc. all as apecified.	900.0	SFT	435/-	3,91,500 -
21.	Providing and laying of S.S GRILL for passage opening windows up to 2.5 feet height with gola complete with all necessary fittings all as specified.	100.0	RFT	2450/-	245,000 -
<b>Total</b>					<b>3,578,556 -</b>
<b>TOTAL AND SAY AMOUNT IN MILLION</b>					<b>3.578 (m)</b>



Russai  
Sub-Engineer.

Russai

Russai

Russai



185000/- m/s The Best Engineering Co.



REPAIR / RENOVATION WORK OF PTC SAEEDABAD.

REPAIR/RENOVATION WORK OF ADMIN BLOCK.

SCHEDULE BOOK DOCUMENT

S. NO.	DESCRIPTION	QUANTITY	UNITS	RATE	AMOUNT
1.	Excavation as in H/ Soil upto 1.5 m depth in foundation and pipe trenches, holes upto 1.5 m wide, in shafts, well and independent holes upto 30 sqm each and throw earth clear of edges of excavation within 10m all as specified.	367.50	CFT	50	18375
2.	Providing and laying of CC type B 1:4:8, using crushed and broken stone graded as specified.	123.0	CFT	150	18450
3.	Providing and laying of precast P.C.C Kerb stone, size 450x300x150mm, including setting, joining and pointing in C:M 1:4 all as specified.	490.0	RFT	250	122500
4.	Earth filling as in ordinary or hard soil filling in foundation pipe trenches, shafts, wells independents holes, under floors or around plinth etc. 1.5m below or above, ground level (GL), with spoil obtained from excavation in trenches / over areas within 10m including water and compaction in 150mm layer and dressing to required profile and shape.	3686.0	CFT	25	92150
5.	Providing and laying of C.C Paving stone 50mm thick in any colour, as in floors drive way, walk way etc, any pattern, design and any shape (hydraulically compressed) laid and joined in sand including 50mm thick sand bed as laying course all as specified.	700.0	SFT	100	70000
6.	Providing and fixing of false ceiling 24"x24" gypsum including all necessary fittings all as specified.	3143.0	SFT	160	502880
7.	Providing and laying of national tiles laid and joint with neat cement 1:2 in any design and pattern all as specified.(dadus)	1122.0	SFT	170	190740
8.	P/Laying of wall finish, coat of graphics wall coating 1.5mm thick including SCRAPING of old surface of wall any colour straight and swirl in any texture all as specified.(internal)	7500.0	SFT	60	450000

*Handwritten signature*

*Handwritten signature*

*Handwritten signature*



9.	Providing and laying of bath tiles in principle room bath glazed imported including all fittings of u.p.v.c pipes fixtures accessories i.e wash hand basin,water closet,(eurpeon) mirror,granite marble top,(all fixtures made by grohee.)all as specified.complete job.	01 job	each	100000	100000
10.	Providing and laying of two coats of distemper after the preparation of surface i.e scraping, filling rubbing all as specified.	1800.0	SFT	30	54000
11.	Providing and fixing of aluminium door and windows deluxe model complete with glass and all necessary fittings all as specified.	82.0	SFT	1000	82000
12.	Repair of back side bath room including 03 nos bath with laying of tiles,false ceiling,wooden doors, aluminum window,all fittings of u.p.v.c pipes,fixtures i.e wash hand basin,water closet(imported)urinals etc. all as specified complete job.	01 job	EACH	100000	100000
13.	Repair of back side kitchen including laying of tiles,false ceiling,wooden doors,aluminum window,all fittings of u.p.v.c pipes,fixtures i.e sink,marble top(granite) kitchen accessories etc. all as specified complete job.	01 job	EACH	50000	50000
14.	Providing and laying of artificial stone face tiles as in front elevation.all as specified.	1988.0	SFT	150	298200
15.	Electrical works such as holder, switch, socket, fan point, door bell, power plugs, light point, etc, including wire 3-29/ 7-29 where as required including lights all as specified.	120.00 NOS	EACH	750	90000
16.	P/Laying of wall finish, coat of graphics wall coating 1.5mm thick including SCRAPING of old surface of wall any colour straight and swirl in any texture all as specified. (external)	4550.0	SFT	60	273000
17.	P/L of tiles on external walls(national) laid and joint with white or colour cement 1:2 gray cement and including finishing complete.	1050.00	SFT	160	168000

*Handwritten signature*

*Handwritten signature*

*Handwritten signature*



18.	Construction of two nos security watch tower on the top of admin block front side 6x6 complete job.	01 job	EACH	38000	38000
19.	Providing and fixing of wall bracket fans all as specified.(pak fan or equalent)all as specified.	50.0nos	EACH	7000	350000
20.	Providing and fixing of precast R.c.c shade complete with R.C.C Columns,beams,griders,lintel,CC plaster colouring for the use of car and motorcycle parking etc. all as apecified.	900.0	SFT	100	90000
21.	Providing and laying of S.S GRILL for passage opening windows up to 2.5 feet height with gola complete with all necessary fittings all as specified.	100.0	RFT	1000	100000
Total					3600295
TOTAL AND SAY AMOUNT IN MILLION					

Russa  
Sub-Engineer.

Russa

Russa

Russa



Issued to m/s The Rajput Associates



REPAIR / RENOVATION WORK OF PTC SAEEDABAD.

REPAIR/RENOVATION WORK OF ADMIN BLOCK.

SCHEDULE BOOK DOCUMENT

S. NO.	DESCRIPTION	QUANTITY	UNITS	RATE	AMOUNT
1.	Excavation as in H/ Soil upto 1.5 m depth in foundation and pipe trenches, holes upto 1.5 m wide, in shafts, well and independent holes upto 30 sqm each and throw earth clear of edges of excavation within 10m all as specified.	367.50	CFT	5'	1837—
2.	Providing and laying of CC type B 1:4:8, using crushed and broken stone graded as specified.	123.0	CFT	80	9840—
3.	Providing and laying of precast P.C.C Kerb stone, size 450x300x150mm, including setting, joining and pointing in C:M 1:4 all as specified.	490.0	RFT	153	74,970—
4.	Earth filling as in ordinary or hard soil filling in foundation pipe trenches, shafts, wells independents holes, under floors or around plinth etc. 1.5m below or above, ground level (GL), with spoil obtained from excavation in trenches / over areas within 10m including water and compaction in 150mm layer and dressing to required profile and shape.	3686.0	CFT	4	14744—
5.	Providing and laying of C.C Paving stone 50mm thick in any colour, as in floors drive way, walk way etc, any pattern, design and any shape (hydraulically compressed) laid and joined in sand including 50mm thick sand bed as laying course all as specified.	700.0	SFT	74	51800—
6.	Providing and fixing of false ceiling 24"x24" gypsum including all necessary fittings all as specified.	3143.0	SFT	120	377,160—
7.	Providing and laying of national tiles laid and joint with neat cement 1:2 in any design and pattern all as specified.(dadus)	1122.0	SFT	149	167,178—
8.	P/Laying of wall finish, coat of graphics wall coating 1.5mm thick including SCRAPING of old surface of wall any colour straight and swirl in any texture all as specified.(internal)	7500.0	SFT	35	262,500—

*Handwritten signature*

*Handwritten signature*

*Handwritten signature*









18.	Construction of two nos security watch tower on the top of admin block front side 6x6 complete job.	01 job	EACH	125,000	125,000 ✓
19.	Providing and fixing of wall bracket fans all as specified.(pak fan or equivalent)all as specified.	50.0nos	EACH	3700	185,000 ✓
20.	Providing and fixing of precast R.c.c shade complete with R.C.C Columns,beams,griders,lintel,CC plaster colouring for the use of car and motorcycle parking etc. all as apesified.	900.0	SFT	425	382,500 ✓
21.	Providing and laying of S.S GRILL for passage opening windows up to 2.5 feet height with gola complete with all necessary fittings all as specified.	100.0	RFT	2420	242,000 ✓
<b>Total</b>					3403421 ✓
<b>TOTAL AND SAY AMOUNT IN MILLION</b>					3.403(m)



Russai  
Sub-Engineer.

Russai

Russai

Russai



Issued to M/S AL-Hakreem Builders.



REPAIR / RENOVATION WORK OF PTC SAEEDABAD.

REPAIR/RENOVATION WORK OF ADMIN BLOCK.

SCHEDULE BOOK DOCUMENT

S. NO.	DESCRIPTION	QUANTITY	UNITS	RATE	AMOUNT
1.	Excavation as in H/ Soil upto 1.5 m depth in foundation and pipe trenches, holes upto 1.5 m wide, in shafts, well and independent holes upto 30 sqm each and throw earth clear of edges of excavation within 10m all as specified.	367.50	CFT	7.50/2	2756 -
2.	Providing and laying of CC type B 1:4:8, using crushed and broken stone graded as specified.	123.0	CFT	92/2	11316 -
3.	Providing and laying of precast P.C.C Kerb stone, size 450x300x150mm, including setting, joining and pointing in C:M 1:4 all as specified.	490.0	RFT	162/2	79380 -
4.	Earth filling as in ordinary or hard soil filling in foundation pipe trenches, shafts, wells independents holes, under floors or around plinth etc. 1.5m below or above, ground level (GL), with spoil obtained from excavation in trenches / over areas within 10m including water and compaction in 150mm layer and dressing to required profile and shape.	3686.0	CFT	6.50/2	23959 -
5.	Providing and laying of C.C Paving stone 50mm thick in any colour, as in floors drive way, walk way etc, any pattern, design and any shape (hydraulically compressed) laid and joined in sand including 50mm thick sand bed as laying course all as specified.	700.0	SFT	76.30/2	53410 -
6.	Providing and fixing of false ceiling 24"x24" gypsum including all necessary fittings all as specified.	3143.0	SFT	122.50/2	385017 -
7.	Providing and laying of national tiles laid and joint with neat cement 1:2 in any design and pattern all as specified.(dadus)	1122.0	SFT	152/2	170544 -
8.	P/Laying of wall finish, coat of graphics wall coating 1.5mm thick including SCRAPING of old surface of wall any colour straight and swirl in any texture all as specified.(internal)	7500.0	SFT	40/2	300,000 -

*Handwritten signature*

*Handwritten signature*

*Handwritten signature*





9.	Providing and laying of bath tiles in principle room bath glazed imported including all fittings of u.p.v.c pipes fixtures accessories i.e wash hand basin, water closet, (European) mirror, granite marble top, (all fixtures made by grohee.) all as specified. complete job.	01 job	each	124500/2	124500-
10.	Providing and laying of two coats of distemper after the preparation of surface i.e scraping, filling rubbing all as specified.	1800.0	SFT	18/2	32400-
11.	Providing and fixing of aluminium door and windows deluxe model complete with glass and all necessary fittings all as specified.	82.0	SFT	675/2	55350-
12.	Repair of back side bath room including 03 nos bath with laying of tiles, false ceiling, wooden doors, aluminum window, all fittings of u.p.v.c pipes, fixtures i.e wash hand basin, water closet (imported) urinals etc. all as specified complete job.	01 job	EACH	275000/2	275000-
13.	Repair of back side kitchen including laying of tiles, false ceiling, wooden doors, aluminum window, all fittings of u.p.v.c pipes, fixtures i.e sink, marble top (granite) kitchen accessories etc. all as specified complete job.	01 job	EACH	175000/2	175000-
14.	Providing and laying of artificial stone face tiles as in front elevation. all as specified.	1988.0	SFT	165/2	328020-
15.	Electrical works such as holder, switch, socket, fan point, door bell, power plugs, light point, etc, including wire 3-29/ 7-29 where as required including lights all as specified.	120.00 NOS	EACH	1560/2	187200-
16.	P/Laying of wall finish, coat of graphics wall coating 1.5mm thick including SCRAPING of old surface of wall any colour straight and swirl in any texture all as specified. (external)	4550.0	SFT	42/2	191100-
17.	P/L of tiles on external walls (national) laid and joint with white or colour cement 1:2 gray cement and including finishing complete.	1050.00	SFT	164/2	172200-

*Handwritten signature*

*Handwritten signature*


*Handwritten signature*







18.	Construction of two nos security watch tower on the top of admin block front side 6x6 complete job.	01 job	EACH	130,000/-	130,000/-
19.	Providing and fixing of wall bracket fans all as specified.(pak fan or equalent)all as specified.	50.0nos	EACH	3950/-	197500 -
20.	Providing and fixing of precast R.c.c shade complete with R.C.C Columns,beams,griders,lintel,CC plaster colouring for the use of car and motorcycle parking etc. all as apecified.	900.0	SFT	445/-	400500 -
21.	Providing and laying of S.S GRILL for passage opening windows up to 2.5 feet height with gola complete with all necessary fittings all as specified.	100.0	RFT	2525/-	252500 -
<b>Total</b>					3547652 -
<b>TOTAL AND SAY AMOUNT IN MILLION™</b>					3.547 (M)



*Russia*

**Sub-Engineer.**

*M. Hussain*

*[Signature]*

*Russia*

Issued to M/S Shah & Company



REPAIR / RENOVATION WORK OF PTC SAEEDABAD.  
REPAIR/RENOVATION WORK OF ADMIN BLOCK.

SCHEDULE BOOK DOCUMENT

S. NO.	DESCRIPTION	QUANTITY	UNITS	RATE	AMOUNT
1.	Excavation as in H/ Soil upto 1.5 m depth in foundation and pipe trenches, holes upto 1.5 m wide, in shafts, well and independent holes upto 30 sqm each and throw earth clear of edges of excavation within 10m all as specified.	367.50	CFT	8.0	2940
2.	Providing and laying of CC type B 1:4:8, using crushed and broken stone graded as specified.	123.0	CFT	120.0	14760
3.	Providing and laying of precast P.C.C Kerb stone, size 450x300x150mm, including setting, joining and pointing in C:M 1:4 all as specified.	490.0	RFT	204.0	99960
4.	Earth filling as in ordinary or hard soil filling in foundation pipe trenches, shafts, wells independents holes, under floors or around plinth etc. 1.5m below or above, ground level (GL), with spoil obtained from excavaytion in trenches / over areas within 10m including water and compaction in 150mm layer and dressing to required profile and shape.	3686.0	CFT	15.0	55290
5.	Providing and laying of C.C Paving stone 50mm thick in any colour, as in floors drive way, walk way etc, any pattern, design and any shape (hydraulically compressed) laid and joined in sand including 50mm thick sand bed as laying course all as specified.	700.0	SFT	75.0	52500
6.	Providing and fixing of false ceiling 24"x24" gypsum including all necessary fittings all as specified.	3143.0	SFT	425.0	1335775
7.	Providing and laying of national tiles laid and joint with neat cement 1:2 in any design and pattern all as specified.(dadus)	1122.0	SFT	170.0	190240
8.	P/Laying of wall finish, coat of graphics wall coating 1.5mm thick including SCRAPING of old surface of wall any colour straight and swirl in any texture all as specified.(internal)	7500.0	SFT	40.0	300,000

*Handwritten signatures and initials:*  
Mustafa  
Raza  
Raza





9.	Providing and laying of bath tiles in principle room bath glazed imported including all fittings of u.p.v.c pipes fixtures accessories i.e wash hand basin,water closet,(eurpeon) mirror,granite marble top,(all fixtures made by grohee.)all as specified.complete job.	01 job	each	75000	75000
10.	Providing and laying of two coats of distemper after the preparation of surface i.e scraping, filling rubbing all as specified.	1800.0	SFT	15.0	27000
11.	Providing and fixing of aluminium door and windows deluxe model complete with glass and all necessary fittings all as specified.	82.0	SFT	524.70	43025.40
12.	Repair of back side bath room including 03 nos bath with laying of tiles,false ceiling,wooden doors, aluminum window,all fittings of u.p.v.c pipes,fixtures i.e wash hand basin,water closet(imported)urinals etc. all as specified complete job.	01 job	EACH	150000	150000
13.	Repair of back side kitchen including laying of tiles,false ceiling,wooden doors,aluminum window,all fittings of u.p.v.c pipes,fixtures i.e sink,marble top(granite) kitchen accessories etc. all as specified complete job.	01 job	EACH	80000	80000
14.	Providing and laying of artificial stone face tiles as in front elevation.all as specified.	1988.0	SFT	70.0	139160
15.	Electrical works such as holder, switch, socket, fan point, door bell, power plugs, light point, etc, including wire 3-29/ 7-29 where as required including lights all as specified.	120.00 NOS	EACH	400	48000
16.	P/Laying of wall finish, coat of graphics wall coating 1.5mm thick including SCRAPING of old surface of wall any colour straight and swirl in any texture all as specified. (external)	4550.0	SFT	40.0	182000
17.	P/L of tiles on external walls(national) laid and joint with white or colour cement 1:2 gray cement and including finishing complete.	1050.00	SFT	170	178560

*Handwritten signature*

*Handwritten signature*

*Handwritten signature*



18.	Construction of two nos security watch tower on the top of admin block front side 6x6 complete job.	01 job	EACH	50000	50000
19.	Providing and fixing of wall bracket fans all as specified.(pak fan or equalent)all as specified.	50.0nos	EACH	5070	253500
20.	Providing and fixing of precast R.c.c shade complete with R.C.C Columns,beams,griders,lintel,CC plaster colouring for the use of car and motorcycle parking etc. all as apecified.	900.0	SFT	225	202500
21.	Providing and laying of S.S GRILL for passage opening windows up to 2.5 feet height with gola complete with all necessary fittings all as specified.	100.0	RFT	250	25000
<b>Total</b>					3505150.40
<b>TOTAL AND SAY AMOUNT IN MILLION</b>					3.5051504

*Handwritten signature*

**SHAH & COMPANY**  
*Handwritten signature*  
Proprietor

*Handwritten signature*  
**Sub-Engineer.**

*Handwritten signature*  
*Handwritten signature*





OFFICE OF THE SSP/PRINCIPAL  
POLICE TRAINING COLLEGE SAEEDABAD, KARACHI.

Ph:021-32812326, 021-32812343, Fax:021-32811217, E-mail:ptc.saeedabad.khi@gmail.com

No. 8215-17 /PTC/Acctt./2015/Karachi, Dated: 28-04-2015.

**MINUTES OF MEETING HELD BY MR. JAVED ALI MAHAR, PSP SSP/PRINCIPAL  
POLICE TRAINING COLLEGE SAEEDABAD KARACHI, REGARDING REPAIR /  
RENOVATION WORK OF ADMIN BLOCK, 05 BARRACKS AND 05 BATHROOM  
BLOCK OF PTC SAEEDABAD KARACHI.**


Following attended the meeting:-

01. Mr. Saqib Ibrahim, PSP, Vice Principal PTC Saeedabad Karachi.
02. Mr. Muhammad Rizwan Sub Engineer Works Department Karachi
03. M/S Al Hakeem Builders
04. M/S Al Zaman Construction Co.
05. M/S Rajput Associates
06. M/S The Best Engineering Co.
07. M/S Shah & Co.
08. M/S Bushra & Brothers. (Absent)

A meeting under the chairmanship of SSP/Principal, Javed Ali Mahar, Police Training College Saeedabad, Karachi was held at Conference Room for ascertaining the lowest bidder for Repair & Renovation work of PTC Saeedabad, Karachi. The meeting was to consider the following points:-

<i>AGENDA</i>	<i>ACTION TO BE TAKEN</i>
<ul style="list-style-type: none"><li>• To ensure for quality/standard of work regarding the Repair / Renovation Work at Police Training College Saeedabad, Karachi for the current financial year 2014-15.</li><li>• To open tender in front of all the bidders.</li><li>• To ascertain the lowest bidders for Repairing &amp; Renovation Work at P.T.C. Saeedabad, Karachi.</li><li>• To ensure that the bidding takes place in a transparent manner.</li></ul>	SSP /Principal P.T.C. Saeedabad, Karachi.

Committee members were directed to monitor the standard of work & quality and the meeting ended with the vote of thanks.

  
(JAVED ALI MAHAR), PSP  
SSP / Principal  
Police Training COLLEGE  
Saeedabad Karachi.

Copy to all committee members for information and necessary action.  
Copy to I/C-General Branch P.T.C. Saeedabad, Karachi.