



# KARACHI WATER & SEWERAGE BOARD

OFFICE OF THE CHIEF ENGINEER (IP&D)

## BID EVALUATION REPORT


|    |   |   |
|----|---|---|
| 1  | Name of Procuring Agency                          | KARACHI WATER & SEWERAGE BOARD  |
| 2  | Tender Reference No                               | SPPRA Serial No.17485 I.D No. /2013   |
| 3  | Tender Description/Name of Work/Item              | REPAIR / RECONSTRUCTION OF INTERMEDIATE MANHOLES RCC COVERS AND CAST RING SLABS FOR (UC-01 TO 07) IN THE AREAS OF SHAHFAISAL TOWN |
| 4  | Method of Procurement                             | Single Stage (One Envelop)  |
| 5  | Tender Published                                  | Through Web Site  |
| 6  | Total Bid Documents Sold                          | 02 Nos  |
| 7  | Total Bid Received                                | 02 Nos  |
| 8  | Technical Bid Opening Date ( if applicable)       | N/A .   |
| 9  | No. of Bid Technically Qualified ( if applicable) | N/A .   |
| 10 | Bid (s) rejected                                  | Nil   |
| 11 | Financial Bid Opening Date                        | 24/10/2013  |


### 12 Bid Evaluation Report


| S # | NAME OF FIRM OR BIDDER | COST OFFERED BY THE BIDDERS | RANKING IN TERMS OF COST | COMPARISON WITH ESTIMATED COST | REASON FOR ACCEPTANCE/ REJECTION | REMARKS   |
|-----|------------------------|-----------------------------|--------------------------|--------------------------------|----------------------------------|---|
| 1   | M/s. A.H Enterprises   | Rs.785,993/-                | 1st Lowest               | @ 0.6927% Below                | Substantially Responsive         | P.O # 9206820 Dt:24-10-2013<br>Rs.16,000/-<br>HBL Shah Nawaz MKT Br.          |
| 2   | M/s. Data Enterprises  | Rs. 819,899/-               | 2nd Lowest               | @ 3.6954% Above                | Substantially Responsive         | P.O # 01916386 Dt:21-10-2013<br>Rs.19,500/-<br>Faysal Bank IBB Nazimaabad Br. |


The all concerned bidder are being informed accordingly.


The E.E Concerned for compliance of rule 45 of SPPRA 2010 M/s. A.H Enterprises, declared as the lowest responsive bid by the Committee and recommended for Sanction from Competent Authority.

  
(Nadeem Ahmed Khan) 24/10/13  
Accounts Officer (East)  
Member/Secretary

  
(Saif-ul-Haque)  
Additional Director Internal  
Audit - KMC Member

  
(Maqsood Ahmed Shaikh)  
Superintending Engineer (KMC)  
Member

  
(Ghulam Qadir Abbas)  
Chief Engineer (East)  
Member

  
(Abdul Rahim Khattij)  
Chief Engineer (IPD),  
(Convener)

| S.No | Description of Work   | Engineer's Estimate |        |      |                   | M/s. A.H Enterprises |                   | M/s. Data Enterprises |                   |
|------|---|---------------------|--------|------|-------------------|----------------------|-------------------|-----------------------|-------------------|
|      |   | Quantity            | Rate   | Unit | Amount            | Rate                 | Amount            | Rate                  | Amount            |
| 13   | Shifting to the site and fixing of 36" dia Ring slab in perfect position on damaged Manhole i/c cutting of damaged portion in proper shape and laying of cement mortar of 2" thickness and disposal of debris.  | 155 Nos             | 563.09 | Each | 87,278.95         | 560.00               | 86,800.00         | 600.00                | 93,000.00         |
| 14   | Manufacturing and supplying of RCC Manhole cover cast in 1:2:4 cement concrete ratio (50% graded bajri & 50% crust) 3" deep at centre reinforced with 1/2" dia M.S bar @ 4" c/c welded to 3/16" thick 2" wide M.S plat and two hook of 3/8" dia tor bars i/c compacting, curing & transportation within 10 miles. | 180 Nos             | 913.63 | Each | 164,453.40        | 900.00               | 162,000.00        | 1,000.00              | 180,000.00        |
|      | <b>Total Quoted / Corrected Cost</b>  |                     |        |      | <b>790,680.30</b> |                      | <b>785,993.22</b> |                       | <b>819,899.10</b> |
|      | <b>Say</b>  |                     |        |      | <b>790,680</b>    |                      | <b>785,993</b>    |                       | <b>819,899</b>    |

  
 (Nadeem Ahmed Khan)  
 Accounts Officer (East)  
 Member/Secretary

  
 (Ghulam Qadir Abbas)  
 Chief Engineer (East)  
 Member

  
 (Saif-ul-Haque)  
 Additional Director Internal  
 Audit - KMC Member

  
 (Abdul Rahim Khatt)  
 Chief Engineer (IPD), (Convener)

  
 (Maqsood Ahmed Shaikh)  
 Superintending Engineer (KMC)  
 Member

### COMPARATIVE STATEMENT

**NAME OF WORK: REPAIR / RECONSTRUCTION OF INTERMEDIATE MANHOLES RCC COVERS AND PRE-CAST RING SLABS FOR (UC-01 TO 07) IN THE AREAS OF SHAHFAISAL TOWN**

| S.No | Description of Work   | Engineer's Estimate |           |       | M/s. A.H Enterprises |           | M/s. Data Enterprises |           |            |
|------|---|---------------------|-----------|-------|----------------------|-----------|-----------------------|-----------|------------|
|      |   | Quantity            | Rate      | Unit  | Amount               | Rate      | Amount                | Rate      | Amount     |
| 1    | Cement concrete Plain including placing compacting finishing and curing complete including screening and washing at stone aggregate without shuttering 1:2:4  | 557.58 Cft          | 14,429.25 | % Cft | 94,883.86            | 14,429.00 | 94,882.22             | 14,500.00 | 95,349.10  |
| 2    | Hire Charges of steel shuttering both side for the construction of manhole (circle) at site i/c its erection in proper position and removal after concrete etc complete.  | 77.00 Ft            | 99.00     | P/Ft  | 7,623.00             | 90.00     | 6,930.00              | 100.00    | 7,700.00   |
| 8    | Providing Manholes 4' ft dia (inside) with C.I Frame 15KG 5' ft clear depth 1:2:4 cast in situ in 9" thick wall 1:4:8 cement concrete in 6ft dia and 6" inch thick in foundation, 1:2:4 C in benching 1/2" cement plaster 1:3 cement mortar on inside wall and surface of channel benching i/c making required was of channels 3/4" inch bar M.S foot rest @ 12" C/c including cost of excavation of all kind, back filling and disposal of excavated staff etc complete as per designed extretion of the Engineer Incharge | 9 Nos               | 14,529.29 | Each  | 130,763.61           | 14,529.00 | 130,761.00            | 14,600.00 | 131,400.00 |
| 9    | Add or deduct for per ft depth  | 4 Rft               | 2,538.62  | P/Rft | 10,154.48            | 2,530.00  | 10,120.00             | 2,550.00  | 10,200.00  |
| 12   | Manufacturing and supplying RCC ring slabs of 21" inside diameter 36" outside diameter 7.5" width and 6" thick i/c 3/8" dia tor steel bars two concentric rings with 3/8" dia 8 Nos. cross linked bars welded and two sunk type hooks casted in 1:1-1/2:3 concrete with embedded 15 Kg C.I frame in perfect position i/c transportation charges for an average lead of 20 Km per trip from casting yard to town office  | 155 Nos             | 1,906.60  | Each  | 295,523.00           | 1,900.00  | 294,500.00            | 1,950.00  | 302,250.00 |