

## Bid Evaluation Report

27

1. Name of Procuring Agency: SINDH EMPLOYEES SOCIAL SECURITY INSTITUTION

2. Tender Reference No: INF/KRY No-1239/14

3. Tender Description/Name of work/item: Re-Tender of Hospital Medical Equipments

4. Method of Procurement: Single Stage Two Envelopes

5. Tender Published: The Jang & Daily Times 12-04-2014

*Print & Electronic Media (SPPRA ID No. & News papers names with dates)*

6. Total Bid documents Sold; 33

7. Total Bids Received: 18

8. Technical Bid Opening date: (if applicable) 09-05-2014 (Provide details in separate form)

9. No. of Bid technically qualified (if applicable): 16


10. Bid(s) Rejected: 02 Technically Rejected / 03 Financially Rejected

11. Financial Bid Opening date: 17-06-2014

12. Bid Evaluation Report: (Attached)

S No	Name of Firm or Bidder	Cost offered by the Bidder	Ranking in terms of cost	Comparison with Estimated cost	Reasons for acceptance/rejection	Remarks
0	1	2	3	4	5	6
1.	C.S. Attached	C.S. Attached	C.S. Attached	C.S. Attached	Attached	-
2.						
3.						
4.						
5.						

Signatures of the Members of the Committee.





SINDH EMPLOYEE'S SOCIAL SECURITY INSTITUTION  
(HEAD OFFICE)

INF/KRY-1239/14

BID EVALUATION REPORT OF RE-TENDER OF H.M.E. FOR 2013-14

S. No	NAME OF BIDDER	ACCEPTED / REJECTED	REASON FOR ACCEPTANCE / REJECTION
1	Amerdin Instruments	Accepted	Complete documents submitted according to Terms & Conditions.
2	Bios Serving	Rejected	Rejected as per Clause 1.6 of the Terms & Conditions. Quotation without signatur and stamp of authorized person.
3	Eastern Scientific	Accepted	Complete documents submitted according to Terms & Conditions.
4	Eastern Medical	Rejected	Rejected as per Clause 1.6 of the Terms & Conditions. Submitted Cheque instead of Pay Order
5	Presentius	Accepted	Complete documents submitted according to Terms & Conditions.
6	Karachi Medical Co.	Accepted	Complete documents submitted according to Terms & Conditions.
7	Latif Brothers Instruments	Accepted	Complete documents submitted according to Terms & Conditions.
8	Medequips SMC	Accepted	Complete documents submitted according to Terms & Conditions.
9	Meditech Instruments Co	Accepted	Complete documents submitted according to Terms & Conditions.
10	Minerva Trading	Rejected	Rejected as per Clause 1.6 of the Terms & Conditions. Quotation without signatur and stamp of authorized person.
11	Popular International	Accepted	Complete documents submitted according to Terms & Conditions.
12	Hoora Pharma	Accepted	Complete documents submitted according to Terms & Conditions.
13	S. Ejazuddin	Accepted	Complete documents submitted according to Terms & Conditions.
14	Seico Scientific	Accepted	Complete documents submitted according to Terms & Conditions.
15	Sindh Medical Store	Accepted	Complete documents submitted according to Terms & Conditions.
16	Sohail Scientific	Rejected	Rejected as per Clause 1.4 of the Terms & Conditions. Only one envelope submitted i.e. financial proposal.
17	Technology Link	Accepted	Complete documents submitted according to Terms & Conditions.
18	Universal Enterprises	Rejected	Rejected as per Clause 1.6 of the Terms & Conditions. Pay order submitted in the name of Chief Medical Officer Procurement instead of Commissioner SSSI.

*T. Jamis*

*W. Khan*

*[Signature]*

*[Signature]*

*[Signature]*

## Bid Evaluation Report

1. Name of Procuring Agency: SINDH EMPLOYEES SOCIAL SECURITY INSTITUTION

2. Tender Reference No: INF/KRY No-1239/14

3. Tender Description Name of work item: Re-Tender of Hospital Medical Equipments

4. Method of Procurement: Single Stage Two Envelopes

5. Tender Published: The Jang & Daily Times 12-04-2014

*Print & Electronic Media (SPPRA ID No. & News papers names with dates)*

6. Total Bid documents Sold: 33

7. Total Bids Received: 18

8. Technical Bid Opening date: (if applicable) 09-05-2014 *(Provide details in separate form)*

9. No. of Bid technically qualified (if applicable): 16

10. Bid(s) Rejected: 02 Technically Rejected / 03 Financially Rejected

11. Financial Bid Opening date: 17-06-2014

12. Bid Evaluation Report: (Attached)

S.No	Name of Firm or Bidder	Cost offered by the Bidder	Ranking in terms of cost	Comparison with Estimated cost	Reasons for acceptance/rejection	Remarks
0	1	2	3	4	5	6
1.	C.S. Attached	C.S. Attached	C.S. Attached	C.S. Attached	Attached	
2.						
3.						
4.						
5.						

  
 Signatures of the Members of the Committee.

BID EVALUATION REPORT OF RE-TENDER OF H.M.E. PDR 2013-14

S.No	NAME OF BIDDER	ACCEPTED / REJECTED	REASON FOR ACCEPTANCE / REJECTION
1	Appollo Instruments	Accepted	Complete documents submitted according to Terms & Conditions.
2	Bios security	Rejected	Rejected as per Clause 1.6 of the Terms & Conditions. Quotation without signature and stamp.
3	Eastern Science	Accepted	Complete documents submitted according to Terms & Conditions.
4	Eastrop Medical	Rejected	Rejected as per Clause 1.6 of the Terms & Conditions. Submit bid Cheque instead of Tax Bond.
5	Presonus	Accepted	Complete documents submitted according to Terms & Conditions.
6	Karnela Medical Co.	Accepted	Complete documents submitted according to Terms & Conditions.
7	Radl Brothers Instruments	Accepted	Complete documents submitted according to Terms & Conditions.
8	Medequins SMC	Accepted	Complete documents submitted according to Terms & Conditions.
9	Meditech Instruments Co	Accepted	Complete documents submitted according to Terms & Conditions.
10	Minerva Trading	Rejected	Rejected as per Clause 1.6 of the Terms & Conditions. Quotation without signature and stamp.
11	Popular International	Accepted	Complete documents submitted according to Terms & Conditions.
12	Thozar Pharma	Accepted	Complete documents submitted according to Terms & Conditions.
13	S. Lakshmin	Accepted	Complete documents submitted according to Terms & Conditions.
14	Seena Scientific	Accepted	Complete documents submitted according to Terms & Conditions.
15	Shree Medical Store	Accepted	Complete documents submitted according to Terms & Conditions.
16	Sobal Scientific	Rejected	Rejected as per Clause 1.6 of the Terms & Conditions. Only one envelope submitted in the form of
17	Technology Link	Accepted	Complete documents submitted according to Terms & Conditions.
18	Universal Enterprises	Rejected	Rejected as per Clause 1.6 of the Terms & Conditions. Pay order submitted in the name of office procurement instead of bank account name.

*For Approval*  
  
  




**SINDH EMPLOYEE'S SOCIAL SECURITY  
INSTITUTION (HEAD OFFICE)**

سندھ کے ملازمین کے سماجی تحفظ کے ادارے کا سرکاری دفتر  
Plot No. 1, F-7/2, Sector 7, F-7/2, Islamabad

2147

19 06 2014

TO,

THE DIRECTOR LT  
S.E.S.S.I. HEAD OFFICE,

SUBJECT: FINANCIAL COMPARATIVE STATEMENT OF RE-LENDER OF HOSPITAL MEDICAL EQUIPMENT  
FOR THE YEAR 2013-14 FOR HOUSING ON SESSI WEBSITE.

Enclosed please find herewith Financial Comparative Statement of Re-Lender of  
Hospital Medical Equipment for the year 2013-14 for housing on S.E.S.S.I.'s website

DR. JAWED AHMED RAJPUT  
C.M.O. (PROCUREMENT)

Copy to

1. Master File
2. Office copy

Name Of Item / Name Of Bidder	Specification Required	Specification Offered	Make	Model	AMOUNT / UNIT
Birth Room Scale		1. In-Kasar Scale Original design Accuracy: 120 Gg Capacity	Maker: In-Kasar Japan (Original)	Model: In-Kasar Scale	1,900.00
Bed Size Locker		1. Lock mechanism: key by both sides	Maker: S. S. Gray, Chennai, India	Model: SS-500	1,500.00
Beds with Mattress	2. Bed height: 4 feet by lead with 2.0m compressive Power Positioning 3. 17 degree recline down, 8 degree for main, 5° casters with swivel bases. All over in rails	1. Bed with 4 wheel casters with a Call and Conformation Table for 2.0m width Mattress and 4. In-Kasar powder cast-iron legs provided with PVC mat for noiseless and smoothness operation			
Binocular + 90 D Lenses	4. Bed height: 4 feet by lead with 2.0m compressive Power Positioning 5. 17 degree recline down, 8 degree for main, 5° casters with swivel bases. All over in rails	90 Lenses	JSA	None	31,192.30
Birth Simulator Fetus + Pavis		1. Bed instrument: 1MA 92 Ave. 0100 Ave 10130 Focus + Pavis			
Biomod		2. Physiology			
Bucket for Waste		Local			
Cheate's Forceps		2. In-Kasar Steel Local			
Composite Polishing System		Local Imported			
CRT Panels		Local Imported			
Crush Emergency Trolley		Panel: 1. Bed instrument: 1MA 92 Ave. 0100 Ave 10130 Focus + Pavis 30° of vertical & lower space. Cabinet and drawers allow for customized lower cart, parking. Panel: 1. Bed instrument: 1MA 92 Ave. 0100 Ave 10130 Focus + Pavis Panel: 1. Bed instrument: 1MA 92 Ave. 0100 Ave 10130 Focus + Pavis			
EMC			Maker: S. S. Gray, Chennai, India	Model: SS-500	48,500.00
CTG Machine					

Page 10 of 19







Name of Item / Name of Bidder	Specification Required	Specification Offered	Make	Model	Amount / Unit
Merry Machine	<p>Electric surgical table for surgery. Unit must have 2 memory function for height adjustment in control panel in 2 post holders. Adjustable height between 100 to 140 cm. Foot switch, single foot switch. Dimensions 140x140x140 cm.</p>	<p>Model TCR 17.5. It is called by any idea for all kinds of operation. It is a very good machine for all kinds of operation. It is a very good machine for all kinds of operation. It is a very good machine for all kinds of operation.</p>	<p>Make: Gebhardt Medizin Technik GmbH, Germany</p>	<p>Model: TCR 17.5</p>	<p>415,000.00</p>
Digital Radiography system for Lamp	<p>General X-ray film camera for radiology. System should be able to handle 18x24 cm film. Magnification 1.5x to 2.5x. Magnification 1.5x to 2.5x. Magnification 1.5x to 2.5x.</p>	<p>Model: NS-20. It is a very good machine for all kinds of operation. It is a very good machine for all kinds of operation. It is a very good machine for all kinds of operation.</p>	<p>Make: Puhji Mfg. Co., Shimizu, Japan</p>	<p>Model: NS-20</p>	<p>2,750,000.00</p>
Lamp	<p>General X-ray film camera for radiology. System should be able to handle 18x24 cm film. Magnification 1.5x to 2.5x. Magnification 1.5x to 2.5x. Magnification 1.5x to 2.5x.</p>	<p>Model: NS-20. It is a very good machine for all kinds of operation. It is a very good machine for all kinds of operation. It is a very good machine for all kinds of operation.</p>	<p>Make: Puhji Mfg. Co., Shimizu, Japan</p>	<p>Model: NS-20</p>	<p>2,750,000.00</p>
Lamp	<p>General X-ray film camera for radiology. System should be able to handle 18x24 cm film. Magnification 1.5x to 2.5x. Magnification 1.5x to 2.5x. Magnification 1.5x to 2.5x.</p>	<p>Model: NS-20. It is a very good machine for all kinds of operation. It is a very good machine for all kinds of operation. It is a very good machine for all kinds of operation.</p>	<p>Make: Puhji Mfg. Co., Shimizu, Japan</p>	<p>Model: NS-20</p>	<p>2,750,000.00</p>

Prepared by: \_\_\_\_\_  
 Checked by: \_\_\_\_\_  
 Date: \_\_\_\_\_

Name Of Item / Name Of Bidder	Specification Required	Specification Offered	Make	Model	AMOUNT / UNIT
Digital Radiology System	<p>Colour Drive Dry-Drum Image Receiver Capacity 4000 X 3000          Transfer Rate 1000 Images/Min. Window Change 2000ms. Magnify 10          Pixels/cm. Comparison Display Viewers. Barium Contrast Agent          Removal from chest. Contrast between 2. Range 4000 Luma</p>	<p>From the following multiple digital radiography system, which can meet a full range of clinical application          Main technical specifications          X-ray Unit TDS-18A C13761          Image type: Repeating mode          Target: 0.1-1.2          Image collection: 100-1000          Max Peak: 5-87-1000</p>	Make: Mindray China	Model: DS-200	12 100,000.00
Dressing Bag Sals Car wash System Machine	<p>1000 x 1000mm 1000 x 1000mm</p>				1000 x 1000mm 1000 x 1000mm









Name Of Item / Name Of Bidder	Specification Required	Specification Offered	Make	Model	AMOUNT / UNIT
High Speed hand Piece RSC	Hand Piece: Dual Tr	High Speed Hand Piece	Hand Piece: Dual Tr RSC	Model: PMS-14	5 0003.00
Hot Air Oven	54 parametric including 2500 RPM, Temperature Range 10-250°C, Display Resolution 1°C, Temperature Stability ± 0.1°C, Air flow: 100-300 CFM, Power Consumption 200W, Chamber Dimensions 1000 x 600 x 450, Stainless Steel, 1000g capacity.	54 parametric including 2500 RPM, Temperature Range 10-250°C, Display Resolution 1°C, Air flow: 100-300 CFM, Power Consumption 200W, Chamber Dimensions 1000 x 600 x 450, Stainless Steel, 1000g capacity.	Hand Piece: Dual Tr RSC	Model: PMS-14	5 0003.00
Medic Waste Incinerators		54 parametric including 2500 RPM, Temperature Range 10-250°C, Display Resolution 1°C, Air flow: 100-300 CFM, Power Consumption 200W, Chamber Dimensions 1000 x 600 x 450, Stainless Steel, 1000g capacity.	Hand Piece: Dual Tr RSC	Model: PMS-14	5 0003.00
Bassett Scientific		54 parametric including 2500 RPM, Temperature Range 10-250°C, Display Resolution 1°C, Air flow: 100-300 CFM, Power Consumption 200W, Chamber Dimensions 1000 x 600 x 450, Stainless Steel, 1000g capacity.	Hand Piece: Dual Tr RSC	Model: PMS-14	5 0003.00
IV stand	Iron made with powder coated Local	54 parametric including 2500 RPM, Temperature Range 10-250°C, Display Resolution 1°C, Air flow: 100-300 CFM, Power Consumption 200W, Chamber Dimensions 1000 x 600 x 450, Stainless Steel, 1000g capacity.	Hand Piece: Dual Tr RSC	Model: PMS-14	5 0003.00
RSC		54 parametric including 2500 RPM, Temperature Range 10-250°C, Display Resolution 1°C, Air flow: 100-300 CFM, Power Consumption 200W, Chamber Dimensions 1000 x 600 x 450, Stainless Steel, 1000g capacity.	Hand Piece: Dual Tr RSC	Model: PMS-14	5 0003.00
Imuno-Luminesce Auto Hematology Analyzer	54 parametric including 2500 RPM, Temperature Range 10-250°C, Display Resolution 1°C, Air flow: 100-300 CFM, Power Consumption 200W, Chamber Dimensions 1000 x 600 x 450, Stainless Steel, 1000g capacity.	54 parametric including 2500 RPM, Temperature Range 10-250°C, Display Resolution 1°C, Air flow: 100-300 CFM, Power Consumption 200W, Chamber Dimensions 1000 x 600 x 450, Stainless Steel, 1000g capacity.	Hand Piece: Dual Tr RSC	Model: PMS-14	5 0003.00
RSC		54 parametric including 2500 RPM, Temperature Range 10-250°C, Display Resolution 1°C, Air flow: 100-300 CFM, Power Consumption 200W, Chamber Dimensions 1000 x 600 x 450, Stainless Steel, 1000g capacity.	Hand Piece: Dual Tr RSC	Model: PMS-14	5 0003.00
incubators	54 parametric including 2500 RPM, Temperature Range 10-250°C, Display Resolution 1°C, Air flow: 100-300 CFM, Power Consumption 200W, Chamber Dimensions 1000 x 600 x 450, Stainless Steel, 1000g capacity.	54 parametric including 2500 RPM, Temperature Range 10-250°C, Display Resolution 1°C, Air flow: 100-300 CFM, Power Consumption 200W, Chamber Dimensions 1000 x 600 x 450, Stainless Steel, 1000g capacity.	Hand Piece: Dual Tr RSC	Model: PMS-14	5 0003.00
RSC		54 parametric including 2500 RPM, Temperature Range 10-250°C, Display Resolution 1°C, Air flow: 100-300 CFM, Power Consumption 200W, Chamber Dimensions 1000 x 600 x 450, Stainless Steel, 1000g capacity.	Hand Piece: Dual Tr RSC	Model: PMS-14	5 0003.00
Infecting Nail Tibid	54 parametric including 2500 RPM, Temperature Range 10-250°C, Display Resolution 1°C, Air flow: 100-300 CFM, Power Consumption 200W, Chamber Dimensions 1000 x 600 x 450, Stainless Steel, 1000g capacity.	54 parametric including 2500 RPM, Temperature Range 10-250°C, Display Resolution 1°C, Air flow: 100-300 CFM, Power Consumption 200W, Chamber Dimensions 1000 x 600 x 450, Stainless Steel, 1000g capacity.	Hand Piece: Dual Tr RSC	Model: PMS-14	5 0003.00
Kidney Tray Sets	54 parametric including 2500 RPM, Temperature Range 10-250°C, Display Resolution 1°C, Air flow: 100-300 CFM, Power Consumption 200W, Chamber Dimensions 1000 x 600 x 450, Stainless Steel, 1000g capacity.	54 parametric including 2500 RPM, Temperature Range 10-250°C, Display Resolution 1°C, Air flow: 100-300 CFM, Power Consumption 200W, Chamber Dimensions 1000 x 600 x 450, Stainless Steel, 1000g capacity.	Hand Piece: Dual Tr RSC	Model: PMS-14	5 0003.00
Cryogel Mast Army LMS (All Sizes)	54 parametric including 2500 RPM, Temperature Range 10-250°C, Display Resolution 1°C, Air flow: 100-300 CFM, Power Consumption 200W, Chamber Dimensions 1000 x 600 x 450, Stainless Steel, 1000g capacity.	54 parametric including 2500 RPM, Temperature Range 10-250°C, Display Resolution 1°C, Air flow: 100-300 CFM, Power Consumption 200W, Chamber Dimensions 1000 x 600 x 450, Stainless Steel, 1000g capacity.	Hand Piece: Dual Tr RSC	Model: PMS-14	5 0003.00





Name Of Item / Name Of Bidder	Specification Required	Specification Offered	Make	Model	AMOUNT / UNIT
Epson 1600 monitor with stand including cables and all J.C.B.I.	Epson 1600 monitor with stand including cables and all J.C.B.I.	Epson 1600 monitor with stand including cables and all J.C.B.I.	Epson	Epson 1600	86,500.00
Epson 1600 monitor with stand including cables and all J.C.B.I.	Epson 1600 monitor with stand including cables and all J.C.B.I.	Epson 1600 monitor with stand including cables and all J.C.B.I.	Epson	Epson 1600	86,500.00
Operating Microscope & Video System for Teaching Facility	Five step magnification - Parallel light - Vertical illumination - High contrast illuminator for a superior field of view - Super bright color objective lens - Fully adjustable video - Built-in 1/4" x 1/4" security and composite video outputs - Camera	Five step magnification - Parallel light - Vertical illumination - High contrast illuminator for a superior field of view - Super bright color objective lens - Fully adjustable video - Built-in 1/4" x 1/4" security and composite video outputs - Camera	Topcon	DM-500	1,350,000.00

Date: 13/05/2012

Page: 1 of 1



Str./Item Code	Name Of Item / Name Of Bidder	Specification Required	Specification Offered	Make	Model	UNIT
71	Quadriceps Bench	Local Best Quality	Ernst and			460 000 00
72	Technology Links	Local Best Quality				
73	Radiant Heat Bath	preheat, auto and manual, mattress size 180cm x 90cm, mattress 15kg, 10 kg Power failure alarm, Sensor fault alarm, temperature deviation alarm, overtemperature alarm, system low water alarm				
	Resuscitator Trolley (Neonatal)		Local Best Quality			
	RNC		Local Best Quality			
74	Reverse Osmosis (System Dialysis Section)	Local Best Quality	Local Best Quality			1,000 000 00
	RNC					
75	Room Heater	Local Best Quality				
76	Scotch Cast	Local Best Quality				
77	Short Wave Diathermy	1,300W pulsed and 400W continuous maximum power output. Continuous and pulsed shortwave from one unit. Blacklit display with clear operational information. 10 programmable memory functions. Pulse width 20-400 microseconds pulse frequencies 5-800 pulses per	Local Best Quality			1,310,000.00
	Technology Links					
78	Slow Speed hand Piece	Local Best Quality	Local Best Quality			21 000 00
	RNC					
79	SMR Surgery	Complete set (Stainless Steel)	Local Best Quality			

87

Handwritten notes and signatures at the bottom of the page, including a signature that appears to be "D. J. ...".

Name Of Item / Name Of Bidder	Specification Required	Specification Offered	Make	Model	AMOUNT / UNIT
Alcaldes Machine	Local Best Quality	OTG Machine with 1000W capacity, 300mm x 300mm x 150mm, stainless steel body, and 1000W capacity. Includes 1000W power cord and 1000W power switch.	WAVE Enerjet Biocare Co Inc, ROC	Model FM-201	150,000.00
Stationary Bicycle for Exercises	Local Best Quality				
Steam Inhaler	Produces a strong, steady flow of steam that's the appropriate amount and duration for your therapy. Includes steam vent, adjustable control dial, and 1000W power cord.				
Ultrasonic Nebulizer	Automatic, automatic nebulizer with 4-6 liter tank, auto shut-off, with water inlet with steam in manual, 240 and 120V both, manual water fill, Dry Function, also storage in box with stainless steel heater cover.				
Wrencher Trolley	Power coated body with any wheel and stainless steel top and baseplate (Food safe top of stainless)	Trolley constructed of square hollow tube pipe 2 1/2" dia. 11 feet length in all with wheels covered in rubber. Trolley with 4 casters, power coated side guard for 10 casters on 25mm rubber casters. (Stainless steel) Powder Coated with Oxygen safe.	Make: Strongman Dujin, Pakistan	Model: 433-44-F	31,000.00
Injection Machine	Low noise mobile injection unit for general use with capacity of 33 liters per minute. Flow rate: High speed container (1 - 500ml) up to 270 cph. Vacuum control knob with on/off switch. Receiver jar 200 liters and water resistant v-spool x 1.	250 TON 1500 WATT MOTOR (2 hp) - Specification: Voltage 220V ± 10%, 1-10 Max. negative pressure: > 0.03 MPa, 30 MPa < 0.3 MPa, 1.1 MPa. Power: 120VA. Pumping rate: 250 LTR / MIN. Capacity: 2500 LTR. 2hp (1.5 kW) (1.5 hp)	Make: Kensing Medical ROC	Model: 94245	33,500.00
Surgical Instrument for FESS	Local stainless steel best Quality				
Surgical Set including Randall Forceps, Satinsky Clamp and Catheter Introducer	Local stainless steel best Quality				



Name Of Item / Name Of Bidder	Specification Required	Specification Offered	Make	Model	AMOUNT / UNIT
X-Ray Apparatus	Film holder and cassette and needs up to 1000 films. If previous design controlled by a single dial out of the event of leak of water.				
Technology Inkjet	from Post-ally		Chang and		275,000.00
Ray Film Processor	By film system for all sizes				
describers SMC		<ul style="list-style-type: none"> <li>Brand Name: Semiconductor Laser</li> <li>Lot No: 14797733800001</li> <li>Lot No: 14797733800001</li> <li>Lot No: 14797733800001</li> <li>Lot No: 14797733800001</li> </ul>	KCI	System 1000	500,000.00
describers SMC		<ul style="list-style-type: none"> <li>Lot No: 14797733800001</li> <li>Lot No: 14797733800001</li> <li>Lot No: 14797733800001</li> <li>Lot No: 14797733800001</li> </ul>	Konica Japan	SRX101A	525,000.00
Ray Illuminator	Single Illuminator with power cord Lead				
Annual Maintenance Contract Bio Carbonate Mixing Plant	Penang, 240001, USA	Box of 1000 sheets of basic resin grade in and out. 1000 sheets with additional 1000 sheets. 2000 sheets. 3000 sheets. 4000 sheets. 5000 sheets. 6000 sheets. 7000 sheets. 8000 sheets. 9000 sheets. 10000 sheets. 11000 sheets. 12000 sheets. 13000 sheets. 14000 sheets. 15000 sheets. 16000 sheets. 17000 sheets. 18000 sheets. 19000 sheets. 20000 sheets. 21000 sheets. 22000 sheets. 23000 sheets. 24000 sheets. 25000 sheets. 26000 sheets. 27000 sheets. 28000 sheets. 29000 sheets. 30000 sheets. 31000 sheets. 32000 sheets. 33000 sheets. 34000 sheets. 35000 sheets. 36000 sheets. 37000 sheets. 38000 sheets. 39000 sheets. 40000 sheets. 41000 sheets. 42000 sheets. 43000 sheets. 44000 sheets. 45000 sheets. 46000 sheets. 47000 sheets. 48000 sheets. 49000 sheets. 50000 sheets. 51000 sheets. 52000 sheets. 53000 sheets. 54000 sheets. 55000 sheets. 56000 sheets. 57000 sheets. 58000 sheets. 59000 sheets. 60000 sheets. 61000 sheets. 62000 sheets. 63000 sheets. 64000 sheets. 65000 sheets. 66000 sheets. 67000 sheets. 68000 sheets. 69000 sheets. 70000 sheets. 71000 sheets. 72000 sheets. 73000 sheets. 74000 sheets. 75000 sheets. 76000 sheets. 77000 sheets. 78000 sheets. 79000 sheets. 80000 sheets. 81000 sheets. 82000 sheets. 83000 sheets. 84000 sheets. 85000 sheets. 86000 sheets. 87000 sheets. 88000 sheets. 89000 sheets. 90000 sheets. 91000 sheets. 92000 sheets. 93000 sheets. 94000 sheets. 95000 sheets. 96000 sheets. 97000 sheets. 98000 sheets. 99000 sheets. 100000 sheets.	Make: Shogunmar Origin: Pakistan	Model: 355-XP-01	5,000.00
Annual Maintenance Contract Cialysis Machines	3-8001, Dage - 770000 Germany				

Handwritten notes and signatures at the bottom of the page, including a signature and the date '10/10/2001'.

Name Of Item / Name Of Bidder	Specification Required	Specification Offered	Make	Model	AMOUNT / UNIT
Annual Maintenance Contract for Dialysis Machines	Fresenius, GERMANY				
Fresenius Medical Care		Monthly Charges of repair and maintenance for one (1) Fresenius 4008 dialysis machine Annual Charges of repair and maintenance for one (1) Fresenius 4008 dialysis machine Annual Charges of repair and maintenance for one (1) Fresenius 4008 dialysis machine			1 * 40 000.00
Annual Maintenance Contract for Processor for Dialyzer	Kerr-Tec Benzion IS, USA				
Annual Maintenance Contract for R.O. System	LTS 15003410, USA				

Bidder's Name: \_\_\_\_\_  
 Bidder's Address: \_\_\_\_\_  
 Bidder's Phone: \_\_\_\_\_  
 Bidder's Email: \_\_\_\_\_  
 Bidder's Signature: \_\_\_\_\_  
 Date: \_\_\_\_\_



# SSSI SINDEH EMPLOYEE'S SOCIAL SECURITY INSTITUTION

C.S. OF RE-TENDER OF HOSPITAL MEDICAL EQUIPMENTS 2013-14

Name Of Item / Name Of Bidder	Specification Required	Specification Offered	Make	Model	AMOUNT / UNIT
Proposed					
MC	Proposed	Reversible with two set grade parachute cloth, with pump.	China		4,000.00
MC	Electronic Auto Analyzer: Analytical Range: Duration: 200-400 sec, with 3 test tubes in test tray, Dimensions: 100 x 120 x 100 mm, Power Consumption: 150mw / 1.0A, 220V, 50Hz, 1 phase, 1 plug.				
MC		100 Display, Battery Powered, 900 x 7.5V, weight 550gr, 200x150x100mm	Make: Europe 800	Model: 800 Z	45,500.00
MC	Auto Coagulation Analyzer:				
MC		Complete workstation for Hematology, Coagulation & Derivation: 2-Chamber, 200µl labor analyzer, Return all clotting tests including PT, APTT, Fibrinogen, Thrombin Time, Reptilase Time, Factor V, V, X, VII, X, XI, XII, SFA Anti-Xa heparin activity, Fibrin	Make: Espirados Stage S.A.S., France	Model: Stock	900,000.00
MC		Fully Automated Bench Top Analyzer. Hematological measurement of Clotting, Chromogenic & Immunological assays. Double resolution supporting system. Parameters PT, APTT, Fibrinogen, D-Dims, Amyloid, Heparin, LPHAL with 1, 10, 20 testing software, Integre	Make: Degrosce Stage S.A.S., France	Make: BIA Sezaile	3,350,000.00
B.P. Apparatus	with three cuffs, Mercury without stand				
MC		20 Appearance Mercury manometer without stand with 3 cuffs table top. Measurable range 0-300mmHg, Mercury purity 99.9%, Accuracy ± 1mmHg, Die Casting, Valve Stands 7 pcs.	Make: Yama J. India (Original)	Make: 810,	9,800.00
Baby Scale	50 increments				
MC		Baby Scale 50 types of Analytes with every plastic reference first weighing Capacity 20kg, 150cm, increments 1.0kg by 5kg and ± 0.20% by 100gr.	Make: India, India (Original)	Model: 830	9,500.00