

### DIRECTORATE OF VETERINARY RESEARCH AND DIAGNOSIS CENTRAL VETERINARY DIAGNOSTIC LABORATORY SINDH TANDO JAM TELEPHONE # 0222765279 FAX # 0222766964.

### CERTIFICATE

This is to certify that the prices are comparable to the market rates in respect of single bids received in response to NIT NO.CVDL/AC/TENDER (14-15/V) for which bids were opened on 28-04-2015. So as per SPPRA rule 48 bid accepted.

(Dr. Aslam Pervez Uprani)

Director

Veterinary Research & Diagnosis
Central Veterinary Diagnostic Laboratory
Sindh, Tando Jam.

(Muhammad Anwar Malik ) Section Office (G)

Livestock & Fisheries Department, Government Of Sindh, Karachi.

Representative of ...
District Accounts Office Hyderabad.


Representative of Finance Department, GoS,

(Dr. Abdulat Mewati)

Director General Livestock (Extension/Research)

Sindh Hydorahad

y li strulo source for laboratory Sipolies



Ref.No: MAS/1291/2015

Date: 04.05.2015

Messrs: Veterinary Research & Diagnosis,

Central Veterinary Diagnostic Laboratory Sindh, Tando Jam.

5.#	Item	Pack	Qty.	Unit Price
1	Timer Bench Top Cat # 91500-003 ca Make: Alla, France	Each	1	58,500
2	Digital Thermo meter Cat # 91000-027 B Make: Alla, France	Each	1	22,750

### Terms & Conditions:

Above quoted prices are valid for 30 days.

Above quoted price are including GST.

Delivery time for imports will be 10 to 12 weeks.





Deal in: Livestock / Poultry Medicines, Feeding for Animals, Machinery Equipment, General Order Supplier & Exhibition / Seminars, Event Arrangements.

		B ~
Ref:		Date: 04/05/2015
		QUATATION
7	to.	
	,,	
		the Birenters
		Interior De la DALLANIA
		Crockens & Dregionis
		CVIOL Duras
		Jando pros.
	70	
	Jender	Name of them Katapar itan
	Itam of	
	10.	Digital bouch Top Timer. For 65800/=
	10	Digital Room thermometer. 15: 202001-
	12.	Eight from wermonices.
		A STATE OF THE PARTY OF THE PAR
		Shameel Enterprises Sindh Hyd.
		amun 117d.



### DIRECTORATE OF VETERINARY RESEARCH AND DIAGNOSIS CENTRAL VETERINARY DIAGNOSTIC LABORATORY SINDH TANDO JAM TELEPHONE # 0222765279 FAX # 0222766964.

### PROCUREMENT PLAN

## FOR THE FINANCIAL YEAR 2014-2015.

Remarks.	
Tentative Deadline/ Actual date of execution.	10-06-2015
Tentative/ Actual date of award of contract.	18-05-2015
Tentative/ Actual closing date of NIT	27-04-2015
Tentative/ Actual date of NIT	10-04-2015 27-04-2015
Method	Single Stage Single Envelope
Estimated cost.	9.034 Million
Title of frocurement.	urchase of aboratory achinery & quipment.

DIRECTOR

Veterinary Research & Diagnosis
Central Veterinary Diagnostic Laboratory
Sindh/Lando Jam.



### DIRECTORATE OF VETERINARY RESEARCH AND DIAGNOSIS CENTRAL VETERINARY DIAGNOSTIC LABORATORY SINDH TANDO JAM TELEPHONE # 0222765279 FAX # 0222766964.

MINUTES OF THE 1<sup>ST</sup> MEETING OF THE PROCUREMENT COMMITTEE HELD ON 28-04-2015 @ 12.30PM IN THE DIRECTORATE GENERAL, LIVESTOCK (EXTENSION/RESEARCH) SINDH, FOR THE PURCHASE OF "LABORATORY MACHINERY AND EQUIPMENT" FOR THE DIRECTORATE OF VETERINARY RESEARCH & DIAGNOSIS, CVDL SINDH, TANDO JAM DURING THE YEAR 2014-15.

### List of participants attached.

The tender was advertised in national newspapers through information department & Government website. The tender was published in The Express Tribune, Sindh Express Hyderabad, Regional Times, Daily Jeejal and Daily Jang Karachi dated April 9-10, 2015, SPPRA website S.No.23563 dated April 7, 2015 and Sindh Government website dated April 7, 2015

Nine (09) firms for purchased tender documents and responded.

The tenders were opened on 28-04-2015 @ 12.30PM before nine (09) interested bidders/ authorized representatives (copy enclosed) in the Directorate General, Livestock (Extension/Research) Sindh, Hyderabad by the Procurement Committee.

The Procurement Committee opened the tenders and announced the cost of each item loudly along with amount of earnest money and other formalities. The following decisions were taken in the meeting.

· The tenders be evaluated/ scrutinized for technical specification and rate.

 Comparative statement and working paper be prepared showing the technical specification as per tender items and same may be put before the Procurement Committee during its 2<sup>nd</sup> meeting will be held on 04-05-2015 @ 11.00am for evaluation, scrutinization and finalization of tenders.

(Dr. Aslam Pervez Umrani)

Director

Veterinary Research & Diagnosis Central Veterinary Diagnostic Laboratory

Sindh, Tando Jam.

District Accounts Office Hyderabad

(Muhammad Anwar Malik)

Section Office (G)

Livestock & Fisheries Department, Government Of Sindh, Karachi

> Representative of Finance Department, GoS,

(Dr. Abdullat Mewati) -

Director General

Livestock (Extension/Research)

Sindh, Hyderabad.

### ATTENDANCE SHEET.

List of Bidders/Representatives participated in the 1<sup>st</sup> Meeting of Procurement Committee held on 28-04-2015 @ 12.30hours in the Directorate General, Livestock (Extension/Research) Sindh, Hyderabad for opening of Tenders for the purchase of Laboratory Machinery & Equipment for Central Veterinary Diagnostic Laboratory Sindh, Tando Jam during the current financial year 2014-15.

Sr. #	NAME OF FIRM	NAME OF THE PARTICIPANTS/ REPRESENTATIVE	SIGNATURE.	Cell #
1	Shameel Enter Pr	16 M. Lahin	A	034535737521
2	Nacem Da	Scientific Technical	James Land	08123411686
3	Moha Rafia	Talka En Karad	m.R.	0300-3531
4	Bashat A.	Bushat Busses Los		034126463
5	AJ Enterpris	es Marked Harsain	محرطين	0302-30
6	Dawed Brad	us Khadim Hussan	Bluco	0303-219
7	MIS ALSHARIQUE TRADING COMPANY	Sharique Khalid	The	0300-3033966
8	HAbib & Sons	M. FALWENAD	Jack.	0200301649
9	AScientee	Ahsan	Alex	03000202
10				



### DIRECTORATE OF VETERINARY RESEARCH AND DIAGNOSIS CENTRAL VETERINARY DIAGNOSTIC LABORATORY SINDH TANDO JAM TELEPHONE # 0222765279 FAX # 0222766964.

### BID EVALUATION REPORT.

1.	Name of procuring Agency.	Director, Veterinary Research & Diagnosis, Central Veterinary Diagnostic Laboratory Sindh, Tando Jam.
2.	Tender Reference No.	NO.CVDL/AC/TENDER (14-15/V).
3.	Tender description Name of work/item.	Purchase of Machinery and Equipment.
4.	Method of procurement.	Single Stage - One Envelope Procedure
5.	Tender Published.	The Express Tribune, Sindh Express Hyderabad, Regional Times, Daily Jeejal, Daily Jang Karachi and Halchal dated April 9-10, 2015.
	SPPRA No.	23563
6.	Total bid documents Sold.	09
7.	Total bids received.	09
8.	Technical Bid opening date.	0
9.	No. of technically qualified (if applicable)	0
10	Bid(s) Rejected.	0
11.	Financial Bid Opening dated	28-04-2015
12	Bid evaluation Report.	Comparative Statement, Evaluation / Scrutinization report and Minutes of Procurement Committee Attached Annexure-A, B & C.

(Dr. Aslam Pervez Umrani)

Director

Veterinary Research & Diagnosis
Central Veterinary Diagnostic Laboratory
Sindh, Tando Jam.

(Muhammad Anwar Malik) Section Office (G)

Livestock & Fisheries Department, Government Of Sindh, Karachi

Representative of District Accounts Office Hyderabad Representative of Finance Department, GoS,

(Dr. Abdulah Mewati)
Director General
Livestock (Extension/Research)
Sindh, Hyderabad.

SOVERNMENT OF SINDH UVESTOCK AND FISHERIES DEPARTMENT



### NOTIFICATION

100 SORGELLAF, IC SPPRA 2014: The lollowing Procurement Committee of Livestock & Essuences Department, Covernment of Smith are hereby constituted for procurement of Medicines/Vaccines/Feed/Machinery & Equipment/Transport/Furniture & Fixture on insecondarion with SPPRA Rule 07 8:08 of 2010 and terms of References (Toks)

### PROCUREMENT COMMITTEE

(1).	Director General, Concerned	Feet 10 10 10
(313	Director/FD/Dy Director/DDO s.concerned	Chairman
(1217	Representative of A.G.SindS/D.A.O	Mamber
144	Representance of Finance Depti: Govi of Sindh	Member
130	Senten Citizen (G), Livestock & Fisheries Depit GoS	Member

### FUNCTIONS AND RESPONSIBILITIES OF PROCUREMENT COMMITTEE SHALL

Propering/open bidding documents

Carrying out reclinical as well as financial evaluation of the bids.

Preparing evaluation report as provided in Rule 45

Making recommendations for the award of contract to the Competent Authority and

Pediarm any other function i.e. ancillary and in incidental to the above

the Competent Authority, he Secretary Livestock & Fisheries Deput. Cove of Sinch would give final approval of the procurement on the recommendations of Procurement Committee

Hus Department's Nonfications for Procurement Committee fecture of Standardization Committee issued on 11 09:2014, are hereby cancelled, with fraver

> ABOUL RAHIM SOOMRO Secretary to Government of Sinon

NUMO (GI/G&F/TC/SEPRA/2012/ cc t

Kararin, dated 15, 119, 2014

2.7	4000		
713	The Accountant	Corneral Similar	Miller Ball
No.	The second secon	MCHRIST TRANS	. Karachi

- Thur Secretary, Finance Deptt: Govt of Sirish, Karachi. fint)
- The Director General Evestock Sindh Hyderabyo. ins.
- The Director General Livestock (Ext/Research), Sindh, Hyderabad
- The Director General Fisheries, Sindh, Karachi Sec.
- The Director, (A&F) Singh Public Procurement Regulatory Authority. (10) Sovernment of South, sarach).
- (m) The Directors in Singh (All)
- The Deputy Director, Livestack/AH/Livestack Production/Poultry teny Production/Fatienes (All in Sindh)
- 144.69 The District Accounts Officer, Concerned
- The PS to Secretary, Evestock & Eighenes Depth George Sindh Carachi (41)

(MUHAMMAD ANWAR MALIK)

SECTION OFFICER IGENERALI



## GOVERNMENT OF SINDH LIVESTOCK & FISHERIES DEPARTMENT VETERINARY RESEARCH & DIAGNOSIS Central Veterinary Diagnostic Laboratory, TANDO JAM, (SINDH) & (+) 022/2765279



## COMPARATIVE STATEMENT

LABORATORY AND MACHINERY EQUIPMENT **DURING THE FINANCIAL YEAR 2014-2015** PROCUREMENT OF

DIRECTORATE OF VETERINARY RESEARCH & DIAGNOSIS, CVDL SINDH, TANDO JAM.

Wi.



### THE FINANCIAL YEAR 2014-2015. VETERINARY RESEARCH & DIAGNOSIS CVDL TANDO JAM DURING COMPARATIVE STATEMENT FOR PURCHASE OF "LABORATORY MACHINERY AND EQUIPMENT" OF THE DIRECTORATE OF



Nine (09) firms purchased tender documents and participated in the tender:

- 1. M/S A.J. Enterprises, Karachi
- 2 M/S Jawed Trading Corporation, Karachi
- 3. M/S Talha Enterprises, Karachi
- 4. M/S Burraq Business Corporation, Hyderabad
- 5. M/S Scientific Technical Corporation (Pvt.) Lahore
- 6. M/S Habib & Sons, Hyderabad
- 7. M/S Shameel Enterprises, Hyderabad
- 8. M/S ScienTec Karachi
- 9. M /S Al-Sharique Trading Company, Hyderabad

Those firms quoted rate and specification for the item are mentioned against each.

specification. Air conditioner Split 1.5 ton along with accessories & installation. National, General, LG or equivalent with higher

(J)	4		ω	2	-	Firm Sr.#
M/S Shameel Enterprises, Hyderabad	M/S Habib & Sons, Hyderabad		M/S Burraq Business Corporation, Hyderabad	M/S Jawed Trading Corporation, Karachi	M/S A.J. Enterprises, Karachi	Name of firm.
Rs.91,200/- each National, 1.5ton .	Rs.88,500/- Haier, 1.5ton.	Rs.99,000/- Kenwood, Crystal Model KEC-125 (12,000 BTU) and KEC- 185 (18,000 BTU)	Rs.113,625/- Gree, Product Code GS-18CZ85, GS-18CZ8W, BTU Capacity 18,000	l cooling, works up to 520C, Concealed ling capacity: 4800BTU, 2.51EER, refrigerant pipe.	Rs.90,000/- each, Haier, Capacity: 1.5 ton, 20% power saving with high energy efficient compressor, Powerful cooling, works up to 52°C, Auto Restart after power Restored, Child lock, Concealed LED display, Easy clean (Indoor), Intelligent Air flow, 24hours timer, Evaporator self-cleaning, auto Mode, Installation kit 100feet. Warranty:01-year.	Rate with specification.
Qualified.	Qualified.	Qualified.	Qualified.	Qualified.	Qualified.	Remarks.

# Refrigerator 10cu.ft Two doors, top freezer energy saving Model, Dawlance, Weaves or equivalent with higher specification.

	O.	4	ω	2		Firm Sr.#
Typerapad	M/S Shameel Enterprises,	M/S Habib & Sons, Hyderabad	M/S Burraq Business Corporation, Hyderabad	M/S Jawed Trading Corporation, Karachi	M/S A.J. Enterprises, Karachi	Name of firm.
0 10/2	Rs.59,280/- each Weaves, 18cu.ft.	Rs.58,900/- Dawlance/ Waves .	Rs.77,625/- Dawlance, Model 9144 Capacity (L/cu.ft) 225/8 dimensions (WxHxD) 490x1385x555mm	Rs.72,000/- each, Dawlance/ Haier. 10 cubic feet, two doors, top freezer, energy saving model, Retains cooling, shelf strength, work effectively even at 50°C, 5pipe oil compressor, cooper condenser.	Rs.71,500/- each. Haier, Capacity cubic feet:10.5, RefrigerantR134a, Door Qualified Hinge: Right, Model:2014, Frost: yes, Voltage:187V-252V, Temperature of Freezer: <-18°C, Fast cooling: Yes, Eco friendly,, Wide Body design, super fast cooling, big condenser, Oil cooling compressor, Warranty: 01 year.	Rate with specification.
	Qualified.	Qualified.	Qualified.	Qualified.	Qualified.	Remarks.

3

Autoclave 50 liter top loading. Autoclave, 45-50 liters capacity, top loading, Temp range 5-132°C, Accuracy ± 0.5°C @ 121°C, digital display, timer Heater 2KW, pressure 1.2kg/cm stainless steel, electronic door lock sensing, safety devices for temp, pressure, 02 wire basket U.K/ Germany or imported equivalent.

4	ω			Firm Sr.#
M/S Scientific Technical Corporation (Pvt.) Lahore	M/S Talha Enterprises, Karachi	Trading Corporation, Karachi	M/S A.J. Enterprises, Karachi	Name of firm.
Rs.867,000/- each, Digital Fuzzy-Controlled Autoclave with Electronic Door Lock System Model: MaXterile-60 DAIHAN SCIENTIFIC, NORTH AMERICA INC., USA. Country of Origin: USA. <u>Technical Specification: - Capacity: 60Lit. Standard Type. Temp. Range: Ambient: +50C to 1320C, Temp. Accuracy: + 0.50C at 1210C, Pressure: 1.2Kg/cm2 at 1210C, 2.0Kgf/cm2 at 1320C, Guage:0-3Kgf/cm2. Sterilization mode: Solid or liquid mode. Heater Power / Consumption: 3kW. Timer and Alarm: 60 min, Error status and timer end Controller: Digital Fuzzy-Control System (Fully Automatic). Door &amp; Closing System: Lever-type Sliding Door / Safety Electronic Door Closing System. Safety Circuit: Over Temp./- Pressure/- Current Protection, sensor error detection. Printer: Thermal type printer, Record Paper Roll: w58 x Ø 40 mm Material: Stainless Steel (#304)-Pressure Vessel Material External: Powder Coated Steel external Basket: 2ea of stainless steel wire baskets are Included Basket Dimension: ## ## ## ## ## ## ## ## ## ## ## ## ##</u>	Rs.651,475/- each Model BKQ-B50II, Capacity 50L. Chamber size \$\phi 350*520mm\$ Chamber material SUS304 medical stainless steel. Rated working pressure 0.175MPa, Timing range: 0~999min. Temp range 50°C ~ 126°C, Consumption 4.8KW. Power supply 110/220V±10%, 50/60Hz. Standard accessories: Stainless steel basket*2pcs. External size(mm) 500*620*1200, Packing size (mm) 560*620*1400, Made in China.	Rs.750,000/- each, SA300VL Sturdy Taiwan, Chamber size: Stainless steel # 304, 300mm Φx700mm(D), Chamber capacity: App 50 liter. Overall: 600mmx(W) 1000mm(H)x 450(450(D), Power consumption: 220V-240V/ 1.9KW (Max) 8.5A, Using pressure and temperature: Unwrapped/ Wrapped/ liquids: 105-136°C/ 0.5-2.3KG/CM2, Design temperature: 140°C, Safety Device: Over heat (low water) cut-ff switch safety valve and release valve.	Rs.725,000/- each, Zealway, Capacity: 50liter. Outer dimension: 460x542x1070mm. Rated power supply: 220V 50Hz/60Hz. Rated power 2600, Microcomputer control system. LED screen shows the dynamic sterilization process. Top loading. Sterilization time:1-300min Warranty: 01 year.	Rate with specification.
Qualified.	Not Qualified, China not equivalent as desired.	Qualified.	Qualified.	Remarks

Rs.1,495,000/- each Model 3850ELV 60liters. or Model 3840ELV 52 liters, Qualified.  Rs.895,000/- each, Model: WAC-60, Make: Daihan Scientific, Korea.  Rs.997,500/- each, Model:ST-50G, Chamber Volume (L/cu.ft) 50/1.8 Cat # Qualified.  AAHL 1015K, Jeiotech Korea, 50 liters, 230VAC, 50/60Hz,

# Generator 7KV Petrol and gas kit, Installation, Operation and change over (Japan or equivalent).

		F						T
c	ת			4		. ,		#1101.#
Trading Company, Hyderabad	M/O AI CO		Hyderabad	W/S Shameel	M/S Burraq Business Corporation, Hyderabad	Corporation, Karachi	Enterprises, Karachi M/S lawed Trading	Name of firm.
Rs.235,000/- each, Capacity:7KVA, local according to Japan technology Manufacturer: Rato, Petrol & gas kit with installation.	Rs.239,400/- each, Model Sc1000-II		V.	Rs.171,000/- each, Lifan Model 6FG4	Rs. 155,250/- each Homage Model HGR-6.00KV-D, Out-put: Maximum 6KW. Electric starting system, Digital meter, Double muffler, Wheels & handles, Load acid battery, Engine oil, Gas kit, Fuel tank capacity 25L, Consumption 3.1 L/hr.	A, Type:2- R, Phase: nd Battery	Rs.795,000/- each, ELEMAX 11000D Model:SH-11000. Rated Output: 8.5KVA. Max output: 10KVA. Tank Capacity:38liters. Engine: Honda GX-630. Noise level:74dB. Dry weight:165kg. Gas kit: installed. Battery: yes. Warranty: 01year.	Rate with specification.
Not Qualified, not equivalent.			equivalent as desired.	Not Qualified China not	Not Qualified China not equivalent as desired.	Qualified higher specification quoted as desired.	Qualified higher specification quoted as desired.	Remarks

Market (

u

C Photo State Machine. Speed at least 22 & 35 CPM. Digital Soter(s), Laser printing built-in, Paper supply at least 2 trays @ 500 sheets (by pass tray)., Copy memory Min. 256MB/32MB page Memory., Resolution Min.600x600dpi., Paper Tray size al least A-6\_ A-3 other., Zoom Min. 25%-400%., ADF (Automatic Documents Feeder)., Scanning (Black & White)., Photocopier Panasonic, Canon, Kyocera. Machine Trolley., Service Agreement (03) years. Warranty/ Guaranty of at least one year with replacement of defective parts

N		Firm Sr.#
M/S Jawed Trading Corporation, Karachi	Enterprises, Karachi	Name of firm.
Rs.298,000/- each Canon 2002N. Type: B/ W Laser Multifunctional (Reader/ Printer Console). Maximum Original Size:A3. Fixing System: on-demand Fusing. Copy speed: A4:20ppm, A3:10ppm, First copy time 7.9secs. Warm-up time: From Power on 13 secs. From sleep Mode 2.9 secs (The time it takes from recovery sleep to the start key is enabled), Print Description language: UFRII Lite. OS compatibility: Window 8.1/8/7/vista/XP/2000, windows server 2012/ server 2008/ server 2003, Mac OS X 10.5.8 or later. Resolution: Scan:300x 300dpi, Copy 600x600dpi, Print 600x600dpi, Pull scan (MF Toolbox/ Scan gear) B/ W & color, Push Scan (MF Toolbox): B/ W & color, Scan Features: Twain, UPEG, TIFF, Processor speed: 400MHZ, Memory capacity: 128MB.	Combined+ Inner Output). Imaging System: Laser dry electrostatic Transfer system; Memory: Standard: 256MB. Madimum:512MB. Network Interface: Ethernet (100base-TX) 10base-T), USB 2.0. Warm up time 30 seconds maximum after powering ON, 1 second maximum from the sleep mode. First copy output time 3.9 seconds or less. Multiple copies 1 to 999 sheets. Magnification: 25% to 400% (1% increment). Maximum Original size: 600x600dpi, Writing: 1200x1200dpi, Paper sources (gsm): Paper cassette: standard: 2x550 sheet paper capacity. Maximum: 4x550 sheet paper Cassette: 64 to 128gsm. Main unit dimensions (WxDxH) 565x680x806mm (with the platen cover) 565x693x907mm (with the feeder). Weight: Approx.69.5kg. Power source: 220-240V AC, 50/60Hz. Maximum Power Consumption: Approx. 140,000 sheet (A4). Print specification: PDL. Standard: UFR II LT. Optional: PCL 5e/6,PS3. Network OS: Windows 2000/ XP/ Server 2003/ Vista/ Server 2008/ Win7, Mac OSX (10.4.9 or later Network scan gear specification: BW: up to 600x600dpi, CL: Up to 300 x 300dpi. Warranty: 01-year.	Rate with specification.
Not Qualified warranty and service not mentioned as desired.	Qualified.	Remarks.

de fin Ashaling

M/S Habib & Sons, Laser, Mono/single component. Type: Desktop (Stationary 600x600dpi 256 grey scales (scan/copy). Time to rist copy: Memory capacity: 64MB standard. Electronic sorter: Built-i Built-in. Continuous copy 1-999copies. Original/ copy size: Range: 25%-400% in 1 step. Pre-set magnification ratios: 2 Enlargement. Paper Feeding: Standard: 2 x 500 sheets univ + 200 sheets multi-purpose/ bypass tray. Paper capacity: 1 standard, Max, 4,200 sheets. Exposure mode: Auto, Manua Image Adjustment: Text + Photo, Text, Photo. Model KM-30 Guaranty and service 3-years.  M/S Shameel Enterprises, Hyderabad  Rs.285,000/- each Kyocera (Tas. Kalfa) 1800  Rs.399,000/- each Kyocera (Taskalfa)2200.			4		Sr.#
Rs.540,500/- each, Kyocera (KM-3035) 35CPM, Specificatio Laser, Mono/single component. Type: Desktop (Stationary 600x600dpi 256 grey scales (scan/copy). Time to rist copy: less. Warm up time: 15 seconds or less. Copy speed: 35 cc Memory capacity: 64MB standard. Electronic sorter: Built-i Built-in. Continuous copy 1-999coples. Original/ copy size: Range: 25%-400% in 1 step. Pre-set magnification ratios: 2 Enlargement. Paper Feeding: Standard: 2 x 500 sheets univ + 200 sheets multi-purpose/ bypass tray. Paper capacity: 1 standard, Max, 4,200 sheets. Exposure mode: Auto, Manua Image Adjustment: Text + Photo, Text, Photo. Model KM-30 free replacement of parts 400,000 pages copies or 12-mont Guaranty and service 3-years.  Rs.285,000/- each Kyocera (Tas. Kalfa) 1800  Alternate: Rs.399,000/- each Kyocera (Taskalfa)2200.		Hyderabad	M/S Shameel	Sons, Hyderabad	Name of firm.
n: Technology: platen). Resolution: 3.9 seconds or ppies per minute. n. Duplex Unit: Max. A3. Zoom 1 Reduction, 9 versal paper casette ,200 sheets 1: 7 or 13 steps. 135, Drum life and hs. Warranty/		Alternate: Rs.399,000/- each Kyocera (Taskalfa)2200.	Rs.285,000/- each Kyocera (Tas. Kalfa) 1800	Laser, Mono/single component. Type: Desktop (Stationary platen). Resolution: Easer, Mono/single component. Type: Desktop (Stationary platen). Resolution: 600x600dpi 256 grey scales (scan/copy). Time to rist copy: 3.9 seconds or less. Warm up time: 15 seconds or less. Copy speed: 35 copies per minute. Memory capacity: 64MB standard. Electronic sorter: Built-in. Duplex Unit: Built-in. Continuous copy 1-999copies. Original/ copy size: Max. A3. Zoom Range: 25%-400% in 1 step. Pre-set magnification ratios: 21 Reduction, 9 Enlargement. Paper Feeding: Standard: 2 x 500 sheets universal paper casette + 200 sheets multi-purpose/ bypass tray. Paper capacity: 1,200 sheets standard, Max, 4,200 sheets. Exposure mode: Auto, Manual: 7 or 13 steps. Image Adjustment: Text + Photo, Text, Photo. Model KM-3035, Drum life and free replacement of parts 400,000 pages copies or 12-months. Warranty/ Guaranty and service 3-years.	Rate with specification.
Qualified.  Qualified.  No technical technical technical technical technical technical and service mentioned as desired.	desired.	C		Qualified.	Remarks.

bracket, TDS Monitor, filter change indicator installation and operation manual, 2 years warranty. Tested and certified by NSF international against NSF/ANSI standard 58, on site installation & additional set of filters. WATTS/ Axoin/ AMI, USA, Canada semi permeable 1/10,000micron, Final filter high quality GAC filter, storage tank, Chrome faucet, installation kit, heavy duty 4 stage Reverse Osmosis System. 100gallon/day, Sediment filter-5micron, Carbon block filter-5micron, RO membrane or exact equivalent.

		Firm Sr.#
	M/S A.J. Enterprises, Karachi	Name of firm.
1 11 11/2	Olgallon/day. Reverse osmosis filtration system. 3-gallon airgap faucet. 4 stage of filtration. Adapt-A-Valve water shut NSF International, NSF/ANSI standard 58. In Sediment filter Reduces Dirt, sand and Rust. In carbon block filter, reduces chlorine, objectionable tastes  (gallons per day) Membrane. High production thin film on inline post filter. Enhance the water's taste.	Rate with specification.
7	Qualified.	Domarka

	Gualified. Free Chlorine ation process nce / ≥ 2 bar (O 20 l/h. The on is reached diment (5mic) panic material brane (ROM) d rejects 94 C FILTER 4 Tank. Include torization The torization The critical water ange in order ange in order ange in order ange to run a the values. The ters:- Minimal message on y as needed. Pre-treatment icroprocessor e advice user		Kemarks.
)00/- each.	Rs:12,51,000/- Each Automatic RO 20 I/h Code: NRO20DA 100 gallon/day Included 500 Liters Open Tank, Wasserlab, Spain, Country of Origin: Spain Input: Tap water Feed Water Requirements: Conductivity < 1000µS/cm, Free Chlorine < 2ppm, Turbidity < 1 NIU, Hardness < 30°F. Output: Osmotic water, Production: 20thr.h. Purification process control: By microprocessor installation requirements: 220-230 VAC + water supply (≤ 3 m. distance / ≥ 2 bar pressure) Guarantee: 12 months from installation, and up to 14 months from delivery. Automatic RO 20 I/h. The Automatic model produces 20litresh of Osmotic Water directly from tap water. Water purification is reached following a sequential step of treatment: 1Pretreatment The pretreatment include filters of sediment (5mic) and active carbon to remove: - Particles higher than 1 micron 99.9% of Hypochlorite Organic material present in feed water is reduced to minimum.  2Reverse Osmosis A reverse Osmosis A reverse osmosis membrane (RoNh) of high performance eliminates more than 99.9% of Organic Material higher than 150 Datton, and rejects 94 - 98% of Total Dissolved Solids (TDS).Water recovery: 20 % 3 Final Filter High quality GAC FILTER 4 Osmotized water reservoir. Water produced after reverse osmosis is stored in a 500 Liters Open Tank. Include chrome faucet and level float. Dimensions 780 x 1200 mm (Diameter x-Height) Automation y Motorization Tank. Include Chrome faucet and level float. Dimensions 780 x 1200 mm (Diameter x-Height) (compensation 25°C). Feed Water conductivity (± 1µS/cm) Permetated water conductivity (-1µS/cm) -% rejection rate efficiency at RO module (± 0.1%). • Water temperature (± 0.1 °C). • Equipment status (* Production Tell Reservoir Dispensing). • Realistic instrument working time in hours. Software allows users to personalize the critical water conductivity value. Unit should advice by visual and acoustic warning the deionizer cartridge exchange in order to keep safety within limits. Self Test and Preventive maintenance Automatic's software	Reverse Osmosis system, softening ion System.	
o.PCK032 Rs.112,0	on/day Included 500 ater Requirements: C tput: Osmotic water. mts: 220-230 VAC + and up to 14 months Water directly from the eatment The pretreathan 1 micron 99. 2-Reverse Osmos of Organic Material hovery: 20 % 3 Fin reverse osmosis is st 1200 mm (Diameter × Automatic microproon RO module. • Water conductivity(± 0,1 °C). • Equipmentours. Software allow discoustic waming the maintenance Automatic microproon diffective control of acoustic waming the maintenance automatic effective control of acoustic water conductivity and effective control of acoustic waming the maintenance necessor are: - Temperation or temperature sension.		
dges 2-3 years Cat N	e: NRO20DA 100 gall put Tap water Feed W Hardness < 30°F. Ou installation requirement onths from installation, 20litres/h of Osmotic of treatment 1Pretrove: - Particles higher duced to minimum. ates more than 99.9% folids (TDS). Water rec Water produced after at Dimensions 780 x is automatically. The eters: • Water pressure thus the permeated of Water temperature ( ± frument working time in build advice by visual an Self Test and Preventing the unit under constant a munder their own crite dule. The microprocess ventive alarms asking ges sent by microproces ventive alarms asking ges sent of the process ventive alarms asking the process ventive alarms	ters per day, Ultra stem, lon removal sy	
B). Pack Osmosis Cartridges 2-3 years Cat No.PCK032 Rs.112,000/- each	Automatic RO. 20 I/h Code: NRC20DA 100 gallon/day Included 500 Li Country of Origin: Spain Input: Tap water Feed Water Requirements: Cone < 2ppm, Turbidity < 1 NTU, Hardness < 30°F. Output: Osmotic water. Pro control: By microprocessor installation requirements: 220-230 VAC + wat pressure) Guarantee: 12 months from installation, and up to 14 months fro Automatic model produces 20litres/h of Osmotic Water directly from tap following a sequential step of treatment: 1Pretreatment The pretreatme and active carbon to remove: - Particles higher than 1 micron 99.9% present in feed water is reduced to minimum.  2Reverse Osmosis / 20 of Organic Material high 98% of Total Dissolved Solids (TDS). Water recovery: 20 % 3 Final I Osmotized water reservoir. Water produced after reverse osmosis is store chrome faucet and level float. Dimensions 780 x 1200 mm (Diameter x He equipment Automatic works automatically. The Automatic microprocess purification process parameters: • Water pressure on RO module. • Water Feed Water conductivity (± 1µS/cm) Permeated water conductivity(± 1µS/cm) Permeated water conductivity(± 1µS/cm) Permeated water conductivity(± 1µS/cm) Permeated water decoustic warning the conductivity value. Unit should advice by visual and acoustic warning the conductivity value. Unit should advice by visual and acoustic warning the conductivity value. Unit should advice by visual and acoustic warning the conductivity value. Unit should advice by visual and acoustic warning the conductivity value. Unit should advice by visual and acoustic warning the conductivity value. Unit should advice by visual and acoustic warning the conductivity value in RO module. • Water Test and Preventive maintenance Automatic particles and provide the control on a conductivity of temperature control on a conductivity of temperature sensor is by a written message on screen.  All Pack preferatment Constraines Cat No DCK011 Re 68.000 packs.	Rs.184,000/- each, 75liters per day, Ultra filtration system, Reverse Ossystem. De-Ionization system, Ion removal system, De-Chlorination System.	vare with specification
	entific al ahore	M/S Jawed Trading Corporation, Karachi	1
	ω	2	

7 Deep freezer 15cuft/425liter single door, white warranty 1 year parts, 3 years compressor with stabilizer. Dawlance, Waves, PEL or equivalent, with higher specification

	Rs.85,500/- each Haier, 15.cu.ft	Hyderabad	
	Rs.88,464/- each Waves, 15.cu.ft	Enterprises,	
	Rs.88,920/- each, Dawlance 15.cu.ft.	M/S Shameel	C)
	Rs.78,500/- each, Waves 15cuft.	M/S Habib & Sons, Hyderabad	4
og ht	Rs.85,500/- Kenwood, Upright Freezer, Model KDF-222V, Size:8cuft, Upright freezer with 6 compartments, Outside condenser, High temperature warning light, Adjustable front feet, Knock-down door gasket, Energy saving.		
nce	year compressor warrantee, Energy saver, LVS low voltage starter, Difference colour white, Beidge, Capacity 15 cu.ft.	Corporation, Hyderabad	c
3	Be 86 6361 Waster Medal Wick Office Interesting (TANKA) 1000X 010X07011111.	M/C Burna Business	٥
mu	Rs.69,000/- each, Waves single door, size 15cft, voltage 220V 50Hzs, Refrigerant 134a CFC Free, capacity 503 liters Approx, Model Type Aluminum Model net weight 90Kg Approx	M/S Jawed Training Corporation, Karachi	2
par	Rs.68,500/- each, Waves, Single door, Size 15cu.ft. Warranty: 01-year parts, Qualified. 3 year compressor.	M/S A.J. Enterprises, Karachi	_
	Rate with specification.	Name of firm.	Firm Sr.#

00. Waves, PEL or equivalent, with higher specification Deep Freezer 17-cu.ft. /500liters double door, colour white warranty: 1-year parts, 3-year compressor Dawlance,

On.	4	ω	2	-	Firm Sr.#
M/S Shameel Enterprises,	M/S Habib & Sons, Hyderabad	M/S Burraq Business Corporation, Hyderabad	M/S Jawed Training Corporation, Karachi	M/S A.J. Enterprises, Karachi	Name of firm.
Rs.85,272/- Dawlance 17cu.ft.	Rs.85,300/- each, Waves 18cuft.	Rs.100,125/- Waves. Model WT-2180 Triplet, Imported compressor, 1-year part, 3-year compressor warrantee, Energy saver, LVS-Low voltage starter, Different colours, 18cu.ft capacity.	Rs.89,990/- each, Waves double door, sixe:18cft voltage:220 50Hzs, Refrigerant: 134a CFC free, capacity: 478 liters Approx, net weight:90kg approx, dimension: (HxWxD) 1600x610x876mm.	Rs.89,500/- each, Waves double door, sixe:18cft, Warranty: 1-year parts, 3 year compressor.	Rate with specification.
Qualified.	Qualified.	Qualified.	Qualified.	Qualified.	Remarks.
	el Enterprises, Rs.85,272/- Dawlance 17cu.ft.	k Sons, Hyderabad Rs.85,300/- each, Waves 18cuft. el Enterprises, Rs.85,272/- Dawlance 17cu.ft.	Business Rs.100,125/- Waves. Model WT-2180 Triplet, Imported compressor, 1-year part, Hyderabad 3-year compressor warrantee, Energy saver, LVS-Low voltage starter, Different colours, 18cu.ft capacity.  Sons, Hyderabad Rs.85,300/- each, Waves 18cuft.  el Enterprises, Rs.85,272/- Dawlance 17cu.ft.	Rs.89,990/- each, Waves double door, sixe:18cft voltage:220 50Hzs, Refrigerant: 134a CFC free, capacity: 478 liters Approx, net weight:90kg approx, dimension: (HxWxD) 1600x610x876mm.  Rs.100,125/- Waves. Model WT-2180 Triplet, Imported compressor, 1-year part, 3-year compressor warrantee, Energy saver, LVS-Low voltage starter, Different colours, 18cu.ft capacity.  Hyderabad Rs.85,300/- each, Waves 18cuft.  Rs.85,272/- Dawlance 17cu.ft.	Rs.89,500/- each, Waves double door, sixe:18cft, Warranty: 1-year parts, 3 year compressor.  Rs.89,990/- each, Waves double door, sixe:18cft voltage:220 50Hzs, Refrigerant: 134a CFC free, capacity: 478 liters Approx, net weight:90kg approx, dimension: (HxWxD) 1600x610x876mm.  Rs.100,125/- Waves. Model WT-2180 Triplet, Imported compressor, 1-year part, 3-year compressor warrantee, Energy saver, LVS-Low voltage starter, Different colours, 18cu.ft capacity.  Rs.85,300/- each, Waves 18cuft.

9 Incubator. Incubator, 50 liters capacity 2-3 shelves adjustable Temp. Range +5 to 70°C, Digital display & control imported for Lab. purpose two door Memmert/ Cole Parmer/ Heareus or imported equivalent.

	4	. ω	2	-	Firm Sr.#
	M/S Scientific Technical Corporation (Pvt.) Lahore	M/S Talha Enterprises, Karachi	M/S Jawed Training Corporation, Karachi	M/S A.J. Enterprises, Karachi	Name of firm.
Detector Power Consumption: 246,3 W Power Supply: 220 volt, 50,460 Bz	Rs:2,60,000/- Each. Incubator Forced Convection Type, Digital Fuzzy Control System, Model: ThermoStable IF-50, DAIHAN SCIENTIFIC, NORTH AMERICA INC., USA. Country of Origin: USA. Technical Specifications: Capacity: 50 Lit. Dimension (w x d x h) Interior (mm): 370 x 350 x 419 Heater Power: 200W, Temp. Range: Ambient Temperature +5°C to 70°C. Temp. Fluctuation: ± 0.2°C at 37°C, ± 0.3°C at 50°C Temp. Variation: ± 0.5°C at 37°C, ± 0.9°C at 50°C. Temp. Sensor: PT 100 Control Resolution: ±0.1°CHeat-up Time: 17 min. to 37°C, 28 min. to 50°C Recovery Time (Door open 30sec): 3 min. to 37°C, 4 min. to 50°C, Controller: Digital Fuzzy Control by Advanced Microprocessor Jog-Dial with Push Button, RS232 Port: Available to connect with PC Display: Digital LCD with Back Light Timer: 99hr 59 min (delay/continuous function) Material. Internal: Stainless steel (#304) External: Powder Coated steel Inner Door: Inner Tempered Glass Door Shelves: 2ea of PE -coated steel Wire Shelves included, Load per Shelf: 16 kg Ventilation: 1ea of Ventilation hole with Stainless steel Cap, Hole Diameter 40mm	Rs.199,000/- each. Model BJPX-H50. Capacity 50L. Temperature control RT+5~65C Temperature fluctuation ±0.5 C Time range 1~9999mins. Consumption: 200W. Power supply: 110/220v+10%,50/60HZ, Internal size (cm):35*52*41. External size(cm):50*52*71 Shelves no. (pcs) 2. Gross weight (kg) 55. Made in China	Rs.190,000/- each, Incubator dig system DSI 500D Taiwan, Simple keypad input allows easy temperature setting, LED digital display enables users to monitor the chamber temperature at any given time, Visual alarm indicator alerts users of abnormal conditions if the chamber temperature exceeds the setting point by 10°C. The temperature can be controlled and maintained to 70°C. Double doors allow samples viewing from the inner door. Model: DSI 500D,Working Temperature: Ambient +5°C - 70°C. Capacity (Liters):50, Chamber size (mm) (WxDxH) 380x365x390, Power Watts;500, Size (mm) (WxDxH) 480x475x695	Rs.180,000/- each, Care vision, Chamber volume: 50 liter. Digital Micro processor controller with timing function, with Inner glass door for easy observation. Two doors, High precision microprocessor temperature controller make temperature control precise and reliable. Automatically stop when the temperature is beyond limit to ensure safety of power consumption: 850W. Shelves: 2pieces. Warranty: 1-year.	Rate with specification.
	Qualified.	Not Qualified as desired.  • China not equivalent as desired.	Not Qualified because not equivalent as desired.	Not Qualified as desired.  • Model # not mentioned.  • Literature not attached	Remarks.

Mr. Ashir

Firm Sr.#	Firm Sr.# Name of firm.	Rate with specification.
cs	M/S ScienTec Karachi	Rs.220,000/- each Forced Convection Laboratory Incubator, Microprocessor PID Qualified controlled Dual Display Digital Capacity 54 liters, Model:IFA-54, Make: ESCO Singapore.
6	M/S Al-Sharique Trading Company, Hyderabad	

10 Digital bench top timer, Time count down from 24 hour to 1 second in one second increments. For bench use, can display countdown, stop watch or time of Day. Alkaline Battery Fisher, Carl Roth or exact equivalent imported.

Contraction of the contraction o	Rs.65,000/- each, Cat # 91500-003ca, Make: Alla	M/S ScienTec Karachi	_
Remarks.	Rate with specification.	Name of firm.	Firm Sr.#

= temple length, duo flex confort cushion antifog, antiscratch/ anti UV coating, meet ANSIZ87.1-2010 and CAS Z94.3 eye ware requirement, Fisher, Roth, USA, UK Germany or exact equivalent imported. UV protective Goggles, Fisher, Roth or equivalent. UV protective eye wear light weight, Unilens Style adjustable

No firm quoted the rate and technical specification

mounting Digital thermo hygrometer to monitor relative humidity and temperature in laboratories and offices. Digital thermometer selectable to 0C or 0F range: -18-+720C. Relative humidity range: 20-100%RH, 3 digit LED sensor, Digital Room Thermometer, Measuring temperature range:- 18-+72°C Clock, , Fisher, Roth or equivalent. Wall 1.5V AA battery. Oakton, USA, UK or exact equivalent

	Qualified.	ke: Alla,	Mak	# 91000-27B, Make: Alla,	# 91	ter, Cat: #	Thermometer,	Room	Digital	each	Rs.19,500/- ( France.	Rs.1	IS ScienTec Karachi	×	
--	------------	-----------	-----	--------------------------	------	-------------	--------------	------	---------	------	--------------------------	------	---------------------	---	--

(Dr. Aslam Peruez Umrani)
Director

Veterinary Besearch & Diagnosis
Central Veterinary Diagnostic Laboratory
Sindh, Tando Jam.

(Muhammad Anwar Malik)
Section Office (G)
Livestock & Fisheries Department,
Government Of Sindh, Karachi

(Dr. Abdullah Mewati)

District Accounts Office Hyderabad

Finance Department, GoS,

Representative of

Representative of

Director General Livestock (Extension/Research) Sindh, Hyderabad.



### TANDO JAM, (SINDH) 窗 (+) 022/2765279 Central Veterinary Diagnostic Laboratory, LIVESTOCK & FISHERIES DEPARTMENT **VETERINARY RESEARCH & DIAGNOSIS** GOVERNMENT OF SINDH



# **EVALUATION/SCRUTINIZATION REPORT**

LABORATORY AND MACHINERY EQUIPMENT **DURING THE FINANCIAL YEAR 2014-2015** PROCUREMENT OF FOR

DIRECTORATE OF VETERINARY RESEARCH & DIAGNOSIS,

CVDL SINDH, TANDO JAM.



2014-2015. VETERINARY RESEARCH & DIAGNOSIS CVDL TANDO JAM DURING THE FINANCIAL YEAR PURCHASE OF "LABORATORY MACHINERY AND EQUIPMENT" OF THE DIRECTORATE OF RESEARCH) SINDH, HYDERABAD TO EVALUATE AND SCRUTINIZE TENDER FOR ON 04-05-2015 @ 11.00AM IN THE DIRECTORATE GENERAL, LIVESTOCK (EXTENSION) EVALUATION/SCRUTINIZATION REPORT FOR PROCUREMENT COMMITTEE TO BE HELD



Nine (09) firms purchased tender documents and participated in the tender:

- 1. M/S A.J. Enterprises, Karachi
- M/S Jawed Trading Corporation, Karachi
- M/S Talha Enterprises, Karachi
- M/S Burraq Business Corporation, Hyderabad
- M/S Scientific Technical Corporation (Pvt.) Lahore
- M/S Habib & Sons, Hyderabad
- 7. M/S Shameel Enterprises, Hyderabad
- 8. M/S ScienTec Karachi
- M /S Al-Sharique Trading Company, Hyderabad.

Livestock (Extension/Research) Sindh, Hyderabad The tenders were opened on 28-04-2015 by the Procurement Committee in its 1st meeting at the Directorate General,

tendered items have been shown for each company/firm. quoted, technical brochures and provision of additional accessories were checked thoroughly. The deficiencies observed for the Accordingly, the tenders were examined and short falls/formalities if any, like authenticated technical specification of items

rates in the favour of bidders Comparative statement has been prepared and is placed before the committee for approval of technical specification and

The given below list of items as per comparative statement is recommended for approval

specification. Air conditioner Split 1.5 ton along with accessories & installation. National, General, LG or equivalent with higher

Habib & Sons, Hyderabad offered the lowest rate. Five firms participated and quoted the specification, which is in agreement with the specification given in tender item. M/S

Firm Sr.# N	2	2	3 C.N.		4	
Name of firm.	M/S A.J. Enterprises, Karachi	M/S Jawed Trading Corporation, Karachi	M/S Burraq Business Corporation, Hyderabad		M/S Habib & Sons, Hyderabad	M/S Shameel Enterprises,
Rate with specification.	Rs.90,000/- each, Haier, Capacity: 1.5 ton, 20% power saving with high energy efficient compressor, Powerful cooling, works up to 52°C, Auto Restart after power Restored, Child lock, Concealed LED display, Easy clean (Indoor), Intelligent Air flow, 24hours timer, Evaporator self-cleaning, auto Mode, Installation kit 100feet. Warranty:01-year.	Rs.91,000/- each, Haier 1.5 ton, Powerful cooling, works up to 520C, Concealed LED Display, Fixed frequency, cooling capacity: 4800BTU, 2.51EER, 41900COP, Wall Mount and pure copper refrigerant pipe.	Rs.113,625/- Gree, Product Code GS-18CZ85, GS-18CZ8W, BTU Capacity 18,000	Rs.99,000/- Kenwood, Crystal Model KEC-125 (12,000 BTU) and KEC-185 (18,000 BTU)	Rs.88,500/- Haier, 1.5ton.	Rs.91,200/- each National, 1.5ton
Remarks.	Qualified.	Qualified.	Qualified.	Qualified.	Qualified.	Qualified.

Procurement Committee may approve purchase from the 1st lowest bidder M/S Habib & Sens, Hyderabad @ the rate of

Rs.88,500/- Haier, 1.5 ton .

N specification. Refrigerator 10cu.ft Two doors, top freezer energy saving Model, Dawlance, Weaves or equivalent with higher

Habib & Sons, Hyderabad offered the lowest rate. Five firms participated and quoted the specification, which is in agreement with the specification given in tender item. M/S

თ	4	ω	2	-	Firm Sr.#
M/S Shameel Enterprises, Hyderabad	M/S Habib & Sons, Hyderabad	M/S Burraq Business Corporation, Hyderabad	M/S Jawed Trading Corporation, Karachi	M/S A.J. Enterprises, Karachi	Name of firm.
Rs.59,280/- each Weaves, 18cu.ft.	Rs.58,900/- Dawlance/ Waves .	Rs.77,625/- Dawlance, Model 9144 Capacity (L/cu.ft) 225/8 dimensions (WxHxD) 490x1385x555mm	Rs.72,000/- each, Dawlance/ Haier. 10 cubic feet, two doors, top freezer, energy saving model, Retains cooling, shelf strength, work effectively even at 50°C, 5pipe oil compressor, cooper condenser.	Rs.71,500/- each Haier, Capacity cubic feet:10.5, Qualified Refrigerant:R134a, Door Hinge: Right, Model:2014, Frost: yes, Voltage:187V-252V, Temperature of Freezer: <-18°C, Fast cooling: Yes, Eco friendly., Wide Body design, super fast cooling, big condenser, Oil cooling compressor, Warranty: 01 year.	Rate with specification.
Qualified.	Qualified.	Qualified.	Qualified.	Qualified.	Remarks.

Procurement Committee may approve purchase from the 1st lowest bidder M/S Habib & Sons, Hyderabad @ the rate of

Rs.58,900/- Dawlance/Wave\$

121°C, digital display, timer Heater 2KW, pressure 1.2kg/cm stainless steel, electronic door lock sensing, safety devices for temp, pressure, 02 wire basket U.K/ Germany or imported equivalent. Autoclave 50 liter top loading. Autoclave, 45-50 liters capacity, top loading, Temp range 5-132°C, Accuracy + 0.5°C @

quoted by the five firms are in agreement with the specification given in tender item. Six firms participated, M/S Talha Enterprises, Karachi quoted China not equivalent as desired, whereas the specification

	4	3	2	_	Firm Sr.#
	M/S Scientific Technical Corporation (Pvt.) Lahore	M/S Talha Enterprises, Karachi	M/S Jawed Trading Corporation, Karachi	M/S A.J. Enterprises, Karachi	Name of firm.
60 Hz	Rs.867,000/- each, Digital Fuzzy-Controlled Autoclave with Electronic Door Lock System Model: MaXterile-60 DAIHAN SCIENTIFIC, NORTH AMERICA INC., USA Country of Origin: USA. Technical Specification: - Capacity: 60Lit. Standard Type. Temp. Range: Ambient: +50C to 1320C, Temp. Accuracy: + 0.50C at 1210C, Pressure: 1.2Kg/cm2 at 1210C, 2.0Kgf/cm2 at 1320C, Guage:0-3Kgf/cm2. Sterilization mode: Solid or liquid mode. Heater Power: / Consumption: 3kW. Timer and Alarm: 60 min, Error status and timer end Controller: Digital Fuzzy-Control System (Fully Automatic). Door & Closing System: Lever-type Silding Door / Safety Electronic Door Closing System. Safety Circuit: Over Temp./- Pressure/- Current Protection, sensor error detection. Printer: Thermal type printer, Record Paper Roll: w58 x Ø 40 mm Material: Stainless Steel (#304)-Pressure Vessel Material External: Powder Coated Steel external Basket 2ea of stainless steel wire baskets are Included Basket Dimension: ## ## ## ## ## ## ## ## ## ## ## ## ##	Rs.651,475/- each Model BKQ-B50II, Capacity 50L. Chamber size φ350*520mm Chamber material SUS304 medical stainless steel. Rated working pressure 0.175MPa. Timing range: 0-999min. Temp range 50°C ~ 126°C, Consumption 4.8KW, Power supply 110/220V±10%, 50/60Hz. Standard accessories: Stainless steel basket*2pcs. External size(mm) 500*620*1200, Packing size (mm) 560*620*1400, Made in China.	Rs.750,000/- each, SA300VL Sturdy Taiwan, Chamber size: Stainless steel # 304, 300mm Φx700mm(D), Chamber capacity: App 50 liter. Overall: 600mmx(W) 1000mm(H)x 450(450(D), Power consumption: 220V-240V/ 1.9KW (Max) 8.5A. Using pressure and temperature: Unwrapped/ Wrapped/ liquids: 105-136°C/ 0.5-2.3KG/CM2, Design temperature: 140°C, Safety Device: Over heat (low water) cut-ff switch safety valve and release valve.	Rs.725,000/- each, Zealway, Capacity: 50liter. Outer dimension: 460x542x1070mm. Rated power supply: 220V 50Hz/60Hz. Rated power 2600, Microcomputer control system. LED screen shows the dynamic sterilization process. Top loading. Sterilization time:1-300min Warranty: 01 year.	Rate with specification.
	Qualified	Not Qualified, China not equivalent as desired.	Qualified.	Qualified.	Remarks.

Qualified	M/S Al-Sharique Rs.997,500/- each, Model:ST-50G, Chamber Volume (L/cu.ft) 50/1.8 Cat # Qualified Trading AAHL 1015K, Jeiotech Korea, 50 liters, 230VAC, 50/60Hz, Company,	M/S Al-Sharique Trading Company,	Ø
	Rs.895,000/- each, Model: WAC-60, Make: Daihan Scientific, Korea.		
Qualine	Tuttnaur, Netherland.	M/S ScienTec Karachi	Ch
Remarks	Rate with specification.	Firm Sr.# Name of firm.	Firm Sr.#

Procurement Committee may approve purchase as per required specification from the lowest bidder M/S A.J. Enterprises, Karachi @ the Rs. Rs.725,000/- each, Zealway, Capacity: 50liter. Outer dimension: 460x542x1070mm. Rated power supply: 220V 50Hz/60Hz. Rated power 2600, Microcomputer control system. LED screen shows the dynamic sterilization process. Top loading. Sterilization time:1-300min Warranty: 01 year.

0

are in agreement with the specification given in tender item. Sharique Trading Company, Hyderabad quoted China not equivalent as desired. whereas the specification quoted by the five firms Five firms participated, M/S Burraq Business Corporation, Hyderabad, M/S Shameel Enterprises, Hyderabad and M/S Al-

5				4	з	2	_	Firm Sr.#
M/S Al-Sharique Trading Company, Hyderabad		Hyderabad	Enterprises,	M/S Shameel	M/S Burraq Business Corporation, Hyderabad	M/S Jawed Trading Corporation, Karachi	M/S A.J. Enterprises, Karachi	Name of firm.
Rs.235,000/- each, Capacity:7KVA, local according to Japan technology Manufacturer. Rato, Petrol & gas kit with installation.	Rs.239.400/- each, Model Sc1000-II	Rs.228,300/- each Model SC9000-II.	Rs.205,200/- each Model RT-9500EV	Rs.171,000/- each, Lifan Model 6FG4	Rs. 155,250/- each Homage Model HGR-6,00KV-D, Out-put Maximum 6KW. Electric starting system, Digital meter, Double muffler, Wheels & handles, Load acid battery, Engine oil, Gas kit, Fuel tank capacity 25L, Consumption 3.1 L/hr.	Rs.850,000/- each, 8KVA ELEMAX petrol, Capacity: 8KVA, Type:2- Qualifie pole, Field Rotating type, voltage Regulation system: AVR, Phase: specific Single, Engine Maker: Honda, Model GX630, Gas Kit and Battery desired included.	Rs.795,000/- each, ELEMAX 11000D Model:SH-11000. Rated Output: 8.5KVA. Max output: 10KVA. Tank Capacity:38liters. Engine: Honda GX-630. Noise level:74dB. Dry weight:165kg. Gas kit: installed. Battery: yes. Warranty: 01year.	Rate with specification.
Not Qualified, not equivalent.			equivalent as desired.	Not Qualified China not	Not Qualified China not equivalent as desired.	Qualified higher specification quoted as desired.	Qualified higher specification quoted as desired.	Remarks.

Capacity:38liters. Engine: Honda GX-630. Noise level:74dB. Dry weight:165kg. Gas kit: installed. Battery: yes. Warranty: Karachi @ the Rs.795,000/- each, ELEMAX 11000D Model:SH-11000. Rated Output; 8.5KVA. Max output: 10KVA. Tank Procurement Committee may approve purchase as per required specification from the lowest bidder M/S A.J. Enterprises,

-

Ġ Photo State Machine. Speed at least 22 & 35 CPM. Digital Soter(s), Laser printing built-in, Paper supply at least 2 trays @ 500 sheets (by pass tray)., Copy memory Min. 256MB/32MB page Memory., Resolution Min.600x600dpi., Paper Tray size al least A-6\_ A-3 other., Zoom Min. 25%-400%., ADF (Automatic Documents Feeder)., Scanning (Black & White)., Photocopier Panasonic, Canon, Kyocera. Machine Trolley., Service Agreement (03) years. Warranty/ Guaranty of at least one year with replacement of defective parts

as desired. whereas the specification quoted by the five firms are in agreement with the specification given in tender item. Four firms participated, M/S Jawed Trading Corporation, Karachi and M/S Shameel Enterprises, Hyderabad not equivalent

		-
2	-	Firm Sr.#
M/S Jawed Trading Corporation, Karachi	M/S A.J. Enterprises, Karachi	Name of firm.
Rs.298,000/- each Canon 2002N. Type: B/ W Laser Multifunctional (Reader/ Printer Console). Maximum Original Size:A3. Fixing System: on-demand Fusing. Copy speed: A4:20ppm, A3:10ppm, First copy time 7.9secs. Warm-up time: From Power on 13 secs. From sleep Mode 2.9 secs (The time it takes from recovery sleep to the start key is enabled). Print Description language: UFRII Lite. OS compatibility: Window 8.1/8/7/vista/ XP/2000, windows server 2012/ server 2008/ server 2003, Mac OS X 10.5.8 or later. Resolution: Scan:300x 300dpi, Copy 600x600dpi, Print 600x600dpi, Pull scan (MF Toolbox/ Scan gear) B/ W & color, Push Scan (MF Toolbox): B/ W & color, Scan Features: Twain, WIA compatible, Supported file format (scan) PDF/ Searchable PDF/ compact PDF, BMP, JPEG, TIFF Processor speed: 400MHZ Memory canadity. 128MB	Rs. 684,000/- each, Canon iR2535, Device: image RUNNER 2535. Type: Desktop (Reader Combined+ Inner Output). Imaging System: Laser dry electrostatic Transfer system; Memory: Standard: 256MB. Madimum:512MB. Network Interface: Ethernet (100base-TX/10base-T), USB 2.0. Warm up time 30 seconds maximum after powering ON, 1 second maximum from the sleep mode. First copy output time 3.9 seconds or less. Multiple copies 1 to 999 sheets. Magnification: 25% to 400% (1% increment). Maximum Original size: Max.A3/ 11" x 17". Duplex: Standard. Copy/ Print speed:35ppm. Resolution: Reading: 600x600dpi, Writing: 1200x1200dpi, Paper sources (gsm): Paper cassette: standard: 2x550 sheet paper capacity. Stack bypass; standard: 100sheets paper capacity. Acceptable paper weights: Paper Cassette; 64 to 128gsm. Main unit dimensions (WxDxH) 565x680x806mm (with the platen cover) 565x693x907mm (with the feeder). Weight: Approx. 59.5kg. Power source: 220-240V AC, 50/60Hz. Maximum Power Consumption: Approx. 140,000 sheet (A4). Print specification: PDL. Standard: UFR II LT. Optional: PCL 5e/6,PS3. Network OS: Windows 2000/ XP/ Server 2003/ Vista/ Server 2008/ Win7, Resolution: BW: up to 600x600dpi, CL: Up to 300 x 300dpi. Warranty: 01-year.	Rate with specification.
Not Qualified warranty and service not mentioned as desired.	Qualified.	Remarks.

4	ω	Firm Sr.#
M/S Shameel Enterprises, Hyderabad	M/S Habib & Sons, Hyderabad	Name of firm.
Rs.285,000/- each Kyocera (Tas. Kalfa) 1800  Alternate: Rs.399,000/- each Kyocera (Taskalfa)2200.	Laser, Mono/single component. Type: Desktop (Stationary platen). Resolution: 600x600dpi 256 grey scales (scan/copy). Time to rist copy: 3.9 seconds or less. Warm up time: 15 seconds or less. Copy speed: 35 copies per minute. Memory capacity: 64MB standard. Electronic sorter: Built-in. Duplex Unit: Built-in. Continuous copy 1-999copies. Original/ copy size: Max. A3. Zoom Range: 25%-400% in 1 step. Pre-set magnification ratios: 21 Reduction, 9 Enlargement. Paper Feeding: Standard: 2 x 500 sheets universal paper casette + 200 sheets multi-purpose/ bypass tray. Paper capacity: 1,200 sheets standard, Max, 4,200 sheets. Exposure mode: Auto, Manual: 7 or 13 steps. Image Adjustment: Text + Photo, Text, Photo. Model KM-3035, Drum life and free replacement of parts 400,000 pages copies or 12-months. Warranty/ Guaranty and service 3-years.	Rate with specification.
No technical literature provided.      Warranty and service not mentioned as desired.	Qualified.	Remarks.

Procurement Committee may approve purchase as per required specification from the lowest bidder M/S Habib & Sons, Hyderabad @ the Rs.540,500/- each, Kyocera (KM-3035) 35CPM, as per above specification.

6

6 4 stage Reverse Osmosis System. 100gallon/day, Sediment filter-5micron, Carbon block filter-5micron, RO membrane international against NSF/ANSI standard 58, on site installation & additional set of filters. WATTS/ Axoin/ AMI, USA, Canada bracket, TDS Monitor, filter change indicator installation and operation manual, 2 years warranty. Tested and certified by NSF semi permeable 1/10,000micron, Final filter high quality GAC filter, storage tank, Chrome faucet, installation kit, heavy duty or exact equivalent.

A.J. Enterprises, Karachi offered the lowest rate Three firms participated and quoted the specification, which is in agreement with the specification given in tender item. M/S

2		Firm Sr.#
M/S Jawed Trading Corporation, Karachi	M/S A.J. Enterprises, Karachi	Name of firm.
Rs.184,000/- each, 75liters per day, Ultra filtration system, Reverse Osmosis system, softening system. De-lonization system, Ion removal system, De-Chlorination System.	Rs.177,000/- each, 100gallon/day. Reverse osmosis filtration system. 3-gallon storage tank. Chrome airgap faucet. 4 stage of filtration. Adapt-A-Valve water shut off valve. Certified by NSF International, NSF/ANSI standard 58. Filter stage-1. 5 Micron Sediment filter Reduces Dirt, sand and Rust. Filter stage-2 5 micron carbon block filter. reduces chlorine, objectionable tastes and odor. Filter stage-3 24GPD (gallons per day) Membrane. High production thin film composite membrane. Filter stage-4 Carbon inline post filter. Enhance the water's taste. Warranty:02years.	Rate with specification.
Qualified.	Qualified.	Remarks

\*

ω	Firm Sr.#
M/S Scientific Technical Corporation (Pvt.) Lahore	Name of firm.
Automatic RO 20 Ih Code: NRO20DA 100 gallon/day included 500 Liters Open Tank, Wasserlab, Spain, Automatic RO 20 Ih Code: NRO20DA 100 gallon/day included 500 Liters Open Tank, Wasserlab, Spain, Country of Origin Spain Input: Tap water Feed Water Requirements: Conductivity < 1000µS/cm, Free Chlorine < 2ppm, Turbidity < 1 NTU, Hardness < 30ºF. Output: Osmotic water, Production: 20ltr. h. Purification process control: By microprocessor installation requirements: 220-230 VAC + water supply (s 3 m. distance / 2 2 bar pressure) Guarantee. 12 months from installation, and up to 14 months from delivery. Automatic RO 20 lth. The Automatic model produces 20 litresh of Osmotic Water directly from tap water. Water purification is reached following a sequential step of treatment: 1Pretreatment The prefreatment include filters of sediment (5mic) and active carbon to remove: - Particles higher than 1 micron 99.9% of Hypochlorite Organic material present in feed water is reduced to minimum.  2Reverse Osmosis A reverse osmosis membrane (ROM) of high performance eliminates more than 99.9% of Organic Material higher than 150 Dalton, and rejects 94 - 98% of Total Dissolved Solids (TDS). Water reverse osmosis is stored in a 500 Liters Open Tank. Include chrome faucet and level float Dimensions 780 x 1200 mm (Diameter x Height) Automation y Motorization The equipment Automatic works automatically. The Automatic microprocessor controls constantly all relevant purification process parameters. * Water pressure on RO module. * Water conductivity (compensation 25°C): Feed Water conductivity (at 1pS/cm) Permeated water conductivity(± 1pS/cm) * rejection rate efficiency at RO module. * Vater conductivity (compensation 25°C): * Equipment status (Production/ Full Reservoir/ Dispensing) * Realistic instrument working time in hours. Software allows users to personalize the critical water conductivity (compensation of the user of the water programmed to run a regular self-test keeping the unit under constant and effective control on a	Rate with specification.
Qualmed	Remarks.

Procurement Committee may approve purchase as per required specification from the lowest bidder M/S A.J. Enterprises, Karachi @ the Rs.177,000/- each, 100gallon/day. Reverse osmosis filtration system. 3-gallon storage tank. Chrome airgap Filter stage-1. 5 Micron Sediment filter Reduces Dirt, sand and Rust. faucet. 4 stage of filtration. Adapt-A-Valve water shut off valve. Certified by NSF International, NSF/ANSI standard 58.

Filter stage-3 24GPD (gallons per day) Membrane. High production thin film composite membrane Filter stage-2 5 micron carbon block filter. reduces chlorine, objectionable tastes and odor.

Filter stage-4 Carbon inline post filter. Enhance the water's taste. Warranty:02years

A. I and the Market of the Company o

7 Deep freezer 15cuft/425liter single door, white warranty 1 year parts, 3 years compressor with stabilizer. Dawlance, Waves, PEL or equivalent with higher specification

A.J. Enterprises, Karachi offered the lowest rate. Five firms participated and quoted the specification, which is in agreement with the specification given in tender item. M/S

Rs.85,500/- each Haier, 15.cu.ft	Hyderabad	
Rs.88,464/- each Waves, 15.cu.ft	Enterprises,	
Rs.88,920/- each, Dawlance 15.cu.ft.	M/S Shameel	S
Rs.78,500/- each, Waves 15cuft.	M/S Habib & Sons, Hyderabad	4
Rs. 85,500/- Kenwood, Upright Freezer, Model KDF-222V, Size:8cuft, Upright freezer with 6 compartments, Outside condenser, High temperature warning light, Adjustable front feet, Knock-down door gasket, Energy saving.		
Rs.86,625/- Waves: Model WCC-2150, Imported compressor, 1-year part, 3- year compressor warrantee, Energy saver, LVS low voltage starter, Difference colour white, Beidge, Capacity 15 cu.ft.	M/S Burraq Business Corporation, Hyderabad	ω
Rs. 69,000/- each, Waves single door, size 15cft, voltage 220V 50Hzs, Refrigerant 134a CFC Free, capacity 503 liters Approx, Model Type Aluminum Model net weight 90Kg Approx, Dimensions (HxWxD) 1600x 610x876mm.	M/S Jawed Training Corporation, Karachi	2
Rs.68,500/- each, Waves, Single door, Size 15cu.ft. Warranty: 01-year parts, 3 year compressor.	M/S A.J. Enterprises, Karachi	1
Rate with specification.	Name of firm.	Firm Sr.#

Procurement Committee may approve purchase as per required specification from the lowest bidder M/S A.J. Enterprises, Karachi @ the Rs.68,500/- each, Waves, Single door, Size 15cu.ft. Warranty: 01-year parts, 3 year compressor.

o Waves, PEL or equivalent, with higher specification Deep Freezer 17-cu.ft. /500liters double door, colour white warranty: 1-year parts, 3-year compressor Dawlance,

Five firms participated and quoted the specification, which is in agreement with the specification given in tender item. M/S Shameel Enterprises, Hyderabad offered the lowest rate.

5 M/S Shameel Enterprises, Hyderabad	4 M/S Habib & Sons Hyderabad	<ol> <li>M/S Burraq Business Corporation, Hyderabad</li> </ol>	M/S Jawed Training     Corporation, Karachi	<ol> <li>M/S A.J. Enterprises</li> <li>Karachi</li> </ol>	Firm Sr.# Name of firm.
Rs.85,272/- Dawlance 17cu.ft.	Sons, Rs.85,300/- each, Waves 18cuft.	usiness Rs.100,125/- Waves. Model WT-2180 Triplet, Imported compressor, 1-year part, 3-year compressor warrantee, Energy saver, LVS-Low voltage starter, Different colours, 18cu.ft capacity.	-	rprises. Rs.89,500/- each, Waves double door, sixe:18cft, Warranty: 1-year parts, 3 year Qualified compressor.	Rate with specification.
Qualified.	Qualified	r part, Qualified erent	oprox, Qualified	3 year Qualified	Remarks

Procurement Committee may approve purchase as per required specification from the lowest bidder M/S Shameel Enterprises, Hyderabad @ the Rs.85,272/- Dawlance 17cu.ft.

133

9 Incubator. Incubator, 50 liters capacity 2-3 shelves adjustable Temp. Range +5 to 70°C, Digital display & control imported for Lab. purpose two door Memmert/ Cole Parmer/ Heareus or imported equivalent.

given in tender item. M/S ScienTec Karachi offered the lowest rate. Karachi not equivalent as desired. whereas the specification quoted by the three firms are in agreement with the specification Six firms participated, M/S A.J. Enterprises, Karachi, M/S Jawed Trading Corporation, Karachi and M/S Talha Enterprises,

	4 >+0=	ω <b>ΧΠ</b> Ζ	N T O A		Firm Sr.# N
	M/S Scientific Technical Corporation (Pvt.) Lahore	M/S Talha Enterprises, Karachi	M/S Jawed Training Corporation, Karachi.	M/S A.J. Enterprises, Karachi	Name of firm.
200000000000000000000000000000000000000	Rs.2,60,000/- Each. Incubator Forced Convection Type. Digital Fuzzy Control System, Model: ThermoStable IF-50, DAIHAN SCIENTIFIC, NORTH AMERICA INC., USA. Country of Origin: USA. Technical Specifications. Capacity: 50 Lit. Dimension (w x d x h) Interior (mm): 370 x 350 x 419 Heater Power: 200W, Temp. Range: Ambient Temperature +5°C to 70°C, Temp. Fluctuation: ± 0.2°C at 37°C, ± 0.9°C at 50°C, Temp. Fluctuation: ± 0.2°C at 37°C, ± 0.9°C at 50°C, Temp. Sensor. PT 100 Control Resolution: ± 0.1°C Heat-up Time: 17 min. to 37°C, 28 min. to 50°C Recovery Time (Door open 30sec): 3 min. to 37°C, 4 min. to 50°C, Controller: Digital Fuzzy Control by Advanced Microprocessor Jog-Dial with Push Button, RS232 Port: Available to connect with PC Display: Digital LCD with Back Light Timer: 99hr 59 min (delay/continuous function) Material. Internal: Stainless steel (#304) External: Powder Coated steel Inner Door: Inner Tempered Glass Door Shelves: 2ea of PE -coated steel Wire Shelves included. Load per Shelf: 16 kg Ventilation: 1ea of Ventilation hole with Stainless steel Cap, Hole Diameter 40mm Circulation: Forced Air Type Safety device: Over Temp. and Over Current Protector, Sensor Error Nover Consumption: 216.3 W Power Supply: 220 volt: 50750 Hz	Rs.199,000/- each. Model BJPX-H50. Capacity 50L. Temperature control RT+5~65C Temperature fluctuation ±0.5 C Time range 1~9999mins. Consumption: 200W. Power supply: 110/220v+10%,50/60HZ, Internal size (cm):35*52*41. External size(cm):50*52*71 Shelves no. (pcs) 2. Gross weight (kg) 55. Made in China	Rs.190,000/- each, Incubator dig system DSI 500D Taiwan, Simple keypad input allows easy temperature setting, LED digital display enables users to monitor the chamber temperature at any given time, Visual alarm indicator alerts users of abnormal conditions if the chamber temperature exceeds the setting point by 10°C. The temperature can be controlled and maintained to 70°C. Double doors allow samples viewing from the inner door. Model: DSI 500D,Working Temperature: Ambient +5°C - 70°C. Capacity (Liters):50, Chamber size (mm) (WxDxH) 380x365x390, Power Watts;500, Size (mm) (WxDxH) 480x475x695	Rs.180,000/- each, Care vision, Chamber volume: 50 liter, Digital Micro processor controller with timing function, with Inner glass door for easy observation. Two doors. High precision microprocessor temperature controller make temperature control precise and reliable. Automatically stop when the temperature is beyond limit to ensure safety of power consumption: 850W. Shelves: 2pieces, Warranty: 1-year.	
	Qualified.	Not Qualified as desired.  China not equivalent as desired.	Not Qualified because not equivalent as desired.	Not Qualified as desired.  • Model # not mentioned.  • Literature not attached	Neilidino.

of hi. Ashing ( &

Firm Sr#	Eirm Sr # Name of firm	Rate with specification	Remarks.
O	0	Rs.220,000/- each Forced Convection Laboratory Incubator, Microprocessor PID Qualified controlled Dual Display Digital Capacity 54 liters, Model:IFA-54, Make: ESCO Singapore.	Qualified.
65	M/S Al-Sharique Trading Company. Hyderabad		Qualified.

Capacity 54 liters, Model:IFA-54, Make: ESCO Singapore. @ the Rs.220,000/- each Forced Convection Laboratory Incubator, Microprocessor PID controlled Dual Display Digital Procurement Committee may approve purchase as per required specification from the lowest bidder M/S ScienTec Karachi

Digital bench top timer, Time count down from 24 hour to 1 second in one second increments. For bench use, can display countdown, stop watch or time of Day. Alkaline Battery Fisher, Carl Roth or exact equivalent imported.

quoted technical specification in agreement with tender specification and offered the rate, which is compatible with the market rate, No firm quoted the rate in tenders of last two years. During this year (2014-15) One firm M/S ScienTec Karachi participated

e. Qualifier	Rs.65,000/- each, Cat # 91500-003ca, Make: Alla, France.	M/S ScienTec Karachi	_
-	Rate with specification.	Name of firm.	irm Sr.#

Rs.65,000/- each, Cat # 91500-003ca, Make: Alla, France. Procurement Committee may approve purchase as per required specification from the bidder M/S ScienTec Karachi @ the

temple length, duo flex confort cushion antifog, antiscratch/ anti UV coating, meet ANSIZ87.1-2010 and CAS Z94.3 eye ware requirement, Fisher, Roth, USA, UK Germany or exact equivalent imported UV protective Goggles, Fisher, Roth or equivalent. UV protective eye wear light weight, Unilens Style adjustable

No firm quoted the rate and technical specification, Procurement Committee may approve purchase of tender item from

local market on quotation

15

12 mounting Digital thermo hygrometer to monitor relative humidity and temperature in laboratories and offices. Digital 1.5V AA battery. Oakton, USA, UK or exact equivalent thermometer selectable to 0C or 0F range: -18-+720C. Relative humidity range: 20-100%RH, 3 digit LED sensor, Digital Room Thermometer, Measuring temperature range:- 18-+72°C Clock, , Fisher, Roth or equivalent. Wall

quoted technical specification in agreement with tender specification and offered the rate, which is compatible with the market rate. No firm quoted the rate in tenders of last two years. During this year (2014-15) One firm M/S ScienTec Karachi participated

Qualified	Make: Alla,	# 91000-27B, N	r, Cat:	Thermometer	Rs.19,500/- each Digital Room France.	Digita	- each	Rs.19,500/ France.		M/S ScienTec Karachi	_
Remarks.						ation.	pecific	Rate with spe	R	Name of firm.	Firm Sr.#

Procurement Committee may approve purchase as per required specification from the bidder M/S ScienTec Karachi @ the Rs.19,500/- each Digital Room Thermometer, Cat: # 91000-27B, Make: Alla, France.

(Dr. Aslam Pervez Umrani)

Veterinary Research & Diagnosis
Central Veterinary Diagnostic Laboratory
Sindh, Tando Jam.

Livestock & Fisheries Department Government Of Sindh, Karachi

(Muhammad Anwar Malik) Section Office (G)

Representative of Finance Department, GoS,

Representative of

District Accounts Office Hyderabad

Livestock (Extension/Research)

Sindh, Hyderabad

(Dr. Abdullah Mewati)

Director General

LIST OF OFFICERS PARTICIPATED IN THE PROCUREMENT COMMITTEE MEETING LD ON 04-05-2015 @ 11.00AM IN THE DIRECTORATE GENERAL, LIVESTOCK (EXTENSION/RESEARCH) SINDH, HYDERABAD FOR PROCUREMENT OF "LABORATORY MACHINERY & EQUIPMENT" FOR THE DIRECTORATE OF VETERINARY RESEARCH AND DIAGNOSIS, CVDL SINDH, TANDO JAM DURING THE YEAR 2014-15.

1	Dr. Abdullah Mewati, Director General, Livestock (Extension/Research) Sindh, Hyderabad.	On chair.
2	Mr. Malarik Heisain Section officer (B&E-111) Representative of Finance Department, Government of Sindh,	Juli,
3	Mr. Pervais Almed Sangi Assistant Accounts officer Representative of District Accounts Office, Hyderabad.	Sommes
4	Mr. Muhammad Anwar Malik, Section Officer (G), Livestock and Fisheries Department, Government of Sindh, Karachi.	Janua
5	Dr. Aslam Pervez Umrani, Director, Veterinary Research & Diagnosis, CVDL Sindh, Tando Jam.	Adeles



GOVERNMENT OF SINDH
LIVESTOCK & FISHERIES DEPARTMENT
VETERINARY RESEARCH & DIAGNOSIS
Central Veterinary Diagnostic Laboratory,
TANDO JAM, (SINDH) 2 (+) 022/2765279



# MINUTES OF PROCUREMENT COMMIEETTEE MEETING

**HELD ON** 

04-05-2015 @ 11.00AM

FOR PURCHASE OF

LABORATORY MACHINERY AND EQUIPMENT DURING THE FINANCIAL YEAR 2014-2015.

DIRECTORATE OF VETERINARY RESEARCH & DIAGNOSIS,
CVDL SINDH, TANDO JAM.

d.

ART



MINUTES OF PROCUREMENT COMMITTEE MEETING HELD ON 04-05-2015 @ 11.00AM IN THE DIRECTORATE GENERAL, LIVESTOCK (EXTENSION/RESEARCH) SINDH, HYDERABAD FOR PROCUREMENT OF "LABORATORY MACHINERY & EQUIPMENT" FOR THE DIRECTORATE OF VETERINARY RESEARCH & DIAGNOSIS CVDL TANDO JAM DURING THE FINANCIAL YEAR 2014-2015.



### List of participants attached

The meeting started with the name of Allah the almighty. The Chairman Procurement Committee Livestock welcomed the participants of the meeting and opened the discussion on agenda items.

Director, Veterinary Research & Diagnosis, CVDL Sindh Tando Jam briefed the forum that tender were called through news papers for the procurement of "Laboratory Machinery & Equipment" for the Directorate of Veterinary Research & Diagnosis, CVDL Sindh, Tando Jam during the current financial year 2014-15.

Tender advertisement appeared in The Express Tribune, Sindh Express Hyderabad, Regional Times, Daily Jeejal, Daily Jang Karachi and Halchal dated April 9-10, 2015, SPPRA website S.No.23563 dated April 7, 2015 and Sindh Government website dated April 7, 2015

Nine (09) firms purchased tender documents and participated in the tender. Tenders were opened on 28-04-2015 @ 12.30hours before nine (09) interested bidders/authorized representatives in the Directorate General, Livestock (Extension/Research) Sindh, Hyderabad by the Procurement Committee.

Procurement Committee evaluated/scrutinized technically and finalized the tender. In the light of justification provided by the Director, Veterinary Research & Diagnosis, CVDL Sindh Tando Jam. The Procurement Committee decided that:

 Procurement Committee allowed the purchase of all the approved items according to the availability of funds under Development.

 Procurement Committee approved the lowest rates and procurement of the items from the participating bidder/companies having specification in agreement with tender specification.

- The items having price higher than the estimated price given in PC-I allowed to be purchased from lowest bidder at tender price; subject to the availability of funds.
  - Items, where no participation occurred or specifications offered were found irrelevant allowed to be purchased on quotation if purchase is essentially required and within Rs.100,000/-.
  - If any tax imposed by the government after the completion of tender price, then
    this increase in tax is allowed to be included in the quoted price of items, which
    were previously exempted.

#### 1. PURCHASE OF LABORATORY MACHINERY & EQUIPMENT.

Sr. #	Name of items with specification.	
1	Air conditioner Split 1.5 ton along with accessories & installation. National, General, LG or equivalent with higher specification.	

Procurement Committee approved the technical specification and rate of M/S Habib & Sons, Hyderabad for the item as under:

Rate with Technical Specification.
Rs.88,500/- Air conditioner Haier, 1.5ton.

2 Refrigerator 10cu.ft Two doors, top freezer energy saving Model, Dawlance, Weaves or equivalent with higher specification.

Procurement Committee approved the technical specification and rate of M/S Habib & Sons, Hyderabad for the item as under:

Rate with Technical Specification.

Rs.58,900/- Refrigerator 10cu.ft Dawlance/ Waves .

Autoclave 50 liter top loading. Autoclave, 45-50 liters capacity, top loading, Temp range 5-132°C, Accuracy ± 0.5°C @ 121°C, digital display, timer Heater 2KW, pressure 1.2kg/cm stainless steel, electronic door lock sensing, safety devices for temp, pressure, 02 wire basket U.K/ Germany or imported equivalent.

Procurement Committee approved the technical specification and rate of M/S A.J. Enterprises, Karachi for the item as under:

Rate with Technical Specification.

Rs.725,000/- each, Zealway, Capacity: 50liter. Outer dimension: 460x542x1070mm. Rated power supply: 220V 50Hz/60Hz. Rated power 2600, Microcomputer control system. LED screen shows the dynamic sterilization process. Top loading. Sterilization time:1-300min Warranty: 01 year.

(,

\_ 2



5

6

Generator 7KV Petrol and gas kit, Installation, Operation and change over (Japan or equivalent).

Procurement Committee approved the technical specification and rate of M/S A.J. Enterprises, Karachi for the item as under:

#### Rate with Technical Specification.

Rs.795,000/- each, ELEMAX 11000D Model:SH-11000. Rated Output: 8.5KVA. Max output: 10KVA. Tank Capacity:38liters. Engine: Honda GX-630. Noise level:74dB. Dry weight:165kg. Gas kit: installed. Battery: yes. Warranty: 01year.

Photo State Machine. Speed at least 22 & 35 CPM. Digital Soter(s), Laser printing built-in, Paper supply at least 2 trays @ 500 sheets (by pass tray)., Copy memory Min. 256MB/32MB page Memory., Resolution Min.600x600dpi., Paper Tray size at least A-6\_A-3 other., Zoom Min. 25%-400%., ADF (Automatic Documents Feeder)., Scanning (Black & White)., Photocopier Machine Trolley., Service Agreement (03) years. Warranty/ Guaranty of at least one year with replacement of defective parts Panasonic, Canon, Kyocera.

Procurement Committee approved the technical specification and rate of M/S Habib & Sons, Hyderabad for the item as under:

#### Rate with Technical Specification.

Rs.540,500/- each, Kyocera (KM-3035) 35CPM, Specification: Technology: Laser, Mono/single component. Type: Desktop (Stationary platen). Resolution: 600x600dpi 256 grey scales (scan/copy). Time to rist copy: 3.9 seconds or less. Warm up time: 15 seconds or less. Copy speed: 35 copies per minute. Memory capacity: 64MB standard. Electronic sorter: Built-in. Duplex Unit: Built-in. Continuous copy 1-999copies. Original/copy size: Max. A3. Zoom Range: 25%-400% in 1 step. Pre-set magnification ratios: 21 Reduction, 9 Enlargement. Paper Feeding: Standard: 2 x 500 sheets universal paper casette + 200 sheets multi-purpose/ bypass tray. Paper capacity: 1,200 sheets standard, Max, 4,200 sheets. Exposure mode: Auto, Manual: 7 or 13 steps. Image Adjustment: Text + Photo, Text, Photo. Model KM-3035, Drum life and free replacement of parts 400,000 pages copies or 12-months. Warranty/ Guaranty and service 3-years.

4 stage Reverse Osmosis System. 100gallon/day, Sediment filter-5micron, Carbon block filter-5micron, RO membrane semi permeable 1/10,000micron, Final filter high quality GAC filter, storage tank, Chrome faucet, installation kit, heavy duty bracket, TDS Monitor, filter change indicator installation and operation manual, 2 years warranty. Tested and certified by NSF international against NSF/ANSI standard 58, on site installation & additional set of filters. WATTS/ Axoin/ AMI, USA, Canada or exact equivalent.

Procurement Committee approved the technical specification and rate of M/S A.J. Enterprises, Karachi for the item as under:

Rate with Technical Specification.

Rs.177,000/- each, 100gallon/day. Reverse osmosis filtration system. 3-gallon storage tank. Chrome airgap faucet. 4 stage of filtration. Adapt-A-Valve water shut off valve. Certified by NSF International, NSF/ANSI standard 58.

Filter stage-1. 5 Micron Sediment filter Reduces Dirt, sand and Rust.

Filter stage-2 5 micron carbon block filter, reduces chlorine, objectionable tastes and odor.

Filter stage-3 24GPD (gallons per day) Membrane. High production thin film composite

Filter stage-4 Carbon inline post filter. Enhance the water's taste. Warranty:02/ears.

Ash Ash

Warranty:02years.



Deep freezer 15cuft/425liter single door, white warranty 1 year parts, 3 years compressor with stabilizer. Dawlance, Waves, PEL or equivalent, with higher specification

Procurement Committee approved the technical specification and rate of M/S A.J. Enterprises, Karachi for the item as under:

Rate with Technical Specification.

Rs.68,500/- each, Waves, Single door, Size 15cu.ft. Warranty: 01-year parts, 3 year compressor.

Deep Freezer 17-cu.ft. /500liters double door, colour white warranty: 1-year parts, 3-year compressor Dawlance, Waves, PEL or equivalent. with higher specification

Procurement Committee approved the technical specification and rate of M/S Shameel Enterprises, Hyderabad for the item as under:

Rate with Technical Specification.

Rs.85,272/- Deep Freezer Dawlance 17cu.ft.

Incubator. Incubator, 50 liters capacity 2-3 shelves adjustable Temp. Range +5 to 70°C, Digital display & control imported for Lab. purpose two door Memmert/ Cole Parmer/ Heareus or imported equivalent.

Procurement Committee approved the technical specification and rate of M/S ScienTec Karachi for the item as under:

Rate with Technical Specification.

Rs.220,000/- each Forced Convection Laboratory Incubator, Microprocessor PID controlled Dual Display Digital Capacity 54 liters, Model:IFA-54, Make: ESCO Singapore.

Digital bench top timer, Time count down from 24 hour to 1 second in one second increments. For bench use, can display countdown, stop watch or time of Day. Alkaline Battery Fisher, Carl Roth or exact equivalent imported.

Procurement Committee approved the technical specification and rate of M/S ScienTec Karachi for the item as under:

Rate with Technical Specification.

11

Rs.65,000/- each, Cat # 91500-003ca, Make: Alla, France.

UV protective Goggles, Fisher, Roth or equivalent. UV protective eye wear light weight, Unilens Style adjustable temple length, duo flex confort cushion antifog, antiscratch/ anti UV coating, meet ANSIZ87.1-2010 and CAS Z94.3 eye ware requirement, Fisher, Roth, USA, UK Germany or exact equivalent imported.

Procurement Committee approved the items for purchase from local market on quotation.

Q

5

1 / "



Digital Room Thermometer, Measuring temperature range:- 18-+72°C Clock, Fisher, Roth or equivalent. Wall mounting Digital thermo hygrometer to monitor relative humidity and temperature in laboratories and offices. Digital thermometer selectable to 0C or 0F range: -18-+720C. Relative humidity range: 20-100%RH, 3 digit LED sensor, 1.5V AA battery. Oakton, USA, UK or exact equivalent

Procurement Committee approved the technical specification and rate of M/S ScienTec Karachi for the item as under:

Rate with Technical Specification.

Rs.19,500/- each Digital Room Thermometer, Cat: # 91000-27B, Make: Alla, France.

#### It was further decided in the meeting:

- 1. At the time of installation of equipment it will be suppliers' responsibility to make equipment functional.
- 2. The firm will provide at least one year warranty for on site service, repair and spare parts against the equipment.
- All the firms will pay sales tax as per government rule from the approved cost.
- 4. All the firms will have to pay income tax and all other usual taxes (admissible as per policy/ rules) before delivery (with own expenses) of the goods.
- 5. The payment shall be made to the firms against the supply of item with the consent of receiving committee of CVDL, ensuring that the items were according to the specification.
- 6. All the firms will be responsible to deliver the goods within fifteen (15) days after issuance of the work order or proforma invoice and other confirmation documents indicating delivery date for the imported item(s) with in one week failing which their supply orders will be treated as cancelled and same will be placed to 2nd lowest bidder (subject to qualifying technical specification).

Meeting ended with vote of thanks.

Pervez Umrani)

Director Veterinary Research & Diagnosis Central Veterinary Diagnostic Laboratory

Sindh, Tando Jam.

(nwar Malik ) (Muhamma

Section Office (G) Livestock & Fisheries Department,

Government Of Sindh, Karachi.

Representative of Finance Department, GoS,

Mubarik Hustour

Section office

District Accounts Office Hyderabad.

Pervais Ahmed Sanar

(Dr. Abdullah Mewati)

Livestock (Extension/Research)

Sindh, Hyderabad.

Director General

E1ACCOUNTS(Tender/Tender 2014-2015 CVDL)Tender ADF 1327@Inutes of Procurement Committee 54-05-2015 @ DOLER doc





# LIVESTOCK & FISHERIES DEPARTMENT GOVERNMENT OF SINDH VETERINARY RESEARCH & DIAGNOSIS @ Central Veterinary Diagnostic Laboratory, TANDO JAM, (SINDH) Telephone (+) 022/2765279

# TENDER DOCUMENT

REFERENCE NO.CVDL/AC/TENDER (14-15/V).

FOR THE PROCUREMENT

OF

Laboratory Machinery & Equipment.

TO BE OPENED ON 28-04-2015

## FOR THE

DIRECTORATE OF VETERINARY RESEARCH & DIAGNOSIS
CENTRAL VETERINARY DIAGNOSTIC LABORATORY SINDH TANDO JAM
DURING THE CURRENT FINANCIAL YEAR 2014-2015.

S.

Agh Ci

f.

#### TENDER NOTICE.

The Government of Sindh, through its Development schemes intends to invite tenders for the procurement of "Laboratory Machinery & Equipment" for Directorate of Veterinary Research & Diagnosis, CVDL Sindh Tando Jam. The Purchase is to be completed during the current financial year 2014-2015.

Hence the Procurement Committee invites sealed tenders from eligible tenderers pertaining to the above task on 28-04-2015 at 12.00noon. The brief of the procurement is as under.

# 1. Laboratory Machinery & Equipment

List at Page # 6-7

A complete set of documents along with detailed information can be collected from Directorate of Veterinary Research & Diagnosis, Central Veterinary Diagnostic Laboratory Sindh Tando Jam, on payment of Rs.2,000/- (Rupees two thousand) (non-refundable) in the shape of pay order/bank draft from the date of publication till 27-04-2015 to 17.00hours.

The firms shall prepare Single Stage-One Envelope Procedure (a) Notice Inviting Tenders and bidding documents of this method shall contain: (i) relevant experience. (ii) registration with Income Tax, Sales Tax and Professional Tax (iii) technical specification (b) each bid shall comprise one single envelope containing the financial proposal and required information mentioned at (a) above; (c) all bids received shall be opened and evaluated in the manner prescribed in the Notice Inviting Tenders or bidding document.

The tender will be opened before tenderers or their authorized representative in the Directorate General, Livestock (Extension/Research) Sindh behind Shahbaz Building Hyderabad headed by the Chairman Procurement Committee/ Director General, Livestock (Extension/Research) Sindh on 28-04-2015 at 12.30PM.

The tenderers will have to provide evidence of experience of supply of the machinery & equipment to renowned organizations, institutes of firm. The technical literature must contain catalogue and other relevant papers.

The Procurement committee will not be responsible for any cost or expenses incurred in connection with the delivery, transportation of store at the destination.

For services and contractual execution of work or furnishing supplies; registration with Sindh Revenue Board for Sindh Sales Tax (SST) is mandatory and SST will be deducted in full as per Sindh Sales Tax Special Procedure (With holding) Rules, 2012".

The purchase will be made as per provision of the Sindh Purchase Manual 1991 & SPPRA Rules 2010(Amended 2013). The competent authority reserves the right to reject all or any bids subject to the relevant provisions of SPPRA Rules 2010 (Amended 2013)".

No. CVDL/AC/Tender/2014-15(V)/

dated, the/

M/S \_\_\_\_\_

S.

VETERINARY RESEARCH & DIAGNOSIS
CENTRAL VETERINARY DIAGNOSTIC
LABORATORY SINDH TANDO JAM

# GENERAL CONDITIONS OF CONTRACT.

- The Procurement Committee reserves the right to extend date, time of bid, opening or receiving the bids and to purchase all or part of material mentioned in the tender as per SPPRA rules 2010 (amended 2013).
- All registered firms shall be required to deposit earnest money equivalent to 5% of the value of their offer with their tender in the form of call deposit/ pay order in favour of Director, CVDL Sindh, Tando Jam.
- The successful tenderer shall have to deposit 10% performance security of the contract price, which shall be valid for one year from the date of delivery of the item.
- For services and contractual execution of work or furnishing supplies; registration with Sindh Revenue Board for Sindh Sales Tax (SST) is mandatory and SST will be deducted in full as per Sindh Sales Tax Special Procedure (With holding) Rules, 2012".
- At the time of installation of equipment, it will be supplier's responsibility to make equipment functional and one year warranty will start from the date of installation.
- All equipment must have at least on site one year warranty of service, repair and spare parts.
- Any cutting / correction in bid form will make the quotation invalid.
- 8. The rate quoted must be valid up to 90 days and extendable as per rules.
- Procurement Committee reserve the right to obtain, clarification from any bidder, in respect of item quoted by him. The replies by the bidder will be recorded and which will be the part of bid document.
- Supply order / contract will be issued subject to the availability of funds.
- 100% payment shall be released on receipt of consignment in full.
- 12. The contracting firms will be treated under the clause 12,13 and 14 of Sindh purchase manual 1991 & SPPRA Rules 2010(amended 2013) accordingly in case of failure in supply of material, it shall be optioned to purchase the stores else where without notice on the account and the risk of the contract.
- 13. The firms shall prepare Single Stage-One Envelope Procedure (a) Notice Inviting Tenders and bidding documents of this method shall contain: (i) relevant experience. (ii) registration with Income Tax, Sales Tax and professional tax (iii) technical specification (b) each bid shall comprise one single envelope containing the financial proposal and required information mentioned at (a) above; (c) all bids received shall be opened and evaluated in the manner prescribed in the Notice Inviting Tenders or bidding document.

14. The evaluation will be based on the technical specification cum quoted price, the Procurement Committee reserves the right to choose the best specification in the interest of Government labs as per requirement.

- The tenderers shall sign the enclosed under taking while quoting their rates; failing which the tender / offer is liable to be considered NON RESPONSIVE.
- The bid document should be properly sealed and tender No. and date of opening may be indicated on the envelope.
- 17. Price must be guoted in Pak currency per accounting unit.
- Bid must be supported with relevant literature (catalogue in original) etc. and country of origin make brand should be recorded on bid against the item.
- The tenderer must provide documentary proof of authorized valid dealer ship from manufacture or authority to compete in bid on behalf of authorized dealer/ manufacture.
- Supplier will have to provide import documents of items supplied at the time of delivery of consignment.
- Supplier will have to submit the proforma invoice and other confirmation documents indicating delivery date for the imported item(s) within one week of receipt of supply order to ensure the timely delivery within the financial calendar 2014-15.
- 22. The firms participating in the tender must be registered with Sales Tax Department and Income Tax Department should mention their registration No. along with copy of valid registration certificate.
- 23. Breakage / leakage during transport are the responsibility of supplier.
- 24. The payment will be made to the supplier after deduction of 4.5% income tax and sales tax or any other additional tax imposed at the time of supply on each supply on production of receipt / certificate on the effect that the items received by the respective officer in charge of the stores of Central Veterinary Diagnostic Laboratory Tando Jam to whom supply order is made.
- 25. All the rates quoted must be included with all government taxes. No separate kind of tax will be paid by the department. It will be the overall responsibility of firm / company.
- 26. The last date of issuance of tender documents is 27-04-2015 up to 17.00hours.
- 27. Last date of receipt of tender document is 28-04-2015 @ 12.00Noon and shall be opened on the same day 28-04-2015 at 12.30hours in the Directorate General, Livestock (Extension/Research) Sindh, behind Shahbaz Building, Hyderabad in the presence of interested bidders or their authorized representatives.
- The Procurement Committee reserves the right to accept or reject any bid in whole or part according to SPPRA Rules 2010 (amended 2013)".

d. Aktin

#### UNDER TAKING.

Signed, sealed and delivered with guarantee to supply the stores exactly in accordance to the requirement specified in the tender Document, we also understand that you are not bound to accept the lowest priced or any tender, which you may receive. We undertake, if our tender is accepted, to commence delivery and to complete the store instruments equipment specified within stipulated period, and will provide the security (as per provision of Sindh Purchase Manual 1991 & SPPRA rules 2010 (amended 2013), for the due performance of the contract. We also undertake to provide assurance of two year warranty or 75% shelf life against each item supplied.

Date he	day of	2015.
	14A Au	SIGNATURE & SEAL
	(In the capacity of/d Address	uly authorized to sign for and on behalf of)
	Telephone No.	
	CNIC No.	
	Address	SIGNATURE(S) OF WITNESS.
	Telephone No	
	CNIC No	
	.,,	(Attach Photo copy please)

### TENDER SCHEDULE.

1.	Publicity of Invitation of Tender	Through National Dailies and Sindh Government website	
2.	Last date of issuance of tender document.	27-04-2015 @ 17.00hours	
3.	Date of Receipt of Tender document.	28-04-2015 @ 12.00noon	
4.	Date of opening of Tender	of opening of Tender 28-04-2015 at 12.30hours.	
5.	Place of opening of Tender	Directorate General, Livestock (Extension/Research) Sindh, behind Shahbaz Building Hyderabad.	
6.	Validity of Offer	90 days and extendable as per rules.	
7.	Name of consignee	Directorate of Veterinary Research & Diagnosis, C.V.D. Laboratory Sindh, Tando Jam.	

A Ash to

Laboratory Machinery & Equipment to be Purchased during the current financial year 2014-15 for Central Veterinary Diagnostic Laboratory (CVDL) Tando Jam.

S.#	Name of Item with Specification.	Estimated quantity		Firms to fill	
			Technical specification	Rate per unit	
1	Air conditioner Split 1.5 ton along with accessories & installation. National, General, LG or equivalent with higher specification.	2 Nos.			
2	Refrigerator 10cu.ft Two doors, top freezer energy saving Model, Dawlance, Weaves or equivalent with higher specification.	4 Nos.			
3	Autoclave 50 liter top loading.  Autoclave, 45-50 liters capacity, top loading, Temp range 5-132°C, Accuracy ± 0.5°C @ 121°C, digital display, timer Heater 2KW, pressure 1.2kg/cm stainless steel, electronic door lock sensing, safety devices for temp, pressure, 02 wire basket U.K/ Germany or imported equivalent.	2 Nos.			
4	Generator 7KV Petrol and gas kit, Installation, Operation and change over (Japan or equivalent).	1 Nos.			
5	Photo State Machine. Speed at least 22 & 35 CPM. Digital Soter(s), Laser printing built-in, Paper supply at least 2 trays @ 500 sheets (by pass tray)., Copy memory Min. 256MB/32MB page Memory., Resolution Min.600x600dpi., Paper Tray size al least A-6_ A-3 other., Zoom Min. 25%-400%., ADF (Automatic Documents Feeder)., Scanning (Black & White)., Photocopier Machine Trolley., Service Agreement (03) years. Warranty/ Guaranty of at least one year with replacement of defective parts Panasonic, Canon, Kyocera.	1 No.			
6	4 stage Reverse Osmosis System, 100gallon/day, Sediment filter-5micron, Carbon block filter-5micron, RO membrane semi permeable 1/10,000micron, Final filter high quality GAC filter, storage tank, Chrome faucet, installation kit, heavy duty bracket, TDS Monitor, filter change indicator installation and operation manual, 2 years warranty. Tested and certified by NSF international against NSF/ANSI standard 58, on site installation & additional set of filters. WATTS/ Axoin/ AMI, USA, Canada or	1 No.			

g. Aslatis ?.

	# Name of Item with Specification.	Estimated		to fill
S.#		quantity	Technical specification	Rate per unit
7	Deep freezer 15cuft/425liter single door, white warranty 1 year parts, 3 years compressor with stabilizer. Dawlance, Waves, PEL or equivalent. with higher specification	2 Nos.		
8	Deep Freezer 17-cu.ft. /500liters double door, colour white warranty: 1- year parts, 3-year compressor Dawlance, Waves, PEL or equivalent. with higher specification	2 Nos.		
9	Incubator. Incubator, 50 liters capacity 2-3 shelves adjustable Temp. Range +5 to 70°C, Digital display & control imported for Lab. purpose two door Memmert/ Cole Parmer/ Heareus or imported equivalent.	2 Nos.		
10	Digital bench top timer, Time count down from 24 hour to 1 second in one second increments. For bench use, can display countdown, stop watch or time of Day. Alkaline Battery Fisher, Carl Roth or exact equivalent imported.	2 Nos.		
11	UV protective Goggles, Fisher, Roth or equivalent. UV protective eye wear light weight, Unilens Style adjustable temple length, duo flex confort cushion antifog, antiscratch/ anti UV coating, meet ANSIZ87.1-2010 and CAS Z94.3 eye ware requirement, Fisher, Roth, USA, UK Germany or exact equivalent imported.	2 Nos.		
12	Digital Room Thermometer, Measuring temperature range:- 18-+72°C Clock, Fisher, Roth or equivalent. Wall mounting Digital thermo hygrometer to monitor relative humidity and temperature in laboratories and offices. Digital thermometer selectable to °C or °F range: -18-+72°C. Relative humidity range: 20-100%RH, 3 digit LED sensor, 1.5V AA battery. Oakton, USA, UK or exact equivalent	2 Nos.		

E:ACCOUNTS\Tender\Tender 2014-2015 CVDL\Tender ADP 1327\Tender Document Tender No.V-1j.doc

of Azlati

- J: - 1