SINDH PUBLIC PROCUREMENT REGULATORY AUTHORITY

CONTRACT EVALUATION FORM

TO BE FILLED IN BY ALL PROCURING AGENCIES FOR PUBLIC CONTRACTS OF WORKS, SERVICES & GOODS

1)	NAME OF THE ORGANIZATION / DEPTT KW & SB	
2)	PROVINCIAL/LOCAL GOVT./OTHER 2 och Gout.	
3)	TITLE OF CONTRACT	
4)	TENDER NUMBER 179901/20/3	
5)	BRIEF DESCRIPTION OF CONTRACT PIL refingry Steen Ment old Encloy 125	dia
6)	FORUM THAT APPROVED THE SCHEME AC PIRE OPP. Canyon Garden Sector-1924 Son	133
7)	TENDER ESTIMATED VALUE Roll 80, 6.557	
8)	ENGINEER'S ESTIMATE (For civil works only)	
9)	ESTIMATED COMPLETION (AS PER CONTRACT) 15 Lays	
10)	TENDER OPENED ON (DATE & TAKE) $\frac{2-6-11-20/3}{}$	
11)	NUMBER OF TENGER DOCUMENTS OLD TWO MOS	
	(Attach list of buyers)	
	NUMBER OF BIDS RECEIVED /we has	
13)	NUMBER OF BIDDERS PRESENT AT THE TIME OPENING OF BIDS WE WAS	
14)	BID EVALUATION REPORT (Enclose a copy)	
15)	NAME AND ADDRESS OF THE SUCCESSFUL DDR. MIS 9. M. Entr Pleas.	
[6)	CONTRACT AWARD PRICE P. 16.76, 61 ch Boldin Form Karachin	2
17)	RANKING OF SUCCESSFUL BIDDER IN EVALUATION REPORT (i.e. 1 st , 2 nd , 3 nd EVALUATION BID).	
18)	METHOD OF PROCUREMENT USED : - (Tick one)	
	a) SINGLE STAGE – ONE ENVELOPE PROCEDURE Domestic/ Local	
	b) SINGLE STAGE – TWO ENVELOPE PROCEDURE	
	c) TWO STAGE BIDDING PROCEDURE	
	d) TWO STAGE – TWO ENVELOPE BIDDING PROCEDURE	
	PLEASE SPECIFY IF ANY OTHER METHOD OF PROCUREMENT WAS ADOPTED i.e. EMERGENCY, DIRECT CONTRACTING ETC. WITH BRIEF REASONS:	

19) APP	ROVING AUTHORITY FOR AWARD OF CON	ITRACT	1.D. ZwssB.
20) WH	ETHER THE PROCUREMENT WAS INCLUDE	ED IN ANNUAL	PROCUREMENT PLAN? Yes No
21) ADV	VERTISEMENT:		
·		[c	12.00
\mathbf{O}_{\parallel}	SPPRA Website (If yes, give date and SPPRA Identification N		m. 17590 = ted: 06 -11-2013
ii)	News Papers (If yes, give names of newspapers and dates)	Yes	NA
		Not	NA
22) NATU	URE OF CONTRACT		Demeation Loss Int.
WAS	THER QUALIFICATION CRITERS INCLUDED IN BIDDING / TENDER	ENTS?	
	s, enclose a cupy)		Yes No
WAS	THER BID EVALUATION CRITERIA INCLUDED IN BIDDING / TENDER DOCUM s, enclose a copy)	OTS7	Yes No
25) WHET METH	THER APPROVAL OF COMPETENT AUTHOR IOD OTHER THAN OPEN COMPETITIVE BID	UTW WAS OBT	Yes No
26) WAS E	BID SECURITY OBTAINED FROM ALL THE	BIDDERS?	Yes No
27) WHET BID/E	HER THE SUCCESSFUL BID WAS LOWEST BEST EVALUATED BID (in case of Consultancial Control of Consultancial Control of Consultancial Control of Con	EVALIJATED es)	Yes No
28) WHET: COMPI	HER THE SUCCESSFUL BIDDER WAS TECH LIANT?	NICALLY	Yes Nn Nn
29) WHETI THE TI	HER NAMES OF THE BIDDERS AND THEIR IME OF OPENING OF BIDS?	QUOTED PRIC	Yes No No
CONTR		BIDDERS BE	FORE THE AWARD OF
(Attach	copy of the bid evaluation report)		Yes No

31) ANY COMPLAINTS RECEIVED (If yes, result thereof)	Yes
	No L
32) ANY DEVIATION FROM SPECIFICATIONS GIVE	N IN THE TENDER NOTICE / DOCUMENT
(If yes, give details)	Yes
	No U
33) WAS THE EXTENSION MADE IN RESPONSE TIM (If yes, give reasons)	E? Ves
	No U
34) DEVIATION FROM QUALIFICATION CRITERIA (If yes, give detailed reassing.)	Yes
	No No
35) WAS IT ASSURED BY THE PROCURING AGEN BLACK LISTED?	ICY THAT THE SELECTED FIRM IS NO L
36) WAS A VISIT MADE BY ANY OFFICER/OFFICIA SUPPLIER'S PREMISES IN CONNECTION WITH	FE PROCUREMENT? IF SO, DETAILS 1
BE ASCERTAINED REGARDING FINANCING Of (If yes, enclose a copy)	Yes No L
37) WERE PROPER SAFEGUARDS PROVIDED ON I THE CONTRACT (BANK GUARANTEE ETC.)?	MO ILIZABION DVANCE PAYMENT Yes No
38) SPECIAL CONDITIONS, IF ANY (If yes, give Brief Description)	Yes
39) Date of Award of Contract	No L
Signature & Official Stamp of Authorized Officer Engloser	
OFFICE USE ONLY	

<u>SPPRA, Block. No. 8, Sindh Secretariat No. 4-A, Court Road, Karachi</u> Tele: 021-9205356; 021-9205369 & Fax: 021-9206291

Karachi Water & Sewerage Board Office of the Executive Engineer, Scheme-33(W/D)

No.EE/W/D /Sch-33/ KW&SB/2014 / / 5 / Dated: -31 - / - /2014

M/s. G.M. Enterprises. H.No.1732/411 Makkah Colony Baldia town Karachi.


LETTER OF COMMENCEMENT.

SUBJECT:- Providing Laying repairing Strengthening old existing 12"dia Ac pipe opposite Country Garden Sector-14/C Scheme-33.

Consequent upon the submission of the formal acceptance / condition of contract and letter of acceptance vide NO. CE/ D-Malir / KW&SB /Tender/ 2014 / 17 /Dated: 15-01-2014 you are hereby directed to commence the work in strict accordance with the contract with due expedition and diligence. The date of commencement of work shall be reckoned from the receipt of this letter and get completed within 15 days.

> EXECUTEVE ENGINEER (W/D) SCHEME-33, K.W.&S.B.

Copy to:-C.E District Malir, KW&SB. S.E,SCHEME-33(W/S) KW&SB. A.E.E. SCHEME-33 OFFICE COPY.



married SALLER Descript resources No 85, Shop No. 1, Kiele. Physical Physics and Charles of Married (1)

3 1 DEC 2013

AGREEMENT

wood to with Address.

and the second


THE CONTRACT AGREEMENT (hereinafter called the "Agreement"), made on the MANAGING DIRECTOR (T/S), KW&SB (hereinafter called the Employer, which expression shall mean and include successors) of the one part and Proprietor Mr. Maqsood Ahmed, carrying on business under the name and style of M/s. G.M. Enterprises, being maintaining his office at H. No. 1732/411 Makkah Colony Baldia Town, Karachi, (Hereinafter called the "Contractor") of the other part.

Whereas the Employer is desirous that certain Work viz "PROVIDING LAYING REPAIRING STRENGTHENING OLD EXISTING 12" DIA AC PIPE OPPOSITE COUNTRY GARDEN SECTOR-14/C SCHEME-33", has accepted a Bid by the Contractor for Rs.16,76,619; (Rupees sixteen lac seventy six thousand six hundred nineteen only), for the subjected work on item rate basis, under SPPRA rule-2010, for the execution and completion of such works, and the remedying of any defects therein.

NOW this Agreement witnessed as follows:

- In this Agreement words and expressions shall have the same meaning as are respectively
 assigned to them in the Conditions of Contract hereinafter referred to.
- 2. The following documents after incorporating addenda, if any except those part relating to Instructions to Bidders, shall be deemed to form and be read and construed as parts of this Agreement, viz:
 - I. The sanction vide NO: CE (D-MALIR)/KW&SB/TENDER/2014/17 dated: 15-01-2014.
 - II. The completed Form of Bid along with Schedules Bid,
 - III. Conditions of Contract & Contract Data,
 - IV. The priced Schedule of Prices/Bill of quantities (BOQ),
 - V. The Specifications and
 - VI. The Drawings
 - The contractor have already deposited 2% Earnest Money in shape of Pay Order vide No. 5304868 dated: 21-11-2013 amounting to Rs.34,000/-, issued by Bank Al-Habib Ltd: Islamic Gulshan-e-Iqbal Branch, Karaehi, deposited in to KW&SB Accounts vide Challan No. Nil dated: 23-12-2013. & as such 8% balance Performance Security amounting to Rs.1,33,000/-, will be deducted from the contractor bill & such amounhave given a lien over as Performance Security for the due fulfillment of the contract and the contractor abide by the all terms & conditions for the aforesaid Specifications & Tender.

VII.



A STALLER SLOWED ASSOCIA deben sidbs. Block to Reside

3 1 DEC 2013

(02)

2000 Day of Allen In consideration of the payments to be made by the KW&SB to the Contractor as hereinafter Agaches mentioned the Contractor hereby covenants with the KW&SB to execute and complete the Works and remedy the defects therein in conformity and in all respects within the

provisions of the Contract. The KW&SB hereby covenants to pay to the Contractor in consideration of execution and completion of the works as per provision of the Contract, the Contract price or such other sum as may become payable under provisions of the Contract.

IN WITNESS WHEREOF, the parties hereto have caused this Contracts agreement to be executed on the day, month and year first before written in accordance with their respective laws.

Signed, Sealed and Delivered in the presence of.

For and on behalf of

CONTRACTOR Signature

Mr. Maqsood Ahmed, Proprietor

WITNESSES OF CONTRACTOR

For and on behalf of

Signature M. 1

Dy. Managing Director (T/S). KW&SB

WITNESSES OF KW&SB

Mohatmad Asghar Executive Engineer (Water)

(Scheme 33), KW&SB

Ghulam Mashufa Superintending Engineer (Seheme-33), KW&SB

Imdad Hussain Magsi Chief Engineer (District Malir) CLL KW&SB

OFFICE OF THE CHIEF ENGINEER (DISTRICT MALIR) KARACHI WATER AND SEWERAGE BOARD

NO: CE (D-MALIR)/KW&SB/TENDER/2014/17-

DATED 15-01-2014

To.

M/s. G.M Enterprises, H. No. 1732/411 Makkah Colony Baldia Town, Karachi.

SANCTION LETTER

SUBJECT: - PROVIDING LAYING REPAIRING STRENGTHENING OLD EXISTING LOT DIA AC PIPE OPPOSITE COUNTRY GARDEN SECTOR-14/C SCHEME-33.

The undersigned is pleased to accord sanction for an amount Rs.16.76.019 (Rupees sixteen lae seventy six thousand six hundred nineteen only), for the subjected work through Press/websites of SPPRA under rule SPPRA-2010, on item rate basis, duly assessed by the Procurement/Evaluation Committee-I, KW&SB vide para-45 to 51/n, duly approved by MD. KW&SB vide para-66/n, the financially concurred-in by Finance Department, KW&SB vide para-54 to 64/n, the expenditure is chargeable to BG No. 5363-17, for the financial year 2013-2014. You shall be bound to abide time to time instructions issued by KW&SB.

You are directed to contact undersigned office for execution of agreement, the value of stamp paper will be Rs.5,029/-, @ 0.30% of sanctioned cost which should be produced by you. In case of failure, the sanction shall be stand cancelled and action as per rules shall be taken against you.

CHIEF ENGINEER (DISTRICT MALIR)

Copy to: -

- L. SE (SCHEME-33) TOWN, KW&SB.
- 2. EE (WATER) SCHEME-33 DIV, TOWN, KW&SB.
- DIRECTOR (A/C), KW&SB.
- 4. ADLFA, KW&SB.

OFFICE OF THE EXECUTIVE ENGINEER SCHEME-33 (W/D) KARACHI WATER & SEWERAGE BOARD

Name of Work:

Providing Laying Repairing Strengthening Old existing 12" dia A.C pipe Opposite Country Garden Sector-14/C Scheme-33

Estimate amount:-:

Item Rate basis

Tender Cost Time limit

2000/-

Penalty for delay :

15 days 2000/- P/day Issued to M/s. 4

1, Euterpresser

Finance Department K. W. & S.B.

Superintendent (REVENUE)

Scarifying the existing road surface Excavation for pipe line trenches & pits wet soil clay of mud i/c trimming and dressing sides to true alignment & shapes leveling of bed trenches the currect level and grade cutting joint hules & disposal of surplus earth within a one chain as directed by Engineer incharge. Providing fence guards lights, flags, and temporary crossing for non-vehicular traffic where ever required lift upto 5ft (1.52m) and lead upto one chain(30.5m) O'-5" 5'-8' Full hire charges of pumping set per day inclusive of the wages of driver and Assistant fuel electric energy plate from required for placing pump etc at lower depth with suctinn and delivery pipes for pumping out water found at depth from trench including the cost of ercetion and dismantling after completion of the job. Labour for Rapier Labour Plumber Sand haro or any other source sand of the		(100) (5.00) (5.00)	%Sft %0Cft %0Cft P/Day Each Each	41268.75 40170. 48000/ 6000/
soil clay of mud i/c trimming and dressing sides to true alignment & shapes leveling of bed trenches in currect level and grade cutting joint hules & disposal of surplus earth within a one chain as directed by Engineer incharge. Providing fence guards lights, flags, and temporary crossing for non-vehicular traffic where ever required lift upto 5ft (1.52m) and lead upto one chain(30.5m) O'-5" 5'-8' Full hire charges of pumping set per day inclusive of the wages of driver and Assistant fuel electric energy plate from required for placing pump etc at lower depth with suctinn and delivery pipes for pumping out water found at depth from trench including the cost of erection and dismantling after completion of the job. Labour for Rapier Labour Plumber	8875 Cft 7725 Cft 32 Days. 24 Nos.		%0Cft P/Day Each	
lights, flags, and temporary crossing for non-vehicular traffic where ever required lift upto 5ft (1.52m) and lead upto one chain(30.5m) O'-5" 5'-8' Full hire charges of pumping set per day inclusive of the wages of driver and Assistant fuel electric energy plate from required for placing pump etc at lower depth with suctinn and delivery pipes for pumping out water found at depth from trench including the cost of erection and dismantling after completion of the job. Labour for Rapier Labour Plumber	7725 Cft 32 Days. 24 Nos.	(4650) (5700) (2500)	%0Cft P/Day Each	41268.75 40170. 48000/ 6000/ 8000/
inclusive of the wages of driver and Assistant fuel electric energy plate from required for placing pump etc at lower depth with suctinn and delivery pipes for pumping out water found at depth from trench including the cost of erection and dismantling after completion of the job. Labour for Rapier Labour Plumber	24 Nos.	(500) (250)	Each	48000/ 6000/ 8000/
Labour for Rapier Labour Plumber	24 Nos.	(500) (250)	Each	98000/ 6000/ 8000/
Labour Plumber		(200)		6000/ 8000/
Sand haro or any other source sand of the		70017	Eacii	9/2007
same modulus of the fineness (hill sand)	3484.05 Cft	(24257)	% CR	844981
Providing laying and fixing in trench i/c fiding, jointing & testing etc complete in all respect the High Density Polyethylene P.E Pipe (HDPE-100) for W/S confirming ISO-4427 Din-8074/8075 B.S-3580 & PSI-3051 (PN-10).	400 Rft 200 Rft	(1998). (833)	P/Rft P/Rft	799200/ 166606/
Manufacturing supplying & fixing black steel MS Pipe made out of MS Sheet confirming to AP1 51 grade X-42 ERW & Sternally as phalt coated with fiber glass 5 mm thick & Internally C.C lining 8 mm hick (AWWA Specification) i/c laying				
ost of bends of any degree & testing with vater specified pressure for different dia of	50 Rft	2458.81)	P/Rft	122940.5
roviding & fixing M.S flange made of M.S late having a thickness and total weight as nentioned against each item. It includes the ost of making holes, facing, welding, nuts, olts, rubber, packing, white lead, fitter, artage etc complete.	04 Nos. (190d)	Each Fach	7600/ 5800/
P4(J32) SEE 5. However in a constant	Pipe (HDPE-100) for W/S confirming ISO-427 Din-8074/8075 B.S-3580 & PSI-3051 PN-10). 15 mm 00 mm fanufacturing supplying & fixing black iteel MS Pipe made out of MS Sheet confirming to API 51 grade X-42 ERW & ternally as phalt coated with fiber glass inm thick & Internally C.C lining 8mm black (AWWA Specification) i/c laying binting with Hilieal welding in trench i/c best of bends of any degree & testing with ater specified pressure for different dia of pe as below (straight) (5.6mm thick). Toviding & fixing M.S flange made of M.S ate having a thickness and total weight as entioned against each item. It includes the lest of making holes, facing, welding, nuts, olts, rubber, packing, white lead, fitter, rtage etc complete.	Proper (HDPE-100) for W/S confirming ISO-427 Din-8074/8075 B.S-3580 & PSI-3051 PN-10). 15 mm 200 mm Identification of Supplying & fixing black steel MS Pipe made out of MS Sheet confirming to API 51 grade X-42 ERW & ternally as phalt coated with fiber glass mm thick & Internally C.C lining 8mm sick (AWWA Specification) i/c laying binting with Hilieal welding in trench i/c best of bends of any degree & testing with atter specified pressure for different dia of pe as below (straight) (5.6mm thick). Toviding & fixing M.S flange made of M.S ate having a thickness and total weight as entioned against each item. It includes the est of making holes, facing, welding, nuts, olts, rubber, packing, white lead, fitter, rtage etc complete. 1 dia 4.040 Kgs. 1 do Rft 200 Rf	Proper (HDPE-100) for W/S confirming ISO-427 Din-8074/8075 B.S-3580 & PSI-3051 PN-10). 15 mm 00 mm Identification of the state of th	Pipe (HDPE-100) for W/S confirming ISO-427 Din-8074/8075 B.S-3580 & PSI-3051 PN-10). 15 mm 00 mm Identification of the state of the

S. No	Description of Work	QUANTITY	RATE	PER	AMOUNT	S. No
9.	P/F C.I sluice valve heavy pattern(Test Pressure 21.0 kg/Sq cm or 300 lbs/Sq.inch i/c cartage imprinted). 8" dia 12" dia	02 Nos. 02 Nos.	(17000) (1800)	Each Each	34000/	
10.	Fixing of sluice valves with 2 cast iron tail pieces one and flaoged and other with socket including the cost of nuts bolts and rubber packing labour etc complete, 8" dia 12" dia	02 Nos. 02 Nos.	(2.7co) (3800)	Each Each	5400/	
11.	High Density Polyethylene Fittings (PE-00) Equivalent Make (i). Cross Tee PN 10 315 x 200 x 315 (ii). Bend 450" (300mm) 12" dia (iii). Reducer (450 to 300) 18" to 12.	01 No. 04 Nos. 01 No.	(Soo) (5100)	Each Each Each	15000/	
12.	Construction of CC Block Masonry Chamber of size as required dimension with 24"x24" C.I comer from weight 65 Kg of fixed in RCC 1:2:4 slab with steel ½" tor bar @ 6" c/c with bent up both way both side C.C. 1:3:6 B/M wall set 1x6 C/C 1:4:8 in foundation 2" thick C.C 1:2:4 flooring ½" thick cement plaster 1:3 inside wall surface 1:0 deep up to roof slab i.c MS footrest 5/8" dia bar at every 2 deep i/c cutting dewatering excavation refilling and disposal of surplus earth etc complete	02 Nos.	28000)	Each	56000/	
13.	Re-filling excavated stuff & disposal of carth As per item No. 2 a & b	12700 Cft	2760)	%0Cft	35052/	
i			ι		Total Rs.	676614)

EXECUTIVE ENGINEER-II SCHEME-33 (W/D), KW&SB

NOTE:- Contractor will abide all existing rules / terms & condition of SPPRA-2010. We hereby Quoted an Amount of Rs (1676614/) On item rate basis.	
We hereby Quoted an Amount of Rs. 7676619/). On item rate basis.	
Signature of Contractor Address: Mg B, M Ealflur Cell No. 1732/48 McCha Calany Boddle Market Contractor Contractor Address: Mg B, M Ealflur Contractor Contractor	·
Tender Received in Sealed Cover & Opened By Process Residence of the Did Secretary Acres of Residence of the Sealest Secretary Acres of the Sealest Secretary Secreta	04868 - 21-4-13 04868 - 21-4-2013 1bal Bronch exception & dhousand six

SUB: PROVIDING LAYING REPARING STRENGTHENING OLD EXISTING 12" DIA A.C PIPE OPOSITE COUNTRY GARDEN SECTOR 14/C SCHEME-33.

RECOMMENDATION OF THE COMMITTEE 6.

Two Contractors participated in the bids the lowest bidder i.e M/s GM Enterprises. Quoted /corrected bid cost Amounting of Rs. 1,676,619/-(Rupees Sixteen Lac Seventy Six Thousand Six Hundred Nineteen Only), which was @ 0.2401% below of the Estimate, the Procurement Committee-I assessed the bid of lowest bidders on market rate basis which is reasonable and recommended for approval of competent Authority KW&SB Expenditure is chargeable to the H/A No.5363-17 for the financial year 2013-2014 to meet the expenditure as recommended at para 29/N4.

UNiazmolding Account Officer (Malir) Member / Secretary

(Saif-ul-Haque) Additional Director Internal Audit - KMC Member

(Magsood Ahmed Shaikh) Superintending Engineer (KMC) Member

(Imdad Maghsi) Chief Engineer (Malir) Member

(Abdul Rahim Khatti) Chief Engineer (IPD)

Convener Convener

Shouth 9/12

NOTE SHEET

(07)

Paras

Reference

SUB: PROVIDING LAYING REPARING STRENGTHENING OLD EXISTING 12" DIA A.C PIPE OPOSITE COUNTRY GARDEN SECTOR 14/C SCHEME-33.

EVALUATION REPORT

1. ENGINEER ESTIMATE

The concerned Executive Engineer (Water) Scheme-33 prepared an estimate for amounting to Rs 1,717,687/- which was checked by Design Office for amounting to Rs 1,680,655/- for the above mentioned work accorded approval for calling tender vide Para 42/N6.

2. BIDDING DOCUMENT

The bidding documents were prepared by concerned Executive Engineer (Water) Scheme-33. The bidding documents are based on the design for the work prepared by concerned Executive Engineer (Water) Scheme-33.

3. BIDDING PROCEDURE

The invitation of tender and availability of tender document were notified through website / Press vide No. EE/Sch-33/WD/KW&SB/SPPRA/2013/66 Dated: 04/10/2013 and KWSB/DPR/2013/114 Published in i) Pakistar Today Karachi ii) Jahan Pakistan iii) Daily Apeel on dated 07-11-2013 and iv) The Nation Karachi on dated: 06-11-2013 and SPPRA Serial No.17990 I.D No.________/2013 which were opened on 26-11-2013.

4. RECEIPT OF BID

The Two bids were received on 26-11-2013 at 02:00 P.M and opened or same date at 02:30 P.M by Procurement Committee-I and announced the bids in presence of representative of bidders. The following bids were received and position is as under -

S. No	Name of Firm	Quoted Price		Rank	Remarks
1	M/s, G,M / Enterprises	Rs 1,676,614/-	Rs. 1,676,619/-	1st Lowest	Substantially Responsive
2	M/s Tooba Enterprises	Rs 1,703,974	Rs 1,703,974/-	2nd Lowest	Substantially Responsive

5. PROCUREMENT COMMITTEE-I

The Procurement Committee-I as per Rule-7 of SPPRA-2010 has been reconstituted by Competent Authority, KW&SB as per SPPRA's advised comprising on the following officers for opening of bids and all bids shall be evaluated in accordance with the Evaluation Criteria and other terms and condition set forth in the bidding documents under rule 42(i) of SPPRA 2010 vide No KWSB/CE(IPD)/2013/236 dated 15-03-2013.

1	Chief Engineer (IPD), KW&SB	Convener
2	Chief Engineer (Malir)-W, KW&SB	Member
3	Additional Director Internal Audit KMC	Member
4	Superintending Engineer KMC	Member
5	Accounts Officer (Malir), KW&SB	Member / Secretary

The meeting of the Procurement Committee-I was held on 27-11-2013 at 3:00 PM vide meeting notice / letter No. A O/Malir/ KW&SB/2013/ F-/37/30 \$1 dated: 26-11-2013

46

47

48

49

50



KARACHI WATER & SEWERAGE BOARD

OFFICE OF THE CHIEF ENGINEER (IP&D)

BID EVALUATION REPORT

1	Name of Procuring Agency	VARACULWATER & SEWERAGE RAVER
- 1		KARACHI WATER & SEWERAGE BOARD
2	Fender Reference No	KWSB/DPR/2013/114 Published in i) Pakistan Today Karachi ii) Jahan Pakistan iii) Daily Apeel on dated 07-11-2013 and iv) The Nation Karachi on dated 06-11-2013 SPPRA Senal No.17990 I.D No. /2013
3	Tender Description/Name of Work/Item	PROVIDING LAYING REPARING STRENGTHENING OLD EXISTING 12" DIA A.C. PIPE OPOSITE COUNTRY GARDEN SECTOR 14/C SCHEME-33
4	Method of Procurement	Single Stage (One Envelop)
5	ender Published	Through Web Site / Press
6	Total Bid Documents Sold	02 Nos / /
7	otal Bid Received	02:Nos /
8	Technical Bid Opening Date (if applicable)	N/A .
9	No. of Bid Technically Qualified (if applicable)	N/A
10	Bid (s) rejected	Nil
11	Financial Bid Opening Date	26/11/2013
40	Did E. al. and S. Co.	- CALL THE PARTY OF THE PARTY O

12 Bid Evaluation Report

S # NAME OF FIRM OR BIDDER	COST OFFERED BY THE BIDDERS	RANKING IN TERMS OF COST	COMPARISON WITH ESTIMATED COST	REASON FOR ACCEPTANCE/ REJECTION	REMARKS
1 M/s G.M Enterprises	Rs 1 676 619/-	1st Lowest	@ 0.2401% Below	Substantially Responsive	P O # 5304868 Dt 21-11-2015 Rs: 34,000/- Bank Al-Habib Guishan-e-logar 8r.
2 Mrs. Tooba Enterprises	Rs 1,703,974	2nd Lowest	@ 1.3875% Above	Substantially Responsive	P O # 8956572 Dt 30-09-2013 Rt 38,000/ HBL Hassan Sq Br

The all concerned bidder are being informed accordingly.

The E E Concerned for compliance of rule 45 of SPPRA 2010 M/s G M Enterprises declared as the lowest responsive bidder by the Committee and recommended for Sanction from Competent Authority.

(Nzamuddin Siddique) Accounts Officer (Malir) Member/Secretary

(Saif-ul-Haque)
Additional Director Internal
Audit - KMC Member

(Magsood Ahmed Shaikh) Superintending Engineer (KMC) Member

(Imdad Maghsi) Chief Engineer (Malir) Member

(Abdul Rahim Khatti) Chief Engineer (IPD),

(Convener)

COMPARATIVE STATEMENT

NAME OF WORK: PROVIDING LAYING REPARING STRENGTHENING OLD EXISTING 12" DIA A.C PIPE OPOSITE COUNTRY GARDEN SECTOR 14/C SCHEME-33.

ď			4	ယ			N	-	4	S.No
same modulus of the fmeness (hill sand	3	Plumber	Labour for Repair	driver and Assistant fuel or electric energy plate form required for placing or at lower depths with suction and delivery pipes for pumping and water found at carious depth form trenches i/c cost of erection and dismantling after completion of the job. (i) Hire charges of pumping set of upto 10 H P pumping out water for 10 feet deep trench	Full hire charges of pumping set i/c wages of	5-8	excavation for pipe lines in trenches and pits in all kind of soil of murum i/c trimming and dressing side to true alignment and shape levelling of beds of trenches to correct level and grade, cutting joint holes and disposal of surplus earth with in a one chain as directed be engineer incharge providing fence guards, lights, flags and temporary crossings for non-vehicular traffic where ever required lift upto 5 ft (1.52m) and lead upto one chain (30.5m), 0-5'	Coarrying the existing road surface	Consideration the constitution of	Description of Work
3484 05 Cft	SON DZ	SON PS	24 Nos	32 Day	1160 01	7775 64	8875 Cft	1500 Sft	Quantity	10.00
2 425 00	400.00	00.00	350.00	1 500 00	0,200.00	1 2000	4,650 00	116 16	Rate	Engineer's Estimate
2	Each	Each		Pinay	% 0 Cit	2000	% 0 Cft	% Sft	Unit	Estima
00000	8.000.00	6,000.00		880000	40,170.00		4	1 742 40	Amount	te
)	400	250	1,000		5200	4650		- 0	Rate	M/s. G.M
	8000	6000	40000		40,170.00	41,268.75			Amount	M/s. G.M Enterprises
	450	300	000		5300	4700			Rate	
-	9000	7200	51200		40.942.50	41,712.50	0.00	- Chinomit	Amount	M/s. Tooba Enterprises

NAME OF WORK: PROVIDING LAYING REPARING STRENGTHENING OLD EXISTING 12" DIA A.C PIPE OPOSITE COUNTRY GARDEN SECTOR 14/C SCHEME-33.

	100		CO	~		Ø		S.No
12" Dia	pressure 21.01 Kg/sq.com or 300 lbs/sq.inch) imported 8" Dia	Chico Skips	plate having a thiciness and total weight as mentioned against each item it includes the cost of making holes facing welding nuts fitter cartage etc complete. 8" dia 4 040 kgs	Manufacturing supplying & fixing blick Steel M.S sheet confirming to API 5L grade X- 42 ERW & Externally asphalt coated with fiber glass 5mm thick & internally C.C. lilling 8mm thick (AWWA specification) itc laying jointing with Helical welding in trenches i/c cost of bends of any degree & testing with water specified pressure for different dia of pipes as below (straight) 5.6 mm thick	200mm	providing Laying & fixing in trench i/c fitting jointing & testing etc complete in all respect the light (HDPE-100) for W/S confirming ISO-4427 Di 8074/8075 B S 3580 & psi 3051 (PN-10)		Description of Work
2 No	2 No	2 Nos	4 Nos	50 Rft	200 Rft	400 Rft	Quantity	m
78,000,00	17.940.00	2 952 00	1 973 00	2.458.81	833 00	1,998 00	Rate	Engineer's Estimate
Each	Each	Each	Each	P/Rft	P/Rft	P/Rft	Unit	Estimat
156 000 00	35,880.00	5,904.00	7,892.00	122 940 50	166,600 00	799, 200, 00	Amount	e
78000	17000	2900	1900	2458 81	833	1998	Rate	M/s. G.M
156000	34000	5800	7600	122940.5	166600	799200	Amount	M/s. G.M Enterprises
80000	17500	3000	2000	2500	850	2000	Rate	
160000	35000	6000	8000	125000	170000	800000	Amount	M/s. Tooba Enterprises

NAME OF WORK: PROVIDING LAYING REPARING STRENGTHENING OLD EXISTING 12" DIA A.C PIPE OPOSITE COUNTRY GARDEN SECTOR 14/C SCHEME-33.

73			#		10		S.No
Providing chamber 3 1/2' x2 1/2' (1064x762 mm) inside dimension 7 (2.13 meter.) deep as per approved design for sluice value 15" to 24" dia with 24"(610 mm)dia inside cost iron cover and frame (wf=2 cwt.3 qr)fixed in RCC 1.2.4 slab 6" thick (with 5 Lbs steel per Cft) 9" (299mm)thick burnt brick masonry wall set in 1.6 cement mortar 6" thick cement concrete 1.3.6 in foundation 1" thick cement concrete 1.2.4 flooring '12" (12.5 mm)thick cement plaster 1.3 to all inside wall surface and to top i/c providing and fixing M.S foot rest. at every one foot beyond 2 'h ft depth curing, excay ation, back filling and disposal of surplus earth etc. complete	(iii) Reducer (450 to 300 mm) 18" to 12"	(ii) Bend 45o (300 mm) 12" dia	(i)CrossTeePN 10 315x200x315	Link Donnit Dallate La Dia	one end flanged and other with socket including the cost of nuts & bolts rubber packing, labour etc comp. 8" Dia		Description of Work
N Z	1 No	4 No	1 No	2 No	2 No	Quantity	
28 357 00	10.075.00	6.581.25	15,181.00	3,821.00	2,790 00	Rate	Engineer's Estimate
			Each	Each	Each	Unit	Estima
56.744.00	10 075 00	26.325.00	15 181 00	7,642,00	5 580 00	Amount	te
	10000	8500	15000	3800	2700	Rate	M/s, G.M
				7600	5400	Amount	M/s. G.M Enterprises
	1.000	7000	16000	4000	3000	Rate	
7,000	44000	+		8000	6000	Amount	M/s. Tooba Enterprises

NAME OF WORK: PROVIDING LAYING REPARING STRENGTHENING OLD EXISTING 12" DIA A.C PIPE OPOSITE COUNTRY GARDEN SECTOR 14/C SCHEME-33.

			*	13	-		S.No
Say	con gaoted, collected cost	Total Quoted / Corrected Cont	As per item no 2a & b	earth 3	Re-filling excavated stuff & disposal of		Description of Work
			12700.00 Cft 2 760.00 % 0 Cft			Quantity Rate) m
			2,760.00				S, IS
			% o Cr			Unit	Estima
1,680,655	1,680,654.86		35.052.00			Unit Amount	ē
			2760			Rate	M/s. G.M
1,676,619	1,676,619.46	000000000000000000000000000000000000000	35052 00			Amount	M/s. G.M Enterprises
			2800			Rate	E M
1,703,974	1,703,974.23	00000	denco		Sinouin	Amount	M/s. Tooba Enterprises

(Nizamerdsin Siddique)
Accounts Officer (Malir)
Member/Secretary

(Imdad Maghsi) Chief Engineer (Malir) Member

(Saif-ul-Haque)
Additional Director Internal
Audit - KMC Member

(Magsood Ahmed Shaikh) Superintending Engineer (KMC)

Member

Chief Engineer (IPD) (Convener)



KARACHI WATER & SEWERAGE BOARD

OFFICE OF THE CHIEF ENGINEER (IP&D)

BID OPENING REPORT

1	Name of Procuring Agency	KARACHI WATER & SEWERAGE BOARD
2		KWSB/DPR/2013/114 Published in i) Pakistan Today Karachi ii) Jahan Pakistan iii) Daily Apeel on dated 07-11-2013 and iv) The Nation Karachi on dated: 06-11-2013 SPPRA Serial No. 17990 I D No. /2013
3	Tender Description/Name of Work/Item	PROVIDING LAYING REPARING STRENGTHENING OLD EXISTING 12" DIA A C PIPE OPOSITE COUNTRY GARDEN SECTOR 14/C SCHEME- 33
4	Method of Procurement	Single Stage (One Envelop)
5	Tender Published	Through Web Site / Press
6	Total Bid Documents Sold	02 Nos
7	Total Bid Received	02 Nos /
8	Technical Bid Opening Date (if applicable)	N/A
9	No. of Bid Technically Qualified (if applicable)	N/A
10	Financial Bid Opening Date	26/11/2013

11 Bid Opening Report

S#	NAME OF FIRM OR BIDDER	COST OFFERED BY THE BIDDERS	RANKING IN TERMS OF COST	REMARKS
1	M/s. G M Enterprises	Rs. 1,676,614/-	1st Lowest	P O # 5304868 Dt 21-11-2013 Rs 34 000/- Bank Al-Habib Guishari-e-Iqbal Br
2	M/s Tooba Enterprises	Rs. 1:703.974	2nd Eowest	P O # 8956572 Dr. 30-09-2013 Rs. 38 000/- HBL Hassan Sq Br.

M/s G.M Enterprises, declared as the lowest responsive bidder

(Nizamuddin Siddique) Accounts Officer (Malir)

Member/Secretary

(Saif-ul-Haque) Additional Director Internal Audit - KMC Member

(Magsood Ahmed Shaikh) Superintending Engineer (KMC)

Member

(Imdad Maghsi) Chief Engineer (Malir) Member

(Abdul Kahin Khatti) Chief Engineer (IPD), (Convener)