NIT Sr. No. SPPRA Serial No.37040

Method and procedure of procurement: Open Competitive Bidding (National/ International

Competitive Bidding) (Single Stage-One Envelope)

Description of work:

REPLACEMENT OF 12" DIA RCC SEWER LINE AT GREX CHOWK

NEW AL-QADRI HOTEL FOR IMPROVEMENT OF SEWERAGE

SYSTEM IN UC-40 MARIPUR KEMARI TOWN

Date of Opening:

16-03-2018

BIDDERS' ELIGIBILITY/ QUALIFICATION REPORT

Eligibility/ Qualification Criteria:

S.		Bidder	s' Names
No.	Eligibility / Qualification Criteria	M/s.Unity Associates	M/s.Nabiha & Co.
1.	Registration with PEC (if applicable)	N/A	N/A
2.	NTN	Yes	Yes
3.	Sales Tax Registration (FBR)	N/A	N/A
4.	Registration with Sindh Revenue Board (SRB)	Yes	Yes
	Qualification Criteria:		
5.	Minimum three years' experience of relevant field.	Yes	Yes
6.	Turnover of at least last three years	Yes	Yes
7.	Required Bid Security is attached.	Yes	Yes
8.	Bid is signed, named and stamped by the authorized person of the firm along with Authorization letter.	Yes	Yes
9.	Any other factor deemed to be relevant by the procuring agency subject to provision of Rule-44	N/A	N/A
10.	Qualified/ disqualified	Qualified	Qualified

(Muhammad Khalid Khan) Accounts Officer (Dist. West) Member / Secretary

(Saif-ul-Haque) Additional Director Internal Audit – KMC Member (Maqsood Ahmed Shaikh)
Superintending Engineer (KMC)
Member

(Cwais Malik)
S.E (District West-A)
Member

(Munir Ahmed Bhatti)
Director (Design & Estimate)
Convener

NIT Sr. No. SPPRA Serial No.37040

Method of Procurement: Single Stage Single Envelope.

Name of Work:

REPLACEMENT OF 12" DIA RCC SEWER LINE AT GREX CHOWK NEW AL-QADRI HOTEL FOR IMPROVEMENT OF SEWERAGE

SYSTEM IN UC-40 MARIPUR KEMARI TOWN

MINUTES OF BID OPENING MEETING.

A meeting of the procurement committee of this department was held on 16-03-2018 for opening the bids received in respect of subject NIT till deadlines of submission. The meeting was attended by all / following members of the procurement committee and the representative of bidders.

(Attendance sheet is enclosed).

- Two bidders submitted their bids till the deadline of submission.
 - i. M/s. Unity Associates
 - ii. M/s. Nabiha & Co.
- The bids were opened at 2:30 P.M in the presence of the above mentioned 3. participants and the rates quoted by bidders were read aloud and encircled by Chairman of the Procurement Committee.

S. No	Name of Firm	Quoted Price	Amount of Bid Security	Pay Order No. / Date
01	M/s.Unity Associates	Rs.9,91,609/-	Rs.20,000/-	P.O # 18688307 dt:14-03-2018 from HBL Khadija Market N.Nazimabad Branch Karachi
02	M/s.Nabiha & Co.	Rs.9,92,700/-	Rs.20,000/-	P.O # 18535541 dt:15-03-2018 from HBL Rizvia Society Branch Karachi

- 4. The bids do not contain any cutting or over-writing.
- 5. The committee shall examine all the bids as per the qualification / eligibility criteria provided in the bidding document and verify the documents and bid security submitted by the bidders (if required).

The meeting ended with the vote of thanks to and from the chair.

(Muhammad Khalid Khan) Accounts Officer (Dist. West) Member / Secretary

(Saif-ul-Hague) Additional Director Internal Audit - KMC Member

(Magsood Ahmed Shaikh) Superintending Engineer (KMC) Member

(Owais Malik) S.E (District West-A) Member

(Munir Ahmed Bhatti) Director (Design & Estimate) Convener



KARACHI WATER & SEWERAGE BOARD

OFFICE OF THE DIRECTOR (DESIGN & ESTIMATE)

BID EVALUATION REPORT

1	Name of Procuring Agency:	KARACHI WATER & SEWERAGE BOARD
2	Tender Reference No:	SPPRA Serial No.37040 I.D No
3	Tender Description/Name of Work/Item:	REPLACEMENT OF 12" DIA RCC SEWER LINE AT GREX CHOWK NEW AL-QADRI HOTEL FOR IMPROVEMENT OF SEWERAGE SYSTEM IN UC-40 MARIPUR KEMARI TOWN
4	Method of Procurement:	Single Stage (One Envelop)
5	Tender Published:	Through SPPRA Web Site
6	Total Bid Documents Sold:	2 Nos
7	Total Bid Received:	2 Nos
8	Technical Bid Opening Date (if applicable):	N/A
9	No. of Bid Technically Qualified (if applicable)	<u>N/A</u>
10	Bid (s) Rejected:	NIL
11	Financial Bid Opening Date:	16-03-2018

12 **BID EVALUATION REPORT**

S#	Name of Firm / Bidder	COST OFFERED BY THE BIDDER	RANKING IN TERMS OF COST	COMPARISON WITH ESTIMATED COST	REASON FOR ACCEPTANCE / REJECTION	REMARKS
1	M/s.Unity Associates	Rs.9,91,610/-	1 st Lowest	@0.015% Below	Pay Order and required documents are attached. P.O # 18688307 dt:14- 03-2018 Rs.20,000/-from HBL Khadija Market N.Nazimabad Branch Karachi	Substantially Responsive
2	M/s.Nabiha & Co.	Rs.9,92,701/-	2 nd Lowest	@0.095% Above	Pay Order and required documents are attached. P.O # 18535541 dt:15- 03-2018 Rs.20,000/-from HBL Rizvia Society Branch Karachi	Substantially Responsive

The all concerned bidders are being informed accordingly.

The E.E Concerned for compliance of Rule-45 of SPPRA 2010 M/s.Unity Associates declared as the lowest responsive bidder by the Committee and recommended for sanction from Competent Authority.

(Muhammad Khalid Khan) Accounts Officer (Dist. West) Member / Secretary

(Saif-ul-Haque) Additional Director Internal Audit - KMC Member

(Magsood Ahmed Shaikh) Superintending Engineer (KMC) Member

S.E (District West-A) Member

(Munir Ahmed Bhatti) Director (Design & Estimate) Convener

COMPARATIVE STATEMENT

Name of Work: REPLACEMENT OF 12" DIA RCC SEWER LINE AT GREX CHOWK NEW AL-QADRI HOTEL FOR IMPROVEMENT OF SEWERAGE SYSTEM IN UC-40 MARIPUR KEMARI TOWN

		Ħ	Stimated	Cost	عد نہیں۔	M/s.Unit	y Associates	M/s.Nab	iha & C
	Quant	ity	Rate	Per	Amount	Rate	Amount	Rate	Amou
	3546.00	Cft	605.00	%Cft	21,453.30	605.00	21,453.30	605.00	21,453
Excavation for pipe line in trenches and pits in Wet Silt clay or									
mud i/c trimming and dressing sides to true alignment and						_			
shape leveling of beds of trenches to correct level and grade cutting joints holes and disposal of surplus earth within one									
chain as directed by Engineer Incharge providing fence guards,									
lights, flags sand temporary crossing for non-vehicular traffic wherever required lift upto 5 ft (1.52 m) and lead upto one									
chain (30.5m). Lift 0' - 5'ft	17730.00	Cft	5400.00	%0Cft	95,742.00	5400.00	95,742.00	5400.00	95,742
Add for additional lift every 3' (5' - 8')	8865.00	Cft	5950.00	%0Cft	52,746.75	5950.00	52,746.75	5950.00	52,746
Add for additional lift every 3' (8' - 11')	7092.00	Cft	6500.00	%0Cft	46,098.00	6500.00	46,098.00	6500.00	46,098
Add for additional lift every 3' (11' - 14')	3546.00	C#	7050.00	%0Cft	24,999.30	7050.00	24,999.30	7050.00	24,999
Providing, & Laying of RCC Pipes with Rubber Ring Joint and									
fitting in trench including cutting, fitting, jointing with rubber					·-				
ring i/c testing with water to specified pressure. 12" Dia	591.00	Rft	367.00	P/Rft	216,897.00	367.00	216,897.00	368.00	217,488
Full hire charges of pumping set per day i/c of wages of driver and assistant fuel or electric energy platform for placing the									
pump etc at lower depth with suction and delivery pipes for		·							
pumping out water found at various depth from trenches									
of the job. Hire charges of pumping set upto 10 HP pumping									
out water from 10 ft deep trench	10.00	Days	1500.00	P/Day	15,000.00	1500.00	15,000.00	1550.00	15,500
No 6 5 4 3 3 2 1 No 6 5 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	Dismantling and removing road metalling Excavation for pipe line in trenches and pits in Wet Silt clay or mud i/c trimming and dressing sides to true alignment and shape leveling of beds of trenches to correct level and grade cutting joints holes and disposal of surplus earth within one chain as directed by Engineer Incharge providing fence guards, lights, flags sand temporary crossing for non-vehicular traffic wherever required lift upto 5 ft (1.52 m) and lead upto one chain (30.5m). Lift 0' - 5'ft Add for additional lift every 3' (5' - 8') Add for additional lift every 3' (11' - 14') Providing, & Laying of RCC Pipes with Rubber Ring Joint and fitting in trench including cutting, fitting, jointing with rubber ring i/c testing with water to specified pressure. 12" Dia Full hire charges of pumping set per day i/c of wages of driver and assistant fuel or electric energy platform for placing the pumping out water found at various depth from trenches including the cost of erection and dismantling after completion of the job. Hire charges of pumping set upto 10 HP pumping out water from 10 ft deep trench	Dismantling and removing road metalling Excavation for pipe line in trenches and pits in Wet Silt clay or mud i/c trimming and dressing sides to true alignment and shape leveling of beds of trenches to correct level and grade cutting joints holes and disposal of surplus earth within one chain as directed by Engineer Incharge providing fence guards, lights, flags sand temporary crossing for non-vehicular traffic wherever required lift upto 5 ft (1.52 m) and lead upto one chain (30.5m). Lift 0' - 5'ft Add for additional lift every 3' (5' - 8') Add for additional lift every 3' (11' - 14') Providing, & Laying of RCC Pipes with Rubber Ring Joint and fitting in trench including cutting, fitting, jointing with rubber ring i/c testing with water to specified pressure. 12" Dia Full hire charges of pumping set per day i/c of wages of driver and assistant fuel or electric energy platform for placing the pump etc at lower depth with suction and delivery pipes for pumping out water found at various depth from trenches including the cost of erection and dismantling after completion of the job. Hire charges of pumping set upto 10 HP pumping out water from 10 ft deep trench	Dismantling and removing road metalling Excavation for pipe line in trenches and pits in Wet Silt clay or mud it'c trimming and dressing sides to true alignment and shape leveling of beds of trenches to correct level and grade cutting joints holes and disposal of surplus earth within one chain as directed by Engineer Incharge providing fence guards, lights, flags sand temporary crossing for non-vehicular traffic wherever required lift upto 5 ft (1.52 m) and lead upto one chain (30.5m). Lift 0' - 5'ft Add for additional lift every 3' (5' - 8') Add for additional lift every 3' (11' - 14') Add for additional lift every 3' (11' - 14') Add for additional lift every 3' (11' - 14') Froviding, & Laying of RCC Pipes with Rubber Ring Joint and fitting in trench including cutting, fitting, jointing with rubber ring it'c testing with water to specified pressure. 12" Dia Full hire charges of pumping set per day it'c of wages of driver and assistant fuel or electric energy platform for placing the pumping out water found at various depth from trenches including the cost of erection and dismantling after completion of the job. Hire charges of pumping set upto 10 HP pumping out water from 10 ft deep trench	Dismantling and removing road metalling Excavation for pipe line in trenches and pits in Wet Silt clay or mud i/c trimming and dressing sides to true alignment and shape leveling of beds of trenches to correct level and grade cutting joints holes and disposal of surplus earth within one chain as directed by Engineer Incharge providing fence guards, lights, flags sand temporary crossing for non-vehicular traffic wherever required lift upto 5 ft (1.52 m) and lead upto one chain (30.5m). Lift 0' - 5'ft Add for additional lift every 3' (5' - 8') Add for additional lift every 3' (11' - 14') Add for additional lift every 3' (11' - 14') Add for additional lift every 3' (11' - 14') Providing, & Laying of RCC Pipes with Rubber Ring Joint and fitting in trench including cutting, fitting, jointing with rubber ring i/c testing with water to specified pressure. 12" Dia Full hire charges of pumping set per day i/c of wages of driver and assistant fuel or electric energy platform for placing the pumping out water found at various depth from trenches including the cost of erection and dismantling after completion of the job. Hire charges of pumping set upto 10 HP pumping out water from 10 ft deep trench	Dismantling and removing road metalling Excavation for pipe line in trenches and pits in Wet Silt clay or mud i/c trimming and dressing sides to true alignment and shape leveling of beds of trenches to correct level and grade cutting joints holes and disposal of surplus earth within one chain as directed by Engineer Incharge providing fence guards, lights, flags sand temporary crossing for non-vehicular traffic wherever required lift upto 5 ft (1.52 m) and lead upto one chain (30.5m). Lift 0′ - 5′ft Add for additional lift every 3′ (5′ - 8′) Add for additional lift every 3′ (8′ - 11′) Add for additional lift every 3′ (1′ - 14′) Providing, & Laying of RCC Pipes with Rubber Ring Joint and fitting in trench including cutting, fitting, jointing with rubber ring i/c testing with water to specified pressure. 12″ Dia Full hire charges of pumping set per day i/c of wages of driver and assistant fuel or electric energy platform for placing the pumping out water found at various depth from trenches including the cost of erection and dismantling after completion of the job. Hire charges of pumping set upto 10 HP pumping out water from 10 ft deep trench Extimated Cc Quantity Rate 1 3546.00 Cft 605.00 %6 605.00 %6	Dismantling and removing road metalling Excavation for pipe line in trenches and pits in Wet Silt clay or mud i/c trimming and dressing sides to true alignment and shape leveling of beds of trenches to correct level and grade cutting joints holes and disposal of surplus earth within one chain as directed by Engineer Incharge providing fence guards, litights, flags sand temporary crossing for non-vehicular traffic wherever required lift upto 5 ft (1.52 m) and lead upto one chain (30.5m). Lift 0' - 5'ft Add for additional lift every 3' (11' - 14') Add for additional lift every 3' (11' - 14') Providing, & Laying of RCC Pipes with Rubber ring i/c testing with water to specified pressure. 12" Dia Full hire charges of pumping set per day i/c of wages of driver and assistant fuel or electric energy platform for placing the pumping out water found at various depth from trenches including the cost of erection and dismantling after completion of the job. Hire charges of pumping set upto 10 HP pumping 10.00 Days 1500.00 P/Day	Description of Work Quantity Rate Per Amount	Description of Work Cauntity Rate Per Amount Rate Dismanting and removing road metalling 3346.00 Cft 605.00 %Cft 21,453.30 605.00 Excavation for pipe line in trenches and pits in Wet Silt clay or mud i/c trimming and dressing sides to true alignment and shape leveling of beds of trenches to correct level and grade cutting joints holes and disposal of surplus earth within one chain as directed by Engineer Incharge providing fence guards, lights, flags sand temporary crossing for non-vehicular traffic wherever required lift upto 5 ft (1.52 m) and lead upto one chain (30.5m). Lift 0° -5′ft 7730.00 Cft 5500.00 %0Cft 52,742.00 5400.00 Add for additional lift every 3' (11' -14') 7992.00 Cft 5500.00 %0Cft 52,746.75 5990.00 Add for additional lift every 3' (11' -14') 7992.00 Cft 5090.00 %0Cft 24,999.30 7050.00 Froviding & Laying of RCC Pipes with Rubber Ring Joint and fitting in trench including cutting, fitting, jointing with rubber ring i/c testing with water to specified pressure. 12" Dia Full hire charges of pumping set per day i/c of wages of driver and assistant fuel or electric energy platform for placing the pump et at lower depth with suction and delivery pipes for pumping out water found at various depth from trenches including the cost of erection and dismantling after completion of the job. Hire charges of pumping set upto 10 HP pumping 10.00 Days 15,000.00 15,	Description of Work Quantity Rate Per Amount Rate Amount Rate Amount Rate Dismantling and removing road metalling 3546.00 Cft 605.00 %Cft 21,453.30 605.00 21,453.30 605.00 Excavation for pipe line in trenches and pits in Wet Silt clay or mud i/c trimming and dressing sides to true alignment and shape leveling of beds of trenches to correct level and grade cutting joints holes and disposal of surplus earth within one chain as directed by Engineer Incharge providing fence guards, lights, flags sand temporary crossing for non-vehicular traffic wherever required lift upto 5 ft (1.52 m) and lead upto one chain (30.5m). Lift 0"-5ft 57 20 20 20 20 20 20 20 2



15

On the

A STATE OF THE STA

Name of Work: REPLACEMENT OF 12" DIA RCC SEWER LINE AT GREX CHOWK NEW AL-QADRI HOTEL FOR IMPROVEMENT OF SEWERAGE SYSTEM IN UC-40 MARIPUR KEMARI TOWN

		=	:	9								8		No	
	omplete.	Refilling the excavated stuff in trenches 6" thick layer i/c	rate i/c CI. footrest of depth.	Extra depth beyond 5 ft for depth lesser than 5 ft deducted at same	complete.	kinds of soil, backfilling and disposal of excavated stuff etc	3/4" dia m.s foot rest @12" c/c i/c cost of excavation in all	benching i/c making required nos of main and branch channels,	plastering with 1:3 C.M on all inside wall surfaces, channel and	inch thick in foundation 1:2:4 C.C in benching 12" thick cement	situ with 1:2:4 CC in 9" thick wall, 1:4:8: C.C in 6ft dia and 6"	Providing manhole 4' feet inside and 5 feet clear depth cast in		Description of Work	
	36508.00 Cft 2760.00 %0Cft		96.00		12.00							-	Quantity		
	Cft		Rft		Nos								য		
	2760.00		2538.62		Nos 14529.29 Each								Rate	Estimated (
	%0Cft		P/Rft		Each								Per	Cost	
	100,762.08		243,707.52	ļ	174,351.48				_	_	- -		Amount		
	2760.00				14522.00								Rate	M/s.Unit	
001 /10	2760.00 100,762.08		2538.00 243,648.00	7	174,351.48 14522.00 174,264.00 14522.00 174,264								Amount	M/s.Unity Associates	
	2760.00 100.762		2538.00 243,648		14522.00								Rate	M/s.Na	
3	100,762		243,648	, , ,,=0	174.264								nomy	M/s.Nabiha & C	

(Muhammad Khalid Khan) Accounts Officer (Dist. West) Member / Secretary

Addl. Director Internal Audit KMC - Member (Saif-ul-Haque)

Superintending Engineer (K.M.C) (Maqsood Ahmed Shaikh) Member

> S.E (District West-A) (Owais Malik)

Member

Director (Design & Estimat (Munir Ahmed Bhatti) Convener

ATTENDANCE OF PARTICIPATE CONTRACTOR

Name of Work: -

REPLACEMENT OF 12" DIA RCC SEWER LINE AT GREX CHOWK NEW AL-QADRI HOTEL FOR IMPROVEMENT OF SEWERAGE SYSTEM IN UC-40 MARIPUR KEAMARI TOWN

Date of Opening & Time: 16/03/18 64 2.30 1.00 -

Estimated Cost: $\sqrt{3}$, 991,757/3

S.NO	NAME OF FIRM	NAME OF PERSON & DESIGNATION	SIGNATURE
1	M/s. UNITY ASSOCIATES.	Dwees	Having .
2.	M/s. Nabiha 3 80	Tanuer Ahmal Uh	A
3	M/s.		
4			
5			
6			
7			
8			
9			
10		•	