

(iv) Procuring Agency has not furnished Standard Bidding Documents for hoisting on Authority's website, hence Rule-21(4)&24(2) have been violated.

Reply:

The instructions have been noted and rules will be complied in future. However it is also stated that all the bidders were provided with bidding documents who were interested in repair/renovation work. Complete transparency was ensured. Moreover departmental action also been initiated against the concerned official for not hoisting the Standard Bidding Documents on the website of SPPRA (www.sppra.gov.pk) and Sindh Police website (www.sindhpolice.gov.pk) (Copy enclosed).

It is also stated that **Bid Evaluation Report (BER), Attendance Sheet and Comparative Statement** for repair/renovation work of Internal Safety Compound Wall & 02 Nos. Iron Gate, PTC Saeedabad Karachi has already been sent to your office for hoisting the same on the website of SPPRA, (Copy enclosed as annexure "C"). In this regard, it is further submitted that the Bid Evaluation Report (BER) Attendance Sheet and Comparative Statement has not been received in this office so far. Therefore, original Bid Evaluation Report (BER) and photocopy of Attendance Sheet, Comparative Statement and Bidding Documents duly signed by all committee members are also sent to your good office for hoisting.

(v) Compliance report on this Authority's letter of even number dated: 31-03-2015 (Copy enclosed) is required.

Reply:


All advice contained in the referred letter have been noted carefully and the replies have already been sent to your office vide this office letter No7497-98/PTC / Acctt. / 2015, Karachi, Dated: 10-04-2015. (Copy enclosed as annexure "D").

OBSERVATION NO.2.

The Procuring Agency is advised to furnish all above documents / clarification / justification in terms of relevant provisions of SPP Rules, 2010 (Amended 2013), at the earliest.

Reply:

All the instructions have been noted and the relevant documents are attached as above mentioned annexures.




BID EVALUATION REPORT

01. Name of Procuring Agency Sindh Police (Police Training College Saeedabad Karachi)
02. Tender Reference No. INF-KRY No. 969/15
03. Tender Description/Name of work/item Repair Renovation Work of Internal safety compound wall and 02 Nos. Iron gate of PTC Saeedabad Karachi.
04. Method of Procurement Single Stage Single Envelope Procedure
05. Tender Published Roznama Jang, Daily Dawn, Roznama Kawish.
(Print & Electronic Media (SPPRA ID No. & News papers names)
06. Total Bid documents Sold 03
07. Total Bids Received 03
08. Technical Bid Opening date: (if applicable) 07-04-2015
09. No. of Bid technically qualified (if applicable) 03
10. Bid(s) Rejected 02
11. Financial Bid Opening date 07-04-2015

12. Bid Evaluation Report:


S #	Name of Firm or Bidder	Cost offered by the Bidder	Ranking in terms of cost	Comparison with Estimated cost	Reasons for acceptance/rejection	Remarks
0	1	2	3	4	5	6
1.	M/s Bushra & Brothers	Rs.1465050/-	1 st	-	Lowest bid	Accepted
2.	M/s Al Zaman Construction Co.	Rs.1590000/-	2 nd	-	Highest bid	Rejected
3.	M/s Al Hakeem Builders	Rs.1834500/-	3 rd	-	Highest bid	Rejected

Chairman




(Javed Ali Mahar) PSP
SSP/Principal
PTC Saeedabad Karachi

Member-I


(Saqib Ibrahim) PSP
SP/Vice Principal
PTC Saeedabad Karachi

Member-II


(Rizwan Hussain)
Sub-Engineer
Works Department



OFFICE OF THE SSP/PRINCIPAL
POLICE TRAINING COLLEGE SAEEDABAD, KARACHI.

Ph:021-32812326, 021-32812343, Fax:021-32811217, E-mail:ptc.saeedabad.khi@gmail.com

No. 7278-80 /PTC/Acctt./2015/Karachi, Dated: 07-04-2015.

MINUTES OF MEETING HELD BY MR. JAVED ALI MAHAR, PSP SSP/PRINCIPAL
POLICE TRAINING COLLEGE SAEEDABAD KARACHI, REGARDING REPAIR /
RENOVATION WORK OF INTERNAL SAFETY COMPOUND WALL & 02 NOS. IRON
GATE OF PTC SAEEDABAD KARACHI.


Following attended the meeting:-

01. Mr. Saqib Ibrahim, PSP, Vice Principal PTC Saeedabad Karachi.
02. Mr. Muhammad Rizwan Sub Engineer Works Department Karachi
03. M/S Al Hakeem Builders
04. M/S Bushra & Brothers.
05. M/S Al Zaman Construction Co.

A meeting under the chairmanship of SSP/Principal, Javed Ali Mahar, Police Training College Saeedabad, Karachi was held at Conference Room for ascertaining the lowest bidder for Repair & Renovation work of PTC Saeedabad, Karachi. The meeting was to consider the following points:-

<i>AGENDA</i>	<i>ACTION TO BE TAKEN</i>
<ul style="list-style-type: none">• To ensure for quality/standard of work regarding the Repair / Renovation Work at Police Training College Saeedabad, Karachi for the current financial year 2014-15.• To open tender in front of all the bidders.• To ascertain the lowest bidders for Repairing & Renovation Work at P.T.C. Saeedabad, Karachi.• To ensure that the bidding takes place in a transparent manner.	SSP/Principal P.T.C. Saeedabad, Karachi.

Committee members were directed to monitor the standard of work & quality and the meeting ended with the vote of thanks.


(JAVED ALI MAHAR), PSP
SSP / Principal
Police Training COLLEGE
Saeedabad Karachi.

Copy to all committee members for information and necessary action.
Copy to I/C-General Branch P.T.C. Saeedabad, Karachi.



OFFICE OF THE SSP / PRINCIPAL
POLICE TRAINING COLLEGE SAEEDABAD, KARACHI

Ph: 021-32812326, 021-32812343, Fax: 021-32811217, E-mail: ptc.saeedabad.khi@gmail.com


No. 7455 /PTC/Accit:/2015/Karachi, Dated: 10 -04-2015.

✓ The Managing Director
Government of Sindh,
Sindh Public Procurement Regulatory Authority,
Sindh Karachi.

Subject: **BID EVALUATION REPORT, ATTENDANCE SHEET AND
COMPARATIVE STATEMENT.**

Enclosed please find herewith the Bid Evaluation report, attendance sheet and comparative statement for repair / renovation work of Internal safety compound wall and 02 Nos. Iron Gate to place on the web site www.sppra.gov.pk on account of tender of Police Training College, Saeedabad, Karachi during the current financial year 2014-15 is sent to your office for kind information.

"Encl: 06"


(JAVED ALI MAHAR), PSP
SSP/Principal
Police Training College,
Saeedabad, Karachi.




BID EVALUATION REPORT


01. Name of Procuring Agency Sindh Police (Police Training College Saeedabad Karachi)
02. Tender Reference No: INF-KRY No. 969/15
03. Tender Description/Name of work/item Repair Renovation Work of Internal safety compound wall and 02 Nos. Iron gate of PTC Saeedabad Karachi.
04. Method of Procurement Single Stage Single Envelope Procedure
05. Tender Published Roznama Jang, Daily Dawn, Roznama Kawish.
(Print & Electronic Media (SPPRA ID No. & News papers names)
06. Total Bid documents Sold 03
07. Total Bids Received 03
08. Technical Bid Opening date: (if applicable) 07-04-2015
09. No. of Bid technically qualified (if applicable) 03
10. Bid(s) Rejected 02
11. Financial Bid Opening date 07-04-2015
12. Bid Evaluation Report:

S #	Name of Firm or Bidder	Cost offered by the Bidder	Ranking in terms of cost	Comparison with Estimated cost	Reasons for acceptance/rejection	Remarks
0	1	2	3	4	5	6
1.	M/s Bushra & Brothers	Rs.1465050/-	1 st	-	Lowest bid	Accepted
2.	M/s Al Zaman Construction Co.	Rs.1590000/-	2 nd	-	Highest bid	Rejected
3.	M/s Al Hakeem Builders	Rs.1834500/-	3 rd	-	Highest bid	Rejected

Chairman


(Javed Ali Mahar) PSP
SSP/Principal
PTC Saeedabad Karachi




Member-I



(Saqib Ibrahim) PSP
SE/Vice Principal
PTC Saeedabad Karachi


Member-II



(Rizwan Hussain)
Sub-Engineer
Works Department

LIST OF CONTRACTORS WERE ATTENDED AT THE TIME OF OPENING TENDER OF
INTERNAL SAFETY COMPOUND WALL AND 02 NOS. IRON GATE ON 07-04-2015 AT
PRINCIPAL OFFICE PTC SAEEDABAD KARACHI.

S.No.	Name of Contractors	Signature
01.	M/s Al Hakeem Builders	
02.	M/s Al Zaman Construction Co.	
03.	M/s Bushra & Brothers	


SAQIB IBRAHIM, PSP
SP/Vice Principal
PTC Saeedabad Karachi
Member-I



RIZWAN HUSSAIN
Sub-Engineer Works Department,
Member-II



JAVED ALI MAHAR, PSP
SSP/Principal
PTC Saeedabad Karachi
Chairman

COMPARATIVE STATEMENT REGARDING REPAIR / RENOVATION WORK OF
INTERNAL SAFETY COMPOUND WALL AND 02 NOS. IRON GATE OF P.T.C.SAEEDABAD KARACHI.

S.No.	Name of Firm	Rate Quoted	Amount	Earnest Money	Remarks
1	M/s Al Hakeem Builders	As per B.Q Supplied by company	Rs = 1834500/-	Rs = 45000/-	Due to High rate, M/s Taha is rejected.
2	M/s Al Zaman Construction Co.	..	Rs = 1590000/-	Rs = 45000/-	———— do ————
3	M/s Bushra & Brothers	..	Rs = 1465050/-	Rs = 45000/-	M/s Bushra & Brothers offered the lowest rate i.e. Rs = 1465050/- which is approved.


SAQIB IBRAHIM, PSP
 Sr Vice Principal
 PTC Saeedabad Karachi
 Member-I


RIZWAN HUSSAIN
 Sub-Engineer Works Department,
 Member-II


JAVED ALI MAHAR, PSP
 SSP/Principal
 PTC Saeedabad Karachi
 Chairman

Tender Issued To ^{M/S} Al-Hakeem Builders.
REPAIR /RENOVATION WORK OF PTC SAEEDABAD.



REPAIR/RENOVATION WORK OF INTERNAL SEAFTEY COMPOUND WALL AND IRON GATES.

S. NO.	DESCRIPTION	QUANTITY	UNITS	RATE	AMOUNT
1.	Construction of boundary wall 12'-6" height 15"x15" R.C.C columns (complete with excavation, RCC foundation, Back filling, column patti, Solid Block masonry, Plastering, Distemping) foundation steel, reinforcement as per drawing and specifications steel should be used 40 grade, using 1:1 ½:3, in R.C.C work i.e column base etc, PCC Solid Block size 6" x8"x12" ,machine made, crushed and broken stones should be used in all R.C.C, and C.C works. Including 13mm c.c. Plaster internal & external sides of wall alongwith 02 coats of distemper after preparation of surface (approved quality). (R.C.C work should be required concrete cubical test). (required cubical strength 1:1 ½:3 =3500 psi, 1:2:4 = 3000 psi & 1:4:8=1500 psi).	680.00	RFT	2400	1632000/-
2.	P/Fixing of iron gates size(15x9) with 32mmx5mm patti design and 16 guage iron sheet any design and shape including holdfasts and all necessary fittings all as specified.	270.00	SFT	750	202500/-
Total					1834500/-
TOTAL AND SAY AMOUNT IN MILLION					1.83 m

Handwritten signature

Large handwritten signature



SUB ENGINEER
 Central Police Office
 Karachi

Handwritten signature

Sub-Engineer.



Tender Issued To Bushra and Brother's.

REPAIR /RENOVATION WORK OF PTC SAEEDABAD.

REPAIR/RENOVATION WORK OF INTERNAL SEAFTEY COMPOUND WALL AND IRON GATES.

S. NO.	DESCRIPTION	QUANTITY	UNITS	RATE	AMOUNT
1.	Construction of boundary wall 12'-6" height 15"x15" R.C.C columns (complete with excavation, RCC foundation, Back filling, column patti, Solid Block masonry, Plastering, Distempering) foundation steel, reinforcement as per drawing and specifications steel should be used 40 grade, using 1:1 ½:3, in R.C.C work i.e column base etc, PCC Solid Block size 6" x8"x12" ,machine made, crushed and broken stones should be used in all R.C.C, and C.C works. Including 13mm c.c. Plaster internal & external sides of wall alongwith 02 coats of distemper after preparation of surface (approved quality). (R.C.C work should be required concrete cubical test). (required cubical strength 1:1 ½:3 =3500 psi, 1:2:4 = 3000 psi & 1:4:8=1500 psi).	680.00	RFT	1950/-	1326000-0
2.	P/Fixing of iron gates size(15x9) with 32mmx5mm patti design and 16 guage iron sheet any design and shape including holdfasts and all necessary fittings all as specified.	270.00	SFT	515/-	139050-0
Total					1465050-0
TOTAL AND SAY AMOUNT IN MILLION					1.465 (m)

Handwritten signature

Handwritten signature



SUB ENGINEER
Central Police Office
Karachi

Russa
Sub-Engineer.

Tender Issued to ^M/At-Zaman Const co.
REPAIR /RENOVATION WORK OF PTC SAEEDABAD.



REPAIR/RENOVATION WORK OF INTERNALSEAFTEY COMPOUND WALL
 AND IRON GATES.

S. NO.	DESCRIPTION	QUANTITY	UNITS	RATE	AMOUNT
1.	Construction of boundary wall 12'-6" height 15"x15" R.C.C columns (complete with excavation, RCC foundation, Back filling, column patti, Solid Block masonry, Plastering, Distemping) foundation steel, reinforcement as per drawing and specifications steel should be used 40 grade, using 1:1 ½:3, in R.C.C work i.e column base etc, PCC Solid Block size 6" x8"x12" ,machine made, crushed and broken stones should be used in all R.C.C, and C.C works. Including 13mm c.c. Plaster internal & external sides of wall alongwith 02 coats of distemper after preparation of surface (approved quality). {R.C.C work should be required concrete cubical test}. (required cubical strength 1:1 ½:3 =3500 psi, 1:2:4 = 3000 psi & 1:4:8=1500 psi).	680.00	RFT	2100/2	1428000/2
2.	P/Fixing of iron gates size(15x9) with 32mmx5mm patti design and 16 guage iron sheet any design and shape including holdfasts and all necessary fittings all as specified.	270.00	SFT	600/=	162000/2
Total					1590000/2
TOTAL AND SAY AMOUNT IN MILLION					1.59 (m).

Handwritten signatures and initials on the left side of the page.



SUB ENGINEER
 Central Police Office
 Karachi

Handwritten signature: Basser

Sub-Engineer.

05. Tender Published Roznama Jang, Daily Dawn, Roznama Kawish.
(Print & Electronic Media (SPPRA ID No. & News papers names))

06. Total Bid documents Sold 03

07. Total Bids Received 03

08. Technical Bid Opening date: (if applicable) 07-04-2015

09. No. of Bid technically qualified (if applicable) 03

10. Bid(s) Rejected 02

11. Financial Bid Opening date 07-04-2015

12. Bid Evaluation Report:


S #	Name of Firm or Bidder	Cost offered by the Bidder	Ranking in terms of cost	Comparison with Estimated cost	Reasons for acceptance/rejection	Remarks
0	1	2	3	4	5	6
1.	M/s Bushra & Brothers	Rs.1465050/-	1 st	-	Lowest bid	Accepted
2.	M/s Al Zaman Construction Co.	Rs.1590000/-	2 nd	-	Highest bid	Rejected
3.	M/s Al Hakeem Builders	Rs.1834500/-	3 rd	-	Highest bid	Rejected

Chairman




(Javed Ali Mahar) PSP
SSP/Principal
PTC Saeedabad Karachi

Member-I



(Saqib Ibrahim) PSP
SP/Vice Principal
PTC Saeedabad Karachi

Member-II



(Rizwan Hussain)
Sub-Engineer
Works Department