

Bid Evaluation Report

1. Name of Procuring Agency: H.E.J. Research Institute of Chemistry, International Center for Chemical and Biological Sciences, University of Karachi, Karachi-75270.
2. Tender Reference No: HEJ-HEC-290414
3. Tender Description/Name of work/item: Purchase/import of scientific equipments, chemicals and appliances
4. Method of Procurement: Single Stage – Single Envelope
5. Tender Published: Daily Dawn Jang and Kawish dated 06-04-2014; SPPRA Serial No. 19678 Print & Electronic Media (SPPRA ID No. & News papers names with dates)
6. Total Bid documents Sold; Sixteen
7. Total Bids Received: Fifteen
8. Technical Bid Opening date: (if applicable) N.A. *(Provide details in separate form)*
9. No. of Bid technically qualified (if applicable): N.A.
10. Bid(s) Rejected: One
11. Financial Bid Opening date: 29-04-2014

PURCHASE COMMITTEE ICCBS INSTITUTIONS


1. PROF. DR. M. SHAIQ ALI

Chairman (I.C.C.B.S)


2. DR. ABDUL JABBAR

Member (I.C.C.B.S)


1. SYED JEHAZEB

Members from Institution

Members outside the Institution


2. DR. SONIA SIDDIQUI

Member (I.C.C.B.S)


2. DR. SHAISTA PERVEEN

12. Bid Evaluation Report:

1. Scientific equipments

Item No.1: Hotplate with Magnetic Stirrer

S No	Name of Firm or Bidder	Cost offered by the Bidder	Ranking in terms of cost	Comparison with Estimated cost	Reasons for acceptance/rejection	Remarks
0	1	2	3	4	5	6
1.	S.K. Trading Corporation	Rs. 25,000/-	1 st lowest	39% higher	1 st lowest and according to specs	Recommended for placement of order
2.	Nawaid Scientific Traders	Rs. 27,495/-	2 nd lowest	52.7% higher	According to specs but not lowest	Not recommended
3.	Scientific Technical Corporation	Rs. 32,760/-	3 rd lowest	82% higher	According to specs but not lowest	Not recommended
4.	Musaji Adam & Sons	Rs. 39,500/- Rs. 52,000/-	4 th lowest	119% higher	According to specs but not lowest	Not recommended
5.	Sure Bio Diagnostic & Pharmaceuticals	Rs. 62,900/-	5 th lowest	188% higher	According to specs but not lowest	Not recommended
6.	Diagnostic Systems	Rs. 64,350/-	6 th lowest	257% higher	According to specs but not lowest	Not recommended
7.	Scientific Supplies (Pvt.) Ltd.	Rs. 72,000/-	7 th lowest	300% higher	According to specs but not lowest	Not recommended
8.	F.A. Traders	Rs. 78,000/-	8 th lowest	433% higher	According to specs but not lowest	Not recommended

PURCHASE COMMITTEE ICCBS INSTITUTIONS

1. PROF. DR. M. SHAIQ ALI

Chairman (I.C.C.B.S)

Members from Institution

Members outside the Institution

2. DR. ABDUL JABBAR

Member (I.C.C.B.S)

1. SYED JEHAZEB

2. DR. SONIA SIDDIQUI

Member (I.C.C.B.S)

2. DR. SHAISTA PERVEEN

12. Bid Evaluation Report:

1. Scientific equipments

Item No. 5: Cordles Pipetting Device with Staand

S No	Name of Firm or Bidder	Cost offered by the Bidder	Ranking in terms of cost	Comparison with Estimated cost	Reasons for acceptance/rejection	Remarks
0	1	2	3	4	5	6
1.	Nawaid Scientific Traders	Rs. 17,550/-	1 st lowest	70% less	1 st lowest and according to specifications	Recommended for placement of order
2.	Uni-Tech Scientific	Rs. 29,250/- (offer-2)	2 nd lowest	48% less	According to specs but not lowest	Not recommended
3.	Scientific Supplies	Rs. 38,000/-	3 rd lowest	33% less	According to specs but not lowest	Not recommended
4.	T.M. Enterprises	Rs. 41,076/-	4 th lowest	28% less	According to specs but not lowest	Not recommended
5.	Sure Bio Diagnostic & Pharmaceuticals	Rs. 41,500/-	5 th lowest	27% less	According to specs but not lowest	Not recommended
6.	Uni-Tech Scientific	Rs. 51,480/- (offer-1)	6 th lowest	10% less	According to specs but not lowest	Not recommended
7.	Musaji Adam & Sons	Rs. 58,000/-	7 th lowest	1.75% high	According to specs but not lowest	Not recommended

PURCHASE COMMITTEE IQCBS INSTITUTIONS


1. PROF. DR. M. SHAIQ ALI

Chairman (I.C.C.B.S)


2. DR. ABDUL JABBAR

Member (I.C.C.B.S)


1. SYED JEHAZEB

Members outside the Institution


2. DR. SONIA SIDDIQUI

Member (I.C.C.B.S)


2. DR. SHAISTA PERVEEN

12. Bid Evaluation Report:

1. Scientific equipments

Item No. 7: Haemotytometer with two cover slips

<i>S No</i>	<i>Name of Firm or Bidder</i>	<i>Cost offered by the Bidder</i>	<i>Ranking in terms of cost</i>	<i>Comparison with Estimated cost</i>	<i>Reasons for acceptance/rejection</i>	<i>Remarks</i>
0	1	2	3	4	5	6
1.	Nawaid Scientific Traders	Rs. 2,925/- (offer-2)	1 st lowest	89% less	1 st lowest and according to specifications	Recommended for placement of order
2.	Musaji Adam & Sons	Rs. 6,800/-	2 nd lowest	75% less	According to specs but not lowest	Not recommended
3.	Nawaid Scientific Traders	Rs. 7,605/- (offer-1)	3 rd lowest	72% less	According to specs but not lowest	Not recommended
4.	F.A. Traders	Rs. 20,000	4 th lowest	26% less	According to specs but not lowest	Not recommended
5.	Scientific Supplies (Pvt.) Ltd.	Rs. 35,000/-	5 th lowest	29% higher	According to specs but not lowest	Not recommended
6.	T.M. Enterprises	Rs. 448,000/-	6 th lowest	1559% high	According to specs but not lowest	Not recommended

PURCHASE COMMITTEE ICCBS INSTITUTIONS


I. PROF. DR. M. SHAIQ ALI

Chairman (I.C.C.B.S)

Members from Institution

Members outside the Institution


2. DR. ABDUL JABBAR

Member (I.C.C.B.S)


I. SYED JEHAZEB


2. DR. SONIA SIDDIQUI

Member (I.C.C.B.S)


2. DR. SHAISTA PERVEEN

12. Bid Evaluation Report: \

2. Chemicals

<i>S No</i>	<i>Name of Firm or Bidder</i>	<i>Cost offered by the Bidder</i>	<i>Ranking in terms of cost</i>	<i>Comparison with Estimated cost</i>	<i>Reasons for acceptance/rejection</i>	<i>Remarks</i>
0	1	2	3	4	5	6
1.	DJ Scientific	N.A.	1 st lowest in 4 items	N.A.	1 st lowest and according to specs	Recommended for placement of order of 4 items
2.	F.A. Traders	N.A.	1 st lowest in 2 items	N.A.	1 st lowest and according to specs	Recommended for placement of order of 2 items
3.	Diagnostic Systems	N.A.	1 st lowest in 2 items	N.A.	1 st lowest and according to specs	Recommended for placement of order of 2 items
4.	Musaji Adam & Sons	N.A.	1 st lowest in 2 items	N.A.	1 st lowest and according to specs	Recommended for placement of order of 2 items
5.	Scientific Supplies (Pvt.) Ltd.	N.A.	1 st lowest in 1 item	N.A.	1 st lowest and according to specs	Recommended for placement of order of 1 item
6.	Sure Bio Diagnostic & Pharmaceuticals	N.A.	Not lowest in any item	N.A.	Not lowest	Not recommended

PURCHASE COMMITTEE ICCBS INSTITUTIONS


I. PROF. DR. M. SHAIQ ALI

Chairman (I.C.C.B.S)


2. DR. ABDUL JABBAR

Member (I.C.C.B.S)


1. SYED JEHAZEB

Members outside the Institution


2. DR. SONIA SIDDIQUI

Member (I.C.C.B.S)


2. DR. SHAISTA PERVEEN

12. Bid Evaluation Report: \

3. Consumables and Plasticware

S No	Name of Firm or Bidder	Cost offered by the Bidder	Ranking in terms of cost	Comparison with Estimated cost	Reasons for acceptance/rejection	Remarks
0	1	2	3	4	5	6
1.	Nawaid Scientific Traders	N.A.	1 st lowest in 5 items	N.A.	Lowest and according to specs	Recommended for placement of order of 5 items
2.	F.A. Traders	N.A.	1 st lowest in 5 items	N.A.	Lowest and according to specs	Recommended for placement of order of 5 items
3.	DJ Scientific	N.A.	1 st lowest in 2 items	N.A.	Lowest and according to specs	Recommended for placement of order of 2 items
4.	Musaji Aam & Sons	N.A.	Not lowest in any item	N.A.	Lowest and according to specs	Not recommended
5.	Scientific Supplies (Pvt.) Ltd.	N.A.	Not lowest in any item	N.A.	Lowest and according to specs	Not recommended
6.	Uni-Tech Scientific	N.A.	Not lowest in any item	N.A.	Lowest and according to specs	Not recommended
7.	Eco Biosciences	N.A.	Not lowest in any item	N.A.	Lowest and according to specs	Not recommended
8.	Sure Bio Diagnostic & Pharmaceuticals	N.A.	Not lowest in any item	N.A.	Lowest and according to specs	Not recommended
9.	Diagnostic Systems	N.A.	Not lowest in any item	N.A.	Lowest and according to specs	Not recommended
10.	S.K. Trading Corporation	N.A.	Not lowest in any item	N.A.	Lowest and according to specs	Not recommended

PURCHASE COMMITTEE, ICCBS INSTITUTIONS


I. PROF. DR. M. SHAIQ ALI

Chairman (I.C.C.B.S)


2. DR. ABDUL JABBAR

Member (I.C.C.B.S)


I. SYED JEHAZEB

Members outside the Institution


2. DR. SONIA SIDDIQUI

Member (I.C.C.B.S)


2. DR. SHAISTA PERVEEN

TECHNICAL COMMITTEE MINUTES OF TENDER NO [HEJ-HEC-290414] FOR PURCHASE OF INSTRUMENTS]

Technical committee meeting for Tender No:- **HEJ-HEC-290414**, was held on [30-5-14].

2) Hot plate with magnetic stirrer

Eight bids were received. All bids were according to required specifications. After careful evaluation the committee has recommended to award the item to the lowest bidder.

6) Cordless pipetting device

Six bids were received. After careful evaluation the committee has recommended to award the item to the lowest bidder.

9) Haemocytometer with two cover slips

Five bids were received. All bids were according to required specifications. After careful evaluation the committee has recommended to award the item to the lowest bidder.


Since there was a lack of healthy competition, therefore the Committee has recommended to retender the item/s.


3) Multichannel pipettor (50-300 μ L)

4) Single channel pipettor (20-200 μ L)


5) Single channel pipettor (100-1000 μ L)

7) 96-well plate reader


Prof. Dr. Bina Shaheen Siddiqui
(Convenor)



(End-User)


Mr. Sohail Ahmed
(Member)


Mr. Haris Qureshi (Member)

TECHNICAL COMMITTEE MINUTES OF TENDER NO [HEJ-HEC-290414] FOR PURCHASE OF CHEMICALS]

Technical committee meeting for Tender No:- **HEJ-HEC-290414**, was held on [30-5-14].

1) Amphotericin B

Seven bids were received. Bid received from M/S Diagnostic systems was rejected due to the reason that it was in powder form whereas we required solution form in our specification. After careful evaluation the committee has recommended to award the item to the lowest bidder.

2) Cyclophosphamide

Five bids were received. All bids were according to required specifications. After careful evaluation the committee has recommended to award the item to the lowest bidder.

3) Doxorubicin

Four bids were received. All bids were according to required specifications. After careful evaluation the committee has recommended to award the item to the lowest bidder.

6) Paclitaxel

Four bids were received. All bids were according to required specifications. After careful evaluation the committee has recommended to award the item to the lowest bidder.

7) PBS

Six bids were received. Bid received from M/S FA Traders was rejected due to the reason that it was not 10x whereas we required 10x in our specification. After careful evaluation the committee has recommended to award the item to the lowest bidder.

8) RPMI-1640


Six bids were received. All bids were according to required specifications. After careful evaluation the committee has recommended to award the item to the lowest bidder.

9) Sulforhodamine B

Three bids were received. After careful evaluation the committee has recommended to award the item to the lowest bidder.

11) Tris base

Six bids were received. All bids were according to required specifications. After careful evaluation the committee has recommended to award the item to the lowest bidder.



12) Trypan blue

Six bids were received. Bid received from M/S Diagnostic systems was rejected due to the reason that it was in powder form whereas we required solution form in our specification. After careful evaluation the committee has recommended to award the item to the lowest bidder.

13) Trypsin-EDTA 10x

F.A. Toalors

Four bids were received. Bid received from M/S ~~Diagnostic systems~~ was rejected due to the reason that it was without phenol red whereas we required with phenol red in our specification. After careful evaluation the committee has recommended to award the item to the lowest bidder.

14) Vinblastine

Five bids were received. All bids were according to required specifications. After careful evaluation the committee has recommended to award the item to the lowest bidder.

Since there was a lack of healthy competition, therefore the Committee has recommended to retender the item/s.

4) Fetal Bovine Serum

5) L-GPSS

10) Trichloroacetic acid



Prof. Dr. Bina Shaheen Siddiqui
(Convenor)



(End-User)



Mr. Sohail Ahmed
(Member)



Mr. Haris Qureshi (Member)

TECHNICAL COMMITTEE MINUTES OF TENDER NO [HEJ-HEC-290414] FOR PURCHASE OF CONSUMABLE AND PLATICWARE]

Technical committee meeting for Tender No:- **HEJ-HEC-290414**, was held on [30-5-14].

1) Cell culture flasks (75 cm²)

Eight bids were received. All bids were according to required specifications. After careful evaluation the committee has recommended to award the item to the lowest bidder.

2) Cell culture flasks (25 cm²)

Eight bids were received. All bids were according to required specifications. After careful evaluation the committee has recommended to award the item to the lowest bidder.

3) Centrifuge tubes (50 mL)

Nine bids were received. All bids were according to required specifications. After careful evaluation the committee has recommended to award the item to the lowest bidder.

4) Centrifuge tubes (25 mL)

Nine bids were received. All bids were according to required specifications. After careful evaluation the committee has recommended to award the item to the lowest bidder.

6) Micro-centrifuge tubes (2 mL)

Nine bids were received. All bids were according to required specifications. After careful evaluation the committee has recommended to award the item to the lowest bidder.

7) Parafilm

Five bids were received. All bids were according to required specifications. After careful evaluation the committee has recommended to award the item to the lowest bidder.

8) Pipettes (5 mL)


Eight bids were received. All bids were according to required specifications. After careful evaluation the committee has recommended to award the item to the lowest bidder.

9) Pipettes (10 mL)

Eight bids were received. All bids were according to required specifications. After careful evaluation the committee has recommended to award the item to the lowest bidder.

10) Sterile pipette tips (1000 µL)

Eight bids were received. All bids were according to required specifications. After careful evaluation the committee has recommended to award the item to the lowest bidder.

Bunat Shodiq






11) Sterile pipette tips (200 µL)

Eight bids were received. All bids were according to required specifications. After careful evaluation the committee has recommended to award the item to the lowest bidder.

12) Sterile pipette tips (1-10 µL)


Eight bids were received. All bids were according to required specifications. After careful evaluation the committee has recommended to award the item to the lowest bidder.

13) 96- well plates

Six bids were received. All bids were according to required specifications. After careful evaluation the committee has recommended to award the item to the lowest bidder.

Since there was a lack of healthy competition, therefore the Committee has recommended to retender the item/s.

5) Cryovials (1 mL)



Prof. Dr. Bina Shaheen Siddiqui
(Convenor)



(End-User)



Mr. Sohail Ahmed
(Member)



Mr. Harris Qureshi (Member)