# NIT No. SPPRA Serial No. 2-6931

Method and procedure of procurement: Open Competitive Bidding (National/ International Competitive Bidding) (Single Stage-One Envelope)

Description of work: PROVIDING / LAYING OF 18" DIA M.S LINE FROM C-ROAD,

NAZIMABAD NO.2 TO HABIB BANK ROUND ABOUT

(INTERCONNECTION OF FTM TO BDM)

Date of Opening:

21-03-2016

# BIDDERS' ELIGIBILITY/ QUALIFICATION REPORT

Eligibility/ Qualification Criteria:

S.		Bidders	Name
No.	Eligibility / Qualification Criteria	M/s.Malik & Co.	M/s.J.J. Constructor
1.	Registration with PEC (if applicable)	Yes	N/A
2.	NTN	Yes	No
3.	Sales Tax Registration (FBR)	N/A	N/A
4.	Registration with Sindh Revenue Board (SRB)	Yes	No
	Qualification Criteria:		······································
5.	Minimum three years' experience of relevant field.	Yes	No
6.	Turnover of at least last three years	Yes	No
7.	Required Bid Security is attached.	Yes	No
8.	Bid is signed, named and stamped by the authorized person of the firm along with Authorization letter.	Yes	Yes
9.	Any other factor deemed to be relevant by the procuring agency subject to provision of Rule-	N/A	N/A
10.	Qualified/ disqualified	Qualified	Disqualified

(Wasif Akhtar) Accounts Officer (W/D)

Member / Secretary

(Saif-ul-Haque)
Additional Director Internal
Audit – KMC Member

(Maqsood Ahmed Shaikh) Superintending Engineer (KMC)

Member

(Iftikhar Ahmed Khan)

Chief Engineer (BT&D) Member (Syed Mashkoor-un Hashain) Chief Engineer (IPD)

Chief Engineer (IPD)

# NIT No. SPPRA Serial No. 2693/

Method of Procurement: Single Stage Single Envelope.

Name of Work:

PROVIDING / LAYING OF 18" DIA M.S LINE FROM C-ROAD, NAZIMABAD NO.2 TO HABIB BANK ROUND

(INTERCONNECTION OF FTM TO BDM)

# MINUTES OF BID OPENING MEETING.

A meeting of the procurement committee of this department was held on 21-03-2016 for opening the bids received in respect of subject NIT till deadlines of submission. The meeting was attended by all / following members of the procurement committee and the representative of bidders. (Attendance sheet is enclosed).

- 2. Two bidders submitted their bids till the deadline of submission.
  - i. M/s. Malik & Co.
  - ii. M/s. J.J Constructor
- The bids were opened at 2:30 P.M in the presence of the above mentioned participants and the rates quoted by bidders were read aloud and encircled by Chairman of the Procurement Committee.

S. No	Name of Firm	Quoted Price	Amount of Bid Security	Pay Order No. / Da	ite
01	M/s.Malik & Co.	Rs.4,33,06,545/-	Rs.10,00,000/-	Bank Guarantee #08/16 dt: 1 from UBL Model Colony Karachi.	
02	M/s.J.J Constructor	Not Quoted	-	Pay Order not attach	ed.

- 4. The bids do not contain any over-writing or cutting.
- 5. The committee shall examine all the bids as per the qualification / eligibility criteria provided in the bidding document and verify the documents and bid security submitted by the bidders (if required).

The meeting ended with the vote of thanks to and from the chair.

(Wasif Akhtar)

Accounts Officer (W/D) Member / Secretary

Additional Director Internal

Audit - KMC Member

(Magsood Ahmed Shaikh)

Superintending Engineer (KMC)

Member

(Iftikhar Ahmed Khan) Chief Engineer (BT&D)

Member

(Sved Mashkoor-ul-Hasham)

Chief Engineer (IPD)

Convener



# KARACHI WATER & SEWERAGE BOARD

# OFFICE OF THE CHIEF ENGINEER (IP&D)

## BID EVALUATION REPORT

1	Name of Procuring Agency:	KARACHI WATER & SEWERAGE BOARD
2	Tender Reference □□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□	KW&SB/DPR/2016/11 published in daily "Express Tribue" "Juraat" "Pak" and daily "Nawa-e-Waqt" dt: 01-
		03-2016. SPPRA Serial No. I.D #
3	Tender Description/Name of	
	Work/Item:	C-ROAD, NAZIMABAD NO.2 TO HABIB BANK ROUND ABOUT (INTERCONNECTION OF FTM TO BDM)
4	Method of Procurement:	Single Stage (One Envelop)
5	Tender Published:	Press Publication / SPPRA Web Site
6	Total Bid Documents Sold:	2 Nos
7	Total Bid Received:	2 Nos
8	Technical Bid Opening Date (if applicable):	N/A
9	No. of Bid Technically Qualified (if applicable)	<u>N/A</u>
10	Bid (s) Rejected:	<u>01 No</u>
11	Financial Bid Opening Date:	23-03-2016

### 12 BID EVALUATION REPORT

S#	Name of Firm / Bidder	COST OFFERED BY THE BIDDER	RANKING IN TERMS OF COST	COMPARISON WITH ESTIMATED COST	REASON FOR ACCEPTANCE / REJECTION	REMARKS
1	M/s.Malik & Co.	Rs.4,33,06,545/-	1 <sup>st</sup> Lowest	@14.509% Above	Bank Guarantee and other required documents are available. Bank Guarantee #08/16 dt: 17-03-2016 Rs.10,00,000/from UBL Model Colony Branch Karachi.	Substantially Responsive
2	M/s.J.J Constructor	Not Quoted	-	-	Not Quoted / Pay Order and required documents are not available.	Un Responsive

The all concerned bidders are being informed accordingly.

The E.E Concerned for compliance of Rule-45 of SPPRA 2010 M/s.Malik & Co. declared as the lowest responsive bidder by the Committee and recommended for sanction from Competent Authority.

(Wasif Akhtar)

Accounts Officer (W/D)

Member / Secretary

(Saif-ul-Haque)

Additional Director Internal Audit - KMC Member

(Maqsood Ahmed Shaikh) Superintending Engineer (KMC)

Member

(Iftikhar Ahmed Khan)

Chief Engineer (BT&D)

Member

(Syed Mashkoor-III-Hasnain)

Chief Engineer (IPD)

Convener 22

# COMPARATIVE STATEMENT

# Name of Work: PROVIDING / LAYING OF 18" DIA M.S LINE FROM C-ROAD, NAZIMABAD NO.2 TO HABIB BANK ROUND ABOUT (INTERCONNECTION OF FTM TO BDM)

15°	6	S	4		دى		2		7	Item
	for R.C.C. or plain cement	Cement concrete plain including placing compacting, finishing and curing, complete (including screening and washing of stone aggregate with out shuttering 1.7.4		From (8' to 11')	Add for additional lift of every three ft or part there of in item No.1 to 15 (A&B) excavation for pipe lines and storage tanks trenches and pits.	level and grade, cutting joint holes and disposal of charge, Providing fence guards, lights, flags and temporary to 5 ft. (1.52m) and lead up to one chain (30.5m)		Dismantling of existing asphalt concrete road including base, sub base, and disposal of dismantled materials to designated places	No Description of Work	
18000 Sft	33851.25 Cft	7650 Cft	3600 Cft 3600 Cft	11250 Cft	18750 Cft		2100 Sft	Quantity		
3,127.41	14,429.25	2,425.00	5,750.00	5,200.00	4,650.00		773.86	Rate	Estima	
% Sft	% Cft	% Cft	% 0 Cft	% O C ft	% 0 Cft		% Sft	Per	Estimated Cost	
562,933.80	4,834,481.49	185,512.50	20,700.00	53 50000	87,187.50		16,251.06	Amount		
300	2,300	15	30		200		5	Rate	M/s	
54,000,00	778,578.75	108.00	337.50		3,750.00		105.00	Amount	M/s.Malik & Co	

	<u></u>									
Cossy	A W	V to be as a	9 1		8-A		∞		-	No
China My T	Weight 270.22 24x24 (3'-6")	s having wide as mentioned against each item, f connection. Fabricated with 3/8"thick M.S pl includes the cost of 3/4" thick M.S square bars os. 3/4" thick M.S flannes with a total weight uinst each item it also includes the cost of nuts a pacl:ing, labour and sealing material and all t ts  33x33 (3'-6")	Providing & Fixing M.S Split Collar Tee on PRCC Pipe of	plate having an outer length and total weight as mentioned against each item  18" Dia (outer length 4.7ft and weinht 115.71 Kg.	Providing and fixing M.S bend fabricated with 3/8" thick MS		Providing and Fixing M.S Flange made of M.S plate having a	bitumen coating with fiber Glass 5.0mm Thick & internally C.C. lining 8.0 mm thick (AWWA specification) including laying & jointing with hilical wielding in tranches including the cost of bannds of any degree and testing with water specified pressure for different dia of pipes. (18" Dia) (straight) 6.4 mm thick	of M.S Sheet conforming to ADI 51	
	2 Nos		12 Nos		6 Nos		4000 Rft		Quantity	
31/4/16	59,195.00 45,591.00		19,727.00		4,814.00		4,161.21		Rate	Estimated Cost
76	Each Each		Each		Each	П	P/Rft		Per	ed Cost
	91,182.00		236,724.00		28,884.00		16,644,840.00		Amount	
-	1,000		500.00		1,000		8,850		Rate	M/s.
	2,000.00		6.000.00	2900000	6 000 00		35,400,000.00		Amount	M/s.Malik & Co

i K

>														4	
,	14 D	$\perp$	-	2.	ω o	13 F		2	3 v d 7	12 H	0.0.1.6.1	Ξ		ā	=
	Double acting Air Valve (Local) 6" Dia	o Dia	18" Dis	24" Dia	of nuts bolts and rubl:: er packing, labour etc complete 32" Dia	Fixing of Butterfly valves with 2-M & flances include	18" Dia	24" Dia 1	Ф.	Providing Ductile Iron double Flange Butterfly Valve Bs-5155	C.I. Cover & frame weighting 65Kg fixed on RCC 1:2:4 slab 6" thick with stee 1/2" dia tor main bars @ 6" c/c bent up both side & both ways bars, 8" thick C.C 1 3:6 block masonry wall;; set in 1:6 C.M 6" thick C.C 1:4:8 in foundation, 2" thick C.C. 1:2:4 flooring 1/2" thick cement plaster 1:6 to all inside wall surfaces, top and bottom slab, outer side wall surface 1'-0" deep up to roof slab i/c. M.S. foot rest 5/8" dla bars every 2'-0" deep, curing, excavation, dewatering, re-filling, etc. complete. 6'x6'x6' (inside dimensions)	Construction of C.C. block masonry chambers with 24" v 2 4"	M.S pipe or to a split collar tee having a total weight as mentioned against each item. It i/c. the cost of fabrication and welding to the split collar tee.  18" Dia (weiaht 49.089 kg	Providing and fixing 0-9" long 3/8" thick M.S neck to existing	Description of Work
SONI		3 Nos	2 Nos	1 Nos		3 Nos				10 Nos		4 N		finnenz	Ouantite
	+	+				s 250,000	+			+		Nos 8		1	
6,000.00	11,993.00	002 00	22,461.00	33,066.00		,000.00	,000.00	00		154,000.00		8,271.00		Kate	Estimated Cost
Each	Each	E aci	Each	Each		Each	Each	Each		Each		Each		Per	ed Cost
36 000 00	35,979.00	34,922.00	44 000 00	33,066.00		750,000.00	900,000.00	900,000.00		1,540,000.00		33,084.00		Amount	
1 000	1,000	1,000	-,000	1 000		1 000	000	1,000		500		1,000		Rate	M/s
6 000 00	3,000.00	2,000.00	1,000.00	1 000 00	5,000.00	3,000.00	2 000 00	1.000.00		5,000.00		4,000 00		Amount	M/s.Malik & Co

Joseph Jo

Com We The State of the State o

21/4/16

Item	Description of Work			Estimated Cost	d Cost		M/s	M/s Malill, & Ca
No		>					A1 24 55	Trains & Co
15 a	Reinstatement of Road	Quantity	ıty	Rate	Per	Amount	Rate	Amount
	Preparing Sub-Base by supplying and spreading well grade pit or bed run gravel having a lequit limit not greater then 25 and plasticity index not greater than 6 inches proper chamber and							
	grade i/c watering rolling and compaction in layers thickness of							
	each compacted layer not exceeding 6" compacted upto 98-100% density as per modified AASHO density (Rate i/c all cost of							
	material T&P and carriage uoto 3 chains)	3150	Cft	3,341.71	% Cft	105 263 87	<u>ه</u>	045.00
Q CI	Providing 1 1/2" thick (consolidated) premixed carpet in proper camber and grade including supplying 15 Cft hill approved						6	745.00
	quality and grade) bitumen of 80/100 penetration including							
	mixer In mechanical mixer In required proportion including							
	Fct: for dusting) (Rate includes all cost of materials T&P and							
	carriage upto 3 chains). Using Much Bairi							
16	Full hire charges of pumping set per day i/c the cost of assistant	2100	311	5,882.07	% Stt	123,523.47	30	630.00
	driver, fuel and electric energy charges platform required at various depths for placing pump and dismantling with suction					-		
	and delivery pipe etc. complete.	324	Day	1,500.00	P/Day	485,000.00	20	6 480 00
1/	Synlhetic bags new / 1st bharti 4 to 5 capacity with sand or earth					,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	10	0,700.0
	sewing laying in position under water	6000	Nos	69 85	Fach	419 100 00	)	12000

43,306,345		- 30 - 2 Jan / 1						
43 300 = 1		37.819.294						
43,306,544.75		37,819,294.29				SAY	700	_
1,755.00	100	48,438.00	% 0 Cft	2,760	17550 Cft	TOTAL QUOTED / CORRECTED COST		
7,000,000.00	7,000,000	9,000,000.00	Each	2,000,000.00		i/c watering ramming to full compaction etc. complete		
	ý		Eggh	9 000 000 00	1 Nos	Minmum and other accessories complete in all respect	20	
						discharge of 2750 gls/min and pressure head of 125 p.c.	•	
3,600.00	30	405,651.60	% Cft	3,380.43	12000 Cft	Providing & installation deep well turbine pump type B16D/2 +	19	
						required thickness to proper camber and grade including hand packing mixed with shingle pit run gravel fines having P.I of not more than 6% in the ratio 2:3 including watering & compacting to achieve 98- 100% density as per modified AAS HO specifications. (Rate includes all cost of materials T&P and carriage upto 3 chains). (specially required and recommended near and on trunk main to minimize the chances of illegal connection through underground boring)		
Прошку						1/2"-2" gauge of approved quality from approved quarry in		
Amount	Rate	Amount	Per	Rate	Quantity	Preparing Sub-base by supplying and spreading stone metal 1	18	
M/s.Malik & Co	M/s.		ed Cost	Estimated Cost		Description of Work	No	
							Item	

(Wasif Akhtar )
Accounts Officer (WTM)
Member / Secretary

(Saif-ul-Haque) Addl. Director Internal Audit KMC - Member

(Maqsood Ahmed Shaikh) Superintending Engineer (K.M.C) Member

(Iftikhar Amned Khan)
Chief Engineer (WTM)
Member

(Syed Mashkoor-ul-Hasnain)
Chief-Engineer (IPD)
Convener

# KARACHI WATER AND SEWERAGE BOARD

# **ATTENDANCE REPORT**

NAME OF WORK: PROVIDING / LAYING OF 18" DIA M.S. LINE FROM C-

RAOD NAZIMABAD NO.2 TO HABIB BANK ROUND

ABOUT (INTERCONNECT OF FTM TO BDM).

Date of Opening & Time :

21-03-2016 AT 02:30 Am

**Estimated Cost** 

Rs.3,78,19,294/-

Sr. #	Name of Firm	Name of Person & Designation	Signature
	Malik & Co.	Asif Malik	1/si ali
	J.J Contovetoes	Qasib	Tou)