

### OFFICE OF THE DEPUTY INSPECTOR GENERL OF POLICE,

Subject:

### MINUTES OF MEETING OF THE COMMITTEE.

On 12 April, 2018 at 1500 hours a meeting of the Procurement Committee constituted by the IGP Sindh, Karachi vide order No.G-I/111 dated: 09-01-2018, was held at the office of the DIGP Traffic (L&T) Karachi to open the Tender called for the Repair & Renovation Work of Driving License Branch Korangi Karachi during the current financial year 2017-2018. The following were present:-

> DIGP / Traffic (L&T) Karachi, (Farhat Ali Junejo), PSP

Chairman

DSP/Admin Traffic Branch (L&T) Karachi (Muhammad Ahmed Baig)

Secretary

Assistant Engineer CPO Sindh. (Hafiz Safdar)

Member

Rep. of Information Science & Technology Dept. (Jahanzaib Memon)

Member

Deputy Director of Works & Services Dept.

Member

(Ghulam Asghar Shaikh)

02. In response to Tender Notice floated in the press on 12-04-2018, regarding Repair & renovation Work of Driving License Branch Korangi Karachi. The Tender Box was placed in the Hall as per schedule, the sealed Tender covers of bids of following participated firms were opened by the Committee publicly in the presence of the bidders / representative

S.#	Name of Firm
01	M/S. Salafa & Aliza
02	M/S. Rajput Traders
03	M/S. Indus Associates
04	M/S. Abbas Roghay Corporation

All the bid documents which were opened before the committee were singed by the committee members as a token of authentication and thoroughly scrutinized each case / tender documents by comparing arithmetically and financially with sanctioned estimates'/ bill of quantities and criteria of eligibility and minimum qualification as bidding documents.

During the opening of tender received following status was found:-

S.#	Name of Firm of Bidders	Cost Offered by the Bidders	Ranking in Terms of Cost	Comparison with Estimated Cost	Remarks
01	M/S. Salafa & Aliza	Rs.2,837,083/-	1st Lowest	Within Estimated Cost	Accepted being lowest amongst the competitors and sanctioned estimate
02	M/S. Rajput Traders	Rs.3,831,389/-	2nd Lowest	Within Estimated Cost	Rejected being highest
03	M/S. Indus Associates	Rs.3,837,134/-	3rd lowest	Within Estimated Cost	Rejected being highest
04	M/S. Abbas Roghay Corporation	Rs.6,676,931/-	4 <sup>th</sup> highest	Excess with estimated cost	Rejected being highest

05.

Committee decided to process further in accordance with SPPRA Rule-2010 Amended in 2017.

06.

Meeting ended with the vote of thanks by the chairman of Procurement Committee

(Muhammad Ahmed Baig) DSP / Admin Traffic (L&T) Karachi

(Hafiz Safdar) Assistant Eng Sindh

(Jahanzaih ) emon) Rep. of Information Science Technology Department Government of Sindh

har Shaikh) (Ghulam ices Department Government of Deputy Director of Works & Ser Sindh

(FARHAT ALI JUNEJO) PSP Deputy Inspector General of Police Traffic (L&T) Karachi.

### COMPRATIVE STATEMENT

### Repair & Renovation Work of Driving License Branch Korangi Karachi.

No.DIGP/TR/(L&T/Gen/

1508

/2018/Karachi/Dated: 12-04-2018.

S.#	Name of Company	Cost Offered by Bio	dder Remarks
1	M/S. Salafa & Aliza	Rs.2,837,083/-	- Qualified & Lowest
2	M/S. Rajput Traders	Rs.3,831,389/-	- Qualified but Higher
3	M/S. Indus Associates	Rs.3,837,134/-	- Qualified but Higher
4	M/S. Abbas Roghay Corporation	Rs.6,676,931/-	- Qualified but Higher

The committee has accepted and recommended the Bid of M/S Salafa & Aliza being lowest one.

(Muhammad Ahmed Baig)

DSP / Admin

Traffic Licensing & Training Karachi

(JAHANZAIB MEMON)

Rep. of Information Science & Technology Department Government of Sindh (HAFIZ SAFDAR)

Assistant Engineer CPO Sindh Karachi

(GHULAM ASGNAR SHAIKH)

Deputy Director of Works & Services Department

Government of Sindh

(FARHAT ALI JUNESO) PSP,

Deputy Inspector General of Police Traffic (Licensing & Training)

Karachi

### **BID EVALUATION REPORT**

Name of Procuring Agency

Tender Reference No. (Re-tender Notice)

Name of Work/Items

4. Method of Procurement

Tender Published (Print Media)

SPPRA Serial No.

Total Bid Sold

Total Bid Received

Technical Bid opening Date (if applicable)

No of Bid Technically Qualified (if applicable)

11 Bid (S) Rejected

12 Tender / Bid Opening Date

Cost of Sanctioned Estimated

Sindh Police

DIGP/TR/(L&T)/Gen/3659-68, dated: 26-03-2018.

Repair & Renovation Work of Driving License Branch Korangi Karachi,

Date 28-03-2018, INF-KRY: No.1689/18 Single Stage One envelope Procedure

37445

NA

NA

12-04-2018

Rs.4 Million

11. 010	וא. סומ בעמוממניטון ועפסטורי					
S.#	Name of Firms of Cost offered by Bidders the Bidders	Cost offered by the Bidders	Ranking in Terms of Cost	Comparison with Estimated Cost	Reason for Acceptance/Rejection	Remarks
4	W/S. Salafa & Aliza	Rs.2,837,083/-	1st Lowest	W/S. Salafa & Aliza Rs.2,837,083/ 1st Lowest Within Estimated Cost	Accepted being lowest amongest the competitors and sanctioned estimate.	Qualified & Lowest
2	M/S. Rajput Traders	Rs.3,831,389/-	2nd Lowest	Rs.3,831,389/- 2nd Lowest Within Estimated Cost	Rejected being highest	Qualified but Highest
ω	M/S, Indus Traders	Rs.3,837,134/-	3rd Lowest	M/S. Indus Traders Rs.3,837,134/- 3rd Lowest Within Estimated Cost	Rejected being highest	Qualified but Highest
4	M/S. Abbas Roghay Corporation	Rs.6,676,931/-	4th Highest	Rs.6,676,931/- 4th Highest Exceed Estimate Cost	Rejected being highest	Qualified but Highest

The committee has accepted and recommended the Bid of M/S. Salafa & Aliza being lowest of

(MUHAMMAD AHMED BAIG) DSP / Admin

Traffic Licensing & Training Karachi

(JAHANZAIN MEMON

Information Science & Technology Department

VIDEO CONFERENCING ENGINEER Government of Sindh

> (GHULAM AS GHAR SHAIKH)

CPO Sindh Karach

Assisi

it Engineer

SAFDAR

Deputy Director of Works & Services Department

Government of Sindh

Deputy Inspector General of Police (FARHAT ALI JUNEGO) PSP, Traffic (Licensing & Training)

Karachi

Method and procedure of procurement: Single stage one envelope.

# Repair & Renovation Work of DL Branch Korangi Karachi.

## **BIDDERS ELIGIBILITY / QUALIFICATION REPORT.**

				Name of Bidders	Bidders	
	S.No	Eligibility Qualification Criteria	M/S. Salafa & Aliza	M/S. Rajout Traders	M/S. Indus Associates	M/S. Abbas Roghay Corporation
	_	Registration with PEC (if applicable)	Yes	Yes	Yes	Yes
-	2	NTN	Yes	Yes	Yes	Yes
- 1	ω	Salex Tax Registration	Yes	Yes	Yes	Yes
		Qualification Criteria				
	4	Minimum three year's experience of relevant field	Yes	Yes	Yes	Yes
	Οī	Turnover of at least last three years	Yes	Yes	Yes	Yes
	თ	Required Bid Security is attached	Yes	Yes	Yes	Yes
	7	Bid is signed, named and stamped by the authorized of the firm alongwith authorization letter	Yes	Yes	Yes	Yes
	8	Qualified / disqualified	Qualified	Qualified	Qualified	Qualified

Note: The procuring agency may modify the criteria as per their requiments.

Deputy Inspector General of Police (FARHAT ALI JUNEJO) PSP Traffic (L&T) Karachi. Chairman

Traffic (L&T) Karachi. DSP / Admin Secretary

(MUHAMMAD AHMED BAIG)

CPO Sindh Karachi Assistant Engineer Member

(HAFIZ SAFDAR)

Government of Sindh

Information Science & Technology Department (JAHANZAUS MEMON)

Member

Deputy Director Works & Services Department (GHULAM ASGHAR SHAIKH) Government of Sindh

Member

### REPAIR & RENOVATION WORK OF DRIVING LICENSE BRANCH KORANGI KARACHI.

### ATTENDANCE OF THE COMMITTEE MEMBERS

Dated: 12-04-2018.

S. No	Committee Members	Time		Attendance Signature	Remarks
01	Mr. Farhat Ali Jujeno, PSP DIGP Traffic (L&T) Karachi. (Chairman)	03.00	M	1 3	
02	Mr. Muhammad Ahmed Baig DSP/Admin Traffic (L&T) Karachi (Secretary)	03:00	M	the	
03	Mr. Hafiz Safdar Assistant Engineer CPO Sindh	63:00P	M	12/4/2	48
04	Mr. Jahanzaib Memon Rep. of Information Science & Technology Department	03.00 p	m	91	
05	Mr. Ghulam Asghar Shaikh Deputy Director of Works & Services Department Govt: of Sindh	63:00P	M	Zarne	

### REPAIR & RENOVATION WORK OF DRIVING LICENSE BRANCH KORANGI.

### ATTENDANCE OF THE CONTR ACTORS/BUILDERS FOR OPENING FINANCIAL BID DOCUMENTS

### **OPENING DATE 12-04-2018**

S. No	Name of Firm	Time		Attendance Signatures	Remarks
01	Assan Roghay Corporation	03100	PKY	Astor	63333078784
02		03:001	7	Sell.	03332604419
03	Indus associatis Dio	3:009	M	A-j	0333-2213334.
04	Saloba & Allread	03:001	77		\$
05					
06			- 1		
07			8		
08					

M Sindh Public Procuremen X C @ e.pprasindh.gov.pk/tender/st?tender\_list%5Bfilters%5D%5BSerial-eq%5D=&tender\_list%5Bfilters%5D%5Bsppra\_id-like%5D=&tender\_list%5Bfilters%5D%5Borganization\_name-like%5D=&tender\_list%5Bfilters%5D%5Bsppra\_id-like%5D=&tender\_list%5Bfilters%5D%5Borganization\_name-like%5D=&tender\_list%5Bfilters%5D%5Bsppra\_id-like%5D=&tender\_list%5Bfilters%5D%5Borganization\_name-like%5D=&tender\_list%5Bfilters%5D%5Bsppra\_id-like%5D=&tender\_list%5Bfilters%5D%5Borganization\_name-like%5D=&tender\_list%5Bfilters%5D%5Bsppra\_id-like%5D=&tender\_list%5Dsppra\_id-like%5D=&tender\_list%5Dsppra\_id-like%5Dsppra\_id-like%5Dsppra\_id-like%5Dsppra\_id-like%5Dsppra\_id-like%5Dsppra\_id-like%5Dsppra\_id-like%5Dsppra\_id-like%5Dsppra\_id-like%5Dsppra\_id-like%5Dsppra\_id-like%5Dsppr For more tenders on PPMS click here .:: Procurement Performance Management System :: UBAL KAKACHI UU.UU.UU 2018 and Sewerage 23:59:59 Board KWSB L SHAHNAWAZ Government 2018-03-28 2018-04-29-03-2147483647 37454 SHAR GOTH Degree Girls 00:00:00 23 2018 GULSHAN-E-IQBAL 23:59:59 College KARACHI XEN GULSHAN-E-2018-04-29-03-Karachi Water 2018-03-28 37453 2147483647 IQBAL KARACHI 00:00:00 19 2018 and Sewerage 23:59:59 Board KWSB XEN MALIR TOWN 29-03-2018-04-37451 2147483647 Karachi Water 2018-03-28 KW&SB KARACHI 17 2018 and Sewerage 00:00:00 23:59:59 Board KWSB li DIGP TRAFIC 37447 2147483647 Police Dept. 2018-03-28 2018-04-28-03-LICENSING & 12 2018 Deputy Inspector 00:00:00 23:59:59 **TRAINNIG** General of Police KARACHI DIGP TRAFIC 2018-03-28 2018-04-28-03-2147483647 Police Dept. 37446 LICENSING & 2018 12 Deputy Inspector 00:00:00 TRAINNIG General of Police 23:59:59 KARACHI Dr Kosen); 2018-04-28-03-DIGP TRAFIC 2147483647 Police Dept. 2018-03-28 37445 KARACHI 2018 00:00:00 12 Deputy Inspector 23:59:59 General of Police 13 April 2018 🖟 DIGP TRAFIC 2018-04-28-03-2147483647 Police Dept. 2018-03-28 37444 KARACHI 2018 00:00:00 12 Deputy Inspector 23:59:59 General of Police EXCISE TAXATION 2018-04-27-03-2018-03-27 2147483647 Government of 37440 2018 KARACHI 11 Sindh Excise, 00:00:00 23:59:59 Taxation & Narcotics Denartment **圆丛**版管



### دپتي انسپيڪٽر جنرل آف يوليس كراچى, حكومت سند

15,11

### تينڊر نوٽيس

سنڌ پبلڪ پروڪيورمينٽ رولز 2010 (ترميسر ٿيل 2017) سان مطابقت ۾ سِس ڊپارٽمينٽ جي هيٺ ڄاڻابل ڪمن جي لاءِ ٺيڪيدارن/ فرمن کان مهربند تيندبر

ڪرجي تڪميل جو مدو	ني	ٹینبر	سوڻي رقر	ڪٿيل رقر (اٽڪل)	ڪر جي نوعيت	نمبر نمبر شمار
45 ڏينهن	Ru I	,000/-	آج ڪيل واڪ جو 2.5%	4.00 ملین رپیا	ڊرائيونگ لائيستس برانج ڪورنگي ڪراچي لاءِ مرمت ۽ رينوويشن ورڪ	1

### شرطون ۽ ضابطا:

ليكيدار/ فرمون پاكستان انجنيئرنگ كاثونسل، (FBR) انكر تيك سنَّدِ روینیو بورډ (STN e NTN رجسٽريشن سرٽيفيڪيٽ گھرپـل هونداً) وُٽان رج

ليڪيداري فرمن کي صلاح ٿي ڏجي ته اهي يونٽ/جاب في Rn پنهنجا اگهہ درج ڪن. ادائيگي جابہ يونٽ جي

iii. ادائيگي جاب، يونت جي بنياد تي هرهك كرنائيشر جي تحسيل تي الحسين به تعديد بنياد تي هر هدك كرنائيشر جي تحديد بنياد تي هر تعديد بنياد تي هر المنائي بنياد تي هر المنائي بنياد ب

وينديون. پر جيڪلمن ضرورت فجي تر أضائي شيٽرون پڻ استعمال ڪري سنگهج si شرطيه تينڊر/ درخراستون قبول نر ڪيون وينديون x. آچن جي ڪارگر هئڻ جو مدو آچن جي کولڻ واري تاريخ کان گهٽ ۾ گهٽ

مد بهی حبی حدود سمان بو صدر چین چی فودن و اوی داریج مان طبحت بر سبحت و ادریتهین ند مجاز اختیاری کی سند پردکیورمینث رواز 2010 و تینبلون جی دستاریز و مرجود شرطن و ضایطن تحت کنهن بر هک یا سمورن تینبلون/ آچین کی رد کرن چو حاصل آهی.

معلومات ۽ طريقه ڪار:

01 خراهشند ليكيدار، ليكيداري فرمون آج جي دستاريزن جر مكسل ع الآكاييل تفسيل صراحتي سان گذا DIGP تريقت (AMT). جي آفيس و اقع 11 هين آل زمزم استريت (DIC برانج سان لڳولڳ) كلفتن كراچي مان كنهن به كبر كا ڏيئين آفيس وقت جي دوران آچون جمع كرافڻ جي آخري تاريخ تائين تينيز في واپسيءَ جي ادادگي تي حاصل كري سگهجن تا. پروكيو رمينت جو طريقو سنگل هوندو

ون الوليه هو دادو.

20. تينبر، آچون، آچن جي 2.5 سيڪڙو (كال ديارت سان گڏ) (DGP تريف لاکيسيسنگ ايند ترينگ كراچي دين جي 2.5 سيڪڙو (كال ديارت سان گڏ) (DGP تريف لاکيسيسنگ ايند ترينگ كراچي دشي ماڻايل اينديس تي جي آئيس ۾ رکيل آخيا باڪ در آخي در آخي تالين يا ان کان پاهي داخل كرين وينديون. جيوز آچون ديارتي بين ان کان پاهي در خواهشند ليڪيدارن، ليڪيداري فرمن جي مجاز نمائندن جي موجودگي ۾ کرليا ويشا.

20. تينبر، آج جي باري ۾ ڪا بي معلومات يا ڪر جي باري ۾ ڪني دو تحق کيند حيور گئي اينديس کان آئيسي دو.

20. تينبر، آج جي باري ۾ حاصل ڪري سگهجي ٿي.

20. دونت دوران تينبر کلخ کان آڳي ۾ حاصل ڪري سگهجي ٿي.

21. دينبر کلخ کان آڳي ۾ حاصل ڪري سگهجي ٿي.

22. دينبر کاخ کان آڳي ۾ حاصل ڪري سگهجي ٿي.

23. دينبر کي عين ان اڪين بهني آڏير لاه) جيڪي تينبر جي ڪر سرائجار ڏيڻ دوران بعد ۾ بيش آهين آهين آئين انهي کين انهن جو معالي مرائجار ڏيڻ دوران بعد ۾ بيش آچي ميٽين بين انه انهي ڪنهن جو معالي دائين يون انهن لاءِ ڏائي طور سائيٽ جو معالي راڏاري يا شورون لاء ڪنهن بي آخين بهني آڏير لاه) جيڪي تينبر جي ڪر راڏاري يا شورون لاء ڪنهن بي دائين يون انهن لاءِ ڏائي طور سائيٽ جو معالي راڏاري يا شورون لاء ڪنهن بي قسر جو معارضو يا ان جو خرچ برداشت نہ ڪيور ويا امائي وقت ڏڏو ويند ڏڏو ويند ۽ ساملي وقت تڏون ويند ۽ ساملي وقت تڏون ويندي به قسر جو معارضو يا ان جو خرچ برداشت نہ ڪيور ويا امائي وقت تڏون ويند ۽ تامياني وقت تڏون ويند ۽ ي وقت نہ ڏنو ويندو

ڪر مجاز اختياري جي اجازت ۽ فنڊن جي دستيابي جيڪي عصل ولي سان مشروط هوندا.

دپتی انسپیکترجنرل آف پولیس تريفك لائيسينسنگ اينڊ تريننگ ڪراچي

فون: 99250521 وون

INF-KRY-No.1689/18 المساقى المسا



199

اسلام آباد (بيورت: اصفر خائوني) گڏيل مفادن واري ڪائونسل ۾ قومي پاڻي پاليسي جي منظوري ايندڙ اجلاس تائين ملتوي، صوبن کان پيهر تجويزون طلب ڪري پاليسي ۾ شامل كرن جي هدايت. كا سيكور بلاكن جي ڳڻي ٽين /ڏسو صفحر 11 بقايا نسبر 24

وزيراعظم جي صلات هيئ سي سي آءِ بحلاس ۾ وڏو وزير سيد مراد علي شاه، پرويز ختڪ، عبدالقدوس يزنجو ۽ پنجاب جي ناڻي واري وزير شريڪ غوبي والرياليسي دفاعي ضوروس ، محولياتي باليسي كي نظرو ركي ناهي رئي اهي والركائونسل ، صوبائي سفع تي ادار دقائع تبدأ وزيراعظم جي تنهي صوين جي وڏن وزيرن سان ملاقات، مئي جي پهرئين هفتي ۾ بجيٽ پيش ڪرڻ لاءِ تياريون مڪمل ڪرڻ جي هدايت اكستان پاڻي بحران مان گذرندڙ ملڪن واري لست ۾ شامل آهي وڌندڙ آبادي ۽ معاشي ترقي لاءِ ذخيراً وڌائڻ لازمي ينلاڙ بجيٽ ٽيڪس فري هوندي. ڪا بہ نئين ترقياتي مي بائي باليسي كانتي يسمي هي شين ۽ باسڪو كي ملندڙ رعايت بابت تفصيلي بريفنگ ريڪان يٽڪيج بابت تنصيلي ريورٽ بيش البكس مالكايوريندر حيكةهن ليكس لكائن جي ضوررت يشي ماهو معاملوا بدر حكومت تي جذيون تاءوزواعظم اسكيم نه ڏني وينلزي، فاندة اهن: سرتاج عزيد 7






FOR

KORANGI KARACHI.

**REPAIR & RENOVATION WORK OF** DRIVING LICENSE BRANCH





M) IS SALAFA 18 A112A.

OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, TRAFFIC (LICENSING & TRAINING), KARACHI 11TH ZAMZAMA STREET (ADJACENT DL BRANCH), CLIFTON, KARACHI.



### DEPUTY INSPECTOR GENERAL OF POLICE TRAFFIC (LICENSING & TRAINING) KARACHI GOVERNMENT OF SINDH

### TENDER NOTICE

Sealed tenders are invited in accordance with the Sindh Public Procurement Rules, 2010 contractors/contracting firms for following works of the Police Department.

S#	Scope of the Work	Estimated Co (approximate	<b>他发生的人,但是他们的一个人的人,但是他们的一个人的人的人们的人们的人们的人们的人们的人们的人们的人们的人们们们们们们们们们们</b>	TENDER FEE	DURATION OF COMPLETION WORK
1.	Repair & Renovation works for Driving License Branch Korangi Karachi.	Rs.4.00 millio	2.5 % of quoted Bid	Rs. 1,000/-	45 Days

### **TERMS & CONDITIONS:**


- Contractors/Contracting Firms should be registered with Pakistan Engineering Council, (FBR) Income Tax, Sales Tax and Sindh Revenue Board (NTN and STN registration certificates will be required).
- ii. Contractors/Contracting Firms are advised to quote rates on Unit/Job/Per Sft/Rft. basis.
- iii. Payments shall be made for the works on basis of job, unit basis as the case may be on completion of each item/work, on the basis of measurement & verification in accordance with specification/Schedule "B".
- iv. The work calculation/RCE may vary by (+) or (-) 5%.
- v. The contractors/contracting firms will be required to show evidence of experience, capability in respect of personnel/machinery, financial position etc (Profile of the Firm).
- vi. Contractors/Contracting Firms black listed by Government Departments or agency will not be allowed to participate in the tender/bid (participating contractors/contracting firms will be required to submit affidavit to the effect that they are not black listed), for any Government Department.
- vii. Contractors will be required to provide copy of CNIC and Contracting Firms will also be required to provide Certificate of Registration (Category wise).
- viii. Only bids offered on the prescribed Tender Form issued by this department shall be accepted. However, additional sheets may be attached, if required.
- ix. Conditional tender / application will not be entertained.
- x. Validity of bid/offer shall be at least 45 days from the date of opening of tender.
- xi. The competent authority reserves the right to reject all or any tender/bid subject to and in accordance with the relevant provisions of the Sindh Public Procurement Rules, 2010 and conditions contained in Tender Documents.

### **INFORMATION & PROCEDURE:**

- Complete set of bidding documents containing the scope of work and relevant details along-with specification can be obtained by the interested Contractors/Contracting Firms from the office of the D.I.G.P Traffic, (L&T), 11<sup>th</sup> Zamzama Street (Adjacent DL Branch) Cliffon, Karachi, during working hours up to last date of submission the bids, on payment of tender fee (non refundable). Method of procurement will be single stage one envelope.
- 2. Tenders/Bids (duly sealed along-with call deposit) at 2.5% of bids shall be dropped in the tender box (placed in the office of DIGP Traffic, Licensing & Training Karachi (at the address given above) on or before (As last date) 12-04-2018 upto 2:00 pm. The proposed bids will be opened by Departmental Procurement Committee on 12-04-2018 at 03:00pm in presence of duly authorized representatives (who may like to be present) of Contractors/Contracting firms participating in the tender/bid.
- Any other information relating to this tender/bid or detail of work or any further clarification can be obtained from the DIGP Traffic (L&T) Clifton, Karachi at given address during office hours before opening of tender.
- 4. The Contractors/Contracting Firms are advised in their own interest to fully understand scope of work and quality/quantities. They may also visit the site to electricity, water or any other item) which may come up before or during execution of the work of this tender for the reason that no extra cost will borne out by Police Department for such eventualities nor any extension in time will be provided on such pretext.
- The work will commence after the approval of competent authority and also subject to availability of funds which is in pipe line.

(FARHAT ALÍ JUNEJO) PSP,
Deputy Inspector General of Police
Traffic Licensing & Training
Karachi.
Ph: 021-99250521





" 20 28 276 3 1 0 54 300 1 300 300 1 990 3 90 2 58 6 1 0 10 4



### SUMMARY OF CONTENTS

	Subject	Page No
(I)	INVITATION FOR BIDS	02
(II)	INSTRUCTIONS TO BIDDERS & BIDDING DATA	04
(III)	FORM OF BID & SCHEDULES TO BID	19
(IV)	CONDITIONS OF CONTRACT & CONTRACT DATA	33
(V)	STANDARD FORMS	54
(VI)	SPECIFICATIONS	67
(VII)	DRA WINGS	68

3

Name of work: REPAIR / RENOVATION WORKS FOR DRIVING LICENSE BRANCH, KORANGI, KARACHI.

SCHEDULE BOOK DOCUMENT CIVIL WORKS SCHEDULE ITEMS PART (A): Amount Rate unit Descriptions Quantity %Cft 2726.357548 Dismantling cement block masonry. (SI.14 / P-10). 240.339 1134.38 568.72 4 142.18 Each 2 Removing door with chowkats.(SI.33-a /P-12). Removing window and sky light with chowkats (33-b P/12). 12 102.85 P. No. 1234.2 3 Scraping (b) Ordinary distemper oil bound distemper or 19849.7312 8749 226.88 %Sft 4 Paint on Walls. (SI.54-(b) / P-13). Dismantling glazed or encaustic tiles etc (SI.55 / P-13). 9986.26915 1269.71 786.5 %Sft 5 6090.073688 366.045 %Cft. Dismantling cement concrete plain 1:4:8. (SI.19-a/P-10) 1663.75 Reinforced cement concrete work including all labour and material except the cost of steel reinforcement and its labour for bending and binding which will be paid seprately. This rate also includes all kinds for forms moulds: lifting shuttering curing rendering and finishing the exposed surface (including screening and washing of shingle.) (a) P/Cft 134463 399 337 R.C work in roof slab, beams columns rafts, lintels and other structural members laid in situ or precast laid in position complete in all respects. (1) Ratio (1:2:4) 90 Lbs. cement 2 Cft sand 4 Cft shingle 1/8" to 1/4" gauge. (SI.6(a)(l) / P-16). Providing and laying 1: 3: 6 Cement concrete solid Block masorany wall above 6" in thickness set in 1: 6 cement 8 66906.2473 %Cft. 457.59 14621.44 mortar in G.F ground floor superstructure including raking out joints & curing etc. complete. (SI.23 / P-19). Applying floating coat of Cement 1/32" thick.(SI.14/P-53 9 5546.56 660 %Sft 36607.296 Cement plaster 1:4 upto 12' height (c) 3/4" thick (SI-I1-C/P-10 5546.56 3015.76 %Sft 167270.9379 Preparing surface & painting with plastic emulsion paint of approved make in/c rubbing the surface with sand paper 11 %Sft 330008.107 14746 2237.95 filing the voids wirh chalk / plaster of pairs and then painting etc complete. (SI-40a+b+b/P-56) Providing and laying tiles glazed 6" x 6" x 1/4" on floor or wall facing in required colour and apttern of STILE specification jointed in white cement and pigment over a base of 1:2 grey cement mortar 3/4" thick including washing 12 375 30509.77 %Sft 114411.6375 and filling of joints with slurry of white cement and pigment in desired shape with finishing, clearing and cost of wax polish etc. complete including cutting tiles to proper profile. (SI.60/P-47). Cement concrete plain including placing compacting, finishing and curing, complete (including screening and 13 12595 100 12595 %Cft washing at stone aggregate without shuttering.(h). Ratio 1: 3: 6. (SI.5-h/P-16) First class deodar wood wrought joinery in doors and windows etc, fixed in position including chowkats hold fasts 14 hinges, iron tower bolts, chocks cleats, handles and cords 91 902.93 P/Sft 82166.63

A A

fully glazed. (b) 1 3/4" thick. (S1.7 (b)/P-65).

with hooks, etc. Deodar paneled or paneled and glazed, or

ge 1

7

				1	
15	Providing and fixing with jute felt paper of 60 Lbs over roof in/c cleaning of roof with wire brush and removing dust, applying bitumen coat at the rate of 34 Lbs per% Sft as premix inter coats and then laying felt paper with 10% over laps, then applying and spreading hill sand at the rate of 1 Cft for 100 Sft. The cost also in/c necessary fire material, kerosene oil, wood etc. (SI.42 / P-39).	7888	106.73	P/Sft	841886.24
16	P/F cement paving blocks flooring having size 197x97x60 (mm) of city / quddra / cobble shape with having strength b/w 5000 psi to 8500 psi in/c filling the joints with hill sand and laying in specified manner / pattern and design etc complete. (SI-71/P-49)	2298	199.77	P/Sft	459071.46
17	P/F angle iron vertical Plats for barbed wire fencing of size 2"x2" '4" embedded in RCC / Masonry pillars in/c making cuts / holders @ 12" in/c fixing in pillars by chiseling and filling the with cement sand mortar, spraining & finishing the surface (8 P / 95).	173.33	169.18	P/Rft	29323.9694
18	P/F barbed wire fencing with 12 guage -4 points @ 6" apart barbed wire i/c straightening & fixing in angle iron vertical posts. (SI-9/P- 96)	1039.98	8.38	P/Rft	8715.0324
19	R.C.C. spout including fixing in position	8	211.75	P/Nos	1694
	2-1/2x6"x5" (SI.14/P-18)	Total	Amount Part (	A):	2325574.909
	19.90% Below	1000	/ Intount i uni (	Rs	16,30,228/00
	C WORKS SCHEDULE ITEMS PART ( B ):				
S.NO	Descriptions	Quantity	Rate	unit	Amount
1	Wiring for plug point with 3/.029 PVC insulated wire in 20mm (¾") PVC conduit recessed in the wall or column as required.(SI.126 / P-15).	150	985	P.Point	147750
2	Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-3/.029 copper conductor in ¼" dia PVC conduit recessed in the wall or column as required.(SI.8 / P-2).	200	173	P.Meter	34600
3	Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-3 /.36 copper conductor in 3/4" dia PVC conduit recessed in the wall or column as required. (SI.9 /P-2)	100	191	P.Meter	19100
4	Providing & Fixing three pin 10 / 15 Amp Plug & Socket.( S1.224 / P-33 ).	24	151	Each	3624
5	Providing & Fixing three pin 5 Amp Plug & Socket (S1.226 / P-33).	24	151	Each	3624
6	Providing & fixing three pin 10/15 amp plug & socket flush type.( SI.227 / P-33 ).	2,4	162	Each .	3888
7	P/F ammeters size 96/96mm Direct 15A, 30A,50A, 00A, & 100A as required & as per instruction of El. (S1.284/P-41)	2	1054	P/ No.	2108
8	P/F holder for 125 watts light @ as per site requirement & instruction of Engineer Incharge. (SI.189/P-29)	48	203	P/ No.	9744
9	P/F circuit breaker 6,10,15,20,30,40,50, & 63 amp DP (TB-5S) on prepared board as required. (S1.204/P-31)	12	2456	Each.	29472
10	Providing & fixing one way SP 5-Amp switch surface type.( SI.216 / P-33 ).	12	34	Each	408
11	Providing & fixing one way SP 5amp switch flush type (33/219)	12	54	P/ No.	648
12	P/F two way SP 5-amp switch flush type (SI.220/P-\$3)	12	55	P/No	660
13	Providing & fixing one way SP 10 / 15amp switch surface type.( S1.218 / P-33 ).	2	58	Each	116
14	P/F voltmeter size 96/96 mm 500 volt as required & as per	2 Total a	999 amount of Part	Each (B): 1	1998 257740
		-		- (/ /	1 0

20/1 Blow 206,192/

S.NO	Descriptions	Quantity	Rate	unit	Amount
1	S/F soap tray of made plastic of superior quality and design with fine finishing with CP screws etc complete.	2	169.4	Each	338.8
2	Providing & fixing chrome lated brass towel rail complete with brackets fixing on wooden cleats with 1" long c.p brass screws.(II) Towel rail 30" long. (a) ¾" dia round or square (Standard Pattern). (SI.01-II+a / P-07).	2	1082.95	Each	2165.9
3	(a) S/Fixing long bib-cock of superior quality with c.p head ½" dia. (SI.13-a / P-19).	4	1109.46	Each	4437.84
4	Providing & fixing European white glazed earthen ware wash down W.C pan complete with and in/c the cost of white/black plastic seat (Best Quality) and lid with CP. brass hinges and buffers, 3 gallons white glazed earthen ware low level flushing cistern with siphon fitting 1-1/2" dia white porcelain enameled flush bend 3/4" dia and making requisite number of holes in walls, plinth and floor for Pipe connections and making good in cement concrete 1:2:4 (Foreign Quality).(S1.5 / P-2).	2	11477.4	Each	22954.8
5	P/L 24"x18" bevalled edge mirror of Belgium glass complete with 1/8" thick hard board and CP screws fixed to wooden pleat (b) superior quality (SI3-b/P-07)	2	2376	P/No	4752
6	Providing & fixing 6"x2" or 6"x3" C.I floor trap of the approved selt cleaning design with a C.I screwed down granting with or without a vent arm complete with & I/c making requisite number of holes in walls, plinth & floor for Pipe connections & making good cement concrete 1: 2: 4. (SI.20 / P-06).	4	2042.43	Each	8169.72
7	Add extra for labour for providing & fixing of earthen ware pedestal white or coloured glazed (Foreign or Equivalent ).(SI.11 / P-3).	2	2533.47	Each	5066.94
8	S/F fiber glass tank of approved quality & design and wall thickness as specified in/c cost of nuts bolts and fixing in plate form of cement concrete 1:3:6 and making connection for inlet & out let & over flow pipes etc complete. (SI 3-C /P-21) 500 gallons.	2	37505.42	Each	75010.84
9	(b) Supplying / Fixing wash basin mixture of superior quality with C.P head ½" dia. (SI.14-b / P-19).	2	3179	Each	6358
10	(a) Supplying & fixing C.P Muslim Shower with double Bib cock & ring Pipe etc complete. (SI.19(a)/P-19).	2	3432	Each	6864
11	Providing & fixing in position nyloon connections complete with ½" dia, brass stop cock with pair of brass nuts and lining joints to nyloon connection. (SI. 23 / 06).	4	447.15	Each	1788.6
12	Providing & fixing 24" x 18" lavatory basin in white glazed earthen ware complete with & in/c the cost of W.I or C.I cantilever brackets 6 inches built into walls, painted white in two coats after a primary coat of red lead paint a pair of ½" dia rubber plug & chrome plated brass chain I-1/4" da, malleable iron or brass unions and making requisite number of holes in walls, plinth & floor for Pipe connections and making good in cement concrete 1:2:4 (Foreign or Equivalent).( SI.10 / P-3).	2	4928	Each	9856

Page 3

13	Cancelled C.P. fittings of Superior quality for tiles Bath Rooms.(b) S/Fixing cancelled stop cock of superior quality with C.P. head ½" dia.(SI.11(b)/P-18).	2	509.74	Each	1019.48
14	(a). S/Fixing canceled tee-stop cock of superior quality with C.P head ½" dia. (SI.12-a / P-18).	2	843.92	Each	1687.84
	With C.1 Hour 72 dia. (Sixt av. 110).	Total A	Amount of Part (	C): 0	150470.76
NON-SCH	EDULE ITEMS PART ( D ):	25/Bd00		Rs	1,12,853
S.NO	Descriptions	Quantity	Rate	unit	Amount
ľ	Supplying and fixing in position Aluminum channels framing for sliding windows & ventilators of Lucky or equivalent made with 5mm thick tinted glass glazing (Belgium) and aluminum fly screen, handles, stoppers and locking arrangement etc complete. (b) Deluxe Model (Bronze of Champion color)	336	<i>♀</i> <b>8</b> 9%,	P/Sft	3,32,640
2	Supplying and fixing in position Aluminum channels framing for hinged doors of Lucky or equivalent made with 5mm thick tinted glass glazing (Belgium) and ALPHA (Japan) locks in/c handles, stoppers etc complete. (b) Deluxe Model (Bronze of Champion color)	56	1320	P/Sft	73,920/.
3	P/F fine quality roller type blind with approved design false & in/c steel angle fixing with steel screws as per window as required @ site as directed by the Engineer Incharge.		230/2	P/Sft	112700/
4	P/F wall bracket fan 18" dia of approved make & qua ity (Royal/Pak, Millat or equivalent) in/c fixing on wall as directed by the Engineer Incharge	12	8000/1	Each	9600/.
5	P/F ceiling fan 56" sweep Pak/Royal/GFC or equivalent deluxe model in/c carriage from shop to site of work, fixing & necessary lead connection as directed by the Engineer Incharge.	12	300/	Each	84,000/
6	P/F fan dimmer of ceiling fan Pak / Royal / GFC of approved quality & make as directed by the Engineer Incharge		300/	Each	3600/
7	P/F CPVC water supply pipe of AGM or Pak Arab of equivalent with all necessary fittings like elbow, bend, to etc. This includes fixing on walls with clamps or Jubile clips upto height of 50°-0 in vertical or horizontal position using Jhoola or long ladder or scaffolding and jointing pip & fittings with approved solvent / JTG solution. The rationcludes all cost of labour, material, and cartage, as directed by Engineer Incharge 1/2" dia	n 150	100/	P/Rft	15,000/_
8	P/F CPVC water supply pipe of AGM or Pak Arab of equivalent all necessary fittings like elbow, bend, tee etc. This includes fixing on walls with clamps or Jubilee clip upto height of 50'-0 in vertical or horizontal position using Jhoola or long ladder or scaffolding and jointing pipe of fittings with approved solvent / JTG solution. The rai includes all cost of labour, material, and cartage, as directed by Engineer Incharge 3/4" dia	250 250 te	115/.	P/Rft	28750/
9	P/F UPVC water supply pipe of AGM or Pak Arab or equivalent without fittings which will be paid separately. This includes fixing on walls with clamps or Jubilee clips upto height of in vertical or horizontal position using Jhoola or long ladder or scaffolding and jointing pipe & fittings with approved solvent / JTG solution. The rate includes all cost of labour, material, and cartage as directed by Engineer Incharge 2" dia	250	140].	P/Rft	3500/,

* 1: 1		5			
10	P/F UPVC water supply pipe of AGM or Pak Arab or equivalent with all necessary fittings. This includes fixing on walls with clamps or Jubilee clips upto height of in vertical or horizontal position using Jhoola or long ladder or scaffolding and jointing pipe & fittings with approved cement solvent / JTG solution. The rate includes all cost of labour, material, and cartage, as directed by Engineer Incharge 1" dia	150	100/	P/Rft	15mo/
11	P/F RCC pipe 12" dia with collar of class *B* for sewerage line in/c excavating the trench of required dia and depth and then laying pipe in trench jointing and refilling excavated stuff as directed by the Engineer Incharge.	380	400/.	P/Rft	152000/
12	Construction of manhole or inspection chamber 2'-0x2'-0 & upto 5'-0" inside depth dimension for required dia of circular sewer with walls of solid block masonry 1:3:6 set in 1:6 cement sand mortar 6" thick with 6" thick C.C. 1:4:8 in foundation, ½" thick plaster in 1:4 ratio to all inside wall surface & to top 1" thick C.C. flooring etc including, quring, excavation, back filling & disposal of surplus earth as directed by the Engineer Incharge.	12	2000/	Each	24000/
13	P/F RCC main hole cover of 3" thickness embedded with angle iron frame 1-1/2"x1-1/2"x1-1/4" and bars of 3/8" dia mild steel placed at 6" i/c both way i/c handle in centre for lifting poured with C.C. 1:2:4 in/c curing, finishing etc complete.	100	60 ].	P/Sft	6000/
14	Removing debries from Building in/c collecting from different floors, throwing to stair to ground floor at proper place and then loading on truck and throwing out of city government premises, fuel & hire charges of truck, loading & unloading etc complete	4	J00F	P/Truck	9800/
		Tota	l Amount of Par	t ( D)	887,810/

Grand Total amount in Rupees (A+B+C+D)

Grand Total amount in Rupees Twee

Or say in Million this

### TERMS AND CONDITIONS

- Any typographical errors in the Schedule B are subject to the correction with Reference to the Schedule of rate General Arbitration clause stands deleted from the agreement 1.
- 2. Arbitration clause stands deleted from the agreement.
- 3. No premium shall be paid on a Non schedule items.
- 4. 100% Well Graded crushed bajri shall be used in items of work without any extra payment.
- All sample of items should be got approved by the Engineer Incharge.

(HAFIZ SAFDAR SHAIKH)


Assistant Engineer, CPO, Sindh, Karachi

### BIDDING DOCUMENTS

**FOR** 

REPAIR & RENOVATION WORK OF DRIVING LICENSE BRANCH KORANGI KARACHI.





OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE,

TRAFFIC (LICENSING & TRAINING), KARACHI

11TH ZAMZAMA STREET (ADJACENT DL BRANCH), CLIFTON, KARACHI.



### DEPUTY INSPECTOR GENERAL OF POLICE TRAFFIC (LICENSING & TRAINING) KARACHI GOVERNMENT OF SINDH

### TENDER NOTICE

Sealed tenders are invited in accordance with the Sindh Public Procurement Rules, 2010 (Amended 2017) from contractors/contracting firms for following works of the Police Department.

š#.	SCOPE OF THE WORK	Estimated Cost (approximate)	EARNEST . MONEY	TENDER .	DURATION OF COMPLETION WORK
1.	Repair & Renovation works for Driving License Branch Korangi Karachi.	Rs.4.00 million	2.5 % of quoted Bid	Rs. 1,000/-	45 Days

### **TERMS & CONDITIONS:**


- Contractors/Contracting Firms should be registered with Pakistan Engineering Council, (FBR) Income Tax, Sales Tax and Sindh Revenue Board (NTN and STN registration certificates will be required).
- ii. Contractors/Contracting Firms are advised to quote rates on Unit/Job/Per Sft/Rft. basis.
- iii. Payments shall be made for the works on basis of job, unit basis as the case may be on completion of each item/work, on the basis of measurement & verification in accordance with specification/Schedule "B".
- iv. The work calculation/RCE may vary by (+) or (-) 5%.
- v. The contractors/contracting firms will be required to show evidence of experience, capability in respect of personnel/machinery, financial position etc (Profile of the Firm).
- vi. Contractors/Contracting Firms black listed by Government Departments or agency will not be allowed to participate in the tender/bid (participating contractors/contracting firms will be required to submit affidavit to the effect that they are not black listed), for any Government Department.
- vii. Contractors will be required to provide copy of CNIC and Contracting Firms will also be required to provide Certificate of Registration (Category wise).
- viii. Only bids offered on the prescribed Tender Form issued by this department shall be accepted. However, additional sheets may be attached, if required.
- ix. Conditional tender / application will not be entertained.
- x. Validity of bid/offer shall be at least 45 days from the date of opening of tender.
- xi. The competent authority reserves the right to reject all or any tender/bid subject to and in accordance with the relevant provisions of the Sindh Public Procurement Rules, 2010 and conditions contained in Tender Documents.

### **INFORMATION & PROCEDURE:**

- Complete set of bidding documents containing the scope of work and relevant details along-with specification can be obtained by the interested Contractors/Contracting Firms from the office of the D.I.G.P Traffic, (L&T), 11<sup>th</sup> Zamzama Street (Adjacent DL Branch) Clifton, Karachi, during working hours up to last date of submission the bids, on payment of tender fee (non refundable). Method of procurement will be single stage one envelope.
- 2. Tenders/Bids (duly sealed along-with call deposit) at 2.5% of bids shall be dropped in the tender box (placed in the office of DIGP Traffic, Licensing & Training Karachi (at the address given above) on or before (As last date) 12-04-2018 upto 2:00 pm. The proposed bids will be opened by Departmental Procurement Committee on 12-04-2018 at 03:00pm in presence of duly authorized representatives (who may like to be present) of Contractors/Contracting firms participating in the tender/bid.
- Any other information relating to this tender/bid or detail of work or any further clarification can be obtained from the DIGP Traffic (L&T) Clifton, Karachi at given address during office hours before opening of tender.
- 4. The Contractors/Contracting Firms are advised in their own interest to fully understand scope of work and quality/quantities. They may also visit the site to asses themselves any additional/incidental work (availability of electricity, water or any other item) which may come up before or during execution of the work of this tender for the reason that no extra cost will borne out by Police Department for such eventualities nor any extension in time will be provided on such pretext.
- 5. The work will commence after the approval of competent authority and also subject to availability of funds which is in pipe line.

Deputy Inspector General of Police
Traffic Licensing & Training
Karachi.

Ph: 021-99250521



### OFFICE OF THE DEPUTY INSPECTOR GENERL OF POLICE, TRAFFIC (LICENSING & TRAINING), KARACHI 11TH ZAMZAMA STREET (ADJACENT DL BRANCH), CLIFTON, KARACHI

To,	M/S. Rajput Toude	785		11.2	
	00		GR No. Date:	1	· Samuel and
		02-2018 ing: 15:00 HRS ing: Office of DIGP	Traffic (L&T) 11	<sup>th</sup> Zazama Street C	lifton
Nam	ne of work: REPAIR & R KORANGI K				
1.	Name of firm	M/S Raje 188/A A Nagar	end Trade	26.	
2.	Address	188/A A	bdullah T	Town Nas	eem
3.	Full name of bidder With CNIC#, Address	Nagar	Hyderobad		
4.	Phone Landline/Cell. Person/representation to whom	o22265	1758,033	3-26044	14
	CNIC No. Landline/Cell No.	A week Kum		5-202 8/6	6-1
5.	NTN Number	1555940	8-1		
6.	Category of Registration with limit	"C-S"			
7.	Validation of Registration	June	2018		
8.	Schedule "B" form may be attached.				
9.	Cost of work		38313	89.66	
10.	Earnest Money	100,000/	2		
11.	Earnest Money Pay order No & Date Name of Bank with Branch Coo	7050136	11/0	14/2018	
12.	Name of Bank with Branch Coo	le Semuit	Bank +	<u>&lt; lii</u>	
13.	Signature & Seal				
14.	NOTE. The above work of Re	pair & Renovation	would be done sub	ject to availability	of fund.
	MS RAJPUT TRAPERS  Proprietor		For Dep	IMRAN AHME DSP/Adm Duty Inspector ( Traffic Licensing	nin General of Police

Karachi

### Name of work: REPAIR / RENOVATION WORKS FOR DRIVING LICENSE BRANCH, KORANGI, KARACHI.

	SCHEDULE BOOK DO	CUMENT	117	1.	
IVIL WO	ORKS SCHEDULE ITEMS PART ( A ):		11.5		
S.NO	Descriptions	Quantity	Rate	unit	Amount
1	Dismantling cement block masonry. (SI.14 / P-10 ).	240.339	1134.38	%Cft	2726.357548
2	Removing door with chowkats.( Sl.33-a /P-12 ).	4	142.18	Each	568.72
3	Removing window and sky light with chowkats (33-b P/12).	12	102.85	P. No.	1234.2
4	Scraping (b) Ordinary distemper oil bound distemper or Paint on Walls. (SI.54-(b) / P-13).	8749	226.88	%Sft	19849.7312
5	Dismantling glazed or encaustic tiles etc (SI.55 / P-13).	1269.71	786.5	%Sft	9986.26915
6	Dismantling cement concrete plain 1:4:8. (SI.19-a/P-10)	366.045	1663.75	%Cft.	6090.073688
7	Reinforced cement concrete work including all labour and material except the cost of steel reinforcement and its labour for bending and binding which will be paid seprately. This rate also includes all kinds for forms moulds: lifting shuttering curing rendering and finishing the exposed surface (including screening and washing of shingle.) (a) R.C work in roof slab, beams columns rafts, lintels and other structural members laid in situ or precast laid in position complete in all respects. (1) Ratio (1: 2: 4) 90 Lbs. cement 2 Cft sand 4 Cft shingle 1/8" to 1/4" gauge. (Sl.6(a)(I) / P-16).	399	337	P/Cft	134463
8	Providing and laying 1: 3: 6 Cement concrete solid Block masorany wall above 6" in thickness set in 1: 6 cement mortar in G.F ground floor superstructure including raking out joints & curing etc. complete. (SI.23 / P-19).	457.59	14621.44	%Cft.	66906.2473
9	Applying floating coat of Cement 1/32" thick.( SI.14/P-53 ).	5546.56	660	%Sft	36607.296
10	Cement plaster 1:4 upto 12' height (c) 3/4" thick (SI-11-C/P-52)	5546.56	3015.76	%Sft	167270.937
11	Preparing surface & painting with plastic emulsion paint of approved make in/c rubbing the surface with sand paper filing the voids wirh chalk / plaster of pairs and then painting etc complete. (SI-40a+b+b/P-56)	14746	2237.95	%Sft	330008.107
12	Providing and laying tiles glazed 6" x 6" x 1/4" on floor or wall facing in required colour and apttern of STILE specification jointed in white cement and pigment over a base of 1:2 grey cement mortar 3/4" thick including washing and filling of joints with slurry of white cement and pigment in desired shape with finishing, clearing and cost of wax polish etc. complete including cutting tiles to proper profile. (SI.60/P-47).	375	30509.77	%Sft	114411.637
13	Cement concrete plain including placing compacting, finishing and curing, complete (including screening and washing at stone aggregate without shuttering.(h). Ratio 1: 3: 6. (SI.5-h/P-16).	100	12595	%Cft	.12595
14	First class deodar wood wrought joinery in doors and windows etc, fixed in position including chowkats hold fasts hinges, iron tower bolts, chocks cleats, handles and cords with hooks, etc. Deodar paneled or paneled and glazed, or fully glazed. (b) 1 3/4" thick. (S1.7 (b)/P-65).	91	902.93	P/Sft	82166.63

Jum

Page 1

3/3

	1.54 11 <del>5</del>				
15	Providing and fixing with jute felt paper of 60 Lbs over roof in/c cleaning of roof with wire brush and removing dust, applying bitumen coat at the rate of 34 Lbs per% Sft as premix inter coats and then laying felt paper with 10% over laps, then applying and spreading hill sand at the rate of 1 Cft for 100 Sft. The cost also in/c necessary fire material, kerosene oil, wood etc. (SI.42 / P-39).	7888	106.73	P/Sft	841886.24
16	P/F cement paving blocks flooring having size 197x97x60 (mm) of city / quddra / cobble shape with having strength b/w 5000 psi to 8500 psi in/c filling the joints with hill sand and laying in specified manner / pattern and design etc complete. (SI-71/P-49)	2298	199.77	P/Sft	459071.46
17	P/F angle iron vertical Plats for barbed wire fencing of size 2"x2" '/4" embedded in RCC / Masonry pillars in/c making cuts / holders @ 12" in/c fixing in pillars by chiseling and filling the with cement sand mortar, spraining & finishing the surface (8 P / 95).	173.33	169.18	P/Rft	29323.9694
18	P/F barbed wire fencing with 12 guage -4 points @ 6" apart barbed wire i/c straightening & fixing in angle iron vertical posts. (SI-9/P- 96)	1039.98	8.38	P/Rft	8715.0324
19	R.C.C. spout including fixing in position 2-1/2x6"x5" (SI.14/P-18)	8	211.75	P/Nos	1694
	h 1	Total	Amount Part (	A): 00	2325574.90
ECTRI	C WORKS SCHEDULE ITEMS PART (B):	8/4	- 1000	2772	di Di A
S.NO	Descriptions	Quantity	Rate	unit	Amount
1	Wiring for plug point with 3/.029 PVC insulated wire in 20mm ( %") PVC conduit recessed in the wall or column as required.( SI.126 / P-15 ).	150	985	P.Point	147750
2	Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-3/.029 copper conductor in ¾" dia PVC conduit recessed in the wall or column as required.(SI.8 / P-2).	200	173	P.Meter	34600
3	Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-3 /.36 copper conductor in 3/4" dia PVC conduit recessed in the wall or column as required. (SI.9 /P-2)	100	191	P.Meter	19100
4	Providing & Fixing three pin 10 / 15 Amp Plug & Socket.( SI.224 / P-33).	24	151	Each	3624
5	Providing & Fixing three pin 5 Amp Plug & Socket.( S1.226 / P-33).	24	151	Each	3624
6	Providing & fixing three pin 10/15 amp plug & socket flush type.( S1.227 / P-33 ).	24	162	Each	3888
7	P/F ammeters size 96/96mm Direct 15A, 30A,50A,60A, & 100A as required & as per instruction of El. (SI.284/P-41)	2	1054	P/ No.	2108
8	P/F holder for 125 watts light @ as per site requirement & instruction of Engineer Incharge. (SI.189/P-29)	48	203	P/ No.	9744
9	P/F circuit breaker 6,10,15,20,30,40,50, & 63 amp DP (TB-5S) on prepared board as required. (SI.204/P-31)	12	2456	Each.	29472
10	Providing & fixing one way SP 5-Amp switch surface type (S1.216 / P-33).	12	34	Each	408
			54	P/ No.	648
- 11,	Providing & fixing one way SP 5amp switch flush type	12	54	17.110.	4
	(33/219)	12	55	P/No	660
11.					660 116 1998

Page 2

	Y WORKS SCHEDULE ITEMS PART ( C ):				
<u> </u>	Descriptions	Quantity	Rate	unit	Amount
1	S/F soap tray of made plastic of superior quality and design with fine finishing with CP screws etc complete.	2	169.4	Each	338.8
2	Providing & fixing chrome lated brass towel rail complete with brackets fixing on wooden cleats with 1" long c.p brass screws.(II) Towel rail 30" long. (a) 34" dia round or square (Standard Pattern). (SI.01-II+a / P-07).	2	1082.95	Eạch	2165.9
3	(a) S/Fixing long bib-cock of superior quality with c.p head ½" dia. (Sl.13-a / P-19).	4	1109.46	Each	4437.84
4	Providing & fixing European white glazed earthen ware wash down W.C pan complete with and in/c the cost of white/black plastic seat (Best Quality) and lid with C.P. brass hinges and buffers, 3 gallons white glazed earthen ware low level flushing cistern with siphon fitting 1-1/2" dia white porcelain enameled flush bend 3/4" dia and making requisite number of holes in walls, plinth and floor for Pipe connections and making good in cement concrete 1:2:4 (	2	11477.4	Each	22954.8
	Foreign Quality ).( Sl.5 / P-2 ).				
5	P/L 24"x18" bevalled edge mirror of Belgium glass complete with 1/8" thick hard board and CP screws fixed to wooden pleat (b) superior quality (S13-b/P-07)	2	2376	P/No	4752
6	Providing & fixing 6"x2" or 6"x3" C.1 floor trap of the approved selt cleaning design with a C.1 screwed down granting with or without a vent arm complete with & I/c making requisite number of holes in walls, plinth & floor for Pipe connections & making good cement concrete 1: 2: 4. (S1.20 / P-06).	4	2042.43	Each	8169.72
7	Add extra for labour for providing & fixing of earthen ware pedestal white or coloured glazed (Foreign or Equivalent). (SI.11 / P-3).	2	2533.47	Each	5066.94
8	S/F fiber glass tank of approved quality & design and wall thickness as specified in/c cost of nuts bolts and fixing in plate form of cement concrete 1:3:6 and making connection for inlet & out let & over flow pipes etc complete. (SI.3-C /P-21) 500 gallons.	2	37505.42	Each	75010.84
9	(b) Supplying / Fixing wash basin mixture of superior quality with C.P head ½" dia. (SI.14-b / P-19).	2 ,	.3179	Each	6358
10	(a) Supplying & fixing C.P Muslim Shower with double Bib cock & ring Pipe etc complete. (SI.19(a) / P-19).	2	3432	Each	6864
11	Providing & fixing in position nyloon connections complete with ½" dia, brass stop cock with pair of brass nuts and lining joints to nyloon connection. (SI. 23 / 06).	4	447.15	Each	1788.6
12	Providing & fixing 24" x 18" lavatory basin in white glazed earthen ware complete with & in/c the cost of W.I or C.I cantilever brackets 6 inches built into walls, painted white in two coats after a primary coat of red lead paint a pair of 1/2" dia rubber plug & chrome plated brass chain 1-1/4" dia, malleable iron or brass unions and making requisite number	2	4928	Each	9856
	of holes in walls, plinth & floor for Pipe connections and making good in cement concrete 1:2:4 ( Foreign or Equivalent ).( SI.10 / P-3 ).		0	7	

aum)

Page 3

	AF				
	Cancelled C.P. fittings of Superior quality for tiles Bath Rooms.(b) S/Fixing cancelled stop cock of superior quality with C.P. head ½" dia.(SI.11(b)/P-18).	2	509.74	Each	1019.48
14	(a). S/Fixing canceled tee-stop cock of superior quality with C.P head ½" dia. (SI.12-a / P-18).	2	843.92	Each	1687.84
		Total A	mount of Part (	C):	150470.76
NON-SCH	HEDULE ITEMS PART ( D ):		1/	4	at Dov
S.NO	Descriptions	Quantity	Rate	'\'unit	Amount
	Supplying and fixing in position Aluminum channels framing for sliding windows & ventilators of Lucky or equivalent made with 5mm thick tinted glass glazing (Belgium) and aluminum fly screen, handles, stoppers and locking arrangement etc complete. (b) Deluxe Model (Bronze of Champion color)	336	500/-	P/Sft	16800
2	Supplying and fixing in position Aluminum channels framing for hinged doors of Lucky or equivalent made with 5mm thick tinted glass glazing (Belgium) and ALPHA (Japan) locks in/c handles, stoppers etc complete. (b) Deluxe Model (Bronze of Champion color)	56	4001-	P/Sft	ત્રેસપજા
3	P/F fine quality roller type blind with approved design false & in/c steel angle fixing with steel screws as per window as required @ site as directed by the Engineer Incharge.	490	300	P/Sft	14700
4	P/F wall bracket fan 18" dia of approved make & quality (Royal/Pak, Millat or equivalent) in/c fixing on wall as directed by the Engineer Incharge	12	S000/-	Each .	6000
5	P/F ceiling fan 56" sweep Pak/Royal/GFC or equivalent deluxe model in/c carriage from shop to site of work, fixing & necessary lead connection as directed by the Engineer Incharge.	12	1000 -	Each	48000
6	P/F fan dimmer of ceiling fan Pak / Royal / GFC of approved quality & make as directed by the Engineer Incharge	12	500/-	Each	6000/
7	P/F CPVC water supply pipe of AGM or Pak Arab or equivalent with all necessary fittings like elbow, bend, tee etc. This includes fixing on walls with clamps or Jubilee clips upto height of 50'-0 in vertical or horizontal position using Jhoola or long ladder or scaffolding and jointing pipe & fittings with approved solvent / JTG solution. The rate includes all cost of labour, material, and cartage, as directed by Engineer Incharge 1/2" dia		200/-	P/Rft	30,000/
. 8	P/F CPVC water supply pipe of AGM or Pak Arab or equivalent all necessary fittings like elbow, bend, tee etc. This includes fixing on walls with clamps or Jubilee clips upto height of 50'-0 in vertical or horizontal position using Jhoola or long ladder or scaffolding and jointing pipe & fittings with approved solvent / JTG solution. The rate includes all cost of labour, material, and cartage, as directed by Engineer Incharge 3/4'' dia	250	225	P/Rft	58250
9	P/F UPVC water supply pipe of AGM or Pak Arab or equivalent without fittings which will be paid separately. This includes fixing on walls with clamps or Jubilee clips upto height of in vertical or horizontal position using Jhoola or long ladder or scaffolding and jointing pipe & fittings with approved solvent / JTG solution. The rate includes all cost of labour, material, and cartage as directed by Engineer Incharge 2" dia	250	250	P/Rft	62500

10	equivalent with all necessary fittings. This includes fixing on walls with clamps or Jubilee clips upto height of in vertical or horizontal position using Jhoola or long ladder or scaffolding and jointing pipe & fittings with approved cement solvent / JTG solution. The rate includes all cost of labour, material, and cartage, as directed by Engineer Incharge 1" dia	150	250	P/Rft	375001_
. 11	P/F RCC pipe 12" dia with collar of class *B* for sewerage line in/c excavating the trench of required dia and depth and then laying pipe in trench jointing and refilling excavated stuff as directed by the Engineer Incharge.	380	700-	P/Rft	266000).
12	Construction of manhole or inspection chamber 2'-0x2'-0 & upto 5'-0" inside depth dimension for required dia of circular sewer with walls of solid block masonry 1:3:6 set in 1:6 cement sand mortar 6" thick with 6" thick C.C. 1:4:8 in foundation, ½" thick plaster in 1:4 ratio to all inside wall surface & to top 1" thick C.C. flooring etc including, curing, excavation, back filling & disposal of surplus earth as directed by the Engineer Incharge.	12	20,000)	Each	249000/-
13	P/F RCC main hole cover of 3" thickness embedded with angle iron frame 1-1/2"x1-1/2"x1-1/4" and bars of 3/8" dia mild steel placed at 6" i/c both way i/c handle in centre for lifting poured with C.C. 1:2:4 in/c curing, finishing etc complete.	100	1000/	P/Sft	10000/-
14	Removing debries from Building in/c collecting from different floors, throwing to stair to ground floor at proper place and then loading on truck and throwing out of city government premises, fuel & hire charges of truck, loading & unloading etc complete	4	10000	P/Truck	4000)_
		Total	Amount of Part	( D)	1285/29
					0

Grand Total amount in Rupees (A+B+C+D)

Grand Total amount in Rupees:
Or say in Million

### TERMS AND CONDITIONS

- 1. Any typographical errors in the Schedule B are subject to the correction with Reference to the Schedule of rate General
- 2. Arbitration clause stands deleted from the agreement...
- 3. No premium shall be paid on a Non schedule items.
- 4. 100% Well Graded crushed bajri shall be used in items of work without any extra payment

5. All sample of items should be got approved by the Engineer Incharge.

MIS RAJPUT TRADERS


Proprietor

(HAFIZ SAFPAR SHAIKH)
Assistant Engineer,
CPO, Sindh, Karachi

### **BIDDING DOCUMENTS**

**FOR** 

REPAIR & RENOVATION WORK OF DRIVING LICENSE BRANCH KORANGI KARACHI.



MIS INDUS ASSOCIATE & COMP.

OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE,

TRAFFIC (LICENSING & TRAINING), KARACHI

11<sup>TH</sup> ZAMZAMA STREET (ADJACENT DL BRANCH), CLIFTON, KARACHI.



### DEPUTY INSPECTOR GENERAL OF POLICE TRAFFIC (LICENSING & TRAINING) KARACHI GOVERNMENT OF SINDH

### TENDER NOTICE

Sealed tenders are invited in accordance with the Sindh Public Procurement Rules, 2010 (Amended 2017) from contractors/contracting firms for following works of the Police Department.

S#	SCOPE OF THE WORK	Estimated Cost (approximate)	EARNEST MONEY	TENDER FEE	COMPLETION OF WORK
1.	Repair & Renovation works for Driving License Branch Korangi Karachi.	Rs.4.00 million	2.5 % of quoted Bid	Rs. 1,000/-	45 Days

### **TERMS & CONDITIONS:**

- i. Contractors/Contracting Firms should be registered with Pakistan Engineering Council, (FBR) Income Tax, Sales Tax and Sindh Revenue Board (NTN and STN registration certificates will be required).
- ii. Contractors/Contracting Firms are advised to quote rates on Unit/Job/Per Sft/Rft. basis.
- iii. Payments shall be made for the works on basis of job, unit basis as the case may be on completion of each item/work, on the basis of measurement & verification in accordance with specification/Schedule "B".
- iv. The work calculation/RCE may vary by (+) or (-) 5%.
- v. The contractors/contracting firms will be required to show evidence of experience, capability in respect of personnel/machinery, financial position etc (Profile of the Firm).
- vi. Contractors/Contracting Firms black listed by Government Departments or agency will not be allowed to participate in the tender/bid (participating contractors/contracting firms will be required to submit affidavit to the effect that they are not black listed), for any Government Department.
- vii. Contractors will be required to provide copy of CNIC and Contracting Firms will also be required to provide Certificate of Registration (Category wise).
- viii. Only bids offered on the prescribed Tender Form issued by this department shall be accepted. However, additional sheets may be attached, if required.
- ix. Conditional tender / application will not be entertained.
- x. Validity of bid/offer shall be at least 45 days from the date of opening of tender.
- xi. The competent authority reserves the right to reject all or any tender/bid subject to and in accordance with the relevant provisions of the Sindh Public Procurement Rules, 2010 and conditions contained in Tender Documents.

### **INFORMATION & PROCEDURE:**

- Complete set of bidding documents containing the scope of work and relevant details along-with specification can be obtained by the interested Contractors/Contracting Firms from the office of the D.I.G.P Traffic, (L&T), 11<sup>th</sup> Zamzama Street (Adjacent DL Branch) Clifton, Karachl, during working hours up to last date of submission the bids, on payment of tender fee (non refundable). Method of procurement will be single stage one envelope.
- 2. Tenders/Bids (duly sealed along-with call deposit) at (placed in the office of DIGP Traffic, Licensing & Training Karachi (at the address given above) on or before (As last date) 12-04-2018 upto 2:00 pm. The proposed bids will be opened by Departmental Procurement Committee on 12-04-2018 at 03:00pm in presence of duly authorized representatives (who may like to be present) of Contractors/Contracting firms participating in the tender/bid.
- Any other information relating to this tender/bid or detail of work or any further clarification can be obtained from the DIGP Traffic (L&T) Clifton, Karachi at given address during office hours before opening of tender.
- 4. The Contractor Contracting Firms are advised in their own interest to fully understand scope of work and quality/quantities They may also visit the site to asses themselves any additional/incidental work (availability of electricity, was any other item) which may come up before or during execution of the work of this tender for the reason that the cost will see out by Police Department for such eventualities nor any extension in time will be provided on such pretext.

5. The work will commence after the approval of competent authority and also subject to availability of funds which is in pipe line.

(FARHAT ALÍ JUNEJO) PSP,
Deputy Inspector General of Police
Traffic Licensing & Training
Karachi.

0.701

Ph: 021-99250521



### SUMMARY OF CONTENTS

	Subject	Page No
(I)	INVITATION FOR BIDS	02
(II)	INSTRUCTIONS TO BIDDERS & BIDDING	DATA04
(III)	FORM OF BID & SCHEDULES TO BID	19
(IV)	CONDITIONS OF CONTRACT & CONTRACT	T DATA33
(V)	STANDARD FORMS	54
(VI)	SPECIFICATIONS	67
(VII)	DRAWINGS	68

00223003DR NO. CALL DEBOSH Receipt

Date:

11 APR 2018

DIGP TRAFFIC LICENSING AND TRAINING

INDUS ASSOCIATES & CO

BRANCH - New Challi Khi Cash

Amount Rs. 100,000.00

JS Bank Limited

**SBANK** 

PKR ONE HUNDRED THOUSAND ONLY

THE SUM OF RUPEES

RECEIVED FROM IN THE FAVOUR OF

For JS Bank Limited As a deposit AT CALL bearing NO PROFIT subject to the general rules of the bank with respect to such Deposits.

Authorised Signature

Authorised Signature

In the event that this instrument is not enchased within 6 months of issue, the Bank reserves the right to validate the same before

Payable to Beneficiary or Purchaser

This receipt is Non-Transferable

When payment is required, this receipt must be returned to the Bank duly discharged by the Beneficiary / Depositor under the words "Received Payment"

CDR No.

LD1810100135

Sindh Public Procurement Regulatory Authority | www.pprasindh.gov.pk



### OFFICE OF THE DEPUTY INSPECTOR GENERL TRAFFIC (LICENSING & TRAINING), KARACHI 11TH ZAMZAMA STREET (ADJACENT DL BRANCH), CLIFTON, KARACHI

To,

M/S. Indus Associalis

GR	No.
$\omega_{I}$	110.

Date:

Due date: 12-04-2018

Time of Opening: 15:00 HRS

Place of Opening: Office of DIGP Traffic (L&T) 11th Zazama Street Clifton Karachi.

Name of work: REPAIR & RENOVATION WORK OF DRIVING LICENSE BRANCH KORANGI KARACHI. Indus Associales & Co 1. Name of firm M.G. Hirssaw Trade Ceuli New Chall Salurgun 4230104171345 2. Address 3. Full name of bidder With CNIC#, Address Phone Landline/Cell. 4. Person/representation to whom contact with CNIC No. Landline/Cell No. 0963109 5. NTN Number C-4 200. (Million) 6. Category of Registration with limit 7. Validation of Registration 8. Schedule "B" form may be attached. 9. Cost of work 10. Earnest Money Pay order No & Date 11. Name of Bank with Branch Code 12. 13. Signature & Seal NOTE. The above work of Repair & Renovation would be done subject to availability of fund. 14.

INDUS ASSOCIATES & CO.

Proprietor

(MUHAMMAD AHMED BAIG) **DSP/ Administration** 

For: Deputy Inspector General of Police, Traffic (Licensing & Training)

Karachi.

ame of work: REPAIR / RENOVATION WORKS FOR DRIVING LICENSE BRANCH, KORANG

### SCHEDULE BOOK DOCUMENT

WORKS	SCHEDULE	ITEMS	PART	A 1	١.
WORKS	SCHEDULE	LIENIS	LAK!	A ,	

NO	Descriptions	Quantity	Rate	unit	Amount
ī	Dismantling cement block masonry. (SI.14 / P-10 ).	240.339	1134.38	%Cft	2736,357548
2	Removing door with chowkats.( Sl.33-a /P-12 ).	, 4	142.18	Each	Vn 568.72
3	Removing window and sky light with chowkats (33-b P/12).	12	102.85	P. No.	1234.2
4	Scraping (b) Ordinary distemper oil bound distemper or Paint on Walls. (SI.54-(b) / P-13).	8749	226.88	%Sft	19849.7312
5	Dismantling glazed or encaustic tiles etc (SI.55 / P-13).	1269.71	786.5	%Sft	9986.26915
6	Dismantling cement concrete plain 1:4:8. (Sl.19-a/P-10)	366.045	1663.75	%Cft.	6090.073688
7	Reinforced cement concrete work including all labour and material except the cost of steel reinforcement and its labour for bending and binding which will be paid seprately. This rate also includes all kinds for forms moulds: lifting shuttering curing rendering and finishing the exposed surface (including screening and washing of shingle.) (a) R.C work in roof slab, beams columns rafts, lintels and other structural members laid in situ or precast laid in position complete in all respects. (1) Ratio (1:2:4) 90 Lbs. cement 2 Cft sand 4 Cft shingle 1/8" to 1/4" gauge. (SI.6(a)(1) / P-16).	399	337	P/Cft	134463
Ġ	Providing and laying 1: 3: 6 Cement concrete solid Block masorany wall above 6" in thickness set in 1: 6 cement mortar in G.F ground floor superstructure including raking out joints & curing etc. complete. (SI.23 / P-19).	457.59	14621.44	%Cft.	66906.2473
9	Applying floating coat of Cement 1/32" thick.( SI.14/P-53 ).	5546.56	660	%Sft	36607.296
10	Cement plaster 1:4 upto 12' height (c) 3/4" thick (SI-11-C/P-52)	5546.56	3015.76	%Sft	167270.9379
11	Preparing surface & painting with plastic emulsion paint of approved make in/c rubbing the surface with sand paper filing the voids wirh chalk / plaster of pairs and then painting etc complete. (SI-40a+b+b/P-56)	14746	2237.95	%Sft	330008.107
12	Providing and laying tiles glazed 6" x 6" x 1/4" on floor or wall facing in required colour and apttern of STILE specification jointed in white cement and pigment over a base of 1:2 grey cement mortar 3/4" thick including washing and filling of joints with slurry of white cement and pigment in desired shape with finishing, clearing and cost of wax polish etc. complete including cutting tiles to proper profile. (S1.60/P-47).	375	30509.77	%Sft	114411.6375
13	Cement concrete plain including placing compacting, finishing and curing, complete (including screening and washing at stone aggregate without shuttering (h). Ratio 1. 3: 6. (S1.5-h / P-16).	100	12595	%Cft	12595
14	First class deodar wood wrought joinery in doors and windows etc, fixed in position including chowkats hold fasts hinges, iron tower bolts, chocks cleats, handles and cords with hooks, etc. Deodar paneled or paneled and glazed, or fully glazed. (b) 1 3/4" thick. (S1.7 (b)/P-65).	91	902.93	P/Sft	82166.63

INDUS ASSOCIATES & CO.

Susw Page 1

					SER SER
5	Providing and fixing with jute felt paper of 60 Lbs over roof in/c cleaning of roof with wire brush and removing dust, applying bitumen coat at the rate of 34 Lbs per% Sft as premix inter coats and then laying felt paper with 10% over laps, then applying and spreading hill sand at the rate of 1 Cft for 100 Sft. The cost also in/c necessary fire material, kerosene oil, wood etc. (SI.42 / P-39).	7888	106.73	P/Sfi	841886.24 841886.24
5	P/F cement paving blocks flooring having size 197x97x60 (mm) of city / quddra / cobble shape with having strength b/w 5000 psi to 8500 psi in/c filling the joints with hill sand and laying in specified manner / pattern and design etc complete. (SI-71/P-49)	2298	199.77	P/Sft	459071.46
7	P/F angle iron vertical Plats for barbed wire fencing of size 2"x2" ¼" embedded in RCC / Masonry pillars in/c making cuts / holders @ 12" in/c fixing in pillars by chiseling and filling the with cement sand mortar, spraining & finishing the surface (8 P / 95).	173.33	169.18	P/Rft	29323.9694
8	P/F barbed wire fencing with 12 guage -4 points @ 6" apart barbed wire i/c straightening & fixing in angle iron vertical posts. (SI-9/P- 96)	1039.98	8.38	P/Rft	8715.0324
)	R.C.C. spout including fixing in position 2-1/2x6"x5" (SI.14/P-18)	8	211.75	P/Nos	1694
	2-1/2x0 x3 (S1.14/F-10)	Tota	l Amount Part (	A):	2325574.909
TDI	C WORKS SCHEDULE ITEMS PART ( B ):				
0	Descriptions	Quantity	Rate	unit	Amount
	Wiring for plug point with 3/.029 PVC insulated wire in 20mm (3/4") PVC conduit recessed in the wall or column as required. (SI.126 / P-15).	150	985	P.Point	147750
	Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-3/.029 copper conductor in ¼" dia PVC conduit recessed in the wall or column as required.(SI.8 / P-2).	200	173	P.Meter	34600
	Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-3 /.36 copper conductor in ¾" dia PVC conduit recessed in the wall or column as required. (SI.9 /P-2)	100	191	P.Meter	19100
	Providing & Fixing three pin 10 / 15 Amp Plug & Socket.( S1.224 / P-33 ).	24	151	Each	3624
	Providing & Fixing three pin 5 Amp Plug & Socket.( S1.226 / P-33).	24	151	Each	3624
	Providing & fixing three pin 10/15 amp plug & socket flush type.(S1.227 / P-33).	24	162	Each .	3888
	P/F ammeters size 96/96mm Direct 15A, 30A,50A,60A, & 100A as required & as per instruction of El. (S1.284/P-41)	2	1054	P/ No.	2108
	P/F holder for 125 watts light @ as per site requirement & instruction of Engineer Incharge. (SI.189/P-29)	48	203	P/ No.	9744
	P/F circuit breaker 6,10,15,20,30,40,50, & 63 amp DP (TB-5S) on prepared board as required. (S1.204/P-31)	12	2456	Each.	29472
0	Providing & fixing one way SP 5-Amp switch surface type.( SI.216 / P-33 ).	12	34	Each	408
1	Providing & fixing one way SP 5amp switch flush type (33/219)	12	54	P/ No.	648
		12	55	P/No	660
	P/F two way SP 5-amp switch flush type (S1.220/P-33)	1.2		17110	
3	P/F two way SP 5-amp switch flush type (S1.220/P-33)  Providing & fixing one way SP 10 / 15amp switch surface type.(S1.218 / P-33).  P/F voltmeter size 96/96 mm 500 volt as required & as per	2	58	Each Each	116

				1/3	C (181) 21
TARY	WORKS SCHEDULE ITEMS PART ( C ):	0	Rate	Word 1	SERVE ARROUNT
VO.	Descriptions	Quantity	Rate	10/3	Amount
l	S/F soap tray of made plastic of superior quality and design with fine finishing with CP screws etc complete.	2	169.4	Each	358.8
2	Providing & fixing chrome lated brass towel rail complete with brackets fixing on wooden cleats with 1" long c.p brass screws.(II) Towel rail 30" long. (a) ¾" dia round or square (Standard Pattern). (SI.01-II+a / P-07).	2	1082.95	Each	73216SD
3	(a) S/Fixing long bib-cock of superior quality with c.p. head ½" dia. (SI.13-a / P-19).	4	1109.46	Each	4437.84
4	Providing & fixing European white glazed earthen ware wash down W.C pan complete with and in/c the cost of white/black plastic seat (Best Quality) and lid with C.P. brass hinges and buffers, 3 gallons white glazed earthen ware low level flushing cistern with siphon fitting 1-1/2" dia white porcelain enameled flush bend ¼" dia and making requisite number of holes in walls, plinth and floor for Pipe connections and making good in cement concrete 1:2:4 (Foreign Quality).(SI.5 / P-2).	2	11477.4	Each	22954.8
5	P/L 24"x18" bevalled edge mirror of Belgium glass complete with 1/8" thick hard board and CP screws fixed to wooden pleat (b) superior quality (S13-b/P-07)	2	2376	P/No	4752
6	Providing & fixing 6"x2" or 6"x3" C.I floor trap of the approved selt cleaning design with a C.I screwed down granting with or without a vent arm complete with & I/c making requisite number of holes in walls, plinth & floor for Pipe connections & making good cement concrete 1: 2: 4. (SI.20 / P-06).	4	2042.43	Each	8169.72
7	Add extra for labour for providing & fixing of earthen ware pedestal white or coloured glazed (Foreign or Equivalent).(SI.11 / P-3).	2	2533.47	Each	5066.94
8	S/F fiber glass tank of approved quality & design and wall thickness as specified in/c cost of nuts bolts and fixing in plate form of cement concrete 1:3:6 and making connection for inlet & out let & over flow pipes etc complete. (SI.3-C /P-21) 500 gallons.	2	37505.42	Each	75010.84
9	(b) Supplying / Fixing wash basin mixture of superior quality with C.P head ½" dia. (SI.14-b / P-19).	2	3179	Each	6358
0	(a) Supplying & fixing C.P Muslim Shower with double Bib cock & ring Pipe etc complete. (SI.19(a) / P-19).	2	3432	Each	6864
1	Providing & fixing in position nyloon connections complete with ½" dia, brass stop cock with pair of brass nuts and lining joints to nyloon connection. (SI. 23 / 06).	4	447.15	Each	1788.6
2	Providing & fixing 24" x 18" lavatory basin in white glazed earthen ware complete with & in/c the cost of W.I or C.I cantilever brackets 6 inches built into walls, painted white in two coats after a primary coat of red lead paint a pair of ½" dia rubber plug & chrome plated brass chain 1-1/4" dia, malleable iron or brass unions and making requisite number of holes in walls, plinth & floor for Pipe connections and making good in cement concrete 1:2:4 (Foreign or Equivalent). (SI.10 / P-3).	2	4928	Each	9856

Proprietor

Page 3



		ڊ پور	And the second s
	509.74	Each	10 S
	843.92	Esiche	1687.84
Total	Amount of Part (	C)(127	150470.76
I Quantitu	Pote	unit	Amount
336	700/.	P/Sft	2-3520
	1600	P/Sft	=56000/
1 1	500	P/Sft	245000
12	4000	Each	48000
ixing 12 er	5000	Each	60000
	200	Each	2400
d, tee ubilee esition g pipe e rate	50	P/Rft	7500
e etc . e clips using 250 ipe & e rate	75	P/Rft	18750
ely. ips 250	150	P/Rft	37500
	Tota  Quantity  and  Quantity  336  e with  56  false ow as 490  ity 12  ity 12  or ity 13  or ity 14  or ity 15  or ity	y 2 843.92  Total Amount of Part (  Quantity Rate  and 336 760/.  with 56 1600/  false ow as 490 500  ity 12 4000  ity 12 4000  ity 12 200  Total Amount of Part (  Amount of	y 2 843.92 Each Total Amount of Part ( C)    Quantity Rate unit

u : /					
10	P/F UPVC water supply pipe of AGM or Pak Arab or equivalent with all necessary fittings. This includes fixing on walls with clamps or Jubilee clips upto height of in vertical or horizontal position using Jhoola or long ladder or scaffolding and jointing pipe & fittings with approved cement solvent / JTG solution. The rate includes all cost of labour, material, and cartage, as directed by Engineer Incharge I'' dia	150	160	P/Rtt 1000	C (L&T) SING
Ú	P/F RCC pipe 12" dia with collar of class *B* for sewerage line in/c excavating the trench of required dia and depth and then laying pipe in trench jointing and refilling excavated stuff as directed by the Engineer Incharge.	380	2,60	P/Rft	114000
12	Construction of manhole or inspection chamber 2'-0x2'-0 & upto 5'-0" inside depth dimension for required dia of circular sewer with walls of solid block masonry 1:3:6 set in 1:6 cement sand mortar 6" thick with 6" thick C.C. 1:4:8 in foundation, ½" thick plaster in 1:4 ratio to all inside wall surface & to top 1" thick C.C. flooring etc including, curing, excavation, back filling & disposal of surplus earth as directed by the Engineer Incharge.	12	12000	Each	144000
13	P/F RCC main hole cover of 3" thickness embedded with angle iron frame 1-1/2"x1-1/2"x1-1/4" and bars of 3/8" dia mild steel placed at 6" i/c both way i/c handle in centre for lifting poured with C.C. 1:2:4 in/c curing, finishing etc complete.	100	800	P/Sft	80000
!4	Removing debries from Building in/c collecting from different floors, throwing to stair to ground floor at proper place and then loading on truck and throwing out of city government premises, fuel & hire charges of truck, loading & unloading etc complete	4	16060	P/Truck	40000/2
		Total	Amount of Part	(D)	1103350
Maria de la Companya					

Grand Total amount in Rupees (A+B+C+D)

Grand Total amount in Rupees: 3837/34

Grand Total amount in Rupees: 3837/34

TERMS AND CONDITIONS

Handred bus & four only

Any typographical errors in the Schedule B are subject to the correction with Reference to the Schedule of rate General

2. Arbitration clause stands deleted from the agreement.

3. No premium shall be paid on a Non schedule items.

100% Well Graded crushed bajri shall be used in items of work without any extra payment.

All sample of items should be got approved by the Engineer Incharge.

(HAFIZ SAFDAR SHAIKH)

Assistant Engineer, CPO, Sindh, Karachi

INDUS ASSOCIATES & CO

Proprieto

### **BIDDING DOCUMENTS**

**FOR** 

REPAIR & RENOVATION WORK OF DRIVING LICENSE BRANCH KORANGI KARACHI.





OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE,


TRAFFIC (LICENSING & TRAINING), KARACHI

11<sup>TH</sup> ZAMZAMA STREET (ADJACENT DL BRANCH), CLIFTON, KARACHI.

MIS ABBAS LOGHAY CORPORATION.



### DEPUTY INSPECTOR GENERAL OF POLICE TRAFFIC (LICENSING & TRAINING) KARACHI GOVERNMENT OF SINDH



S#.	SCOPE OF THE WORK	Estimated Cost (approximate)	EARNEST MONEY	TENDER FEE	DURATION OF COMPLETION WORK
1.	Repair & Renovation works for Driving License Branch Korangi Karachi.	Rs.4.00 million	2.5 % of quoted Bid	Rs. 1,000/-	45 Days

### **TERMS & CONDITIONS:**

- Contractors/Contracting Firms should be registered with Pakistan Engineering Council, (FBR) Income Tax, Sales Tax and Sindh Revenue Board (NTN and STN registration certificates will be required).
- ii. Contractors/Contracting Firms are advised to quote rates on Unit/Job/Per Sft/Rft. basis.
- iii. Payments shall be made for the works on basis of job, unit basis as the case may be on completion of each item/work, on the basis of measurement & verification in accordance with specification/Schedule "B".
- iv. The work calculation/RCE may vary by (+) or (-) 5%.
- v. The contractors/contracting firms will be required to show personnel/machinery, financial position etc (Profile of the Firm).
- vi. Contractors/Contracting Firms black listed by Government Departments or agency will not be allowed to participate in the tender/bid (participating contractors/contracting firms will be required to submit affidavit to the effect that they are not black listed), for any Government Department.
- vii. Contractors will be required to provide copy of CNIC and Contracting Firms will also be required to provide Certificate of Registration (Category wise).
- viii. Only bids offered on the prescribed Tender Form issued by this department shall be accepted. However, additional sheets may be attached, if required.
- ix. Conditional tender / application will not be entertained.
- x. Validity of bid/offer shall be at least 45 days from the date of opening of tender.
- xi. The competent authority reserves the right to reject all or any tender/bid subject to and in accordance with the relevant provisions of the Sindh Public Procurement Rules, 2010 and conditions contained in Tender Documents.

### **INFORMATION & PROCEDURE:**

- Complete set of bidding documents containing the scope of work and relevant details along-with specification can be obtained by the interested Contractors/Contracting Firms from the office of the D.I.G.P Traffic, (L&T), 11<sup>th</sup> Zamzama Street (Adjacent DL Branch) Clifton, Karachi, during working hours up to last date of submission the bids, on payment of tender fee (non refundable). Method of procurement will be single stage one envelope.
- 2. Tenders/Bids (duly sealed along-with call deposit) at 2.5% of bids shall be dropped in the tender box (placed in the office of DIGP Traffic, Licensing & Training Karachi (at the address given above) on or before (As last date) 12-04-2018 upto 2:00 pm. The proposed bids will be opened by Departmental Procurement Committee on 12-04-2018 at 03:00pm in presence of duly authorized contractors/Contracting firms participating in the tender/bid.
- Any other information relating to this tender/bid or detail of work or any further clarification can be obtained from the DIGP Traffic (L&T) Clifton, Karachi at given address during office hours before opening of tender.
- 4. The Contractors/Contracting Firms are advised in their own interest to fully understand scope of work and quality/quantities. They may also visit the site to asses themselves any additional/incidental work (availability of electricity, water or any other item) which may come up before or during execution of the work of this tender for the reason that no extra cost will borne out by Police Department for such eventualities nor any extension in time will be provided on such pretext.

5. The work will commence after the approval of funds which is in pipe line.

(FARHAT ALI JUNEJO) PSP,
Deputy Inspector General of Police
Traffic Licensing & Training
Karachi.

Ph: 021-99250521



### SUMMARY OF CONTENTS

	Subject	Page No
(I)	INVITATION FOR BIDS	02
(II)	INSTRUCTIONS TO BIDDERS & BIDDIN	G DATA04
(III)	FORM OF BID & SCHEDULES TO BID	19
(IV)	CONDITIONS OF CONTRACT & CONTRA	ACT DATA33
(V)	STANDARD FORMS	54
(VI)	SPECIFICATIONS	67
(VII)	DRAWINGS	68



Partner

Date I 3 V V Z O V 🕏 HABIBETION TANDANCED FIRMER FOR LITAREANCED HABIBETION OF THE ROOT INVESTIGATION OF THE ROOT TANDANCED HABIBETION OF THE ROOT TANDAN Cheque No. 106541029 TRO TIPKEN GCG ST PARIBRETROOL OF ANALY I MABE TRYOUGH THE ANALY OF A THE TRYOUGH TH TO NATIONAL TO ANALYZE TO THE TOTAL TO THE T PK76 MPBL 4102 027 5 4025 8004 PREFECTION OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE OFFICE HABBANETROPOLITANDANKETD POPULTANEARE LETABLISME INC. DEL TANDES EN LE PERINGENE L

Sindh Public Procurement Regulatory Authority | www.pprasindh.gov.pk

-	SCHEDULE BOOK DO	CUMENT		1 1 W	* 8 = 2
/II. W(	ORKS SCHEDULE ITEMS PART (A):			達 女	1 2
S.NO		0	Rate	white.	
5.110	Descriptions  Dismantling cement block masonry. (SI.14 / P-10 ).	Quantity 240.339	1134.38	18 Car	7082
2	Removing door with chowkats.(\$1.33-a /P-12).	4	217 142.18	Mary 1	1687/8
	Removing window and sky light with chowkats (33-b P/12).	1.		P. No.	134.2
3		12	102.85 <b>248.8</b> 5	r. No.	2986.2
4	Scraping (b) Ordinary distemper oil bound distemper or Paint on Walls. (SI.54-(b) / P-13).	8749	226.88	%Sft	19849.7312
5	Dismantling glazed or encaustic tiles etc (S1.55 / P-13).	1269.71	786.5	%Sft	9986.26915
6	Dismantling cement concrete plain 1:4:8. (SI.19-a/P-10)	366.045	1663.75	%Cft.	6090.073688
7	Reinforced cement concrete work including all labour and material except the cost of steel reinforcement and its labour for bending and binding which will be paid seprately. This rate also includes all kinds for forms moulds: lifting shuttering curing rendering and finishing the exposed surface (including screening and washing of shingle.) (a) R.C work in roof slab, beams columns rafts, lintels and other structural members laid in situ or precast laid in position complete in all respects. (1) Ratio (1:2:4) 90 Lbs. cement 2 Cft sand 4 Cft shingle 1/8" to 1/4" gauge. (S1.6(a)(1) / P-16).	399	337 362	P/Cft	134463 146832
8	Providing and laying 1: 3: 6 Cement concrete solid Block masorany wall above 6" in thickness set in 1: 6 cement mortar in G.F ground floor superstructure including raking out joints & curing etc. complete. (S1.23 / P-19).	457.59	14621.44 14931.66	%Cft.	66906.2473 68325.7
9	Applying floating coat of Cement 1/32" thick.( SI.14/P-53 ).	5546.56	660 690	%Sft	3 <b>8 2 7 1 2 9</b> 36607.296
i O	Cement plaster 1:4 upto 12' height (c) 3/4" thick (SI-11-C/P-52)	5546.56	3015.76	%Sft	167270.9379
11	Preparing surface & painting with plastic emulsion paint of approved make in/c rubbing the surface with sand paper filing the voids wirh chalk / plaster of pairs and then painting etc complete. (SI-40a+b+b/P-56)	14746	2237.95 <b>2867.</b> 47	%Sft	330008.107 422837.1
12	Providing and laying tiles glazed 6" x 6" x 1/4" or floor or wall facing in required colour and apttern of STILE specification jointed in white cement and pigment over a base of 1:2 grey cement mortar 3/4" thick including washing and filling of joints with sturry of white cement and pigment in desired shape with finishing, clearing and cost of wax polish etc. complete including cutting tiles to proper profile. (S1.60/P-47).	375	30509.77 3 6348.87	₩Sñ.	114411.6375
13	Cement concrete plain including placing compacting, finishing and curing, complete (including screening and washing at stone aggregate without shuttering.(h). Ratio 1: 3: 6. (Sl.5-h / P-16).	100	12595 19806	%Cft	12595
14	First class deodar wood wrought joinery in doors and windows etc. fixed in position including chowkats hold fasts hinges, iron tower bolts, chocks cleats, handles and cords with hooks, etc. Deodar paneled or paneled and glazed, or fully glazed. (b) 1 3/4" thick. (SL7 (b)/P-65).	91	902.93	P/Sft	82166.63

Page 1

1	Providing and fixing with jute felt paper of 60 Lbs over roof in/c cleaning of roof with wire brush and removing dust,		129.66/	CSC TING	1000 1417
15	applying bitumen coat at the rate of 34 Lbs per% Sft as premix inter coats and then laying felt paper with 10% over laps, then applying and spreading hill sand at the rate of 1	7888	106.73	Pu <sup>r</sup> fi	- 4 S
	Cft for 100 Sft. The cost also in/c necessary fire material ,kerosene oil, wood etc. (SI.42 / P-39).		1/2		
	P/F cement paving blocks flooring having size 197x97x60 (mm) of city / quddra / cobble shape with having strength	-		× 056	TH3
16	b/w 5000 psi to 8500 psi in/c filling the joints with hill sand	2298	199.77	P/Sft	459071.46
	and laying in specified manner / pattern and design etc complete. (SI-71/P-49)		178.85		410997.3
17	P/F angle iron vertical Plats for barbed wire fencing of size 2"x2" '/4" embedded in RCC / Masonry pillars in/c making cuts / holders @ 12" in/c fixing in pillars by chiseling and filling the with cement sand mortar, spraining & finishing the surface (8 P / 95).	173.33	169.18	P/Rft	29323.9694
18	P/F barbed wire fencing with 12 guage -4 points @ 6" apart barbed wire i/c straightening & fixing in angle iron vertical posts. (SI-9/P-96)	1039.98	8.38	P/Rft	8715.0324
19	R.C.C. spout including fixing in position 2-1/2x6"x5" (SI.14/P-18)	8	211.75	P/Nos	1694
	D MANO NO (OHI III 10)	Total	Amount Part (A	A):	2325574.909
		1.2.3.		Part (A):	3043254
ECTRI	C WORKS SCHEDULE ITEMS PART ( B ):		4, 74, 4, 4, 4, 4, 4, 4, 4, 4, 4, 4, 4, 4, 4		
S.NO	Descriptions	Quantity	Rate	unit	Amount
1	Wiring for plug point with 3/.029 PVC insulated wire in 20mm (3/4") PVC conduit recessed in the wall or column as required.(SI.126 / P-15).	150	985 1 <b>368</b>	P.Point	147750 205208
2	Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-3/.029 copper conductor in 3/4" dia PVC conduit	200	173	D.Matau	34600
2	recessed in the wall or column as required.( S1.8 / P-2 ).	200	173	P.Meter	34000
3		100	191	P.Meter	19100
	Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-3 /.36 copper conductor in 34" dia PVC conduit recessed in the wall or column as required. (SI.9 /P-2)  Providing & Fixing three pin 10 / 15 Amp Plug & Socket.(		191		2
3	Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-3 /.36 copper conductor in 3/4" dia PVC conduit recessed in the wall or column as required. (S1.9 /P-2)  Providing & Fixing three pin 10 / 15 Amp Plug & Socket.(S1.224 / P-33).  Providing & Fixing three pin 5 Amp Plug & Socket.(	100	191	P.Meter	19100 22600
3	Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-3 /.36 copper conductor in 3/4" dia PVC conduit recessed in the wall or column as required. (S1.9 /P-2)  Providing & Fixing three pin 10 / 15 Amp Plug & Socket.(S1.224 / P-33).	100	191 <b>2-26</b> 151	P.Meter Each	19100 <b>226</b> 00 3624
3 4 5	Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-3 /.36 copper conductor in ¾" dia PVC conduit recessed in the wall or column as required. (SI.9 /P-2)  Providing & Fixing three pin 10 / 15 Amp Plug & Socket.(SI.224 / P-33).  Providing & Fixing three pin 5 Amp Plug & Socket.(SI.226 / P-33).  Providing & Fixing three pin 10/15 amp plug & socket flush	100 24 24	191 <b>226</b> 151	P.Meter Each	19100 <b>22600</b> 3624 3624
3 4 5 6	Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-3 /.36 copper conductor in ¾" dia PVC conduit recessed in the wall or column as required. (SI.9 /P-2)  Providing & Fixing three pin 10 / 15 Amp Plug & Socket.(SI.224 / P-33).  Providing & Fixing three pin 5 Amp Plug & Socket.(SI.226 / P-33).  Providing & fixing three pin 10/15 amp plug & socket flush type.(SI.227 / P-33).  P/F ammeters size 96/96mm Direct 15A, 30A,50A,50A, &	100 24 24 24	191 <b>2-26</b> 151 151 162	P.Meter  Each  Each	19100 22600 3624 3624 3888
3 4 5 6	Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-3 /.36 copper conductor in ¾" dia PVC conduit recessed in the wall or column as required. (S1.9 /P-2)  Providing & Fixing three pin 10 / 15 Amp Plug & Socket.(S1.224 / P-33).  Providing & Fixing three pin 5 Amp Plug & Socket.(S1.226 / P-33).  Providing & fixing three pin 10/15 amp plug & socket flush type.(S1.227 / P-33).  P/F ammeters size 96/96mm Direct 15A, 30A,50A,50A, & 100A as required & as per instruction of El. (S1.284/P-41)  P/F holder for 125 watts light @ as per site requirement & instruction of Engineer Incharge. (S1.189/P-29)	100 24 24 24 2	191 <b>2-26</b> 151 151 162 1054	P.Meter  Each  Each  Each  P/ No.	19100 22600 3624 3888 2108
3 4 5 6 7	Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-3 /.36 copper conductor in ¾" dia PVC conduit recessed in the wall or column as required. (S1.9 /P-2)  Providing & Fixing three pin 10 / 15 Amp Plug & Socket.(S1.224 / P-33).  Providing & Fixing three pin 5 Amp Plug & Socket.(S1.226 / P-33).  Providing & fixing three pin 10/15 amp plug & socket flush type.(S1.227 / P-33).  P/F ammeters size 96/96mm Direct 15A, 30A,50A,50A, & 100A as required & as per instruction of El. (S1.284/P-41)  P/F holder for 125 watts light @ as per site requirement & instruction of Engineer Incharge. (S1.189/P-29)	100 24 24 24 2 48	191 <b>2-26</b> 151 151 162 1054	P.Meter  Each Each P/ No.	19100 22600 3624 3624 3888 2108
3 4 5 6 7 8	Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-3 /.36 copper conductor in ¾" dia PVC conduit recessed in the wall or column as required. (S1.9 /P-2)  Providing & Fixing three pin 10 / 15 Amp Plug & Socket.(S1.224 / P-33).  Providing & Fixing three pin 5 Amp Plug & Socket.(S1.226 / P-33).  Providing & fixing three pin 10/15 amp plug & socket flush type.(S1.227 / P-33).  P/F ammeters size 96/96mm Direct 15A, 30A,50A,50A, & 100A as required & as per instruction of El. (S1.284/P-41)  P/F holder for 125 watts light @ as per site requirement & instruction of Engineer Incharge. (S1.189/P-29)  P/F circuit breaker 6,10,15,20,30,40,50, & 63 amp DP (TB-5S) on prepared board as required. (S1.204/P-31)  Providing & fixing one way SP 5-Amp switch surface type.(S1.216 / P-33).  Providing & fixing one way SP 5amp switch flush type	24 24 24 2 48	191 226 151 151 162 1054 203 2456 2792	P.Meter  Each  Each  P/ No.  P/ No.  Each.	19100 22600 3624 3624 3888 2108 9744
3 4 5 6 7 8 9	Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-3 /.36 copper conductor in ¾" dia PVC conduit recessed in the wall or column as required. (SI.9 /P-2)  Providing & Fixing three pin 10 / 15 Amp Plug & Socket.(SI.224 / P-33).  Providing & Fixing three pin 5 Amp Plug & Socket.(SI.226 / P-33).  Providing & fixing three pin 10/15 amp plug & Socket flush type.(SI.227 / P-33).  P/F ammeters size 96/96mm Direct 15A, 30A,50A,50A, & 100A as required & as per instruction of EI. (SI.284/P-41)  P/F holder for 125 watts light @ as per site requirement & instruction of Engineer Incharge. (SI.189/P-29)  P/F circuit breaker 6,10,15,20,30,40,50, & 63 amp DP (TB-5S) on prepared board as required. (SI.204/P-31)  Providing & fixing one way SP 5-Amp switch surface type.(SI.216 / P-33).  Providing & fixing one way SP 5amp switch flush type (33/219)	100 24 24 24 2 48 12 12	191 2-26 151 151 162 1054 203 2456 2792 34 54	P.Meter  Each Each P/ No. P/ No. Each. Each	19100 22600 3624 3624 3888 2108 9744 33504 408
3 4 5 6 7 8 9	Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-3 /.36 copper conductor in ¾" dia PVC conduit recessed in the wall or column as required. (S1.9 /P-2)  Providing & Fixing three pin 10 / 15 Amp Plug & Socket.(S1.224 / P-33).  Providing & Fixing three pin 5 Amp Plug & Socket.(S1.226 / P-33).  Providing & Fixing three pin 10/15 amp plug & Socket.(S1.226 / P-33).  Providing & fixing three pin 10/15 amp plug & Socket flush type.(S1.227 / P-33).  P/F ammeters size 96/96mm Direct 15A, 30A,50A,60A, & 100A as required & as per instruction of E1. (S1.284/P-41)  P/F holder for 125 watts light @ as per site requirement & instruction of Engineer Incharge. (S1.189/P-29)  P/F circuit breaker 6,10,15,20,30,40,50, & 63 amp DP (TB-5S) on prepared board as required. (S1.204/P-31)  Providing & fixing one way SP 5-Amp switch surface type.(S1.216 / P-33).  Providing & fixing one way SP 5amp switch flush type (S1.220/P-33)  Providing & fixing one way SP 10 / 15amp switch surface	100 24 24 24 2 48 12	191 226 151 151 162 1054 203 2456 2792 34	P.Meter  Each Each P/ No.  P/ No.  Each. Each P/ No.	19100 22600 3624 3624 3888 2108 9744 335001 408 648
3 4 5 6 7 8 9 10 11	Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-3 /.36 copper conductor in ¾" dia PVC conduit recessed in the wall or column as required. (SI.9 /P-2)  Providing & Fixing three pin 10 / 15 Amp Plug & Socket.(SI.224 / P-33).  Providing & Fixing three pin 5 Amp Plug & Socket.(SI.226 / P-33).  Providing & fixing three pin 10/15 amp plug & socket flush type.(SI.227 / P-33).  P/F ammeters size 96/96mm Direct 15A, 30A,50A,50A, & 100A as required & as per instruction of El. (SI.284/P-41)  P/F holder for 125 watts light @ as per site requirement & instruction of Engineer Incharge. (SI.189/P-29)  P/F circuit breaker 6,10,15,20,30,40,50, & 63 amp DP (TB-5S) on prepared board as required. (SI.204/P-31)  Providing & fixing one way SP 5-Amp switch surface type.(SI.216 / P-33).  Providing & fixing one way SP 5-amp switch flush type (33/219)  P/F two way SP 5-amp switch flush type (SI.220/P-33)	100 24 24 24 2 48 12 12 12	191 226 151 151 162 1054 203 2456 2792 34 54 55	P.Meter  Each Each P/ No. P/ No. Each. Each P/ No. P/ No.	19100 22600 3624 3624 3888 2108 9744 33504 408 648 660

J.NO	Y WORKS SCHEDULE ITEMS PART ( C ):  Descriptions	Quantity	Rate	unit	Amoun
1	S/F soap tray of made plastic of superior quality and design with fine finishing with CP screws etc complete.	2	169.4	Each	18.88501 27
2	Providing & fixing chrome lated brass towel rail complete with brackets fixing on wooden cleats with 1" long c.p brass screws.(II) Towel rail 30" long. (a) 1/4" dia round or square (Standard Pattern). (SI.01-II+a / P-07).	2	1082.95	111 HO 311	2,65.9
3	(a) S/Fixing long bib-cock of superior quality with c.p head ½" dia. (SI.13-a / P-19).	4	1109.46	Each	* 4439.80
<b>5</b> 4	Providing & fixing European white glazed earthen ware wash down W.C pan complete with and in/c the cost of white/black plastic seat (Best Quality) and lid with C.P. brass hinges and buffers, 3 gallons white glazed earthen ware low level flushing cistern with siphon fitting 1-1/2" dia white porcelain enameled flush bend 3/4" dia and making requisite number of holes in walls, plinth and floor for Pipe connections and making good in cement concrete 1:2:4 (Foreign Quality).(SI.5/P-2).	2	11477.4	Each	22954.8
	P/L 24"x18" bevalled edge mirror of Belgium glass		9		- 0 1 10
5	complete with 1/8" thick hard board and CP screws fixed to	2	2376	P/No	4752
6	wooden pleat (b) superior quality (SI3-b/P-07)  Providing & fixing 6"x2" or 6"x3" C.I floor trap of the approved selt cleaning design with a C.I screwed down granting with or without a vent arm complete with & I/c making requisite number of holes in walls, plinth & floor for Pipe connections & making good cement concrete 1: 2: 4. (SI.20 / P-06).	4	2042.43	Each	8169.72
7	Add extra for labour for providing & fixing of earthen ware pedestal white or coloured glazed (Foreign or Equivalent).(SI.11 / P-3).	2	2533.47	Each	5066.94
8	S/F fiber glass tank of approved quality & design and wall thickness as specified in/c cost of nuts bolts and fixing in plate form of cement concrete 1:3:6 and making connection for inlet & out let & over flow pipes etc complete. (SI.3-C/P-21) 500 gallons.	2	37505.42	Each	75010.8
9	(b) Supplying / Fixing wash basin mixture of superior quality with C.P head ½" dia. (SI.14-b / P-19).	2	3179	Each	6358
10	(a) Supplying & fixing C.P Muslim Shower with double Bib cock & ring Pipe etc complete. (S1.19(a) / P-19).	2	3432	Each	6864
11	Providing & fixing in position nyloon connections complete with ½" dia, brass stop cock with pair of brass nuts and lining joints to nyloon connection. (SI. 23 / 06).	4	447.15	Each	1788.6
12	Providing & fixing 24" x 18" lavatory basin in white glazed earthen ware complete with & in/c the cost of W.I or C.I cantilever brackets 6 inches built into walls, painted white in two coats after a primary coat of red lead paint a pair of ½" dia rubber plug & chrome plated brass chain 1-1/4" dia, malleable iron or brass unions and making requisite number of holes in walls, plinth & floor for Pipe connections and making good in cement concrete 1:2:4 (Foreign or Equivalent).(SI.10 / P-3).	2	4928	Each	9856

Page 3

				1	The same of the sa
13	Cancelled C.P. fittings of Superior quality for tiles Bath Rooms.(b) S/Fixing cancelled stop cock of superior quality with C.P. head ½" dia.(SI.11(b)/P-18).	2	509.74	Each	10 30 648
14	(a). S/Fixing canceled tee-stop cock of superior quality with C.P head ½" dia. (SI.12-a / P-18).	2	843.92	Each	1687.84
		Total A	mount of Part	(C):/\	7150470.76
	EDULE ITEMS PART ( D ):	0 111	D. t.		156259
S.NO	Descriptions Supplying and fixing in position Aluminum channels	Quantity	Rate	unit //	Amount
- 1	framing for sliding windows & ventilators of Lucky or equivalent made with 5mm thick tinted glass glazing (Belgium) and aluminum fly screen, handles, stoppers and locking arrangement etc complete. (b) Deluxe Model (Bronze of Champion color)	336	980	P/Sft	3 29280
2	Supplying and fixing in position Aluminum channels framing for hinged doors of Lucky or equivalent made with 5mm thick tinted glass glazing (Belgium) and ALPHA (Japan) locks in/c handles, stoppers etc complete. (b) Deluxe Model (Bronze of Champion color)	56	999	P/Sft	55944
3	P/F fine quality roller type blind with approved design false & in/c steel angle fixing with steel screws as per window as required @ site as directed by the Engineer Incharge.	490	986	P/Sft	483140
4	P/F wall bracket fan 18" dia of approved make & quality (Royal/Pak, Millat or equivalent) in/c fixing on wall as directed by the Engineer Incharge	12	5000	Each	60,000
5	P/F ceiling fan 56" sweep Pak/Royal/GFC or equivalent deluxe model in/c carriage from shop to site of work, fixing & necessary lead connection as directed by the Engineer Incharge.	12	5500	Each	66000
6	P/F fan dimmer of ceiling fan Pak / Royal / GFC of approved quality & make as directed by the Engineer Incharge	12	500	Each	6,000
7	P/F CPVC water supply pipe of AGM or Pak Arab or equivalent with all necessary fittings like elbow, bend, tee etc. This includes fixing on walls with clamps or Jubilee clips upto height of 50'-0 in vertical or horizontal position using Jhoola or long ladder or scaffolding and jointing pipe & fittings with approved solvent / JTG solution. The rate includes all cost of labour, material, and cartage, as directed by Engineer Incharge 1/2' dia	150	350	P/Rft	52500
8	P/F CPVC water supply pipe of AGM or Pak Arab or equivalent all necessary fittings like elbow, bend, tee etc. This includes fixing on walls with clamps or Jubilee clips upto height of 50'-0 in vertical or horizontal position using Jhoola or long ladder or scaffolding and jointing pipe & fittings with approved solvent / JTG solution. The rate includes all cost of labour, material, and cartage, as directed by Engineer Incharge 3/4' dia	250	435	P/Rfi	168756
9	P/F UPVC water supply pipe of AGM or Pak Arab or equivalent without fittings which will be paid separately. This includes fixing on walls with clamps or Jubilee clips upto height of in vertical or horizontal position using Jhoola or long ladder or scaffolding and jointing pipe & fittings with approved solvent / JTG solution. The rate includes all cost of labour, material, and carried, as directed by Engineer Incharge 2'' dia	250 Vw	348	P/Rftį	87000

10	P/F UPVC water supply pipe of AGM or Pak Arab or equivalent with all necessary fittings. This includes fixing on walls with clamps or Jubilee clips upto height of in vertical or horizontal position using Jhoola or long ladder or scaffolding and jointing pipe & fittings with approved cement solvent / JTG solution. The rate includes all cost of labour, material, and cartage, as directed by Engineer Incharge 1" dia	150	173	G C	260%
11	P/F RCC pipe 12" dia with collar of class *B* for sewerage line in/c excavating the trench of required dia and depth and then laying pipe in trench jointing and refilling excavated stuff as directed by the Engineer Incharge.	380	1000	P/Rft	380,000
12	Construction of manhole or inspection chamber 2'-0x2'-0 & upto 5'-0" inside depth dimension for required dia of circular sewer with walls of solid block masonry 1:3:6 set in 1:6 cement sand mortar 6" thick with 6" thick C.C. 1:4:8 in foundation, ½" thick plaster in 1:4 ratio to all inside wall surface & to top 1" thick C.C. flooring etc including, curing, excavation, back filling & disposal of surplus earth as directed by the Engineer Incharge.	12	50,000	Each	600,000
. 13	P/F RCC main hole cover of 3" thickness embedded with angle iron frame 1-1/2"x1-1/2"x1-1/4" and bars of 3/8" dia mild steel placed at 6" i/c both way i/c handle in centre for lifting poured with C.C. 1:2:4 in/c curing, finishing etc complete.	100	8000	P/Sft	800,000
14	Removing debries from Building in/c collecting from different floors, throwing to stair to ground floor at proper place and then loading on truck and throwing out of city-government premises, fuel & hire charges of truck, loading & unloading etc complete	4	25000	P/Truck	100,000
		. Total Amount of Part (		(D)	3154969
					16

Grand Total amount in Rupees (A+B+C+D)

Grand Total amount in Rupees: 6676931.14

Or say in Million

6.676

### TERMS AND CONDITIONS

- Any typographical errors in the Schedule B are subject to the correction with Reference to the Schedule of rate General
- Arbitration clause stands deleted from the agreement.
- 3. No premium shall be paid on a Non schedule items.
- 100% Well Graded crushed bajri shall be used in items of work without any extra payment. 4.
- All sample of items should be got approved by the Engineer Incharge.

Note:

A+B+C = 3522235.16

(HAFIZ SAFDAR SHAIKH) Assistant Engineer, CPO, Sindh, Karachi