

OFFICE OF THE DISTRICT COUNCIL KARACHI

No D.C.K / D.E / 193 /2016 Dated: 3/6/2016.


SUBJECT:- PROCUREMENT COMMITTEE METING HELD ON 03-06-2016

- 1- A meeting of the procurement committee under the chair of Deputy Commissioner, Karachi West, was held in the office of the Deputy Commissioner, Karachi West, Estate Avenue Road opp.Habib Bank, Site, Karachi.
- 2- The below mentioned member of committee attended the meeting to discuss the bids invited for the procurement of works vide No D.C.K / District Engineer /2016 /45 Dated 03-06-2016 and subsequently hoisted on the website of Sindh Public Procurement Regularity Authority Government of Sindh and Press

Following attend the meeting.

- | | |
|---|------------------|
| 1- Deputy Commissioner,
Karachi West. | Chairman |
| 2- District Engineer,
District Council Karachi | Secretary/Member |
| 3- Executive Engineer
Site Zone D.M.C
West Karachi, | Member |

- 3- During the course of meeting following discussion were made by the committee.
 - i- The tender received on dated 03-06--2016 at 2:00 PM were opened before the procurement committee in presence of representatives of participants.
 - ii- The methods for bidding documents observed as single envelop.
 - iii- The tender was opened on 03-06--2016 at 2:30 PM before the tender opening Committee.
- 4- The committee was informed that 11 Nos bidders have purchased the bidding documents upto dated 19-05-2016 and all participants responded the bids and received today upto 03-06-2016 in the office of Deputy Commissioner, Karachi West.



5- During the opening of tender received, following status was found.

Work Number	Name of Firms	Ranking in Term of Cost	Remarks
01	M/S New Balochistan Construction Company	1st Lowest	
	M/S Nazeer Ahmed Baloch & Sons	2 nd Lowest	
02	M/S Haji Salouddin & Brothers	1st Lowest	
	M/S New Balochistan Construction Company	2 nd Lowest	
	M/S Rana Manzoor & Brother	3 rd Lowest	
03	M/S Ghulam Nabi Baber & Brothers	1st Lowest	
	M/S Sunny Builder	2 nd Lowest	
	M/S Sajjad & Fayaz Enterprises	3 rd Lowest	
04	M/S Abdul Samad Shad Zai & Sons	1st Lowest	
	M/S U.R Engineer Works	2 nd Lowest	
	M/S New Balochistan Construction Company	3 rd Lowest	
05	M/S Al Asim Associates	1st Lowest	
	M/S Sunny Builder	2 nd Lowest	
	M/S Haji Saluddin & Brothers	3 rd Lowest	
	M/S New Balochistan Construction Company	4 th Lowest	
	M/S Rana Manzoor & Brothers	5 th Lowest	

6- The committee thoroughly scrutinized each case / tender document, by comparing earthimatically and financially with sanctioned estimates / schedule of prices and criteria for eligibility and minimum qualification as per bidding documents.


7- **Recommendation.**


After due deliberation / scrutiny of each tender document by the committee, it was recommended that lowest evaluated responsive bidder may be awarded the respective tender.

8- **Decision.**

In view of above report it is decided that tenders are being awarded to above mentioned lowest responsive bidders accordingly.


District Engineer
District Council Karachi
Member / Secretary
Mr. Fazal Mehmood


Executive Engineer
Site Zone DMC West Karachi
Member
Mr. Shabirul Hasan


Deputy Commissioner
Karachi West
Chairman
Mr. Asif Jameel.

DISTRICT COUNCIL KARACHI

Bid Evaluation Report


(Work No. 01)

1	Name of Procuring Agency:	District Council Karachi
2	Tender Reference No	No. D.C.K / District Engineer / 2016 / 45, Dated 18-05-2016
3	Tender Description/name of Work / item	Providing / Laying / Testing and Jointing of Water Supply Line Pumping Station at Ghausia P.M.T and Kachello Muhallah UC Moach District Council Karachi.
4	Method of Procurement	Single Stage (one envelop)
5	Tender Published:	Through SPPRA website / Press
6	Total Bid documents Sold:	02 Nos
7	Total Bids Received	02 Nos
8	Technical Bid Opening date (if applicable):	N/A
9	No. of Bid technically qualified (if applicable)	N/A
10	Bid(s) Rejected	Nil
11	Financial Bid Opening date	03-06-2016


1. Bid Evaluation Report:

S.No	Name of Firm or Bidder	Cost offered by the Bidder	Ranking in terms of cost	Comparison with Estimated cost	Reasons for acceptance/rejection	Remarks
1	2	3	4	5	6	7
1	M/S New Balochistan Construction Company	29,87,178/=	1 st Lowest	2.25% Above	Substantially Responsive	Pay order No.0754029 Amount Rs. 158000/= Bank Islami Sohrab Goth
2	M/S Nazeer Ahmed Baloch & Sons	33,88,871/=	2 nd Lowest	16% Above	Substantially Responsive	Pay order No.04575983 Amount Rs. 1,50,000/= NBP Karachi


- The all concerned bidder are being informed accordingly.
- The E.E concerned for compliance of rule 45 of SPPRA -2010 amended 2013 M/S **New Balochistan Construction Company** declared has the lowest responsive bidder by the committee and recommended for awarding contract to the bidder.


District Engineer
District Council Karachi
Member / Secretary

M. Yaqub Mehmood Gill


Executive Engineer
Site Zone DMC West Karachi
Member

Mrs. Shabirul Hasan


Deputy Commissioner
Karachi West
Chairman

M. Asif Jamal

DISTRICT COUNCIL KARACHI

COMPARATIVE STATEMENT

Work No. 01

**SUBJECT: - Providing / Laying / Testing and Jointing of Water Supply Line Pumping Station at Ghausia P.M.T and Kachello Muhallah
UC Moach District Council Karachi.**

Sr No	Description of Work	Engineer's Estimate			M/S New Balochistan Construction Company		M/S Nazeer Ahmed Baloch & Sons		
		Quantity	Rate	Unit	Amount	Rate	Amount	Rate	Amount
1	Excavation for pipe lines in trenches and pits in all kinds of murum i/c trimming and dressing sides to true alignment and shape leveling off beds of trenches to correct level and grade. cutting joint holes and disposal of surplus earth within a one chain as directed by Engineer incharge. Providing fence guards, lights, flags and temporary crossings for non-vehicular traffic where ever required i/c upto 5 ft (1.52m) and lead up to one chain (30.5m). (PHS item No.5 P.No 62)	83250 Cft	4650 / 00	% 0 Cft	3,87,112/=	4650 / 00	3,87,112/=	4650 / 00	3,87,112/=
2	Providing Laying Upvc pressure pipes of class D (equivalent make fixing in trench i/c cutting fitting and jointing with "Z" joint with one rubber ring i/c testing with water to head 61 m or 200 ft. P/22 item no.E-1	6000 Rft 5100 Rft	137 / 00 226 / 00	P/Rft P/Rft	8,22,000/= 11,52,600/=	137 / 00 226 / 00	8,22,000/= 11,52,600/=	137 / 00 226 / 00	8,22,000/= 11,52,600/=
3	Cast Iron Sluice Valve Heavy Pattern (test pressure 300 lbs/sq. inch (imported) (PHSM No 2 Page No. 9)	5 Nos 5 Nos	4290 / 00 5460 / 00	Each Each	21,450/= 27,300/=	4290 / 00 5460 / 00	21,450/= 27,300/=	4290 / 00 5460 / 00	21,450/= 27,300/=
4	C.I. Short piece (PHSI No. 9 Page No. 15)	10 Nos 10 Nos	375 / 00 487 / 50	Each Each	3,750/= 4,870/=	375 / 00 487 / 50	3,750/= 4,870/=	375 / 00 487 / 50	3,750/= 4,870/=
5	Providing chamber 21/2x2 1/2 (750x750mm) inside dimension 4 1/2 (1372 mm) deep as per approved design for sluice valve 3" to 12" dia with 18" (457mm) dia inside cast iron cover and frame (wt=1 cwt. 3 qr) fixed in RCC 1:2:4 (102mm) thick (with 5 lbs steel per cft) 9" (229mm) thick brick masonry walls set in 1:6 cement concrete 6" (152 mm) thick cement concrete 1:3:6 in foundation 1: (25mm) thick cement concrete 1:2:4 flooring 1/2" (25mm) thick cement concrete 1:2:4 flooring 1/2" (12.5mm) thick cement plaster 1:3 to all inside wall surface and to top i/c providing and fixing M.S foot rest at every one foot beyond 2 1/2 ft. depth curing excavation back filling and disposal of surplus earth etc. complete (PHSI No. 5 Page No. 51). Air Valve	14 Nos	18820 / 00	Each	2,63,480/=	18820 / 00	2,63,480/=	18820 / 00	2,63,480/=

District Engineer

District Council Karachi

Member / Secretary

Executive Engineer

Site Zone DMC West Karachi

Member

Deputy Commissioner

Karachi West


Chairman


Mr. Faraz Ahmad Gil

Mr. Shabir Hasan

Mr. Asif Samad

Sr No	Description of Work	Engineer's Estimate				M/S New Balochistan Construction Company		M/S Nazeer Ahmed Baloch & Sons	
		Quantity	Rate	Unit	Amount	Rate	Amount	Rate	Amount
6	Refilling of the excavated stuff in trenches 6" thick layers i/c watering ramming to full compacting etc complete (P.H.S.I. No. 24, P/77). Special fitting PVC (PHEDSCH P-18)	74925 Cft	2760/=	% 0 Cft	2,06,793/=	2760/=	2,06,793/=	2760/=	2,06,793/=
7	Tee 3" Dia => Tee 4" Dia => Elbow 3" Dia Elbow 4" Dia End Plug 3" Dia End Plug 4" Dia Reduce Bush 3" Dia Reduce Bush 4" Dia Bend 3" Bend 4"	5 Nos 5 Nos 5 Nos 5 Nos 5 Nos 5 Nos 5 Nos 5 Nos 5 Nos 5 Nos	361/= 725/= 350/= 577/= 175/= 200/= 200/= 225/= 475/= 850/=	Each Each Each Each Each Each Each Each Each Each	1,805/= 3,625/= 1,750/= 2,885/= 875/= 1,000/= 1,000/= 1,125/= 2,375/= 4,250/=	361/= 725/= 350/= 577/= 175/= 200/= 200/= 225/= 475/= 850/=	1,805/= 3,625/= 1,750/= 2,885/= 875/= 1,000/= 1,000/= 1,125/= 2,375/= 4,250/=	361/= 725/= 350/= 577/= 175/= 200/= 200/= 225/= 475/= 850/=	1,805/= 3,625/= 1,750/= 2,885/= 875/= 1,000/= 1,000/= 1,125/= 2,375/= 4,250/=
8	Air valve double acting (local) PHSI No. 8 Page No. 18) 3" Dia 4" Dia	04 Nos 04 Nos	1700/= 4000/=	Each Each	3,400/= 8,000/=	1700/= 4000/=	3,400/= 8,000/=	1700/= 4000/=	3,400/= 8,000/=
		Total Amount of Schedule Rate					29,21,445/=		29,21,445/=
		Add 2% physical contingencies					58,429/=		
		Add 1% Party Validation					29,214/=		
		Total Amount:-					30,09,088/=		
							2.25% Above		
							65,733/=		
							16% Above		
							29,87,178/=		
							4,67,430/=		
							33,88,871/=		


District Engineer
District Council Karachi
Member / Secretary


Executive Engineer
Site Zone DMC West Karachi
Member


Deputy Commissioner
Karachi West
Chairman

Mr. Faraz Mehmood Gill

Mr. Shaheer Hasan

Mr. Asif Sameel

DISTRICT COUNCIL KARACHI

Sir Shah Suleman road Gulshan-e-Iqbal Karachi /
Dumba Goth Superhighway Karachi

QUALIFICATION / ELIGIBILITY CRITERIA

Work No. 01

SUBJECT: - Providing / Laying / Testing and Jointing of Water Supply Line Pumping Station at Ghausia P.M.T and Kachello Muhallah
UC Moach District Council Karachi.


Sr. No	Name of Contractor	Verified PEC Certificate in C-6	NTN No	Professional Tax No	SRB No	Bank Statement	Relevant Experience	Bid Security & Tender Cost Attached	Turn Over Three Years
1	M/S New Balochistan Construction Company	C-5 11659	3057837-0	2015 / 2016	S 3057837-0	Yes	05 Years	Yes	Yes
2	M/S Nazeer Ahmed Baloch & Sons	C-6 60625	4269685-2	2015 / 2016	S 4269685-2	Yes	05 Years	Yes	Yes


District Engineer
District Council Karachi
Member / Secretary

Mr. Faisal Mahmood Gill


Executive Engineer
Site Zone DMC West Karachi
Member

Mr. Saadul Hasan


Deputy Commissioner
Karachi West
Chairman

Mr. Asif Jameel

DISTRICT COUNCIL KARACHI

Bid Evaluation Report


(Work No. 02)


1	Name of Procuring Agency:	District Council Karachi
2	Tender Reference No	No. D.C.K / District Engineer / 2016 / 45, Dated 18-05-2016
3	Tender Description/name of Work / item	Providing / Laying / Testing and Jointing of Water Supply Line Internal Streets from Bismillah Chowk to Ghafori Chowk at Raomoo Mohallah Block B & D, UC Moach District Council Karachi
4	Method of Procurement	Single Stage (one envelop)
5	Tender Published:	Through SPPRA website / Press
6	Total Bid documents Sold:	04 Nos
7	Total Bids Received	04 Nos
8	Technical Bid Opening date (if applicable):	N/A
9	No. of Bid technically qualified (if applicable)	N/A
10	Bid(s) Rejected	Nil
11	Financial Bid Opening date	03-06-2016


1. Bid Evaluation Report:

S.No	Name of Firm or Bidder	Cost offered by the Bidder	Ranking in terms of cost	Comparison with Estimated cost	Reasons for acceptance/rejection	Remarks
1	2	3	4	5	6	7
1	M/S Haji Salouddin & Brothers	39,92,121/=	1 st Lowest	03% Above	Substantially Responsive	Pay order No.02115860 Amount Rs. 2,03,500/= Meezan Bank
2	M/S New Balochistan Construction Company	41,08,307/=	2 nd Lowest	06% Above	Substantially Responsive	Pay order No.02115859 Amount Rs. 2,05,415/= Meezan Bank
3	M/S Rana Manzoor & Brother	41,85,914/=	3 rd Lowest	08% Above	Substantially Responsive	Pay order No.12249182 Amount Rs. 2,06,000/= UBL Bank Civic Center
4	M/S Domki & Brothers	42,63,471/=	4 th Lowest	10% Above	Substantially Responsive	Pay order No. 11063880 Amount Rs. 2,00,000/= UBL

- The all concerned bidder are being informed accordingly.
- The E.E concerned for compliance of rule 45 of SPPRA -2010 amended 2013 M/S **Haji Salouddin & Brothers** declared has the lowest responsive bidder by the committee and recommended for awarding contract to the bidder.


District Engineer
District Council Karachi
Member / Secretary
Mr. Fazal Mehmood Bhatti


Executive Engineer
Site Zone DMC West Karachi
Member
Mr. Shabirul Haasan


Deputy Commissioner
Karachi West
Chairman
Mr. Asif Jamil

DISTRICT COUNCIL KARACHI


Sir Shah Suleman road Gulshan-e-Iqbal Karachi /
Dumba Goth Superhighway Karachi

QUALIFICATION / ELIGIBILITY CRITERIA


Work No. 02

SUBJECT: - Providing / Laying / Testing and Jointing of Water Supply Line Internal Streets from Bismillah Chowk to Ghafori Chowk at Raomoo Mohallah Block B &
D. UCC Moach District Council Karachi

Sr. No	Name of Contractor	Verified PEC Certificate in C-6	NTN No	Professional Tax No	SRB No	Bank Statement	Relevant Experience	Bid Security & Tender Cost Attached	Turn Over Three Years
1	M/S Haji Salouddin & Brothers	N / A	1214112-7	2015 / 2016	S 1214112-7	Yes	05 Years	Yes	Yes
2	M/S New Balochistan Construction Company	C-5 11659	3057837-0	2015 / 2016	S 3057837-0	Yes	05 Years	Yes	Yes
3	M/S Rana Manzoor & Brother	N / A	2845796-0	2015 / 2016	S 2845796-0	Yes	05 Years	Yes	Yes
4	M/S Donki & Brothers	N / A	2845796-0	2015 / 2016	S 2845796-0	Yes	05 Years	Yes	Yes


District Engineer
District Council Karachi
Member / Secretary

Mr. Fozal Mahmood Bilal


Executive Engineer
Site Zone DMC West Karachi
Member

Mr. Saad ul Hasan


Deputy Commissioner
Karachi West
Chairman

Mr. Asif Sami

DISTRICT COUNCIL KARACHI

COMPARATIVE STATEMENT

Work No. 02

**SUBJECT: Providing / Laying / Testing and Jointing of Water Supply Line Internal Streets from Bismillah Chowk to Ghafori Chowk at Raamoo Mohallah
Block B & D, UC Moach District Council Karachi**

Sr No	Description of Work	Engineer's Estimate		M/S Haji Salouddin & Brothers		M/S New Balochistan Construction Company		M/S Rana Manzoor & Brother		M/S Domki & Brothers	
	Schedule Items.	Quantity	Rate	Unit	Amount	Rate	Amount	Rate	Amount	Rate	Amount
1	Excavation for pipe lines in trenches and pits in all kinds of soil of murum i/c trimming and dressing sides to true alignment and shape leveling off beds of trenches to correct level and grade, cutting joint holes and disposal of surplus earth within a one chain as directed by Engineer Incharge. Providing fence guards, lights, flags and temporary crossings for non-vehicular traffic where ever required lift upto 5 ft. (1.52m) and lead up to one chain (30.5m). (PHS Item No.5 P.No.62)	114750	C/ft	%	5,33,587/=	4650/00	5,33,587/=	4650/00	5,33,587/=	4650/00	5,33,587/=
2	Providing Laying Upvc pressure pipes of class D (equivalent make fixing in trench i/c cutting filling and jointing with "Z" joint with one rubber ring i/c testing with water to head 61 m or 200 ft. P122 item no E-1	10000 5300	Rft Rft	P/Rft P/Rft	13,70,000/= 11,97,800/=	137/00 226/00	13,70,000/= 11,97,800/=	137/00 226/00	13,70,000/= 11,97,800/=	137/00 226/00	13,70,000/= 11,97,800/=
3	Cast Iron Sluice Valve Heavy Pattern (test pressure 300 lb/sq. inch (imported) (PHSMI No. 2 Page No. 9)	9 5	Nos Nos	Each Each	38,610/= 27,300/=	4290/00 5460/00	38,610/= 27,300/=	4290/00 5460/00	38,610/= 27,300/=	4290/00 5460/00	38,610/= 27,300/=
4	C.I. Short piece (PHSI No. 9 Page No. 15)	18 10	Nos Nos	Each Each	6,750/= 4,870/=	375/00 487/50	6,750/= 4,870/=	375/00 487/50	6,750/= 4,870/=	375/00 487/50	6,750/= 4,870/=
5	Providing chamber 21/2x2 1/2 (750x750mm) inside dimension 4 1/2" (1372 mm) deep as per approved design for sluice valve 3" to 12" dia with 18" (457mm) dia inside cast iron cover and frame (wt=1 cwt. 3 qn) fixed in RCC 1:2:4 (102mm) thick (with 5 lbs steel per cft) 9" (299mm) thick brick masonry walls set in 1:6 cement concrete 6" (152 mm) thick cement concrete 1:3:6 in foundation 1: (25mm) thick cement concrete 1:2:4 flooring 1/2" (25mm) thick cement concrete 1:2:4 flooring 1/2" (12.5mm) thick cement plaster 1:3 to all inside wall surface and to top i/c providing and fixing M.S foot rest at every one foot beyond 2 1/2 ft. depth curing excavation back filling and disposal of surplus earth etc. complete (PHSI No. 5 Page No. 51), Air Valve	20	Nos	Each	3,76,400/=	18820/00	3,76,400/=	18820/00	3,76,400/=	18820/00	3,76,400/=

[Signature]
District Engineer
District Council Karachi
Member / Secretary

[Signature]
Executive Engineer
Site Zone DMC West Karachi
Member

[Signature]
Mr. Fozal Mahmood Sidi

[Signature]
Mr. Shehryar Hassan

[Signature]
Deputy Commissioner
Karachi West
Chairman

[Signature]
Mr. Asif Jomeel

Sr No	Description of Work	Engineer's Estimate		M/S Haji Salouddin & Brothers		M/S New Balochistan Construction Company		M/S Rana Manzoor & Brother		M/S Domki & Brothers			
		Quantity	Rate	Unit	Amount	Rate	Amount	Rate	Amount	Rate	Amount		
6	Refilling of the excavated stuff in trenches 6" thick layers i/c watering ramming to full compacting etc complete (P.H.S.I. No. 24, P/77). Special fitting PVC (PHEDSCH P-18)	103275 Cft	2760/=	% 0 Cft	2,85,039/=	2760/=	2,85,039/=	2760/=	2,85,039/=	2760/=	2,85,039/=		
7	Tee 3" Dia => Tee 4" Dia => Elbow 3" Dia Elbow 4" Dia End Plug 3" Dia End Plug 4" Dia Reduce Bush 3" Dia Reduce Bush 4" Dia Bend 3" Bend 4"	5 Nos	361/=	Each	1,805/=	361/=	1,805/=	361/=	1,805/=	361/=	1,805/=		
		5 Nos	725/=	Each	3,625/=	725/=	3,625/=	725/=	3,625/=	725/=	3,625/=		
		5 Nos	350/=	Each	1,750/=	350/=	1,750/=	350/=	1,750/=	350/=	1,750/=		
		5 Nos	577/=	Each	2,885/=	577/=	2,885/=	577/=	2,885/=	577/=	2,885/=		
		5 Nos	175/=	Each	875/=	175/=	875/=	175/=	875/=	175/=	875/=		
		5 Nos	200/=	Each	1,000/=	200/=	1,000/=	200/=	1,000/=	200/=	1,000/=		
		5 Nos	200/=	Each	1,000/=	200/=	1,000/=	200/=	1,000/=	200/=	1,000/=		
		5 Nos	225/=	Each	1,125/=	225/=	1,125/=	225/=	1,125/=	225/=	1,125/=		
		5 Nos	475/=	Each	2,375/=	475/=	2,375/=	475/=	2,375/=	475/=	2,375/=		
		5 Nos	850/=	Each	4,250/=	850/=	4,250/=	850/=	4,250/=	850/=	4,250/=		
		8	Air valve double acting (local) PHSI No. 8 Page No. 18) 3" Dia 4" Dia	04 Nos 02 Nos	1700/= 4000/=	Each Each	6,800/= 8,000/=	1700/= 4000/=	6,800/= 8,000/=	1700/= 4000/=	6,800/= 8,000/=	1700/= 4000/=	6,800/= 8,000/=
		Total Amount of Schedule Rate		38,75,846/=			38,75,846/=		38,75,846/=		38,75,846/=		38,75,846/=
Add 2% physical contingencies Add 1% Party Validation		77,517/= .38,758/=		03% Above	1,16,275/=	06% Above	2,32,551/=	08% Above	3,10,068/=	10% Above	3,87,585/=		
Total Amount:-		39,92,121/=			39,92,121/=		41,08,307/=		41,85,914/=		42,63,431/=		

[Signature]
District Engineer
District Council Karachi
Member / Secretary

[Signature]
Executive Engineer
Site Zone DMC West Karachi
Member

[Signature]
Deputy Commissioner
Karachi West
Chairman

Mr. Faraz Mahmood Gill

Mr. Shabir M Hassan

Mr. Asif Jomeel

DISTRICT COUNCIL KARACHI

Bid Evaluation Report


(Work No. 03)

1	Name of Procuring Agency:	District Council Karachi
2	Tender Reference No	No. D.C.K / District Engineer / 2016 / 45, Dated 18-05-2016
3	Tender Description/name of Work / item	Providing / Laying / Testing and Jointing of Water Supply Line at Haji Muhammad Ali Goth UC Lal Bakhar District Council Karachi.
4	Method of Procurement	Single Stage (one envelop)
5	Tender Published:	Through SPPRA website / Press
6	Total Bid documents Sold:	03 Nos
7	Total Bids Received	03 Nos
8	Technical Bid Opening date (if applicable):	N/A
9	No. of Bid technically qualified (if applicable)	N/A
10	Bid(s) Rejected	Nil
11	Financial Bid Opening date	03-06-2016


1. Bid Evaluation Report:

S.No	Name of Firm or Bidder	Cost offered by the Bidder	Ranking in terms of cost	Comparison with Estimated cost	Reasons for acceptance/rejection	Remarks
1	2	3	4	5	6	7
1	M/S Ghulam Nabi Baber & Brothers	19,39,968/=	1 st Lowest	Estimate Rate	Substantially Responsive	Pay order No.00023312 Amount Rs. 1,00,000/= Al Falah
2	M/S Sunny Builder	20,95,165/=	2 nd Lowest	08% Above	Substantially Responsive	Pay order No.13412006 Amount Rs. 1,00,000/= HBL Karachi
3	M/S Sajjad & Fayaz Enterprises	21,24,264/=	3 rd Lowest	9.05% Above	Substantially Responsive	Pay order No.00358456 Amount Rs. 1,00,000/= Bank AL Habib

- The all concerned bidder are being informed accordingly.
- The E.E concerned for compliance of rule 45 of SPPRA -2010 amended 2013 M/S Ghulam Nabi Baber & Brothers declared has the lowest responsive bidder by the committee and recommended for awarding contract to the bidder.


District Engineer
District Council Karachi
Member / Secretary
Mr. Fazal Mehmood Gilli


Executive Engineer
Site Zone DMC West Karachi
Member
Mr. Shikharul Hasan


Deputy Commissioner
Karachi West
Chairman
Mr. Asif Jameel

DISTRICT COUNCIL KARACHI


Sir Shah Suleman road Gulshan-e-Iqbal Karachi /
Dumba Goth Superhighway Karachi

QUALIFICATION / ELIGIBILITY CRITERIA

Work No. 03

SUBJECT: - Providing / Laying / Testing and Jointing of Water Supply Line at Haji Muhammad Ali Goth UC Lal Bakhar
District Council Karachi.

Sr. No	Name of Contractor	Verified PEC Certificate in C-6	NTN No	Professional Tax No	SRB No	Bank Statement	Relevant Experience	Bid Security & Tender Cost Attached	Turn Over Three Years
1	M/S Ghulam Nabi Baber & Brothers	N / A	17532208-6	2015 / 2016	S 17532208-6	Yes	05 Years	Yes	Yes
2	M/S Sunny Builder	N / A	4230109153941	2015 / 2016	S 2451978-2	Yes	05 Years	Yes	Yes
3	M/S Sajjad & Fayaz Enterprises	N/A	1172045-0	2015 / 2016	S 1172045-0	Yes	05 Years	Yes	Yes


District Engineer
District Council Karachi
Member / Secretary

Mr. Faraz Mahmood Gill


Executive Engineer
Site Zone DMC West Karachi
Member

Mr. Khosru Hassan


Deputy Commissioner
Karachi West
Chairman

Mrs. Asiyah Tameel


DISTRICT COUNCIL KARACHI
COMPARATIVE STATEMENT


SUBJECT: Providing / Laying / Testing and Jointing of Water Supply Line at Haji Muhammad Ali Goth UC Lal Bakhar District Council Karachi

Work No. 03

Sr No	Description of Work	Engineer's Estimate				M/S Ghulam Nabi Baber & Brothers		M/S Sunny Builder		M/S Sajjad & Fayaz Enterprises	
		Quantity	Rate	Unit	Amount	Rate	Amount	Rate	Amount	Rate	Amount
1	Excavation for pipe lines in trenches and pits in all kinds of soil of mumun i/c trimming and dressing sides to true alignment and shape leveling off beds of trenches to correct level and grade, cutting joint holes and disposal of surplus earth within a one chain as directed by Engineer incharge. Providing fence guards, lights, flags and temporary crossings for non-vehicular traffic where ever required lift upto 5 ft. (1.52m) and lead up to one chain (30.5m). (PHS item No.5 P.No.62)	60750.00 Cft	4650 / 00	% 0 Cft	2,82,487/=	4650 / 00	2,82,487/=	4650 / 00	2,82,487/=	4650 / 00	2,82,487/=
2	Providing Laying Upvc pressure pipes of class D (equivalent make fixing in trench i/c cutting fitting and jointing with "Z" joint with one rubber ring i/c testing with water to head 61 m or 200 ft. P/22 item no.E-1	6000 Rft 2100 Rft	137 / 00 226 / 00	P/ Rft P/ Rft	8,22,000/= 4,74,600/=	137 / 00 226 / 00	8,22,000/= 4,74,600/=	137 / 00 226 / 00	8,22,000/= 4,74,600/=	137 / 00 226 / 00	8,22,000/= 4,74,600/=
3	Cast Iron Sluice Valve Heavy Pattern (test pressure 300 lbs/sq. inch (imported) (PHSMI No. 2 Page No. 9)	4 Nos 2 Nos	4290 / 00 5460 / 00	Each Each	17,160/= 10,920/=	4290 / 00 5460 / 00	17,160/= 10,920/=	4290 / 00 5460 / 00	17,160/= 10,920/=	4290 / 00 5460 / 00	17,160/= 10,920/=
4	C.I. Short piece (PHSI No. 9 Page No. 15)	8 Nos 4 Nos	375 / 00 487 / 50	Each Each	3,000/= 1,948/=	375 / 00 487 / 50	3,000/= 1,948/=	375 / 00 487 / 50	3,000/= 1,948/=	375 / 00 487 / 50	3,000/= 1,948/=
5	Providing chamber 21/2x2 1/2 (750x750mm) inside dimension 4 1/2" (1372 mm) deep as per approved design for sluice valve 3" to 12" dia with 18" (457mm) dia inside cast iron cover and frame (wt=1 cwt. 3 q) fixed in RCC 1:2:4 (102mm) thick (with 5 lbs steel per cft) 9" (229mm) thick brick masonry walls set in 1:6 cement concrete 6" (152 mm) thick cement concrete 1:3:6 in foundation 1: (25mm) thick cement concrete 1:2:4 flooring 1/2" (25mm) thick cement concrete 1:2:4 flooring 1/2" (12.5mm) thick cement plaster 1:3 to all inside wall surface and to top i/c providing and fixing M.S foot rest at every one foot beyond 2 1/2 ft. depth curing excavation back filling and disposal of surplus earth etc. complete (PHSI No. 5 Page No. 51). Air Valve	8 Nos	18820 / 00	Each	1,50,560/=	18820 / 00	1,50,560/=	18820 / 00	1,50,560/=	18820 / 00	1,50,560/=


District Engineer
District Council Karachi
Member / Secretary


Executive Engineer
Site Zone DMC West Karachi
Member



Deputy Commissioner
Karachi West
Chairman

Mr. Fozal Mahmood Sir

Mr. Shakti Waj Hasan

Mr. Asif Jameel

Sr No	Description of Work	Engineer's Estimate			M/S Ghulam Nabi Baber & Brothers		M/S Sunny Builder		M/S Sajjad & Fayaz Enterprises		
		Quantity	Rate	Unit	Amount	Rate	Amount	Rate	Amount	Rate	Amount
6	Refilling of the excavated stuff in trenches 6" thick layers i/c watering ramming to full compacting etc complete (P.H.S.I. No. 24, P177). Special fitting PVC (PHEDSCH P-18) Tee 3" Dia => Tee 4" Dia => Elbow 3" Dia Elbow 4" Dia End Plug 3" Dia End Plug 4" Dia Reduce Bush 3" Dia Reduce Bush 4" Dia Bend 3" Bend 4"	54675.00 Cft	2760/=	% 0 Cft	1,50,903/=	2760/=	1,50,903/=	2760/=	1,50,903/=	2760/=	1,50,903/=
7		5 Nos 5 Nos 5 Nos 5 Nos 5 Nos 5 Nos 5 Nos 5 Nos 5 Nos 5 Nos	361 /= 725 /= 350 /= 577 /= 175 /= 200 /= 200 /= 225 /= 475 /= 850 /=	Each Each Each Each Each Each Each Each Each Each	1,805 /= 3,625 /= 1,750 /= 2,885 /= 875 /= 1,000 /= 1,000 /= 1,125 /= 2,375 /= 4,250 /=	361 /= 725 /= 350 /= 577 /= 175 /= 200 /= 200 /= 225 /= 475 /= 850 /=	1,805 /= 3,625 /= 1,750 /= 2,885 /= 875 /= 1,000 /= 1,000 /= 1,125 /= 2,375 /= 4,250 /=	361 /= 725 /= 350 /= 577 /= 175 /= 200 /= 200 /= 225 /= 475 /= 850 /=	1,805 /= 3,625 /= 1,750 /= 2,885 /= 875 /= 1,000 /= 1,000 /= 1,125 /= 2,375 /= 4,250 /=	361 /= 725 /= 350 /= 577 /= 175 /= 200 /= 200 /= 225 /= 475 /= 850 /=	1,805 /= 3,625 /= 1,750 /= 2,885 /= 875 /= 1,000 /= 1,000 /= 1,125 /= 2,375 /= 4,250 /=
8	Air valve double acting (local) PHSI No. 8 Page No. 18) 3" Dia	01 No 01 No	1700 /= 4000 /=	Each Each	1,700 /= 4,000 /=	1700 /= 4000 /=	1,700 /= 4,000 /=	1700 /= 4000 /=	1,700 /= 4,000 /=	1700 /= 4000 /=	1,700 /= 4,000 /=
		Total Amount of Schedule Rate			19,39,968 /=		19,39,968 /=		19,39,968 /=		19,39,968 /=
		Add 2% physical contingencies			38,799 /=	Estimate Rate	--	08% Above	1,55,197 /=	9.05% Above	1,84,296 /=
		Add 1% Party Validation			19,400 /=				20,95,165 /=		21,24,264 /=
		Total Amount:-			19,98,167 /=						


District Engineer
District Council Karachi
Member / Secretary


Executive Engineer
Site Zone DMC West Karachi
Member


Deputy Commissioner
Karachi West
Chairman

Mr. Fozal Mehmood S.P.

Mr. Shahid Haseen

Mr. Asif Javeed

DISTRICT COUNCIL KARACHI

Bid Evaluation Report


(Work No. 04)

1	Name of Procuring Agency:	District Council Karachi
2	Tender Reference No	No. D.C.K / District Engineer / 2016 / 45, Dated 18-05-2016
3	Tender Description/name of Work / item	Providing / Laying / Testing and Jointing of Water Supply Line at Baloch Mohallah Block-D UC Moach District Council Karachi
4	Method of Procurement	Single Stage (one envelop)
5	Tender Published:	Through SPPRA website / Press
6	Total Bid documents Sold:	03 Nos
7	Total Bids Received	03 Nos
8	Technical Bid Opening date (if applicable):	N/A
9	No. of Bid technically qualified (if applicable)	N/A
10	Bid(s) Rejected	Nil
11	Financial Bid Opening date	03-06-2016


1. Bid Evaluation Report:

S.No	Name of Firm or Bidder	Cost offered by the Bidder	Ranking in terms of cost	Comparison with Estimated cost	Reasons for acceptance/rejection	Remarks
1	2	3	4	5	6	7
1	M/S Abdul Samad Shad Zai & Sons	29,94,481/=	1 st Lowest	2.05% Above	Substantially Responsive	Pay order No 04575979 Amount Rs. 150000/= NBP Bank
2	M/S U.R Engineer Works	33,01,232/=	2 nd Lowest	13% Above	Substantially Responsive	Pay order No 02115778 Amount Rs. 1,50,000/= Meezan Bank
3	M/S New Balochistan Construction Company	33,59,662/=	3 rd Lowest	15% Above	Substantially Responsive	Pay order No 0753999 Amount Rs 1,50,000/= Bank Islami


- The all concerned bidder are being informed accordingly.
- The E.E concerned for compliance of rule 45 of SPPRA -2010 amended 2013 M/S Abdul Samad Shad Zai & Sons declared has the lowest responsive bidder by the committee and recommended for awarding contract to the bidder.


District Engineer
District Council Karachi
Member / Secretary

Mr. Fazal Mahmood Hill


Executive Engineer
Site Zone DMC West Karachi
Member

Mr. Shahid Hussain


Deputy Commissioner
Karachi West
Chairman

Mr. Asif Jameel

DISTRICT COUNCIL KARACHI COMPARATIVE STATEMENT

SUBJECT: Providing / Laying / Testing and Jointing of Water Supply Line at Baloch Mohallah Block-D UC Moach District Council Karachi

Work No. 04


Sr No	Description of Work	Engineer's Estimate		M/S Abdu Samad Shad Zai & Sons		M/S U.R Engineer Works		M/S New Balochistan Construction Company	
		Quantity	Rate	Unit	Amount	Rate	Amount	Rate	Amount
1	Excavation for pipe lines in trenches and pits in all kinds of soil of murrum i/c trimming and dressing sides to true alignment and shape leveling off beds of trenches to correct level and grade cutting joint holes and disposal of surplus earth within a one chain as directed by Engineer incharge. Providing fence guards, lights, flags and temporary crossings for non-vehicular traffic where ever required lift upto 5 ft. (1.52m) and lead up to one chain (30.5m). (PHS Item No 5 P No 62)	83250.00 Cft	4650 / 00	% 0 Cft	3,87,112/=	4650 / 00	3,87,112/=	4650 / 00	3,87,112/=
2	Providing Laying Upvc pressure pipes of class D (equivalent make fixing in trench i/c cutting fitting and jointing with "Z" joint with one rubber ring i/c testing with water to head 61 m or 200 ft. P/22 item no E-1	6000 Rft 5100 Rft	137 / 00 226 / 00	P/ Rft P/ Rft	8,22,000/= 11,52,600/=	137 / 00 226 / 00	8,22,000/= 11,52,600/=	137 / 00 226 / 00	8,22,000/= 11,52,600/=
3	Cast Iron Sluice Valve Heavy Pattern (test pressure 300 lbs/sq. inch (imported) (PHSMI No. 2 Page No. 9)	5 Nos 5 Nos	4290 / 00 5460 / 00	Each Each	21,450/= 27,300/=	4290 / 00 5460 / 00	21,450/= 27,300/=	4290 / 00 5460 / 00	21,450/= 27,300/=
4	C.I. Short piece (PHSI No. 9 Page No. 15)	10 Nos 10 Nos	375 / 00 487 / 50	Each Each	3,750/= 4,870/=	375 / 00 487 / 50	3,750/= 4,870/=	375 / 00 487 / 50	3,750/= 4,870/=
5	Providing chamber 21/2x2 1/2 (750x750mm) inside dimension 4 1/2 (1372 mm) deep as per approved design for sluice valve 3" to 12" dia with 18" (457mm) dia inside cast iron cover and frame (wt=1 cwt. 3 qf) fixed in RCC 1:2:4 (102mm) thick (with 5 lbs steel per cft) 9" (299mm) thick brick masonry walls set in 1:6 cement concrete 6" (152 mm) thick cement concrete 1:3:6 in foundation 1: (25mm) thick cement concrete 1:2:4 flooring 1/2" (25mm) thick cement concrete 1:2:4 flooring 1/2" (12.5mm) thick cement plaster 1:3 to all inside wall surface and to top i/c providing and fixing M.S foot rest at every one foot beyond 2 1/2 ft. depth curing excavation back filling and disposal of surplus earth etc. complete (PHSI No. 5 Page No. 51). Air Valve	14 Nos	18820 / 00	Each	2,63,480/=	18820 / 00	2,63,480/=	18820 / 00	2,63,480/=


District Engineer
District Council Karachi
Member / Secretary

Mr. Fozal Mahmood Gilani


Executive Engineer
Site Zone DMC West Karachi
Member

Mr. Shabir Hussain


Deputy Commissioner
Karachi West
Chairman

Mr. Asif Jameel

Sr No	Description of Work	Engineer's Estimate				M/S Abdul Samad Shad Zai & Sons		M/S U.R Engineer Works		M/S New Balochistan Construction Company	
		Quantity	Rate	Unit	Amount	Rate	Amount	Rate	Amount	Rate	Amount
6	Refilling of the excavated stuff in trenches 6" thick layers i/c watering ramming to full compacting etc complete (P.H.S.I. No. 24, P/77). Special fitting PVC (PHEDSCH-P-18) Tee 3" Dia => Tee 4" Dia => Elbow 3" Dia Elbow 4" Dia End Plug 3" Dia End Plug 4" Dia Reduce Bush 3" Dia Reduce Bush 4" Dia Bend 3" Bend 4"	74925.00 Cft	2760/=	% 0 Cft	2,06,793/=	2760/=	2,06,793/=	2760/=	2,06,793/=	2760/=	2,06,793/=
7		5 Nos 5 Nos 5 Nos 5 Nos 5 Nos 5 Nos 5 Nos 5 Nos 5 Nos	361/= 725/= 350/= 577/= 175/= 200/= 200/= 225/= 475/=	Each Each Each Each Each Each Each Each Each	1,805/= 3,625/= 1,750/= 2,885/= 875/= 1,000/= 1,000/= 1,125/= 2,375/=	361/= 725/= 350/= 577/= 175/= 200/= 200/= 225/= 475/=	1,805/= 3,625/= 1,750/= 2,885/= 875/= 1,000/= 1,000/= 1,125/= 2,375/=	361/= 725/= 350/= 577/= 175/= 200/= 200/= 225/= 475/=	1,805/= 3,625/= 1,750/= 2,885/= 875/= 1,000/= 1,000/= 1,125/= 2,375/=	361/= 725/= 350/= 577/= 175/= 200/= 200/= 225/= 475/=	1,805/= 3,625/= 1,750/= 2,885/= 875/= 1,000/= 1,000/= 1,125/= 2,375/=
8	Air valve double acting (local) PHSI No. 8 Page No. 18) 3" Dia	02 Nos 02 Nos	1700/= 4000/=	Each Each	3,400/= 8,000/=	1700/= 4000/=	3,400/= 8,000/=	1700/= 4000/=	3,400/= 8,000/=	1700/= 4000/=	3,400/= 8,000/=
		Total Amount of Schedule Rate					29,21,445/=		29,21,445/=		29,21,445/=
		Add 2% physical contingencies					58,429/=		58,429/=		58,429/=
		Add 1% Party Validation					29,214/=		29,214/=		29,214/=
		Total Amount:-					30,09,088/=		29,94,481/=		33,01,232/=
		Total Amount of Schedule Rate					29,21,445/=		29,21,445/=		29,21,445/=
		Add 2% physical contingencies					58,429/=		58,429/=		58,429/=
		Add 1% Party Validation					29,214/=		29,214/=		29,214/=
		Total Amount:-					30,09,088/=		29,94,481/=		33,01,232/=


 District Engineer
 District Council Karachi
 Member / Secretary


 Executive Engineer
 Site Zone-BMC West Karachi
 Member


 Deputy Commissioner
 Karachi West
 Chairman

Mr. Faisal Mahmood Gill
 Mr. Shabir Hasan
 Mr. Asif Samad

DISTRICT COUNCIL KARACHI


Sir Shah Suleman road Gulshan-e-Iqbal Karachi /
Dumba Goth Superhighway Karachi

QUALIFICATION / ELIGIBILITY CRITERIA

Work No. 04

SUBJECT: - Providing / Laying / Testing and Jointing of Water Supply Line at Batech Mohallah Block-D UC Moach District Council Karachi


Sr. No	Name of Contractor	Verified PEC Certificate in C-6	NTN No	Professional Tax No	SRB No	Bank Statement	Relevant Experience	Bid Security & Tender Cost Attached	Turn Over Three Years
1	M/S Abdul Samad Shad Zai & Sons	N / A	7169711-5	2015 / 2016	S 7169711-5	Yes	05 Years	Yes	Yes
2	M/S U.R Engineer Works	C-2 01287	1957442-5	2015 / 2016	S 1957442-5	Yes	05 Years	Yes	Yes
3	M/S New Balochistan Construction Company	C-5 11659	3057837-0	2015 / 2016	S 3057837-0	Yes	05 Years	Yes	


District Engineer
District Council Karachi
Member / Secretary

Mr. Fozal Mahmood Gill


Executive Engineer
Site Zone DMC West Karachi
Member

Mr. Saad ul Hasan


Deputy Commissioner
Karachi West
Chairman

Mr. Asif Jamel

DISTRICT COUNCIL KARACHI

Bid Evaluation Report


(Work No. 05)

1	Name of Procuring Agency:	District Council Karachi
2	Tender Reference No	No. D.C.K / District Engineer / 2016 / 45, Dated 18-05-2016
3	Tender Description/name of Work / item	Providing/Laying/Testing and Jointing of Sewerage Line at Musharaf Colony Block-9B, 10-E, 10-D & Gulshan-e-Benazirabad UC Lal Bakhar District Council Karachi
4	Method of Procurement	Single Stage (one envelop)
5	Tender Published:	Through SPPRA website / Press
6	Total Bid documents Sold:	05 Nos
7	Total Bids Received	05 Nos
8	Technical Bid Opening date (if applicable):	N/A
9	No. of Bid technically qualified (if applicable)	N/A
10	Bid(s) Rejected	Nil
11	Financial Bid Opening date	03-06-2016


1. Bid Evaluation Report:

S.No	Name of Firm or Bidder	Cost offered by the Bidder	Ranking in terms of cost	Comparison with Estimated cost	Reasons for acceptance/rejection	Remarks
1	2	3	4	5	6	7
1	M/S Al Asim Associates	29,91,991/=	1 st Lowest	03% Above	Substantially Responsive	Pay order No03648011 Amount Rs. 150000/= Faisal Bank
2	M/S Sunny Builder	30,50,088/=	2 nd Lowest	05% Above	Substantially Responsive	Pay order No03648012 Amount Rs. 150000/= Faisal Bank
3	M/S Haji Saluddin & Brothers	31,95,330/=	3 rd Lowest	10% Above	Substantially Responsive	Pay order No 00358456 Amount Rs. 150000/= Bank AL Habib Karachi
4	M/S New Balochistan Construction Company	32,53,427/=	4 th Lowest	12% Above	Substantially Responsive	Pay order No 0754000 Amount Rs. 150000/= Bank Islami
5	M/S Rana Manzoor & Brothers	33,11,524/=	5 th Lowest	14% Above	Substantially Responsive	Pay order No 11958753 Amount Rs. 150000/= UBL Karachi


- The all concerned bidder are being informed accordingly.
- The E.E concerned for compliance of rule 45 of SPPRA -2010 amended 2013 M/S Al Asim Associates declared has the lowest responsive bidder by the committee and recommended for awarding contract to the bidder.


District Engineer
District Council Karachi
Member / Secretary

Mr. Fazal Mahmood Gill


Executive Engineer
Site Zone DMC West Karachi
Member

Mr. Shaukat Hussain


Deputy Commissioner
Karachi West
Chairman

Mr. Asif Jamail


DISTRICT COUNCIL KARACHI

COMPARATIVE STATEMENT

Work No. 05

SUBJECT: - Providing/Laying/Testing and Jointing of Sewerage Line at Musharat Colony Block-9B, 10-E, 10-D & Gulshan-e-Benazirabad UC Lal Bakhar District Council Karachi

Sr No	Description of Work	Engineer's Estimate		M/S Al Asim Associates		M/S Sunny Builder		M/S Haji Saluddin & Brothers		M/S New Balochistan Construction Company		M/S Rana Manzoor & Brothers	
		Quantity	Rate	Unit	Amount	Rate	Amount	Rate	Amount	Rate	Amount	Rate	Amount
1	Excavation of pipe line in trenches and pits in all kind of soils i/c trimming and dressing sides to true alignment and shape leveling of beds of trenches to correct level and grade, cutting joints holes and disposal of surplus earth within a one chain as directed by Engineer Incharge providing fence guards lights flags and temporary crossings for non-vehicular traffic where ever required lift upto 5 ft & lead upto one chain(PHED Sch P.No.62/5)	44718 Cft	4650 / 00	% Cft	2,07,938 /=-	4650 / 00	2,07,938 /=-	4650 / 00	2,07,938 /=-	4650 / 00	2,07,938 /=-	4650 / 00	2,07,938 /=-
2	Providing R.C.C pipes of rubbering joints and fixing in trenches i/c cutting fitting and jointing with rubber ring i/c testing with water to specified pressure (PHED Sch P-18/b(2) For 18" dia >	3975 Rft	539 / 00	P Rft	14,58,825 /=-	539 / 00	14,58,825 /=-	539 / 00	14,58,825 /=-	539 / 00	14,58,825 /=-	539 / 00	14,58,825 /=-
3	Refilling the excavated stuff in trenches 6" thick layer i/c watering ramming to full compaction etc complete (PHED Sch P.No. 77/24)	40246 Cft	2760 / 00	% Cft	1,11,079 /=-	2760 / 00	1,11,079 /=-	2760 / 00	1,11,079 /=-	2760 / 00	1,11,079 /=-	2760 / 00	1,11,079 /=-
4	Construction of Manhole 4 ft dia 5 ft depth (inner dimension) as per approved design of K.W & S.B including the cost of excavation, 6 inch thick C.C 1:4:8 using stone ballast 2 inch and done gauge 9 inch thick C.C. 1:2:4 plain walls with finishing refilling the excavated stuff around structure curing etc complete as per directed engineer incharge	108 Nos	13707 / 00	Each	14,80,356 /=-	13707 / 00	14,80,356 /=-	13707 / 00	14,80,356 /=-	13707 / 00	14,80,356 /=-	13707 / 00	14,80,356 /=-
5	Add or less depth beyond 5 ft depth in manhole etc complete.	(-) 108 Rft	3046 / 00	P Rft	(-) 6,57,936 /=-	3046 / 00	(-) 6,57,936 /=-	3046 / 00	(-) 6,57,936 /=-	3046 / 00	(-) 6,57,936 /=-	3046 / 00	(-) 6,57,936 /=-


District Engineer
 District Council Karachi
 Member / Secretary


Executive Engineer
 Site Zone DMC West Karachi
 Member


Deputy Commissioner
 Karachi West
 Chairman

Mr. Nazim Mahmood Syll

Mr. Ashraf Hassan

Mr. Asif Javed

Sr No	Description of Work	Engineer's Estimate			M/S Al Asim Associates		M/S Sunny Builder		M/S Haji Saluddin & Brothers		M/S New Balochistan Construction Company		M/S Rana Manzoor & Brothers		
		Quantity	Rate	Unit	Amount	Rate	Amount	Rate	Amount	Rate	Amount	Rate	Amount	Rate	Amount
6	Manufacturing and supplying of precast RCC flag-slab of 21" dia inner side and 36" dia outer side 7.5" width and 6" thick i/c 3/8" dia 8 Nos. cross link bars welded and two sunk type hooks casted in 1.1:3 concrete with embedded 15kg CI frame in perfect position i/c transportation charges of average lead of 20km per trip from casting yard	108 Nos	1906 / 60	Each	2,05,912/=	1906 / 60	2,05,912/=	1906 / 60	2,05,912/=	1906 / 60	2,05,912/=	1906 / 60	2,05,912/=	1906 / 60	2,05,912/=
7	Manufacturing and supplying manhole cover cast in 1:2:4 concrete ration 3" deep at center, reinforced with 3/8" dia tor steel bars at 4" C.C welded to 1/8" thick 2.5" deep M5 plate i/c curing, stacking and transportation within 10 miles. approved design of K.W.& W.B (W.S. Sch P-31 / 1 (a)) 21" dia	108 Nos	913 / 63	Each	98,672/=	913 / 63	98,672/=	913 / 63	98,672/=	913 / 63	98,672/=	913 / 63	98,672/=	913 / 63	98,672/=
		Total Amount of Schedule Rate			29,04,846/=		29,04,846/=		29,04,846/=		29,04,846/=		29,04,846/=		29,04,846/=
		Add 2% physical contingencies			58,097/=	3%	87,145/=	5%	1,45,242/=	10%	2,90,484/=	12%	3,48,581/=	14%	4,06,678/=
		Add 1% Party Validation			29,048/=										
		Total Amount:-			29,91,991/=		29,91,991/=		30,50,088/=		31,95,330/=		32,53,427/=		33,11,524/=

[Signature]
District Engineer

District Council Karachi
Member / Secretary

[Signature]
Mrs. Farzand Mahmood Gill

[Signature]
Executive Engineer

Site Zone DMC West Karachi
Member

[Signature]
Mrs. Shamsul Hasan

[Signature]
Deputy Commissioner

Karachi West
Chairman

[Signature]
Mrs. Ahsan Jamshed

DISTRICT COUNCIL KARACHI

Sir Shah Suleman road Gulshan-e-Iqbal Karachi /
Dumba Goth Superhighway Karachi


QUALIFICATION / ELIGIBILITY CRITERIA

Work No. 05

SUBJECT: - Providing/Laying/Festing and Jointing of Sewerage Line at Musharraf Colony- Block-9B, 10-E, 10-D & Gulshan-e-Benazirabad UC Lal Bakhar

District Council Karachi


Sr. No	Name of Contractor	Verified PEC Certificate in C-6	NTN No	Professional Tax No	SRB No	Bank Statement	Relevant Experience	Bid Security & Tender Cost Attached	Turn Over Three Years
1	M/S Al Asim Associates	N / A	2789624-2	2015 / 2016	S 2789624-2	Yes	05 Years	Yes	Yes
2	M/S Sunny Builder	N / A	4230109153941	2015 / 2016	S 2451978-2	Yes	05 Years	Yes	Yes
3	M/S Haji Saluddin & Brothers	N / A	1214112-7	2015 / 2016	S 1214112-7	Yes	05 Years	Yes	Yes
4	M/S New Balochistan Construction Company	C-5 11659	3057837-0	2015 / 2016	S 3057837-0	Yes	05 Years	Yes	Yes
5	M/S Rana Manzoor & Brothers	N / A	2845796-0	2015 / 2016	S 2845796-0	Yes	05 Years	Yes	Yes


District Engineer
District Council Karachi
Member / Secretary

Mr. Faraz Mahmood Gill


Executive Engineer
Site Zone DMC West Karachi
Member

Mr. Shahid Hassan


Deputy Commissioner
Karachi West
Chairman

Mr. Asif Jameel