

OFFICE OF THE DIRECTOR (DESIGN & ESTIMATE)

BID EVALUATION REPORT

	1	Name of Procuring Agency:	KARACHI WATER & SEWERAGE BOARD	
	2	Tender Reference No:	KWSB/DPR/2016/26 published in daily Observer" "Nawa-e-Waqt" "Nai Bat" and da 07-04-2016. SPPRA Serial No. 27661 I.D No.	ily "Pak" dt:
	3	Tender Description/Name of Work/Item:	ELECTRICAL ENGINEERING SERV 1600 KVA 11/3.3 KV TRANSFORMER HIGH LIFT N.E.K (P) K-II, KW&SB	14
	.4	Method of Procurement:	Single Stage (One Envelop)	
	5	Tender Published:	Through Press Publication / SPPRA Web Site	
	6	Total Bid Documents Sold:	02 Nos	
	7	Total Bid Received:	02 Nos	
	8	Technical Bid Opening Date (if applicable):	N/A	
	9	No. of Bid Technically Qualified (if applicable)	N/A	
	10	Bid (s) Rejected:	<u>01 No</u>	
	11	Financial Bid Opening Date:	03-05-2016	
-				

12 BID EVALUATION REPORT

S#	Name of Firm / Bidder	COST OFFERED BY THE BIDDER	RANKING IN TERMS OF COST	COMPARISON WITH ESTIMATED COST	REASON FOR ACCEPTANCE / REJECTION	REMARKS
1.	M/s.Khyber Builders	Rs.24,50,926/-	1 st Lowest	@8.000% Above	Pay Order and other documents are available. P.O # 15815663 dt:02-05-2016 Rs.49,018/-from HBL Safoora Goth Branch Karachi.	Substantially Responsive
-	M/s.Noor Construction Co.	Rs.26,18,580/-	-	@15.388% Above	Pay Order attached other documents are not available. P.O # 00811770 dt:02-05-2016 Rs.52,372/-from Bank Al Habib Ltd Saadi Town Branch Karachi.	Un- Responsive

The all concerned bidders are being informed accordingly.

The E.E Concerned for compliance of Rule-45 of SPPRA 2010 M/s.Khyber Builders declared the lowest responsive bidders by the Committee and recommended for sanction from Competent Authority.

(Faisal Ameer) D.A.O (E&M-W)

Member / Secretary

(Saif-ul-Haque)
Additional Director Internal
Audit – KMC Member

(Maqsood Ahmed Shaikh) Superintending Engineer (KMC)

Member

(Jamil Ahmed Ansari) S.E (P&F)-II Member

(Fahim Akhter Zaidi)
Director (Design & Estimate)

NIT Sr. No. SPPRA Serial No.27661 27544 Laisu

Method of Procurement: Single Stage Single Envelope.

Name of Work:

ELECTRICAL ENGINEERING SERVICES FOR 1600 KVA 11/3.3 KV TRANSFORMER (NO.2) AT HIGH LIFT N.E.K (P) K-II,

KW&SB

MINUTES OF BID OPENING MEETING.

A meeting of the procurement committee of this department was held on 03-05-2016 for opening the bids received in respect of subject NIT till deadlines of submission. The meeting was attended by all / following members of the procurement committee and the representative of bidders. (Attendance sheet is enclosed).

- 2. Two bidders submitted their bids till the deadline of submission.
 - i. M/s. Khyber Builders
 - ii. M/s. Noor Construction Co.
- 3. The bids were opened at 2:30 P.M in the presence of the above mentioned participants and the rates quoted by bidders were read aloud and encircled by Chairman of the Procurement Committee.

S. No	Name of Firm	Quoted Price	Amount of Bid Security	Pay Order No. / Date
1.	M/s.Khyber Builders	Rs.24,50,924/-	Rs.49,018/-	P.O # 15815663 dt:02-05-2016 from HBL Safoora Goth Branch Karachi.
1	M/s.Noor Construction Co.	Rs.26,18,580/-	Rs.52,372/-	P.O # 00811770 dt:02-05-2016 from Bank Al Habib Ltd Saadi Town Branch Karachi.

- 4. The bids do not contain any cutting or overwriting.
- 5. The committee shall examine all the bids as per the qualification / eligibility criteria provided in the bidding document and verify the documents and bid security submitted by the bidders (if required).

6. The meeting ended with the vote of thanks to and from the chair.

(Faisal Ameer)

D.A.O (E&M-W)

Member / Secretary

(Saif-ul-Haque) Additional Director Internal

Audit – KMC Member

(Maqsood Ahmed Shaikh)

Superintending Engineer (KMC)

Member

(Jamil Ahmed Ansari)

S.E (P&F)-II

Member

(Fahim Akhter Zaidi)

Director (Design & Estimate)

NIT No. SPPRA Serial No. 27661 27544 Laisal

Method and procedure of procurement: Open Competitive Bidding (National/ International Competitive Bidding) (Single Stage-One Envelope)

Description of work:

ELECTRICAL ENGINEERING SERVICES FOR 1600 KVA

11/3.3 KV TRANSFORMER (NO.2) AT HIGH LIFT N.E.K (P) K-

II, KW&SB

Date of Opening:

03-05-2016

BIDDERS' ELIGIBILITY/ QUALIFICATION REPORT

Eligibility/ Qualification Criteria:

		Bidde		
S. No.	Eligibility / Qualification Criteria	M/s.Khyber Builders	M/s.? Construc	
1.	Registration with PEC (if applicable)	N/A	N/	A
2.	NTN	Yes	Ye	s
3.	Sales Tax Registration (FBR)	N/A	N/	A
4.	Registration with Sindh Revenue Board (SRB)	Yes	N	•
	Qualification Criteria:			
5.	Minimum three years experience of relevant field.	Yes	No	0
6.	Turnover of at least last three years	Yes	No	o
7.	Required Bid Security is attached.	Yes	Ye	s
8.	Bid is signed, named and stamped by the authorized person of the firm along with Authorization letter.	Yes	Ye	s
9.	Any other factor deemed to be relevant by the procuring agency subject to provision of Rule-44	N/A	N/A	A
10.	Qualified/ disqualified	Qualified	Disqua	lified

(Faisal Ameer) D.A.O (E&M-W) Member / Secretary

(Saif-ul-Haque) Additional Director Internal Audit – KMC Member

(Maqsood Ahmed Shaikh) Superintending Engineer (KMC) Member

(Jamil Ahmed Ansari) S.E (P&F)-II

Member

(Fahim Akhter Zaidi)
Director (Design & Estimate)
Convener

COMPARATIVE STATEMENT

Name of Work: ELECTRICAL ENGINEERING SERVICES FOR 1600 KVA 11/3.3 KV TRANSFORMER (NO.2) AT HIGH LIFT N.E.K (P) K-II, KW&SB

			10	T			٥	<u></u>		_	, ,	5	(,6	1	T	,							T	
-		; ;							-	_		\perp	5	4	\perp		,,		2	_		_		
CONNECTED COST	TOTAL OHOTED / CORRECTED COST	to site NEK K-2 i/c loading and unloading to heavy crane as	Transportation from N.E.K k-2 Plant to Workshop and back	Paint) complete in all respect as direction of E/I.	Transformer complete its Termination i/c Painting (Depoxy	HISTAILER OF 3-Phase 1600 KVA 11.000 / 3.3 KV	Installed of 2 pt 1999 Title Coolail Oil 1104 Liters.	entrificing of Transformer Coolert :: 11/41:	top cover complete. O-Rings as per site requirement.	Replacement of oil rubber gas kit seals H/V & L/V Side and	replacement of brass bush nigh voltage side.	Penlacement of Described Link 1000 voltage side.	Replacement of Brass bush low voltage side	Providing Silica Gel (Blue)	Iransformer.	The first of the second control of the secon	Providing and conference T	voltage side as per required size for High voltage and low	Complete Rewinding of 3-Phase coil high voltage and law	direction of E/I.	11.00/3.3 KV Transformer complete in all respect as per	Isolate electric power then dismantle the 3-Phase 1600KVA		
	1.00	<u> </u>	\neg	1.00		7	1.00	1.00		<u> </u>	3.00	4.00	100	2 00	262.00 Ltrs.	7	3.00		Т	1 00	<u> </u>	<u> </u>		
	Job			Job			Job	doc	-		Nos	Nos	3.00	Kas	Ltrs.		Coils		gor	104			Quantity	
	57,050		, , , ,	72,730			123,035	61,185		1	61,285	67,185	2,000	005 C	350		450,000 P/Coil		080,080	57 000			Rate	
	P/Job			P/Job			P/Job	P/Job			Each	Each	1/28	D/V~	P/Ltr		P/Coil		P/Job	7/1			Per	
2,269,375	57,050	E:	14,100	72 730			123,035	61,185			183,855	268,740	0,000		91.700		1,350,000		56,080				Amount	
7	61,614		10,040	78 548			132,878	66,080			66.188	72,560	2,/00	0000	378		486,000		60,566				Rate	
2,450,926	61,614		10,040	70 510			132.878	66,080			198 564	290,240	5,400	77,000	00 036		486,000 1,458,000		60,566			- Announce	Amount	
	73,000		00,000	002.00			145,000	70,000		,0,700	70 460	75,600	4,500	000	600		500,000		70,000			Many	Rata	
2,618,580	73,000		80,600			110,000	145 000	70,000		211,300	211 200	302 400	9,000	10/,200	157 200	\neg	1.500 000		70,000			ипоши	Amount	Construction

(Faisal Ameer)
D.A.O (E&M-W)
Member / Secretary

(Saif-ul-Haque) Additional Director Internal Audit – KMC Member

(Maqsdod Ahmed Shaikh) Superintending Engineer (KMC) Member

(Jamil Ahmed Ansari) S.E (P&F)-II Member

(Fahim Akhter Zaidi)
Director (Design & Estimate)
Convener

ATTENDANCE SHEET

NAME OF WORK:-

NAME OF WORK								
ELECTRICAL	ENGINEERING	SERVICES	FOR	1600	KVA	11/3	.3	KV
TRANSFORME	ER (NO.2) AT HIG	H LIFT N.E.K	. (P) K-	-II, KW	&SB.			

Venue:

The Director (Design & Estimate), KW&SB, Gulshan-e-Iqbal Block-18,

Karachi.

Date:

03-05-2016 at 2:30 PM

CONTRACTORS / FIRMS / BIDDERS

S.No	Name of Firms / Bidders	Contact No.	Signature
ol	Moor const. (0	0300-2151213	3+HAY
65	Noer Const. Co		NorkKlan
	/		1
4.79.46.11			

OFFICE OF THE DIRECTOR (DESIGN & ESTIMATE)

BID EVALUATION REPORT

1 Name of Procuring Agency: KARACHI WATER & SEWERAGE BOARD 2 Tender Reference No: KWSB/DPR/2016/26 published in or	daily "Pakistan
Observer" "Nawa-e-Waqt" "Nai Bat" and 07-04-2016. SPPRA Serial No .27661 I.D.	daily "Pak" dt:
3 Tender Description/Name of ENGINEERING SERVICING	(COMPLETE
Work/Item: FABRICATIONS & FIXING OF S.S SLE PUMP 6660 M/H FOR PUMP 'C' (35 M K-II PLANT	7
4 Method of Procurement: <u>Single Stage (One Envelop)</u>	
5 Tender Published: <u>Through Press Publication / SPPRA Web State</u>	ite
6 Total Bid Documents Sold: <u>02 Nos</u>	
7 Total Bid Received: <u>02 Nos</u>	
8 Technical Bid Opening Date N/A (if applicable):	
9 No. of Bid Technically N/A Qualified (if applicable)	
10 Bid (s) Rejected: 01 No	
11 Financial Bid Opening Date: 03-05-2016	

12 BID EVALUATION REPORT

S#	Name of Firm / Bidder	COST OFFERED BY THE BIDDER	RANKING IN TERMS OF COST	COMPARISON WITH ESTIMATED COST	REASON FOR ACCEPTANCE / REJECTION	REMARKS
1.	M/s.Khyber Builders	Rs.21,23,000/-	1 st Lowest	@10.000% Above	Pay Order and other documents are available. P.O # 15815662 dt:02-05-2016 Rs.42,460/-from HBL Safoora Goth Branch Karachi.	Substantially
-	M/s.Noor Construction Co.	Rs.22,60,000/-	-	@17.098% Above	Pay Order attached other documents are not available. P.O # 00811771 dt:02-05-2016 Rs.45,200/-from Bank Al Habib Ltd Saadi Town Branch Karachi.	Un- Responsive

The all concerned bidders are being informed accordingly.

The E.E Concerned for compliance of Rule-45 of SPPRA 2010 M/s.Khyber Builders declared the lowest responsive bidders by the Committee and recommended for sanction from Competent Authority.

(Faisal Ameer) D.A.O (E&M-W)

Member / Secretary

(Saif-ul-Haque) Additional Director Internal Audit – KMC Member (Maqsood Ahmed Shaikh) Superintending Engineer (KMC)

Member

(Jamil Ahmed Ansari)

S.E (P&F)-II Member (Fahim Akhter Zaidi)

9-0

Director (Design & Estimate)

Convener

Laised

NIT Sr. No. SPPRA Serial No. 27661 27544 Laised

Method of Procurement: Single Stage Single Envelope.

Name of Work:

ENGINEERING SERVICING (COMPLETE FABRICATIONS & FIXING OF S.S SLEEVE) OF WEIR PUMP 6660 M/H FOR PUMP

'C' (35 MGD) AT N.E.K K-II PLANT

MINUTES OF BID OPENING MEETING.

A meeting of the procurement committee of this department was held on 03-05-2016 for opening the bids received in respect of subject NIT till deadlines of submission. The meeting was attended by all / following members of the procurement committee and the representative of bidders. (Attendance sheet is enclosed).

- 2. Two bidders submitted their bids till the deadline of submission.
 - i. M/s. Khyber Builders
 - ii. M/s. Noor Construction Co.
- 3. The bids were opened at 2:30 P.M in the presence of the above mentioned participants and the rates quoted by bidders were read aloud and encircled by Chairman of the Procurement Committee.

S. No	Name of Firm	Quoted Price	Amount of Bid Security	Pay Order No. / Date
1.	M/s.Khyber Builders	Rs.21,23,000/-	Rs.42,460/-	P.O # 15815662 dt:02-05-2016 from HBL Safoora Goth Branch Karachi.
4.	M/s.Noor Construction Co.	Rs.22,60,000/-	Rs.45,200/-	P.O # 00811771 dt:02-05-2016 from Bank Al Habib Ltd Saadi Town Branch Karachi.

- 4. The bids do not contain any cutting or overwriting.
- 5. The committee shall examine all the bids as per the qualification / eligibility criteria provided in the bidding document and verify the documents and bid security submitted by the bidders (if required).

6. The meeting ended with the vote of thanks to and from the chair.

(Faisal Ameer)

D.A.O (E&M-W)

Member / Secretary

(Saif-ul-Haque)

Additional Director Internal Audit – KMC Member (Maqsood Ahmed Shaikh)

Superintending Engineer (KMC)

Member

(Jamil Ahmed Ansari)

S.E (P&F)-II

Member

(Fahim Akhter Zaidi)

Director (Design & Estimate)

ATTENDANCE SHEET

NAME OF WORK:-

NAME OF WORK ENGINEERING SERVICING (COMPLETE FABRICATIONS & FIXING OF S.S. SLEEVE) OF WEIR PUMP 6660 M/H FOR PUMP 'C' (35 MGD) AT N.E.K. K-II PLANT.

Venue:

The Director (Design & Estimate), KW&SB, Gulshan-e-lqbal Block-18,

Karachi.

Date:

03-05-2016 at 2:30 PM

CONTRACTORS / FIRMS / BIDDERS

S.No	Name of Firms / Bidders	Contact No.	Signature	
e (Khyber Bingles	6300 2157213 -	3×1991	7
82	Moor const.c:		NookKhan	
	1			

OFFICE OF THE DIRECTOR (DESIGN & ESTIMATE)

BID EVALUATION REPORT

73	/			
	1	Name of Procuring Agency:	KARACHI WATER & SEWERAGE BOARD	
	2	Tender Reference No:	KWSB/DPR/2016/26 published in daily	"Pakistan
			Observer" "Nawa-e-Waqt" "Nai Bat" and dail	y "Pak" dt:
			07-04-2016. SPPRA Serial No.27661 I.D No.	4544
	3	Tender Description/Name of	REPAIRING & RECONDITIONING MAIN	TENANCE ,
		Work/Item:	OF NON-RETURN VALVE 800 MM DIA	OF PUMP
			SET NO.6 AT N.E.K K-III PUMP HOUSE	
	4	Method of Procurement:	Single Stage (One Envelop)	
	5	Tender Published:	Through Press Publication / SPPRA Web Site	
	6	Total Bid Documents Sold:	<u>02 Nos</u>	
	7	Total Bid Received:	<u>02 Nos</u>	
	8	Technical Bid Opening Date	<u>N/A</u>	
L		(if applicable):		
	9	No. of Bid Technically	<u>N/A</u>	
		Qualified (if applicable)		
	10	Bid (s) Rejected:	<u>01 No</u>	
	11	Financial Bid Opening Date:	03-05-2016	

12 **BID EVALUATION REPORT**

S#	Name of Firm / Bidder	COST OFFERED BY THE BIDDER	RANKING IN TERMS OF COST	COMPARISON WITH ESTIMATED COST	REASON FOR ACCEPTANCE / REJECTION	REMARKS
1.	M/s.Khyber Builders	Rs.18,42,205/-	1 st Lowest	@9.685% Above	Pay Order and other documents are available. P.O # 15815664 dt:02-05-2016 Rs.36,844/-from HBL Safoora Goth Branch Karachi.	Substantially Responsive
-	M/s.Noor Construction Co.	Rs.19,85,480/-	-	@18.215% Above	Pay Order attached other documents are not available. P.O # 00811769 dt:02-05-2016 Rs.39,316/-from Bank Al Habib Ltd Saadi Town Branch Karachi.	Un- Responsive

The all concerned bidders are being informed accordingly.

The E.E Concerned for compliance of Rule-45 of SPPRA 2010 M/s.Khyber Builders declared the lowest responsive bidders by the Committee and recommended for sanction from Competent Authority.

(Faisal Ameer)

D.A.O (E&M-W)

Member / Secretary

Additional Director Internal Audit - KMC Member

(Magsood Ahmed Shaikh)

Superintending Engineer (KMC)

Member

(Jamil Ahmed Ansari)

S.E (P&F)-II Member

(Fahim Akhter Zaidi) Director (Design & Estimate)

40

NIT Sr. No. SPPRA Serial No.27661 7544 Sairal

Method of Procurement: Single Stage Single Envelope.

Name of Work:

REPAIRING & RECONDITIONING MAINTENANCE OF NON-RETURN VALVE 800 MM DIA OF PUMP SET NO.6 AT N.E.K

K-III PUMP HOUSE

MINUTES OF BID OPENING MEETING.

A meeting of the procurement committee of this department was held on 03-05-2016 for opening the bids received in respect of subject NIT till deadlines of submission. The meeting was attended by all / following members of the procurement committee and the representative of bidders. (Attendance sheet is enclosed).

- 2. Two bidders submitted their bids till the deadline of submission.
 - i. M/s. Khyber Builders
 - ii. M/s. Noor Construction Co.
- 3. The bids were opened at 2:30 P.M in the presence of the above mentioned participants and the rates quoted by bidders were read aloud and encircled by Chairman of the Procurement Committee.

S. No	Name of Firm	Quoted Price	Amount of Bid Security	Pay Order No. / Date
1.	M/s.Khyber Builders	Rs.18,42,205/-	Rs.36,844/-	P.O # 15815664 dt:02-05-2016 from HBL Safoora Goth Branch Karachi.
/	M/s.Noor Construction Co.	Rs.19,65,580/-	Rs.39,316/-	P.O # 00811769 dt:02-05-2016 from Bank Al Habib Ltd Saadi Town Branch Karachi.

4. The one bid contain cutting and overwriting.

5. The committee shall examine all the bids as per the qualification / eligibility criteria provided in the bidding document and verify the documents and bid security submitted by the bidders (if required).

6. The meeting ended with the vote of thanks to and from the chair.

(Faisal Ameer)

D.A.O (E&M-W)

Member / Secretary

(Saif-ul-Haque)

Additional Director Internal

Audit - KMC Member

(Magsood Ahmed Shaikh)

Superintending Engineer (KMC)

Member

(Jamil Ahmed Ansari)

S.E (P&F)-II

Member

(Fahim Akhter Zaidi)

Director (Design & Estimate)

NIT No. SPPRA Serial No. 27661 7544 Laised

Method and procedure of procurement: Open Competitive Bidding (National/ International Competitive Bidding) (Single Stage-One Envelope)

Description of work:

REPAIRING & RECONDITIONING MAINTENANCE OF NON-

RETURN VALVE 800 MM DIA OF PUMP SET NO.6 AT N.E.K

K-III PUMP HOUSE

Date of Opening:

03-05-2016

BIDDERS' ELIGIBILITY/ QUALIFICATION REPORT

Eligibility/ Qualification Criteria:

		Bidde	rs' Name			
S. No.	Eligibility / Qualification Criteria	M/s.Khyber Builders	M/s.Noor Construction C			
1.	Registration with PEC (if applicable)	N/A	N/A			
2.	NTN	Yes	Yes			
3.	Sales Tax Registration (FBR)	N/A	N/A			
4.	Registration with Sindh Revenue Board (SRB)	Yes	No			
	Qualification Criteria:					
5.	Minimum three years experience of relevant field.	Yes	No			
6.	Turnover of at least last three years	Yes	No			
7.	Required Bid Security is attached.	Yes	Yes			
8.	Bid is signed, named and stamped by the authorized person of the firm along with Authorization letter.	Yes	Yes			
9.	Any other factor deemed to be relevant by the procuring agency subject to provision of Rule-44	N/A N/A				
10.	Qualified/ disqualified	Qualified	Disqualified			

(Faisal Ameer) D.A.O (E&M-W)

Member / Secretary

(Saif-ul-Haque)
Additional Director Internal
Audit – KMC Member

(Maqsood Ahmed Shaikh) Superintending Engineer (KMC)

Member

(Jamil Ahmed Ansari)

S.E (P&F)-II Member (Fahim Akhter Zaidi) Director (Design & Estimate)

20

COMPARATIVE STATEMENT

Name of Work: REPAIRING & RECONDITIONING MAINTENANCE OF NON-RETURN VALVE 800 MM DIA OF PUMP SET NO.6 AT N.E.K K-III PUMP HOUSE

			١							
Item	Description of Work			Estimated Cost	1 Cost		M/s.Khyl	M/s.Khyber Builders	Const	M/s.Noor Construction
NO		Quantity	tity	Rate	Per	Amount	Rate	Amount	Rate	Amount
-	Complete dismantling of valve shutter disc pin both side									
	Shutter disc, Shutter disc and valve body seat bronze etc.	1.00	Job	18,450	P/Job	18,450	20,295	20,295.00	22,500	22,500.00
2	Repair & reconditioning of shutter valve disc both side of									
	pin guide hole by method of re-filling Cast Iron X-Ray									
	welding the hole about 6" dia and lenght 5" i/c making line									
	bore X-Aaxis on line bore m/I having dia 100mm length									
	3.5" as per direction of the E/I	1.00	Job	163,120	P/Job	163,120	179,432	179,432.00	190,900	190,900.00
ω	Repair & reconditioning of shutter valve disc complete									
	front and back side by method of sand blasting process i/c									
	making "V" shape thread at disc corner for fixing the disc									
	seating ring having dia 1000 mm lenght 25mm with									
	Special holding attachement i/c anticorrosion Sea paint									
	with side of Sisc two coats as per direction of the Engineer	1.00	Job	119,460	P/Job	119,460	131,406	131,406.00	140,600	140,600.00
4	Loacl Mfg. of Valve pin from S.S. Solid Shaft having dia									
	140mm length 465mm making collar having dia 133mm									
	and length 30mm other step cutting having dia 120mm and									
	length 310mm and last step cutting dia 108mm and length									
	120mm masking case hardening on furnance m/L as per									
	direction of Engineer Incharge.	2.00	Nos	54,390	Each	108,780	59,829	119,658.00	75,900	151,800.00
5	Repair and Re-conditioning of valve badly both pin guide									
	hole by method of re-filling and shape (dmaaged hole)									
	Cast Iron X-Ray welding about 6" dia and length 6" i/c									
	making hole both pin guide at same axis without					P				
	25mm and other dia 107mm and lenght 6" dia i/c sand						n			
	blasting from inside the above body having width 800 mm									
	i/c making anticorrisve Sea paint inside the valve as per									
	direction of E/I.	2.00	Jobs	314,040	P/Job	628,080	345,444	690,888.00	345,500	691,000.00

om of the Mo

Name of Work: REPAIRING & RECONDITIONING MAINTENANCE OF NON-RETURN VALVE 800 MM DIA OF PUMP SET NO.6 AT N.E.K K-III PUMP HOUSE

TOTAL QUOTED / CORRECTED COST	Sea paint as po	proper place																						
	Sea paint as per direction of E/I	proper place i/c application of antiroccosive coating and	tory repair valve dis-	tom: more inclined in	of Non Return	Providing & Fixing of Oil Paper. Assembling of Non Return	Providing & Fixing of assorted size Stainless steel Nuts, Bolts & Washer. Providing & Fixing of Oil Paper. Assembling of Non Return Valve after complete	n of E/I. ng & Fixing of asso Washer. ng & Fixing of Oil Parageters of Non Resident Actions of Non R	having cross sectional dia 10mm outer dia 1320mm as per direction of E/I. Providing & Fixing of assorted size Stainless steel Nuts, Bolts & Washer. Providing & Fixing of Oil Paper. Assembling of Non Return Valve after complete confections of the complete of the compl	Mfg. and fixing in Valve body ceramic seal (Imported) having cross sectional dia 10mm outer dia 1320mm as per direction of E/I. Providing & Fixing of assorted size Stainless steel Nuts, Bolts & Washer. Providing & Fixing of Oil Paper. Assembling of Non Return Valve after complete particular and the complete state of the compl	19mm i/c making greasing point as per direction of E/I. Mfg. and fixing in Valve body ceramic seal (Imporhaving cross sectional dia 10mm outer dia 1320mm as direction of E/I. Providing & Fixing of assorted size Stainless steel N Bolts & Washer. Providing & Fixing of Oil Paper. Assembling of Non Return Valve after comparison of the state	dia width 25mm i/c making hole 08 Nos i/c having dia 19mm i/c making greasing point as per direction of E/I. Mfg. and fixing in Valve body ceramic seal (Imported) having cross sectional dia 10mm outer dia 1320mm as per direction of E/I. Providing & Fixing of assorted size Stainless steel Nuts, Bolts & Washer. Providing & Fixing of Oil Paper. Assembling of Non Return Valve after complete participations of the complete of th	side 140mm dia, width 5mm and other step cutting 63mm dia width 25mm i/c making hole 08 Nos i/c having dia 19mm i/c making greasing point as per direction of E/I. Mfg. and fixing in Valve body ceramic seal (Imported) having cross sectional dia 10mm outer dia 1320mm as per direction of E/I. Providing & Fixing of assorted size Stainless steel Nuts, Bolts & Washer. Providing & Fixing of Oil Paper. Assembling of Non Return Valve after complete	dia 220mm from width 65mm making under cut from one side 140mm dia, width 5mm and other step cutting 63mm dia width 25mm i/c making hole 08 Nos i/c having dia 19mm i/c making greasing point as per direction of E/I. Mfg. and fixing in Valve body ceramic seal (Imported) having cross sectional dia 10mm outer dia 1320mm as per direction of E/I. Providing & Fixing of assorted size Stainless steel Nuts, Bolts & Washer. Providing & Fixing of Oil Paper. Assembling of Non Return Valve after complete parafect and the state of	Mfg. and fixing Pin guide cover from M.S Road having dia 220mm from width 65mm making under cut from one side 140mm dia, width 5mm and other step cutting 63mm dia width 25mm i/c making hole 08 Nos i/c having dia 19mm i/c making greasing point as per direction of E/I. Mfg. and fixing in Valve body ceramic seal (Imported) having cross sectional dia 10mm outer dia 1320mm as per direction of E/I. Providing & Fixing of assorted size Stainless steel Nuts, Bolts & Washer. Providing & Fixing of Oil Paper. Assembling of Non Return Valve after complete	fixing the seat on Valve body as per direction of E/I. Mfg. and fixing Pin guide cover from M.S Road dia 220mm from width 65mm making under cut from side 140mm dia, width 5mm and other step cutting dia width 25mm i/c making hole 08 Nos i/c having making greasing point as per direction of 19mm i/c making in Valve body ceramic seal (Imphaving cross sectional dia 10mm outer dia 1320mm direction of E/I. Providing & Fixing of assorted size Stainless stee Bolts & Washer. Providing & Fixing of Oil Paper. Assembling of Non Return Valve after considerations of the search of	dia 985mm width 100mm i/c making 'V' Shape threat for fixing the seat on Valve body as per direction of E/I. Mfg. and fixing Pin guide cover from M.S Road having dia 220mm from width 65mm making under cut from one side 140mm dia, width 5mm and other step cutting 63mm dia width 25mm i/c making hole 08 Nos i/c having dia 19mm i/c making greasing point as per direction of E/I. Mfg. and fixing in Valve body ceramic seal (Imported) having cross sectional dia 10mm outer dia 1320mm as per direction of E/I. Providing & Fixing of assorted size Stainless steel Nuts, Bolts & Washer. Providing & Fixing of Oil Paper. Assembling of Non Return Valve after complete	casting having finished size outer dia 1050mm and inner dia 985mm width 100mm i/c making 'V' Shape threat for fixing the seat on Valve body as per direction of E/I. Mfg. and fixing Pin guide cover from M.S Road having dia 220mm from width 65mm making under cut from one side 140mm dia, width 5mm and other step cutting 63mm dia width 25mm i/c making hole 08 Nos i/c having dia 19mm i/c making greasing point as per direction of E/I. Mfg. and fixing in Valve body ceramic seal (Imported) having cross sectional dia 10mm outer dia 1320mm as per direction of E/I. Providing & Fixing of assorted size Stainless steel Nuts, Bolts & Washer. Providing & Fixing of Oil Paper. Assembling of Non Return Valve after complete	Providing & Fixing Valve body seat frame bronze metal by casting having finished size outer dia 1050mm and inner dia 985mm width 100mm i/c making 'V' Shape threat for fixing the seat on Valve body as per direction of E/I. Mfg. and fixing Pin guide cover from M.S Road having dia 220mm from width 65mm making under cut from one side 140mm dia, width 5mm and other step cutting 63mm dia width 25mm i/c making hole 08 Nos i/c having dia 19mm i/c making greasing point as per direction of E/I. Mfg. and fixing in Valve body ceramic seal (Imported) having cross sectional dia 10mm outer dia 1320mm as per direction of E/I. Providing & Fixing of assorted size Stainless steel Nuts, Bolts & Washer. Providing & Fixing of Oil Paper. Assembling of Non Return Valve after complete	50mm as per direction of E/I. Providing & Fixng Valve bod casting having finished size dia 985mm width 100mm i/c fixing the seat on Valve body. Mfg. and fixing Pin guide of dia 220mm from width 55mm side 140mm dia, width 55mm dia width 25mm i/c making 19mm i/c making greasing pomply and fixing in Valve bhaving cross sectional dia 10 direction of E/I. Providing & Fixing of asson Bolts & Washer. Providing & Fixing of Oil Parasson Bolts & Washer.	50mm as per direction of E/I. Providing & Fixng Valve body seat frame bronze metal by casting having finished size outer dia 1050mm and inner dia 985mm width 100mm i/c making 'V' Shape threat for fixing the seat on Valve body as per direction of E/I. Mfg. and fixing Pin guide cover from M.S Road having dia 220mm from width 65mm making under cut from one side 140mm dia, width 5mm and other step cutting 63mm dia width 25mm i/c making hole 08 Nos i/c having dia 19mm i/c making greasing point as per direction of E/I. Mfg. and fixing in Valve body ceramic seal (Imported) having cross sectional dia 10mm outer dia 1320mm as per direction of E/I. Providing & Fixing of assorted size Stainless steel Nuts, Bolts & Washer. Providing & Fixing of Oil Paper. Assembling of Non Return Valve after complete	finished size other dia 1175mm and inner dia 800mm width 50mm i/c making inside 'V' shape thread length 50mm as per direction of E/I. Providing & Fixng Valve body seat frame bronze metal by casting having finished size outer dia 1050mm and inner dia 985mm width 100mm i/c making 'V' Shape threat for fixing the seat on Valve body as per direction of E/I. Mfg. and fixing Pin guide cover from M.S Road having dia 220mm from width 55mm and other step cutting 63mm dia width 25mm i/c making hole 08 Nos i/c having dia 19mm i/c making greasing point as per direction of E/I. Mfg. and fixing in Valve body ceramic seal (Imported) having cross sectional dia 10mm outer dia 1320mm as per direction of E/I. Providing & Fixing of assorted size Stainless steel Nuts, Bolts & Washer. Providing & Fixing of Oil Paper. Assembling of Non Return Valve after complete	Itter disc seat from b Isize other dia 11' i0mm i/c making ir i0mm i/c making ir is per direction of E/I ng & Fixng Valve bot having finished size mm width 100mm i/c ne seat on Valve bod; he seat on	P/F Shutter disc seat from bronze metal by casting having finished size other dia 1175mm and inner dia 800mm width 50mm i/c making inside 'V' shape thread length 50mm as per direction of E/I. Providing & Fixng Valve body seat frame bronze metal by casting having finished size outer dia 1050mm and inner dia 985mm width 100mm i/c making 'V' Shape threat for fixing the seat on Valve body as per direction of E/I. Mfg. and fixing Pin guide cover from M.S Road having dia 220mm from width 55mm and other step cutting 63mm dia width 25mm i/c making hole 08 Nos i/c having dia 19mm i/c making greasing point as per direction of E/I. Mfg. and fixing in Valve body ceramic seal (Imported) having cross sectional dia 10mm outer dia 1320mm as per direction of E/I. Providing & Fixing of assorted size Stainless steel Nuts, Bolts & Washer. Providing of Non Return Valve after complete the direction of the complete after the lateral status of the lat
IOII OI E/I.	ion of E/I	cation of antirocc	-	n Return Valve	11	1. 1	of assorted size Startonian of	of assorted size Sta	dia 10mm outer d of assorted size Sta Oil Paper.	Valve body cerami dia 10mm outer d f assorted size Sta	sing point as per divalve body cerami dia 10mm outer de fassorted size Star Oil Paper.	making hole 08 N sing point as per divalve body cerami dia 10mm outer def assorted size Star Oil Paper.	h 5mm and other s making hole 08 N sing point as per divalve body cerami dia 10mm outer doff assorted size Star Oil Paper.	h 65mm making uh 5mm and other smaking hole 08 N sing point as per divalve body ceramidia 10mm outer diff assorted size Star Oil Paper.	guide cover from h 65mm making ush 5mm and other smaking hole 08 N sing point as per divalve body ceramidia 10mm outer diff assorted size State Oil Paper.	ye body as per direct guide cover from h 65mm making us h 5mm and other s making hole 08 N sing point as per divalve body cerami dia 10mm outer def assorted size State of Coll Paper.	o)nm i/c making 'V/e body as per directly guide cover from h 65mm making uh 5mm and other semaking hole 08 N sing point as per divalve body ceramidia 10mm outer definition of assorted size State of Oil Paper.	In the distriction of assorted size outer dia 1 mm i/c making 'Vole body as per directly guide cover from the 65mm and other such 5mm and other su	live body seat fram d size outer dia 1 mm i/c making 'V ve body as per direct guide cover from h 65mm making uh 5mm and other s making hole 08 N sing point as per divalve body cerami dia 10mm outer d dia 10mm outer d of assorted size State of Oil Paper.	of E/I. live body seat fram d size outer dia 1)mm i/c making 'V/e body as per directly guide cover from h 65mm and other smaking hole 08 N sing point as per divalve body ceramidia 10mm outer diff assorted size States.	cing inside 'V' sha of E/I. Ilve body seat fram d size outer dia 1 mm i/c making 'V' e body as per directly below as making hole 08 N making hole 08 N ising point as per divalve body cerami dia 10mm outer difference assorted size State of assorted size State of Electric III is not below the size of t	iia 1175mm and ii iii iii iii iii iii iii iii iii ii	from bronze metal lia 1175mm and is ing inside 'V' shat of E/I. Ilve body seat fram ad size outer dia 1 lmm i/c making 'V' le body as per direct direct dia 1 lmm and other semaking hole 08 N sing point as per divalve body ceramidia 10mm outer dia 10mm outer di	from bronze metal lia 1175mm and it ing inside 'V' shat of E/I. Ilve body seat fram ing ing ing outer dia 1 mm i/c making 'V' e body as per directly leguide cover from h 65mm and other semaking hole 08 N ising point as per dividual lomm outer directly liable body cerami dia 10mm outer directly liable logical
		ccosive coating a	in and valve body at	after			Stainless steel Nu	Stainless steel Nu	r dia 1320mm as p	mic seal (Importer dia 1320mm as p Stainless steel Nu	r direction of E/I. mic seal (Importer dia 1320mm as parte of the seal of the	Nos i/c having of direction of E/I. mic seal (Importer dia 1320mm as produced in the seal of the seal	r step cutting 63n Nos i/c having direction of E/I. mic seal (Importer dia 1320mm as p	g under cut from cer step cutting 63n Nos i/c having Nos i/c having redirection of E/I. mic seal (Importer dia 1320mm as parter) Stainless steel Nu	n M.S Road having under cut from car step cutting 63n Nos i/c having direction of E/I. mic seal (Importer dia 1320mm as produced in the seal of the se	n M.S Road having under cut from car step cutting 63n Nos i/c having of direction of E/I. mic seal (Importer dia 1320mm as processed of the control of the c	'V' Shape threat rection of E/I. n M.S Road having under cut from cer step cutting 63n Nos i/c having direction of E/I. mic seal (Importer dia 1320mm as per dia 1320mm as p	'V' Shape threat rection of E/I. n M.S Road having under cut from or step cutting 63n Nos i/c having direction of E/I. mic seal (Importer dia 1320mm as provided in 1320mm as	ame bronze metal 1050mm and im 'V' Shape threat rection of E/I. n M.S Road having under cut from c r step cutting 63n Nos i/c having of direction of E/I. mic seal (Importer dia 1320mm as p Stainless steel Nu	ame bronze metal 1050mm and im 'V' Shape threat rection of E/I. n M.S Road having under cut from car step cutting 63n Nos i/c having direction of E/I. mic seal (Importer dia 1320mm as parted)	shape thread lengame bronze metal 1050mm and im 'V' Shape threat rection of E/I. In M.S. Road having under cut from 63n Nos i/c having of direction of E/I. mic seal (Importer dia 1320mm as produced in 1320mm as produced in the seal of the seal	shape thread lenguame bronze metal 1050mm and in 'V' Shape threat rection of E/I. n M.S Road having under cut from cer step cutting 63n Nos i/c having the direction of E/I. mic seal (Importer dia 1320mm as per dia 1320mm as pe	al by casting havid inner dia 800n shape thread length ame bronze metal 1050mm and in 'V' Shape threat rection of E/I. In M.S Road having under cut from car step cutting 63n Nos i/c having traction of E/I. Mic seal (Importer dia 1320mm as produced in 1320mm as produced in the seal (Importer dia 1320mm) and the se	al by casting havid inner dia 800n shape thread lengame bronze metal 1050mm and in 'V' Shape threat rection of E/I. In M.S. Road having under cut from car step cutting 63n Nos i/c having direction of E/I. Mic seal (Importer dia 1320mm as produced in 1320mm as produced in the state of the
1.	-	and	by at	lota	1.	4.							. 3	. 3										
	1.00 Job					4.00 Mtrs.		1.00 Unit 1.00 Kgs 4.00 Mtrs.	.00 Un 3.00 Kg	.00 Un 3.00 Kg	2.00 Jobs 1.00 Unit 73.00 Kgs 4.00 Mtrs.	.00 Job	00 Job	.00 Job	00 Job	1.00 Jobs 2.00 Jobs 1.00 Unit 1.00 Kgs 4.00 Mtrs.	.00 Jol	.00 Jol	.00 Jol	1.00 Job 1.00 Jobs 2.00 Jobs 2.00 Unit 1.00 Kgs 4.00 Mtrs	.00 Jol	.00 Jol	.00 Jol	Quantity 1.00 Job 1.00 Job 2.00 Jobs 2.00 Unit 1.00 Unit
				_	T																			
	53,760				_	$\overline{}$			50,000 725 2,500	50,000 725 2,500	16,110 50,000 725 2,500	16,110 50,000 725 2,500	16,110 50,000 725 2,500	16,110 50,000 725 2,500	16,110 50,000 725 2,500	16,110 16,110 150,000 1725 2,500	55,285 16,110 50,000 725 2,500	55,285 16,110 50,000 725 2,500	55,285 16,110 50,000 725 2,500	187,469 155,285 16,110 16,110 150,000 725 2,500	87,469 87,469 55,285 55,285 16,110 50,000 725 2,500	87,469 55,285 50,000 50,000 725 2,500	87,469 55,285 55,285 50,000 725 2,500	Rate 87,469 87,469 16,110 16,110 1725 2,500
	P/Job			I) IAI / I	-	$\overline{}$		P/Unit P/Kg	P/Unit	P/Unit	P/Job P/Unit	P/Job P/Unit	P/Job P/Unit	P/Job P/Unit	P/Job P/Unit		P/Job P/Job P/Kg	P/Job P/Job P/Unit	P/Job P/Job P/Unit	P/Job P/Job P/Unit	P/Job P/Job P/Unit	P/Job P/Job P/Unit	P/Job P/Job P/Unit	Per P/Job P/Job P/Job P/Kg
7	53,760			10,000		52,925	52,925	150,000 52,925	150,000	150,000		_	_											
t	59,130			2,700		1		1 2		10		1 -	1 1			10 17	17	17	17	10 117	10 17	20	20	20 20 17 17 17 17 17 17 17 17 17 17 17 17 17
	59,130			11,000								_		_						206	206	206	206	206, 206,
t				T	1			17	17	17	17	17	17	17	17	19	19	19	19	19 19 17	19 19 17	19 19 17	19 19 17	19 19 17
William Control of the Control of th	75,800			3,300	1,000			175,000	5,000	5,000	19,900	,900	,900	,900	5,000	195,630 19,900	,630	,630						
	75,800			14,000	73,000			175,000	175,000	175,000	39,800 175,000	39,800	39,800	39,800	39,800	195,630 39,800 175,000	195,630 39,800	195,630 39,800 175,000	195,630 39,800	215,450.00 195,630 39,800 175,000	215,450.00 195,630 39,800	215,450.00 195,630 39,800	215,450.00 195,630 39,800 175,000	Amount 215,450.00 195,630 39,800 175,000

(Faisal Ameer)
D.A.O (E&M-W)
Member / Secretary

(Saif-ul-Haque)
Additional Director Internal
Audit – KMC Member

(Maqsbod Ahmed Shaikh)
Superintending Engineer (KMC)
Member

(Jamil Ahmed Ansari) S.E (P&F)-IJ Member

(Fahim Akhter Zaidi)
Director (Design & Estimate)
Convener

ATTENDANCE SHEET

NAME OF WORK:-

NAME OF WORK

REPAIRING & RECONDITIONING MAINTENANCE OF NON-RETURN VALVE 800 MM DIA OF PUMP SET NO.6 AT N.E.K. K-III PUMP HOUSE.

Venue:

The Director (Design & Estimate), KW&SB, Gulshan-e-Iqbal Block-18,

Karachi.

Date:

03-05-2016 at 2:30 PM

CONTRACTORS / FIRMS / BIDDERS

213 - 3KHA/
Norkha



HUMAN RESOURCES DEVELOPMENT AND ADMINISTRATION DEPARTMENT PHONE NO. 021 - 99231464 - 021 - 99231463

No. kW&SB/SR. DIR./HRD&A/397

Dated 14th April 2016

OFFICE ORDER

The Procurement Committee-I is re-constituted as per Rule-07 of Sindh Public Procurement Rules-2010, for performing the functions prescribed in Rule-08 of Rules ibid for the works for which evaluation report required to be hoisted on Sindh Public Procurement Authority as under

Sr. No.	Nominee	Position in P C.
1.	Director Design & Estimate	Convener / Chairman
2.	Superintending Engineer (Concerned)	Member
3.	Representative of D.G. (TS), KMC	Member
4.	Representative of Finance Advisor, KMC	Member
5.	A.O. / D.A.O. / A.A.O. (Concerned)	Member/Secretary

The office of the Director Design shall be headquarter for Procurement Committee-I.

The Concerned Superintending Engineer shall maintain the record of Procurement proceedings as required under Rule-9 of SPPRA-2010.

This issues on the recommendation of Chief Engineer (IPD)/D M.D (Planning) KW&SB and with the approval of Managing Director, KW&SB vide para 5/N.

SR. DIRECTOR (HR)

DISTRIBUTION

- 1. Dy. Managing Director (TS) /C.E. (BT&D)/C.E. (WTM) KW&SB
- 2. Dy. Managing Director (Planning) / C.E. (IPD) KW&SB
- 3. Chief Engineer (W/S) KW&SB
- 4. Director Design & Estimate/Convener / Chairman Committee
- 5. All Members of the Committee.
- Sr. Director (Finance) KW&SB
- 7. Director (IT) KW&SB
- 8. Director (I&C) M.D Sectt: KW&SB
- 9. Staff Officer to Vice Chairman, KW&SB
- 10. AD (LFA) KW&SB
- 11. AO (ESTT) KW&SB
- 12. AO (Budget) KW&SB
- 13. IAO-II KW&SB
- 14. Office Copy.
- 15. Master File.

c.c. to Managing Director, KW&SB

00-2016