

KARACHI WATER & SEWERAGE BOARD

OFFICE OF THE DIRECTOR (DESIGN & ESTIMATE)

BID EVALUATION REPORT

	· ·		
1	Name of Procuring Agency:	KARACHI WATER & SEWERAGE BOARD	
2	Tender Reference No:	SPPRA Serial No.28311 I.D #	н
3	Tender Description/Name of Work/Item:	DESILTING / CLEANING OF CHOCKEI SEWERAGE LINES OF 15"FROM BAGH-E- E TO CRESCENT SQUARE AND 12" CRESCENT SQUARE TO ZUBAIRI PARK B OF GULSHAN-E-IQBAL FOR IMPROV SEWERAGE SYSTEM IN GULSHAN-E-IQBA	MEHRAN 13- DIA FROM LOCK-13 D/1 EMENT OF
4	Method of Procurement:	Single Stage (One Envelop)	
5	Tender Published:	SPPRA Web Site	
6	Total Bid Documents Sold:	2 Nos	
7	Total Bid Received:	<u>2 Nos</u>	
8	Technical Bid Opening Date (if applicable):	<u>N/A</u>	
9	No. of Bid Technically Qualified (if applicable)	<u>N/A</u>	
10	Bid (s) Rejected:	<u>01 No</u>	
11	Financial Bid Opening Date:	30-05-2016	

12 <u>BID EVALUATION REPORT</u>

S#	Name of Firm / Bidder	COST OFFERED BY THE BIDDER	RANKING IN TERMS OF COST	COMPARISON WITH ESTIMATED COST	REASON FOR ACCEPTANCE (REJECTION	REMARKS
1	M/s.Shah Faisal & Brothers Rs.9,89,287/-		1 st Lowest	@0.182% Below	Pay Order and required documents are available. P.O # AAA 12325452 dt:26-05-2016 Rs.20,000/- from ABL Nazimabad Branch Karachi.	
2	M/s.Gul Sawab & Co.	Rs.9,99,152/-		@0.814% Above	Pay order and required documents are not available.	Un Responsive

The all concerned bydders are being informed accordingly.

The E.E Concerned for compliance of Rule-45 of SPPRA 2010 M/s.Sahah Faisal & Brothers declared as the lowest responsive bidder by the Committee and recommended for sanction from Competent Authority.

(Amir Hally) \(\bar{\text{U}}\)
D.A.O (District East)
Member / Secretary

(Saif-ul-Haque) Additional Director Internal Audit – KMC Member (Maqsood Ahmed Shaikh) Superintending Engineer (KMC) Member

(Ghulam Qadir Abbas) S.E (District East)

Member

(Saleem Ahmed)

Director (Design & Estimate)

Convener

NIT No. SPPRA Serial No. 28311

Method of Procurement:

Single Stage Single Envelope.

Name of Work: DESILTING / CLEANING OF CHOCKED & SILTED SEWERAGE LINES OF 15"FROM BAGH-E-MEHRAN 13-E TO CRESCENT SQUARE AND 12" DIA FROM CRESCENT SQUARE TO ZUBAIRI **BLOCK-13** GULSHAN-E-IQBAL D/1OF IMPROVEMENT OF SEWERAGE SYSTEM IN GULSHAN-E-IOBAL DIVISION

MINUTES OF BID OPENING MEETING.

A meeting of the procurement committee of this department was held on \$0-05-2016 for opening the bids received in respect of subject NIT till deadlines of submission. The meeting was attended by all / following members of the procurement committee and the representative of bidders. (Attendance sheet is enclosed).

- Two bidders submitted their bids till the deadline of submission. 2.
 - i. M/s.Shah Faisal & Brothers
 - ii. M/s.Gul Sawab & Co.
- The bids were opened at 2:30 P.M in the presence of the above mentioned participants and the rates quoted by bidders were read aloud and encircled by Chairman of the Procurement Committee.

S. No	Name of Firm	Quoted Price	Amount of Bid Security	Pay Order No. / Date
01	M/s.Shah Faisal & Brothers	Rs.9,89,287/-	Rs.20,000/-	P.O # AAA 12325452 dt:26-05-2016 from ABL Nazimabad Branch Karachi.
02	M/s.Gul Sawab & Co.	Rs.9,99,152/-	-	Pay Order not attached

- 4. The bids do not contain any cutting or overwriting.
- 5. The committee shall examine all the bids as per the qualification / eligibility criteria provided in the bidding document and verify the documents and bid security submitted by the bidders (if required).

The meeting ended with the vote of thanks to and from the chair.

(Amir Hal D.A.O (District East) Member / Secretary

(Saif-ul-Haque) Additional Director Internal Audit - KMC Member

(Magsood Ahmed Shaikh) Superintending Engineer (KMC)

Member

(Ghulam Qadir Abbas) S.E (District East)

Member

(Saleem Ahmed) Director (Design & Estimate)

Convener

NIT No.SPPRA Serial No.28311

Method and procedure of procurement: Open Competitive Bidding (National/ International Competitive Bidding) (Single Stage-One Envelope)

Description of work:

DESILTING / CLEANING OF CHOCKED & SILTED SEWERAGE LINES OF 15"FROM BAGH-E-MEHRAN 13-E TO CRESCENT SQUARE AND 12" DIA FROM CRESCENT SQUARE TO ZUBAIRI PARK BLOCK-13 D/1 OF GULSHAN-E-IQBAL FOR IMPROVEMENT OF SEWERAGE SYSTEM IN GULSHAN-E-IQBAL DIVISION

Date of Opening:

30-05-2016

BIDDERS' ELIGIBILITY/ QUALIFICATION REPORT

Eligibility/ Qualification Criteria:

S.		Bidders' Name			
No.	Eligibility / Qualification Criteria	M/s.Shah Faisal & Brothers	M/s.Gul Sawab & Co		
1.	Registration with PEC (if applicable)	N/A	N/A		
2.	NTN	Yes	No		
3.	Sales Tax Registration (FBR)	N/A	N/A		
4.	Registration with Sindh Revenue Board (SRB)	Yes	No		
	Qualification Criteria:				
5.	Minimum three years' experience of relevant field.	Yes	No		
6.	Turnover of at least last three years	Yes	No		
7.	Required Bid Security is attached.	Yes	No		
8.	Bid is signed, named and stamped by the authorized person of the firm along with Authorization letter.	Yes	Yes		
9.	Any other factor deemed to be relevant by the procuring agency subject to provision of Rule-44	N/A	N/A		
10.	Qualified/ disqualified	Qualified	Disqualified		

(Amir Halim) W D.A.O (District East) Member / Secretary

Additional Director Internal Audit – KMC Member (Maqsood Ahmed Shaikh) Superintending Engineer (KMC) Member

(Ghulam Qadir Abbas) S.E (District East) Member (Saleem Ahmed)
Director (Design & Estimate)

Convener

COMPARATIVE STATEMENT

CRESCENT SQUARE AND 12" DIA FROM CRESCENT SQUARE TO ZUBAIRI PARK BLOCK-13 D/1 OF GULSHAN-E-IQBAL FOR Name of Work: DESILTING / CLEANING OF CHOCKED & SILTED SEWERAGE LINES OF 15"FROM BAGH-E-MEHRAN 13-E TO ERAGE SYSTEM IN GULSHAN-E-IQBAL DIVISION

2	_	No.	Item	
Manufacturing and supplying of RCC Ring Slab of 21" dia (inside) and 36" dia outside 7.5" width and 6" thick i/c 3/8" dia tor steel bars two concentric rings with 3/8" dia 8 Nos cross linked bars welded and two sunk type hooks, casted in 1:1 1/2:3 concrete with embedded 15 Kg C.I Frame in perfect and two sunks are represented in 1:1 1/2:3 concrete with embedded 15 Kg C.I Frame in perfect casted in 1:1 1/2:3 concrete with embedded 15 Kg C.I Frame in perfect casted in 1:1 1/2:3 concrete with embedded 15 Kg C.I Frame in perfect casted in 1:1 1/2:3 concrete with embedded 15 Kg C.I Frame in perfect casted in 1:1 1/2:3 concrete with embedded 15 Kg C.I Frame in perfect casted in 1:1 1/2:3 concrete with embedded 15 Kg C.I Frame in perfect casted in 1:1 1/2:3 concrete with embedded 15 Kg C.I Frame in perfect casted in 1:1 1/2:3 concrete with embedded 15 Kg C.I Frame in perfect casted in 1:1 1/2:3 concrete with embedded 15 Kg C.I Frame in perfect casted in 1:1 1/2:3 concrete with embedded 15 Kg C.I Frame in perfect casted in 1:1 1/2:3 concrete with embedded 15 Kg C.I Frame in perfect casted in 1:1 1/2:3 concrete with embedded 15 Kg C.I Frame in perfect casted in 1:1 1/2:3 concrete with embedded 15 Kg C.I Frame in perfect casted in 1:1 1/2:3 concrete with embedded 15 Kg C.I Frame in perfect casted in 1:1 1/2:3 concrete with embedded 15 Kg C.I Frame in perfect casted in 1:1 1/2:3 concrete with embedded 15 Kg C.I Frame in perfect casted in 1:1 1/2:3 concrete with embedded 15 Kg C.I Frame in perfect casted in 1:1 1/2:3 concrete with embedded 15 Kg C.I Frame in perfect casted in 1:1 1/2:3 concrete with embedded 15 Kg C.I Frame in perfect casted in 1:1 1/2:3 concrete with embedded 15 Kg C.I Frame in perfect casted in 1:1 1/2:3 concrete with embedded 15 Kg C.I Frame in perfect casted in 1:1 1/2:3 concrete with embedded 15 Kg C.I Frame in perfect casted in 1:1 1/2:3 concrete with embedded 15 Kg C.I Frame in perfect casted in 1:1 1/2:3 concrete with embedded 15 Kg C.I Frame in perfect casted in 1:1 1/2:3 concrete with embedded 15	Cleaning inside Sewerage line completely (Mechanically / Electrically diameter of pipe lines by labour and equipment (Mechanically / Electrically driven). Including accessories like pulley's steel rope, buckets and draggers sizing from 6" to 18" dia their "to and fro" pulling action (No of passes shall be as many from 6" to 18" dia their "to and fro" pulling action (No of passes shall be as many from 6" to 18" dia their "to and fro" pulling action (No of passes shall be as many from 8" to 18" dia passes (First phase entire length from 18" dia passes to up stream to down stream of entire length 19" line (as free flow) and in 2nd phase from up stream to down stream of entire length 19" line (as free flow) and in 2nd phase from up stream to down stream of entire length 19" line ability passing a ball of 12" lesser then the diameter of pipe but no exceeding 48" finally passing a ball of 12" lesser then the diameter of pipe but no exceeding 48" dia ball even for larger dia pipe to ensure perfect cleaning. The job including all dia ball even for larger dia pipe to ensure perfect cleaning. The job including all dia ball even for larger dia pipe to ensure perfect cleaning. The job including all dia ball even for larger dia pipe to ensure perfect cleaning. The job including all dia ball even for larger dia pipe to ensure perfect cleaning. The job including all dia ball even for larger dia pipe to ensure perfect cleaning. The job including all dia ball even for larger dia pipe to ensure perfect cleaning. The job including all dia ball even for larger dia pipe to ensure perfect cleaning. The job including all dia ball even for larger dia pipe to ensure perfect cleaning. The job including all dia ball even for larger dia pipe to ensure perfect cleaning. The job including all dia ball even for larger dia pipe to ensure perfect cleaning. The job including all dia ball even for larger dia pipe to ensure perfect cleaning. The job including all dia ball even for larger dia pipe to ensure perfect cleaning. The job including all	restoring original silt free space /	Description of Work	IMPROVEMENT OF SEWERAGE STSTEM IN COLU
Manufacturing and supplying of RCC Ring Slab of 21" dia (inside) and 36" dia outside 7.5" width and 6" thick i/c 3/8" dia tor steel bars two concentric rings with 3/8" dia 8 Nos cross linked bars welded and two sunk type hooks, casted in 1:1 1/2:3 concrete with embedded 15 Kg C.I Frame in perfect casted in 1:1 1/2:3 concrete with embedded 15 Kg C.I Frame in perfect casted in 1:1 1/2:3 concrete with embedded 15 Kg C.I Frame in perfect casted in 1:1 1/2:3 concrete with embedded 15 Kg C.I Frame in perfect casted in 1:1 1/2:3 concrete with embedded 15 Kg C.I Frame in perfect casted in 1:1 1/2:3 concrete with embedded 15 Kg C.I Frame in perfect casted in 1:1 1/2:3 concrete with embedded 15 Kg C.I Frame in perfect casted in 1:1 1/2:3 concrete with embedded 15 Kg C.I Frame in perfect casted in 1:1 1/2:3 concrete with embedded 15 Kg C.I Frame in perfect casted in 1:1 1/2:3 concrete with embedded 15 Kg C.I Frame in perfect casted in 1:1 1/2:3 concrete with embedded 15 Kg C.I Frame in perfect casted in 1:1 1/2:3 concrete with embedded 15 Kg C.I Frame in perfect casted in 1:1 1/2:3 concrete with embedded 15 Kg C.I Frame in perfect casted in 1:1 1/2:3 concrete with embedded 15 Kg C.I Frame in perfect casted in 1:1 1/2:3 concrete with embedded 15 Kg C.I Frame in perfect casted in 1:1 1/2:3 concrete with embedded 15 Kg C.I Frame in perfect casted in 1:1 1/2:3 concrete with embedded 15 Kg C.I Frame in perfect casted in 1:1 1/2:3 concrete with embedded 15 Kg C.I Frame in perfect casted in 1:1 1/2:3 concrete with embedded 15 Kg C.I Frame in perfect casted in 1:1 1/2:3 concrete with embedded 15 Kg C.I Frame in perfect casted in 1:1 1/2:3 concrete with embedded 15 Kg C.I Frame in perfect casted in 1:1 1/2:3 concrete with embedded 15 Kg C.I Frame in perfect casted in 1:1 1/2:3 concrete with embedded 15 Kg C.I Frame in perfect casted in 1:1 1/2:3 concrete with embedded 15 Kg C.I Frame in perfect casted in 1:1 1/2:3 concrete with embedded 15 Kg C.I Frame in perfect casted in 1:1 1/2:3 concrete with embedded 15 Kg C.I Frame in perfec	ically sizing many from pipe length water g 48" ing all levises d over traffic fety to esilting " dia 10109.00	Quality	Omantity	
	Rft			Est
	96.60		Rate	Estimated Cost
1	P/Rft	,	Per	ost
2005	102,879.00		Amount	
1906.00	95.00		Rate	M/s.Sha Bro
00 41,932.00	0 101,175.00 0 813,774.50		Amount	M/s.Shah Faisal & Brothers

Swanes

Name of Work: DESILTING / CLEANING OF CHOCKED & SILTED SEWERAGE LINES OF 15"FROM BAGH-E-MEHRAN 13-E TO CRESCENT SQUARE AND 12" DIA FROM CRESCENT SQUARE TO ZUBAIRI PARK BLOCK-13 D/1 OF GULSHAN-E-IQBAL FOR IMPROVEMENT OF SEWERAGE SYSTEM IN GULSHAN-E-IQBAL DIVISION

				4	_			C	ر.		Item No	,
IOTAL QUOTED / CORRECTED COST	compacting, curing and transportation within 10 miles. 21" dia	welded to a 3/16" thick 2" wide M.S plate and two hook of 3/8" tor bars including	concrete ratio 3" deep at center reinforced with 1/2" dia tor steel bars @ 4" c/c	Manufacturing and Supplying of RCC manhole covers cast in 1:2:4 cement	mortar of 2" thickness and disposal of the debris.	cutting of damaged portion of manhole in proper shape and laying of cement	position on damaged manholes i/c cutting of the damaged manhole i/c	Shifting to the site and Fixing of 36" dia (outer) Ring Slab in perfect	01.0.		n Description of Work	
	22.00 Nos				22.00 Nos				Quantity			
	s 913.63 Each				s 563.09 Each				Rate		Estimated Cost	
	Each				Each				Per		Cost	
991,087	20,099.86				12,387.98				Amount			
	913.00				560.00				Rate	U	M/s.Sl	
989,287	20.086.00				560.00 12,320.00				Amount	Stantoug	M/s.Shah Faisal &	

(Amir Haliph) D.A.O (Distt. East) Member / Secretary

(Saif-ul-Haque) Addl. Director Internal Audit KMC - Member

(Maqsood Ahmed Shaikh)
Superintending Engineer (K.M.C)
Member

(Ghulam Qadir Abbas) S.E (District East) Member

(Saleem Ahmed)
Director (Design & Estimate)
Convener

KARACHI WATER & SEWERAGE BOARD

ATTENDANCE SHEET OF CONTRACTORS

NAME OF WORK:-

DESILTING / CLEANING OF CHOCKED & SILTED SEWERAGE LINE OF 15" FROM BAGH-E-MEHRAN 13-E TO CRESCENT SQUARE AND 12" DIA FROM CRESCETN SQUARE TO ZUBAIRI PARK BLOCK-13 D/1 OF GULSHAN-E-IQBAL FOR IMPROVEMENT OF SEWERAGE SYSTEM IN GULSHAN-E-IQBAL TOWN

1. Date of Opening & Time :- 30-05-2016 at 2.30 pm.

Estimated Cost :

Rs.9,91,087/=

3. Serial No.:

SPPRA SERIAL NO.28311.

SR.NO.	NAME OF FIRM	NAME OF REPRESENTATIVES & DESIGNATION	SIGNATURE
1	Gal Samobelo		186
2	Gal Squob-Elo		Just 03



KARACHI WATER & SEWERAGE BOARD

HUMAN RESOURCES DEVELOPMENT AND ADMINISTRATION DEPARTMENT
PHONE NO. 021 - 99231464 - 021 - 99231463

No. kW&SB/SR. DIR./HRD&A/397

Dated 14th April 2016

OFFICE ORDER

The Procurement Committee-I is re-constituted as per Rule-07 of Sindh Public Procurement Rules-2010, for performing the functions prescribed in Rule-08 of Rules ibid for the works for which evaluation report required to be hoisted on Sindh Public Procurement Authority as under

Sr. No.	Nominee	Position in P C.
1.	Director Design & Estimate	Convener / Chairman
2.	Superintending Engineer (Concerned)	Member
3.	Representative of D.G. (TS), KMC	Member
4	Representative of Finance Advisor, KMC	Member
5	A.O. / D.A.O. / A.A.O. (Concerned)	Member/Secretary

The office of the Director Design shall be headquarter for Procurement Committee-I.

The Concerned Superintending Engineer shall maintain the record of Procurement proceedings as required under Rule-9 of SPPRA-2010.

This issues on the recommendation of Chief Engineer (IPD)/D M D (Planning) KW&SB and with the approval of Managing Director, KW&SB vide para 5/N

SR. DIRECTOR (HR)

DISTRIBUTION

- Dy. Managing Director (TS) /C.E. (BT&D)/C.E. (WTM) KW&SB
- 2. Dy. Managing Director (Planning) / C.E. (IPD) KW&SB
- Chief Engineer (W/S) KW&SB
- 4. Director Design & Estimate/Convener / Chairman Committee
- 5. All Members of the Committee.
- Sc Director (Finance) KW&SB
- 7. Director (IT) KW&SB
- 8. Director (I&C) M.D Sectt: KW&SB
- 9. Staff Officer to Vice Chairman, KW&SB
- 10. AD (LFA) KW&SB
- 11.AO (ESTT) KW&SB
- 12.AO (Budget) KW&SB
- 13. IAO-II KW&SB
- 14. Office Copy.
- 15. Master File

c.c. to Managing Director, KW&SB

00-2016