

No.LUH/Gen-Br/- 19070/71

Office of the  
Medical Superintendent  
Liaquat University Hospital  
Hyderabad/Jamshoro  
Dated the 29-5-2017


To,

Managing Director,  
Government of Sindh,  
Sindh Public Procurement Regulatory Authority,  
Karachi.

SUBJECT:- COMPARATIVE STATEMENT AND MINUTES OF MEETING.

Reference:- SPPRA Tender No:2147483647


I have the honour to enclose herewith the Technical Evaluation Report, Bid Evaluation Report, Comparative Statement and Minutes of the meeting for purchase of Furniture / fixtures Under Non ADP for the financial year 2016-17 for Liaquat University Hospital, Hyderabad / Jamshoro to paste on [www.pprasindh.gov.pk](http://www.pprasindh.gov.pk).

  
Medical Superintendent  
Liaquat University Hospital  
Hyderabad/Jamshoro  
Dated the \_\_\_\_\_ 2017.

No.LUH/Gen-Br/-

Copy forwarded for information to :-

1. The P.S to Secretary, Government of Sindh, Health Department, Karachi.
2. General File.

  
Medical Superintendent  
Liaquat University Hospital  
Hyderabad/Jamshoro

1237  
30-05-17



MINUTES OF MEETING, BID EVALUATION REPORT AND  
COMPARATIVE STATEMENTS FOR PURCHASE  
OF FURNITURE / FIXTURE FOR  
LIAQUAT UNIVERSITY HOSPITAL, HYDERABAD/JAMSHORO

---

FOR THE FINANCIAL YEAR 2016-17

TENDER OPENED ON 20.05.2017

LIAQUAT UNIVERSITY HOSPITAL  
HYDERABAD/JAMSHORO



MINUTES OF MEETING, BID EVALUATION REPORT AND  
COMPARATIVE STATEMENTS FOR PURCHASE  
OF FURNITURE / FIXTURE FOR  
LIAQUAT UNIVERSITY HOSPITAL, HYDERABAD/JAMSHORO

---

FOR THE FINANCIAL YEAR 2016-17

TENDER OPENED ON 20.05.2017

LIAQUAT UNIVERSITY HOSPITAL  
HYDERABAD/JAMSHORO



# SINDH PUBLIC PROCUREMENT REGULATORY AUTHORITY GOVERNMENT OF SINDH

[HOME](#) [SPPRA](#) [PUBLIC PROCUREMENT](#) [NEWS](#) [SEND QUERY](#) [SPP ACT 2009](#) [SPP](#)  
[RULES](#) [NOTIFICATIONS](#)

ID ▲ ▼	SPPRA ID ▲▼	Procurement Title ▲ ▼	Department ▲ ▼	Advertisement Date ▲ ▼	Closing Date ▲ ▼	Upload Date ▲ ▼
			Liaquat Uni			

Records per page  Columns [CSV Export](#) [Excel Export](#) [Filter](#)

2147483647	JAMSHORO	Liaquat University Hospital	2017-05-08 00:00:00	2017-05- 26 23:59:59	08-05- 2017
2147483647	JAMSHORO	Liaquat University Hospital	2017-05-02 00:00:00	2017-05- 19 23:59:59	02-05- 2017
2147483647	Jamshoro	Liaquat University Hospital	2017-04-24 00:00:00	2017-05- 12 23:59:59	24-04- 2017
2147483647	JAMSHORO	Liaquat University Hospital	2017-04-20 00:00:00	2017-05- 09 23:59:59	20-04- 2017
2147483647	MS JAMSHORO	Liaquat University Hospital	2017-04-10 00:00:00	2017-04- 29 23:59:59	10-04- 2017
2147483647	MS JAMSHORO	Liaquat University Hospital	2017-04-03 00:00:00	2017-04- 25 23:59:59	03-04- 2017
2147483647	JAMSHORO	Liaquat University of Medical &	2017-03-31 00:00:00	2017-04- 20 23:59:59	31-03- 2017

روزنامہ جنگ  
55-025  
111-3387  
111-3387  
111-3387

THE DAILY JANG KARACHI

روزنامہ جنگ

جنگ سرکاری

بانی میر ظہیر الرحمن

جلد 88 پیر 5 رجب المرجب 1438ھ 3 اپریل 2017ء نمبر 93

MONDAY APRIL 3, 2017

## ٹینڈر نوٹس

(1) SPPRA (1) روز 2010 (ترمیم شدہ 2013) کے مطابق مالی سال 2016-17 کیلئے لیاقت یونیورسٹی اسپتال حیدرآباد، جامشورو کیلئے درج ذیل آئٹمز (فرنیچر/لٹریچر) کی خریداری کیلئے خوب مشہور و معروف فرموں/خواہشمند اجنٹ/سول ایجنٹ/فیرنگی کمپنیوں/پاکستان میں ان کے ذمہ داری سے مقررہ پروفارمہ پر ذریعہ ہذا سربراہ ٹینڈر مطلوب ہیں۔ ٹینڈر دستاویزات مع آکرانے کی آخری تاریخ 20 اپریل 2017ء دن کے 11-30 بجے تک ہے اور یہی روز شرکت کنندگان کی موجودگی میں دوپہر 12-00 بجے کھولے جائیں گے۔

(2)

19/2016-17	ٹینڈر انکوائری نمبر
ہاسپتال فرنیچر کی فراہمی (جنرل فرنیچر و لٹریچر)	پیشکش کی سہولت
ایک مرحلہ۔ دو لفافہ	بڈنگ پروپوزل
پیشکش کی کل مالیت کا 2.5%	بڈ سکورٹی
90 دن	پیشکش کے کارآمد رہنے کی مدت
2000/- روپے (ناقابل واپسی)	ٹینڈر فیس
19-04-2017 تا 03-04-2017	ٹینڈر دستاویزات کا اجراء
20-04-2017 دن کے 11-30 تک	ٹینڈر جمع کرانے کی تاریخ
20-04-2017 بوقت دوپہر 12-00 بجے	ٹینڈر کھلنے کی تاریخ
L.U.H حیدرآباد	

(3) شرائط کا شیڈول، ٹینڈر کی شرائط و ضوابط پر مشتمل ٹینڈر دستاویزات کا سٹمٹ مبلغ 2000/- روپے ناقابل واپسی فیس کے عوض دفتر زیر تحفظ لیاقت یونیورسٹی اسپتال (L.U.H) حیدرآباد سے خریدیا جاسکتا ہے۔

(4) میڈیکل سپرنٹنڈنٹ L.U.H حیدرآباد، جامشورو کا یہ حق محفوظ ہے کہ وہ SPPRA رولز کے مطابق جب بھی اور جہاں بھی ضروری سمجھے شیڈول کے مطابق کسی بھی آئٹم کی مقدار/تعداد میں کمی/بیشی کر سکتے ہیں۔ پروڈیکٹس/آئٹمز SPPRA رولز کے متعلقہ مندرجات سے مشروط کسی یا جملہ پیشکشوں کو مسزور کر سکتی ہے۔

(5) ٹینڈر دستاویزات SPPRA کی ویب سائٹ سے ڈاؤن لوڈ کی جاسکتی ہیں۔

(6) پیشکشوں میں جملہ سرکاری ٹیکسز (اگر اطلاق ہوتا ہو) شامل ہونے چاہئیں۔

(7) بلوں سے کوئی سرکاری قواعد کے مطابق کی جائے گی۔

(8) بڈ سکورٹی درج کردہ آئٹم کی کل مالیت کا 2.5% بشکل پی آر ڈر/ڈیمانڈ ذراقت بحق میڈیکل سپرنٹنڈنٹ لیاقت یونیورسٹی اسپتال حیدرآباد، جامشورو ہونی چاہئے۔

(9) ٹینڈر نوٹس اور ٹینڈر دستاویزات کے درمیان کسی تضاد کی صورت میں ٹینڈر دستاویزات قابل عمل سمجھی جائیں گی۔

(10) کسی عام قسطیل کے اعلان یا دیگر نامساعد حالات کی صورت میں یہ پیشکشیں شیڈول کے مطابق کام کے آئندہ روز جمع کرائی اور کھولی جائیں گی۔

(11) استفسارات نیچے دیے گئے پتہ پر درج ذیل نمبروں پر اوقات کار کے دوران بمقام L.U.H حیدرآباد کئے جاسکتے ہیں۔ فون: 022-9210207، فیکس: 022-9210208

(دستخط) ... میڈیکل سپرنٹنڈنٹ

لیاقت یونیورسٹی اسپتال حیدرآباد، جامشورو (INF/KRY-1537/17)

ہم دہشت گردی کے خلاف متحد ہیں

SAFETY NO TO CORRUPTION

# روزاني سوپ ڪراچي (2) سومر 03 اپريل 2017 ع

## ٽينڊر نوٽيس

01 مالي سال 2016-17 لاءِ SPPRA رول 2010 (ترميم ٿيل 2013) جي مطابق مقرر پروفاسا تي سٺي ساڪ رکندڙ فرم. خواهشمند ايجنٽ سول ايجنٽ ٻاهرين ڪمپنين جا پاڪستان ۾ دستري بيوترز کان لياقت يونيورسٽي اسپتال، حيدرآباد ڄامشورو جي هيٺ ڄاڻايل ائتمز (فرنيجر ۽ فڪسچر) جي خريداري لاءِ مهربند ٽينڊر گهرائجن ٿا ٽينڊر دستاويز جمع ڪرائڻ جي آخري تاريخ 20 اپريل، 2017 تي صبح 11.30 وڳي تائين آهي جيڪي ساڳي ڏينهن تي 12.00 وڳي حصو وٺندڙن جي موجودگي ۾ کوليا ويندا

ٽينڊر انڪوائري نمبر	19 2016 17
آڇ جو نالو	اسپتال فرنيجر، عام فرنيجر ۽ فڪسچر جي فراهمي
بيلام طريقيڪار	سنگل اسٽيج ٽو انولپ
بد سيڪيورٽي	ڪل آڇ رقم جو 2.5%
بد ويليڊيٽي	90 ڏينهن
ٽينڊر في	Rs.2000 (ناقابل واپسي)
ٽينڊر دستاويزن جو اجراء	L1H، حيدرآباد ۾ 03.04.2017 کان 19.04.2017
ٽينڊر جمع ڪرائڻ	L1H، حيدرآباد ۾ 20.04.2017 تي صبح 11.30 وڳي
ٽينڊر کولڻ	L1H، حيدرآباد ۾ 20.04.2017 تي منجهند 12.00 وڳي

03 ڪهرجن جي شيڊيول، ٽيڪنيڪل صراحتن ۽ شرط شرطن تي مشتمل ٽينڊر دستاويزن جو مڪمل سيٽ هيٺ دستخط ڪندڙ جي آفيس لياقت يونيورسٽي اسپتال (L1H)، حيدرآباد ڄامشورو مان (Rs.2000 ناقابل واپسي في عيوض خريد ڪري سگهجن ٿا

04 ميڊيڪل سپرنٽنڊنٽ، لياقت يونيورسٽي اسپتال (L1H)، حيدرآباد: ڄامشورو SPPRA رولز جي مطابق شيڊيولز جي ڪنهن آئٽم جي تعداد ۾ جيئن ۽ جڏهن گهربل اضافو يا گهٽتائي ڪرڻ جو حق محفوظ رکي ٿو. پروڪيورنگ ايجنسي SPPRA رولز جي لاڳاپيل ففرن سان مشروط ڪنهن هٿ يا مڙني آڇن کي رد ڪري سگهي ٿي

05 ٽينڊر دستاويز SPPRA ويب سائيٽ تان ڊائون لوڊ ڪري سگهجن ٿا

06 آڇن سان گڏ سمورا سرڪاري ٽيڪسز شامل هوندا (جيڪڏهن لاڳو)

07 بلز مان ڪوتاهي سرڪاري قانونن جي مطابق ڪئي ويندي

08 ميڊيڪل سپرنٽنڊنٽ، لياقت يونيورسٽي اسپتال (L1H)، حيدرآباد ڄامشورو جي حق ۾ ٻي آرڊر ڏيکارڻ جي صورت ۾ آڇ ڏيندڙ پاران آڇيل ائٽمز جي ڪل آڇ رقم جي 2.5% بد سيڪيورٽي

09 ٽينڊر نوٽيس ۽ ٽينڊر دستاويزن ۾ تضاد هجڻ جي صورت ۾ ٽينڊر دستاويزن کي ترجيح ڏني ويندي

10 عام موڪل جي اعلان تي يا ڪنهن اٿوئنڊڙ حالتن جي سبب آڇون اڳئين ڪم ڪار واري ڏينهن ساڳي شيڊيول تحت جمع ڪرايون ۽ کوليون وينديون

11 معلومات هيٺين ايڊريس تان هيٺين نمبرن تان يا ذاتي طور آفيس وقت دوران (L1H)، حيدرآباد مان حاصل ڪري سگهجي ٿي

فون: 022 9210207

فيڪس: 022 9210208

دستخط  
**ميڊيڪل سپرنٽنڊنٽ**  
 لياقت يونيورسٽي اسپتال  
 حيدرآباد/ڄامشورو

INF-KRY-No.1537/17

## **TENDER NOTICE**

- 1) According SPPRA Rules 2010 (Amendment-2013) settled tender on prescribed proforma are hereby invited from well reputed firms interested Agent/ Sole Agent/ Foreign Companies Distributors in Pakistan for the purchase of following items (Furniture / Fixture) for Liaquat University Hospital, Hyderabad/Jamshoro for the financial year 2016-17. The last date for Submission of tender documents is 20<sup>th</sup> April, 2017 up to 11:30 AM and will be opened on same day at 12:00 Noon in the presence of participants

2) Tender Enquiry No.	19/2016-17
Name of Bid	Supply of Hospital Furniture, General Furniture & Fixture
Bidding Procedure	Single Stage Two Envelope
Bid Security	2.5% of the total bid value
Bid Validity	90 days
Tender Fee	Rs. 2,000/- (non-refundable)
Issuance of Tender Documents	03-04-2017 to 19-04-2017 @ LUH, Hyderabad
Submission of Tender	20-04-2017 at 11:30 AM @ LUH, Hyderabad
Opening of Tender	20-04-2017 at 12:00 NOON @ LUH, Hyderabad

- 3) Complete set of tender documents containing Schedule of Requirements, Technical Specification with Term & Conditions can be purchased with a non-refundable fee in Rs. 2,000/- from the office of undersigned Liaquat University Hospital (LUH), Hyderabad.
- 4) The Medical superintendent LUH, Hyderabad / Jamshoro reserves the rights to increase or decrease the quantity of any item of schedules as and when it is deemed necessary according to SPPRA Rules. The Procuring agency may reject all or any bids subject to the relevant provision of SPPRA Rules.
- 5) Tender documents can be downloaded from SPPRA website.
- 6) Bid shall include all government taxes (if applicable).
- 7) Deduction in the bills will be done as per government rules.
- 8) Bid Security @ 2.5% of the total bid value of quoted items by the bidder in shape of pay order / demand draft in favour of Medical Superintendent Liaquat University Hospital Hyderabad / Jamshoro.
- 9) In case of discrepancies between the Tender Notice and the Tender Documents, the Tender Documents shall take precedence.
- 10) In case of announcement of public holiday or any favorable circumstance, the bids shall be submitted and opened as per given schedule on the next working day.
- 11) Queries can be addressed at the following numbers or in person during office hours, LUH, Hyderabad

Ph: 022-9210207

Fax: 022-9210208

**Medical Superintendent  
Liaquat University Hospital  
Hyderabad / Jamshoro**

INF-KRY:No.1537/17



**Say No to Corruption We are unified Against Terrorism...**

FOR THE BETTERMENT OF EDUCATION IN SINDH **TEXT**  
SMS 'ILMI' + YOUR MESSAGE TO **8 3 9 8**

*Express Tribune  
dt: 02-04-2017.*



NOTIFICATION

NÓ.HD (P&E) 1-2 (61) / 2016. The Government of Sindh, Health Department is pleased to constitute a Procurement Committee under Clause-7 of Sindh Public Procurement Rules 2010, comprising of the following members for purchase of Furniture, Fixture at Liaquat University Hospital Hyderabad for the year 2016-17 under Non ADP funds;

- |    |  |          |
|----|--|----------|
| 1. | Dr. Naeem Zia Memon<br>Additional Medical Superintendent (Gen)<br>Liaquat University Hospital<br>Hyderabad / Jamshoro. | Chairman |
| 2. | Prof. Bikha Ram,<br>Professor of Medicine Department,<br>Liaquat University of Medical & Health Science<br>Jamshoro.   | Member   |
| 3. | The Additional Medical Superintendent (I)<br>Liaquat University Hospital<br>Hyderabad.                                 | Member   |
| 4. | The Additional Medical Superintendent (II)<br>Liaquat University Hospital<br>Hyderabad.                                | Member   |
| 5. | Representative of District Accounts Officer<br>Hyderabad.  | Member   |

The committee will be responsible to observe all the codal formalities as per Sindh Public Procurement Rules 2010 (Amended 2013).

(DR. FAZLULLAH PECHUHO)  
SECRETARY HEALTH

NÓ.HD (P&E) 3-5 (85) / 2017

Karachi, dated 16.03.2017.

C.c.to:

- The Vice Chancellor, Liaquat University of Medical and Health Sciences Hyderabad / Jamshoro with request to advise the member to attend the meetings for above said committee.
- Managing Director, Sindh Public Procurement Regularity Authority, Karachi.
- Medical Superintendent, Liaquat University Hospital Hyderabad / Jamshoro.
- District Accounts Officer, Hyderabad with request to nominate the member not below the rank of BPS-18 for above said committee.
- All members of the committee.
- P.S. to Secretary, Health Department, Govt. of Sindh, Karachi.

  
Statistical Officer (Dev)







NO.HD(P&E) 3-2 (427)/2014  
GOVERNMENT OF SINDH  
HEALTH DEPARTMENT  
(Procurement, Monitoring and Inspection Cell)  
Karachi dated the 10<sup>th</sup> APRIL, 2017.

NOTIFICATION

No.HD(P&E)3-2(427)/2014. In supersession to this department's notification of even number dated 9-03-2017 and in pursuance of Rule 31 of the Sindh Public Procurement Rules, 2010, a Departmental Complaint Redressal Committee, comprising of following officers is hereby re-constituted as under to resolve complaints of aggrieved bidders:

1. Special Secretary,  
Health Department. 1914 25-4-17 Chairman
2. Representative from Accountant General Sindh, Member
3. Independent expert from relevant field concerning  
(to be nominated by the Head of Procuring Agency) Member
4. Deputy Secretary (PM&I) Member
5. Deputy Secretary (General) Member/Secretary

ToRs.

- To perform according to Rule 31 of SPPRA, 2010.
- To Perform any other function ancillary and incidental to the above.

- DR. FAZLULLAH PECHUHO -  
SECRETARY TO GOVERNMENT OF Sindh

No.HD(P&E)3-2(427)/2014.






Karachi dated the 10<sup>th</sup> APRIL, 2017

1. The D.G.Health Services, Sindh, Hyderabad.
  2. The District Health Officers (All)
  3. Medical Superintendents (All) *Liaquat University Hyderabad*
  4. All the Member of the Committee.
- The PS to Secretary Health Department, Govt. of Sindh, Karachi.  
Office order file.

  
SECTION OFFICER (PM&I)

*DAAT*  
*27/4*  
*Gen 13*





**MEETING OF PROCUREMENT COMMITTEE REGARDING OPENING OF TENDER DOCUMENTS FOR PURCHASE OF FURNITURE / FIXTURE (NON ADP) FOR THE FINANCIAL YEAR 2016-17 AT LIAQUAT UNIVERSITY HOSPITAL, HYDERABAD/ JAMSHORO IN THE COMMITTEE ROOM LUH, HYDERABAD ON 20.04.2017.**

S.NO	NAME & DESIGNATION		SIGNATURE
01	<b>Dr. Naeem Zia Memon</b> Addl: Medical Superintendent, LUH, Hyderabad.	<b>Chairman</b>	
02	<b>Prof. Bikha Ram</b> Department of Medicine LUMHS, Jamshoro	Member	
03	<b>Dr. Anjum Rehman</b> Addl: Medical Superintendent (I), L.U. Hospital, Hyderabad.	Member	
04	<b>Dr. Shahid Islam Junejo,</b> Addl: Medical Superintendent (II), L.U. Hospital, Hyderabad.	Member	
05	<b>Mr.Nisar Ahmed Khokhar,</b> Assistant Accounts Officer Representative of District Accounts Officer, Hyderabad.	Member	



Opening of Tender Documents for Purchase of Furniture / Fixture  
for the Financial year 2016-17 at Liaquat University Hospital, Hyderabad/Jamshoro

## ATTENDANCE SLIP

S.No.	Name of Firm	Phone Number	Postal Address	Name of Participant	C.N.I.C No: of participants	Signature
1	S.R. International	0304 2222333	c.17, Anwar Ashraf 153/1 Maulana Ghouse Cantonment East Karachi	Shahnawaz	42501-8738951-7	
2	T.R. Medical Instruments Co	0300- 9203101	c/2 Punjab Colony Fardana Capital Islamabad	Kamran Ansaari	42101-4618262-1	
3	MEDLINE TECHNOLOGIES PVT Ltd	0321-8279258	ASG, Block 2 PECHS Karachi	M. WAQAS	42201-3008118-7	
4	AL-Farooque Enterprises	0304-3320650	Above Faisal Colony Abul Khair Road	M. WAQAS Khan	41303-7830296-7	
5						
6						
7						
8						
9						
10						

  
(Dr. Naeem Zia Memon)

Addl: Medical Superintendent  
LUH, Hyderabad  
Chairman Procurement Committee

  
(Dr. Shahid Islam Junejo)

Addl: Medical Superintendent (II)  
LUH, Hyderabad  
Member Procurement Committee

  
(Dr. Anjum Rehman)

Addl: Medical Superintendent (II)  
LUH, Hyderabad  
Member Procurement Committee

  
(Mr. Nisar Ahmed Khokhar)

Assistant Accounts Officer  
Representative of DAO Hyd  
Member Procurement Committee

  
(Prof. Baha Ram)

Professor of Medicine  
LUMHS, Jamshoro  
Member Procurement Committee



**LIAQUAT UNIVERSITY HOSPITAL  
HYDERABAD / JAMSHORO**

**BID  
EVALUATION REPORT**

**TENDER FOR SUPPLY OF HOSPITAL FURNITURE,  
GENERAL FURNITURE & FIXTURES**

**TENDER NO. 19/2016-17**

**OPENED ON 20.04.2017 12:00PM**

## MINUTES OF BID OPENING MEETING

NIT No.	1537 / 17
SPPRA Number	2147483647
Method of Procurement	Single Stage Two Envelope

Name of Work: **Supply of Hospital Furniture, General Furniture & Fixtures**

Meeting of the Procurement Committee (PC) was held on Thursday, 20 April 2017 for opening of above mentioned NIT for Liaquat University Hospital Hyderabad / Jamshoro. Meeting was attended by members of the Procurement Committee and the representatives of bidders (attendance sheets are enclosed).

The following companies purchased bidding documents after advertisement of the tender notice till deadline.

- 1) Universal Enterprise
- 2) S. R. International
- 3) T.K Medical Instruments Co.
- 4) Medline Technologies (Pvt.) Ltd.
- 5) Al-Farooooque Enterprises
- 6) Al-Sharique Trading Company
- 7) Bio Medical Technologies
- 8) Saleem Electronic

The following companies participated in the bidding process with their respective bids by submission deadline of 11:30am on Thursday 20.04.2017.

- 1) S. R. International
- 2) T.K Medical Instruments Co.
- 3) Medline Technologies (Pvt.) Ltd.
- 4) Al-Farooooque Enterprises
- 5) Al-Sharique Trading Company

The Procurement Committee (PC) rejected to accept bid of M/s Universal Enterprise due to late arrival of their bid at 12:20pm after opening of bids initiated. M/s Al-Farooooque Enterprises bid was rejected due to amount visible on copy of Bid Security submitted in their Technical Proposal.

The following companies submitted samples against their respective bids for technical evaluation and quality assessment.

- 1) S. R. International
- 2) T.K Medical Instruments Co.
- 3) Medline Technologies (Pvt.) Ltd.

The Procurement Committee (PC) rejected bid of M/s Al-Sharique Trading Company as they not submit their samples of the offered item by submission deadline of 12:00pm on Saturday 22.04.2017.

  
 \_\_\_\_\_  
 Chairman

  
 \_\_\_\_\_  
 Member

  
 \_\_\_\_\_  
 Member

  
 \_\_\_\_\_  
 Member






  
 \_\_\_\_\_  
 Member

**PROCUREMENT COMMITTEE  
ATTENDANCE SHEET**

Tender No. 19/2016-17

Name of Work: Supply of Hospital Furniture, General Furniture & Fixtures

The following members of the Procurement Committee (PC) were present on Thursday, 20 April 2017 for opening of above mentioned NIT.

1.	Dr. Naeem Zia Memon	Addl. Medical Superintendent Liaquat University Hospital Hyderabad / Jamshoro	Chairman	
2.	Prof. Bikha Ram	Department of Medicine LUMHS, Jamshoro	Member	
3.	Dr. Anjum Rehman	Addl. Medical Superintendent (I) Liaquat University Hospital Hyderabad / Jamshoro	Member	
4.	Dr. Shahid Islam Junejo	Addl. Medical Superintendent (II) Liaquat University Hospital Hyderabad / Jamshoro	Member	
5.	Mr. Nisar Ahmed Khokhar	Assistant Accounts Officer Representative of District Accounts Officer, Hyderabad	Member	

**Tender No. 19/2016-17**


Tender for Supply of Hospital Furniture, General Furniture &amp; Fixtures

Opened on 20.04.2017 12:00PM

**PARTICIPATING BIDDERS ELIGIBILITY**

S. No.	Requirements of Document / Pre-requisites	S. R. International	T.K Medical Instruments Co.	Medline Technologies (Pvt.) Ltd.	Al-Farooque Enterprises	Al-Sharique Trading Company
(a)	<b>Tender Purchase Receipt (original)</b>	Yes	Yes	Yes	Yes	Yes
(b)	<b>Bid Security</b>	Yes	Yes	Yes	Yes	Yes
(c)	<b>General &amp; Special Conditions of Contract</b> (duly filled, signed & stamped by Bidder)	Yes	Yes	Yes	No	Yes
(d)	<b>Schedule of Requirements &amp; Technical Specifications</b> (duly filled, signed & stamped by Bidder)	Yes	Yes	Yes	No	Yes
(e)	<b>Manufacturer's Authorization</b>	No	Yes	Yes	No	Yes
(f)	<b>Undertaking</b>	Yes	Yes	Yes	No	Yes
(g)	<b>Certificate</b>	Yes	Yes	Yes	No	Yes
(h)	<b>Bidder's registration &amp; membership with a valid copy of:</b>					
	(i) Income Tax & GST Registration Certificate	Yes	Yes	Yes	Yes	Yes
	(ii) Professional Tax Certificate (Sindh)	Yes	Yes	Yes	Yes	Yes
	(iii) Chamber of Commerce & Industry Membership Certificate	Yes	Yes	Yes	Yes	Yes
	<b>Additional for Private Limited companies</b>					
	(iv) SECP Incorporation Certificate	N/A	N/A	Yes	N/A	N/A
(i)	<b>Bidder's Financial Status:</b>					
	(i) Company Profile	No	Yes	Yes	No	Yes
	(ii) Bank Certificate / Bank Statement showing annual business turnover of $\geq$ Rs 20 million (last three years)	Yes	Yes	Yes	Yes	Yes
	(iii) Income Tax Return showing annual business turnover of $\geq$ Rs 20 million (last three years)	Yes	Yes	Yes	Yes	Yes
	<b>Additional for Private Limited companies</b>					
	(iv) Audited Financial Statement (last three years)	N/A	Yes	Yes	N/A	Yes
(j)	<b>Bidder's After Sale Services in Sindh:</b>					
	(i) Service Workshop with tools list	No	No	Yes	No	Yes
	(ii) Qualified & Trained Personnel list	No	Yes	Yes	No	No
(k)	<b>Original Equipment Manufacturer (OEM) or Brand quoted by the Bidder</b>					
	(i) Brochure or Catalogue (Original) [Note: Photocopies, Photographs or Word document not acceptable.]	No	No	Yes	No	No
	(ii) References of the quoted model (local)	No	Yes	Yes	No	No

S. No.	Requirements of Document / Pre-requisites	S. R. International	T.K Medical Instruments Co.	Medline Technologies (Pvt.) Ltd.	Al-Farooque Enterprises	Al-Sharique Trading Company
(iii)	References of the quoted model (international)	No	No	Yes	No	No
(iv)	Factory (Address, Size, Machinery & Workforce)	No	No	Yes	Yes	Yes
	[Note: It should prove large order production capacity at the facility.]					
<b>For Manufacturer (Local)</b>						
(v)	ISO 9001 Certificate	N/A	Yes	Yes	No	Yes
(vi)	Chamber of Commerce & Industry Membership Certificate	N/A	No	Yes	No	No
(vii)	EOBI Registration Certificate	N/A	No	Yes	No	No
(viii)	Social Security Registration Certificate	N/A	No	Yes	No	No
<b>For Manufacturer (International)</b>						
(ix)	ISO 9001 Certificate	No	N/A	N/A	N/A	N/A
(x)	CE Certificate	No	N/A	N/A	N/A	N/A
<b>REMARKS</b>		Submitted incomplete documents in bid. Authorization from distributor not manufacturer.	Submitted incomplete documents in bid. Failed to prove having a proper factory for manufacturing hospital furniture on standards, quality and time required by the hospital. opening from not known auditor.	Complete documents in bid. Factory details with documentary evidence for manufacturing hospital furniture.	Submitted incomplete documents in bid. Failed to prove having a proper factory for manufacturing hospital furniture on standards, quality and time required by the hospital.	Complete documents. Workshop details for fabrication of office furniture provided.
		<b>Not Responsive</b>	<b>Not Responsive</b>	<b>Responsive</b>	<b>Not Responsive</b>	<b>Not Responsive</b>



Dr. Naeem Zia Memon  
Addl. Medical Superintendent  
Liaquat University Hospital  
Hyderabad / Jamshoro



Prof. Bikha Ram  
Department of Medicine  
LUMHS, Jamshoro



Dr. Anjum Rehman  
Addl. Medical Superintendent (I)  
Liaquat University Hospital  
Hyderabad / Jamshoro



Dr. Shahid Islam Junejo  
Addl. Medical Superintendent (II)  
Liaquat University Hospital  
Hyderabad / Jamshoro



Mr. Nisar Ahmed Khokhar  
Assistant Accounts Officer  
Representative of  
District Accounts Officer, Hyderabad



**Tender No. 19/2016-17**  
Tender for Supply of Hospital Furniture, General Furniture & Fixtures  
Opened on 20.04.2017 12:00PM

**PARTICIPATING BIDDERS**

<u>EVALUATION CRITERIA MARKS</u>			BIDDERS									
			S. R. International		T.K Medical Instruments Co.		Medline Technologies (Pvt.) Ltd.		Al-Farooque Enterprises		Al-Sharique Trading Company	
S. No.	Parameter	Max Points	Y / N	Points	Y / N	Points	Y / N	Points	Y / N	Points	Y / N	Points
<b>1</b>	<b>Conformity to the Technical Specifications</b>	<b>20</b>										
	a) Fully compliant with the required specifications	10	-	-	Y	10	Y	10	-	0	-	0
	b) Compliant with minor deviation ≤5% (subject to main function is not affected)	5	-	-	-	-	-	-	-	-	-	-
	c) Sample approved	10	N	0	Y	5	Y	10	N	0	N	0
<b>2</b>	<b>Quoted Items</b>	<b>20</b>										
	a) All no. of items quoted as per Schedule of Requirements	15	Y	15	Y	15	-	-	-	-	-	-
	b) More than 50% no. of items quoted as per Schedule of Requirements	10	-	-	-	-	Y	10	Y	10	Y	10
	c) Warranty (period more than required)	5	-	-	-	-	-	-	-	-	-	-
	d) Warranty (period as required)	2	Y	2	Y	2	Y	2	Y	2	Y	2
<b>3</b>	<b>Bidder's Legal Status, Certification &amp; Experience</b>	<b>12</b>										
	a) NTN & GST Certificate	2	Y	2	Y	2	Y	2	Y	2	Y	2
	b) Professional Tax Certificate	2	Y	2	Y	2	Y	2	Y	2	Y	2
	c) SECP Incorporation Certificate	2	N	0	N	0	Y	2	N	0	N	0
	d) ISO 9001 Certificate	1	N	0	Y	1	N	0	N	0	N	0
	e) Purchase Orders of last year worth ≥ 1 million rupees (1 point/each order copy)	5	Y	5	Y	5	Y	5	Y	5	Y	5
<b>4</b>	<b>Bidder's Financial Status</b>	<b>6</b>										
	a) Bank Certificate / Bank Statement Showing annual business turnover of ≥ Rs 20 million (last three year)	2	Y	2	Y	2	Y	2	Y	2	Y	2
	b) Income Tax Return	2	Y	2	Y	2	Y	2	Y	2	Y	2

EVALUATION CRITERIA MARKS			BIDDERS									
			S. R. International		T.K Medical Instruments Co.		Medline Technologies (Pvt.) Ltd.		Al-Farooque Enterprises		Al-Sharique Trading Company	
	Showing annual business turnover of $\geq$ Rs 20 million (last three year)											
	c) Audited Financial Statement (last three year)	2	Y	2	Y	2	Y	2	Y	2	Y	2
<b>5</b>	<b>Bidder's After Sales Services in Sindh</b>	<b>5</b>										
	Service Workshop	2	N	0	N	0	Y	2	N	0	N	0
	Qualified & Trained Personnel (BE/BSc/DAE) with Bio-Data	2	N	0	Y	2	Y	2	N	0	N	0
	Qualified & Trained Personnel (Labour) with Bio-Data	1	N	0	N	0	Y	1	Y	1	Y	1
<b>6</b>	<b>Hospital Furniture: Original Equipment Manufacturer (OEM) / Brand</b>	<b>37</b>										
	a) Manufacturer's Authorization	2	Y	2	Y	2	Y	2	Y	2	Y	2
	b) Manufacturer's Website	4	N	0	N	0	Y	4	N	0	N	0
	c) Brochure or Catalogue (original)	4	Y	4	N	4	Y	4	Y	4	Y	4
	d) ISO 9001 Certificate	4	N	0	Y	4	Y	4	N	0	N	0
	e) CE Certificate	2	N	0	N	0	N	0	N	0	N	0
	f) Chamber of Commerce & Industry Membership Certificate	1	N	0	N	0	Y	1	N	0	N	0
	g) EOBI Registration Certificate	2	N	0	N	0	Y	2	N	0	N	0
	h) Social Security Registration Certificate	2	N	0	N	0	Y	2	N	0	N	0
	i) References of OEM brand / model											
	i) Government / Semi-Government Teaching Hospital / Institute	3	Y	3	Y	3	Y	3	Y	3	Y	3
	ii) Armed Forces / NGOs Hospital / Institute	2	N	0	N	0	Y	2	N	0	N	0
	iii) Private Renowned Teaching Hospital / Institute	2	N	0	N	0	Y	2	N	0	N	0
	iv) International Hospital / Institute	2	N	0	N	0	Y	2	N	0	N	0
	j) Factory											
	i) Size (1 point/2000 sq. ft. space)	3	N	0	N	0	Y	3	N	0	N	0
	ii) Machinery	2	N	0	N	0	Y	2	Y	2	Y	2
	iii) Workforce	2	N	0	N	0	Y	2	Y	2	Y	2
	<b>Total Points</b>	<b>100</b>		<b>41</b>		<b>63</b>		<b>89</b>		<b>41</b>		<b>41</b>
<b>REMARKS</b>			Not true manufacturer No proof of facility to manufacture		Not true manufacturer No proof of facility to manufacture		Manufacturer with 50000 sq. ft. facility having machinery and workforce to		Not true manufacturer No proof of facility to manufacture		No details on quality of material being used in fabrication.	

<u>EVALUATION CRITERIA MARKS</u>	BIDDERS				
	S. R. International	T.K Medical Instruments Co.	Medline Technologies (Pvt.) Ltd.	Al-Faroooque Enterprises	Al-Sharique Trading Company
	Hospital Furniture in large quantities. Bidder did not claim or agree for factory visit. No after sales maintenance system. No sound references of Hospital Furniture. Submitted 8 out of 16 samples of Hospital Furniture items and 6 out of 7 General Furniture items against offered. Samples not approved by the PC. Do not meet minimum 70 marks for eligibility in evaluation criteria.	Hospital Furniture in large quantities. Bidder claim for sufficient capacity factory for larger order production is questionable. No details on quality of material used in fabrication. No sound references of Hospital Furniture. Submitted 11 out of 16 samples of Hospital Furniture items and 7 out of 7 General Furniture items against offered. Samples not as per brochure submitted in bit and also quality required by the hospital. Do not meet minimum 70 marks for eligibility in evaluation criteria	produce Hospital Furniture in large quantities. Bidder agreed for factory visit. References of Hospital Furniture from government, private, NGO in large volume. Submitted all samples of offered items. Submitted 16 out of 16 samples of Hospital Furniture items against offered. Meet minimum 70 marks for eligibility in evaluation criteria Samples approved by the PC.	Hospital Furniture in large quantities. No after sales maintenance system. No sound references of Hospital Furniture. Submitted 0 out of 6 samples of General Furniture items against offered. Samples were not submitted. Do not meet minimum 70 marks for eligibility in evaluation criteria	Submitted 0 out of 7 samples of General Furniture items against offered. Samples substandard and not approved by the PC. Do not meet minimum 70 marks for eligibility in evaluation criteria
	Ineligible	Ineligible	Eligible	Ineligible	Ineligible



Dr. Naeem Zia Memon  
Addl. Medical Superintendent  
Liaquat University Hospital  
Hyderabad / Jamshoro



Prof. Bikha Ram  
Department of Medicine  
LUMHS, Jamshoro



Dr. Anjum Rehman  
Addl. Medical Superintendent (I)  
Liaquat University Hospital  
Hyderabad / Jamshoro



Dr. Shahid Islam Junejo  
Addl. Medical Superintendent (II)  
Liaquat University Hospital  
Hyderabad / Jamshoro




Mr. Nisar Ahmed Khokhar  
Assistant Accounts Officer  
Representative of  
District Accounts Officer, Hyderabad

**Tender No. 19/2016-17**


Tender for Supply of Hospital Furniture, General Furniture & Fixtures  
Opened on 20.04.2017 12:00PM

**PARTICIPATING BIDDERS**


SCHEDULE OF REQUIREMENTS HOSPITAL FURNITURE			BIDDERS									
			S. R. International		T.K Medical Instruments Co.		Medline Technologies (Pvt.) Ltd.		Al-Farooque Enterprises		Al-Sharique Trading Company	
S. No.	Item Description	Qty	Offered	Sample	Offered	Sample	Offered	Sample	Offered	Sample	Offered	Sample
1	Critical Care Bed	20	Yes	No	Yes	No	Yes	Yes	-	-	-	-
2	Fowler Bed (2 Crank) Tilting	30	Yes	No	Yes	Yes	Yes	Yes	-	-	-	-
3	Fowler Bed (2 Crank)	500	Yes	Yes	Yes	Yes	Yes	Yes	-	-	-	-
4	Patient Bedside Cabinet	550	Yes	Yes	Yes	Yes	Yes	Yes	-	-	-	-
5	Patient Over Bed Table	550	Yes	Yes	Yes	Yes	Yes	Yes	-	-	-	-
6	Bedside Attendant Bench	500	Yes	Yes	Yes	Yes	Yes	Yes	-	-	-	-
7	Patient Attendant Bed	50	Yes	No	Yes	Yes	Yes	Yes	-	-	-	-
8	Foam Mattress	550	Yes	No	Yes	Yes	Yes	Yes	Yes	No	-	-
9	Emergency Crash Trolley	10	Yes	No	Yes	No	Yes	Yes	-	-	-	-
10	Delivery Bed	8	Yes	Yes	Yes	No	Yes	Yes	-	-	-	-
11	Baby Crib Trolley	16	Yes	Yes	Yes	Yes	Yes	Yes	-	-	-	-
12	Examination Couch	20	Yes	No	Yes	Yes	Yes	Yes	Yes	No	-	-
13	Ward Screen, Three Folds	10	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	-	-
14	Stretcher Trolley	22	Yes	No	Yes	Yes	Yes	Yes	Yes	No	-	-
15	Fixed Wheel Chair	24	Yes	No	Yes	No	Yes	Yes	Yes	No	-	-
16	Commode Chair	6	Yes	Yes	Yes	No	Yes	Yes	Yes	No	-	-

  
Dr. Naeem Zia Memon  
Addl. Medical Superintendent  
Liaquat University Hospital  
Hyderabad / Jamshoro

  
Prof. Bishu Ram  
Department of Medicine  
LUMHS, Jamshoro

  
Dr. Anjum Rehman  
Addl. Medical Superintendent (I)  
Liaquat University Hospital  
Hyderabad / Jamshoro

  
Dr. Shahid Islam Junejo  
Addl. Medical Superintendent (II)  
Liaquat University Hospital  
Hyderabad / Jamshoro


  
Mr. Nisar Ahmed Khokhar  
Assistant Accounts Officer  
Representative of  
District Accounts Officer, Hyderabad


**Tender No. 19/2016-17**


Tender for Supply of Hospital Furniture, General Furniture & Fixtures  
Opened on 20.04.2017 12:00PM


**PARTICIPATING BIDDERS**


SCHEDULE OF REQUIREMENTS GENERAL FURNITURE & FIXTURE			BIDDERS									
			S. R. International		T.K Medical Instruments Co.		Medline Technologies (Pvt.) Ltd.		Al-Faroooque Enterprises		Al-Sharique Trading Company	
S. No.	Item Description	Qty	Offered	Sample	Offered	Sample	Offered	Sample	Offered	Sample	Offered	Sample
1	Executive Office Table	12	Yes	Yes	Yes	Yes	-	-	Yes	No	Yes	No
2	Executive Chair (Revolving)	12	Yes	Yes	Yes	Yes	-	-	Yes	No	Yes	No
3	Visitor Chair Wooden	100	Yes	Yes	Yes	Yes	-	-	Yes	No	Yes	No
4	Steel Almirah	24	Yes	Yes	Yes	Yes	-	-	Yes	No	Yes	No
5	File Cabinet	18	Yes	Yes	Yes	Yes	-	-	Yes	No	Yes	No
6	Waiting Area Bench (3 Person)	100	Yes	Yes	Yes	Yes	-	-	Yes	No	Yes	No
7	Sofa Set (5 Seater)	6	Yes	No	Yes	Yes	-	-	Yes	No	Yes	No

  
Dr. Naeem Zia Memon  
Addl. Medical Superintendent  
Liaquat University Hospital  
Hyderabad / Jamshoro

  
Prof. Bkha Ram  
Department of Medicine  
LUMHS, Jamshoro

  
Dr. Anjum Rehman  
Addl. Medical Superintendent (I)  
Liaquat University Hospital  
Hyderabad / Jamshoro

  
Dr. Shahid Islam Junejo  
Addl. Medical Superintendent (II)  
Liaquat University Hospital  
Hyderabad / Jamshoro

  
Mr. Nisar Ahmed Khokhar  
Assistant Accounts Officer  
Representative of  
District Accounts Officer, Hyderabad

**Tender No. 19/2016-17**

Tender for Supply of Hospital Furniture, General Furniture & Fixtures  
Opened on 20.04.2017 12:00PM

**TECHNICAL EVALUATION REPORT****COMPARITIVATE STATEMENT ON COMPLIANCE AS PER TENDER REQUISITE**

S. No.	Item Description	Bidder
1	<b>CRITICAL CARE BED</b>	<b>Medline Technologies (Pvt.) Ltd.</b> 227-HP-00 Strongman (Pakistan)
	<b>Certification:</b> 9001	ISO9001:2008
	<b>Specification:</b>	
	Dimensions of lying area: 78" x 34"	Yes
	Patient lying area in four sections	Yes
	Bed frame of 16SWG tubular MS pipe	Yes
	Backrest having facility for C-Arm imaging of chest	Yes
	Backrest fitted with radiolucent backlit material	Yes
	Reinforced strips of 1mm thick MS sheet legrest platform	Yes
	Bed height adjustment by means of hydraulic system from 16" to 28"	Yes
	Foot pedals for height adjustment at both side of the bed	Yes
	Back-rest and knee-rest adjustment are achieved though gas spring assisted handles at each side of the bed	Yes
	Trendlenburg 12° and reverse trendlenburg 7° with the help of dual gas springs	Yes
	All four corner fitted with rubber buffers for protection	Yes
	ABS headboard and footboard with inbuilt handles	Yes
	Headboard and footboard, lockable & easily removable	Yes
	Holder for mattress at four positions on the bed	Yes
	Hooks for urine bag and NG bag at each side of the bed	Yes
	Holder sockets for IV pole at diagonal ends of the bed	Yes
	Folding patient safety side rails (imported) with lock each side of the bed	Yes
	Undercarriage mobile on four imported 5" castors	Yes
	Central locking system of castors by foot pedal	Yes
	Working load capacity: 150 Kg	Yes
	Electrostatic epoxy powder coated finish	Yes
	<b>Accessories:</b>	
	<b>1) FOLDING PATIENT SAFETY SIDE RAILS</b> Top rail of moulded PVC material 6 vertical bars of chromed round steel pipe	Yes

S. No.	Item Description	Bidder
	Handle lock in center with easy folding Base MS pipe epoxy powder coated	
	<b>2) IV TRANSFUSION POLE</b> 2 hooks with height adjustment & tight screw Outer MS pipe epoxy powder coated Inner Chromed steel pipe	Yes
	<b>REMARKS</b>	Offered item meets all the required specifications as per tender requisite. Sample is satisfactory by the Procurement Committee.
		<b>Responsive</b>
2	<b>FOWLER BED (2 CRANK) TILTING</b>	<b>Medline Technologies (Pvt.) Ltd.</b> 101-T-P Strongman (Pakistan)
	<b>Certification:</b> 9001	ISO9001:2008
	<b>Specification:</b> Dimensions: 78" x 36" x 24"	Yes
	Patient lying area in four sections	Yes
	Reinforced strips of 1mm thick MS sheet platform	Yes
	Bed frame made of 16SWG MS tubular pipe	Yes
	Back-rest and knee-rest adjustable by two individual screw cranks	Yes
	Crank handles to be latched under foot end	Yes
	Trendlenburg 15° and reverse trendlenburg 5° with the help of ratchet system	Yes
	ABS headboard and footboard with inbuilt handles	Yes
	Headboard and footboard, lockable & easily removable	Yes
	Holders for mattress at four positions on the bed	Yes
	Hooks for urine bag and NG bag at each side of the bed	Yes
	Holder sockets for IV pole at diagonal ends of the bed	Yes
	Mobile on four imported 5" castors (European standard), two with swivel-type lock at diagonal end	Yes
	Working load capacity: 125 Kg	Yes
	Electrostatic epoxy powder coated finish	Yes
	<b>Accessories:</b>	
	<b>1) IV TRANSFUSION POLE</b> 2 hooks with height adjustment & tight screw Outer MS pipe epoxy powder coated Inner Chromed steel pipe	Yes
	<b>REMARKS</b>	Offered item meets all the required specifications as per tender

Handwritten signatures and initials are present at the bottom of the page, including a large signature on the left and several smaller ones to the right.

S. No.	Item Description	Bidder
		requisite. Sample is satisfactory by the Procurement Committee.
		<b>Responsive</b>
3	<b>FOWLER BED (2 CRANK)</b>	<b>Medline Technologies (Pvt.) Ltd.</b> 102-KR-P Strongman (Pakistan)
	<b>Certification:</b> 9001	ISO9001:2008
	<b>Specification:</b>	
	Dimensions: 78" x 36" x 22"	Yes
	Patient lying area in four sections	Yes
	Reinforced strips of 1mm thick MS sheet platform	Yes
	Bed frame made of 16SWG MS tubular pipe	Yes
	Back-rest and knee-rest adjustable by two individual screw cranks	Yes
	Crank handles to be latched under foot end	Yes
	ABS headboard and footboard with inbuilt handles	Yes
	Headboard and footboard, lockable & easily removable	Yes
	Holder for mattress at four positions on the bed	Yes
	Hooks for urine bag and NG bag at each side of the bed	Yes
	Holder sockets for IV pole at diagonal ends of the bed	Yes
	Mobile on four imported 5" castors (European standard), two with swivel-type lock at diagonal end	Yes
	Working load capacity: 125 Kg	Yes
	Electrostatic epoxy powder coated finish	Yes
	<b>Accessories:</b>	
	1) IV TRANSFUSION POLE 2 hooks with height adjustment & tight screw Outer MS pipe epoxy powder coated Inner Chromed steel pipe	Yes
	<b>REMARKS</b>	Offered item meets all the required specifications as per tender requisite. Sample is satisfactory by the Procurement Committee.
		<b>Responsive</b>
4	<b>PATIENT BEDSIDE CABINET</b>	<b>Medline Technologies (Pvt.) Ltd.</b> 106-DP-00 Strongman (Pakistan)
	<b>Certification:</b> ISO 9001	ISO9001:2008
	<b>Specification:</b>	









S. No.	Item Description	Bidder
	Dimension: 16" x 19" x 32"	Yes
	Cabinet made of 1mm thick Galvanized steel sheet	Yes
	Top of PVC material with three sides raised edges	Yes
	Drawer 3" depth having sheet inbuilt handle with full extension ball bearing rail	Yes
	Cabinet door having sheet inbuilt handle and magnetic strip with firm grip	Yes
	Recessed shelf, removable	Yes
	Mobile on four imported 2" twin castors	Yes
	Electrostatic epoxy powder coated finish	Yes
	<b>REMARKS</b>	Offered item meets all the required specifications as per tender requisite. Sample is satisfactory by the Procurement Committee.
5	<b>PATIENT OVER BED TABLE</b>	<b>Responsive</b> <b>Medline Technologies (Pvt.) Ltd.</b> 109-TS-00 Strongman (Pakistan)
	<b>Certification:</b> 9001	ISO9001:2008
	<b>Specification:</b> Frame dimension 27" x 17"	Yes
	Stable frame made of 16SWG 1" x 2" MS tubular pipe	Yes
	Top of laminated HDF board 32" x 15" with sides dressed with PVC lining	Yes
	Telescopic height adjustment from 31" to 45" with tightening of screw knob	Yes
	Adjustable column of tubular stainless steel pipe	Yes
	Mobile on four imported 2" twin castors	Yes
	Electrostatic epoxy powder coated finish	Yes
	<b>REMARKS</b>	Offered item meets all the required specifications as per tender requisite. Sample is satisfactory by the Procurement Committee.
6	<b>BEDSIDE ATTENDANT BENCH</b>	<b>Responsive</b> <b>Medline Technologies (Pvt.) Ltd.</b> 120-SM-00 Strongman (Pakistan)
	<b>Certification:</b> 9001	ISO9001:2008
	<b>Specification:</b> Dimensions: 48" x 16" x 18"	Yes
	Bench frame made of 16SWG 1" MS tubular pipe	Yes
	Top fitted with six polished wood strips	Yes






S. No.	Item Description	Bidder
	Legs provided with longitudinal support bar	Yes
	Plastic pads at leg ends to avoid scratch etc.	Yes
	Electrostatic epoxy powder coated finish	Yes
	<b>REMARKS</b>	Offered item meets all the required specifications as per tender requisite. Sample is satisfactory by the Procurement Committee.
		<b>Responsive</b>
7	<b>PATIENT ATTENDANT BED</b>	<b>Medline Technologies (Pvt.) Ltd.</b> 115-K-00 Strongman (Pakistan)
	<b>Certification:</b> 9001	ISO9001:2008
	<b>Specification:</b>	
	Dimensions: 72" x 24" x 16"	Yes
	Structure made from 16SWG MS pipe	Yes
	Round MS pipe bows at both ends	Yes
	Upholstered with high quality 1" foam and Rexene	Yes
	All legs base fitted with PVC plug for floor protection	Yes
	Electrostatic epoxy powder coated paint finish	Yes
	<b>REMARKS</b>	Offered item meets all the required specifications as per tender requisite. Sample is satisfactory by the Procurement Committee.
		<b>Responsive</b>
8	<b>FOAM MATTRESS</b>	<b>Medline Technologies (Pvt.) Ltd.</b> Supreme Diamond (Pakistan)
	<b>Certification:</b> 9001	ISO9001:2008
	<b>Specification:</b>	
	Dimensions: 78" x 36" x 4"	Yes
	Foam mattress covered with Rexene	Yes
	Cover fitted with heavy duty zip	Yes
	Manufacturer's warranty of 10 years or more	Yes
	Master / Diamond only	Yes
	<b>REMARKS</b>	Offered item meets all the required specifications as per tender requisite. Sample is satisfactory by the Procurement Committee.
		<b>Responsive</b>

S. No.	Item Description	Bidder
9	<b>EMERGENCY CRASH TROLLEY</b>	<b>Medline Technologies (Pvt.) Ltd.</b> 603-CT-00 Strongman (Pakistan)
	<b>Certification:</b> ISO 9001	ISO9001:2008
	<b>Specification:</b>	
	Overall space requiring dimension: 25" x 26"	Yes
	Wrap around rubber bumper provides protection of trolley	Yes
	Fitted with four drawer having central locking plate internally	Yes
	Depth of drawers: 7cm, 11cm, 15cm & 22cm	Yes
	Drawers with roller bearing slides & quick release levers	Yes
	Stainless steel top provided with side guards and pull handles	Yes
	Overhead shelf at 150cm height for defibrillator or monitor	Yes
	Two oxygen cylinder holders positioned at rear side	Yes
	Mobile on four imported 5" castors swivel type (two lockable)	Yes
	Electrostatic epoxy powder coated steel finish	Yes
	<b>Accessories:</b>	
	a) <b>CARDIAC BOARD</b> Radiolucent heavy duty Bakelite material Size: 40 x 55cm	Yes
	b) <b>DRAWERS DIVIDER SET</b> Provided in top three drawers only	Yes
	c) <b>IV POLE</b> Chromed steel pipe with 2 hooks	Yes
	<b>REMARKS</b>	Offered item meets all the required specifications as per tender requisite. Sample is satisfactory by the Procurement Committee.
		<b>Responsive</b>
10	<b>DELIVERY TABLE</b>	<b>Medline Technologies (Pvt.) Ltd.</b> 270-G-00 Strongman (Pakistan)
	<b>Certification:</b> ISO 9001	ISO9001:2008
	<b>Specification:</b>	
	Dimensions: 70" x 32" x 33" (L x W x H)	Yes
	Patient lying area in three sections	Yes
	Table frame made from 16SWG MS round pipe	Yes
	Backrest adjustable up to 60° with stepless friction lock	Yes







S. No.	Item Description	Bidder
	Leg section frame made of 18SWG SS round pipe which is slide-able underneath the hip section	Yes
	Trendlenburg 15° and reverse trendlenburg 5° with the help of heavy duty gas spring clutch	Yes
	Removable mattress mechanism for easy clean	Yes
	Patient safety side guards, easy lower down able	Yes
	Sliding receptacle tray mounted under hip section	Yes
	Holders for IV pole on head side	Yes
	Working load capacity: 125 Kg	Yes
	Electrostatic epoxy powder coated finish	Yes
	<b>Accessories:</b>	
	1) <b>MATTRESS SET</b> Set in three parts with cutout hip section 3" foam mattress rexene covered foam	Yes
	2) <b>LITHOTOMY POLE</b> Pair for supporting the patients legs Goepel design PU foam knee crutch Stainless steel rods Adjustable by means of joint adaptor	Yes
	3) <b>STAINLESS STEEL RECEPTACLE TRAY</b> 2" deep with round edges	Yes
	4) <b>IV TRANSFUSION POLE</b> 2 hooks with height adjustment & tight screw Outer MS pipe epoxy powder coated Inner Chromed steel pipe	Yes
	<b>REMARKS</b>	Offered item meets all the required specifications as per tender requisite. Sample is satisfactory by the Procurement Committee.
		<b>Responsive</b>
11	<b>BABY CRIB TROLLEY</b>	<b>Medline Technologies (Pvt.) Ltd.</b> 130-K-00 Strongman (Pakistan)
	<b>Certification:</b> ISO 9001	ISO9001:2008
	<b>Specification:</b>	
	Dimensions: 14" x 30"	Yes
	Frame made of 18SWG MS pipe	Yes
	Removable bassinet with mobile trolley	Yes
	Bassinet tiltable steplessly	Yes
	One shelf in the centre	Yes

*[Handwritten signatures]*


*[Handwritten signatures]*

*[Handwritten signature]*

S. No.	Item Description	Bidder
	Mobile on four imported 2" castors	Yes
	Electrostatic epoxy powder coated steel finish	Yes
	<b>Accessories:</b>	
	1) <b>MATTRESS SET</b> 2" foam mattress rexene covered	
	<b>REMARKS</b>	Offered item meets all the required specifications as per tender requisite. Sample is satisfactory by the Procurement Committee.
		<b>Responsive</b>
12	<b>EXAMINATION COUCH</b>	<b>Medline Technologies (Pvt.) Ltd.</b> 300-K-00 Strongman (Pakistan)
	<b>Certification:</b> ISO 9001	ISO9001:2008
	<b>Specification:</b>	
	Dimensions: 72" x 24" x 28	Yes
	Body frame made up of 16SWG 1 1/4" MS round pipe	Yes
	Welded base for stable operation	Yes
	Backrest adjustable. up 40°- 50° and down 10°-15° with friction clutch lever	Yes
	Lying area in two parts upholstered with 3" foam & rexene	Yes
	PVC boots on feet for grip and noiseless operation	Yes
	Electrostatic epoxy powder coated paint finish	Yes
	<b>REMARKS</b>	Offered item meets all the required specifications as per tender requisite. Sample is satisfactory by the Procurement Committee.
		<b>Responsive</b>
13	<b>WARD SCREEN, THREE FOLDS</b>	<b>Medline Technologies (Pvt.) Ltd.</b> 305-K-00 Strongman (Pakistan)
	<b>Certification:</b> ISO 9001	ISO9001:2008
	<b>Specification:</b>	
	Dimensions: 96" x 61" (W x H)	Yes
	Frame in three panels for screening patient properly	Yes
	Made from 18SWG MS tubular pipe 1" diameter	Yes
	Frames fixed together with ABS universal joints, easily movable	Yes
	Polyester curtains fitted on steel pipe rods	Yes
	Mobile on six imported 2" castors	Yes

S. No.	Item Description	Bidder
	Electrostatic epoxy powder coated steel finish	Yes
	<b>REMARKS</b>	Offered item meets all the required specifications as per tender requisite. Sample is satisfactory by the Procurement Committee.
		<b>Responsive</b>
14	<b>STRETCHER TROLLEY</b>	<b>Medline Technologies (Pvt.) Ltd.</b> 414-DX-FT Strongman (Pakistan)
	<b>Certification:</b> ISO 9001	ISO9001:2008
	<b>Specification:</b> Dimensions: 75" x 26" x 32" (L x W x H)	Yes
	Frame made of 16SWG MS pipe	Yes
	Fixed stretcher top with 2" foam mattress rexene covered	Yes
	Rubber bumper guards on all side for wall safety	Yes
	IV pole holder at diagonal end	Yes
	Patient safety side guards of stainless steel pipe	Yes
	Mobile on four 8" rubber castors (diagonal brakable)	Yes
	Electrostatic epoxy powder coated steel finish	Yes
	<b>Accessories:</b>	
	1) <b>IV TRANSFUSION POLE</b> 2 hooks with height adjustment & tight screw Outer MS pipe epoxy powder coated Inner Chromed steel pipe	Yes
	<b>REMARKS</b>	Offered item meets all the required specifications as per tender requisite. Sample is satisfactory by the Procurement Committee.
		<b>Responsive</b>
15	<b>FIXED WHEEL CHAIR</b>	<b>Medline Technologies (Pvt.) Ltd.</b> 418-D-00 Strongman (Pakistan)
	<b>Certification:</b> ISO 9001	ISO9001:2008
	<b>Specification:</b> Dimensions: 32" x 28" x 20"	Yes
	Main frame constructed from 16SWG MS round pipe	Yes
	Seat and back upholstered with foam & rexene	Yes
	Arm rest of plastic	Yes

S. No.	Item Description	Bidder
	Rear wheel of 8" non-swivel type	Yes
	Front wheel of 5" swivel type	Yes
	Rubber bumpers on chair sides	Yes
	Holder for IV pole on one side	Yes
	Utility basket underneath	Yes
	Tilting paddles at back, push handle	Yes
	Foldable foot rest of round stainless steel pipe	Yes
	Electrostatic epoxy powder coated steel finish	Yes
	<b>REMARKS</b>	Offered item meets all the required specifications as per tender requisite. Sample is satisfactory by the Procurement Committee.
		<b>Responsive</b>
16	<b>COMMODE CHAIR</b>	<b>Medline Technologies (Pvt.) Ltd.</b> 425-K-00 Strongman (Pakistan)
	<b>Certification:</b> ISO 9001	ISO9001:2008
	<b>Specification:</b>	
	Dimensions: 28" x 22" x 20"	Yes
	Main frame constructed from 16SWG MS round pipe	Yes
	Backrest of stainless steel sheet section	Yes
	Removable seat provided with built-in commode underneath	Yes
	Easily removable plastic tub from the back of the chair	Yes
	Mobile on four imported 3" castors	Yes
	Electrostatic epoxy powder coated steel finish	Yes
	<b>REMARKS</b>	Offered item meets all the required specifications as per tender requisite. Sample is satisfactory by the Procurement Committee.
		<b>Responsive</b>



**Dr. Naem Zia Memon**  
Addl. Medical Superintendent  
Liaquat University Hospital  
Hyderabad / Jamshoro



**Prof. Bikha Ram**  
Department of Medicine  
LUMHS, Jamshoro



**Dr. Anjum Rehman**  
Addl. Medical Superintendent (I)  
Liaquat University Hospital  
Hyderabad / Jamshoro



**Dr. Shahid Islam Junejo**  
Addl. Medical Superintendent (II)  
Liaquat University Hospital  
Hyderabad / Jamshoro



**Mr. Nisar Ahmed Khokhar**  
Assistant Accounts Officer  
Representative of  
District Accounts Officer, Hyderabad

**Tender No. 19/2016-17**  
Tender for Supply of Hospital Furniture, General Furniture & Fixtures  
Opened on 20.04.2017 12:00PM

**TECHNICAL EVALUATION REPORT**  
**COMPARITIVATE STATEMENT GENERAL FURNITURE & FIXTURE**

S. No.	Item Description	Qty	BIDDERS
1	<b>EXECUTIVE OFFICE TABLE</b>	12	No Bidder found eligible & qualified as per bidding documents. Procurement Committee recommended to re-tender this item.
	<b>Specification:</b>		
	• Size: 72" x 36" x 30"		
	• Made of Oak Vencer MDF sheet		
	• All borders fitted with beveled 'Kail' wood		
	• Three drawers with full extension ball bearing railing, hand knobs and lockable by single key-lock		
	• Glass table top of 6mm thickness high quality		
	• Elegant design and patterns with heavy duty finish		
	• Foot rest underneath the table top		
	• High quality matt finish wood lacquer polish in light oak veneer shade		
2	<b>EXECUTIVE CHAIR (REVOLVING)</b>	12	No Bidder found eligible & qualified as per bidding documents. Procurement Committee recommended to re-tender this item.
	<b>Specification:</b>		
	• High back with arm rests revolving chair		
	• Seat size: 21" x 20"		
	• Moulded P U Foam		
	• Fabric upholstered seat and back cushion		
	• High quality gas spring lift for height adjustment		
	• Imported five legged wide nylon base		
	• Mobile on 2" twin castors		
3	<b>OFFICE CHAIR WOODEN</b>	100	No Bidder found eligible & qualified as per bidding documents. Procurement Committee recommended to re-tender this item.
	<b>Specification:</b>		
	• Dimensions: 22" x 20" x 36"		
	• Made of high quality tally wood without cracks, knots and SAP wood		
	• Standard design with arm rests		
	• Back with three 3" strips		
	• Seat with Rexene or heavy duty fabric upholstery		
	• High quality matt finish wood lacquer polish in light oak veneer shade		



S. No.	Item Description	Qty	BIDDERS
4	<b>STEEL ALMIRAH</b>	24	No Bidder found eligible & qualified as per bidding documents. Procurement Committee recommended to re-tender this item.
	<b>Specification:</b>		
	• Dimensions: 72" x 36" x 18"		
	• Made of 22 SWG Galvanized steel sheet		
	• Lockable doors (imported lock), one handle		
	• Cabinet having four MS sheet shelves		
	• Standing on 4" MS pipe legs		
	• High quality textured finish DECO spray paint		
5	<b>FILE CABINET</b>	18	No Bidder found eligible & qualified as per bidding documents. Procurement Committee recommended to re-tender this item.
	<b>Specification:</b>		
	• Dimensions: 53" x 18"		
	• Made of 20 SWG Galvanized steel sheet		
	• Three drawer with full extension ball bearing railings		
	• Single all drawer key-lock system		
	• High quality textured finish DECO spray paint		
6	<b>WAITING AREA BENCH (3 PERSONS)</b>	100	No Bidder found eligible & qualified as per bidding documents. Procurement Committee recommended to re-tender this item.
	<b>Specification:</b>		
	• Dimensions: 70" x 26" x 31"		
	• Seat made of perforated cold-rolled steel sheet with powder coating finish		
	• Side frame, arms and legs of cold-rolled steel with surface chrome plating treatment		
	• Beam made of 3" x 1½" steel pipe, sprayed with static powder after antirust treatment		
7	<b>SOFA SET (5 SEATER)</b>	6	No Bidder found eligible & qualified as per bidding documents. Procurement Committee recommended to re-tender this item.
	• Standard set of 3+1+1 seats		
	• Frame made of season Tally wood		
	• High quality matt finish wood lacquer polish in light oak veneer shade		
	• Fabric or Rexene upholstered seat and back cushion		
	• Seat foam size of 22" x 22" x 4"		
	• Foam of Master/Diamond only		



Chairman



Member



Member



Member



Member

**Tender No. 19/2016-17**

Tender for Supply of Hospital Furniture, General Furniture & Fixtures  
Opened on 20.04.2017 12:00PM

**EVALUATION OF HOSPITAL FURNITURE SAMPLES SUBMITTED BY THE BIDDERS**


(Members of the Procurement Committee inspected samples of all the bidders who submitted within 48 hours of bid opening)

S. No.	Item Description	T.K Medical Instruments Co.	Medline Technologies (Pvt.) Ltd.
1	<b>CRITICAL CARE BED</b>	Sun-Med-001 Sun Medical (Pakistan)	227-HP-00 Strongman (Pakistan)
	<b>Certification:</b> 9001	ISO9001:2008	ISO9001:2008
	<b>Specification:</b>	<b>Technical Proposal</b>	<b>Technical Proposal</b>
	Dimensions of lying area: 78" x 34"	Yes - Technical proposal offered similar technical specification of bidding document.	Yes - Technical specification offered with model, brand and country of origin on letterhead.
	Patient lying area in four sections	Yes	Yes
	Bed frame of 16SWG tubular MS pipe	No	Yes
	Backrest having facility for C-Arm imaging of chest	No	Yes
	Backrest fitted with radiolucent backlit material	No	Yes
	Reinforced strips of 1mm thick MS sheet legrest platform	No	Yes
	Bed height adjustment by means of hydraulic system from 16" to 28"	Yes	Yes
	Foot pedals for height adjustment at both side of the bed	Yes	Yes
	Back-rest and knee-rest adjustment are achieved though gas spring assisted handles at each side of the bed	Yes	Yes
	Trendlenburg 12° and reverse trendlenburg 7° with the help of dual gas springs	Yes	Yes
	All four corner fitted with rubber buffers for protection	Yes	Yes
	ABS headboard and footboard with inbuilt handles	Yes	Yes
	Headboard and footboard, lockable & easily removable	Yes	Yes
	Holder for mattress at four positions on the bed	Yes	Yes
	Hooks for urine bag and NG bag at each side of the bed	No	Yes
	Holder sockets for IV pole at diagonal ends of the bed	No	Yes
	Folding patient safety side rails (imported) with lock each side of the bed	No	Yes
	Undercarriage mobile on four imported 5" castors	Yes	Yes
	Central locking system of castors by foot pedal	No	Yes
	Working load capacity: 150 Kg	Yes	Yes
	Electrostatic epoxy powder coated finish	Yes	Yes
	<b>Accessories:</b>		
	<b>3) FOLDING PATIENT SAFETY SIDE RAILS</b>	Yes	Yes
	Top rail of moulded PVC material		Yes
	6 vertical bars of chromed round steel pipe		Yes
		<b>Sample</b> No sample submitted	<b>Sample</b> As per required technical specifications and brochure submitted in the bid. Castors quality is satisfactory. Dimension and gauge are satisfactory.

S. No.	Item Description	T.K Medical Instruments Co.		Medline Technologies (Pvt.) Ltd.	
1	<b>CRITICAL CARE BED</b>	Sun-Med-001 Sun Medical (Pakistan)		227-HP-00 Strongman (Pakistan)	
	Handle lock in center with easy folding Base MS pipe epoxy powder coated			Yes Yes	
	<b>4) IV TRANSFUSION POLE</b> 2 hooks with height adjustment & tight screw Outer MS pipe epoxy powder coated Inner Chromed steel pipe	Yes Yes No No		Yes Yes Yes Yes	
<b>REMARKS</b>		Offered item was not considered by the Procurement Committee as Sample was not submitted and it does not meet all the required specifications as per tender requisite.		Offered item meets all the required specifications as per tender requisite. Sample is satisfactory by the Procurement Committee.	
		<b>Non-Responsive</b>		<b>Responsive</b>	

  
Chairman

  
Member

  
Member

  
Member


  
Member

S. No.	Item Description	T.K Medical Instruments Co.	Medline Technologies (Pvt.) Ltd.
2	<b>FOWLER BED (2 CRANK) TILTING</b>	Sun-Med-002 Sun Medical (Pakistan)	101-T-P Strongman (Pakistan)
	<b>Certification:</b> 9001	ISO9001:2008	ISO9001:2008
	<b>Specification:</b>	<b>Technical Proposal</b>	<b>Technical Proposal</b>
	Dimensions: 78" x 36" x 24"	Yes - Technical proposal offered similar technical specification of bidding document.	Yes - Technical specification offered with model, brand and country of origin on letterhead.
	Patient lying area in four sections	Yes - No original Brochure with incomplete and inconsistent details. Imported bed details and picture are on the brochure submitted.	Yes - Brochure of STRONGMAN with model, specifications and technical details.
	Reinforced strips of 1mm thick MS sheet platform	Yes - Picture not as per offered or required specifications.	Yes - ISO9001:2008 certification
	Bed frame made of 16SWG MS tubular pipe	Yes - No website found of the manufacturer.	Yes - Website of manufacturer available.
	Back-rest and knee-rest adjustable by two individual screw cranks		Yes - Factory Details available.
	Crank handles to be latched under foot end		Yes - Manufacturer's Authorization available.
	Trendlenburg 15° and reverse trendlenburg 5° with the help of ratchet system		Yes - References of national and international hospitals, government health departments, NGOs for hospital furniture.
	ABS headboard and footboard with inbuilt handles		
	Headboard and footboard, lockable & easily removable		
	Holder sockets for IV pole at diagonal ends of the bed		
	Mobile on four imported 5" castors (European standard), two with swivel-type lock at diagonal end		
	Working load capacity: 125 Kg		
	Electrostatic epoxy powder coated finish		
	<b>Accessories:</b>		
	<b>2) IV TRANSFUSION POLE</b>		
	2 hooks with height adjustment & tight screw	Yes - Castors material was completely plastic, more prone to wear and tear.	Yes - As per required technical specifications and similar to brochure submitted.
	Outer MS pipe epoxy powder coated	Yes - 1 hook set on both sides instead of 4 hook sets required.	Yes - Bed platform have 13 strips with more than 1" gap in between with support underneath.
	Inner Chromed steel pipe	No - Powder coating finish found substandard.	Yes - Hooks and holders as per requirement.
		No - Overall finishing with substandard welding and fabrication of steel, sharp edges, open pipe ends, regular electric PVC pipe used to cover crank shafts.	Yes - Castors quality is satisfactory.
		No - No IV pole holder at diagonal ends, only head side.	Yes - Labels for hooks and cranks.
		No - IV pole made steel rod not pipe.	Yes - Dimension and gauge are satisfactory.
			Yes - Overall finishing with closed pipe end with PVC plugs and heavy steel material used.
			Yes - Better powder coating finish.
			Yes - IV pole as per required

S. No.	Item Description	T.K Medical Instruments Co.	Medline Technologies (Pvt.) Ltd.
2	FOWLER BED (2 CRANK) TILTING	Sun-Med-002 Sun Medical (Pakistan)	101-T-P Strongman (Pakistan)
			specifications.
	REMARKS	Offered item and its sample were not considered by the Procurement Committee as it does not meet all the required specifications and quality as per tender requisite.	Offered item meets all the required specifications as per tender requisite. Sample is satisfactory by the Procurement Committee.
		Non-Responsive	Responsive




Chairman



Member



Member



Member



Member

S. No.	Item Description	S. R. International	T.K Medical Instruments Co.	Medline Technologies (Pvt.) Ltd.
3	<b>FOWLER BED (2 CRANK)</b>	Unknown Pakistan / China	Sun-Med-003 Sun Medical (Pakistan)	102-KR-P Strongman (Pakistan)
	<b>Certification:</b> 9001	No	ISO9001:2008	ISO9001:2008
	<b>Specification:</b>	<b>Technical Proposal</b>	<b>Technical Proposal</b>	<b>Technical Proposal</b>
	Dimensions: 78" x 36" x 22"	Yes - Copied technical specification of bidding document with no model or brand details.	Yes - Technical proposal offered similar technical specification of bidding document.	Yes - Technical specification offered with model, brand and country of origin on letterhead.
	Patient lying area in four sections	No	Yes	Yes
	Reinforced strips of 1mm thick MS sheet platform	No	Yes	Yes
	Bed frame made of 16SWG MS tubular pipe	Yes - Brochure of CARE VISION brand with model identified which one is offered.	Yes - No original Brochure with incomplete and inconsistent details. Imported bed details and picture are on the brochure submitted.	Yes - Brochure of STRONGMAN with model, specifications and technical details.
	Back-rest and knee-rest adjustable by two individual screw cranks	Yes	Yes	Yes - ISO9001:2008 certification
	Crank handles to be latched under foot end	No	Yes	Yes - Website of manufacturer available.
	ABS headboard and footboard with inbuilt handles	Yes	Yes	Yes - Factory Details available.
	Headboard and footboard, lockable & easily removable	Yes	Yes	Yes - Manufacturer's Authorization available.
	Holder for mattress at four positions on the bed	No	Yes	Yes - References of national and international hospitals, government health departments, NGOs for hospital furniture.
	Hooks for urine bag and NG bag at each side of the bed	No	No	Yes
	Holder sockets for IV pole at diagonal ends of the bed	No	No	Yes
	Mobile on four imported 5" castors (European standard), two with swivel-type lock at diagonal end	Yes - Not as per required technical specifications.	Yes - Sample submitted found was different then the brochure details and picture submitted.	Yes
	Working load capacity: 125 Kg	Yes - Castors quality is not as per requirement.	Yes - No nylon joint covering bolts in the sections.	Yes
	Electrostatic epoxy powder coated finish	Yes - Dimension not as per requirement.	Yes - Bed platform have 10 strips with more than 2" gap in between and no support bar underneath.	Yes
	<b>Accessories:</b>	Yes - Steel gauge not 16SWG	Yes - Powder coating finish is substandard.	Yes - As per required technical specifications and similar to brochure submitted.
	<b>2) IV TRANSFUSION POLE</b>	Yes - Powder coating finish is substandard.	Yes - Accessories are substandard.	Yes - Bed platform have 13 strips with more than 1" gap in between with support underneath.
	2 hooks with height adjustment & tight screw	Yes	Yes	Yes - Hooks and holders as per requirement.
	Outer MS pipe epoxy powder coated	No	No	Yes - Castors quality is satisfactory.
	Inner Chromed steel pipe	No	No	Yes - Labels for hooks and cranks.
				Yes - Dimension and gauge are satisfactory.

S. No.	Item Description	S. R. International	T.K Medical Instruments Co.	Medline Technologies (Pvt.) Ltd.
3	FOWLER BED (2 CRANK)	Unknown Pakistan / China	Sun-Med-003 Sun Medical (Pakistan)	102-KR-P Strongman (Pakistan)
			<ul style="list-style-type: none"> <li>- Overall finishing with substandard welding and fabrication of steel, sharp edges, open pipe ends, regular electric PVC pipe used to cover crank shafts.</li> <li>- No IV pole holder at diagonal ends, only head side.</li> <li>- IV pole made steel rod not pipe.</li> </ul>	<ul style="list-style-type: none"> <li>- Overall finishing with closed pipe end with PVC plugs and heavy steel material used.</li> <li>- Better powder coating finish.</li> <li>- IV pole as per required specifications.</li> </ul>
<b>REMARKS</b>		Offered item and its sample were not considered by the Procurement Committee as it does not meet all the required specifications and quality as per tender requisite.	Offered item and its sample were not considered by the Procurement Committee as it does not meet all the required specifications and quality as per tender requisite.	Offered item meets all the required specifications as per tender requisite. Sample is satisfactory by the Procurement Committee.
		<b>Non-Responsive</b>	<b>Non-Responsive</b>	<b>Responsive</b>



Chairman



Member



Member



Member



Member

S. No.	Item Description	T.K Medical Instruments Co.	Medline Technologies (Pvt.) Ltd.
4	<b>PATIENT BEDSIDE CABINET</b>	Sun-Med-004 Sun Medical (Pakistan)	106-DP-00 Strongman (Pakistan)
	<b>Certification:</b> ISO 9001	ISO9001:2008	ISO9001:2008
	<b>Specification:</b>	<b>Technical Proposal</b>	<b>Technical Proposal</b>
	Dimension: 16" x 19" x 32"	No - Technical proposal offered similar technical specification of bidding document.	Yes - Technical specification offered with model, brand and country of origin on letterhead.
	Cabinet made of 1mm thick Galvanized steel sheet	No	Yes
	Top of PVC material with three sides raised edges	No	Yes
	Drawer 3" depth having sheet inbuilt handle with full extension ball bearing rail	No - No original Brochure with incomplete and inconsistent details.	Yes - Brochure of STRONGMAN with model, specifications and technical details.
	Cabinet door having sheet inbuilt handle and magnetic strip with firm grip	No	Yes
	Recessed shelf, removable	No - Picture not as per offered or required specifications.	Yes - ISO9001:2008 certification
	Mobile on four imported 2" twin castors	No	Yes - Website of manufacturer available.
	Electrostatic epoxy powder coated finish	No - No website found of the manufacturer.	Yes - Website of manufacturer available.
		<b>Sample</b> - Sample submitted found was different then the brochure details and picture submitted. - Drawer not with double sheet. - Open and sharp edges. - Handles of drawer and cabinet, detachable - No magnet strip in cabinet door instead have small kitchen cabinet catcher. - Top not PVC but local fiber glass - Castors sub standard - Powder coating finish unsatisfactory.	- Factory Details available. - Manufacturer's Authorization available. - References of national and international hospitals, government health departments, NGOs for hospital furniture.  <b>Sample</b> - As per required technical specifications and similar to brochure submitted. - Magnet strip in cabinet door.
	<b>REMARKS</b>	Offered item and its sample were not considered by the Procurement Committee as it does not meet all the required specifications and quality as per tender requisite.	Offered item meets all the required specifications as per tender requisite. Sample is satisfactory by the Procurement Committee.
		<b>Non-Responsive</b>	<b>Responsive</b>



Chairman



Member



Member



Member




Member



S. No.	Item Description	T.K Medical Instruments Co.	Medline Technologies (Pvt.) Ltd.
5	PATIENT OVER BED TABLE	Sun-Med-005 Sun Medical (Pakistan)	109-TS-00 Strongman (Pakistan)
	<b>Certification:</b> 9001	ISO9001:2008	ISO9001:2008
	<b>Specification:</b>	<b>Technical Proposal</b>	<b>Technical Proposal</b>
	Frame dimension 27" x 17"	No - Technical proposal offered similar technical specification of bidding document.	Yes - Technical specification offered with model, brand and country of origin on letterhead.
	Stable frame made of 16SWG 1" x 2" MS tubular pipe	No	Yes
	Top of laminated HDF board 32" x 15" with sides dressed with PVC lining	No	Yes
	Telescopic height adjustment from 31" to 45" with tightening of screw knob	No - No original Brochure with incomplete and inconsistent details.	Yes - Brochure of STRONGMAN with model, specifications and technical details.
	Adjustable column of tubular stainless steel pipe	No	Yes
	Mobile on four imported 2" twin castors	No - Picture not as per offered or required specifications.	Yes
	Electrostatic epoxy powder coated finish	No - No website found of the manufacturer.	Yes
		<b>Sample</b> - Castors quality is not as per requirement. - Dimension not as per requirement. - Steel gauge not 16SWG - Powder coating finish is substandard.	- ISO9001:2008 certification - Website of manufacturer available. - Factory Details available. - Manufacturer's Authorization available. - References of national and international hospitals, government health departments, NGOs for hospital furniture.  <b>Sample</b> - As per required technical specifications and similar to brochure submitted.
<b>REMARKS</b>		Offered item and its sample were not considered by the Procurement Committee as it does not meet all the required specifications and quality as per tender requisite.	Offered item meets all the required specifications as per tender requisite. Sample is satisfactory by the Procurement Committee.
		<b>Non-Responsive</b>	<b>Responsive</b>

  
Chairman

  
Member


  
Member

  
Member

  
Member

S. No.	Item Description	T.K Medical Instruments Co.	Medline Technologies (Pvt.) Ltd.
6	BEDSIDE ATTENDANT BENCH	Sun-Med-006 Sun Medical (Pakistan)	120-SM-00 Strongman (Pakistan)
	<b>Certification:</b> 9001	ISO9001:2008	ISO9001:2008
	<b>Specification:</b>	<b>Technical Proposal</b>	<b>Technical Proposal</b>
	Dimensions: 48" x 16" x 18"	No - Technical proposal offered similar technical specification of bidding document.	Yes - Technical specification offered with model, brand and country of origin on letterhead.
	Bench frame made of 16SWG 1" MS tubular pipe	No - No original Brochure with incomplete and inconsistent details.	Yes - Brochure of STRONGMAN with model, specifications and technical details.
	Top fitted with six polished wood strips	No - Picture not as per offered or required specifications.	Yes - ISO9001:2008 certification
	Legs provided with longitudinal support bar	No - No website found of the manufacturer.	Yes - Website of manufacturer available.
	Plastic pads at leg ends to avoid scratch etc.		Yes - Factory Details available.
	Electrostatic epoxy powder coated finish		Yes - Manufacturer's Authorization available.
		<b>Sample</b> - Not as per required technical specifications. - Wood strip quality is sub standard and fitting not with through & through bolts. - Dimension not as per requirement. - Steel gauge not 16SWG - Powder coating finish is substandard.	<b>Sample</b> - References of national and international hospitals, government health departments, NGOs for hospital furniture.  <b>Sample</b> - As per required technical specifications and similar to brochure submitted.
<b>REMARKS</b>		Offered item and its sample were not considered by the Procurement Committee as it does not meet all the required specifications and quality as per tender requisite.	Offered item meets all the required specifications as per tender requisite. Sample is satisfactory by the Procurement Committee.
		<b>Non-Responsive</b>	<b>Responsive</b>

  
Chairman

  
Member

  
Member

  
Member

  
Member

S. No.	Item Description	T.K Medical Instruments Co.	Medline Technologies (Pvt.) Ltd.
7	PATIENT ATTENDANT BED	Sun-Med-007 Sun Medical (Pakistan)	115-K-00 Strongman (Pakistan)
	<b>Certification:</b> 9001	ISO9001:2008	ISO9001:2008
	<b>Specification:</b>	<b>Technical Proposal</b>	<b>Technical Proposal</b>
	Dimensions: 72" x 24" x 16"	No - Technical proposal offered similar technical specification of bidding document.	Yes - Technical specification offered with model, brand and country of origin on letterhead.
	Structure made from 16SWG MS pipe	No - No original Brochure with incomplete and inconsistent details.	Yes - Brochure of STRONGMAN with model, specifications and technical details.
	Round MS pipe bows at both ends	No - Picture not as per offered or required specifications.	Yes - ISO9001:2008 certification
	Upholstered with high quality 1" foam and rexene	No - No website found of the manufacturer.	Yes - Website of manufacturer available.
	All legs base fitted with PVC plug for floor protection		Yes - Factory Details available.
	Electrostatic epoxy powder coated paint finish		Yes - Manufacturer's Authorization available.
		<b>Sample</b> - Sample submitted found was different then the brochure details and picture submitted.	Yes - References of national and international hospitals, government health departments, NGOs for hospital furniture.
			<b>Sample</b> - As per required technical specifications and similar to brochure submitted.
<b>REMARKS</b>		Offered item and its sample were not considered by the Procurement Committee as it does not meet all the required specifications and quality as per tender requisite.	Offered item meets all the required specifications as per tender requisite. Sample is satisfactory by the Procurement Committee.
		<b>Non-Responsive</b>	<b>Responsive</b>

  
Chairman

  
Member


  
Member

  
Member

  
Member

S. No.	Item Description	T.K Medical Instruments Co.		Medline Technologies (Pvt.) Ltd.	
8	FOAM MATTRESS	Sun-Med-008 / Mr Foam Sun Medical / Diamond (Pakistan)		Supreme Diamond (Pakistan)	
	<b>Certification:</b> 9001	ISO9001:2008		ISO9001:2008	
	<b>Specification:</b>		<b>Technical Proposal</b>		<b>Technical Proposal</b>
	Dimensions: 78" x 36" x 4"	Yes	- Manufacturer authorization enclosed.	Yes	- Manufacturer authorization enclosed.
	Foam mattress covered with Rexene	Yes	- Offered 10 years warranty model.	Yes	- Offered 12 years warranty model.
	Cover fitted with heavy duty zip	No		Yes	
	Manufacturer's warranty of 10 years or more	Yes		Yes	
	Master / Diamond only	Yes	<b>Sample</b> - Sample submitted found without Rexene cover.	Yes	<b>Sample</b> - As per required technical specifications and Rexene cover. - Provided additionally a foam pillow with each mattress.
<b>REMARKS</b>		Offered item and its sample were not considered by the Procurement Committee as it does not meet all the required specifications and quality as per tender requisite.		Offered item meets all the required specifications as per tender requisite. Sample is satisfactory by the Procurement Committee.	
		<b>Non-Responsive</b>		<b>Responsive</b>	

  
Chairman

  
Member

  
Member

  
Member

  
Member


S. No.	Item Description	T.K Medical Instruments Co.	Medline Technologies (Pvt.) Ltd.
9	EMERGENCY CRASH TROLLEY	Sun-Med-009 Sun Medical (Pakistan)	603-CT-00 Strongman (Pakistan)
	<b>Certification:</b> ISO 9001	ISO9001:2008	ISO9001:2008
	<b>Specification:</b>	<b>Technical Proposal</b>	<b>Technical Proposal</b>
	Overall space requiring dimension: 25" x 26"	No - Technical proposal offered similar technical specification of bidding document.	Yes - Offered with model, brand and country of origin on letterhead.
	Wrap around rubber bumper provides protection of trolley	No	Yes - Brochure of STRONGMAN with model, specifications and technical details.
	Fitted with four drawer having central locking plate internally	No	Yes - ISO9001:2008 certification
	Depth of drawers: 7cm, 11cm, 15cm & 22cm	No	Yes - Website of manufacturer available.
	Drawers with roller bearing slides & quick release levers	No	Yes - Factory Details available.
	Stainless steel top provided with side guards and pull handles	No	Yes - Manufacturer's Authorization available.
	Overhead shelf at 150cm height for defibrillator or monitor	No	Yes - References of national and international hospitals, government health departments, NGOs for hospital furniture.
	Two oxygen cylinder holders positioned at rear side	No	Yes
	Mobile on four imported 5" castors swivel type (two lockable)	No	Yes
	Electrostatic epoxy powder coated steel finish	No	Yes
	<b>Accessories:</b>		
	d) <b>CARDIAC BOARD</b> Radiolucent heavy duty Bakelite material Size: 40 x 55cm	No	Yes - <b>Sample</b> As per required technical specifications and similar to brochure submitted.
	e) <b>DRAWERS DIVIDER SET</b> Provided in top three drawers only	No	Yes
	f) <b>IV POLE</b> Chromed steel pipe with 2 hooks	No	Yes
	<b>REMARKS</b>	Offered item was not considered by the Procurement Committee as Sample was not submitted and it does not meet all the required specifications as per tender requisite.	Offered item meets all the required specifications as per tender requisite. Sample is satisfactory by the Procurement Committee.
		<b>Non-Responsive</b>	<b>Responsive</b>



Chairman



Member



Member



Member




Member

S. No.	Item Description	S. R. International	T.K Medical Instruments Co.	Medline Technologies (Pvt.) Ltd.
10	<b>DELIVERY TABLE</b>	Unknown Pakistan / China	Sun-Med-010 Sun Medical (Pakistan)	270-G-00 Strongman (Pakistan)
	<b>Certification:</b> ISO 9001	No	ISO9001:2008	ISO9001:2008
	<b>Specification:</b>	<b>Technical Proposal</b>	<b>Technical Proposal</b>	<b>Technical Proposal</b>
	Dimensions: 70" x 32" x 33" (L x W x H)	No	No	Yes
	Patient lying area in three sections	Yes	No	Yes
	Table frame made from 16SWG MS round pipe	Yes	No	Yes
	Backrest adjustable up to 60° with stepless friction lock	Yes	No	Yes
	Leg section frame made of 18SWG SS round pipe which is slide-able underneath the hip section	No	No	Yes
	Trendlenburg 15° and reverse trendlenburg 5° with the help of heavy duty gas spring clutch	No	No	Yes
	Removable mattress mechanism for easy clean	No	No	Yes
	Patient safety side guards, easy lower down able	No	No	Yes
	Sliding receptacle tray mounted under hip section	Yes	No	Yes
	Holder for IV pole on head side	Yes	No	Yes
	Working load capacity: 125 Kg	Yes	No	Yes
	Electrostatic epoxy powder coated finish	Yes	No	Yes
	<b>Accessories:</b>			
	5) <b>MATTRESS SET</b> Set in three parts with cutout hip section 3" foam mattress rexene covered foam	Yes Yes 2"	No	Yes Yes Yes
	6) <b>LITHOTOMY POLE</b> Pair for supporting the patients legs Goepel design PU foam knee crutch Stainless steel rods Adjustable by means of joint adaptor	Yes Yes Yes No No Yes	No	Yes Yes Yes Yes Yes Yes
	7) <b>STAINLESS STEEL RECEPTACLE TRAY</b> 2" deep with round edges	Yes No	No	Yes Yes
	8) <b>IV TRANSFUSION POLE</b> 2 hooks with height adjustment & tight screw Outer MS pipe epoxy powder coated Inner Chromed steel pipe	Yes No No No	No	Yes Yes Yes Yes

S. No.	Item Description	S. R. International	T.K Medical Instruments Co.	Medline Technologies (Pvt.) Ltd.
10	DELIVERY TABLE	Unknown Pakistan / China	Sun-Med-010 Sun Medical (Pakistan)	270-G-00 Strongman (Pakistan)
REMARKS		Offered item and its sample were not considered by the Procurement Committee as it does not meet all the required specifications and quality as per tender requisite.	Offered item was not considered by the Procurement Committee as Sample was not submitted and it does not meet all the required specifications as per tender requisite.	Offered item meets all the required specifications as per tender requisite. Sample is satisfactory by the Procurement Committee.
		Non-Responsive	Non-Responsive	Responsive

  
Chairman

  
Member

  
Member

  
Member

  
Member

S. No.	Item Description	S. R. International	T.K Medical Instruments Co.	Medline Technologies (Pvt.) Ltd.
11	<b>BABY CRIB TROLLEY</b>	Unknown Pakistan / China	Sun-Med-011 Sun Medical (Pakistan)	130-K-00 Strongman (Pakistan)
	<b>Certification:</b> ISO 9001	No	ISO9001:2008	ISO9001:2008
	<b>Specification:</b>	<b>Technical Proposal</b>	<b>Technical Proposal</b>	<b>Technical Proposal</b>
	Dimensions: 14" x 30"	No - Copied technical specification of bidding document with no model or brand details.	No - Technical proposal offered similar technical specification of bidding document.	Yes - Technical specification offered with model, brand and country of origin on letterhead.
	Frame made of 18SWG MS pipe	Yes	Yes	Yes
	Removable bassinet with mobile trolley	Yes	Yes	Yes
	Bassinet tiltable steplessly	Yes	Yes	Yes
	One shelf in the centre	No - Brochure of CARE VISION brand with model identified which one is offered.	No - No original Brochure with incomplete and inconsistent details. Imported bed details and picture are on the brochure submitted.	Yes - Brochure of STRONGMAN with model, specifications and technical details.
	Mobile on four imported 2" castors	Yes	Yes	Yes
	Electrostatic epoxy powder coated steel finish	Yes	Yes	Yes
	<b>Accessories:</b>			
	1) <b>MATTRESS SET</b> 2" foam mattress rexene covered	Yes - Photocopy or grayscale pictures submitted. - Not ISO9001 certified - Picture not as per offered or required specifications.  <b>Sample</b> - Castors quality is not as per requirement. - Dimension not as per requirement. - Steel gauge not 16SWG - Powder coating finish is substandard..	Yes - Picture not as per offered or required specifications. - No website found of the manufacturer.  <b>Sample</b> - Sample submitted found was different then the brochure details and picture submitted.	Yes - Website of manufacturer available. - Factory Details available. - Manufacturer's Authorization available.  <b>Sample</b> - As per required technical specifications and similar to brochure submitted.
	<b>REMARKS</b>	Offered item and its sample were not considered by the Procurement Committee as it does not meet all the required specifications and quality as per tender requisite.	Offered item and its sample were not considered by the Procurement Committee as it does not meet all the required specifications and quality as per tender requisite.	Offered item meets all the required specifications as per tender requisite. Sample is satisfactory by the Procurement Committee.
		<b>Non-Responsive</b>	<b>Non-Responsive</b>	<b>Responsive</b>

  
Chairman

  
Member

  
Member

  
Member

  
Member



S. No.	Item Description	S. R. International	T.K Medical Instruments Co.	Medline Technologies (Pvt.) Ltd.
12	<b>EXAMINATION COUCH</b>	Unknown Pakistan / China	Sun-Med-012 Sun Medical (Pakistan)	300-K-00 Strongman (Pakistan)
	<b>Certification:</b> ISO 9001	No	ISO9001:2008	ISO9001:2008
	<b>Specification:</b>	<b>Technical Proposal</b>	<b>Technical Proposal</b>	<b>Technical Proposal</b>
	Dimensions: 72" x 24" x 28	No	Yes	Yes
	Body frame made up of 16SWG 1 1/4" MS round pipe	Yes	Yes	Yes
	Welded base for stable operation	No	No	Yes
	Backrest adjustable. up 40°- 50° and down 10°-15° with friction clutch lever	No	No	Yes
	Lying area in two parts upholstered with 3" foam & rexene	Yes	Yes	Yes
	PVC boots on feet for grip and noiseless operation	Yes	Yes	Yes
	Electrostatic epoxy powder coated paint finish	Yes	Yes	Yes
		- Copied technical specification of bidding document with no model or brand details. - No brochure. - Photocopy or grayscale pictures submitted. - Not ISO9001 certified - Picture not as per offered or required specifications.  <b>Sample</b> - Dimension not as per requirement. - No head down - No friction clutch - Steel gauge not 16SWG - Powder coating finish is substandard.	- Technical proposal offered similar technical specification of bidding document. - No original Brochure with incomplete and inconsistent details. - Picture not as per offered or required specifications. - No website found of the manufacturer.  <b>Sample</b> - Dimension not as per requirement. - No head down - No friction clutch - Steel gauge not 16SWG - Powder coating finish is substandard.	- Technical specification offered with model, brand and country of origin on letterhead. - Brochure of STRONGMAN with model, specifications and technical details. - ISO9001:2008 certification - Website of manufacturer available. - Factory Details available. - Manufacturer's Authorization available.  <b>Sample</b> - As per required technical specifications and similar to brochure submitted.
<b>REMARKS</b>		Offered item and its sample were not considered by the Procurement Committee as it does not meet all the required specifications and quality as per tender requisite.	Offered item and its sample were not considered by the Procurement Committee as it does not meet all the required specifications and quality as per tender requisite.	Offered item meets all the required specifications as per tender requisite. Sample is satisfactory by the Procurement Committee.
		<b>Non-Responsive</b>	<b>Non-Responsive</b>	<b>Responsive</b>

  
Chairman

  
Member

  
Member


  
Member

  
Member

S. No.	Item Description	S. R. International	T.K Medical Instruments Co.	Medline Technologies (Pvt.) Ltd.
13	WARD SCREEN, THREE FOLDS	Unknown Pakistan / China	Sun-Med-013 Sun Medical (Pakistan)	305-K-00 Strongman (Pakistan)
	<b>Certification:</b> ISO 9001	No	ISO9001:2008	ISO9001:2008
	<b>Specification:</b>	<b>Technical Proposal</b>	<b>Technical Proposal</b>	<b>Technical Proposal</b>
	Dimensions: 96" x 61" (W x H)	No	No	Yes
	Frame in three panels for screening patient properly	Yes	Yes	Yes
	Made from 18SWG MS tubular pipe 1" diameter	No	No	Yes
	Frames fixed together with ABS universal joints. easily movable	No	No	Yes
	Polyester curtains fitted on steel pipe rods	No	No	Yes
	Mobile on six imported 2" castors	Yes	Yes	Yes
	Electrostatic epoxy powder coated steel finish	No	No	Yes
		- Copied technical specification of bidding document with no model or brand details. - No brochure - Photocopy or grayscale pictures submitted. - Not ISO9001 certified - Picture not as per offered or required specifications.  <b>Sample</b> - Castors quality is not as per requirement. - Dimension not as per requirement. - Steel gauge not 16SWG - Curtain quality is substandard and not washable polyester - Powder coating finish is substandard.	- Technical proposal offered similar technical specification of bidding document. - No original Brochure with incomplete and inconsistent details. - Picture not as per offered or required specifications. - No website found of the manufacturer.  <b>Sample</b> - Castors quality is not as per requirement. - Dimension not as per requirement. - Steel gauge not 16SWG - Curtain quality is substandard and not washable polyester - Powder coating finish is substandard.	- Technical specification offered with model, brand and country of origin on letterhead. - Brochure of STRONGMAN with model, specifications and technical details. - ISO9001:2008 certification - Website of manufacturer available. - Factory Details available. - Manufacturer's Authorization available. - References of national and international hospitals, government health departments, NGOs for hospital furniture.  <b>Sample</b> - As per required technical specifications and similar to brochure submitted.
<b>REMARKS</b>		Offered item and its sample were not considered by the Procurement Committee as it does not meet all the required specifications and quality as per tender requisite.	Offered item and its sample were not considered by the Procurement Committee as it does not meet all the required specifications and quality as per tender requisite.	Offered item meets all the required specifications as per tender requisite. Sample is satisfactory by the Procurement Committee.
		<b>Non-Responsive</b>	<b>Non-Responsive</b>	<b>Responsive</b>

  
Chairman


  
Member

  
Member

  
Member

  
Member

S. No.	Item Description	S. R. International	T.K Medical Instruments Co.	Medline Technologies (Pvt.) Ltd.
14	<b>STRETCHER TROLLEY</b>	Unknown Pakistan / China	Sun-Med-014 Sun Medical (Pakistan)	414-DX-FT Strongman (Pakistan)
	<b>Certification:</b> ISO 9001	No	ISO9001:2008	ISO9001:2008
	<b>Specification:</b>	<b>Technical Proposal</b>	<b>Technical Proposal</b>	<b>Technical Proposal</b>
	Dimensions: 75" x 26" x 32" (L x W x H)	No - Copied technical specification of bidding document with no model or brand details.	Yes - Technical proposal offered similar technical specification of bidding document.	Yes - Technical specification offered with model, brand and country of origin on letterhead.
	Frame made of 16SWG MS pipe	No	Yes	Yes
	Fixed stretcher top with 2" foam mattress rexene covered	No	No	Yes
	Rubber bumper guards on all side for wall safety	No	Yes	Yes
	IV pole holder at diagonal end	No	No	Yes
	Patient safety side guards of stainless steel pipe	No	No	Yes
	Mobile on four 8" rubber castors (diagonal brakable)	No	No	Yes
	Electrostatic epoxy powder coated steel finish	No	Yes	Yes
	<b>Accessories:</b>			
	1) <b>IV TRANSFUSION POLE</b> 2 hooks with height adjustment & tight screw Outer MS pipe epoxy powder coated Inner Chromed steel pipe	Yes - Not ISO9001 certified No - Picture not as per offered or required specifications. No No No	Yes - <b>Sample</b> No - Not as per required technical specifications. No - No 8" large castors. No - 5" thick foam top No - Safety rails lock mechanism is substandard. No - Accessories are substandard. No - Bidder agreed to provide removable top, if selected.	Yes - Factory Details available. Yes - Manufacturer's Authorization available. Yes Yes Yes
	<b>REMARKS</b>	Offered item was not considered by the Procurement Committee as Sample was not submitted and it does not meet all the required specifications as per tender requisite.	Offered item and its sample were not considered by the Procurement Committee as it does not meet all the required specifications and quality as per tender requisite.	Offered item meets all the required specifications as per tender requisite. Sample is satisfactory by the Procurement Committee.
		<b>Non-Responsive</b>	<b>Non-Responsive</b>	<b>Responsive</b>



Chairman



Member



Member



Member




Member

S. No.	Item Description	S. R. International	T.K Medical Instruments Co.	Medline Technologies (Pvt.) Ltd.
15	<b>FIXED WHEEL CHAIR</b>	Unknown Pakistan / China	Sun-Med- Sun Medical (Pakistan)	Strongman (Pakistan)
	<b>Certification:</b> ISO 9001	No	ISO9001:2008	ISO9001:2008
	<b>Specification:</b>	<b>Technical Proposal</b>	<b>Technical Proposal</b>	<b>Technical Proposal</b>
	Dimensions: 32" x 28" x 20"	No - Copied technical specification of bidding document with no model or brand details.	No - Technical proposal offered similar technical specification of bidding document.	Yes - Technical specification offered with model, brand and country of origin on letterhead.
	Main frame constructed from 16SWG MS round pipe	No	No	Yes
	Seat and back upholstered with foam & rexene	No	No	Yes
	Arm rest of plastic	No	No	Yes
	Rear wheel of 8" non-swivel type	No - Brochure of CARE VISION brand with model identified which one is offered.	No - No original Brochure with incomplete and inconsistent details. Imported bed details and picture are on the brochure submitted.	Yes - Brochure of STRONGMAN with model, specifications and technical details.
	Front wheel of 5" swivel type	No	No	Yes
	Rubber bumpers on chair sides	No	No	Yes
	Holder for IV pole on one side	No - Photocopy or grayscale pictures submitted.	No - Picture not as per offered or required specifications.	Yes - ISO9001:2008 certification available.
	Utility basket underneath	No	No	Yes - Website of manufacturer available.
	Tilting paddles at back, push handle	No	No	Yes - Factory Details available.
	Foldable foot rest of round stainless steel pipe	No	No	Yes - Manufacturer's Authorization available.
	Electrostatic epoxy powder coated steel finish	No	No	Yes - References available.
		<b>Sample</b> - Not sample submitted	<b>Sample</b> - Not sample submitted	<b>Sample</b> - As per required technical specifications and similar to brochure submitted.
	<b>REMARKS</b>	Offered item was not considered by the Procurement Committee as Sample was not submitted and it does not meet all the required specifications as per tender requisite.	Offered item was not considered by the Procurement Committee as Sample was not submitted and it does not meet all the required specifications as per tender requisite.	Offered item meets all the required specifications as per tender requisite. Sample is satisfactory by the Procurement Committee.
		<b>Non-Responsive</b>	<b>Non-Responsive</b>	<b>Responsive</b>



Chairman



Member



Member



Member



Member

S. No.	Item Description	S. R. International	T.K Medical Instruments Co.	Medline Technologies (Pvt.) Ltd.
16	COMMODE CHAIR	Unknown Pakistan / China	Sun-Med- Sun Medical (Pakistan)	Strongman (Pakistan)
	<b>Certification:</b> ISO 9001	No	ISO9001:2008	ISO9001:2008
	<b>Specification:</b>	<b>Technical Proposal</b>	<b>Technical Proposal</b>	<b>Technical Proposal</b>
	Dimensions: 28" x 22" x 20"	No	No	Yes
	Main frame constructed from 16SWG MS round pipe	No	No	Yes
	Backrest of stainless steel sheet section	No	No	Yes
	Removable seat provided with built-in commode underneath	Yes	No	Yes
	Easily removable plastic tub from the back of the chair	Yes	No	Yes
	Mobile on four imported 3" castors	No	No	Yes
	Electrostatic epoxy powder coated steel finish	No	No	Yes
		<ul style="list-style-type: none"> <li>- Copied technical specification of bidding document with no model or brand details.</li> <li>- Brochure of CARE VISION brand with model identified which one is offered.</li> <li>- Photocopy or grayscale pictures submitted.</li> <li>- Not ISO9001 certified</li> <li>- Picture not as per offered or required specifications.</li> </ul> <p><b>Sample</b></p> <ul style="list-style-type: none"> <li>- Not as per required technical specifications.</li> <li>- Very light and not durable structure.</li> <li>- Castors quality is not as per requirement.</li> <li>- Dimension not as per requirement.</li> </ul>	<ul style="list-style-type: none"> <li>- Technical proposal offered similar technical specification of bidding document.</li> <li>- No original Brochure with incomplete and inconsistent details. Imported bed details and picture are on the brochure submitted.</li> <li>- Picture not as per offered or required specifications.</li> <li>- No website found of the manufacturer.</li> </ul> <p><b>Sample</b></p> <ul style="list-style-type: none"> <li>- Not sample submitted</li> </ul>	<ul style="list-style-type: none"> <li>- Technical specification offered with model, brand and country of origin on letterhead.</li> <li>- Brochure of STRONGMAN with model, specifications and technical details.</li> <li>- ISO9001:2008 certification</li> <li>- Website of manufacturer available.</li> <li>- Factory Details available.</li> <li>- Manufacturer's Authorization available.</li> <li>- References of national and international hospitals, government health departments, NGOs for hospital furniture.</li> </ul> <p><b>Sample</b></p> <ul style="list-style-type: none"> <li>- As per required technical specifications and similar to brochure submitted.</li> </ul>
<b>REMARKS</b>		Offered item and its sample were not considered by the Procurement Committee as it does not meet all the required specifications and quality as per tender requisite.	Offered item was not considered by the Procurement Committee as Sample was not submitted and it does not meet all the required specifications as per tender requisite.	Offered item meets all the required specifications as per tender requisite. Sample is satisfactory by the Procurement Committee.
		<b>Non-Responsive</b>	<b>Non-Responsive</b>	<b>Responsive</b>



Chairman



Member



Member



Member



Member

**Tender No. 19/2016-17**  
Tender for Supply of Hospital Furniture, General Furniture & Fixtures  
Opened on 20.04.2017 12:00PM

**TECHNICAL EVALUATION REPORT**  
**COMPARITIVATE STATEMENT GENERAL FURNITURE & FIXTURE**

S. No.	Item Description	Qty	BIDDERS	
			S. R. International	T.K Medical Instruments Co.
			Difference / Remarks	Difference / Remarks
1	<b>EXECUTIVE OFFICE TABLE</b>	12	<p style="text-align: center;"><b>Technical Proposal</b></p> <ul style="list-style-type: none"> <li>- Copied technical specification of bidding document in their proposal.</li> <li>- No original brochure or colored picture of the offered item.</li> <li>- Irrelevant drawing / gray scale pictures not as per offered or required specifications.</li> </ul> <p style="text-align: center;"><b>Sample</b></p> <ul style="list-style-type: none"> <li>- Material quality and details found as per required technical specifications.</li> </ul>	<p style="text-align: center;"><b>Technical Proposal</b></p> <ul style="list-style-type: none"> <li>- Copied technical specification of bidding document in their proposal.</li> <li>- No original brochure or colored picture of the offered item.</li> </ul> <p style="text-align: center;"><b>Sample</b></p> <ul style="list-style-type: none"> <li>- Material quality sub standard</li> <li>- Features and details not as per required technical specifications.</li> <li>- Paint / polish finish substandard</li> </ul>
	<b>Specification:</b>			
	• Size: 72" x 36" x 30"			
	• Made of Oak Veneer MDF sheet			
	• All borders fitted with beveled 'Kail' wood			
	• Three drawers with full extension ball bearing railing, hand knobs and lockable by single key-lock			
	• Glass table top of 6mm thickness high quality			
	• Elegant design and patterns with heavy duty finish			
	• Foot rest underneath the table top			
	• High quality matt finish wood lacquer polish in light oak veneer shade			
			<b>Non-Responsive</b>	<b>Non-Responsive</b>
2	<b>EXECUTIVE CHAIR (REVOLVING)</b>	12	<p style="text-align: center;"><b>Technical Proposal</b></p> <ul style="list-style-type: none"> <li>- Copied technical specification of bidding document.</li> <li>- No original brochure or colored picture of the offered item.</li> <li>- Irrelevant drawing / gray scale pictures not as per offered or required specifications.</li> </ul> <p style="text-align: center;"><b>Sample</b></p> <ul style="list-style-type: none"> <li>- Material quality and details found as per required technical specifications.</li> </ul>	<p style="text-align: center;"><b>Technical Proposal</b></p> <ul style="list-style-type: none"> <li>- Copied technical specification of bidding document in their proposal.</li> <li>- No original brochure or colored picture of the offered item.</li> </ul> <p style="text-align: center;"><b>Sample</b></p> <ul style="list-style-type: none"> <li>- Material quality sub standard</li> <li>- Features and details not as per required technical specifications.</li> <li>- Castors quality is not as per requirement.</li> </ul>
	<b>Specification:</b>			
	• High back with arm rests revolving chair			
	• Seat size: 21" x 20"			
	• Moulded PU Foam			
	• Fabric upholstered seat and back cushion			
	• High quality gas spring lift for height adjustment			
	• Imported five legged wide nylon base			
	• Mobile on 2" twin castors			
			<b>Non-Responsive</b>	<b>Non-Responsive</b>

			BIDDERS	
			S. R. International	T.K Medical Instruments Co.
S. No.	Item Description	Qty	Difference / Remarks	Difference / Remarks
3	<b>OFFICE CHAIR WOODEN</b>	100	<p><b>Technical Proposal</b></p> <ul style="list-style-type: none"> <li>- Copied technical specification of bidding document.</li> <li>- No original brochure or colored picture of the offered item.</li> <li>- Irrelevant drawing / grayscale pictures not as per offered or required specifications.</li> </ul> <p><b>Sample</b></p> <ul style="list-style-type: none"> <li>- Material quality and details found as per required technical specifications.</li> </ul>	<p><b>Technical Proposal</b></p> <ul style="list-style-type: none"> <li>- Copied technical specification of bidding document in their proposal.</li> <li>- No original brochure or colored picture of the offered item.</li> </ul> <p><b>Sample</b></p> <ul style="list-style-type: none"> <li>- Material quality sub standard</li> <li>- Polish finish substandard</li> </ul>
			<b>Non-Responsive</b>	<b>Non-Responsive</b>
4	<b>STEEL ALMIRAH</b>	24	<p><b>Technical Proposal</b></p> <ul style="list-style-type: none"> <li>- Copied technical specification of bidding document.</li> <li>- No original brochure or colored picture</li> <li>- Irrelevant drawing / gray scale pictures not as per offered or required specifications.</li> </ul> <p><b>Sample</b></p> <ul style="list-style-type: none"> <li>- Material quality and details found as per required technical specifications.</li> </ul>	<p><b>Technical Proposal</b></p> <ul style="list-style-type: none"> <li>- Copied technical specification of bidding document in their proposal.</li> <li>- No original brochure or colored picture of the offered item.</li> </ul> <p><b>Sample</b></p> <ul style="list-style-type: none"> <li>- Material quality sub standard</li> <li>- Paint finish substandard</li> </ul>
			<b>Non-Responsive</b>	<b>Non-Responsive</b>
5	<b>FILE CABINET</b>	18	<p><b>Technical Proposal</b></p> <ul style="list-style-type: none"> <li>- Copied technical specification of bidding document.</li> <li>- No original brochure or colored picture of the offered item.</li> <li>- Irrelevant drawing / grayscale pictures not as per offered or required specifications.</li> </ul> <p><b>Sample</b></p> <ul style="list-style-type: none"> <li>- Material quality and details found as per required technical specifications.</li> </ul>	<p><b>Technical Proposal</b></p> <ul style="list-style-type: none"> <li>- Copied technical specification of bidding document in their proposal.</li> <li>- No original brochure or colored picture of the offered item.</li> </ul> <p><b>Sample</b></p> <ul style="list-style-type: none"> <li>- Material quality sub standard</li> <li>- Features and details not as per required technical specifications.</li> <li>- Paint / polish finish substandard</li> </ul>
			<b>Non-Responsive</b>	<b>Non-Responsive</b>

			<b>BIDDERS</b>	
			<b>S. R. International</b>	<b>T.K Medical Instruments Co.</b>
S. No.	Item Description	Qty	Difference / Remarks	Difference / Remarks
6	<b>WAITING AREA BENCH (3 PERSONS)</b>	100	<p style="text-align: center;"><b>Technical Proposal</b></p> <ul style="list-style-type: none"> <li>- Copied technical specification of bidding document.</li> <li>- No original brochure or colored picture of the offered item.</li> <li>- Irrelevant drawing / grayscale pictures not as per offered or required specifications.</li> </ul> <p style="text-align: center;"><b>Sample</b></p> <ul style="list-style-type: none"> <li>- Material quality and details found as per required technical specifications.</li> </ul> <p style="text-align: center;"><b>Non-Responsive</b></p>	<p style="text-align: center;"><b>Technical Proposal</b></p> <ul style="list-style-type: none"> <li>- Copied technical specification of bidding document in their proposal.</li> <li>- No original brochure or colored picture of the offered item.</li> </ul> <p style="text-align: center;"><b>Sample</b></p> <ul style="list-style-type: none"> <li>- Material quality and details found as per required technical specifications.</li> <li>- Strength of the bench is not as per use at a public hospital.</li> </ul> <p style="text-align: center;"><b>Not Responsive</b></p>
	<b>Specification:</b>			
	• Dimensions: 70" x 26" x 31"			
	• Seat made of perforated cold-rolled steel sheet with powder coating finish			
	• Side frame, arms and legs of cold-rolled steel with surface chrome plating treatment			
	• Beam made of 3" x 1½" steel pipe, sprayed with static powder after antirust treatment			
7	<b>SOFA SET (5 SEATER)</b>	6	<p style="text-align: center;"><b>Technical Proposal</b></p> <ul style="list-style-type: none"> <li>- Copied technical specification of bidding document.</li> <li>- No original brochure or colored picture of the offered item.</li> </ul> <p style="text-align: center;"><b>Sample</b></p> <ul style="list-style-type: none"> <li>- Material quality and details found as per required technical specifications.</li> </ul> <p style="text-align: center;"><b>Non-Responsive</b></p>	<p style="text-align: center;"><b>Technical Proposal</b></p> <ul style="list-style-type: none"> <li>- Copied technical specification of bidding document in their proposal.</li> <li>- No original brochure or colored picture of the offered item.</li> </ul> <p style="text-align: center;"><b>Sample</b></p> <ul style="list-style-type: none"> <li>- Material quality sub standard</li> <li>- Upholstery sub standard</li> <li>- Polish finish substandard</li> </ul> <p style="text-align: center;"><b>Non-Responsive</b></p>
	• Standard set of 3+1+1 seats			
	• Frame made of season Tally wood			
	• High quality matt finish wood lacquer polish in light oak veneer shade			
	• Fabric or Rexene upholstered seat and back cushion			
	• Seat foam size of 22" x 22" x 4"			
	• Foam of Master/Diamond only			

  
Chairman

  
Member

  
Member






  
Member

  
Member

1



MEETING OF PROCUREMENT COMMITTEE REGARDING OPENING OF FINANCIAL BID FOR PURCHASE OF FURNITURE / FIXTURE UNDER NON-ADP FOR THE FINANCIAL YEAR 2016-17 AT LIAQUAT UNIVERSITY HOSPITAL, HYDERABAD/ JAMSHORO IN THE COMMITTEE ROOM LUH, HYDERABAD ON 25.05.2017.

S.NO	NAME & DESIGNATION		SIGNATURE,
01	<b>Dr. Naeem Zia Memon</b> Addl: Medical Superintendent, LUH, Hyderabad.	Chairman	
02	<b>Prof. Bikha Ram,</b> Department of Medicine, LUMHS. Jamshoro	Member	
03	<b>Dr. Anjum Rehman</b> Addl: Medical Superintendent (I), LUH, Hyderabad.	Member	
04	<b>Dr. Shahid Islam Junejo,</b> Addl: Medical Superintendent (II), LUH, Hyderabad.	Member	
05	<b>Mr. Nisar Ahmed Khokhar,</b> Assistant Accounts Officer, Representative of District Accounts Officer, Hyderabad.	Member	

Dated:- 25.05.2017

Opening of Financial Bid for Purchase of Furniture / Fixture (Non-ADP)  
for the Financial year 2016-17 at Liaquat University Hospital, Hyderabad/Jamshoro

**ATTENDANCE SLIP**


S.No.	Name of Firm	Phone Number	Postal Address	Name of Participant	C.N.I.C No: of participants	Signature
1	MEDLINE TECHNOLOGIES PVT <sup>Ltd</sup>	0321-8279258	95, G, Block-2 Karachi	M. WAQAR	422 01-3008118-7	
2						
3						
4						
5						
6						
7						
8						
9						
10						

  
**(Dr. Naeem Zia Memon)**


Add: Medical Superintendent  
LUH, Hyderabad  
Chairman Procurment Committee


  
( Dr. Shahid Islam Junejo)

Add: Medical Superintendent (II)  
LUH, Hyderabad  
Member Procurment Committee

  
(Dr. Anjum Rehman)

Add: Medical Superintendent (I)  
LUH, Hyderabad  
Member Procurment Committee

  
(Mr. Nisar Ahmed Khokhar)  
Assistant Accounts Officer  
Representative of DAO Hyd  
Member Procurment Committee

  
(Prof. Bikha Ram)  
Professor of Medicine  
LUMHS, Jamshoro  
Member Procurment Committee

# **LIAQUAT UNIVERSITY HOSPITAL**

**HYDERABAD / JAMSHORO**

## **BID FINANANCIAL EVALUATION**

**OPENED ON 25.05.2017**

### **TENDER FOR SUPPLY OF HOSPITAL FURNITURE, GENERAL FURNITURE & FIXTURES**

**TENDER NO. 19/2016-17**

**(DATED: 20.04.2017)**

**Enclosed:**

- 1) Bid Evaluation Report
- 2) Comparative Statement
- 3) Meeting Minutes

**Bid Evaluation Report**


- 1) Name of Procuring Agency: Liaquat University Hospital Hyderabad / Jamshoro
- 2) Tender Reference No: 19/2016-17
- 3) Tender Description: Supply of Hospital Furniture
- 4) Method of Procurement: Single Stage Two Envelope
- 5) Tender Published: Inf/Kry No:1537/17 (Express Tribune , Jang, Sobh)  
SPPRA I.D 2147483647
- 6) Total Bid Documents Sold: 10
- 7) Total Bids Received: 05
- 8) Technical Bid Opening Date: 20.04.2017
- 9) No. of Bid Technically Qualified: 01
- 10) Bid(s) Rejected: 04
- 11) Financial Bid Opening Date: 25.05.2017
- 12) Bid Evaluation Report: **Enclosed (i) Comparative Statement (ii) Minutes**



**Dr. Naeem Zia Memon**  
Addl. Medical Superintendent  
Liaquat University Hospital  
Hyderabad / Jamshoro



**Prof. Bikha Ram**  
Department of Medicine  
LUMHS,  
Jamshoro



**Dr. Anjum Rehman**  
Addl. Medical Superintendent (I)  
Liaquat University Hospital  
Hyderabad / Jamshoro



**Dr. Shahidul Islam Junejo**  
Addl. Medical Superintendent (II)  
Liaquat University Hospital  
Hyderabad / Jamshoro



**Mr. Nisar Ahmed Khokhar**  
Assistant Accounts Officer  
Representative of  
District Accounts Officer, Hyderabad

**Tender No. 19/2016-17**

Tender for Supply of Hospital Furniture, General Furniture & Fixtures (Dated: 20.04.2017)  
Financial Bids Opened on 25.05.2017

**COMPARITIVE STATEMENT****HOSPITAL FURNITURE**

S. No.	Item Description	Qty	Medline Technologies (Pvt.) Ltd.	
			Make	Rate per A/U
1	Critical Care Bed	20	Strongman	197,000/-
2	Fowler Bed (2 Crank) Tilting	30	Strongman	54,000/-
3	Fowler Bed (2 Crank)	500	Strongman	49,500/-
4	Patient Bedside Cabinet	550	Strongman	12,750/-
5	Patient Over Bed Table	550	Strongman	9,000/-
6	Bedside Attendant Bench	500	Strongman	8,000/-
7	Patient Attendant Bed	50	Strongman	11,000/-
8	Foam Mattress	550	Strongman	8,000/-
9	Emergency Crash Trolley	10	Strongman	46,000/-
10	Delivery Bed	8	Strongman	40,000/-
11	Baby Crib Trolley	16	Strongman	11,500/-
12	Examination Couch	20	Strongman	16,000/-
13	Ward Screen, Three Folds	10	Strongman	10,500/-
14	Stretcher Trolley	22	Strongman	43,000/-
15	Fixed Wheel Chair	24	Strongman	16,000/-
16	Commode Chair	6	Strongman	13,500/-



**Dr. Naeem Zia Memon**  
Addl. Medical Superintendent  
Liaquat University Hospital  
Hyderabad / Jamshoro



**Prof. Bkha Ram**  
Department of Medicine  
LUMHS,  
Jamshoro



**Dr. Anjum Rehman**  
Addl. Medical Superintendent (I)  
Liaquat University Hospital  
Hyderabad / Jamshoro



**Dr. Shahid Islam Junejo**  
Addl. Medical Superintendent (II)  
Liaquat University Hospital  
Hyderabad / Jamshoro



**Mr. Nisar Ahmed Khokhar**  
Assistant Accounts Officer  
Representative of  
District Accounts Officer, Hyderabad


**Tender No. 19/2016-17**

Tender for Supply of Hospital Furniture, General Furniture &amp; Fixtures (Dated: 20.04.2017)

Financial Bids Opened on 25.05.2017

**COMPARITIVE STATEMENT****GENERAL FURNITURE & FIXTURES**


S. No.	Item Description	Qty	Remarks
1	Executive Office Table	12	Items have been dropped by the PC. Please see "MINUTES" for details
2	Executive Chair (Revolving)	12	
3	Visitor Chair Wooden	100	
4	Steel Almirah	24	
5	File Cabinet	18	
6	Waiting Area Bench (3 Person)	100	
7	Sofa Set (5 Seater)	6	



**Dr. Naeem Zia Memon**  
Addl. Medical Superintendent  
Liaquat University Hospital  
Hyderabad / Jamshoro



**Prof. Bilha Ram**  
Department of Medicine  
LUMHS,  
Jamshoro



**Dr. Anjum Rehman**  
Addl. Medical Superintendent (I)  
Liaquat University Hospital  
Hyderabad / Jamshoro



**Dr. Shahid Islam Junejo**  
Addl. Medical Superintendent (II)  
Liaquat University Hospital  
Hyderabad / Jamshoro



**Mr. Nisar Ahmed Khokhar**  
Assistant Accounts Officer  
Representative of  
District Accounts Officer, Hyderabad

**MINUTES OF THE PROCUREMENT COMMITTEE**

Meeting of the Procurement Committee (PC) of Liaquat University Hospital Hyderabad / Jamshoro was held on Thursday, 25 May 2017 at 1:30pm at the Conference Hall. Dr. Naeem Zia Memon AMS chaired the meeting. The financial bids were opened after finalization of technical bids by the procurement committee for procurement of Hospital Furniture, General Furniture & Fixture at Liaquat University Hospital Hyderabad / Jamshoro. Technical bids of Tender Enquiry No. 19/2016-17 were opened on 20.04.2017 and subsequently approved by the Procurement Committee for procurement of required items. Bidders who submitted samples against their offered item were only eligible and considered for evaluation to qualify.

The following members attended the meeting:

1.	Dr. Naeem Zia Memon	Addl. Medical Superintendent Liaquat University Hospital Hyderabad / Jamshoro	Chairman
2.	Prof. Bikha Ram	Department of Medicine LUMHS, Jamshoro	Member
3.	Dr. Anjum Rehman	Addl. Medical Superintendent (I) Liaquat University Hospital Hyderabad / Jamshoro	Member
4.	Dr. Shahid Islam Junejo	Addl. Medical Superintendent (II) Liaquat University Hospital Hyderabad / Jamshoro	Member
5.	Mr. Nisar Ahmed Khokhar	Assistant Accounts Officer Representative of District Accounts Officer, Hyderabad	Member

Initiating the discussions, this office presented the evaluated technical data sheets and samples evaluation of bidders for perusal of the Procurement Committee (Copy of the Technical Evaluation Report enclosed.)

The financial bids of the eligible and qualified firms were as under:

- 1) M/s Medline Technologies (Pvt.) Ltd.

S. No.	Bidder Name	Offered Bid Sum Value (In Pak Rupees)	Bid Security @ 2.5% (Submitted)	Instrument Details (Submitted)
1.	M/s Medline Technologies (Pvt.) Ltd.	Rs 53,962,500/-	Rs 1,375,000/-	No. 03229562 Dated: 19-04-2017 Bank AL Habib Limited Allamalqbal Road Branch Karachi

**Tender Reference No :** 19/2016-17  
**Item No :** 01 (Hospital Furniture)  
**Name of Item :** Supply of Critical Care Bed  
**Quantity Required :** 20

Bidder	Medline Technologies (Pvt.) Ltd.
Model	227-HP-00
Make	Strongman (Pakistan)

The offer and sample of M/S Medline Technologies (Pvt.) Ltd. meets all the required specification and quality as per tender requisite. As approved by the Procurement Committee, the financial offers of said firms were opened.

M/S Medline Technologies (Pvt.) Ltd. offered the rates for Rs197,000/- each on DDP basis.

**The Procurement Committee approved and accepted the offer of M/S Medline Technologies (Pvt.) Ltd. at the rate of Rs197,000/- each on DDP basis.**

**Tender Reference No :** 19/2016-17  
**Item No :** 02 (Hospital Furniture)  
**Name of Item :** Supply of Fowler Bed (2 Crank) Tilting  
**Quantity Required :** 30

Bidder	Medline Technologies (Pvt.) Ltd.
Model	101-T-P
Make	Strongman (Pakistan)

The offer and sample of M/S Medline Technologies (Pvt.) Ltd. meets all the required specification and quality as per tender requisite. As approved by the Procurement Committee, the financial offers of said firms were opened.

M/S Medline Technologies (Pvt.) Ltd. offered the rates for Rs54,000/- each on DDP basis.

**The Procurement Committee approved and accepted the offer of M/S Medline Technologies (Pvt.) Ltd. at the rate of Rs54,000/- each on DDP basis.**

**Tender Reference No :** 19/2016-17  
**Item No :** 03 (Hospital Furniture)  
**Name of Item :** Supply of Fowler Bed (2 Crank)  
**Quantity Required :** 500

Bidder	Medline Technologies (Pvt.) Ltd.
Model	102-KR-P
Make	Strongman (Pakistan)

The offer and sample of M/S Medline Technologies (Pvt.) Ltd. meets all the required specification and quality as per tender requisite. As approved by the Procurement Committee, the financial offers of said firms were opened.

M/S Medline Technologies (Pvt.) Ltd. offered the rates for Rs49,500/- each on DDP basis.

**The Procurement Committee approved and accepted the offer of M/S Medline Technologies (Pvt.) Ltd. at the rate of Rs49,500/- each on DDP basis.**





**Tender Reference No :** 19/2016-17  
**Item No :** 04 (Hospital Furniture)  
**Name of Item :** Supply of Patient Bedside Cabinet  
**Quantity Required :** 550

Bidder	Medline Technologies (Pvt.) Ltd.
Model	106-DP-00
Make	Strongman (Pakistan)

The offer and sample of M/S Medline Technologies (Pvt.) Ltd. meets all the required specification and quality as per tender requisite. As approved by the Procurement Committee, the financial offers of said firms were opened.

M/S Medline Technologies (Pvt.) Ltd. offered the rates for Rs12,750/- each on DDP basis.

**The Procurement Committee approved and accepted the offer of M/S Medline Technologies (Pvt.) Ltd. at the rate of Rs12,750/- each on DDP basis.**

**Tender Reference No :** 19/2016-17  
**Item No :** 05 (Hospital Furniture)  
**Name of Item :** Supply of Patient Over Bed Table  
**Quantity Required :** 550

Bidder	Medline Technologies (Pvt.) Ltd.
Model	109-TS-00
Make	Strongman (Pakistan)

The offer and sample of M/S Medline Technologies (Pvt.) Ltd. meets all the required specification and quality as per tender requisite. As approved by the Procurement Committee, the financial offers of said firms were opened.

M/S Medline Technologies (Pvt.) Ltd. offered the rates for Rs9,000/- each on DDP basis.

**The Procurement Committee approved and accepted the offer of M/S Medline Technologies (Pvt.) Ltd. at the rate of Rs9,000/- each on DDP basis.**

**Tender Reference No :** 19/2016-17  
**Item No :** 06 (Hospital Furniture)  
**Name of Item :** Supply of Bedside Attendant Bench  
**Quantity Required :** 500

Bidder	Medline Technologies (Pvt.) Ltd.
Model	120-SM-00
Make	Strongman (Pakistan)

The offer and sample of M/S Medline Technologies (Pvt.) Ltd. meets all the required specification and quality as per tender requisite. As approved by the Procurement Committee, the financial offers of said firms were opened.

M/S Medline Technologies (Pvt.) Ltd. offered the rates for Rs8,000/- each on DDP basis.

**The Procurement Committee approved and accepted the offer of M/S Medline Technologies (Pvt.) Ltd. at the rate of Rs8,000/- each on DDP basis.**

The bottom of the page contains several handwritten signatures in black ink. There are also some faint, illegible stamps or markings, including one that appears to be a date stamp '2016' and another that looks like a signature or initials.

**Tender Reference No** : 19/2016-17  
**Item No** : 07 (Hospital Furniture)  
**Name of Item** : Supply of Patient Attendant Bed  
**Quantity Required** : 50

Bidder	Medline Technologies (Pvt.) Ltd.
Model	115-K-00
Make	Strongman (Pakistan)

The offer and sample of M/S Medline Technologies (Pvt.) Ltd. meets all the required specification and quality as per tender requisite. As approved by the Procurement Committee, the financial offers of said firms were opened.

M/S Medline Technologies (Pvt.) Ltd. offered the rates for Rs11,000/- each on DDP basis.

**The Procurement Committee approved and accepted the offer of M/S Medline Technologies (Pvt.) Ltd. at the rate of Rs11,000/- each on DDP basis.**

**Tender Reference No** : 19/2016-17  
**Item No** : 08 (Hospital Furniture)  
**Name of Item** : Supply of Foam Mattress  
**Quantity Required** : 550

Bidder	Medline Technologies (Pvt.) Ltd.
Model	Supreme
Make	Strongman (Pakistan)

The offer and sample of M/S Medline Technologies (Pvt.) Ltd. meets all the required specification and quality as per tender requisite. As approved by the Procurement Committee, the financial offers of said firms were opened.

M/S Medline Technologies (Pvt.) Ltd. offered the rates for Rs8,000/- each on DDP basis.

**The Procurement Committee approved and accepted the offer of M/S Medline Technologies (Pvt.) Ltd. at the rate of Rs8,000/- each on DDP basis.**

**Tender Reference No** : 19/2016-17  
**Item No** : 09 (Hospital Furniture)  
**Name of Item** : Supply of Emergency Crash Trolley  
**Quantity Required** : 10

Bidder	Medline Technologies (Pvt.) Ltd.
Model	603-CT-00
Make	Strongman (Pakistan)

The offer and sample of M/S Medline Technologies (Pvt.) Ltd. meets all the required specification and quality as per tender requisite. As approved by the Procurement Committee, the financial offers of said firms were opened.

M/S Medline Technologies (Pvt.) Ltd. offered the rates for Rs46,000/- each on DDP basis.

**The Procurement Committee approved and accepted the offer of M/S Medline Technologies (Pvt.) Ltd. at the rate of Rs46,000/- each on DDP basis.**

*Some*

**Tender Reference No** : 19/2016-17  
**Item No** : 10 (Hospital Furniture)  
**Name of Item** : Supply of Delivery Bed  
**Quantity Required** : 8

Bidder	Medline Technologies (Pvt.) Ltd.
Model	270-G-00
Make	Strongman (Pakistan)

The offer and sample of M/S Medline Technologies (Pvt.) Ltd. meets all the required specification and quality as per tender requisite. As approved by the Procurement Committee, the financial offers of said firms were opened.

M/S Medline Technologies (Pvt.) Ltd. offered the rates for Rs40,000/- each on DDP basis.

**The Procurement Committee approved and accepted the offer of M/S Medline Technologies (Pvt.) Ltd. at the rate of Rs40,000/- each on DDP basis.**

**Tender Reference No** : 19/2016-17  
**Item No** : 11 (Hospital Furniture)  
**Name of Item** : Supply of Baby Crib Trolley  
**Quantity Required** : 16

Bidder	Medline Technologies (Pvt.) Ltd.
Model	130-K-00
Make	Strongman (Pakistan)

The offer and sample of M/S Medline Technologies (Pvt.) Ltd. meets all the required specification and quality as per tender requisite. As approved by the Procurement Committee, the financial offers of said firms were opened.

M/S Medline Technologies (Pvt.) Ltd. offered the rates for Rs11,500/- each on DDP basis.

**The Procurement Committee approved and accepted the offer of M/S Medline Technologies (Pvt.) Ltd. at the rate of Rs11,500/- each on DDP basis.**

**Tender Reference No** : 19/2016-17  
**Item No** : 12 (Hospital Furniture)  
**Name of Item** : Supply of Examination Couch  
**Quantity Required** : 20

Bidder	Medline Technologies (Pvt.) Ltd.
Model	300-K-00
Make	Strongman (Pakistan)

The offer and sample of M/S Medline Technologies (Pvt.) Ltd. meets all the required specification and quality as per tender requisite. As approved by the Procurement Committee, the financial offers of said firms were opened.

M/S Medline Technologies (Pvt.) Ltd. offered the rates for Rs16,000/- each on DDP basis.

**The Procurement Committee approved and accepted the offer of M/S Medline Technologies (Pvt.) Ltd. at the rate of Rs16,000/- each on DDP basis.**

Page 9 of 13



**Tender Reference No :** 19/2016-17  
**Item No :** 13 (Hospital Furniture)  
**Name of Item :** Supply of Ward Screen, Three Folds  
**Quantity Required :** 10

Bidder	Medline Technologies (Pvt.) Ltd.
Model	305-K-00
Make	Strongman (Pakistan)

The offer and sample of M/S Medline Technologies (Pvt.) Ltd. meets all the required specification and quality as per tender requisite. As approved by the Procurement Committee, the financial offers of said firms were opened.

M/S Medline Technologies (Pvt.) Ltd. offered the rates for Rs10,500/- each on DDP basis.

**The Procurement Committee approved and accepted the offer of M/S Medline Technologies (Pvt.) Ltd. at the rate of Rs10,500/- each on DDP basis.**

**Tender Reference No :** 19/2016-17  
**Item No :** 14 (Hospital Furniture)  
**Name of Item :** Supply of Stretcher Trolley  
**Quantity Required :** 22

Bidder	Medline Technologies (Pvt.) Ltd.
Model	414-DX-FT
Make	Strongman (Pakistan)

The offer and sample of M/S Medline Technologies (Pvt.) Ltd. meets all the required specification and quality as per tender requisite. As approved by the Procurement Committee, the financial offers of said firms were opened.

M/S Medline Technologies (Pvt.) Ltd. offered the rates for Rs43,000/- each on DDP basis.

**The Procurement Committee approved and accepted the offer of M/S Medline Technologies (Pvt.) Ltd. at the rate of Rs43,000/- each on DDP basis.**

**Tender Reference No :** 19/2016-17  
**Item No :** 15 (Hospital Furniture)  
**Name of Item :** Supply of Fixed Wheel Chair  
**Quantity Required :** 24

Bidder	Medline Technologies (Pvt.) Ltd.
Model	418-D-00
Make	Strongman (Pakistan)

The offer and sample of M/S Medline Technologies (Pvt.) Ltd. meets all the required specification and quality as per tender requisite. As approved by the Procurement Committee, the financial offers of said firms were opened.

M/S Medline Technologies (Pvt.) Ltd. offered the rates for Rs16,000/- each on DDP basis.

**The Procurement Committee approved and accepted the offer of M/S Medline Technologies (Pvt.) Ltd. at the rate of Rs16,000/- each on DDP basis.**

Tender Reference No : 19/2016-17  
 Item No : 16 (Hospital Furniture)  
 Name of Item : Supply of Commode Chair  
 Quantity Required : 6

Bidder	Medline Technologies (Pvt.) Ltd.
Model	425-K-00
Make	Strongman (Pakistan)

The offer and sample of M/S Medline Technologies (Pvt.) Ltd. meets all the required specification and quality as per tender requisite. As approved by the Procurement Committee, the financial offers of said firms were opened.

M/S Medline Technologies (Pvt.) Ltd. offered the rates for Rs13,500/- each on DDP basis.

The Procurement Committee approved and accepted the offer of M/S Medline Technologies (Pvt.) Ltd. at the rate of Rs13,500/- each on DDP basis.

Tender Reference No : 19/2016-17  
 Item No : 1 (General Furniture & Fixture)  
 Name of Item : Supply of Executive Office Table  
 Quantity Required : 12

None of the bidders was found eligible meeting minimum qualifying criteria to offer this item. Further, the Procurement Committee was also not satisfied on samples shown by the bidders. **Therefore, the Procurement Committee in the best interest of the public hospital decided to drop this item and recommended for re-tender of this item.**

Tender Reference No : 19/2016-17  
 Item No : 2 (General Furniture & Fixture)  
 Name of Item : Supply of Executive Chair (Revolving)  
 Quantity Required : 12

None of the bidders was found eligible meeting minimum qualifying criteria to offer this item. Further, the Procurement Committee was also not satisfied on samples shown by the bidders. **Therefore, the Procurement Committee in the best interest of the public hospital decided to drop this item and recommended for re-tender of this item.**

Tender Reference No : 19/2016-17  
 Item No : 3 (General Furniture & Fixture)  
 Name of Item : Supply of Visitor Chair Wooder  
 Quantity Required : 100

None of the bidders was found eligible meeting minimum qualifying criteria to offer this item. Further, the Procurement Committee was also not satisfied on samples shown by the bidders. **Therefore, the Procurement Committee in the best interest of the public hospital decided to drop this item and recommended for re-tender of this item.**

Tender Reference No : 19/2016-17  
Item No : 4 (General Furniture & Fixture)  
Name of Item : Supply of Steel Almirah  
Quantity Required : 24

None of the bidders was found eligible meeting minimum qualifying criteria to offer this item. Further, the Procurement Committee was also not satisfied on samples shown by the bidders. **Therefore, the Procurement Committee in the best interest of the public hospital decided to drop this item and recommended for re-tender of this item.**

Tender Reference No : 19/2016-17  
Item No : 5 (General Furniture & Fixture)  
Name of Item : Supply of File Cabinet  
Quantity Required : 18


None of the bidders was found eligible meeting minimum qualifying criteria to offer this item. Further, the Procurement Committee was also not satisfied on samples shown by the bidders. **Therefore, the Procurement Committee in the best interest of the public hospital decided to drop this item and recommended for re-tender of this item.**

Tender Reference No : 19/2016-17  
Item No : 6 (General Furniture & Fixture)  
Name of Item : Supply of Waiting Area Bench (3 Person)  
Quantity Required : 100

None of the bidders was found eligible meeting minimum qualifying criteria to offer this item. Further, the Procurement Committee was also not satisfied on samples shown by the bidders. **Therefore, the Procurement Committee in the best interest of the public hospital decided to drop this item and recommended for re-tender of this item.**

Tender Reference No : 19/2016-17  
Item No : 7 (General Furniture & Fixture)  
Name of Item : Supply of Sofa Set (5 Seater)  
Quantity Required : 6

None of the bidders was found eligible meeting minimum qualifying criteria to offer this item. Further, the Procurement Committee was also not satisfied on samples shown by the bidders. **Therefore, the Procurement Committee in the best interest of the public hospital decided to drop this item and recommended for re-tender of this item.**



The meeting ended with vote of thanks from the chair.



**Dr. Naeem Zia Memon**  
Addl. Medical Superintendent  
Liaquat University Hospital  
Hyderabad / Jamshoro



**Prof. Bikha Ram**  
Department of Medicine  
LUMHS,  
Jamshoro



**Dr. Anjum Rehman**  
Addl. Medical Superintendent (I)  
Liaquat University Hospital  
Hyderabad / Jamshoro



**Dr. Shahid Islam Junejo**  
Addl. Medical Superintendent (II)  
Liaquat University Hospital  
Hyderabad / Jamshoro



**Mr. Nisar Ahmed Khokhar**  
Assistant Accounts Officer  
Representative of  
District Accounts Officer, Hyderabad

SPPRA S.No: SPPRA I.D 2147483647

## CERTIFICATE


The rate of Furniture / Fixture quoted by single firm in the tender opened on 20.04.2017 are as per Market Rate / Price.



**Dr. Naeem Zia Memon**  
Addl. Medical Superintendent  
Liaquat University Hospital  
Hyderabad / Jamshoro



**Prof. Bikha Ram**  
Department of Medicine  
LUMHS,  
Jamshoro



**Dr. Anjum Rehman**  
Addl. Medical Superintendent (I)  
Liaquat University Hospital  
Hyderabad / Jamshoro



**Dr. Shahid Islam Junejo**  
Addl. Medical Superintendent (II)  
Liaquat University Hospital  
Hyderabad / Jamshoro



**Mr. Nisar Ahmed Khokhar**  
Assistant Accounts Officer  
Representative of  
District Accounts Officer, Hyderabad