


## BID EVALUATION REPORT

01. Name of Procuring Agency Sindh Police (Police Training College Saeedabad Karachi)  
02. Tender Reference No: INF-KRY No. 2023/15  
03. Tender Description/Name of work/item Construction of 65 rft height Rappelling Tower of PTC Saeedabad Karachi.  
04. Method of Procurement Single Stage Single Envelope Procedure  
05. Tender Published Roznama Jang, Express Tribune, Awami Awaz.  
(Print & Electronic Media (SPPRA ID No. & Newspapers names)  
06. Total Bid documents Sold 04  
07. Total Bids Received 03  
08. Technical Bid Opening date: (if applicable) 11-06-2015  
09. No. of Bid technically qualified (if applicable) 03  
10. Bid(s) Rejected 02  
11. Financial Bid Opening date 11-06-2015


### 12. Bid Evaluation Report:

S #	Name of Firm or Bidder	Cost offered by the Bidder	Ranking in terms of cost	Comparison with Estimated cost	Reasons for acceptance/rejection	Remarks
0	1	2	3	4	5	6
1.	M/s Al Hakeem Builders	Rs.2148059/-	1 <sup>st</sup>	-	Lowest bid	Accepted
2.	M/s Bushra & Brothers	Rs.2175709/-	2 <sup>nd</sup>	-	Highest bid	Rejected
3.	M/s Al Zaman Construction Co.	Rs.2345313/-	3 <sup>rd</sup>	-	Highest bid	Rejected


**Chairman**

  
(Javed Ali Mahar) PSP  
SSP/Principal  
PTC Saeedabad Karachi

**Member-I**

  
(Saqib Ibrahim) PSP  
SP/Vice Principal  
PTC Saeedabad Karachi

**Member-II**

  
(Rizwan Hussain)  
Sub-Engineer  
Works Department



OFFICE OF THE SSP/PRINCIPAL  
POLICE TRAINING COLLEGE SAEEDABAD, KARACHI.

Ph:021-32812326, 021-32812343, Fax:021-32811217, E-mail:ptc.saeedabad.khi@gmail.com

No. 10311-13 /PTC/Acctt./2015/Karachi, Dated: 11 - 06-2015.

**MINUTES OF MEETING HELD BY MR. JAVED ALI MAHAR, PSP SSP/PRINCIPAL  
POLICE TRAINING COLLEGE SAEEDABAD KARACHI, REGARDING  
CONSTRUCTION WORK OF 65 RFT RAPPELLING TOWER & 40 RFT RAPPELLING  
TOWER OF PTC SAEEDABAD KARACHI.**


Following attended the meeting:-

01. Mr. Saqib Ibrahim, PSP, Vice Principal PTC Saeedabad Karachi.
02. Mr. Rizwan Hussain Sub Engineer Works Department Karachi
03. M/S Al Hakeem Builders
04. M/S Al Zaman Construction Co.
05. M/S Bushra & Brothers.
06. M/S Shah & Company. (Absent)

A meeting under the chairmanship of SSP/Principal, Javed Ali Mahar, Police Training College Saeedabad, Karachi was held at Conference Room for ascertaining the lowest bidder for Construction Work of PTC Saeedabad, Karachi. The meeting was to consider the following points:-

<i>AGENDA</i>	<i>ACTION TO BE TAKEN</i>
<ul style="list-style-type: none"><li>• To ensure for quality/standard of work regarding the Construction Work at Police Training College Saeedabad, Karachi for the current financial year 2014-15.</li><li>• To open tender in front of all the bidders.</li><li>• To ascertain the lowest bidders for Construction Work at P.T.C. Saeedabad, Karachi.</li><li>• To ensure that the bidding takes place in a transparent manner.</li></ul>	SSP /Principal P.T.C. Saeedabad, Karachi.

Committee members were directed to monitor the standard of work & quality and the meeting ended with the vote of thanks.

  
(JAVED ALI MAHAR), PSP  
SSP / Principal  
Police Training College  
Saeedabad Karachi.

Copy to all committee members for information and necessary action.  
Copy to I/C-General Branch P.T.C. Saeedabad, Karachi.

CONSTRUCTION OF 65 RFT HIGH RAPPELLING TOWER OF PTC SAIEDDABAD  
 KARACHI (AS PER DRAWING.)



SCHEDULE BOOK DOCUMENT

S.NO	DESCRIPTION	QTY	UNITS	RATE	AMOUNT
1.	Excavation as in H/ Soil up to 1.5 m depth in foundation and pipe trenches, holes up to 1.5 m wide, in shafts, well and independent holes up to 30 sqm each and throw earth clear of edges of excavation within 10m all as specified.	2257.00	CFT	13-	29341-
2.	Providing and laying of 6" stone soling as laying in foundation all as specified.	337.00	CFT	35-	11795-
3.	Providing and laying of CC type B 1:4:8, using crushed and broken stone graded as specified.	262.00	CFT	90-	23580-
4.	Providing and laying of RCC type A 1:1/2:3, as in raft foundation using crushed and broken stone graded as specified. USING SULPHATE RESISTANCE CEMENT all as specified.	450.00	CFT	240-	108000-
5.	Providing and laying of RCC type A 1:1/2:3, as in RCC COLUMNS using crushed and broken stone graded as specified. USING SULPHATE RESISTANCE CEMENT all as specified.	630.00	CFT	225-	141750-
6.	Providing and laying of RCC type B 1:2:4, as in RCC BEAMS/SLAB/PARDI WALL using crushed and broken stone graded as specified.	1438.00	CFT	228-	327864-
7.	Earth filling as in ordinary or hard soil filling in foundation pipe trenches, shafts, wells independents holes, under floors or around plinth etc. 1.5m below or above, ground level (GL), with spoil obtained from excavation in trenches / over areas within 10m including water and compaction in 150mm layer and dressing to required profile and shape.	2050.00	CFT	10-	20500-
8.	Providing and laying 19MM thick cement plaster 1:4 all as specified.	3914.00	SFT	30-	117420-
9.	Providing and laying of two coats of enamel paint as in plastered wall and iron work after the preparation of surface.	5414.00	SFT	22-	119108-
	Providing and laying of CC flooring 2" to 2.5" thick smooth surface with steel trowel all as	281.00	CFT	55-	15455-

*Handwritten signatures and initials:*  
 100  
 Saad Hussain

*Handwritten signature:* Saad Hussain  
 M/S AL-Zaman Construction Co;  
 Russia

11.	Providing and fixing of steel railing and steel stair using 2" M/S pipe for railing and heavy gauge iron bars for stairs/ladders all as specified.	1500.00	KG	160-	240000-
12.	Providing and laying of steel bars round using ribbed or tor steel including cutting, binding, bending and placing all as specified.	6000.00	KG	115-	690000-
13.	Electrical work such as new points complete with lights, wiring, switch boards etc. using 3.29&7.29 wire from main and orange made box, switch, socket, power plugs(Clipsal)all as specified.	L/S	POINT	38000	38000-
14.	Construction of sitting area shade complete with platform, stair.(stadium/pavilion type all as specified.(finished as A quality)complete job.	2500.00	SFT	185-	462500-
<b>TOTAL</b>					2345313-
<b>SAY AMOUNT IN MILLION</b>					2.345 m




*Russel*  
**SUB ENGINEER  
WORKS DEPARTMENT**

*Russel*

*Sec  
yuni*

*Russel*

**CONSTRUCTION OF 65 RFT HIGHT RAPPELLING TOWER OF PTC SAIEDADABAD  
KARACHI (AS PER DRAWING.)**



**SCHEDULE BOOK DOCUMENT**

S.NO	DESCRIPTION	QTY	UNITS	RATE	AMOUNT
1.	Excavation as in H/ Soil up to 1.5 m depth in foundation and pipe trenches, holes up to 1.5 m wide, in shafts, well and independent holes up to 30 sqm each and throw earth clear of edges of excavation within 10m all as specified.	2257.00	CFT	12.25/-	27648.25
2.	Providing and laying of 6" stone soling as laying in foundation all as specified.	337.00	CFT	31/-	10447-0
3.	Providing and laying of CC type B 1:4:8, using crushed and broken stone graded as specified.	262.00	CFT	86.50	22663-0
4.	Providing and laying of RCC type A 1:1/2:3, as in raft foundation using crushed and broken stone graded as specified. USING SULPHATE RESISTANCE CEMENT all as specified.	450.00	CFT	225/-	101250-0
5.	Providing and laying of RCC type A 1:1/2:3, as in RCC COLUMNS using crushed and broken stone graded as specified. USING SULPHATE RESISTANCE CEMENT all as specified.	630.00	CFT	212/-	133560-0
6.	Providing and laying of RCC type B 1:2:4, as in RCC BEAMS/SLAB/PARDI WALL using crushed and broken stone graded as specified.	1438.00	CFT	212/-	304856-0
7.	Earth filling as in ordinary or hard soil filling in foundation pipe trenches, shafts, wells independents holes, under floors or around plinth etc. 1.5m below or above, ground level (GL), with spoil obtained from excavation in trenches / over areas within 10m including water and compaction in 150mm layer and dressing to required profile and shape.	2050.00	CFT	8.50/-	17425-0
8.	Providing and laying 19MM thick cement plaster 1:4 all as specified.	3914.00	SFT	22.50/-	88065-0
9.	Providing and laying of two coats of enamel paint as in plastered wall and iron work after the preparation of surface.	5414.00	SFT	17.50/-	94745-0
10.	Providing and laying of CC flooring 2" to 2.5" thick smooth surface with steel trowel all as	281.00	CFT	50/-	14050-0

*Handwritten signature/initials*

Issued to M/s Bushra & Brothers.  
*Handwritten signature*



11.	Providing and fixing of steel railing and steel stair using 2" M/S pipe for railing and heavy gauge iron bars for stairs/ladders all as specified.	1500.00	KG	186/-	234000-0
12.	Providing and laying of steel bars round using ribbed or tor steel including cutting, binding, bending and placing all as specified.	6000.00	KG	109/-	642000-0
13.	Electrical work such as new points complete with lights, wiring, switch boards etc. using 3.29&7.29 wire from main and orange made box, switch, socket, power plugs(Clipsal)all as specified.	L/S	POINT	40,000	40000-0
14.	Construction of sitting area shade complete with platform, stair.(stadium/pavilion type all as specified.(finished as A quality)complete job.	2500.00	SFT	178/-	445000-0
<b>TOTAL</b>					2175,709-20
<b>SAY AMOUNT IN MILLION</b>					2.175 M



*Russal*

SUB ENGINEER  
WORKS DEPARTMENT

*Muhammad Farid*

*See*

*Russal*


**CONSTRUCTION OF 65 RFT HIGHT RAPPELLING TOWER OF PTC SAEEDABAD  
KARACHI (AS PER DRAWING.)**



**SCHEDULE BOOK DOCUMENT**

S.NO	DESCRIPTION	QTY	UNITS	RATE	AMOUNT
1.	Excavation as in H/ Soil up to 1.5 m depth in foundation and pipe trenches, holes up to 1.5 m wide, in shafts, well and independent holes up to 30 sqm each and throw earth clear of edges of excavation within 10m all as specified.	2257.00	CFT	12/2	27084/2
2.	Providing and laying of 6" stone soling as laying in foundation all as specified.	337.00	CFT	30/2	10110/2
3.	Providing and laying of CC type B 1:4:8, using crushed and broken stone graded as specified.	262.00	CFT	85/2	22270/2
4.	Providing and laying of RCC type A 1:1/2:3, as in raft foundation using crushed and broken stone graded as specified. USING SULPHATE RESISTANCE CEMENT all as specified.	450.00	CFT	230/2	103500/2
5.	Providing and laying of RCC type A 1:1/2:3, as in RCC COLUMNS using crushed and broken stone graded as specified. USING SULPHATE RESISTANCE CEMENT all as specified.	630.00	CFT	210/2	132300/2
6.	Providing and laying of RCC type B 1:2:4, as in RCC BEAMS/SLAB/PARDI WALL using crushed and broken stone graded as specified.	1438.00	CFT	210/2	301980/2
7.	Earth filling as in ordinary or hard soil filling in foundation pipe trenches, shafts, wells independents holes, under floors or around plinth etc. 1.5m below or above, ground level (GL), with spoil obtained from excavation in trenches / over areas within 10m including water and compaction in 150mm layer and dressing to required profile and shape.	2050.00	CFT	8/2	16400/2
8.	Providing and laying 19MM thick cement plaster 1:4 all as specified.	3914.00	SFT	22/2	86108/2
9.	Providing and laying of two coats of enamel paint as in plastered wall and iron work after the preparation of surface.	5414.00	SFT	17/2	92038/2
10.	Providing and laying of CC flooring 2" to 2.5" thick smooth surface with steel trowel all as	281.00	CFT	49/2	13769/2

*Mumtaz*  
 Issued by M/s AL-Hakeem Builders.  
 (RUBC)



11.	Providing and fixing of steel railing and steel stair using 2" M/S pipe for railing and heavy gauge iron bars for stairs/ladders all as specified.	1500.00	KG	155/2	232500/2
12.	Providing and laying of steel bars round using ribbed or tor steel including cutting, binding, bending and placing all as specified.	6000.00	KG	105/2	630000/2
13.	Electrical work such as new points complete with lights, wiring, switch boards etc. using 3.29&7.29 wire from main and orange made box, switch ,socket, power plugs(Clipsal)all as specified.	L/S	POINT	30000/2	30000/2
14.	Construction of sitting area shade complete with ,platform, stair.(stadium/pavilion type all as specified.(finished as A quality)complete job.	2500.00	SFT	180/2	450000/2
<b>TOTAL</b>					21,48,059/2
<b>SAY AMOUNT IN MILLION</b>					2.148 (m)

*Munir Khan*


*Russal*

*Russal*



*Russal*


**SUB ENGINEER  
WORKS DEPARTMENT**







COMPARATIVE STATEMENT REGARDING REPAIR / RENOVATION WORK OF  
65 FRT HIGH RAPELLING TOWER OF P.T.C SAIEDABAD KARACHI.




S.No.	Name of Firm	Rate Quoted	Amount	Earnest Money	Remarks
1	M/s Al Hakeem Builders	As per B.O Supplied by company	Rs 2148059/-	Rs 66000-	M/s Al-Hakeem Builders offered the lowest rate of Rs=2148059/- which is approved.
2	M/s Al Zaman Construction Co.		Rs=2345313/-	Rs=66000/-	Due to high rate, the tender is rejected
3	M/s Bushra & Brothers		Rs=2175709/-	Rs=66000/-	do
4	M/s Shah & Company		-	-	Absent


  
SAQIB IBRAHIM, PSP  
SP/Vice Principal  
PTC Saeedabad Karachi  
Member-I


  
RIZWAN HUSSAIN  
Sub-Engineer  
Works Department,  
Member-II


  
JAVED ALI MAHAR, PSP  
SSP/Principal  
PTC Saeedabad Karachi  
Chairman

**LIST OF CONTRACTORS WERE ATTENDED AT THE TIME OF OPENING TENDER  
OF 65 RFT HIGHT RAPELLING TOWER ON 11-06-2015 AT PRINCIPAL OFFICE PTC  
SAEEDABAD KARACHI.**

S.No.	Name of Contractors	Signature
01.	M/s Al Hakeem Builders	
02.	M/s Al Zaman Construction Co.	
03.	M/s Bushra & Brothers	
04.	M/s Shah & Company	Absent

  
**SAQIB IBRAHIM, PSP**  
SP/Vice Principal  
PTC Saeedabad Karachi  
Member-I

  
**RIZWAN HUSSAIN**  
Sub-Engineer  
Works Department,  
Member-II

  
**JAVED ALI MAHAR, PSP**  
SSP/Principal  
PTC Saeedabad Karachi  
Chairman


## BID EVALUATION REPORT

01. Name of Procuring Agency Sindh Police (Police Training College Saeedabad Karachi)  
02. Tender Reference No: INF-KRY No. 2023/15  
03. Tender Description/Name of work/item Construction of 40 rft height Rappelling Tower of PTC Saeedabad Karachi.  
04. Method of Procurement Single Stage Single Envelope Procedure  
05. Tender Published Roznama Jang, Express Tribune, Awami Awaz.  
(Print & Electronic Media (SPPRA ID No. & Newspapers names))  
06. Total Bid documents Sold 04  
07. Total Bids Received 03  
08. Technical Bid Opening date: (if applicable) 11-06-2015  
09. No. of Bid technically qualified (if applicable) 03  
10. Bid(s) Rejected 02  
11. Financial Bid Opening date 11-06-2015


### 12. Bid Evaluation Report:

S #	Name of Firm or Bidder	Cost offered by the Bidder	Ranking in terms of cost	Comparison with Estimated cost	Reasons for acceptance/rejection	Remarks
0	1	2	3	4	5	6
1.	M/s Bushra & Brothers	Rs.1036939/-	1 <sup>st</sup>	-	Lowest bid	Accepted
2.	M/s Al Hakeem Builders	Rs.1074162/-	2 <sup>nd</sup>	-	Highest bid	Rejected
3.	M/s Al Zaman Construction Co.	Rs.1135388/-	3 <sup>rd</sup>	-	Highest bid	Rejected


**Chairman**

  
(Javed Ali Mahar) PSP  
SSP/Principal  
PTC Saeedabad Karachi


**Member-I**

  
(Saqib Ibrahim) PSP  
SE/Vice Principal  
PTC Saeedabad Karachi

**Member-II**

  
( Rizwan Hussain )  
Sub-Engineer  
Works Department

Issued to M/S AL-Zaman Construction Co.  
CONSTRUCTION OF 40 RFT HIGH RAPPELLING TOWER OF PTC SAEEDABAD  
KARACHI (AS PER DRAWING.)



**SCHEDULE BOOK DOCUMENT**

S.NO	DESCRIPTION	QTY	UNITS	RATE	AMOUNT
1.	Excavation as in H/ Soil up to 1.5 m depth in foundation and pipe trenches, holes up to 1.5 m wide, in shafts, well and independent holes up to 30 sqm each and throw earth clear of edges of excavation within 10m all as specified.	3259.00	CFT	15-	48885-
2.	Providing and laying of 6" stone soling as laying in foundation all as specified.	294.00	CFT	90-	26460-
3.	Providing and laying of CC type B 1:4:8, using crushed and broken stone graded as specified.	163.00	CFT	175-	28525-
4.	Providing and laying of RCC type A 1:1/2:3, as in raft foundation using crushed and broken stone graded as specified. USING SULPHATE RESISTANCE CEMENT all as specified.	438.00	CFT	225-	98550-
5.	Providing and laying of RCC type A 1:1/2:3, as in RCC COLUMNS using crushed and broken stone graded as specified. USING SULPHATE RESISTANCE CEMENT all as specified.	445.00	CFT	217-	96565-
6.	Providing and laying of RCC type B 1:2:4, as in RCC BEAMS/SLAB/PARDI WALL using crushed and broken stone graded as specified.	630.00	CFT	220-	138600-
7.	Earth filling as in ordinary or hard soil filling in foundation pipe trenches, shafts, wells independents holes, under floors or around plinth etc. 1.5m below or above, ground level (GL), with spoil obtained from excavation in trenches / over areas within 10m including water and compaction in 150mm layer and dressing to required profile and shape.	1620.00	CFT	18-	29160-
8.	Providing and laying 19MM thick cement plaster 1:4 all as specified.	1844.00	SFT	32-	59008-
9.	Providing and laying of two coats of enamel paint as in plastered wall and iron work after the preparation of surface.	2860.00	SFT	26-	74360-
10.	Providing and laying of CC flooring 2" to 2.5"	191.00	CFT	130-	24830-

*Handwritten signature*

*Handwritten signature*

*Handwritten signature*

	specified.				
11.	Providing and fixing of steel railing and steel stair using 2" M/S pipe for railing and heavy gauge iron bars for stairs/ladders all as specified.	455.00	KG	179-	81445-
12.	Providing and laying of steel bars round using ribbed or tor steel including cutting, binding, bending and placing all as specified.	4200.00	KG	95-	399000-
13.	Electrical work such as new points complete with lights, wiring, switch boards etc. using 3.29&7.29 wire from main and orange made box, switch, socket, power plugs(Clipsal)all as specified.	L/S	POINT	30000-	30,000-
<b>TOTAL</b>					<b>11,35,388-</b>
TOTAL AMOUNT IN MILLION					<b>1.135 m</b>

*Rizwan Hussain*

*[Handwritten signature]*



*Rizwan Hussain*  
**RIZWAN HUSSAIN**  
**WORKS DEPARTEMENT**

*Rizwan Hussain*

Issued to m/s AL-Hakeem Builders.

CONSTRUCTION OF 40 RFT HIGHT RAPPELLING TOWER OF PTC SAEEDABAD  
KARACHI (AS PER DRAWING.)



SCHEDULE BOOK DOCUMENT

S.NO	DESCRIPTION	QTY	UNITS	RATE	AMOUNT
1.	Excavation as in H/ Soil up to 1.5 m depth in foundation and pipe trenches, holes up to 1.5 m wide, in shafts, well and independent holes up to 30 sqm each and throw earth clear of edges of excavation within 10m all as specified.	3259.00	CFT	13/2	42367/2
2.	Providing and laying of 6" stone soling as laying in foundation all as specified.	294.00	CFT	85/2	24990/2
3.	Providing and laying of CC type B 1:4:8, using crushed and broken stone graded as specified.	163.00	CFT	165/2	26895/2
4.	Providing and laying of RCC type A 1:1/2:3, as in raft foundation using crushed and broken stone graded as specified. USING SULPHATE RESISTANCE CEMENT all as specified.	438.00	CFT	220/2	96360/2
5.	Providing and laying of RCC type A 1:1/2:3, as in RCC COLUMNS using crushed and broken stone graded as specified. USING SULPHATE RESISTANCE CEMENT all as specified.	445.00	CFT	212/2	94340/2
6.	Providing and laying of RCC type B 1:2:4, as in RCC BEAMS/SLAB/PARDI WALL using crushed and broken stone graded as specified.	630.00	CFT	215/2	135450/2
7.	Earth filling as in ordinary or hard soil filling in foundation pipe trenches, shafts, wells independents holes, under floors or around plinth etc. 1.5m below or above, ground level (GL), with spoil obtained from excavation in trenches / over areas within 10m including water and compaction in 150mm layer and dressing to required profile and shape.	1620.00	CFT	15/2	24300/2
8.	Providing and laying 19MM thick cement plaster 1:4 all as specified.	1844.00	SFT	30/2	55320/2
9.	Providing and laying of two coats of enamel paint as in plastered wall and iron work after the preparation of surface.	2860.00	SFT	24/2	68640/2
10.	Providing and laying of CC flooring 2" to 2.5"	191.00	CFT	125/2	23875/2




*Handwritten signature*

*Handwritten signature*


*Handwritten signature*



	specified.				
11.	Providing and fixing of steel railing and steel stair using 2" M/S pipe for railing and heavy gauge iron bars for stairs/ladders all as specified.	455.00	KG	175/2	79625/2
12.	Providing and laying of steel bars round using ribbed or tor steel including cutting, binding, bending and placing all as specified.	4200.00	KG	90/2	378000/2
13.	Electrical work such as new points complete with lights, wiring, switch boards etc. using 3.29&7.29 wire from main and orange made box, switch ,socket, power plugs(Clipsal)all as specified.	L/S	POINT	24000/2	24000/2
<b>TOTAL</b>					10,74,162
<b>SAY AMOUNT IN MILLION</b>					1.074 (m)



  
**RIZWAN HUSSAIN**  
**WORKS DEPARTEMENT**



Issued to M/s Bushra Brothers.

**CONSTRUCTION OF 40 RFT HIGH RAPPELLING TOWER OF PTC SAEEDABAD  
KARACHI (AS PER DRAWING.)**




**SCHEDULE BOOK DOCUMENT**

S.NO	DESCRIPTION	QTY	UNITS	RATE	AMOUNT
1.	Excavation as in H/ Soil up to 1.5 m depth in foundation and pipe trenches, holes up to 1.5 m wide, in shafts, well and independent holes up to 30 sqm each and throw earth clear of edges of excavation within 10m all as specified.	3259.00	CFT	12.50/-	40737-50
2.	Providing and laying of 6" stone soling as laying in foundation all as specified.	294.00	CFT	75/-	22050-0
3.	Providing and laying of CC type B 1:4:8, using crushed and broken stone graded as specified.	163.00	CFT	160/-	26080-0
4.	Providing and laying of RCC type A 1:1/2:3, as in raft foundation using crushed and broken stone graded as specified. USING SULPHATE RESISTANCE CEMENT all as specified.	438.00	CFT	215/-	94170/-
5.	Providing and laying of RCC type A 1:1/2:3, as in RCC COLUMNS using crushed and broken stone graded as specified. USING SULPHATE RESISTANCE CEMENT all as specified.	445.00	CFT	210/-	93450/-
6.	Providing and laying of RCC type B 1:2:4, as in RCC BEAMS/SLAB/PARDI WALL using crushed and broken stone graded as specified.	630.00	CFT	210/-	132300/-
7.	Earth filling as in ordinary or hard soil filling in foundation pipe trenches, shafts, wells independents holes, under floors or around plinth etc. 1.5m below or above, ground level (GL), with spoil obtained from excavation in trenches / over areas within 10m including water and compaction in 150mm layer and dressing to required profile and shape.	1620.00	CFT	14/-	22680/-
8.	Providing and laying 19MM thick cement plaster 1:4 all as specified.	1844.00	SFT	28/-	51632/-
9.	Providing and laying of two coats of enamel paint as in plastered wall and iron work after the preparation of surface.	2860.00	SFT	21/-	60060/-
10.	Providing and laying of CC flooring 2" to 2.5"	191.00	CFT	120/-	22920/-

*Munir*

*Saeed*

*Raza*





	specified.				
11.	Providing and fixing of steel railing and steel stair using 2" M/S pipe for railing and heavy gauge iron bars for stairs/ladders all as specified.	455.00	KG	172/-	78260/-
12.	Providing and laying of steel bars round using ribbed or tor steel including cutting, binding, bending and placing all as specified.	4200.00	KG	88/-	369600/-
13.	Electrical work such as new points complete with lights, wiring, switch boards etc. using 3.29 & 7.29 wire from main and orange made box, switch, socket, power plugs (Clipsal) all as specified.	L/S	POINT	23000	23000/-
<b>TOTAL</b>					10,36,939/-
<b>SAY AMOUNT IN MILLION</b>					1.036 M

*Rizwan Hussain*

*Rizwan Hussain*





*Rizwan Hussain*


*Rizwan Hussain*  
**RIZWAN HUSSAIN**  
**WORKS DEPARTMENT**

COMPARATIVE STATEMENT REGARDING REPAIR / RENOVATION WORK OF  
40 RFT HIGH RAPELLING TOWER OF P.T.C SAEEDABAD KARACHI.




S.No.	Name of Firm	Rate Quoted	Amount	Earnest Money	Remarks
1	M/s Al Hakeem Builders	As per B.Q Supplied by company	Rs=1074162/-	Rs= 33000/-	Due to high rate, no Tender is Rejected
2	M/s Al Zaman Construction Co.		Rs= 1135388/-	Rs= 33000/-	Due to high rate, no Tender is Rejected.
3	M/s Bushra & Brothers		Rs= 1036939/50	Rs= 33000/-	M/s Bushra & Brothers, Offered at lowest rate i.e Rs. 1036939% which is approved.
4	M/s Shah & Company		-	-	Absent


  
**SAQIB IBRAHIM/PSP**  
 SP/Vice Principal  
 PTC Saeedabad Karachi  
 Member-I


  
**RIZWAN HUSSAIN**  
 Sub-Engineer  
 Works Department,  
 Member-II

  
**JAVED ALI MAHAR, PSP**  
 SSP/Principal  
 PTC Saeedabad Karachi  
 Chairman


**LIST OF CONTRACTORS WERE ATTENDED AT THE TIME OF OPENING TENDER  
OF 40 RFT HIGHT RAPELLING TOWER ON 11-06-2015 AT PRINCIPAL OFFICE PTC  
SAEEDABAD KARACHI.**

S.No.	Name of Contractors	Signature
01.	M/s Al Hakeem Builders	
02.	M/s Al Zaman Construction Co.	
03.	M/s Bushra & Brothers	
04.	M/s Shah & Company	Absent

  
**SAQIB IBRAHIM, PSP**  
SP/Vice Principal  
PTC Saeedabad Karachi  
Member-I



**RIZWAN HUSSAIN**  
Sub-Engineer  
Works Department,  
Member-II

  
**JAVED ALI MAHAR, PSP**  
SSP/Principal  
PTC Saeedabad Karachi  
Chairman