

Dated: // { // \}

<u>10</u>	Mr., Ayub Ali Khan, Deputy Director, SPPRA
FROM	ADMINISTRATION DIVISION, SINDII BANK LTD

SUB: SUBMISSION - Rule 50 COMPLIANCE

KENDATION CIC CHEROS BROWGE

A A STATE MODELARMA BLNAZIR ROBULTO

Dear Sir,

Enclosed please find following documents & CD for submission to SPPRA for Rule 50 Compliance.

S.No	Documents Attached	SPPRA S.No
01	1. Contract Evaluation Report	
i	2. Agreement	
	3. Letter of Award	24502
	4. Scope of work/Requirement	
	5. Financial Proposal	
!	6. Minutes of the Tend er	

Kindly confirm once it is get hoisted on your respective websites and subsequently please release their respective IDs for completion of tender process.

Regards,

Farnan A Siddiqui

AIP- Administration Division

SINDH PUBLIC PROCUREMENT REGULATORY AUTHORITY

CONTRACT EVALUATION FORM

TO BE FILLED IN BY ALL PROCURING AGENCIES FOR PUBLIC CONTRACTS OF WORKS, SERVICES & GOODS

I) NAME OF THE ORGANIZATION / DEPTT.	ATION
2) PROVINCIAL /LOCAL GOVT / OTHER SCHEDULED BANK	
2) TROVINGIAL TOCAL GOVITORIBE	. .
and the contract and th	
4) TEMBER NOMBER	
of bidd blocks for contract	
7) TENDER ESTIMATED VALUE	
8) ENGINEER'S ESTIMATE Rs. 2,513,890/- (For civil works only)	
9) ESTIMATED COMPLETION PERIOD (AS PER CONTRACT) 45 Days	
10) TENDER OPENED ON (DATE & TIME) 23/06/2015 At 1530 Hours	
11) NUMBER OF TENDER DOCUMENTS SOLD 02 (Attach list of buyers)	
12) NUMBER OF BIDS RECEIVED	
13) NUMBER OF BIDDERS PRESENT AT THE TIME OF OPENING OF BIDS C	02
14) BID EVALUATION REPORT (Enclose a copy) 14/07/2015 Attached MS. Hasan Endo	erprixo, B-10
(Enclose a copy) M/S. Hasan Ende 15) NAME AND ADDRESS OF THE SUCCESSFUL BIDDER BLOK-20, FB	Area, Karachi
16) CONTRACT AWARD PRICE Rs. 2,495,460/-	
17) RANKING OF SUCCESSFUL BIDDER IN EVALUATION REPORT (i.e. 1st, 2nd, 3nd EVALUATION BID). M/s. Z. Hasan Enterprises	
M/s. Engineering Expert	
· · · · · · · · · · · · · · · · · · ·	
18) METHOD OF PROCUREMENT USED: - (Tick one)	
	Domestic/ Local
a) SINGLE STAGE - ONE ENVELOPE PROCEDURE	Domestic/ Eocal
b) SINGLE STAGE - TWO ENVELOPE PROCEDURE	
b) SINGLE STAGE - TWO ENVELOPE PROCEDURE TWO STAGE BIDDING PROCEDURE	
e) TWO STAGE BIDDING PROCEDURE	_
	_

2(1)	WHETHER THE PROCUREMENT WAS INCE	LUDED IN ANNUAL PROCUREMENT PLAN?
		Yes 🗸 No
21)	ADVERTISEMENT:	
	i) SPPRA Website (If yes, give date and SPPRA Identifical	Yes SPPRA S. No:22847/2015 (PQ. Notice) SPPRA S.No:24508/2015 (4th June 2015) tion No.)
		No
	ii) News Papers (If yes, give names of newspapers and c	Yes Express Tribune, Daily Express & Ibrat 18th February 2015
		No
22)	NATURE OF CONTRACT	Domesta/ oxid Im.
23)	WHETHER QUALIFICATION CRITERIA WAS INCLUDED IN BIDDING / TENDER DO (H yes. enclose a copy)	DCUMENTS? Yes V No No
24)	WHETHER BID EVALUATION CRITERIA WAS INCLUDED IN BIDDING / TENDER Dt (If yes, enclose a copy)	OCUMENTS? Yes V No
25)	WHETHER APPROVAL OF COMPETENT AU METHOD OTHER THAN OPEN COMPETITI	THORITY WAS OBTAINED FOR USING A VE BIDDING? Yes No V
26)	WAS BID SECURITY OBTAINED FROM AL	L THE BIDDERS? Yes V No
27)	WHETHER THE SUCCESSFUL BID WAS LOBID / BEST EVALUATED BID (in case of Cor	
28)	WHETHER THE SUCCESSFUL BIDDER WA COMPLIANT?	S TECHNICALLY Yes V No
1 (1)	WHETHER NAMES OF THE BIDDERS AND THE TIME OF OPENING OF BIDS?	THEIR QUOTED PRICES WERE READ OUT AT
<u> </u>		165 7 1.50

31) ANY COMPLAINTS RECEIVED (If yes, result thereof)	Yes
(,,,	No No
	L
32) ANY DEVIATION FROM SPECIFICATIONS G. (If yes, give details)	VEN IN THE TENDER NOTICE / DOCUME
(11 yes, give details)	Yes
	No No
33) WAS THE EXTENSION MADE IN RESPONSE	FIME?
(If yes, give reasons)	Yes
:	
	No No
34) DEVIATION FROM QUALIFICATION CRITER (If yes, give detailed reasons.)	[A Yes
(if yes, give detailed reasons)	
	No No
35) WAS IT ASSURED BY THE PROCURING A	GENCY THAT THE SELECTED FIRM IS
BLACK LISTED?	Yes V No
36) WAS A VISIT MADE BY ANY OFFICER/OFF SUPPLIER'S PREMISES IN CONNECTION W BE ASCERTAINED REGARDING FINANCING	TH THE PROCUREMENT? IF SO, DETAIL
(If yes, enclose a copy)	Yes No
37) WERE PROPER SAFEGUARDS PROVIDED	on m ob ili zación ad vance paymen
THE CONTRACT (BANK GUARANTEE ETC.)	Yes V No
38) SPECIAL CONDITIONS, IF ANY (If yes, give Brief Description)	Yes
	No No
39) Date of Award of Contract:	15
Signature & Official Stamp of	
Authorized Officer Lt Col (R) Shahzad	Beag -
A/EVP/Head of Admins	

<u>SPPRA, Block. No.8, Sindh Secretariat No.4-A, Court Road, Karachi</u> Tele: 021-9205356; 021-9205369 & Fax: 021-9206291

Print Save Reset

3/3

26/06/2015

	Bid E	valuation Report			
	Evaluation Report- Renovation etc. Khipro Branch				
. 1	Name of Procuring Agency	Sindn Bank Ltd.			
2	- Tender Reference No.	SNDB COK ADMIN/TD/587/2015			
3	Tender Description	Renovation etc. of Khipro Branch			
4	Method of Procurement	Single Stage One Envelop Bidding Procedure			
5	Tender Published / SPPRA S.No	SPPRA S.No: 22847/2015 (Prequalification Notice) Express Tribune, Daily Express & Daily Ibrat (18th February 2015) SPPRA S.No: 24508/2015 (4th June 2015)			
()	Total Bid Documents Sold	02			
-	Iotal Bids Received	. 02			
8	Technical Financial Bid Opening Date & Time	23 06 2015 at 1830 Hrs			
9	No. Of Isid qualified	02			
10	Bid(s) Rejected				

Detail on the above is as follows:-

S No	Name of Firm or Bioder	Cost offered by the Bid∂er (Area≈1254 sq.ft.)	Ranking in terms of cost	Comparison with Estimated cost (Rs 2,5)3,890)	Reasons for acceptance/ rejection	Remarks
0	1	2	3	4	5	b
1.	M.s. Z. Hasan Enterprises	Rs.2,495,460/-	P Lawest	Rs.18,430/- below the estimated cost	Accepted -1' Lowest -Qualified -Bidder	
] 	M/s. Engineering Experts	Rs.2,570,700/-	2 nd Lowest	Rs.56,810/- above the estimated cost	High in Price	-

Accordingly going by the eligibility criteria offered in the tender document, Serial No.1 stands as only 1st Lowest Qualified Bidder.

Members Signature-Procurement Committee

Lt. Col. (R) Shahzad Begg Head of Administration

Mr. Saeed Jamal Chief Financial Officer

Mr. Syed Muhammad Aqeel Chief Manager, IDBL Karachi

5.1. Ta-1

4

MINUTES OF THE OPENING OF THE TENDER (TECHNICAL/FINANCIAL PHASE)

TYPE OF PROCUREMENT	KOMIN (17) CONSTITUTOR
TENDER NAME	Renovation of Khippo Branci
TYPE OF TENDER Smoke's	V°.
OPENING DATE	23/6/6015
OPENING TIME	15 30 4 oak
. TENDANCE (MEMBER PC)	Head of Administration
~ -	Chief Financia: Office:
	Chief Manager (DS) - Karachi
	MAINE
ATTENDANCE (REPS OF BIDDERS)	HR Common Common
	1 S S E week to a Collection

	· · · · · · · · · · · · · · · · · · ·
TOTAL BIDS ACCEPTED FOR EVALUATION	
TOTAL BIDS REJECTED	
REMARKS	
	PROCREMENT COMMITTEE SIGNATURE
	Head of Administration: (1114
	Chief Finance Officer: 5 / Chief Manager, IDBL:
	1

ENDINE MEMBER & C-ADIAL.

4 FINANCIAL PROPOSAL

PRICE SCHEDULE

To paying the soule word 1 18-11-

un come Engineering Expents

Description	Unit	Rate per sq.ft	*Total Amount
Renovation, Interior, Works & Construction of KHIPRO BRANCH	1254 sq.ft (As per specification mentioned in scope of work)	Py 2050/2	E 2, 570, 400 D

Low Stated emants will be taken as the linear will bet offered by the contractor

Note

- The branch has to be handed over within 45 days of issue oute of award letter. In case of delay, a penalty a 0145% of total contract amount for each day of delay will be imposed.
- 2 The cost must include all taxes, stump daty (as applicable under Stamp Act 1989) duly stamped on the contract auteoment, install atom labor and any other changes.
- 3 No advance payment will be made, bills will only be processed for necessary payment on recept of certificate of satisfaction from the frameh Manager Project Manager
- 4. <u>Calculation of hid security</u> 1" of the "Total Amount will be submitted with the tender decimient as hig security
- 5 In case ters revised at any stage after the completion of work to at the asked specification of the tender have so meet, the amount of that specific item with be fined to the contractor with appropriate notion as deemed increasing by the procurement committee.
- in case of any conservation arising in respect of quality of the atem, the company with he hable to hadress it at the over cost, non-compliance of the same will result into antiation of a case against the company for non-commitment or cancellation of render as will be decided by the Procurencian Committee.
- The persquare from given above by the contractor will be for anside area of the premises. The resection any causalty profitses work its changes will be covered in premises per square from the energies to care ingentional work will be entertained separately.

Signatury & Namp of Bidder

1. Fier 5 KC

4 FINANCIAL PROPOSAL

PRICE SCHEDULE

(Applicable for the year 2015-2016).

Name of Budder & HASHA CAREFELSE S

	Description	Unit	Rate per sq.ft	*Total Amount
•	Renovation, Interior, Works & Construction of KHIPRO	1254 sq.ft (As per specification	1999/	1.209:06.2
1	BRANCH	mentioned in		<u>,</u> L

This *total amount will be taken us the forancial bid offered by the contractor.

Sate

- The branch has to be handed over within 45 days of issue date of award letter. In case of delay, a penalty a 15% of total contract amount, for each day of delay will be imposed.
- 2 The cost must include all taxes, stump duty (as applicable under Stump Act 1989) duty stumped on the contract agreement, installation, labor and any other charges
- 3 No advance payment will be made, bills will only be processed for necessary payment on receipt of certificate of satisfaction from the Branch Manager. Project Manager
- Calculation of bid security 1% of the "Fotal Amount will be submitted with the tender document as bid security
- In case it is revited at any stage after the completion of work that the asked specification of the tender have not been met, the amount of that specific item will be fined to the contractor with appropriate action as deemed increasary by the procurement committee.
- In case of any observation arising in respect of quality of the item, the company will be hable to address it at his own cost, non-compliance of the same will result into initiation of a case against the company for non-commitment or cancellation of tender as will be decided by the Procurement Committee.
- The per square it rate given above by the controctor will be for miside men of the premises. However for any outside premises work, its changes will be covered in premises per square ft, area. No changes for any necessary outside work will be entertained separately.

Signature & Stamp of Bidder

25

3 SCOPE OF WORK

Sindh Bank Limited (SNDB) requires proposal from the Prequalified Contractors (SPPRA S.No. 22847) for Renovation etc. of KHIPRO BRANCH

For establishment of its new Branches, throughout the country and for renovation of Branches / offices. Sindh bank advised to pre-qualified contractors to submit their offer / bid, against tender, with following terms and conditions.

The complete set of tender consist of following,

- 1 Bank's Tender
- 2. Detail of specifications

After thorough visit—of desired premises, the contractor will submit per square feet rate of said work, complete in all respect, as per given tender, lay out plan, specification and make.

However as per actual site condition and market availability, equivalent item can be provided with prior written approval from Bank, failing which the payment of such items will be deducted accordingly from the final bill.

The salient works which are the part of requirement will by as under;

- 1 Complete demolition of existing structure, necessary for establishment of extended area of branch, including brick walls, RCC, floor, etc. and removal of debris.
- 2. New Block masonry / Brick masonry walls for bath, stores, guard post, and other works as per plan.
- 3. Floor tiling, approved design tiles, matching skirting, complete in all respect.
- 4 All internal and external plaster works
- 5. All RCC works for Strong Room and lockers, as per lav out and specifications
- 6 All internal and external paint and polishing works with approved quality paint
- 7. Approved false ceiling with approved hanging system.
- 8. Complete Electrical wiring for light points, power points. Air Conditioning units, ATM, sign Board, with PCL / Fast / AGE / Pioneer copper wires or equivalent of approved size, in approved PVC pipes, Boxes, switches, main lines, three DBs, one for UPS, other for AC and 3rd for lighting & power as per plan, with Change over switch. Two standard earth pits, as per approved specifications and lay out plans, along with all approved light fixture and fittings.
- 9. Technology box for each users with two Flat pins, one round pins, one RJ-45 for Data, one RJ-12. I/O sockets for telephones, cat 6 cables from I/o to patch panel, supply of 24 ports approved 3M or equivalent patch panel, one 15 u Cabinet, termination, necessary line cords and patch cords, with certification, 2 fax machine points for manager & ops Manager, tagging at both ends, complete data and telephone works, in all respect.

- 10. Approved glass partitions for ATM room, Entrance, fixed glazing, with approved aluminium section, gasket, locks, handles, necessary frosting, door closer machines, necessary windows, doors, as per lay out plan.
- 11. Approved design grills for front and sides. Entrance, Exit door, rolling shutters at all external glass doors, fixed glazing, MS approved Exit door, approved vertical blinds on all external glasses, windows ,fixing of vault and lockers doors.
- 12 All elevation works, elevation tiles, steps, Ramps, ATM steps, front landscaping, pavers, granite on steps, complete in all respect, as per lay out drawing & Design Book.
- 13. Approved copper piping for inverter AC, wiring, breakers, drain lines, fixing of outer units, complete in all respect

Special Conditions Khipro Branch

No Special Requirements

	CIVIL & INTERIOR WORKS
S No.	DESCRIPTION
1	The demolition work will executed only after approval from HO
2	REINFORCED CEMENT CONCRETE (If Required) Providing and laying, compacting finishing & curing etc. straight or curved cast- in place designed mix 1:2:4 Reinforced Cement Concrete using 1 Part of Ordinary Portland Cement, 2 Parts of silt free local sand and 4 Parts of 3/4" thick downgraded crushed stone; mixed in a manner to achieve a cube strength of 3000 psi in 28 days, using 3/4" down crush stone & fine sand (free from silt & dust), including mechanical mixing, transporting, hoisting, lifting & placing at any height / depth, vibrating and curing etc. Complete in all respect including cost of Steel Reinforcement (3/8" dia deformed steel bars G-60 @ 6" C/C both ways, staggered double jaal in a manner that the alternate spacing b/w bars should not increase 3" C/C) & form work for Cement Concrete including cutting, bending, laying in position, making joint and fastening, removal of rust from bars, cost of binding wire and labor charges for binding of steel reinforcement: also includes cost of water tight form work and its removal. Complete in all respects, as per direction of Engineer
a) b) c) d) 3	R.C.C. Walls (6" thick) R.C.C. Slab (6" thick) on grade R.C.C. Column Precast Lintels. C.C RAISED FLOORING Provide and lay 1:3:6 concrete in sunken/ raised slabs to require levels washroom, kitchen or elsewhere specified. Mechanically vibrate, consolidate and cure etc. Complete in all respects and conforming to the requirements of drawings, specifications and to the entire satisfaction of the Architect./consultant.

4	MASONRY WORK
a)	Brick Masonry
	Providing and laying Brick masonry with first class solid burnt brick set in (1:4) cement sand mortar in super structure including scaffolding, curing, drilling for wall ties where brick work joins R.C.C columns, walls etc. Complete in all respects as per drawings and specifications to complete satisfaction of the consultant.
	Internal walls 4.5" thick
·	Internal walls 9" thick
	External walls 9" thick
	Block Masonry
b)	Providing and Laying Solid Block Masonry set in Cement Sand Mortar 1:4 at any height including scaffolding curing and finishing etc. with appropriate 4', 6", 9", thickness.
5	PLASTER WORK
	Providing and laying plaster (thickness and Cement ratio as indicate in sub items below) with cement sand (CS) mortar on masonry and concrete surfaces, with G.I. expanded metal mesh at the interfaces / joints of structures of different materials, staging and curing, plaster stopper, corner beads, channels for making grooves and drip course etc., where required and/or as directed by the Architect / Engineer complete in all respect.
i)	; 1/2" thick plaster with 1:4 CS mortar on internal walls/ceiling
ii)	3/4" thick plaster with 1:3 CS mortar on external walls
6	PORCELAIN TILES ON FLOOR & SKIRTING
	Providing and laying glazed full body Porcelain of approved design, colour and pattern Tiles LV 04, Ivory, china, setting in Stile dry bond (with cement), with matching color imported Grout. Complete in all respect, including curing, cleaning, finishing & hacking/chipping of existing surface for bonding where necessary, etc. as per specifications and/or as directed by the Architect / Engineer (at any elevation)
	ş
i)	On Floor : 24" x 24"
ii)	In Skirting: 4" x 24"
. 7	D.C. C.EL CODING
7	P.C.C FLOORING Providing and laying Plain Cement Concrete under floors in required panels (thickness
!	and ratio as indicate in sub items below) including leveling, compacting, curing etc. Including from work if required and its removal, using 1-1/2" downgraded crushed stone as coarse aggregate, approved local sand. Complete in all respects as per specifications and / or as directed by the Architect / Engineer
i)	P.C.C (1:4:8)100mm thick.

P.C.C (1:2:4) 50mm thick, top made rough to receive floor finishes. CERAMIC TILES (TOILETS & KITCHEN) (If Required) Provide and lay Ceramic Tiles (Matt or Glazed) of approved quality, beige / ivory colour Master tile, 9117 base color white with grey pigmentation Salt and pepper style for bathroom flooring and walls (Master Tile 12" x 12" LPF 28-108 for bath walls in light Beige color and Flooring Dark Beige LPF 14-106) for flooring / walls and in slope, if required, with 1:4 cement sand mortar of required thickness to achieve a minimum overall finished floor thickness of 2", setting the tiles with neat cement mortar, grouting the joints 1/4" with matching grout of approved supplier, curing, cleaning, finishing & hacking/chipping of existing surface for bonding where necessary, etc. complete in all respect. Ceramic Matt Tiles 12" x 12" (For Floors). j) Ceramic Glazed Tiles 12" x 12" (On Walls). ii) **FALSE CELING** Gypsum Board (24"X24") a١ Providing & laying gypsum board (Powder Coated) False Ceiling, 24" x 24" Elephant Brand or approved equivalent (with aluminum foil at back) in straight, curved, tiles or multiple profiles, as shown on drawing section, fixed with imported powder coated aluminum, "T" & "L" section with GIG or CKM ceiling suspension system (grooved design, make DFB or equivalent UT/FUT series), having provisions for light and AC grill. Complete in all respect as per drawing and instruction of Architect. SQUARE/RECTANGULAR COLUMNS CLADDING Provide, make Cladding with 1/2" MDF board over partal wood framing horizontal and vertically over column from +2'-6" elevation up to false ceiling level as per drawing. Including all fittings polishing etc., complete in all respects. From 0' - 0" to 2'-6" Porcelain tile Spanish cladding. **INTERNAL PAINT** 12 Provide and apply with Roller, Matt finish water based paint (ICI/Berger or equivalent) minimum three coats of approved shade over a coat of primer to internal plastered surfaces, base preparation consisting of rubbing with sand stone, filling the unevensurface with putty, rubbing with sand paper and preparation of smooth surface perfect in all respects. Complete in all respect as per specifications and/or as directed by the Architect/ Engineer.

13 GLASS DOOR

14

Providing, fabrication & fixing glass door with top & bottom locking system, 4" Aluminum D-48 by Lucky or equivalent Pak Cable section, with 12mm thick Middle East / Saudi Arabia or equivalent clear glass with frost film and Bank's monogram, Approved Ajrak film, with gasket size and shape as shown on drawing, including bolts, nuts, screws aluminum channel, handle, floor machine (New Star Japan or equivalent), locks etc. Complete in all respects as directed by Engineer. Further best quality, magnetic type, electrical operated LOCK, with inside push button for opening of lock, will be installed at main entrance door.

ALUMINUM SECTION & FRONT GLAZING

Provide and install 4" Deluxe section D 48 of LUCKY fixed aluminum glazing for elevation with hinged panels including latches, rollers, rubber gaskets all necessary hard ware and fittings, application of silicone for joints including approved 8 mm thick imported clear glass(KSA OR GHANI or equivalent) glass with complete as per drawing and as directed by the Architect.(Recommended Manufacturer: Pakistan cables, Lucky or equivalent) Complete in all respects (at front)

15 ALUMINUM COMPOSITE PANEL (If Required)

Fabricating, providing and installation of 4 mm Aluminum Composite Panels for Cladding (at any level), make DADEX, ECL, Alpolic or approved equivalent, consisting of heavy duty deluxe anodized frame with 2mm base thickness, including designing, cutting, panel making, scaffolding etc. Complete with substructure, as per drawings provided or as directed by the Architect (B.P 350/- SQ.FT)

16 GLASS PARTITION

Providing and installation 12mm thick glass KSA/UAE or equivalent polished glass with 100mm top & bottom rails, brush finish SS-304, lucky or equivalent Pak Cable section with frosted film surface as per approved design. Contractor is required to provide joints between the panels with minimum 5mm thick clear silicon from Dow corning or other approved by the Engineer. Complete in all respects. (in Manager and IT Rooms).

17 WINDOW BLINDS

Provide and install imported VERTICAL Blinds, in imported synthetic fabric (5" wide) with suspension mechanism, approved shade & colour (Light grey). Complete in all respect.

18 **SECURITY GRILLs**

Wrought Iron Grills for windows, Generator, AC outers,

This security grills will be provided at all external windows, ventilators. Providing and Fixing M.S Security Grills to windows, comprising of 1/2" square bars @ 6" c/c 1"x1-1/2" MS pipe 16 gauge, welding, grinding, finishing, rubbing 3 coat of enamel paint (ICI,NIPPON,BERGER or equivalent) red oxide before paint. Complete in all respects, as per standardized design and /or as shown in drawing., as per approved design, attached herewith. Further proper lockable grills with above specification will also be provided for Generator and all AC out door units.

19 SECURITY ROLLING SHUTTER

Providing and fixing Mild Steel Rolling Security Shutter at front main entrance door, before glass doors, ATM Room's door, outside windows, made of 20 s.w.guage GI sheet, guide channels 10 gauge MS sheet and Roll-up durable mechanism (Spring & MS Bar etc.). with 2.5" Dia box, consisting of steel frame of M.S. channel 2"x1.25"x1" (50x30x3 mm) angle iron 1.5"x1.5"x1" (40x30x3mm)M.S plate 1"x1"xa" (300x300x3 mm) G.I. pipe 1.5" (37mm) Ø, springs 2'(600mm) c/c. Rollers 24 S.W.G G.I. Covering 1'x1' (300x300 mm) with S. Steel sheet 18 S.W.G, handles, holdfast, etc. center of the roller sheet to be in chicken foldable type window / mesh (6" X 12" can be covered with sliding panel, from insife) for looking outside, vertical removable channel. Complete with sliding bolts handles including 3 coats of enamel paint (ICI or equivalent or equivalent) including base coat of anti-rust primer, Complete in all respects, including all types of hardware etc. as per satisfaction of the consultant and engineer incharge. as per attached lay out.

! !	
20	SECURITY DOORS
i)	Security Grill Door
!	Providing and fixing the MS enamel painted security grill door panel of 3/4" MS square
	solid bars @ 4" c/c both ways welded with 1-1/2"x3/16" MS flat Frame and covered with
:	MS Sheet 14 gauge, with all locks, including all necessary fittings. Complete in all respect.
21	GRANITE (BLACK GRANITE)
	Provide and taying 3/4" thick factory polished granite door/window Sills, Thresholds and Borders, Steps for internal stair case, main entrance steps, ATM entrance, plinth protection, thresholds, straight and curve as per site requirement, single piece, as directed by client, fixed 1:2 cement and mortar, color chemical grout including final rubbing finishing and polishing bull nosing carborandum grove where required etc. complete with all respect.
22	
	ROOF TREATMENT: Provision of Roof Screeding, minimum width of 2", for maintaining slope using 6mm crush chips of ratio 1:2:4 at roof including curing and fixing of Drain Pipe wherever required, complete in all respect., only where necessary.
23	WATER PROOFING: Provision of Roof treatment to be provided as per specifications and site condition in order to stop seepage of water wherever required, ONLY WHERE NECESSARY.
. 24	INTERLOCK PAVERS
	Providing & laying 60mm thick interlock pavers of approved design and shape natural colors, having strength b/w 7000 psi to 8500 psi i/c filling the joints with sand, for parking area laid over 3" thick layer (compacted) of approved course sand with leveling & dressing. Complete in all respects or as directed by the Engineer.(make Tuff/Envicrete/HUBCERETE or equivalent). This pavers will be installed up to 12 feet width, from the edge of Branch.
25	EXTERNAL PAINT

Provide and apply with Roller Matt Enamel paint WEATHER SHEILD (ICI/Berger or equivalent) minimum three coats of approved shade over a coat of primer to internal plastered surfaces, base preparation, primer, smooth filling etc. complete in all respect as shown on the drawings specifications and/or as directed by the Architect/ Engineer.

26 Front Elevation


The front elevation of the Branch will consist of proper CC steps, fixed on it approved granite. The portion other than window and door will consist of Bank's approved AJRAK tiles, aluminum composite panel, approved elevation ceramic tiles, as directed by the Bank's Engineer, plan. and other approved face tiles, with approved pattern.

DESCRIPTION

S.No.

A. INTERNAL WIRING

- Supply, installation and commissioning of Light Circuit wiring, from MCB in DB to Switch Board to be wired with 3x2.5mm sq. (P+N+PE) PVC insulated 300/500 V grade wire, manufactured by M/s. Pakistan Cables Ltd., AGE, Pioneer or FAST or equivalent, pioneered as specified in Annexure A, in and including cost of 1" dia. heavy duty PVC conduit make Popular, Beta, installed on roof slab, above false ceiling, or concealed in walls, or as required as per site conditions, all PVC conduit accessories, pull boxes, steel pull wires, Complete in all respects. Each circuit shall have independent CPC.Maximum wiring of 2 light circuits can be pulled through 1" dia. PVC conduit. Note:- Supply Certificate issued by Company will be attached with bills
 - Providing, Installation, testing and commissioning of Wiring of One light point controlled by one switch and wired with 3x1.5 mm sq. PVC insulated wires 300/500 V grade, in and including cost of 3/4" dia. heavy duty PVC conduit recessed in wall, columns slabs or above light carrier all PVC conduit accessories, 3" high PVC junction boxes, pull boxes, steel pull wires, PVC flexible conduit from ceiling junction box to light fixture with brass chuck nut including cost of 3x1.5mm sq from Ceiling Junction Box to Light Fixture, M.S. sheet steel switch box 16 SWG with earth terminal and 2 coats of enameled paint, M.S. box shall be of the same size as that of 1, 2 or 3 gang flush type plate switches, including cost of gang type light switches 10 amps.



Providing installing & wiring for Split A/C's unit from distribution board to respective 1-3 pin 16
Amps switch socket, for outer unit or indoor unit, as the case may be, wired with approved brand 2x6mm² + 1x4mm² 1 core CU/PVC cable in 25mm dia PVC conduit make Beta, Popular, recessed in wall/floor, above false ceiling or as required as per site conditions, all PVC conduit make Beta accessories, pull boxes, steel pull wires etc. Complete will all conduit & wiring accessories including 16 Amps, 3 pin combined switch socket make Clipsal (Austria), MK(UK), Legrand (France) or approved equivalent. Wiring shall be done directly from the MCB installed in the respective DB without any claim of circuit, complete with suitable size 1.5mm thick sheet steel back box recessed in wall. Complete with all accessories including termination.

TECHNOLOGY BOXES

Providing, Installation, wiring from respective breaker in respective DB, of CLIPSAL make Floor / wall Technology Box with cover, 1.5mm thick sheet, steel fabricated floor mounted water tight weather proof, fitted with two 13 Amps , UPS power flate pins and one 13Amps raw power round pin sockets, one dual face plate with RJ-45 out let for Data point and one RJ-12 I/o sock . for telephone , with power socket wired with approved 2.5 mm wires with earth wire of same size, from respective UPS and or normal DBs, data point and telephone points with cat-6e clipsal /3M wire or equivalent and Outlets. Complete in all respects including floor / wall cutting. Tlude termination of electrical wires at sockets, and DB, Data wires at I/O of face plate and at patch panel on other end, with telephone points at RJ-12 I/O at Box and 50 pairs Tag Block with MS box, at other end with complete termination, testing and submission of test report and 20 years termination warranty.. This work also inside proper tagging / numbering at both ends of all Data and telephone cables.

TOTAL

B. FITTING & FIXTURES


- Providing, Installation, testing & commissioning of light fixtures & other accessories, complete with all accessories such as, Chain, Rod, Screw, foundation for garden light etc. Complete in all respect with chokes (ballast), lamp holders, starters, power factor correction capacitor, tube rods internal wiring, earthing terminal.
- i) Philips Down light FBH with 2X 9 W, Philips LED Lamp or equivalent
- ii) Mirror Light Fixture Philips GMP-118-84 or Equivalent
- iii) : Recessed Ceiling Down light fixture (6" dia) circular shape equivalent to Philips Model Lunar with Optogan Emotion Series LED lamp or equivalent installed vertically and aluminum reflector as approved by architect./Engineer.
- Supply, installation and commissioning of Exhaust / Bracket Fans of following sizes, plastic body, louvers, all necessary fixing accessories, make Asia, Climax, National or as manufactured by any one of the manufacturers as mentioned in Annexure-"A". Complete in all respects.

i) 	Exhaust Fan 12" dia
ii)	Wall Bracket Fan 24" dia
11.00	MAIN SWITCHES AND DBs
	All concield with 16 SWG MS powdered coated box for DBs and 18 SWG MS sheet box for outside 100 Amps, TP breaker, with door, hinges, lock, Amps meter, Volt meters, selector switches, LED indicating lamps, earth strips with 10 holes, neutral strips with 12 holes, backed powdered coating, water proof gasket, The work include all internal wiring with / 99.995 copper busbars, proper sized above mentioned approved PVC wires, at all DBs from TP breakers / Switches with standard copper termination of each breakers at all phases., wiring for volts /Amps meters, selectors, indicators etc, thus complete DB in all respect with DB body earthing with earth wire All breakers in all BBs will be Japanese Brand, Terasaki, Clipsal; MG, Schneider, Legrand or equivalent
11.10	Out Side Breaker / Switch
	One 100 Amps TP, approved Brand main breaker will be installed outside for KESC / WAPDA, incoming power supply, including connection to breaker, outgoing three phase four wires approved brand 25mm2 PVC cable from breaker to inside main DB breaker, with earthing of its above referred MS box.
	MAIN DB, Raw power, AC and power sockets
11.2	Main DB will be above referred specification but will have one 100 Amps Main Braker, one 60 Amps TP breaker for generator DB, through ATS / Change over, with 16 mm2 TP wires. One SF 30Amps breakers will be for UPS and UPS DB. Beside above six 30 Amps and 6, 20 Amps breakers will be provided for ACs, and other power sockets. This also include power to Emergency DB with 25mm2 wires. AC breakers portion will be lockable.
	Carrent DR
12	Emergency Power DB This DB will also have all above referred specifications but with one 60 Amps TP incoming breaker and three 30 Amps, three 20 Amps and 9, 15 Amps SP breakers for Acs, light and one two pol 30 Amps breaker for . UPS. Also 16 Amps SP line with earth from ups breaker to UPS through 3 Apms clipsal or equivalent industrial sockets set, and from UPS to main incoming breaker of UPS DB. Further incoming supply to this Emergency DB will come from main DB and to change over switch and after it to from changeover to Emergency DB, with 16mm2 TP approved wires
	UPS DB
	This DB will also be same specification but consist of one SP, two pole incoming breaker and 0 10 Amps and 3, 15 Amps breakers and one two pole 15 Amps breaker for ATM. With 3x4mr

Telephone system Providing & wiring of each Telephone socket outlet in preinstalled outlet technology boxes, wired with 4 Pair Cat-6 (UTP)Cable, make 3M / PANDUIT USA / clipsal or equivalent in 25mm dia PVC conduit recessed in slabs, floors, walls, columns or on slab above false ceiling or as required as per site conditions,, complete with all conduit & wiring accessories including RJ-12 10s & Face Plates. Complete in all respect with suitable size 1.5mm thick sheet steel back box recessed in wall for other than technology box. Providing & fixing 30 Pairs Telephone Tag Block (MDF) enclosed in 1.5mm thick sheet steel box with all fixing accessories. 14 Networking / Computer data cabling Providing, laying & testing of Data Cable 4 Pair Cat -6 e, , make 3M / PANDUIT USA/ Clipsal or equivalent in 25 mm dia PVC conduit including Data Outlet (3M make) Face plate (2port) w/o shutter RJ-45 (Panduit USA)K6 Jack fixed, on 1.5 mm thick steel back box complete in all respect and as per darwing, and providing of Fluke Test Report & 3M's 20 Years Certificate (Complete as per Client's requirement) Supply of machine made 3M or equivalent Cat-6 Patch Cable (1m) with both end connectors Supply of machine made 3M or equivalent Cat-6 Drop Cable (3m) with both end connectors Providing of 9U, standard Data Cabinet. With 24 ports 3M or equivalent patch panel, Earthing Providing, installation, commissioning and testing of two earthing pits (40 to 50 ft deep or upto water level), back filling, ramming etc. complete with earth electrode 25mm dia and 1.5 meter long, as indicated in specification and drawings. Complete with cable clamps 38mm dia G.l. pipe and all accessories as per drawings. Each earth pit is to be provided with a concrete manhole 300 x 300 x 450(mm) deep with 225mm thick wall including cernent mortar, internal plaster 1:4, with heavy duty C.I. cover including test clamp. Complete in all respect. Earthing bores shall be made at 6 to 8 feet away from foundation and distance between earth pits shall not be less than 10 feet.. Further connection of earth pit to Generator neutral point and all DBs with proper earth wire. In case where earth bore is not possible, due to hilly area, copper plate earth, having size 2'X2'X1/4", with two 10 SWG 25mm copper wires, tight on plates with brass nut / bolt, plate burried in 6 to 8 feet deep in earth, will be provided.

:	
!	
AIRCON	DITIONING / HVAC WORKS :
5.No	DESCRIPTION
16	Installation of Bank's supplied Split Air Conditioners (SAC) including USA or equivalent copper piping—with installation & testing complete in all respects; including control wiring from outdoor unit to indoor with 2 x 1.5 mm.sq. + 1 x 1.5 mm.sq wire drawn in PVC 'D' class conduit clipped to wall or ceiling (wiring make Pakistan Cable, AGE or Pioneer or equivalent). The return and supply copper tubing to be sized as per manufacturer's recommendation and to be drawn in separate Aeroflex or equivalent insulators.
i	Provide & fix UPVC pipe, Beta or popular, for AC drain system, (medium) conforming to BSS 1307 of 1957, along with GI fittings such as tees, elbows, unions, reducers, sockets, teflon tape for jointing, hangers, supports, sleeves, including testing and commissioning and insulation with Aeroflex or equivalent insulation.
	i. 1-1/4" dia
	ii. 3/4" dia
	LOW VOLTAGE EQUIPMENT'S WIRING
 	
	Contractor will provide following wiring, strictly in accordance with equipment requirement, with standard wires and best practice of wiring.
	1, Providing of CCTV Cameras wiring, with manufacturer approved Cameras wire, power points, , in suitable PVC pipe, with placement of owner supplied DVR / NVR at proper place, as per approved Camera location lay out plan . For cameras RJ-6 cable and for power supply, 2x1.5 mm wires will be used.
	2, Providing of wiring for Fire Alarm system control panel, detectors, bell, MCP, strictly in accordance with manufacturer requirement and lay out plan, complete in all respect.
ļ	3, Providing of wiring for access control system as per system requirement.

· · · · · · · · · · · · · · · · · · ·		Renovation of Khipro Branch	ro Branch	
S.NO	COMPANY NAME	AMOUNT	PO NO	BANK NAME
ν -	Z.Hasan Enterprises	300	271190	Sindh Bank
2	Engineering Expert	300	1710767	Faysal Bank
	Total		-/009	



Cit 10 William (CCCC)

Make allows a global Make more

CONTRACT AGREEMENT

THIS AGREEMENT is entered into at Karachi On this the 6th day of 400, 001, 2015

BETWEEN

M/S.Z.Hassan Enterprises, a sole proprietorship, having its principal place of business at B-10, Block 20 F.B.Area Karachi. (hereinafter referred to as "Contractor", which expression shall be deemed to mean and include its successors-in-interest and assigns) of the First Part;

AND

SINDH BANK LIMITED, a banking company incorporated under the laws of Pakistan and having its Head office at 3rd Floor, Federation House, Abdullah Shah Ghazi Road, Clifton, Karachi-75600, Pakistan. (Hereinafter referred to as "THE BANK", which expression shall be deemed to mean and include its successors-in-interest and assigns) of the Second Part.

WHEREAS:

"THE BANK" intends to acquire the services of "Contractor" for Renovation, Interior and Electrical Work, for its Khipro Branch and Contractor agrees to provide the following services to the bank, as per the tender opened on 23-06-2015.

i. Renovation, Interior and Electrical work as per detailed BOQ submitted to the Bank.
Total Price as per Financial / Technical Proposal
Submitted by M/s.Z.Hassan Enterprise: Rs.2,495,460/-

The terms and conditions are as follows:

Terms & Conditions:

Payment Schedule:

- a) No advance payment will be made.
- b) First interim Payment will be made on receiving original invoice from the contractor and confirmation of 30% completion of work by respective Area / Regional Manager of the bank.
- c) Second interim payment will be made on receiving original invoice from the contractor and confirmation of 60% completion of work by respective Area / Regional Manager of the bank.
- d) Final payment will be released to contractor on receipt of final invoice from the contractor and as per actual measurements by the Bank Engineer during physical inspection of the completed project.
- e) 02% of the total tender amount will be retained by the Bank as "Performance security" in shape of pay order and the same will be released after 90 days of handing over of the project alongwith receipt of satisfactory letter from the concerned branch.

Period of Contract:

- Date of Handing over site

- Branch Completion date:

6/8/15



Commencement of Work:

- The job will be commenced from the date of acceptance of Award/Letter by the Contractor.

Penalty:

- The completion period of the awarded work will be 45 days from the date of handing over the site.
- In case of delay in completion, a penalty @ 0.15% of total contract amount, for each day of delay will be imposed.
- The rates quoted by the Contractor will include all works, necessary for establishment of Bank Branch, complete in all respect strictly in accordance with our specifications given in design book. In case of any deviation in design/ specification, without written permission of Bank's Engineer, the payment of such item will not be paid and the contractor will be liable to replace the objected item as per the design book at his own cost.

Notice:

- Any notice, request or consent required or permitted to be given or made pursuant to this agreement shall be in writing. Any such notice, request or consent shall be deemed to have been given or made when delivered in person to an authorized representative of the Party to whom the communication is addressed, or when sent to such Party at the given address.
- A party may change its address for notice by giving a notice to the other Party in writing of such change.

Authorized Representative:

Any action required or permitted to be taken, and any document required or permitted to be executed under this agreement by the Bank or the Contractor may be taken or executed by the officials.

Taxes and Duties:

The Contractor and its Personnel shall pay such direct or indirect taxes, duties, fees, and other impositions levied under the Applicable Law, the amount of which is deemed to have been included in the Contract Price.

Termination of Agreement by the Bank:

- If the performance of the Contractor is not satisfactory this agreement can be terminated by the Bank upon giving a 30 days' advance notice in writing to the Contractor. In such event the

- If the Bank, in its sole discretion and for any reason whatsoever, decided to terminate this Agreement.
- If (2) two warning letters/emails are issued for unsatisfactory current performance by the bank to the bank

Termination of Agreement by the Contractor:

- The Contractor may terminate this Agreement, by not less than (30) days' written notice to the Bank, if the Bank fails to pay any money due to the Contractor pursuant to this Agreement without Contractors fault.
- If, as the result of Force Majeure, the Contractor is unable to perform a material portion of the Services for a period of not less than sixty (60) days.

Force Majeure:

- The failure on the part of the parties to perform their obligation under the agreement will not be considered as default if such failure is the result of natural calamities, disasters and eircumstances beyond the control of the parties.

Extension of Time:

- Any period within which Party shall, pursuant to this agreement, complete any action or task, shall be extended for a period equal to the time during which such Party was unable to perform such action as a result of Force Majeure.

Good Faith:

- The Parties undertake to act in good faith with respect to each other's rights under this agreement and to adopt all reasonable measures to ensure the realization of the objectives of this agreement.

Settlement of Disputes:

- The Parties agree that the avoidance or early resolution of disputes is crucial for a smooth execution of the Agreement and the success of the assignment. The Parties shall use their best efforts to settle amicably all disputes arising out of or in connection with the Agreement or its interpretation.
- If Parties fail to amicably settle any dispute arising out of or in connection with the Agreement within (10) days of commencement of such informal negotiations, the dispute shall be referred to arbitration of two arbitrators, one to be appointed by each party, in accordance with the Arbitration Act, 1940. Venue of arbitration shall be Karachi, Pakistan and proceedings of arbitration shall be conducted in English.

Obligation of the Contractor:

The Contractor shall perform the Services and carry out their obligations hereunder with all due diligence, efficiency and economy, in accordance with generally accepted professional standards and practices, and shall observe sound management practices, and employ appropriate technology and safe and effective equipment, machinery, materials and methods. The Contractor shall always act, in respect of any matter relating to this Agreement or to the Services, as faithful advisors to the Bank, and shall at all times support and safeguard the Bank legitimate interests in any dealing with Sub-Suppliers or third Parties.

Conflict of Interest:

The Contractor shall hold the Bank's interests paramount, without any consideration for future work, and strictly avoid conflict with other assignments or their own corporate interests.

Confidentiality:

- Except with the prior written consent of the Bank, the Contractor and the Personnel shall not at any time communicate to any person or emity and confidential information acquired in the course of the Services, nor shall the Contractor and the Personnel make public the recommendations formulated in the course of, or as a result of, the Services.

Conflict of Interest:


- The Contractor shall hold the Bank's interests paramount, without any consideration for future work, and strictly avoid conflict with other assignments or their own corporate interests.

Confidentiality:

Name

- Except with the prior written consent of the Bank, the Contractor and the Personnel shall not at any time communicate to any person or entity and confidential information acquired in the course of the Services, nor shall the Contractor and the Personnel make public the recommendations formulated in the course of, or as a result of, the Services.

In witnesses hereunder both the parties hav first mentioned.	e set their hands on the day and year above
Supplier Signature	Witness:
Name Au	Signature
Designation PROPLETSRSHIP	Name SyED Mahman Majfol
Company Name Z. HUSAN ENTERPA	19 signation STE Supervisor
Address 5, 0-6, BLK-2-	Address Stre & Sice
F. O AREA KARACHI	
Stamp	
EMESSAN EMTERPRISES	
Customer Signature	Signature HUMMAN
Name Lt. Col. (R) Shahzad Begg	Name Mr Akhtar Ali Khan
Designation Head of Administration	Designation <u>Executive Vice President</u>
Company Name Sindh Bank Limited	Company Name Sindh Bank Limited
Address Federation House, Sindh Bank Edd. Head Office, Karachi	Address Federation House, Sindh Bank Ltd. Head Office Karachi
Stamp Cochi	



M. ILYAS STAMP VENDOR
Lic No.112, Lizquatabad, Karachi.

27 JUL 2015

DATE: 3 101835

M/S. Z.Hassan Enterprises, B-10 Block-20 F.B.Area Karachi Dated: 6 (8 (1)

Letter of Award

Renovation, Interior Work, Construction and Electrical Work at Sindle Bank Limited "Khipro Branch".

Dear Sir.

This is with reference of your Tender dated 23-06-2015 pertaining to captioned work. We are pleased to inform you that based on your quotation the above work has been assigned to you on contract price basis, on item wise rates, with a total of Rs. 2,495,460/-

Other terms & conditions would be as follows:

1. Description of Work:


- a) Civil/Interior work covering total area of 1254sq.ft. as per the detailed drawing submitted to the bank.
- b) Electrical Works

Any change / alteration in the original plan, if required, due to site hindrance or any other reason shall be made after written approval of the bank. Electricity & water for construction activities will be provided free of charge to the contractor, by the bank.

- d) Final payment will be released to contractor on receipt of final invoice from the contractor and as per actual measurement by the Bank Engineer during physical inspection of the completed project.
- e) 02% of the total tender amount will be retained by Sindh Bank as "Performance Security" in shape of pay order or bank guarantee and the same will be returned after 90 days of handing over of the project.

3. Completion of Period:

- a) Date of Handing over site.
- b) Branch Completion date



4. Commencement of Work:

The job will be commenced immediately from the date of acceptance of this Award/Letter.

Please sign & affix your company's stamp and return the same to us as a token of your acceptance immediately.

With Regards,

Zulqarmaih Memon? Project Engineer Agreed & Accepted For & on behalf of



Dated: // 2_______

TO	Mr., Ayub Ali Khan, Deputy Director, SPPRA
FROM	ADMINISTRATION DIVISION, SINDH BANK LTD

SUB: SUBMISSION – Rule 50 COMPLIANCE	.~	`
TENDATION CIC	Silippen Invall Colony))

Dear Sir,

Enclosed please find following documents & CD for submission to SPPRA for Rule 50 Compliance.

S.No	Documents Attached	SPPRA S.No
01	Contract Evaluation Report	
	2. Agreement	
	3. Letter of Award	245.52
	4. Scope of work/Requirement	
	5. Financial Proposal	
! !	6. Minutes of the Tender	
1		

Kindly confirm once it is get hoisted on your respective websites and subsequently please release their respective IDs for completion of tender process.

Regards,

Farhan A Siddiqui

AIP- Administration Division

SINDH PUBLIC PROCUREMENT REGULATORY AUTHORITY

CONTRACT EVALUATION FORM

TO BE FILLED IN BY ALL PROCURING AGENCIES FOR PUBLIC CONTRACTS OF WORKS, SERVICES & GOODS

r s	NIANGE OF THE ODO AND A TRONG (INCOTE)	SINDH BANK LIMITED/ADMINISTRATION
1)	NAME OF THE ORGANIZATION / DEPTT. PROVINCIAL / LOCAL GOVT./ OTHER	SCHEDULED BANK
2)		Renovation of Shirin Jinnah Colony Branch
3)	TITLE OF CONTRACT	SNDB/COK/ADMIN/TD/586/2015
4)	TENDER NUMBER	Same as Above
5)	BRIEF DESCRIPTION OF CONTRACT	
6)	FORUM THAT APPROVED THE SCHEME	Competent Authority
7)	TENDER ESTIMATED VALUE	
8)	ENGINEER'S ESTIMATE (For civil works only)	Rs. 2,549,390/-
9)	ESTIMATED COMPLETION PERIOD (AS P	ER CONTRACT) 45 Days
10)	TENDER OPENED ON (DATE & TIME)	23/06/2015 At 1545 Hours
11)	NUMBER OF TENDER SOCUMENTS SOLI (Attach list of buyers)	02
12)	NUMBER OF BIDS RECEIVED	<u>02</u>
13)	NUMBER OF BIDDERS PRESENT AT THE	TIME O F OPENING OF BIDS 02
14)	BID EVALUATION REPORT (Enclose a copy)	14/07/2015 Attached 14/07/2015 Attached
151	NIAME AND ADDRESS OF THE SHAPEST	M/s. 2. Hasan Enterprises, B-20 UL BIDDER Block - 20, FB Area, Kanchi
13)	NAME AND ADDRESS OF THE SUCCESSE	(II, BHODER)
<u> 16)</u>	CONTRACT AWARD PRICE	Rs. 2,470,000/-
17)	RANKING OF SUCCESSFUL BIDDER IN EV (i.e. 1 st , 2 nd , 3 rd EVALUATION BID).	VALUATION REPORT M/s, Z. Hasan Enterpris es
	(i.e. 1 , 2 , 3 EVALUATION BID).	M/s, Engineering Expert
		1867 1867 1867
18)	METHOD OF PROCUREMENT USED : - (Ti	ek one)
	a) SINGLE STAGE - ONE ENVELOPE	PROCEDURE Domestic/ Local
	b) SINGLE STAGE – TWO ENVELOPE	E PROCEDURE
	e) TWO STAGE BIDDING PROCEDUR	RE
	d) TWO STAGE - TWO ENVELOPE B	HDDING PROCEDURE
	a) I wo sixon - I wo invention to i	TOTAL CONTROL
	PLEASE SPECIFY IF ANY OTHER EMERGENCY, DIRECT CONTRACTIN	METHOD OF PROCUREMENT WAS ADOPTED i.e. G ETC. WITH BRIEF REASONS:

(0) \	WHETHER THE PROCUREMENT WAS INCLUDED	IN ANNUAL PROCUREMENT PLAN?
		Yes 🗸 No
?1) z	ADVERTISEMENT:	
i	 i) SPPRA Website (If yes, give date and SPPRA Identification No. 	Yes SPPRA S. No:22847/2015 (PQ. Notice) SPPRA S.No:24508/2015 (4th June 2015)
	(1) 500 gara gara gara gara gara gara gara ga	No
i	ii) News Papers (If yes, give names of newspapers and dates)	Ycs Express Tr bune, Daily Express & Ibrat 18th February 2015
		No
2) 1	NATURE OF CONTRACT	Domestic/ Int. Int.
١.	WHETHER QUALIFICATION CRITERIA WAS INCLUDED IN BIDDING / TENDER DOCUME (If yes, enclose a copy)	NTS? Yes V No
ĺ	WHETHER BID EVALUATION CRITERIA WAS INCLUDED IN BIDDING / TENDER DOCUME (If yes, enclose a copy)	NTS? Yes V No
	WHETHER APPROVAL OF COMPETENT AUTHOR METHOD OTHER THAN OPEN COMPETITIVE BID	A CONTRACT OF THE PROPERTY OF
26) \	WAS BID SECURITY OBTAINED FROM ALL THE	BIDDERS? Yes V No
	WHETHER THE SUCCESSFUL BID WAS LOWEST BID / BEST EVALUATED BID (in case of Consultanci	
,	WHETHER THE SUCCESSFUL BIDDER WAS TECT COMPLIANT?	INICALLY Yes / No
	WHETHER NAMES OF THE BIDDERS AND THEIR THE TIME OF OPENING OF BIDS?	R QUOTED PRICES WERE READ OUT AT Yes No No No No No No No No No N
	WHETHER EVALUATION REPORT GIVEN TO	D BIDDERS BEFORE THE AWARD OF

	FOR OFFICE USE ONLY A/EVP/Head of Administration SINDH BANK LTD. SINDH BANK LTD.
	Signature & Official Stamp of Authorized Officer
oN	39) Date of Award of Contract: 6 8 15
	38) SPECIAL COUDITIONS, IF ANY
LION ADVANCE PAYMENT IN	HE COZERVCT (BANK GUARANTEE ETC.)? 37) WERE PROPER SAFEGUARDS PROVIDED ON MOBILIZA
ÉBREMENTS IL 80° DELVIES LO	(H) ost guojoso u cobi) BE VSCERLVINED RECVIRDINC EINVNCINC OE AIRIL TE V SCEBETIER, 2 BREWIERS IN CONNECLION MILH LIHE BROCE 30) MVS V AIRIL WVDE BA VNA OFFICER/OFFICIVI OF THE
LHE SELECTED FIRM IS NOT	BEVCK FISHEDS 32) MVS IL VSSEIKED BA LHE BROCKKING VGENCA HIVL
	34) DEVIATION FROM QUALIFICATION CRITERIA (H) ves. give detailed reasons.) (Yes.
ON	o _N
	(ILYCS: give reasons) 33) WAS THE EXTENSION MADE IN RESPONSE TIME?
oN	on
ENDER NOLICE / DOCUMENTS	(ILycs: fire details) 32) ANY DEVIATION FROM SPECIFICATIONS GIVEN IN THE TI
ON	o_N

1679076-170 :xv4 & 6988076-170 :9888076-170 :01-1

 \mathcal{E}/\mathcal{E}

THOMS

50/08/5012

•	Bid(s) Referred	01
20	So. Of Bid qualified	6
AH 8481 m 8102 ou 85	bioman'd biomaiol journature & junt of parties of parti	8
70 1	poviocost spist feiol .	,
70	blog singmano d bitt letol	()
SPRAAS.Zus 22847/2015 (Prequalification Motice) Express Tribung, Daily Express & Daily Ibras (18% Pebruary, 2015) SPPRA S.Zus 24508/2015 (4% June 2015)	oz A MAPA - boileifduf robnof -	Ş
smbasory gribbitt quiavid anO aginz alginz	Мейьоб от Руосителя	†
Renovation etc. of Shirin Linnah Colony Branch	Tender Description	٤
SZDB COR YDWIN 1D/886 5015	Tender Reference No	Ţ
.b.t.l. AmsB. dbni2	Zame of Procuring Agency	Ī
nion etc. Shirin Jinnah Colony Branch	Evaluation Report- Renova	
Frogsk noiteule	VI DISI	

тонов в:	सर स्	asoqe	១ជា	un	limod
----------	-------	-------	-----	----	-------

-	णं तडुम्स २०१३म -	-/011,58,231 off 920da 1809 bylamiles	Isawo T ruZ	~008,2£8,5µ0	,ed& gairoonigad etroqxd	٦.
-	batqaaaA 121 hamaar battilanQ rabbitt	R2.79,3904 below the R5.79,3904	, Вомит _и ј	-/000*04 † *7*\$¥I	24.8. A. Hasan Enterprises	1
9	<u> </u>	t	ε	t	·	0
уүлтагу	นกมูวอ[อม /อวนทุปอวกๆ Jof sunsnay	Comparison with Estimated cost	1505 fo (1415) ii Buyuny jso5	yd hsrolfo ivo) nobid sili nos[=psrk] (al.pv	10 sunX 10 ta1[4 10 ta1] 1	0X S

stands as only 1st Lowest Qualified Bidder. Accordingly going by the eligibility criteria offered in the tender document. Serial No.1

Members Signature- Procurement Committee

Chief Financial Officer Ismal based aM

noitestainimbA to beaH Lt. Col. (R) Shahzad Begg

Chief Manager, IDBL Karachi Mr. Syed Muhammad Ageel

MINUTES OF THE OPENING OF THE TENDER (TECHNICAL/FINANCIAL PHASE)

TYPE OF PROCUREMENT TENDER NAME	Renovation of Shirth Tinnah Golony
V	DE-ONE ENVELORE - SMOLE STAGE-TWO ENVELOPE - TWO STAGE (TWO STAGE-TWO ENVELTPE
TTENDANCE (MEMBER PC)	Head of Administration Chief Financia: Officer Chief Manager (98c., Kerach)
ATTENDANCE (REPS. OF BIDDERS)	Loca North Control
TOTAL BIDS ACCEPTED FOR EVALUATION TOTAL BIDS REJECTED	
REMARKS	PROCREMENT COMMITTEE SIGNATURE
	Head of Administration: Chief Finance Officer: Chief Manager, 1DB1.:

Smith Paris Law & L

FINANCIAL PROPOSAL PRICE SCHEDULE

Engurering Exports

Descri	•	Unit	Rate per sq.ft	*Total Amount
Renovation, Inc. Construction of BRANCH	Charles Washing There a	1300 sq.ft TAs per specification that tomed in secretary with with	•	132,62,500 p.

There yellow where the second of the horse of the contract of the second

- The branen has to be handed over within 45 dias of issue date of around teles of coses of delay aspectation, or so of retail commet majority, for each day of delice will be much ex-l
- The cost most are adeally taxes, strong day has applicable under School Act (1996) and schools of the country apreciment, instantingon, labor and any other or ages
- So advance was to at wife be made, bills will only be processed for the essats possible to in technique to the contact of substaction from the Branch Manager Propositionals of
- Calculation of bid security. Poset to a feet. Amount will be shown a wife Control of a control of as and a control of the
- in the context at any stage after the competence for the families of a greater components and many and be a must the amount of that specific item with be fixed to the contractor with appropriate action as decired becomes to use progonement committee
- In case of any of servation arising in respect of quality of the firm, the company will be hable to and the contrast own cost, near-compliance of the same will result into initiation of a case against the company for noiss, and these t or cancellianous of tender as will be decided by the Processes icin Committee
- The persupant that the entertables by the contract and the formation except the areans as flowered to the outside premises work, its changes will be covered in premises per square floried. So a suges for any more large estisate work will be entertained separately

	STGNATURE MEMETING TO THE
	Gest Findly 516 June
FINANCIAL PROPOSAŁ	11889 - ACIO 11 114
PRICE SCHEDULE	o Member-10st
(Applicable for the year 2015-20	
	1/35 the same and

Name of Bulder L. HASAN ENTER PRISTS

Description	Unit	Rate per sq.ft	i *Total Amount
Renovation, Interior, Works & Construction of A	1300 sq.ft (As per specification mentioned in scope of work)	1900/	247000ch

This *total amount will be taken as the financial bid offered by the contractor.

Note

- The branch has to be handed over within 45 days of issue date of award letter. In case of delay, a penalty $|\vec{a}| = 0.15\%$ of total contract amount, for each day of delay will be imposed
- The cost must include all taxes, stamp duty (as applicable under Stamp Act 1989) duly stamped on the contract agreement, installation, labor and any other charges
- 3. No advance payment will be made, bills will only be processed for necessary payment on receipt of certificate of satisfaction from the Branch Manager/Project Manager
- 4 Calculation of bid security. 1% of the *Total Amount will be submitted with the tender document as bid security
- 5. In case it is reviled at any stage after the completion of work that the asked specification of the tender have not been met, the amount of that specific item will be fined to the contractor with appropriate action as deemed increasary by the procurement committee.
- In case of any observation arising in respect of quality of the item, the company will be liable to address it at his own cost, non-compliance of the same will result into initiation of a case against the company for non-commitment or cancellation of tender as will be decided by the Procurement Committee.
- The per square ft rate given above by the contractor will be for inside area of the premises. However for any outside premises work, its changes will be govered in premises per square ft, area. No charges for any necessary outside work will be entertained separately

Signature & Stamp of Bidder _____

3 SCOPE OF WORK

Sindh Bank Limited (SNDB) requires proposal from the Prequalified Contractors (SPPRA S.No. 22847) for Renovation etc. at extendable are of Shirin Jinnah Colony Branch.

For establishment of its new Branches, throughout the country and for renovation of Branches / offices. Sindh bank advised to pre-qualified contractors to submit their offer / bid, against tender, with following terms and conditions.

The complete set of tender consist of following,

- 1. Bank's Tender
- 2. Detail of specifications

After thorough visit of desired premises, the contractor will submit per square feet rate of said work, complete in all respect, as per given tender, lay out plan, specification and make.

However as per actual site condition and market availability, equivalent item can be provided with prior written approval from Bank, failing which the payment of such items will be deducted accordingly from the final bill.

The salient works which are the part of requirement will by as under;

- 1. Complete demolition of existing structure, necessary for establishment of extended area of branch, including brick walls, RCC, floor, etc. and removal of debris.
- 2. New Block masonry / Brick masonry walls for bath, stores, guard post, and other works as per plan.
- 3. Floor tiling, approved design tiles, matching skirting, complete in all respect.
- 4. All internal and external plaster works
- 5. All RCC works for Strong Room and lockers, as per lay out and specifications
- 6. All internal and external paint and polishing works with approved quality paint.
- 7. Approved false ceiling with approved hanging system.
- 8. Complete Electrical wiring for light points, power points, Air Conditioning units. ATM, sign Board, with PCL / Fast / AGE / Pioneer copper wires or equivalent of approved size, in approved PVC pipes, Boxes, switches, main lines, three DBs, one for UPS, other for AC and 3rd for lighting & power as per plan, with Change over switch. Two standard earth pits, as per approved specifications and lay out plans, along with all approved light fixture and fittings.
- 9. Technology box for each users with two Flat pins, one round pins, one RJ-45 for Data, one RJ-12, I/O sockets for telephones, cat 6 cables from I/o to patch panel, supply of 24 ports approved 3M or equivalent patch panel, one 15 u Cabinet, termination, necessary line cords and patch cords, with certification, 2 fax machine points for manager & ops Manager, tagging at both ends, complete data and telephone works, in all respect.

- 10. Approved glass partitions for ATM room, Entrance, fixed glazing, with approved aluminium section, gasket, locks, handles, necessary frosting, door closer machines, necessary windows, doors, as per lay out plan.
- H Approved design grills for front and sides. Entrance, Exit door, rolling shutters at all external glass doors, fixed glazing, MS approved Exit door, approved vertical blinds on all external glasses, windows fixing of vault and lockers doors.
- 12. All elevation works, elevation tiles, steps, Ramps, ATM steps, front landscaping, pavers, granite on steps, complete in all respect, as per lay out drawing & Design Book.
- 13. Approved copper piping for inverter AC, wiring, breakers, drain lines, fixing of outer units, complete in all respect

	CIVIL & INTERIOR WORKS
S No.	DESCRIPTION
1	DISMANTLING
	The demolition work will executed only after approval from HO
2	REINFORCED CEMENT CONCRETE (If Required) Providing and laying, compacting finishing & curing etc. straight or curved cast- in place designed mix 1:2:4 Reinforced Cement Concrete using 1 Part of Ordinary Portland Cement, 2 Parts of silt free local sand and 4 Parts of 3/4" thick downgraded crushed stone; mixed in a manner to achieve a cube strength of 3000 psi in 28 days, using 3/4" down crush stone & fine sand (free from silt & dust), including mechanical mixing, transporting, hoisting, lifting & placing at any height / depth, vibrating and curing etc. Complete in all respect including cost of Steel Reinforcement (3/8" dia deformed steel bars G-60 @ 6" C/C both ways, staggered double jaal in a manner that the alternate spacing b/w bars should not increase 3" C/C) & form work for Cement Concrete including cutting, bending, laying in position, making joint and fastening, removal of rust from bars, cost of binding wire and labor charges for binding of steel reinforcement: also includes cost of water tight form work and its removal. Complete in all respects, as per direction of Engineer
a)	R.C.C. Walls (6" thick)
b)	R.C.C. Slab (6" thick) on grade
c)	R.C.C. Column
d)	Precast Lintels.
3	C.C RAISED FLOORING
	Provide and lay 1:3:6 concrete in sunken/ raised slabs to require levels washroom, kitchen or elsewhere specified. Mechanically vibrate, consolidate and cure etc. Complete in all respects and conforming to the requirements of drawings, specifications and to the entire satisfaction of the Architect./consultant.

4	MASONRY WORK
a)	Brick Masonry
	Providing and laying Brick masonry with first class solid burnt brick set in (1:4) cement sand mortar in super structure including scaffolding, curing, drilling for wall ties where brick work joins R.C.C columns, walls etc. Complete in all respects as per drawings and specifications to complete satisfaction of the consultant.
ii	Internal walls 4.5" thick
ii	Internal walls 9" thick
iii	External walls 9" thick
b)	Block Masonry
	Providing and Laying Solid Block Masonry set in Cement Sand Mortar 1:4 at any height including scaffolding curing and finishing etc. with appropriate 4', 6", 9", thickness.
5	PLASTER WORK
	Providing and laying plaster (thickness and Cement ratio as indicate in sub items below) with cement sand (CS) mortar on masonry and concrete surfaces, with G.I. expanded metal mesh at the interfaces / joints of structures of different materials, staging and curing, plaster stopper, corner beads, channels for making grooves and drip course etc., where required and/or as directed by the Architect / Engineer complete in all respect.
i)	1/2" thick plaster with 1:4 CS mortar on internal walls/ceiling
i ii)	3/4" thick plaster with 1:3 CS mortar on external walls
6	PORCELAIN TILES ON FLOOR & SKIRTING
	Providing and laying glazed full body Porcelain of approved design, colour and pattern Tiles LV 04, Ivory, china, setting in Stile dry bond (with cement), with matching color imported Grout. Complete in all respect, including curing, cleaning, finishing & hacking/chipping of existing surface for bonding where necessary, etc. as per specifications and/or as directed by the Architect / Engineer (at any elevation)
i)	On Floor : 24" x 24"
ii)	In Skirting: 4" x 24"
7	Providing and laying Plain Cement Concrete under floors in required panels (thickness and ratio as indicate in sub items below) including leveling, compacting, curing etc. Including from work if required and its removal, using 1-1/2" downgraded crushed stone as coarse aggregate, approved local sand. Complete in all respects as per specifications and / or as directed by the Architect / Engineer

i)	P.C.C (1:4:8)100mm thick.
ii)	P.C.C (1:2:4) 50mm thick, top made rough to receive floor finishes.
8	CERAMIC TILES (TOILETS & KITCHEN) (If Required)
	Provide and lay Ceramic Tiles (Matt or Glazed) of approved quality, beige / ivory colour Master tile, 9117 base color white with grey pigmentation Salt and pepper style for bathroom flooring and walls (Master Tile 12" x 12" LPF 28-108 for bath walls in light Beige color and Flooring Dark Beige LPF 14-106) for flooring / walls and in slope, if required, with 1:4 cement sand mortar of required thickness to achieve a minimum overall finished floor thickness of 2", setting the tiles with neat cement mortar, grouting the joints 1/4" with matching grout of approved supplier, curing, cleaning, finishing & hacking/chipping of existing surface for bonding where necessary, etc. complete in all respect.
i)	Ceramic Matt Tiles 12" x 12" (For Floors).
i ii)	Ceramic Glazed Tiles 12" x 12" (On Walls).
··	
9	FALSE CELING
a)	Gypsum Board (24"X24")
	Providing & laying gypsum board (Powder Coated) False Ceiling, 24" x 24" Elephant Brand or approved equivalent (with aluminum foil at back) in straight, curved, tiles or multiple profiles, as shown on drawing section, fixed with imported powder coated aluminum, " T" & "L" section with GIG or CKM ceiling suspension system (grooved design, make DFB or equivalent UT/FUT series), having provisions for light and AC grill. Complete in all respect as per drawing and instruction of Architect.
10	SQUARE/RECTANGULAR COLUMNS CLADDING Provide, make Cladding with 1/2" MDF board over partal wood framing horizontal and vertically over column from +2'-6" elevation up to false ceiling level as per drawing. Including all fittings polishing etc., complete in all respects. From 0' - 0" to 2'-6" Porcelain tile Spanish cladding.
12	INTERNAL PAINT

Provide and apply with Roller, Matt finish water based paint (ICI/Berger or equivalent) minimum three coats of approved shade over a coat of primer to internal plastered surfaces, base preparation consisting of rubbing with sand stone, filling the uneven surface with putty, rubbing with sand paper and preparation of smooth surface perfect in all respects. Complete in all respect as per specifications and/or as directed by the Architect/ Engineer.

13 GLASS DOOR

Providing, fabrication & fixing glass door with top & bottom locking system, 4" Aluminum D-48 by Lucky or equivalent Pak Cable section, with 12mm thick Middle East / Saudi Arabia or equivalent clear glass with frost film and Bank's monogram, Approved Ajrak film, with gasket size and shape as shown on drawing, including bolts, nuts, screws aluminum channel, handle, floor machine (New Star Japan or equivalent), locks—etc. Complete in all respects as directed by Engineer. Further best quality, magnetic type, electrical operated LOCK, with inside push button for opening of lock, will be installed at main entrance door.

14 ALUMINUM SECTION & FRONT GLAZING

Provide and install 4" Deluxe section D 48 of LUCKY fixed aluminum glazing for elevation with hinged panels including latches, rollers, rubber gaskets all necessary hard ware and fittings, application of silicone for joints including approved 8 mm thick imported clear glass(KSA OR GHANI or equivalent) glass with complete as per drawing and as directed by the Architect.(Recommended Manufacturer: Pakistan cables, Lucky or equivalent)

Complete in all respects (at front)

15 ALUMINUM COMPOSITE PANEL (If Required)

Fabricating, providing and installation of 4 mm Aluminum Composite Panels for Cladding (at any level), make DADEX, ECL, Alpolic or approved equivalent, consisting of heavy duty deluxe anodized frame with 2mm base thickness, including designing, cutting, panel making, scaffolding etc. Complete with substructure, as per drawings provided or as directed by the Architect (B.P 350/- SQ.FT)

16 GLASS PARTITION

Providing and installation 12mm thick glass KSA/UAE or equivalent polished glass with 100mm top & bottom rails, brush finish SS-304, lucky or equivalent Pak Cable section with frosted film surface as per approved design. Contractor is required to provide joints between the panels with minimum 5mm thick clear silicon from Dow corning or other approved by the Engineer. Complete in all respects. (in Manager and IT Rooms).

(5" wide) with in all respect.
Providing and c/c 1"x1-1/2" enamel paint all respects, as sign, attached e provided for

Providing and fixing Mild Steel Rolling Security Shutter at front main entrance door, before glass doors, ATM Room's door, outside windows, made of 20 s.w.guage GI sheet, guide channels 10 gauge MS sheet and Roll-up durable mechanism (Spring & MS Bar etc.), with 2.5" Dia box, consisting of steel frame of M.S. channel 2"x1.25"x1" (50x30x3 mm) angle iron 1.5"x1.5"x1" (40x30x3mm)M,S plate 1"x1"xa" (300x300x3 mm) G.L. pipe 1.5" (37mm) Ø, springs 2'(600mm) c/c. Rollers 24 S.W.G G.I. Covering 1'x1' (300x300 mm) with S. Steel sheet 18 S.W.G, handles, holdfast, etc. center of the roller sheet to be in chicken foldable type window / mesh (6" X 12" can be covered with sliding panel, from insife) for looking outside, vertical removable channel. Complete with sliding bolts handles including 3 coats of enamel paint (ICI or equivalent or equivalent) including base coat of anti-rust primer, Complete in all respects, including all types of hardware etc. as per satisfaction of the consultant and engineer incharge, as per attached lay out. SECURITY DOORS Security Grill Door Providing and fixing the MS enamel painted security grill door panel of 3/4" MS square solid bars @ 4" c/c both ways welded with 1-1/2"x3/16" MS flat Frame and covered with MS Sheet 14 gauge, with all locks, including all necessary fittings. Complete in all respect. **GRANITE (BLACK GRANITE)** Provide and laying 3/4" thick factory polished granite door/window Sills, Thresholds and Borders, Steps for internal stair case, main entrance steps, ATM entrance, plinth protection, thresholds, straight and curve as per site requirement, single piece, as directed by client, fixed 1:2 cement and mortar, color chemical grout including final rubbing finishing and polishing bull nosing carborandum grove where required etc. complete with all respect.

ROOF TREATMENT: Provision of Roof Screeding, minimum width of 2", for maintaining slope using 6mm crush chips of ratio 1:2:4 at roof including curing and fixing of Drain

Pipe wherever required, complete in all respect., only where necessary.

20

i)

21

22

18

WATER PROOFING: Provision of Roof treatment to be provided as per specifications and site condition in order to stop seepage of water wherever required, ONLY WHERE NECESSARY.

24 INTERLOCK PAVERS

Providing & laying 60mm thick interlock pavers of approved design and shape natural colors, having strength b/w 7000 psi to 8500 psi i/c filling the joints with sand, for parking area laid over 3" thick layer (compacted) of approved course sand with leveling & dressing. Complete in all respects or as directed by the Engineer.(make Tuff/Envicrete/HUBCERETE or equivalent) . This pavers will be installed up to 12 feet width, from the edge of Branch .

25 **EXTERNAL PAINT**

Provide and apply with Roller Matt Enamel paint WEATHER SHEILD (ICI/Berger or equivalent) minimum three coats of approved shade over a coat of primer to internal plastered surfaces, base preparation, primer, smooth filling etc. complete in all respect as shown on the drawings specifications and/or as directed by the Architect/ Engineer.

26 Front Elevation

The front elevation of the Branch will consist of proper CC steps, fixed on it approved granite. The portion other than window and door will consist of Bank's approved AJRAK tiles, aluminum composite panel, approved elevation ceramic tiles, as directed by the Bank's Engineer, plan. and other approved face tiles, with approved pattern.

S.No. DESCRIPTION

A. INTERNAL WIRING

Supply, installation and commissioning of **Light Circuit** wiring, from MCB in DB to Switch Board to be wired with 3x2.5mm sq. (P+N+PE) PVC insulated 300/500 V grade wire, manufactured by M/s. Pakistan Cables Ltd., AGE, Pioneer or FAST or equivalent, pioneered as specified in Annexure A, in and including cost of 1" dia. heavy duty PVC conduit make Popular, Beta, installed on roof slab, above false ceiling, or concealed in walls, or as required as per site conditions, all PVC conduit accessories, pull boxes, steel pull wires, Complete in all respects. Each circuit shall have independent CPC.Maximum wiring of 2 light circuits can be pulled through 1" dia. PVC conduit. **Note:-** Supply Certificate issued by Company will be attached with bills

- Providing, Installation, testing and commissioning of wiring of One light point controlled by one switch and wired with 3x1.5 mm sq. PVC insulated wires 300/500 V grade, in and including cost of 3/4" dia. heavy duty PVC conduit recessed in wall, columns slabs or above light carrier all PVC conduit accessories, 3" high PVC junction boxes, pull boxes, steel pull wires, PVC flexible conduit $_{
 m I}$ from ceiling junction box to light fixture with brass chuck nut including cost of 3x1.5mm sq from Ceiling Junction Box to Light Fixture, M.S. sheet steel switch box 16 SWG with earth terminal and 2 coats of enameled paint, M.S. box shall be of the same size as that of 1, 2 or 3 gang flush type plate switches, including cost of gang type light switches 10 amps. Providing, Installation, testing and commissioning of wiring of Two or three or four light points controlled by one switch and wired with 3x1.5 mm sq. PVC insulated wires 300/500 V grade, in and including cost of 3/4" dia. heavy duty PVC conduit recessed in wall, columns slabs or above light carrier all PVC conduit accessories, 3" high PVC junction boxes, pull boxes, steel pull wires, PVC flexible conduit from ceiling junction box to light fixture with brass chuck nut including cost of 3x1.5mm sq from Ceiling Junction Box to Light Fixture, M.S. sheet steel switch box 16 SWG with earth terminal and 2 coats of enameled paint, M.S. box shall be of the same size as that of 1, 2 or 3 gang flush type plate switches, including cost of gang type light switches 10 amps.
- Providing & wiring of 1-3 pin 15 Amps power socket outlets (for General Use) wired with 2x4mm2+1x2.5mm² CU/PVC insulated cable 300/500 Volt grade, make Pakistan cables, Fast, Pioneer, AGE, in 25mm dia PVC conduit make Beta, Popular, recessed in wall/floor, above false ceiling or as required as per site conditions, all PVC conduit make Beta accessories, pull boxes, steel pull wires. Complete with all conduit & wiring accessories including 15 Amps, 3 pin combined switch socket make Clipsal (Austria), Panduit, MK(UK), Legrand (France) or approved equivalent. Wiring shall be done directly from the MCB installed in the respective DB without any claim of circuit, complete with suitable size 1.5mm thick sheet steel back box recessed in wall.
- Providing & wiring of 1-3 pin 10 Amps power switch socket outlets (for RAW supply / WAPDA) wired with 3x2.5mm2 1 core CU/PVC insulated cable in 25mm dia PVC conduit make Beta, Popular, recessed in wall/floor, above false ceiling or as required as per site conditions, all PVC conduit make Beta accessories, pull boxes, steel pull wiresetc. Complete will all conduit & wiring accessories including 10 Amps, 3 pin combined switch socket make Clipsal (Austria), MK(UK), Legrand (France) or approved equivalent. Wiring shall be done directly from the MCB installed in the respective DB without any claim of circuit, complete with suitable size 1.5mm thick sheet steel back box recessed in wall.
- 6 Confirming to same specification as mentioned above in item Λ-08, but outlet to outlet wiring. Complete in all respect.

- Providing & wiring of 2-3 pin 13 Amps power switch socket outlets (for UPS) wired with 3x2.5mm2 1 core CU/PVC insulated cable in 25mm dia PVC conduit make Beta , Popular, recessed in wall/floor, above false ceiling or as required as per site conditions, all PVC conduit make Beta accessories, pull boxes, steel pull wires. Complete will all conduit & wiring accessories including 13 Amps, 2/3 pins combined switch socket (duplex) make Clipsal (Austria), MK(UK), Legrand (France) or approved equivalent. Wiring shall be done directly from the MCB installed in the respective DB without any claim of circuit. complete with suitable size 1.5mm thick sheet steel back box recessed in wall.
- Providing installing & wiring for Split A/C's unit from distribution board to respective 1-3 pin 16
 Amps switch socket, for outer unit or indoor unit, as the case may be, wired with approved brand 2x6mm² + 1x4mm² 1 core CU/PVC cable in 25mm dia PVC conduit make Beta, Popular, recessed in wall/floor, above false ceiling or as required as per site conditions, all PVC conduit make Beta accessories, pull boxes, steel pull wires etc. Complete will all conduit & wiring accessories including 16 Amps, 3 pin combined switch socket make Clipsal (Austria), MK(UK), Legrand (France) or approved equivalent. Wiring shall be done directly from the MCB installed in the respective DB without any claim of circuit, complete with suitable size 1.5mm thick sheet steel back box recessed in wall. Complete with all accessories including termination.

TECHNOLOGY BOXES

Providing, Installation, wiring from respective breaker in respective DB, of CLIPSAL make Floor / wall Technology Box with cover, 1.5mm thick sheet, steel fabricated floor mounted water tight weather proof, fitted with two 13 Amps , UPS power flate pins and one 13Amps raw power round pin sockets, one dual face plate with RJ-45 out let for Data point and one RJ-12 I/o sock . for telephone , with power socket wired with approved 2.5 mm wires with earth wire of same size, from respective UPS and or normal DBs, data point and telephone points with cat-6e clipsal /3M wire or equivalent and Outlets. Complete in all respects including floor / wall cutting. Tlude termination of electrical wires at sockets, and DB, Data wires at I/O of face plate and at patch panel on other end, with telephone points at RJ-12 I/O at Box and 50 pairs Tag Block with MS box, at other end with complete termination, testing and submission of test report and 20 years termination warranty.. This work also inside proper tagging / numbering at both ends of all Data and telephone cables.

TOTAL

B. FITTING & FIXTURES

Providing, Installation, testing & commissioning of light fixtures & other accessories, complete with all accessories such as, Chain, Rod, Screw, foundation for garden light etc. Complete in all respect with chokes (ballast), lamp holders, starters, power factor correction capacitor, tube rods internal wiring, earthing terminal.

. i)	Philips Down light FBH with 2X 9 W, Philips LED Lamp or equivalent
ii)	Mirror Light Fixture Philips GMP-118-84 or Equivalent
iii)	Recessed Ceiling Down light fixture (6" dia) circular shape equivalent to Philips Model Lunar with Optogan Emotion Series LED lamp or equivalent installed vertically and aluminum reflector as approved by architect./Engineer.
10	Supply, installation and commissioning of Exhaust / Bracket Fans of following sizes, plastic body, louvers, all necessary fixing accessories, make Asia, Climax, National or as manufactured by any one of the manufacturers as mentioned in Annexure-"A". Complete in all respects.
i)	Exhaust Fan 12" dia
ii)	Wall Bracket Fan 24" dia
11.00	MAIN SWITCHES AND DBs
	All concield with 16 SWG MS powdered coated box for DBs and 18 SWG MS sheet box for outside 100 Amps, TP breaker, with door, hinges, lock, Amps meter, Volt meters, selector switches, LED indicating lamps, earth strips with 10 holes, neutral strips with 12 holes, backed powdered coating, water proof gasket, The work include all internal wiring with / 99.995 copper busbars, proper sized above mentioned approved PVC wires, at all DBs from TP breakers / Switches with standard copper termination of each breakers at all phases., wiring for volts /Amps meters, selectors, indicators etc, thus complete DB in all respect with DB body earthing with earth wire All breakers in all BBs will be Japanese Brand, Terasaki, Clipsal; MG, Schneider, Legrand or equivalent
11110	Out Side Breaker / Switch
11.10	One 100 Amps TP, approved Brand main breaker will be installed outside for KESC / WAPDA, incoming power supply, including connection to breaker, outgoing three phase four wires approved brand 25mm2 PVC cable from breaker to inside main DB breaker, with earthing of its above referred MS box.
· · · · · · · · · · · · · · · · · · ·	MAIN DB, Raw power, AC and power sockets
11.2	Main DB will be above referred specification but will have one 100 Amps Main Braker, one 60 Amps. TP breaker for generator DB, through ATS / Change over, with 16 mm2 TP wires. One SP 30Amps breakers will be for UPS and UPS DB. Beside above six 30 Amps and 6, 20 Amps breakers will be provided for ACs, and other power sockets. This also include power to Emergency DB with 25mm2 wires. AC breakers portion will be lockable.
12	Ernergency Power DB

This DB will also have all above referred specifications but with one 60 Amps TP incoming breaker and three 30 Amps, three 20 Amps and 9, 15 Amps SP breakers for Acs, light and one two pole 30 Amps breaker for . UPS. Also 16 Amps SP line with earth from ups breaker to UPS through 30 Apms clipsal or equivalent industrial sockets set, and from UPS to main incoming breaker of UPS DB. Further incoming supply to this Emergency DB will come from main DB and to change over switch and after it to from changeover to Emergency D8, with 16mm2 TP approved wires. UPS DB This DB will also be same specification but consist of one SP, two pole incoming breaker and 6, 10 Amps and 3, 15 Amps breakers and one two pole 15 Amps breaker for ATM. With 3x4mm wires till ATM power socket. Telephone system <u>13</u> Providing & wiring of each Telephone socket outlet in preinstalled outlet technology boxes, wired with 4 Pair Cat-6 (UTP)Cable, make 3M / PANDUIT USA / clipsal or equivalent in 25mm dia PVC conduit recessed in slabs, floors, walls, columns or on slab above false ceiling or as required as per site conditions,, complete with all conduit & wiring accessories including RJ-12 IOs & Face Plates. Complete in all respect with suitable size 1.5mm thick sheet steel back box recessed in wall for other than technology box. Providing & fixing 30 Pairs Telephone Tag Block (MDF) enclosed in 1.5mm thick sheet steel box with all fixing accessories. Networking / Computer data cabling Providing, laying & testing of Data Cable 4 Pair Cat -6 e, , make 3M / PANDUIT USA/ Clipsal or equivalent in 25 mm dia PVC conduit including Data Outlet (3M make) Face plate (2port) w/o shutter RJ-45 (Panduit USA)K6 Jack fixed, on 1.5 mm thick steel back box complete in all respect and as per darwing, and providing of Fluke Test Report & 3M's 20 Years Certificate (Complete as per Client's requirement) Supply of machine made 3M or equivalent Cat-6 Patch Cable (1m) with both end connectors Supply of machine made 3M or equivalent Cat-6 Drop Cable (3m) with both end connectors Providing of 9U, standard Data Cabinet. With 24 ports 3M or equivalent patch panel, <u>Earthing</u> <u> 15</u>


Providing, installation, commissioning and testing of two earthing pits (40 to 50 ft deep or upto water level), back filling, ramming etc. complete with earth electrode 25mm dia and 1.5 meter long, as indicated in specification and drawings. Complete with cable clamps 38mm dia G.I. pipe and all accessories as per drawings. Each earth pit is to be provided with a concrete manhole $300 \times 300 \times 450 \text{(mm)}$ deep with 225mm thick wall including cement mortar, internal plaster 1:4, with heavy duty C.I. cover including test clamp. Complete in all respect. Earthing bores shall be made at 6 to 8 feet away from foundation and distance between earth pits shall not be less than 10 feet.. Further connection of earth pit to Generator neutral point and all DBs with proper earth wire. In case where earth bore is not possible, due to hilly area, copper plate earth , having size 2'X2'X1/4", with two 10 SWG 25mm copper wires, tight on plates with brass nut / bolt, plate burried in 6 to 8 feet deep in earth. will be provided.

S.No	DESCRIPTION
16	Installation of Bank's supplied Split Air Conditioners (SAC) including USA or equivalent copper piping—with installation & testing complete in all respects; including control wiring from outdoor unit to indoor with 2 x 1.5 mm.sq. + 1 x 1.5 mm.sq wire drawn in PVC 'D' class conduit clipped to wall or ceiling (wiring make Pakistan Cable, AGE of Pioneer or equivalent). The return and supply copper tubing to be sized as per manufacturer's recommendation and to be drawn in separate Aeroflex or equivalent insulators.
	Provide & fix UPVC pipe, Beta or popular, for AC drain system, (medium) conforming to BSS 1307 of 1957, along with GI fittings such as tees, elbows, unions, reducers, sockets teflon tape for jointing, hangers, supports, sleeves, including testing and commissioning and insulation with Aeroflex or equivalent insulation.
	i. 1-1/4" dia
	ii. 3/4" dia
	LOW VOLTAGE EQUIPMENT'S WIRING
	Contractor will provide following wiring, strictly in accordance with equipmen
	requirement, with standard wires and best practice of wiring.

-	3, Providing of wiring for access control system as per system requirement.
	2, Providing of wiring for Fire Alarm system control panel, detectors, bell, MCP, strict in accordance with manufacturer requirement and lay out plan, complete in all respec
	1, Providing of CCTV Cameras wiring, with manufacturer approved Cameras wire, power points, , in suitable PVC pipe, with placement of owner supplied DVR / NVR at proper place, as per approved Camera location lay out plan. For cameras RJ-6 cable and for power supply, 2x1.5 mm wires will be used.

	600/-		Total	
Faysal Bank	1707219	300	Engineering Expert	2
Sindh Bank	271191	300	Z.Hasan Enterprises	
BANK NAME	PO NO	AMOUNT	COMPANY NAME	S.NO
	innah Colony	Renovation of Shirin Jinnah Colony	<u>Ren</u>	

-



CONTRACT AGREEMENT

THIS AGREEMENT is entered into at Karachi On this the 6^{+} day of 4000, 2015

BETWEEN

M/S.Z.Hassan Enterprises, a sole proprietorship, having its principal place of business at B-10, Block 20 F.B. Area Karachi. (hereinafter referred to as "Contractor", which expression shall be deemed to mean and include its successors-in-interest and assigns) of the First Part;

AND

SINDH BANK LIMITED, a banking company incorporated under the laws of Pakistan and having its Head office at 3rd Floor, Federation House, Abdullah Shah Ghazi Road, Clifton, Karachi-75600, Pakistan. (Hereinafter referred to as "THE BANK", which expression shall be deemed to mean and include its successors-in-interest and assigns) of the Second Part.

WHEREAS:

"THE BANK" intends to acquire the services of "Contractor" for Renovation, Interior and Electrical Work, for its Shireen Jinnah Colony Branch and Contractor agrees to provide the following services to the bank, as per the tender opened on 23-06-2015.

Renovation, Interior and Electrical work as per detailed BOQ submitted to the Bank. ì. Total Price as per Financial / Technical Proposal Rs.2,470,000/-Submitted by M/s.Z.Hassan Enterprise:

The terms and conditions are as follows:


Payment Schedule:

- a) No advance payment will be made.
- b) First interim Payment will be made on receiving original invoice from the contractor and confirmation of 30% completion of work by respective Area / Regional Manager of the bank.
- c) Second interim payment will be made on receiving original invoice from the contractor and confirmation of 60% completion of work by respective Area / Regional Manager of the bank.
- d) Final payment will be released to contractor on receipt of final invoice from the contractor and as per actual measurements by the Bank Engineer during physical inspection of the completed project.
- e) 02% of the total tender amount will be retained by the Bank as "Performance security" in shape of pay order and the same will be released after 90 days of handing over of the project along with receipt of satisfactory letter from the concerned branch.

Period of Contract:

- Date of Handing over site

- Branch Completion date:



Commencement of Work:

- The job will be commenced from the date of acceptance of Award/Letter by the Contractor.

Penalty:

- The completion period of the awarded work will be 45 days from the date of handing over the site.
- In case of delay in completion, a penalty @ 0.15% of total contract amount, for each day of delay will be imposed.
- The rates quoted by the Contractor will include all works, necessary for establishment of Bank Branch, complete in all respect strictly in accordance with our specifications given in design book. In case of any deviation in design/ specification, without written permission of Bank's Engineer, the payment of such item will not be paid and the contractor will be liable to replace the objected item as per the design book at his own cost.

Notice:

- Any notice, request or consent required or permitted to be given or made pursuant to this agreement shall be in writing. Any such notice, request or consent shall be deemed to have been given or made when delivered in person to an authorized representative of the Party to whom the communication is addressed, or when sent to such Party at the given address.
- A party may change its address for notice by giving a notice to the other Party in writing of such change.

Authorized Representative:

 Any action required or permitted to be taken, and any document required or permitted to be executed under this agreement by the Bank or the Contractor may be taken or executed by the officials.

Taxes and Duties:

The Contractor and its Personnel shall pay such direct or indirect taxes, duties, fees, and other impositions levied under the Applicable Law, the amount of which is deemed to have been included in the Contract Price.

Termination of Agreement by the Bank:

If the performance of the Contractor is not satisfactory this agreement can be terminated by the Bank upon giving a 30 days advance notice in writing to the Contractor. In such event the



- If the Bank, in its sole discretion and for any reason whatsoever, decided to terminate this Agreement.
- If (2) two warning letters/emails are issued for unsatisfactory current performance by the bank to the bank

Termination of Agreement by the Contractor:

- The Contractor may terminate this Agreement, by not less than (30) days' written notice to the Bank, if the Bank fails to pay any money due to the Contractor pursuant to this Agreement without Contractors fault.
- If, as the result of Force Majeure, the Contractor is unable to perform a material portion of the Services for a period of not less than sixty (60) days.

Force Majeure:

- The failure on the part of the parties to perform their obligation under the agreement will not be considered as default if such failure is the result of natural calamities, disasters and circumstances beyond the control of the parties.

Extension of Time:

- Any period within which Party shall, pursuant to this agreement, complete any action or task, shall be extended for a period equal to the time during which such Party was unable to perform such action as a result of Force Majeure.

Good Faith:

- The Parties undertake to act in good faith with respect to each other's rights under this agreement and to adopt all reasonable measures to ensure the realization of the objectives of this agreement.

Settlement of Disputes:

- The Parties agree that the avoidance or early resolution of disputes is crucial for a smooth execution of the Agreement and the success of the assignment. The Parties shall use their best efforts to settle amicably all disputes arising out of or in connection with the Agreement or its interpretation.
- If Parties fail to amicably settle any dispute arising out of or in connection with the Agreement within (10) days of commencement of such informal negotiations, the dispute shall be referred to arbitration of two arbitrators, one to be appointed by each party, in accordance with the Arbitration Act, 1940. Venue of arbitration shall be Karachi, Pakistan and proceedings of arbitration shall be conducted in English.

Obligation of the Contractor:

The Contractor shall perform the Services and carry out their obligations hereunder with all due diligence, efficiency and economy, in accordance with generally accepted professional standards and practices, and shall observe sound management practices, and employ appropriate technology and safe and effective equipment, machinery, materials and methods. The Contractor shall always act, in respect of any matter relating to this Agreement or to the Services, as faithful advisers to the Bank, and shall at all times support and safeguard the Bank legitimate interests in any dealing with Sub-Suppliers or third Parties.

Conflict of Interest:

- The Contractor shall hold the Bank's interests paramount, without any consideration for future work, and strictly avoid conflict with other assignments or their own corporate interests.

Confidentiality:

Except with the prior written consent of the Bank, the Contractor and the Personnel shall not at any time communicate to any person or entity and confidential information acquired in the course of the Services, nor shall the Contractor and the Personnel make public the recommendations for any time to the services.



Conflict of Interest:

- The Contractor shall hold the Bank's interests paramount, without any consideration for future work, and strictly avoid conflict with other assignments or their own corporate interests.


Confidentiality:

Witness:

Signature

- Except with the prior written consent of the Bank, the Contractor and the Personnel shall not at any time communicate to any person or entity and confidential information acquired in the course of the Services, nor shall the Contractor and the Personnel make public the recommendations formulated in the course of, or as a result of, the Services.

In witnesses hereunder both the parties have first mentioned.	e set their hands on the day and year above
Malor	Que might
Supplier Signature	Witness:
Name AU	Signature
Designation PROPIETOR SHIP	Name SYED Muhund Mujth Designation Superus
Company Name Z. HASAN GUICLA	Designation Surceus
Address <u>B-10</u>	Address
Stramp	
Customer Signature Character Page	Signature MMCG
Name X.t. Col. (iv) Shahzad Begg	Name Alt. Akhtar Ali Khan
Designation Head of Administration	Designation <u>Executive Vice President</u>
Company Name Sindh Bank Limited	Company Name Sindh Bank Limited
Address <u>Federation House, Sindh Bank</u> <u>Ltd. Head Office, Karachi</u>	Address <u>Federation House, Sindh Bank</u> <u>Ltd. Head Office Kuravhi</u>
Stamp	



M. ILYAS STAMP VENDOR
Lic No.112, Liaquatabad, Karachi.
S.No.

2 7 JUL 2015

L IE:

1850s fo ween Lovels

01536

M/S. Z.Hassan Enterprises,

M/S, Z.Hassan Enterprises B-10,Block 20 F.B.Area Karachi Dated: 6/8//

Letter of Award

Renovation, Interior Work, Construction and Electrical Work at Sindh Bank Limited "Shireen Jinnah Colony".

Dear Sir.

This is with reference of your Tender dated 23-06-2015 pertaining to captioned work we are pleased to inform you that based on your quotation the above work has been assigned to you on contract price basis, on item wise rates, with a total of R\$2.470.000 /-

Other terms & conditions would be as follows:

1. Description of Wark:

- a) Civil/Interior work covering total area of 13 sq.ft. as per the detailed drawing submitted to the bank.
- b) Electrical Works

Any change / alteration in the original plan, if required, due to site hindrance or any other reason shall be made after written approval of the bank. Electricity & water for construction activities will be provided free of charge to the contractor, by the bank.

- c) Second interim payment will be made on receiving original invoice from the contractor and confirmation of 60% completion of work by respective Area/Regional Manager.
- d) Final payment will be released to contractor on receipt of final invoice from the contractor and as per actual measurement by the Bank Engineer during physical inspection of the completed project.
- e) 02% of the total tender amount will be retained by Sindh Bank as "Performance Security" in shape of pay order or bank guarantee and the same will be returned after 90 days of handing over of the project.

3. Completion of Period:

- a) Date of Handing over site.
- b) Branch Completion date

6/8/15 18/9/D

4. Commencement of Work:

The job will be commenced immediately from the date of acceptance of this Award/Letter.

Please sign & affix your company's stamp and return the same to us as a token of your acceptance immediately.

With Regards,

Zulqarnain Memon Project Engineer, & Agreed & Accepted For & on behalf of



Dated: 20/4/15

TO	Mr., Ayub Ali Khan, Deputy Director, SPPRA
FROM	ADMINISTRATION DIVISION, SINDH BANK LTD

SUB: SUBMISSION - Rule 50 COMPLIANCE

HSURAF ROS

Dear Sir,

Enclosed please find following documents & CD for submission to SPPRA for Rule 50 Compliance.

S.No	Documents Attached	SPPRA S.No
01	1. Contract Evaluation Report	
	2. Agreement	24538
•	3. Letter of Award	2 000
	4. Scope of work/Requirement	
	5. Financial Proposal	
	6. Minutes of the Tender	

Kindly confirm once it is get hoisted on your respective websites and subsequently please release their respective IDs for completion of tender process.

Regards.

Farhan A Siddiqui

AIP- Administration Division

SINDH PUBLIC PROCUREMENT REGULATORY AUTHORITY

CONTRACT EVALUATION FORM

TO BE FILLED IN BY ALL PROCURING AGENCIES FOR PUBLIC CONTRACTS OF WORKS, SERVICES & GOODS

٠.	NEAR DE ZAN TEUR ANDES ANDEZ A TRANSI A INDUTTE	SINDH BANK LIMITED/ADMINISTRATION
1)	NAME OF THE ORGANIZATION / DEPTT. PROVINCIAL / LOCAL GOVT. / OTHER	SCHEDULED BANK
2)	TITLE OF CONTRACT	Renovation of Ashraf Road Branch
3)	TENDER NUMBER	SNDB/COK/ADMIN/TD/588/2015
4)		Same as Above
5)	BRIEF DESCRIPTION OF CONTRACT	Competent Authority
6)	FORUM THAT APPROVED THE SCHEME	Competent Authority
7)	TENDER ESTIMATED VALUE	<u></u>
8)	ENGINEER'S ESTIMATE (For civil works only)	Rs. 4,309,705/-
9)	ESTIMATED COMPLETION PERIOD (AS PI	ER CONTRACT) 45 Days
10)	TENDER OPENED ON (DATE & TIME)	23/06/2015 At 1555 Hours
11)	NUMBER OF TENDER DOCUMENTS SOLD (Attach list of buyers)	02
12)	NUMBER OF BIDS RECEIVED	02
13)	NUMBER OF BIDDERS PRESENT AT THE	TIME OF OPENING OF BIDS 02
	DID CMALLIATION: DCDODT	14/07/2015 Attached
1.47	(Enclose a copy)	M/S, 24 construction, House * ILI-V
15)	NAME AND ADDRESS OF THE SUCCESSE	M/S.24 construction, House * 14-V
16)	CONTRACT AWARD PRICE	Rs. 4,267,000/-
17)	RANKING OF SUCCESSFUL BIDDER IN EV (i.e. 1st, 2nd, 3nd EVALUATION BID).	/ALUATION REPORT M/s. Z.A Construction M/s. Arcika Traders & Construction
18)	METHOD OF PROCUREMENT USED : - (Tie a) SINGLE STAGE - ONE ENVELOPE	
	b) SINGLE STAGE - TWO ENVELOPE	PROCEDURE
	e) TWO STAGE BIDDING PROCEDUR	RE
	d) TWO STAGE - TWO ENVELOPE B	IDDING PROCEDURE
	PLEASE SPECIFY IF ANY OTHER EMERGENCY, DIRECT CONTRACTING	METHOD OF PROCUREMENT WAS ADOPTED I.e. G ETC WITH BRIEF REASONS:

201	WHEE	IER THE PROCUREMENT WAS INCLUDED D	N ANN	NUAL PROCUREMENT PLAN?
.0)	WIIIZII	ILK TIL TROCORDINENT WAS LIVE EUDED IS	* / 31 31	Yes V No
21)	ADVER	CTISEMENT:		
			Yes	SPPRA S. No:22847/2015 (PQ. Notice)
	i)	SPPRA Website		SPPRA S.No.24508/2015 (4th June 2015)
		(If yes, give date and SPPRA Identification No.)	No	
			110	
	ii)	News Papers (If yes, give names of newspapers and dates)	Yes	Express Tribune, Daily Express & Ibrat 18th February 2015
			No	
22)	NATUF	RE OF CONTRACT		immoni / Int.
23)	WAS D	IER QUALIFICATION CRITERIA NCLUDED IN BIDDING / TENDER DOCUMEN enclose a copy)	TS?	Yes V No
24)	WASI	IER BID EVALUATION CRITERIA NCLUDED IN BIDDING / TENDER DOCUMEN enclose a copy)	TS?	Ves ✓ No
25)		IER APPROVAL OF COMPETENT AUTHORIT DD OTHER THAN OPEN COMPETITIVE BIDD		
26)	WASB	ID SECURITY OBTAINED FROM ALL THE B	DDER	Yes V No
27)		HER THE SUCCESSFUL BID WAS LOWEST E EST EVALUATED BID (in case of Consultancies		ATED Yes V No
28)		HER THE SUCCESSFUL BIDDER WAS TECHN HANT?	NCAL	LY Yes ✓ No
29)		HER NAMES OF THE BIDDERS AND THEIR ME OF OPENING OF BIDS?	QUO.	TED PRICES WERE READ OUT AT Yes No
		THE DESCRIPTION DESCRIPTION OF THE PROPERTY OF	BIDD	DERS BEFORE THE AWARD OF
30)	WHET: CONTI		1111111	, , , , , , , , , , , , , , , , , , ,

 ANY COMPLAINTS RECEIT (1f yes, result thereof) 	VED	Yes	
		No	No
	PECIFICATIONS GIV	EN IN THE T	ENDER NOTICE / DOCUMENTS
(If yes, give details)		Yes	
		No	No
33) WAS THE EXTENSION MA (If yes, give reasons)	ADE IN RESPONSE T	IME? Yes	
		No	No
34) DEVIATION FROM QUALI (If yes, give detailed reasons.)		A Yes	
		No	No
35) WAS IT ASSURED BY TE BLACK LISTED?	IE PROCURING AC	ENCY THAT	THE SELECTED FIRM IS NO Yes No No
36) WAS A VISIT MADE BY A SUPPLIER'S PREMISES IN BE ASCERTAINED REGAR	CONNECTION WIT	TI THÉ PROC	PROCURING AGENCY TO TLUREMENT? IF SO, DETAILS TABROAD:
(If yes, enclose a copy)	tale Sales	· 范 ·	Yes No ✓
37) WERE PROPER SAFEGUA THE CONTRACT (BANK G			Yes No
38) SPECIAL CONDITIONS, IF (If yes, give Brief Description		Yes	
39)Date of Award of Con	tract. 19 (R)1	No	No
Signature & Official Stamp of Lt & Authorized Officer		Begg ration	

<u>SPPRA, Block. No.8, Sindh Secreturiat No.4-A, Court Road, Karachi</u> Tele: 021-9205356; 021-9205369 & Fax: 021-9206291

Print Save Reset

02/07/2015

	Bid E	valuation Report			
	Evaluation Report- Renovation etc. Ashraf Road Branch, Peshawar				
1	Name of Procuring Agency	Sindli Bank Ltd			
2	Tender Reference No.	SNDB COK ADMIN TD 588 2015			
3	Tender Description	Renovation etc. of Ashraf Road Branch, Peshawar			
4	Method of Procurement	Single Stage One Envelop Bidding Procedure			
5	Tender Published SPPRA S.No	SPPRA S.No: 22847/2015 (Prequalification Notice) Express Tribune, Daily Express & Daily Ibrat (18th February 2015) SPPRA S.No: 24508/2015 (4th June 2015)			
6	Total Bid Documents Sold	.02			
7	Total Bids Received	02			
8	Fechnical Financial Bid Opening Date & Time	23 06 2015 at 1555 Hrs			
9	No. Of Bid qualified	01			
10	Bidest Rejected	-			

Detail on the above is as follows:-

S No	Name of Firm or Bidder	Cost offered by the Bidder (Area=1750 & 89.ft.)	Ranking in terms of cost	Comparison with Estimated cost (Rs 4,309,795)	Reasons for acceptance/rejection	Remarks
0	1	2	3	4	5	6
1.	Mes. Z.A Construction	Rs. 4,267,000/-	Lowest	Rs.42,705/- below the estimated rost	Accepted -1st Lowest Qualified Bidder	
2.	M/s, Arcika Traders & Contractors	Rs.4,392,5(0)/-	2nd Lowest	Rs. 82,795/- above the estimated cost	Disqualified due to non-submission of bid security	<u>-</u>

Accordingly going by the eligibility criteria offered in the tender document, Serial No.1 stands as only 1st Lowest Qualified Bidder.

Members Signature- Procurement Committee

Lt. Col. (R) Shahzad Begg Head of Administration

Mr. Saeed Jamal Chief Financial Officer

Mr. Syed Muhammad Aqeel Chief Manager, IDBL Karachi

1 5

Hear and Sid and Member and Membe

FINANCIAŁ PROPOSAL

PRICE SCHEDULE

(Applicable for the year 2015-2016)

Name of Bidder

Description	Unit	Rate per sq.ft	*Total Amount
Renovation, Interior, Works & Construction of ASHRAF ROAD BRANCH, PESHAWAR	2510 sq.ft (As per specification mentioned in scope of work)	1750/	4392500/2

This *total amount will be taken as the financial bid offered by the contractor.

Note

4

- The branch has to be handed over within 45 days of issue date of award letter. In case of delay, a penalty of 0.15% of total contract amount, for each day of delay will be imposed.
- 2. The cost must include all taxes, stamp duty (as applicable under Stamp Act 1989) duly stamped on the contract agreement, installation, labor and any other charges
- 3 No advance payment will be made, bills will only be processed for necessary payment on receipt of certificate of satisfaction from the Branch Manager/Project Manager.
- 4. Calculation of bid security 1% of the *Total Amount will be submitted with the tender document as bid security
- 5. In case it is revited at any stage after the completion of work that the asked specification of the tender have not been met, the amount of that specific item will be fined to the contractor with appropriate action as deemed necessary by the procurement committee
- In case of any observation arising in respect of quality of the item, the company will be liable to address it at his own cost, non-compliance of the same will result into initiation of a case against the company for non-commitment or cancellation of tender as will be decided by the Procurement Committee.
- Fine per square it rate given above by the contractor will be for inside area of the premises. However for any outside premises work, its changes will be covered in premises per square it area. No charges for any necessary outside work will be entertained separately.

Signature & Stump of Bidders

Bashar and grade and

1810 - S-7-7w-7

Nember 108:

4 FINANCIAL PROPOSAL

PRICE SCHEDULE

(Applicable for the year 2015-2016)

Name of Bulder 2 Th Control

Description	Unit	Rate per sq.ft	*Total Amount
Renovation, Interior, Works & Construction of ASHRAF ROAD BRANCH, PESHAWAR	2510 sq.ft (As per specification mentioned in scope of work)	1700	4267000/=)

This *total amount will be taken as the financial bid offered by the contractor.

Note

- The branch has to be handed over within 45 days of issue date of award letter. In case of delay, a penalty of 0.15% of total contract amount, for each day of delay will be imposed.
- 2. The cost must include all taxes, stamp duty (as applicable under Stamp Act 1989) daily stamped on the contract agreement, installation, labor and any other charges.
- No advance payment will be made, bills will only be processed for necessary payment on receipt of certificate of satisfaction from the Branch Manager/Project Manager.
- 4. <u>Calculation of bid security.</u> 1% of the *Total Amount will be submitted with the tender document as bid security.
- In case it is revited at any stage after the completion of work that the asked specification of the tender have not been
 met, the amount of that specific item will be fined to the contractor with appropriate action as deemed necessary
 by the procurement committee.
- 6. In case of any observation arising in respect of quality of the item, the company will be liable to address it at his own cost, non-compliance of the same will result into initiation of a case against the company for non-commitment or cancellation of tender as will be decided by the Procurement Committee.
- 7. The per square II, rate given above by the contractor will be for inside area of the premises. However for any outside premises work, its changes will be covered in premises per square ft, area. No charges for any necessary outside work will be entertained separately.

Construction

Signature & Stamp of Bidder

34

MINUTES OF THE OPENING OF THE TENDER (TECHNICAL /FINANCIAL PHASE)

TYPE OF PROCUREMENT	ADMIN / IT / CONSULTANT / MEDIA
TENDER NAME	Regarded to the form Carry 12 more
TYPE OF TENDER	the modern of the most seem as two two executions are the setting transfer to the execution of
OPENING DATE	To your to
OPENING TIME	
ATTENDANCE (MEMBER PC)	
ATTENDANCE (REPS. OF BIDDERS)	Ray Comment of the Co
	e en
TOTAL BIDS ACCEPTED FOR EVALUATION	· · · · · · · · · · · · · · · · · · ·
TOTAL BIDS REJECTED	
REMARKS	
Manhara Basanana (
Mem <u>bers - Procurement Corpon</u> Head of Administration (I.t. Col (8) Shalland Be _{EC}) -	. 1
Chief Financial Officer (Mr. saved Jamar)	
Chief Manager, IDBL (Mr. Syeil Monammad Agrel)	- til

3 SCOPE OF WORK

Sindh Bank Limited (SNDB) requires proposal from the Prequalified Contractors (SPPRA S.No. 22847) for Renovation etc. at extendable are of ASHRAF ROAD BRANCH, PESHAWAR

For establishment of its new Branches, throughout the country and for renovation of Branches / offices, Sindh bank advised to pre-qualified contractors to submit their offer / bid, against tender, with following terms and conditions.

The complete set of tender consist of following.

- 1 Bank's fender
- 2. Detail of specifications

After thorough visit of desired premises, the contractor will submit per square feet rate of said work, complete in all respect, as per given tender, lay out plan, specification and make.

However as per actual site condition and market availability, equivalent item can be provided with prior written approval from Bank, failing which the payment of such items will be deducted accordingly from the final bill.

The salient works which are the part of requirement will by as under;

- 1. Complete demolition of existing structure, necessary for establishment of extended area of branch, including brick walls, RCC, floor, etc. and removal of debris.
- 2. New Block masonry / Brick masonry walls for bath, stores, guard post, and other works as per plan.
- 3. Floor tiling, approved design tiles, matching skirting, complete in all respect.
- 4. All internal and external plaster works
- 5. All RCC works for Strong Room and lockers, as per lay out and specifications
- 6. All internal and external paint and polishing works with approved quality paint.
- 7. Approved false ceiling with approved hanging system.
- 8. Complete Electrical wiring for light points, power points, Air Conditioning units, A'fM. sign Board, with PCL / Fast / AGE / Pioneer copper wires or equivalent of approved size, in approved PVC pipes, Boxes, switches, main lines, three DBs, one for UPS, other for AC and 3rd for lighting & power as per plan, with Change over switch. Two standard earth pits, as per approved specifications and lay out plans, along with all approved light fixture and fittings.
- 9. Technology box for each users with two Flat pins, one round pins, one RJ-45 for Data, one RJ-12, I/O sockets for telephones, cat 6 cables from I/o to patch panel, supply of 24 ports approved 3M or equivalent patch panel, one 15 u Cabinet, termination, necessary line cords and patch cords, with certification, 2 fax machine points for manager & ops Manager, tagging at both ends, complete data and telephone works, in all respect.

- 10. Approved glass partitions for ATM room, Entrance, fixed glazing, with approved aluminium section, gasket, locks, handles, necessary frosting, door closer machines, necessary windows, doors, as per lay out plan.
- 11. Approved design grills for front and sides. Entrance, Exit door, rolling shutters at all external glass doors, fixed glazing, MS approved Exit door, approved vertical blinds on all external glasses, windows ,fixing of vault and lockers doors.
- 12. All elevation works, elevation tiles, steps, Ramps, ATM steps, front landscaping, pavers, granite on steps, complete in all respect, as per lay out drawing & Design Book.
- 13 Approved copper piping for inverter AC, wiring, breakers, drain lines, fixing of outer units, complete in all respect

Special Conditions Ashraf Road Peshawar

- 1. Ground floor will be raised by 2ft from road level.
- 2. Opening over shutters will be closed by block masonry.
- 3. Windows and doors except Emergency door, at first floor will be closed with block masonry.
- 4. Rain drain water pipes at first floor's gallery will be replaced/repaired.

	CIVIL & INTERIOR WORKS			
S No.	DESCRIPTION			
1	DISMANTLING			
	The demolition work will executed only after approval from HO			
2	REINFORCED CEMENT CONCRETE (If Required)			
	Providing and laying, compacting finishing & curing etc. straight or curved cast- in place designed mix 1:2:4 Reinforced Cement Concrete using 1 Part of Ordinary Portland Cement, 2 Parts of silt free local sand and 4 Parts of 3/4" thick downgraded crushed stone; mixed in a manner to achieve a cube strength of 3000 psi in 28 days, using 3/4" down crush stone & fine sand (free from silt & dust), including mechanical mixing, transporting, hoisting, lifting & placing at any height / depth, vibrating and curing etc. Complete in all respect including cost of Steel Reinforcement (3/8" dia deformed steel bars G-60 @ 6" C/C both ways, staggered double jaal in a manner that the alternate spacing b/w bars should not increase 3" C/C) & form work for Cement Concrete including cutting, bending, laying in position, making joint and fastening, removal of rust from bars, cost of binding wire and labor charges for binding of steel reinforcement: also includes cost of water tight form work and its removal. Complete in all respects, as per direction of Engineer			
<u>a)</u>	R.C.C. Walls (6" thick)			
<u>b)</u>	R.C.C. Slab (6" thick) on grade R.C.C. Column			
c)	Precast Lintels.			
<u>d)</u> 3	C.C RAISED FLOORING			
	Provide and lay 1:3:6 concrete in sunken/ raised slabs to require levels washroom, kitchen or elsewhere specified. Mechanically vibrate, consolidate and cure etc. Complete in all respects and conforming to the requirements of drawings, specifications and to the entire satisfaction of the Architect./consultant.			

4	MASONRY WORK
a)	Brick Masonry
	Providing and laying Brick masonry with first class solid burnt brick set in (1:4) cement sand mortar in super structure including scaffolding, curing, drilling for wall ties where
	brick work joins R.C.C columns, walls etc. Complete in all respects as per drawings and specifications to complete satisfaction of the consultant.
i	Internal walls 4.5" thick
ii	Internal walls 9" thick
iii	External walls 9" thick
b)	Block Masonry
	Providing and Laying Solid Block Masonry set in Cement Sand Mortar 1:4 at any height including scaffolding curing and finishing etc. with appropriate 4', 6", 9", thickness.
5	PLASTER WORK
	Providing and laying plaster (thickness and Cement ratio as indicate in sub items below) with cement sand (CS) mortar on masonry and concrete surfaces, with G.I. expanded metal mesh at the interfaces / joints of structures of different materials, staging and curing, plaster stopper, corner beads, channels for making grooves and drip course etc., where required and/or as directed by the Architect / Engineer complete in all respect.
i)	1/2" thick plaster with 1:4 CS mortar on internal walls/ceiling
ii)	3/4" thick plaster with 1:3 CS mortar on external walls
: 6	PORCELAIN TILES ON FLOOR & SKIRTING
	Providing and laying glazed full body Porcelain of approved design, colour and pattern Tiles LV 04, Ivory, china, setting in Stile dry bond (with cement), with matching color imported Grout. Complete in all respect, including curing, cleaning, finishing & hacking/chipping of existing surface for bonding where necessary, etc. as per specifications and/or as directed by the Architect / Engineer (at any elevation)
 i)	On Floor : 24" x 24"
ii)	In Skirting : 4" x 24"
7	P.C.C FLOORING
, , , , , , , , , , , , , , , , , , ,	Providing and laying Plain Cement Concrete under floors in required panels (thickness and ratio as indicate in sub items below) including leveling, compacting, curing etc. Including from work if required and its removal, using 1-1/2" downgraded crushed stone as coarse aggregate, approved local sand. Complete in all respects as per specifications and / or as directed by the Architect / Engineer
<u>i)</u>	P.C.C (1:4:8)100mm thick.

ii)	P.C.C (1:2:4) 50mm thick, top made rough to receive floor finishes.
8	CERAMIC TILES (TOILETS & KITCHEN) (If Required) Provide and lay Ceramic Tiles (Matt or Glazed) of approved quality, beige / ivory colour Master tile, 9117 base color white with grey pigmentation Salt and pepper style for bathroom flooring and walls (Master Tile 12" x 12" LPF 28-108 for bath walls in light Beige color and Flooring Dark Beige LPF 14-106) for flooring / walls and in slope, if required, with 1:4 cement sand mortar of required thickness to achieve a minimum overall finished floor thickness of 2", setting the tiles with neat cement mortar, grouting the joints 1/4" with matching grout of approved supplier, curing, cleaning, finishing & hacking/chipping of existing surface for bonding where necessary, etc. complete in all respect.
i) ii)	Ceramic Matt Tiles 12" x 12" (For Floors). Ceramic Glazed Tiles 12" x 12" (On Walls).
9	FALSE CELING
a)	Gypsum Board (24"X24") Providing & laying gypsum board (Powder Coated) False Ceiling, 24" x 24" Elephant Brand or approved equivalent (with aluminum foil at back) in straight, curved, tiles or multiple profiles, as shown on drawing section, fixed with imported powder coated aluminum, " T" & "L" section with GIG or CKM ceiling suspension system (grooved design, make DFB or equivalent UT/FUT series), having provisions for light and AC grill. Complete in all respect as per drawing and instruction of Architect.
10	SQUARE/RECTANGULAR COLUMNS CLADDING Provide, make Cladding with 1/2" MDF board over partal wood framing horizontal and vertically over column from +2'-6" elevation up to false ceiling level as per drawing. Including all fittings polishing etc., complete in all respects. From 0' - 0" to 2'-6" Porcelain tile Spanish cladding.
12	INTERNAL PAINT Provide and apply with Roller, Matt finish water based paint (ICI/Berger or equivalent) minimum three coats of approved shade over a coat of primer to internal plastered surfaces, base preparation consisting of rubbing with sand stone, filling the uneven surface with putty, rubbing with sand paper and preparation of smooth surface perfect in all respects. Complete in all respect as per specifications and/or as directed by the Architect/ Engineer.

13 GLASS DOOR

14

Providing, fabrication & fixing glass door with top & bottom locking system, 4" Aluminum D-48 by Lucky or equivalent Pak Cable section, with 12mm thick Middle East / Saudi Arabia or equivalent clear glass with frost film and Bank's monogram, Approved Ajrak film, with gasket size and shape as shown on drawing, including bolts, nuts, screws aluminum channel, handle, floor machine (New Star Japan or equivalent), locks etc. Complete in all respects as directed by Engineer. Further best quality, magnetic type, electrical operated LOCK, with inside push button for opening of lock, will be installed at main entrance door.

ALUMINUM SECTION & FRONT GLAZING

Provide and install 4" Deluxe section D 48 of LUCKY fixed aluminum glazing for elevation with hinged panels including latches, rollers, rubber gaskets all necessary hard ware and fittings, application of silicone for joints including approved 8 mm thick imported clear glass(KSA OR GHANI or equivalent) glass with complete as per drawing and as directed by the Architect. (Recommended Manufacturer: Pakistan cables, Lucky or equivalent) Complete in all respects (at front)

15 ALUMINUM COMPOSITE PANEL (If Required)

Fabricating, providing and installation of 4 mm Aluminum Composite Panels for Cladding (at any level), make DADEX, ECL, Alpolic or approved equivalent, consisting of heavy duty deluxe anodized frame with 2mm base thickness, including designing, cutting, panel making, scaffolding etc. Complete with substructure, as per drawings provided or as directed by the Architect (B.P 350/- SQ.FT)

16 GLASS PARTITION

Providing and installation 12mm thick glass KSA/UAE or equivalent polished glass—with 100mm top & bottom rails, brush finish SS-304, lucky or equivalent Pak Cable section with frosted film surface as per approved design. Contractor is required to provide joints between the panels with minimum 5mm thick clear silicon from Dow corning or other approved by the Engineer. Complete in all respects. (in Manager and IT Rooms).

17 WINDOW BLINDS

Provide and install imported VERTICAL Blinds, in imported synthetic fabric (5" wide) with suspension mechanism, approved shade & colour (Light grey). Complete in all respect.

18 | SECURITY GRILLS

Wrought Iron Grills for windows, Generator, AC outers,

This security grills will be provided at all external windows, ventilators. Providing and Fixing M.S Security Grills to windows, comprising of 1/2" square bars @ 6" c/c 1"x1-1/2" MS pipe 16 gauge, welding, grinding, finishing, rubbing 3 coat of enamel paint (ICI,NIPPON,BERGER or equivalent) red oxide before paint. Complete in all respects, as per standardized design and /or as shown in drawing., as per approved design, attached herewith. Further proper lockable grills with above specification will also be provided for Generator and all AC out door units.

19 **SECURITY ROLLING SHUTTER**

Providing and fixing Mild Steel Rolling Security Shutter at front main entrance door , before glass doors, ATM Room's door, outside windows, made of 20 s.w.guage Gl sheet, guide channels 10 gauge MS sheet and Roll-up durable mechanism (Spring & MS Bar etc.). with 2.5" Dia box, consisting of steel frame of M.S. channel 2"x1.25"x1" (50x30x3 mm) angle iron 1.5"x1.5"x1" (40x30x3mm)M.S plate 1"x1"xa" (300x300x3 mm) G.l. pipe 1.5" (37mm) Ø, springs 2'(600mm) c/c. Rollers 24 5.W.G G.l. Covering 1'x1' (300x300 mm) with S. Steel sheet 18 S.W.G, handles, holdfast, etc. center of the roller sheet to be in chicken foldable type window / mesh (6" X 12" can be covered with sliding panel, from insife) for looking outside, vertical removable channel. Complete with sliding bolts handles including 3 coats of enamel paint (ICI or equivalent or equivalent) including base coat of anti-rust primer, Complete in all respects, including all types of hardware etc. as per satisfaction of the consultant and engineer incharge. as per attached lay out .

20 SECURITY DOORS i) Security Grill Door Providing and fixing the MS enamel painted security grill door panel of 3/4" MS square solid bars @ 4" c/c both ways welded with 1-1/2"x3/16" MS flat Frame and covered with MS Sheet 14 gauge, with all locks, including all necessary fittings. Complete in all respect. 21 GRANITE (BLACK GRANITE) Provide and laying 3/4" thick factory polished granite door/window Sills, Thresholds and Borders, Steps for internal stair case, main entrance steps, ATM entrance, plinth protection, thresholds, straight and curve as per site requirement, single piece, as directed by client, fixed 1:2 cement and mortar, color chemical grout including final rubbing finishing and polishing bull nosing carborandum grove where required etc. complete with all respect. 22 ROOF TREATMENT: Provision of Roof Screeding, minimum width of 2", for maintaining slope using 6mm crush chips of ratio 1:2:4 at roof including curing and fixing of Drain Pipe wherever required, complete in all respect, only where necessary. 23 WATER PROOFING: Provision of Roof treatment to be provided as per specifications and site condition in order to stop seepage of water wherever required, ONLY WHERE NECESSARY. 24 INTERLOCK PAVERS Providing & laying 60mm thick interlock pavers of approved design and shape natural colors, having strength b/w 7000 psi to 8500 psi i/c filling the joints with sand, for parking area laid over 3" thick layer (compacted) of approved course sand with leveling & dressing. Complete in all respects or as directed by the Engineer, make Tuff/Envicrete/HUBCERETE or equivalent). This pavers will be installed up to 12 feet width, from the edge of Branch.		!
Providing and fixing the MS enamel painted security grill door panel of 3/4" MS square solid bars @ 4" c/c both ways welded with 1-1/2"x3/16" MS flat Frame and covered with MS Sheet 14 gauge, with all locks, including all necessary fittings. Complete in all respect. 21 GRANITE (BLACK GRANITE) Provide and laying 3/4" thick factory polished granite door/window Sills, Thresholds and Borders, Steps for internal stair case, main entrance steps, ATM entrance, plinth protection, thresholds, straight and curve as per site requirement, single piece, as directed by client, fixed 1:2 cement and mortar, color chemical grout including final rubbing finishing and polishing bull nosing carborandum grove where required etc. complete with all respect. 22 ROOF TREATMENT: Provision of Roof Screeding, minimum width of 2", for maintaining slope using 6mm crush chips of ratio 1:2:4 at roof including curing and fixing of Drain Pipe wherever required, complete in all respect., only where necessary. 23 WATER PROOFING: Provision of Roof treatment to be provided as per specifications and site condition in order to stop seepage of water wherever required, ONLY WHERE NECESSARY. 24 INTERLOCK PAVERS Providing & laying 60mm thick interlock pavers of approved design and shape natural colors, having strength b/w 7000 psi to 8500 psi i/c filling the joints with sand, for parking area laid over 3" thick layer (compacted) of approved course sand with leveling & dressing. Complete in all respects or as directed by the Engineer (make Tuff/Envicrete/HUBCERETE or equivalent). This pavers will be installed up to 12 feet width, from the edge of Branch.		
Providing and fixing the MS enamel painted security grill door panel of 3/4" MS square solid bars @ 4" c/c both ways welded with 1-1/2"x3/16" MS flat Frame and covered with MS Sheet 14 gauge, with all locks, including all necessary fittings. Complete in all respect. 21 GRANITE (BLACK GRANITE) Provide and laying 3/4" thick factory polished granite door/window Sills, Thresholds and Borders, Steps for internal stair case, main entrance steps, ATM entrance, plinth protection, thresholds, straight and curve as per site requirement, single piece, as directed by client, fixed 1:2 cement and mortar, color chemical grout including final rubbing finishing and polishing bull nosing carborandum grove where required etc. complete with all respect. 22 ROOF TREATMENT: Provision of Roof Screeding, minimum width of 2", for maintaining slope using 6mm crush chips of ratio 1:2:4 at roof including curing and fixing of Drain Pipe wherever required, complete in all respect., only where necessary. 23 WATER PROOFING: Provision of Roof treatment to be provided as per specifications and site condition in order to stop seepage of water wherever required, ONLY WHERE NECESSARY. 24 INTERLOCK PAVERS Providing & laying 60mm thick interlock pavers of approved design and shape natural colors, having strength b/w 7000 psi to 8500 psi i/c filling the joints with sand, for parking area laid over 3" thick layer (compacted) of approved course sand with leveling & dressing. Complete in all respects or as directed by the Engineer (make Tuff/Envicrete/HUBCERETE or equivalent). This pavers will be installed up to 12 feet width, from the edge of Branch.		
Providing and fixing the MS enamel painted security grill door panel of 3/4" MS square solid bars @ 4" c/c both ways welded with 1-1/2"x3/16" MS flat Frame and covered with MS Sheet 14 gauge, with all locks, including all necessary fittings. Complete in all respect. 21 GRANITE (BLACK GRANITE) Provide and laying 3/4" thick factory polished granite door/window Sills, Thresholds and Borders, Steps for internal stair case, main entrance steps, ATM entrance, plinth protection, thresholds, straight and curve as per site requirement, single piece, as directed by client, fixed 1:2 cement and mortar, color chemical grout including final rubbing finishing and polishing bull nosing carborandum grove where required etc. complete with all respect. 22 ROOF TREATMENT: Provision of Roof Screeding, minimum width of 2", for maintaining slope using 6mm crush chips of ratio 1:2:4 at roof including curing and fixing of Drain Pipe wherever required, complete in all respect., only where necessary. 23 WATER PROOFING: Provision of Roof treatment to be provided as per specifications and site condition in order to stop seepage of water wherever required, ONLY WHERE NECESSARY. 24 INTERLOCK PAVERS Providing & laying 60mm thick interlock pavers of approved design and shape natural colors, having strength b/w 7000 psi to 8500 psi i/c filling the joints with sand, for parking area laid over 3" thick layer (compacted) of approved course sand with leveling & dressing. Complete in all respects or as directed by the Engineer (make Tuff/Envicrete/HUBCERETE or equivalent). This pavers will be installed up to 12 feet width, from the edge of Branch.	:	
i) Security Grill Door Providing and fixing the MS enamel painted security grill door panel of 3/4" MS square solid bars @ 4" c/c both ways welded with 1-1/2"x3/16" MS flat Frame and covered with MS Sheet 14 gauge, with all locks, including all necessary fittings. Complete in all respect. 21 GRANITE (BLACK GRANITE) Provide and laying 3/4" thick factory polished granite door/window Sills, Thresholds and Borders, Steps for internal stair case, main entrance steps, ATM entrance, plinth protection, thresholds, straight and curve as per site requirement, single piece, as directed by client, fixed 1:2 cement and mortar, color chemical grout including final rubbing finishing and polishing bull nosing carborandum grove where required etc. complete with all respect. 22 ROOF TREATMENT: Provision of Roof Screeding, minimum width of 2", for maintaining slope using 6mm crush chips of ratio 1:2:4 at roof including curing and fixing of Drain Pipe wherever required, complete in all respect, only where necessary. 23 WATER PROOFING: Provision of Roof treatment to be provided as per specifications and site condition in order to stop seepage of water wherever required, ONLY WHERE NECESSARY. 24 INTERLOCK PAVERS Providing & laying 60mm thick interlock pavers of approved design and shape natural colors, having strength b/w 7000 psi to 8500 psi i/c filling the joints with sand, for parking area laid over 3" thick layer (compacted) of approved course sand with leveling & dressing. Complete in all respects or as directed by the Engineer (make Tuff/Envicrete/HUBCERETE or equivalent). This pavers will be installed up to 12 feet width, from the edge of Branch.	20	SECURITY DOORS
solid bars @ 4" c/c both ways welded with 1-1/2"x3/16" MS flat Frame and covered with MS Sheet 14 gauge, with all locks, including all necessary fittings. Complete in all respect. 21 GRANITE (BLACK GRANITE) Provide and laying 3/4" thick factory polished granite door/window Sills, Thresholds and Borders, Steps for internal stair case, main entrance steps, ATM entrance, plinth protection, thresholds, straight and curve as per site requirement, single piece, as directed by client, fixed 1:2 cement and mortar, color chemical grout including final rubbing, finishing and polishing bull nosing carborandum grove where required etc. complete with all respect. 22 ROOF TREATMENT: Provision of Roof Screeding, minimum width of 2", for maintaining slope using 6mm crush chips of ratio 1:2:4 at roof including curing and fixing of Drain Pipe wherever required, complete in all respect., only where necessary. 23 WATER PROOFING: Provision of Roof treatment to be provided as per specifications and site condition in order to stop seepage of water wherever required, ONLY WHERE NECESSARY. 24 INTERLOCK PAVERS Providing & laying 60mm thick interlock pavers of approved design and shape natural colors, having strength b/w 7000 psi to 8500 psi i/c filling the joints with sand, for parking area laid over 3" thick layer (compacted) of approved course sand with leveling & dressing. Complete in all respects or as directed by the Engineer (make Tuff/Envicrete/HUBCERETE or equivalent). This pavers will be installed up to 12 feet width, from the edge of Branch.	i)	
Provide and laying 3/4" thick factory polished granite door/window Sills, Thresholds and Borders, Steps for internal stair case, main entrance steps, ATM entrance, plinth protection, thresholds, straight and curve as per site requirement, single piece, as directed by client, fixed 1:2 cement and mortar, color chemical grout including final rubbing finishing and polishing bull nosing carborandum grove where required etc. complete with all respect. 22 ROOF TREATMENT: Provision of Roof Screeding, minimum width of 2", for maintaining slope using 6mm crush chips of ratio 1:2:4 at roof including curing and fixing of Drain Pipe wherever required, complete in all respect., only where necessary. 23 WATER PROOFING: Provision of Roof treatment to be provided as per specifications and site condition in order to stop seepage of water wherever required, ONLY WHERE NECESSARY. 24 INTERLOCK PAVERS Providing & laying 60mm thick interlock pavers of approved design and shape natural colors, having strength b/w 7000 psi to 8500 psi i/c filling the joints with sand, for parking area laid over 3" thick layer (compacted) of approved course sand with leveling & dressing. Complete in all respects or as directed by the Engineer.(make Tuff/Envicrete/HUBCERETE or equivalent). This pavers will be installed up to 12 feet width, from the edge of Branch.		solid bars @ 4" c/c both ways welded with 1-1/2"x3/16" MS flat Frame and covered with
Provide and laying 3/4" thick factory polished granite door/window Sills, Thresholds and Borders, Steps for internal stair case, main entrance steps, ATM entrance, plinth protection, thresholds, straight and curve as per site requirement, single piece, as directed by client, fixed 1:2 cement and mortar, color chemical grout including final rubbing finishing and polishing bull nosing carborandum grove where required etc. complete with all respect. 22 ROOF TREATMENT: Provision of Roof Screeding, minimum width of 2", for maintaining slope using 6mm crush chips of ratio 1:2:4 at roof including curing and fixing of Drain Pipe wherever required, complete in all respect., only where necessary. 23 WATER PROOFING: Provision of Roof treatment to be provided as per specifications and site condition in order to stop seepage of water wherever required, ONLY WHERE NECESSARY. 24 INTERLOCK PAVERS Providing & laying 60mm thick interlock pavers of approved design and shape natural colors, having strength b/w 7000 psi to 8500 psi i/c filling the joints with sand, for parking area laid over 3" thick layer (compacted) of approved course sand with leveling & dressing. Complete in all respects or as directed by the Engineer.(make Tuff/Envicrete/HUBCERETE or equivalent). This pavers will be installed up to 12 feet width, from the edge of Branch.	21	GRANITE (BLACK GRANITE)
ROOF TREATMENT: Provision of Roof Screeding, minimum width of 2", for maintaining slope using 6mm crush chips of ratio 1:2:4 at roof including curing and fixing of Drain Pipe wherever required, complete in all respect., only where necessary. 23 WATER PROOFING: Provision of Roof treatment to be provided as per specifications and site condition in order to stop seepage of water wherever required, ONLY WHERE NECESSARY. 24 INTERLOCK PAVERS Providing & laying 60mm thick interlock pavers of approved design and shape natural colors, having strength b/w 7000 psi to 8500 psi i/c filling the joints with sand, for parking area laid over 3" thick layer (compacted) of approved course sand with leveling & dressing. Complete in all respects or as directed by the Engineer.(make Tuff/Envicrete/HUBCERETE or equivalent). This pavers will be installed up to 12 feet width, from the edge of Branch.		Provide and laying 3/4" thick factory polished granite door/window Sills, Thresholds and Borders, Steps for internal stair case, main entrance steps, ATM entrance, plinth protection, thresholds, straight and curve as per site requirement, single piece, as directed by client, fixed 1:2 cement and mortar, color chemical grout including final rubbing finishing and polishing bull nosing carborandum grove where required etc.
slope using 6mm crush chips of ratio 1:2:4 at roof including curing and fixing of Drain Pipe wherever required, complete in all respect., only where necessary. 23 WATER PROOFING: Provision of Roof treatment to be provided as per specifications and site condition in order to stop seepage of water wherever required, ONLY WHERE NECESSARY. 24 INTERLOCK PAVERS Providing & laying 60mm thick interlock pavers of approved design and shape natural colors, having strength b/w 7000 psi to 8500 psi i/c filling the joints with sand, for parking area laid over 3" thick layer (compacted) of approved course sand with leveling & dressing. Complete in all respects or as directed by the Engineer.(make Tuff/Envicrete/HUBCERETE or equivalent). This pavers will be installed up to 12 feet width, from the edge of Branch.	22	
site condition in order to stop seepage of water wherever required, ONLY WHERE NECESSARY. 24 INTERLOCK PAVERS Providing & laying 60mm thick interlock pavers of approved design and shape natural colors, having strength b/w 7000 psi to 8500 psi i/c filling the joints with sand, for parking area laid over 3" thick layer (compacted) of approved course sand with leveling & dressing. Complete in all respects or as directed by the Engineer.(make Tuff/Envicrete/HUBCERETE or equivalent). This pavers will be installed up to 12 feet width, from the edge of Branch.		slope using 6mm crush chips of ratio 1:2:4 at roof including curing and fixing of Drain
Providing & laying 60mm thick interlock pavers of approved design and shape natural colors, having strength b/w 7000 psi to 8500 psi i/c filling the joints with sand, for parking area laid over 3" thick layer (compacted) of approved course sand with leveling & dressing. Complete in all respects or as directed by the Engineer.(make Tuff/Envicrete/HUBCERETE or equivalent). This pavers will be installed up to 12 feet width, from the edge of Branch.	23	site condition in order to stop seepage of water wherever required, ONLY WHERE
colors, having strength b/w 7000 psi to 8500 psi i/c filling the joints with sand, for parking area laid over 3" thick layer (compacted) of approved course sand with leveling & dressing. Complete in all respects or as directed by the Engineer.(make Tuff/Envicrete/HUBCERETE or equivalent). This pavers will be installed up to 12 feet width, from the edge of Branch.	24	INTERLOCK PAVERS
25 EXTERNAL PAINT		colors, having strength b/w 7000 psi to 8500 psi i/c filling the joints with sand, for parking area laid over 3" thick layer (compacted) of approved course sand with leveling & dressing. Complete in all respects or as directed by the Engineer.(make Tuff/Envicrete/HUBCERETE or equivalent). This pavers will be installed up to 12 feet
	25	EXTERNAL PAINT

Provide and apply with Roller Matt Enamel paint WEATHER SHEILD (ICI/Berger or equivalent) minimum three coats of approved shade over a coat of primer to internal plastered surfaces, base preparation, primer, smooth filling etc. complete in all respect as shown on the drawings specifications and/or as directed by the Architect/ Engineer.

26 | Front Elevation

The front elevation of the Branch will consist of proper CC steps, fixed on it approved granite. The portion other than window and door will consist of Bank's approved AJRAK tiles, aluminum composite panel, approved elevation ceramic tiles, as directed by the Bank's Engineer, plan. and other approved face tiles, with approved pattern.

S.No. DESCRIPTION

A. INTERNAL WIRING

Supply, installation and commissioning of **Light Circuit** wiring, from MCB in DB to Switch Board to be wired with 3x2.5mm sq. (P+N+PE) PVC insulated 300/500 V grade wire, manufactured by M/s. Pakistan Cables Ltd., AGE, Pioneer or FAST or equivalent, pioneered as specified in Annexure A, in and including cost of 1" dia. heavy duty PVC conduit make Popular, Beta, installed on roof slab, above false ceiling, or concealed in walls, or as required as per site conditions, all PVC conduit accessories, pull boxes, steel pull wires, Complete in all respects. Each circuit shall have independent CPC.Maximum wiring of 2 light circuits can be pulled through 1" dia. PVC conduit. **Note:**- <u>Supply Certificate issued by Company will be attached with bills</u>

Providing, Installation, testing and commissioning of wiring of **One** light point controlled by one switch and wired with 3x1.5 mm sq. PVC insulated wires 300/500 V grade, in and including cost of 3/4" dia. heavy duty PVC conduit recessed in wall, columns slabs or above light carrier all PVC conduit accessories, 3" high PVC junction boxes, pull boxes, steel pull wires, PVC flexible conduit from ceiling junction box to light fixture with brass chuck nut including cost of 3x1.5mm sq from Ceiling Junction Box to Light Fixture, M.S. sheet steel switch box 16 SWG with earth terminal and 2 coats of enameled paint, M.S. box shall be of the same size as that of 1, 2 or 3 gang flush type plate switches, including cost of gang type light switches 10 amps.

- Providing, Installation, testing and commissioning of wiring of **Two or three or four light points** controlled by one switch and wired with 3x1.5 mm sq. PVC insulated wires 300/500 V grade, in and including cost of 3/4" dia. heavy duty PVC conduit recessed in wall, columns slabs or above light carrier all PVC conduit accessories, 3" high PVC junction boxes, pull boxes, steel pull wires, PVC flexible conduit from ceiling junction box to light fixture with brass chuck nut including cost of 3x1.5mm sq from Ceiling Junction Box to Light Fixture, M.S. sheet steel switch box 16 SWG with earth terminal and 2 coats of enameled paint, M.S. box shall be of the same size as that of 1, 2 or 3 gang flush type plate switches, including cost of gang type light switches 10 amps.
- Providing & wiring of 1-3 pin 15 Amps power socket outlets (for General Use) wired with 2x4mm2+1x2.5mm² CU/PVC insulated cable 300/500 Volt grade, make Pakistan cables, Fast, Pioneer, AGE, in 25mm dia PVC conduit make Beta, Popular, recessed in wall/floor, above false ceiling or as required as per site conditions, all PVC conduit make Beta accessories, pull boxes, steel pull wires. Complete with all conduit & wiring accessories including 15 Amps, 3 pin combined switch socket make Clipsal (Austria), Panduit, MK(UK), Legrand (France) or approved equivalent. Wiring shall be done directly from the MCB installed in the respective DB without any claim of circuit, complete with suitable size 1.5mm thick sheet steel back box recessed in wall.
- Providing & wiring of 1-3 pin 10 Amps power switch socket outlets (for RAW supply / WAPDA) wired with 3x2.5mm2 1 core CU/PVC insulated cable in 25mm dia PVC conduit make Beta, Popular, recessed in wall/floor, above false ceiling or as required as per site conditions, all PVC conduit make Beta accessories, pull boxes, steel pull wiresetc. Complete will all conduit & wiring accessories including 10 Amps, 3 pin combined switch socket make Clipsal (Austria), MK(UK), Legrand (France) or approved equivalent. Wiring shall be done directly from the MCB installed in the respective DB without any claim of circuit. complete with suitable size 1.5mm thick sheet steel back box recessed in wall.
- 6 Confirming to same specification as mentioned above in item A-08, but outlet to outlet wiring. Complete in all respect.
- Providing & wiring of 2-3 pin 13 Amps power switch socket outlets (for UPS) wired with 3x2.5mm2 1 core CU/PVC insulated cable in 25mm dia PVC conduit make Beta, Popular, recessed in wall/floor, above false ceiling or as required as per site conditions, all PVC conduit make Beta accessories, pull boxes, steel pull wires. Complete will all conduit & wiring accessories including 13 Amps, 2/3 pins combined switch socket (duplex) make Clipsal (Austria), MK(UK), Legrand (France) or approved equivalent. Wiring shall be done directly from the MCB installed in the respective DB without any claim of circuit, complete with suitable size 1.5mm thick sheet steel back box recessed in wall.

Providing installing & wiring for Split A/C's unit from distribution board to respective 1-3 pin 16. Amps switch socket, for outer unit or indoor unit, as the case may be, wired with approved brand 2x6mm² + 1x4mm² 1 core CU/PVC cable in 25mm dia PVC conduit make Beta, Popular, recessed in wall/floor, above false ceiling or as required as per site conditions, all PVC conduit make Beta accessories, pull boxes, steel pull wires etc. Complete will all conduit & wiring accessories including 16 Amps, 3 pin combined switch socket make Clipsal (Austria), MK(UK), Legrand (France) or approved equivalent. Wiring shall be done directly from the MCB installed in the respective DB without any claim of circuit, complete with suitable size 1.5mm thick sheet steel back box recessed in wall. Complete with all accessories including termination.

TECHNOLOGY BOXES

FITTING & FIXTURES

Providing, Installation, wiring from respective breaker in respective DB, of CLIPSAL make Floor / wall Technology Box with cover, 1.5mm thick sheet, steel fabricated floor mounted water tight weather proof, fitted with two 13 Amps , UPS power flate pins and one 13Amps raw power round pin sockets, one dual face plate with RJ-45 out let for Data point and one RJ-12 I/o sock . for telephone , with power socket wired with approved 2.5 mm wires with earth wire of same size, from respective UPS and or normal DBs, data point and telephone points with cat-6e clipsal /3M wire or equivalent and Outlets. Complete in all respects including floor / wall cutting. Tlude termination of electrical wires at sockets, and DB, Data wires at I/O of face plate and at patch panel on other end, with telephone points at RJ-12 I/O at Box and 50 pairs Tag Block with MS box, at other end with complete termination, testing and submission of test report and 20 years termination warranty. This work also inside proper tagging / numbering at both ends of all Data and telephone cables.

TOTAL ioning of light fixtures & other accessories, com-


- Providing, Installation, testing & commissioning of **light fixtures** & other accessories, complete with all accessories such as, Chain, Rod, Screw, foundation for garden light etc. Complete in all respect with chokes (ballast), lamp holders, starters, power factor correction capacitor, tube rods internal wiring, earthing terminal.
- i) Philips Down light FBH with 2X 9 W, Philips LED Lamp or equivalent
- ii) Mirror Light Fixture Philips GMP-118-84 or Equivalent
- Recessed Ceiling Down light fixture (6" dia) circular shape equivalent to Philips Model Lunar with Optogan Emotion Series LED lamp or equivalent installed vertically and aluminum reflector as approved by architect./Engineer.
 - Supply, installation and commissioning of Exhaust / Bracket Fans of following sizes, plastic body, louvers, all necessary fixing accessories, make Asia, Climax, National or as manufactured by any one of the manufacturers as mentioned in Annexure-"A". Complete in all respects.

i)	Exhaust Fan 12" dia
ii)	Wall Bracket Fan 24" dia
11.00	MAIN SWITCHES AND DBs
	All concield with 16 SWG MS powdered coated box for DBs and 18 SWG MS sheet box for outside 100 Amps, TP breaker, with door, hinges, lock, Amps meter, Volt meters, selector switches, LED indicating lamps, earth strips with 10 holes, neutral strips with 12 holes, backed powdered coating, water proof gasket, The work include all internal wiring with / 99.995 copper busbars, proper sized above mentioned approved PVC wires, at all DBs from TP breakers / Switches with standard copper termination of each breakers at all phases., wiring for volts /Amps meters, selectors, indicators etc, thus complete DB in all respect with DB body earthing with earth wire All breakers in all BBs will be Japanese Brand, Terasaki, Clipsal; MG, Schneider, Legrand or equivalent
11.10	Out Side Breaker / Switch
	One 100 Amps TP, approved Brand main breaker will be installed outside for KESC / WAPDA, incoming power supply, including connection to breaker, outgoing three phase four wires approved brand 25mm2 PVC cable from breaker to inside main DB breaker, with earthing of its above referred MS box.
	MAIN DB, Raw power, AC and power sockets
11.2	Main DB will be above referred specification but will have one 100 Amps Main Braker, one 60 Amps TP breaker for generator DB, through ATS / Change over, with 16 mm2 TP wires. One SP 30Amps breakers will be for UPS and UPS DB. Beside above six 30 Amps and 6, 20 Amps breakers will be provided for ACs, and other power sockets. This also include power to Emergency DB with 25mm2 wires. AC breakers portion will be lockable.
-	
12	Emergency Power DB This DB will also have all above referred specifications but with one 60 Amps TP incoming breaker and three 30 Amps, three 20 Amps and 9, 15 Amps SP breakers for Acs, light and one two pole 30 Amps breaker for . UPS. Also 16 Amps SP line with earth from ups breaker to UPS through 30 Apms clipsal or equivalent industrial sockets set, and from UPS to main incoming breaker of UPS DB. Further incoming supply to this Emergency DB will come from main DB and to change over switch and after it to from changeover to Emergency DB, with 16mm2 TP approved wires.
	UPS DB
	This DB will also be same specification but consist of one SP, two pole incoming breaker and 6, 10 Amps and 3, 15 Amps breakers and one two pole 15 Amps breaker for ATM. With 3x4mm

13	Telephone system
1	Providing & wiring of each Telephone socket outlet in preinstalled outlet technology boxes, wired with 4 Pair Cat-6 (UTP)Cable, make 3M / PANDUIT USA / clipsal or equivalent in 25mm dia PVC conduit recessed in slabs, floors, walls, columns or on slab above false ceiling or as required as per site conditions,, complete with all conduit & wiring accessories including RJ-12 IOs & Face Plates. Complete in all respect with suitable size 1.5mm thick sheet steel back box recessed in wall for other than technology box.
2	Providing & fixing 30 Pairs Telephone Tag Block (MDF) enclosed in 1.5mm thick sheet steel box with all fixing accessories.
14	Networking / Computer data cabling
1	Providing, laying & testing of Data Cabl e 4 Pair Cat -6 e, , make 3M / PANDUIT USA/ Clipsal or equivalent in 25 mm dia PVC conduit including Data Outlet (3M make) Face plate (2port) w/o shutter RJ-45 (Panduit USA)K6 Jack fixed, on 1.5 mm thick steel back box complete in all respect and as per darwing, and providing of Fluke Test Report & 3M's 20 Years Certificate (Complete as per Client's requirement)
2	Supply of machine made 3M or equivalent Cat-6 Patch Cable (1m) with both end connectors
3	Supply of machine made 3M or equivalent Cat-6 Drop Cable (3m) with both end connectors
4	Providing of 9U, standard Data Cabinet. With 24 ports 3M or equivalent patch panel,
<u>15</u>	Earthing
	Providing, installation, commissioning and testing of two earthing pits (40 to 50 ft deep or upto water level), back filling, ramming etc. complete with earth electrode 25mm dia and 1.5 meter long, as indicated in specification and drawings. Complete with cable clamps 38mm dia G.I. pipe and all accessories as per drawings. Each earth pit is to be provided with a concrete manhole 300 x 300 x 450(mm) deep with 225mm thick wall including cement mortar, internal plaster 1:4, with heavy duty C.I. cover including test clamp. Complete in all respect. Earthing bores shall be made at 6 to 8 feet away from foundation and distance between earth pits shall not be less than 10 feet Further connection of earth pit to Generator neutral point and all DBs with proper earth wire. In case where earth bore is not possible, due to hilly area, copper plate earth , having size 2'X2'X1/4", with two 10 SWG 25mm copper wires, tight on plates with brass nut / bolt, plate burried in 6 to 8 feet deep in earth. will be provided.
L	

	Į.
	<u>i</u>
	IDITIONING / HVAC WORKS :
5.No 16	DESCRIPTION Installation of Bank's supplied Split Air Conditioners (SAC) including USA or equivalent
	copper piping with installation & testing complete in all respects; including control wiring from outdoor unit to indoor with 2 x 1.5 mm.sq. + 1 x 1.5 mm.sq wire drawn in PVC 'D' class conduit clipped to wall or ceiling (wiring make Pakistan Cable, AGE or Pioneer or equivalent). The return and supply copper tubing to be sized as per manufacturer's recommendation and to be drawn in separate Aeroflex or equivalent insulators.
	Provide & fix UPVC pipe, Beta or popular, for AC drain system, (medium) conforming to BSS 1307 of 1957, along with GI fittings such as tees, elbows, unions, reducers, sockets, teflon tape for jointing, hangers, supports, sleeves, including testing and commissioning and insulation with Aeroflex or equivalent insulation.
	i. 1-1/4" dia
	ii. 3/4" dia
	LOW VOLTAGE EQUIPMENT'S WIRING
	Contractor will provide following wiring, strictly in accordance with equipment requirement, with standard wires and best practice of wiring.
··· - <u> </u>	1, Providing of CCTV Cameras wiring, with manufacturer approved Cameras wire, power points, , in suitable PVC pipe, with placement of owner supplied DVR / NVR at proper place, as per approved Camera location lay out plan . For cameras RJ-6 cable and for power supply, 2x1.5 mm wires will be used.
	2, Providing of wiring for Fire Alarm system control panel, detectors, bell, MCP, strictly in accordance with manufacturer requirement and lay out plan, complete in all respect.
	3, Providing of wiring for access control system as per system requirement.

	Rel	novation of Ashraf Road Branch	Road Branch	
S.NO	COMPANY NAME	AMOUNT	PO NO	BANK NAME
_	Z.A Construction	300	00000561	Soneri Bank
2	Arcika Traders	300	67406229	Allied Bank
	Total		300/-	



CONTRACT AGREEMENT

M/S.Z.AConstruction, a sole proprietorship, having its principal place of business at House# 14-V. Farid Town Sahiwal. (hereinafter referred to as "Contractor", which expression shall be deemed to mean and include its successors-in-interest and assigns) of the First Part;

AND


SINDH BANK LIMITED, a banking company incorporated under the laws of Pakistan and having its Head office at 3rd Floor, Federation House, Abdullah Shah Ghazi Road, Clifton, Karachi-75600, Pakistan, (Hereinafter referred to as "THE BANK", which expression shall be deemed to mean and include its successors-in-interest and assigns) of the Second Part.

WHEREAS:

"THE BANK" intends to acquire the services of "Contractor" for Renovation, Interior and Electrical Work, for its Ashraf Road Peshawar Branch and Contractor agrees to provide the following services to the bank, as per the tender opened on 23-06-2015.

i. Renovation, Interior and Electrical work as per detailed BOQ submitted to the Bank.

Construction



Total Price as per Financial / Technical Proposal Submitted by M/s.Z.A.Construction:Rs.4.267,000/-

The terms and conditions are as follows:

Terms & Conditions:

All terms and conditions of the tender document will remain part of this agreement.

Change / alteration in the original Plant

- Any change/alteration in the original plan, if required, due to site hindrance or any other reason shall be made after written approval of the Bank. Electricity & Water for renovation activities will be provided free of charge to the Contractor, by the Bank.

Payment Schedule:

- a) No advance payment will be made.
- b) First interim Payment will be made on receiving original invoice from the contractor and confirmation of 30% completion of work by respective Area / Regional Manager of the bank.
- c) Second interim payment will be made on receiving original invoice from the contractor and confirmation of 60% completion of work by respective Area / Regional Manager of the bank.
- d) Final payment will be released to contractor on receipt of final invoice from the contractor and as per actual measurements by the Bank Engineer during physical inspection of the completed project.
- e) 02% of the total tender amount will be retained by the Bank as "Performance security" in shape of pay order and the same will be released after 90 days of handing over of the project alongwith receipt of satisfactory letter from the concerned branch.

Construction



e) 02% of the total tender amount will be retained by the Bank as "Performance security" in shape of pay order and the same will be released after 90 days of handing over of the project alongwith receipt of satisfactory letter from the concerned branch.

Period of Contract:

Date of Handing over site

Branch Completion date:

Commencement of Work:

- The job will be commenced from the date of acceptance of Award/Letter by the Contractor.

Penalty:

- The completion period of the awarded work will be 45 days from the date of handing over the
- In case of delay in completion, a penulty @ 0.15% of total contract amount, for each day of delay will be imposed.
- The rates quoted by the Contractor will include all works, necessary for establishment of Bank Branch, complete in all respect strictly in accordance with our specifications given in design book. In case of any deviation in design/ specification, without written permission of Bank's Engineer, the payment of such item will not be paid and the contractor will be liable to replace the objected item as per the design book at his own cost.

Notice.

- Any notice, request or consent required or permitted to be given or made pursuant to this agreement shall be in writing. Any such notice, request or consent shall be deemed to have been given or made when delivered in person to an authorized representative of the Party to whom the communication is addressed, or when sent to such Party at the given address.
- A party may change its address for notice by giving a notice to the other Party in writing of such change.

Authorized Representative:

Any action required or permitted to be taken, and any document required or permitted to be executed under this agreement by the Bank or the Contractor may be taken or executed by the officials.

Taxes and Duties:

The Contractor and its Personnel small pay such direct or indirect taxes, duties, fees, and other impositions levied under the applicable haw, the amount of which is deemed to have been included in the Contract Price.

Termination of Agreement by the Bank:

If the performance of the Contractor is not satisfactory this agreement can be terminated by the Bank upon giving a 30 days' advance notice in writing to the Contractor. In such event the Contractor shall refund all advance money to the Bank after adjusting the cost of work done by that date.

- If the Contractor becomes insolvent or bankrupt.
- If the Contractor, in the judgment of the Bank has engaged in corrupt or fraudulent practices in competing for or in executing the Agreement.
- If, as the result of Force Majeure, the Comractor is unable to perform a material portion of the Services for a period of not less than sixty (60) days; and
- If the Bank, in its sole discretion and for any reason whatsoever, decided to terminate this Agreement.
- If (2) two warning letters/emails are issued for unsatisfactory current performance by the bank to the bank

Termination of Agreement by the Contractor:

- The Contractor may terminate this Agreement, by not less than (30) days' written notice to the Bank, if the Bank fails to pay any money due to the Contractor pursuant to this Agreement without Contractors fault.
- If, as the result of Force Majeure, the Contractor is unable to perform a material portion of the Services for a period of not less man sixty (60) days.

Force Majeure:

- The failure on the part of the parties to perform their obligation under the agreement will not be considered as default if such raiture is the result of natural calamities, disasters and circumstances beyond the control of the parties.

Extension of Time:

- Any period within which Party shall, pursuant to this agreement, complete any action or task, shall be extended for a period equal to the time during which such Party was unable to perform such action as a result of Force Majoure.

Good Faith:

- The Parties undertake to act in good faith with respect to each other's rights under this agreement and to adopt all reasonable measures to ensure the realization of the objectives of this agreement.

Settlement of Disputes:

- The Parties agree that the avoidance or early resolution of disputes is crucial for a smooth execution of the Agreement and the success of the assignment. The Parties shall use their best efforts to settle amicably all disputes arising out of or in connection with the Agreement or its interpretation.
- If Parties fail to amicably settle any dispute arising out of or in connection with the Agreement within (10) days of conunencement of such informal negotiations, the dispute shall be referred to arbitration of two arbitrators, one to be appointed by each party, in accordance with the Arbitration Act, 1940. Venue of arbitration shall be Karachi, Pakistan and proceedings of arbitration shall be conducted in English.

Obligation of the Contractor:

The Contractor shall perform the Services and carry out their obligations hereunder with all due diligence, efficiency and economy in accordance with generally accepted professional standards and practices, and shall observe sound management practices, and employ appropriate technology and safe and effective equipment, machinery, materials and methods. The Contractor shall always act, in respect of any author relating to this Agreement or to the Services, as faithful advisers to



Conflict of Interest:

- The Contractor shall hold the Bank's interests paramount, without any consideration for future worth and strictly avoid conflict with other assignments or their own corporate interests.


Confidentiality;

Stamp

- Except with the prior written consent of the Bank, the Contractor and the Personnel shall not at any time communicate to any person or entity and confidential information acquired in the course of the Services, nor shall the Contractor and the Personnel make public the recommendations formulated in the course of, or as a result of the Services.

In witnesses hereunder both the parties have set their hands on the day and year above first mentioned.

And the second s	
Supplier Signature	Witness:
Name priceis nitragefremma	Signature Little
Designation Dizzec la 2	Name _ M. Takid.
Company Name 2 kl- Cory Buch	Designation Express
	Address for No 705/W. Sahone
Four Salvand.	
Stump # Accommodul	
Chyamier Signature	Signature My/1)
Name = Lt. Cul. (R) Sinalizard Begg	Name Mr. Akhtur Ali Khan
Designation Head of Administration	Designation <u>Executive Vice President</u>
Company Name Sindh Bank t imited	Company Name Sindh Bank Lindted
Address <u>Federation House, Sindh Band,</u> Ltd. Head Office, Karachi	Address Federation Rouse, Single Bank Ltd. Head Office Karne a



Dated: 19 08 15

M/S. Z.A.Construction, House# 14-V, Fareed Town Sahiwal.

Letter of Award

Renovation, Interior Work, Construction and Electrical Work at Sindh Bank Limited "Ashraf Road Branch Peshawar".

This is with reference of your Tender dated 23-06-2015 pertaining to captioned work. We are pleased to inform you that based on your quotation the above work has been assigned to you on contract price basis, on item wise rates, with a total of Rs. 4,267,000/-

Other terms & conditions would be as follows:

Description of Work: ١.

- a) Civil/Interior work covering total area of 2510 sq.ft. as per the petailed drawing submitted to the bank.
- b) Electrical Works

Any change / alteration in the original plan, if required, due to site hindrance or any other reason shall be made after written approval of the bank. Electricity & water for construction activities will be provided free of charge to the contractor, by the bank.

Payment Schedule: 2.

b) First interim payment will be made on receiving original invoice from the contractor and continuation of 30% completion of work by respective

3. Completion of Period:

- a) Date of Handing over site.
- b) Branch Completion date

19/08/15

4. Commencement of Work:

The job will be commenced immediately from the date of acceptance of this Award/Letter.

Please sign & affix your company's stamp and return the same to us as a token of your acceptance immediately.

With Regards,

Zulqarnain Memon Project Engineer Agreed & Accepted For & on behalf of



Bid Evaluation Report Evaluation Report- Renovation etc. Khipro Branch					
2	Tender Reference No.	SNDB/COK/ADMIN/TD/587/2015			
3	Tender Description	Renovation etc. of Khipro Branch			
4	Method of Procurement	Single Stage One Envelop Bidding Procedure			
5	Tender Published / SPPRA S.No	SPPRA S.No: 22847/2015 (Prequalification Notice) Express Tribune, Daily Express & Daily Ibrat (18th February 2015) SPPRA S.No: 24508/2015 (4th June 2015)			
6	Total Bid Documents Sold	02			
7	Total Bids Received	02			
8	Technical/Financial Bid Opening Date & Time	23/06/2015 at 1530 Hrs			
9	No. Of Bid qualified	02			
10	Bid(s) Rejected	-			

Detail on the above is as follows:-

S No	Name of Firm or Bidder	Cost offered by the Bidder (Area=1254 sq.ft.)	Ranking in terms of cost	Comparison with Estimated cost (Rs.2,513,890)	Reasons for acceptance/ rejection	Remarks
0	1	2	3	4	5	6
1.	M/s. Z. Hasan Enterprises	Rs.2,495,460/-	1st Lowest	Rs.18,430/- below the estimated cost	Accepted -1 st Lowest Qualified Bidder	/*
2.	M/s. Engineering Experts	Rs.2,570,700/-	2 nd Lowest	Rs.56,810/- above the estimated cost	High in Price	-

Accordingly going by the eligibility criteria offered in the tender document, Serial No.1 stands as only 1st Lowest Qualified Bidder.

Members Signature- Procurement Committee

Lt. Col. (R) Shahzad Begg Head of Administration

Mr. Saeed Jamal Chief Financial Officer

Mr. Syed Muhammad Aqeel Chief Manager, IDBL Karachi 5.1. Can9

SINDHBANK

	Bid Ev	valuation Report					
	Evaluation Report- Renovation etc. Khipro Branch						
1	Name of Procuring Agency	Sindh Bank Ltd.					
2	Tender Reference No.	SNDB/COK/ADMIN/TD/587/2015					
3	Tender Description	Renovation etc. of Khipro Branch					
4	Method of Procurement	Single Stage One Envelop Bidding Procedure					
5	Tender Published / SPPRA S.No	SPPRA S.No: 22847/2015 (Prequalification Notice) Express Tribune, Daily Express & Daily Ibrat (18th February 2015) SPPRA S.No: 24508/2015 (4th June 2015)					
6	Total Bid Documents Sold	02					
7	Total Bids Received	02					
8	Technical/Financial Bid Opening Date & Time	23/06/2015 at 1530 Hrs					
9	No. Of Bid qualified	02					
10	Bid(s) Rejected						

Detail on the above is as follows:-

S No	Name of Firm or Bidder	Cost offered by the Bidder (Area=1254 sq.ft.)	Ranking in terms of cost	Comparison with Estimated cost (Rs.2,513,890)	Reasons for acceptance/ rejection	Remarks
0	1	2	3	4	5	6
1.	M/s. Z. Hasan Enterprises	Rs.2,495,460/-	1st Lowest	Rs.18,430/- below the estimated cost	Accepted -1st Lowest Qualified Bidder	
2.	M/s. Engineering Experts	Rs.2,570,700/-	2 nd Lowest	Rs.56,810/- above the estimated cost	High in Price	-

Accordingly going by the eligibility criteria offered in the tender document, Serial No.1 stands as only 1st Lowest Qualified Bidder.

Members Signature- Procurement Committee

Lt. Col. (R) Shahzad Begg Head of Administration

Mr. Saeed Jamal Chief Financial Officer

Mr. Syed Muhammad Aqeel Chief Manager, IDBL Karachi 5.1. Can9

MINUTES OF THE OPENING OF THE TENDER (TECHNICAL/FINANCIAL PHASE)

TYPE OF PROCUREMENT	ADMIN / IT / CONSULTANT / MEDIA
TENDER NAME	Renovation of Khipro Branch
TYPE OF TENDER SINGLE STA	GE-ONE ENVELOPE / SINGLE STAGE-TWO ENVELOPE / TWO STAGE /TWO STAGE-TWO ENVELOPE
OPENING DATE	23/6/2015
OPENING TIME	15304our
TENDANCE (MEMBER PC)	Head of Administration
	Chief Financial Officer
	Chief Manager IDBL, Karachi
	NAME MIC 7 HASAN
ATTENDANCE (REPS. OF BIDDERS)	MS. Z. HASAN MS. ENGINEERING EXPERTS
	1 115. Chaineening (xperis
	7
TOTAL BIDS ACCEPTED FOR EVALUATION	
TOTAL BIDS REJECTED	
REMARKS	
	DDOCDEMENT COMMITTEE SIGNATURE
	PROCREMENT COMMITTEE SIGNATURE
	Chief Finance Officer: 5.1.1019
	Chief Manager, IDBL:
	37

4 FINANCIAL PROPOSAL

Head - Admin Div.

PRICE SCHEDULE

(Applicable for the year 2015-2016)

Name of Bidder Z. HASAN ENTERSPISES

Description	Unit	Rate per sq.ft	*Total Amount
Renovation, Interior, Works & Construction of KHIPRO BRANCH	1254 sq.ft (As per specification mentioned in scope of work)	1990/	2495460/

This *total amount will be taken as the financial bid offered by the contractor.

Note

- The branch has to be handed over within 45 days of issue date of award letter. In case of delay, a penalty @ 1.15% of total contract amount, for each day of delay will be imposed.
- The cost must include all taxes, stamp duty (as applicable under Stamp Act 1989) duly stamped on the contract agreement, installation, labor and any other charges.
- No advance payment will be made, bills will only be processed for necessary payment on receipt of certificate of satisfaction from the Branch Manager/Project Manager.
- Calculation of bid security. 1% of the *Total Amount will be submitted with the tender document as bid security.
- In case it is reviled at any stage after the completion of work that the asked specification of the tender have not been
 met, the amount of that specific item will be fined to the contractor with appropriate action as deemed necessary
 by the procurement committee.
- In case of any observation arising in respect of quality of the item, the company will be liable to address it at his
 own cost, non-compliance of the same will result into initiation of a case against the company for non-commitment
 or cancellation of tender as will be decided by the Procurement Committee.
- 7. The per square ft. rate given above by the contractor will be for inside area of the premises. However for any outside premises work, its changes will be covered in premises per square ft. area. No charges for any necessary outside work will be entertained separately.

Signature & Stamp of Bidder

SIGNATURE MEMB

Head - Fin Div ...

Sean - Admin De

FINANCIAL PROPOSAL

PRICE SCHEDULE

(Applicable for the year 2015-2016)

Name of Bidder Engineering Experts

Description	Unit	Rate per sq.ft	*Total Amount
Renovation, Interior, Works & Construction of KHIPRO BRANCH	(As per specification mentioned in scope of work)	Ry 2050/-	62,570,70

This *total amount will be taken as the financial bid offered by the contractor.

- The branch has to be handed over within 45 days of issue date of award letter. In case of delay, a penalty @ 0.15% of total contract amount, for each day of delay will be imposed.
- 2 The cost must include all taxes, stamp duty (as applicable under Stamp Act 1989) duly stamped on the contract agreement, installation, labor and any other charges.
- No advance payment will be made, bills will only be processed for necessary payment on receipt of certificate of 3. satisfaction from the Branch Manager/Project Manager.
- 4. Calculation of bid security, 1% of the *Total Amount will be submitted with the tender document as bid security.
- 5. In case it is revited at any stage after the completion of work that the asked specification of the tender have not been met, the amount of that specific item will be fined to the contractor with appropriate action as deemed necessary by the procurement committee.
- In case of any observation arising in respect of quality of the item, the company will be liable to address it at his 6. own cost, non-compliance of the same will result into initiation of a case against the company for non-commitment or cancellation of tender as will be decided by the Procurement Committee.
- 7. The per square ft, rate given above by the contractor will be for inside area of the premises. However for any outside premises work, its changes will be covered in premises per square ft. area. No charges for any necessary outside work will be entertained separately.

Bliard.

Signature & Stamp of Bidder

25



	Bid Ev	valuation Report	
	Evaluation Report- Renova	ation etc. Shirin Jinnah Colony Branch	
1	1 Name of Procuring Agency Sindh Bank Ltd.		
2	Tender Reference No.	SNDB/COK/ADMIN/TD/586/2015	
3	Tender Description	Renovation etc. of Shirin Jinnah Colony Branch	
4	Method of Procurement	Single Stage One Envelop Bidding Procedure	
5	Tender Published / SPPRA S.No	SPPRA S.No: 22847/2015 (Prequalification Notice) Express Tribune, Daily Express & Daily Ibrat (18th February 2015) SPPRA S.No: 24508/2015 (4th June 2015)	
6	Total Bid Documents Sold	02	
7	Total Bids Received	02	
8	Technical/Financial Bid Opening Date & Time	23/06/2015 at 1545 Hrs	
9	No. Of Bid qualified	02	
10	Bid(s) Rejected	-	

Detail on the above is as follows:-

S No	Name of Firm or Bidder	Cost offered by the Bidder (Area=1300 sq.ft.)	Ranking in terms of cost	Comparison with Estimated cost (Rs.2,549,390)	Reasons for acceptance/ rejection	Remarks
0	1	2	3	4	5	6
1.	M/s. Z. Hasan Enterprises	Rs.2,470,000/-	1st Lowest	Rs.79,390/- below the estimated cost	Accepted -1 st Lowest Qualified Bidder	-
2.	M/s. Engineering Experts	Rs.2,632,500/-	2 nd Lowest	Rs.83,110/- above the estimated cost	High in Price	*

Accordingly going by the eligibility criteria offered in the tender document, Serial No.1 stands as only 1st Lowest Qualified Bidder.

Members Signature- Procurement Committee

Lt. Col. (R) Shahzad Begg Head of Administration

Mr. Saeed Jamal Chief Financial Officer

Mr. Syed Muhammad Aqeel Chief Manager, IDBL Karachi 5-1-lang

29/06/2015

	Bid Ev	valuation Report
	Evaluation Report- Renova	ation etc. Shirin Jinnah Colony Branch
1	Name of Procuring Agency	Sindh Bank Ltd.
2	Tender Reference No.	SNDB/COK/ADMIN/TD/586/2015
3	Tender Description	Renovation etc. of Shirin Jinnah Colony Branch
4	Method of Procurement	Single Stage One Envelop Bidding Procedure
5	Tender Published / SPPRA S.No	SPPRA S.No: 22847/2015 (Prequalification Notice) Express Tribune, Daily Express & Daily Ibrat (18th February 2015) SPPRA S.No: 24508/2015 (4th June 2015)
6	Total Bid Documents Sold	02
7	Total Bids Received	02
8	Technical/Financial Bid Opening Date & Time	23/06/2015 at 1545 Hrs
9	No. Of Bid qualified	02
10	Bid(s) Rejected	

Detail on the above is as follows:-

S No	Name of Firm or Bidder	Cost offered by the Bidder (Area=1300 sq.ft.)	Ranking in terms of cost	Comparison with Estimated cost (Rs.2,549,390)	Reasons for acceptance/ rejection	Remarks
0	1	2	3	4	5	6
1.	M/s. Z. Hasan Enterprises	Rs.2,470,000/-	I st Lowest	Rs.79,390/- below the estimated cost	Accepted -1st Lowest Qualified Bidder	
2.	M/s. Engineering Experts	Rs.2,632,500/-	2 nd Lowest	Rs.83,110/- above the estimated cost	High in Price	-

Accordingly going by the eligibility criteria offered in the tender document, Serial No.1 stands as only 1st Lowest Qualified Bidder.

Members Signature- Procurement Committee

Lt. Col. (R) Shahzad Begg Head of Administration

Mr. Saeed Jamal Chief Financial Officer

Mr. Syed Muhammad Aqeel Chief Manager, IDBL Karachi) 7 2 9 5-1-lang

MINUTES OF THE OPENING OF THE TENDER (TECHNICAL/FINANCIAL PHASE)

	✓
TYPE OF PROCUREMENT	D. Fin St III. Tional Colonia
TENDER NAME	Renovation of Shirth Jinnah Colony
TYPE OF TENDER SINGLE STA	GE-ONE ENVELOPE / SINGLE STAGE-TWO ENVELOPE / TWO STAGE /TWO STAGE-TWO ENVELOPE
OPENING DATE	23 OF 12
OPENING TIME	1545 Hours
TENDANCE (MEMBER PC)	Head of Administration
_	Chief Financial Officer
	Chief Manager IDBL, Karachi
ATTENDANCE (REPS. OF BIDDERS)	By Pere S ENGINEERING EXPERTS
TOTAL BIDS ACCEPTED FOR EVALUATION	2_
TOTAL BIDS REJECTED	
REMARKS	
	PROCREMENT COMMITTEE SIGNATURE
	Head of Administration:
	Chief Finance Officer: 516
	Chief Manager, IDBL:

Tender Document - - Shirin Jinnah Colony Branch

SIGNATURE MEMBERS PGADA

// // // // //

Head - Admin Div

PRICE SCHEDULE

Member-108

(Applicable for the year 2015-2016)

Dare: -

Name of Bidder

Engineering Experts

FINANCIAL PROPOSAL

Description	Unit	Rate per sq.ft	*Total Amount
Renovation, Interior, Works & Construction of Shirin June BRANCH,	(As per specification mentioned in scope of work)	B 2025/2	R 2,632,500/

This *total amount will be taken as the financial bid offered by the contractor.

Note

- The branch has to be handed over within 45 days of issue date of award letter. In case of delay, a penalty @ 0.15% of total contract amount, for each day of delay will be imposed.
- The cost must include all taxes, stamp duty (as applicable under Stamp Act 1989) duly stamped on the contract agreement, installation, labor and any other charges.
- No advance payment will be made, bills will only be processed for necessary payment on receipt of certificate of satisfaction from the Branch Manager/Project Manager.
- 4. Calculation of bid security. 1% of the *Total Amount will be submitted with the tender document as bid security.
- In case it is reviled at any stage after the completion of work that the asked specification of the tender have not been
 met, the amount of that specific item will be fined to the contractor with appropriate action as deemed necessary
 by the procurement committee.
- In case of any observation arising in respect of quality of the item, the company will be liable to address it at his
 own cost, non-compliance of the same will result into initiation of a case against the company for non-commitment
 or cancellation of tender as will be decided by the Procurement Committee.
- 7. The per square ft. rate given above by the contractor will be for inside area of the premises. However for any outside premises work, its changes will be covered in premises per square ft. area. No charges for any necessary outside work will be entertained separately.

Signature & Stamp of Bidder

31	GN	ATI	JR	ΕM	ΙEΜ	F

Head - Fin Div ...

Head - Admin Div

PRICE SCHEDULE

(Applicable for the year 2015-2016) Member-IDBL

Date:.

FINANCIAL PROPOSAL

Name of Bidder L'HASAN ENTERPRISES

Description	Unit	Rate per sq.ft	*Total Amount
Renovation, Interior, Works & Construction of /	1300 sq.ft (As per specification mentioned in scope of work)	1900k	2470000p

This *total amount will be taken as the financial bid offered by the contractor.

Note

- The branch has to be handed over within 45 days of issue date of award letter. In case of delay, a penalty @ 0.15% of total contract amount, for each day of delay will be imposed.
- The cost must include all taxes, stamp duty (as applicable under Stamp Act 1989) duly stamped on the contract 2. agreement, installation, labor and any other charges.
- No advance payment will be made, bills will only be processed for necessary payment on receipt of certificate of 3. satisfaction from the Branch Manager/Project Manager.
- Calculation of bid security. 1% of the *Total Amount will be submitted with the tender document as bid security. 4.
- In case it is reviled at any stage after the completion of work that the asked specification of the tender have not been 5. met, the amount of that specific item will be fined to the contractor with appropriate action as deemed necessary by the procurement committee.
- 6. In case of any observation arising in respect of quality of the item, the company will be liable to address it at his own cost, non-compliance of the same will result into initiation of a case against the company for non-commitment or cancellation of tender as will be decided by the Procurement Committee.
- 7. The per square ft, rate given above by the contractor will be for inside area of the premises. However for any outside premises work, its changes will be govered in premises per square ft. area. No charges for any necessary outside work will be entertained separately,

Signature & Stamp of Bidder



02/07/2015

	Bid Ev	valuation Report
	Evaluation Report- Renovat	tion etc. Ashraf Road Branch, Peshawar
1	Name of Procuring Agency	Sindh Bank Ltd.
2	Tender Reference No.	SNDB/COK/ADMIN/TD/588/2015
3	Tender Description	Renovation etc. of Ashraf Road Branch, Peshawar
4	Method of Procurement	Single Stage One Envelop Bidding Procedure
5	Tender Published / SPPRA S.No	SPPRA S.No: 22847/2015 (Prequalification Notice) Express Tribune, Daily Express & Daily Ibrat (18th February 2015) SPPRA S.No: 24508/2015 (4th June 2015)
6	Total Bid Documents Sold	02
7	Total Bids Received	02
8	Technical/Financial Bid Opening Date & Time	23/06/2015 at 1555 Hrs
9	No. Of Bid qualified	01
10	Bid(s) Rejected	

Detail on the above is as follows:-

S No	Name of Firm or Bidder	Cost offered by the Bidder (Area=1750 とい sq.ft.)	Ranking in terms of cost	Comparison with Estimated cost (Rs. 4,309,705)	Reasons for acceptance/ rejection	Remarks
0	1	2	3	4	5	6
1.	M/s. Z.A Construction	Rs.4,267,000/-	1 st Lowest	Rs.42,705/- below the estimated cost	Accepted -1st Lowest Qualified Bidder	
2.	M/s. Arcika Traders & Contractors	Rs.4,392,500/-	2 nd Lowest	Rs. 82,795/- above the estimated cost	Disqualified due to non-submiss ion of bid security	

Accordingly going by the eligibility criteria offered in the tender document, Serial No.1 stands as only 1st Lowest Qualified Bidder.

Members Signature- Procurement Committee

Lt. Col. (R) Shahzad Begg Head of Administration

Mr. Saeed Jamal Chief Financial Officer

Mr. Syed Muhammad Aqeel Chief Manager, IDBL Karachi 6.1. Cang

Jyl -



	Bid Ev	valuation Report			
	Evaluation Report- Renovation etc. Ashraf Road Branch, Peshawar				
1	Name of Procuring Agency	Sindh Bank Ltd.			
2	Tender Reference No.	SNDB/COK/ADMIN/TD/588/2015			
3	Tender Description	Renovation etc. of Ashraf Road Branch, Peshawar			
4	Method of Procurement	Single Stage One Envelop Bidding Procedure			
5	Tender Published / SPPRA S.No	SPPRA S.No: 22847/2015 (Prequalification Notice) Express Tribune, Daily Express & Daily Ibrat (18th February 2015) SPPRA S.No: 24508/2015 (4th June 2015)			
6	Total Bid Documents Sold	02			
7	Total Bids Received	02			
8	Technical/Financial Bid Opening Date & Time	23/06/2015 at 1555 Hrs			
9	No. Of Bid qualified	01			
10	Bid(s) Rejected				

Detail on the above is as follows:-

S No	Name of Firm or Bidder	Cost offered by the Bidder (Area=1 750 250 sq.ft.)	Ranking in terms of cost	Comparison with Estimated cost (Rs. 4,309,705)	Reasons for acceptance/ rejection	Remarks
0	1	2	3	4	5	6
1.	M/s. Z.A Construction	Rs.4,267,000/-	1 st Lowest	Rs.42,705/- below the estimated cost	Accepted -1 st Lowest Qualified Bidder	
2.	M/s. Arcika Traders & Contractors	Rs.4,392,500/-	2 nd Lowest	Rs. 82,795/- above the estimated cost	Disqualified due to non-submiss ion of bid security	-

Accordingly going by the eligibility criteria offered in the tender document, Serial No.1 stands as only 1st Lowest Qualified Bidder.

Members Signature- Procurement Committee

Lt. Col. (R) Shahzad Begg Head of Administration

Mr. Saeed Jamal Chief Financial Officer

Mr. Syed Muhammad Aqeel Chief Manager, IDBL Karachi 5.1.Can9

MINUTES OF THE OPENING OF THE TENDER (TECHNICAL /FINANCIAL PHASE)

ADMIN / IT / CONSULTANT / MEDIA

TYPE OF PROCUREMENT

TENDER NAME	- KENDVALLON ETC. ASHERAT BAD, TESHOURL
TYPE OF TENDER	SINGLE STAGE-ONE ENVELOPE / SINGLE STAGE-TWO ENVELOPE / TWO STAGE / TWO STAGE-TWO ENVELOPE
OPENING DATE	23/6 115
OPENING TIME	1555 HG
ATTENDANCE (MEMBER PC)	
ATTENDANCE (REPS. OF BIDDERS)	By Der MIS Z. A COSTRUITOR MIS. ARCHA TRADORS
TOTAL BIDS ACCEPTED FOR EVALUATION	
TOTAL BIDS REJECTED	
REMARKS	
Members - Procurement Comm Head of Administration (Lt. Col (R), Shahzad Begg) Chief Financial Officer (Mr. Saeed Jamal) Chief Manager, IDBL (Mr. Syed Muhammad Ageel)	

SIGNATURE WEMBERS PC-ADMIS

Head - Fin Div

Head - Asmin Di

Member-IDBL __

Date:_

4 FINANCIAL PROPOSAL

PRICE SCHEDULE

(Applicable for the year 2015-2016)

Name of Bidder

Description	Unit	Rate per sq.ft	*Total Amount	
Renovation, Interior, Works & Construction of ASHRAF ROAD BRANCH, PESHAWAR	2510 sq.ft (As per specification mentioned in scope of work)	1750/2	4392500/2	

This *total amount will be taken as the financial bid offered by the contractor.

Note

- The branch has to be handed over within 45 days of issue date of award letter. In case of delay, a penalty @ 0.15% of total contract amount, for each day of delay will be imposed.
- The cost must include all taxes, stamp duty (as applicable under Stamp Act 1989) duly stamped on the contract agreement, installation, labor and any other charges.
- No advance payment will be made, bills will only be processed for necessary payment on receipt of certificate of satisfaction from the Branch Manager/Project Manager.
- 4. Calculation of bid security 1% of the *Total Amount will be submitted with the tender document as bid security.
- In case it is reviled at any stage after the completion of work that the asked specification of the tender have not been
 met, the amount of that specific item will be fined to the contractor with appropriate action as deemed necessary
 by the procurement committee.
- In case of any observation arising in respect of quality of the item, the company will be liable to address it at his
 own cost, non-compliance of the same will result into initiation of a case against the company for non-commitment
 or cancellation of tender as will be decided by the Procurement Committee.
- 7. The per square ft. rate given above by the contractor will be for inside area of the premises. However for any outside premises work, its changes will be covered in premises per square ft. area. No charges for any necessary outside work will be entertained separately.

Signature & Stamp of Bidder

Tender Document - - Ashraf Road Branch, Peshawar

SIGNATURE MEMOCRE PC-AD

Head - Fin Div.

Head - Admin D

Member-IDBL

N-4--

4 FINANCIAL PROPOSAL

PRICE SCHEDULE

(Applicable for the year 2015-2016)

Name of Ridder

ZA Construction

Description	Unit	Rate per sq.ft	*Total Amount	
Renovation, Interior, Works & Construction of ASHRAF ROAD BRANCH, PESHAWAR	2510 sq.ft (As per specification mentioned in scope of work)	1700	4267000F	

This *total amount will be taken as the financial bid offered by the contractor.

Note

- The branch has to be handed over within 45 days of issue date of award letter. In case of delay, a penalty @ 0.15% of total contract amount, for each day of delay will be imposed.
- The cost must include all taxes, stamp duty (as applicable under Stamp Act 1989) duly stamped on the contract agreement, installation, labor and any other charges.
- No advance payment will be made, bills will only be processed for necessary payment on receipt of certificate of satisfaction from the Branch Manager/Project Manager.
- Calculation of bid security. 1% of the *Total Amount will be submitted with the tender document as bid security.
- In case it is reviled at any stage after the completion of work that the asked specification of the tender have not been
 met, the amount of that specific item will be fined to the contractor with appropriate action as deemed necessary
 by the procurement committee.
- 6. In case of any observation arising in respect of quality of the item, the company will be liable to address it at his own cost, non-compliance of the same will result into initiation of a case against the company for non-commitment or cancellation of tender as will be decided by the Procurement Committee.
- 7. The per square ft. rate given above by the contractor will be for inside area of the premises. However for any outside premises work, its changes will be covered in premises per square ft. area. No charges for any necessary outside work will be entertained separately.

Signature & Stamp of Bidder

onstruction