

OFFICE OF THE EXECUTIVE ENGINEER (SEW) GULISTAN-E-JAUHAR DIVISION, DISTRICT EAST-B

NO.EE/SEW/GJD/DE-B/KW&SB/2017/298

Dated: 08-06-/2017.

To,
The Director Capacity Building,
Sindh Public Procurement Regulatory Authority(SPPRA),
Government of Sindh,
Block-8, Sindh Secretariat # 4-A,
Karachi.

SUBJECT:-

SUBMISSION OF DOCUMENTS ON COMPLIANCE OF RULE-45 FOR THE WORKS OF "DESILTING OF 18", 15" & 12" DIA BADLY SILTED SEWERAGE LINE AT SUNNY VIEW BLOCK-14 TO C-262 BLOCK-14 OF GULISTAN-E-JAUHAR DIVISION INCLUIDNG REHABILITATION / REPLACEMENT OF DEFECTED SEWERAGE SYSTEM 12" DEIA & 8" DIA AT DIFFERENT PORTION OF GULISTAN-E-JAUHAR DIVISION.

Reference: Serial No.33037.

Enclosed please find herewith, necessary documents for compliance of Rule-45, for early hoisting on Authority Website of SPPRA and issuance of I.D.

Enclosed:-

1. Bid Evaluation Report.

2. Minutes of Bid / Opening Meeting.

3. Bidders Eligibility / Qualification Report.

4. Comparative Statement.

5. Contractor's Attendance sheet.

GULISTAN-E-JAUHAR DIVISION, DIST. EAST-B K.W.&.S.B.

Copy for information to :-

1. The DMD(T/S), KW&SB.

2. The Superintending Engineer, District East-B, KW&SB.

3. Office Copy.

1620



OFFICE OF THE DIRECTOR (DESIGN & ESTIMATE)

BID EVALUATION REPORT

1	Name of Procuring Agency:	KARACHI WATER & SEWERAGE BOARD
2	Tender Reference No:	SPPRA Serial No.33037 I.D No
3	Tender Description/Name of Work/Item:	DE-SILTING OF 18", 15" & 12" DIA BADLY SILTED SEWERAGE LINE AT SUNNY VIEW BLOCK-14 TO C-262 BLOCK-14 OF GULISTAN-E-JOHAR DIVISION INCLUDING REHABILITATION / REPLACEMENT OF DEFECTED SEWERAGE SYSTEM 12" DIA & 08" DIA AT DIFFERENT PORTION OF GULISTAN-E-JAUHAR DIVISION
4	Method of Procurement:	Single Stage (One Envelop)
5	Tender Published:	Through SPPRA Web Site
6	Total Bid Documents Sold:	3 Nos
7	Total Bid Received:	3 Nos
8	Technical Bid Opening Date (if applicable):	<u>N/A</u>
9	No. of Bid Technically Qualified (if applicable)	<u>N/A</u>
10	Bid (s) Rejected:	02 Nos
11	Financial Bid Opening Date:	22-05-2017

12 BID EVALUATION REPORT

S#	Name of Firm / Bidder	COST OFFERED BY THE BIDDER	RANKING IN TERMS OF COST	COMPARISON WITH ESTIMATED COST	REASON FOR ACCEPTANCE / REJECTION	REMARKS
1	M/s. Waqar Enterprises	Rs.9,96,709/-	I st Lowest	@0.179% Below	Pay Order and required documents are available. P.O # 18282070 dt:16-05- 2017 Rs.20,000/-from HBL Nazimabad Branch Karachi	Substantially Responsive
2	M/s. Tooba Enterprises	Rs.9,99,220/-		@0.072% Above	Pay Order not attached, required documents are available.	Un Responsive
3	M/s.Ashabi Builders & Contractor	Rs.10,03,680/-	- :	@0.519% Above	Pay Order not attached, required documents are available.	Un Responsive

The all concerned bidders are being informed accordingly.

The E.E Concerned for compliance of Rule-45 of SPPRA 2010 M/s.Waqar Enterprises declared as the lowest responsive bidder by the Committee and recommended for sanction from Competent Authority.

(Muhammad Nawaz Khan) D.A.O (District-East)

Member / Secretary

(Saif-ul-Haque)
Additional Director Internal
Audit – KMC Member

(Maqsood Ahmed Shaikh) Superintending Engineer (KMC)

Member

(Ghulam Qadir Abbas)

S.E (District East)

Member

(Saleem Affined) / Director (Design & Estimate)

COMPARATIVE STATEMENT

Name of Work: DE-SILTING OF 18", 15" & 12" DIA BADLY SILTED SEWERAGE LINE AT SUNNY VIEW BLOCK-14 TO C-262 BLOCK-14 OF GULISTAN-E-JOHAR DIVISION INCLUDING REHABILITATION / REPLACEMENT OF DEFECTED SEWERAGE SYSTEM 12" DIA & 08" DIA AT DIFFERENT PORTION OF GULISTAN-E-JAUHAR DIVISION

Item No	Description of Work			Estimated	l Cost	M/s.Waqar Enterprises		
1.10				Rate	Per	Amount	Rate	Amount
1	Cleaning inside Sewerage line completely restoring original silt free space / diameter							
	of pipe lines by labour and equipment (Mechanically / Electrically driven). Including							
	accessories like pulley's steel rope, buckets and draggers sizing from 6" to 18" dia							
	their "to and fro" pulling action (No of passes shall be as many as required) would be							
	undertaken in two phases (First phase entire length from down stream to up stream)							
	bringing down peak hours sewage to flow inside pipe line (as free flow) and in 2nd							
	phase from up stream to down stream of entire length using no silt to observed in							
	bucket (6" dia to 18" dia) except only sewage water finally passing a ball of 12"							
	lesser then the diameter of pipe but no exceeding 48" dia ball even for larger dia pipe							
	to ensure perfect cleaning. The job including all the hire / cost of equipment and							
	accessories of above wincing machine / devises alongwith / Engine with winching							
	drum set having, steel rope pulley mounted over it, steel bucket 6" to 18" dia hocks							
	and other protection like safety barriers, traffic signs, traffic cones ensuring no							
	damages to pipe line alongwith ensuring safety to labourand other public property /							
	lives and removla of silts / solid during desilting and clearance of site etc complete as			1.0				
	per full satisfaction of site Engineer. 18" Dia	1786.00	Rft	128.80	P/Rft	230,036.80	128.00	228,608.00
	15" Dia	2178.00	Rft	96.60	P/Rft	210,394.80	96.60	210,394.80
	12" Dia	1286.00	Rft	80.50	P/Rft	103,523.00	80.50	103,523.00
2	Scarifying the Existing road Surface.	1514.00	Sft	116.16	%Sft	1,758.66	116.16	1,758.66
3	Dismantling and removal road matling	1514.00	Cft	605.00	%Cft	9,159.70	605.00	9,159.70
4	Excavation for pipe line in trenches and pits in all kind of soils of murum i/c trimming							
	and dressing sides to true alignment and shape leveling of beds of trenches to correct							
	level and grade cutting joints holes and disposal of surplus earth within one chain as							
	directed by Engineer Incharge providing fence guards, lights, flags sand temporary			10	-			
	crossing for non-vehicular traffic wherever required lift upto 5 ft (1.52 m) and lead upto			- 3				
	one chain (30.5m). Lift 0' - 5'ft	3028.00	Cft	4650.00	%0Cft	14,080.20	4650.00	14,080.20

My

7 Wh

Sof S

Name of Work: DE-SILTING OF 18", 15" & 12" DIA BADLY SILTED SEWERAGE LINE AT SUNNY VIEW BLOCK-14 TO C-262 BLOCK-14 OF GULISTAN-E-JOHAR DIVISION INCLUDING REHABILITATION / REPLACEMENT OF DEFECTED SEWERAGE SYSTEM 12" DIA & 08" DIA AT DIFFERENT PORTION OF GULISTAN-E-JAUHAR DIVISION

Item No	Description of Work		Estimated Cost					M/s.Waqar Enterprises	
110	i i i i i i i i i i i i i i i i i i i	Quan	Quantity 1		Per	Amount	Rate	Amount	
5	Excavation for pipe line in trenches, pits in wet silt clay or mud i/c trimming and dressing sides to true alignment and shape, leveling of beds of trenches to correct level and grade, cutting joint holes and disposal of surplus earth within one chain as directed by Engineering Incharge. Providing fence guard, light, flags and temporary crossing for non vehicular traffic where ever required lift upto 5' ft and lead upto one chain. Lift upto 0' - 5'		Cft	5400.00	%0Cft	16,351.20	5400.00	16,351.20	
6	Providing & Laying of RCC Pipes with Rubber Ring Joint and fitting in trench including cutting, fitting, jointing with rubber ring i/c testing with water to specified pressure. 12" Dia Pipe	258.00	Rft	367.00		94,686.00	367.00	94,686.00	
	08" Dia Pipe	296.00	Rft	206.00	P/Rft	60,976.00	206.00	60,976.00	
7	Providing manhole 4' feet (inside) and 5 feet clear depth with C.I Frame (15 Kg) cast in situ with 1:2:4 CC in 9" thick wall, 1:4:8: C.C in 6ft dia and 6" inch thick in foundation 1:2:4 C.C in benching 12" thick cement plastering with 1:3 C.M on all inside wall surfaces, channel and benching i/c making required nos of main and branch channels, 3/4" dia m.s foot rest @12" c/c i/c cost of excavation in all kinds of soil, backfilling and disposal of excavated stuff etc complete as per design and instruction of Engineer Incharge.	8.00	Nos	14529.29	Each	116,234.32	14500.00	116,000.00	
8	Full hire charges of pumping set per day i/c of wages of driver and assistant fuel or electric energy platform for placing the pump etc at lower depth with suction and delivery pipes for pumping out water found at various depth from trenches including the cost of erection and dismantling after completion of the job. Hire charges of pumping set upto 10 HP pumping out water from 10 ft deep trench		Days	1500.00	P/Day	36,000.00	1495.00	35,880.00	
9	Making connection with the existing manhole including the cost of cutting hole in wall, making them good in C.C 1:2:4 and making the required channel etc. complete	20.00	Nos	180.00	Each	3,600.00	180.00	3,600.00	

Why sort and a. El



Name of Work: DE-SILTING OF 18", 15" & 12" DIA BADLY SILTED SEWERAGE LINE AT SUNNY VIEW BLOCK-14 TO C-262 BLOCK-14 OF GULISTAN-E-JOHAR DIVISION INCLUDING REHABILITATION / REPLACEMENT OF DEFECTED SEWERAGE SYSTEM 12" DIA & 08" DIA AT DIFFERENT PORTION OF GULISTAN-E-JAUHAR DIVISION

Item No	Description of Work			Estimated Cost			M/s.Waqar Enterprises	
110		Quan	tity	Rate	Per	Amount	Rate	Amount
10	Manufacturing and supplying of RCC Ring Slab of 21" dia (inside) and 36" dia outside 7.5" width and 6" thick i/c 3/8" dia tor steel bars two concentric rings with 3/8" dia 8 Nos cross linked bars welded and two sunk type hooks, casted in 1:1 1/2" 3 concrete with embedded 15 Kg C.I Frame in perfect position i/c transportation charges for an average lead of 20 Km per trip from casting yard to town office. (A minimum of 25 slabs per trip will be transported.		Nos	1906.60	Each	38,132.00	1906.00	38,120.00
11	Shifting to the site and fixing 36" dia ring slab in perfect position on damaged manhole i/c cutting of the position of damaged mnahole in proper shape laying in layer of C.M in 2" thickness and disposal of the debris.		Nos	563.09		11,261.80	563.00	11,260.00
12	Manufacturing and supplying of RCC Manhole covers cast in situ 1:2:4 concrete ratio 3" deep at centre, reinforced with 1/2" dia tor steel bars @ 4" C/C welded to a 3/16" thick 2" wide M.S plate two hook of 3/8" dia tor bar including compacting i/c cutting and transportation with in 10 miles. 21" dia.		Nos	913.63	Each	25,581.64	914.00	25,592.00
13	Refilling the excavated stuff in trenches 6" thick layer i/c watering ramming to full compaction etc complete.	6239.90	Cft	2760.00		17,222.12	2760.00	17,222.12
14	Carriage of 100 Cft / 5 Tons of all matrials like stonne aggregate, spawl, coal, lime, surkhi etc B.G Rail fastening points and crossing bridges, Girders, pipes sheet Rail, M.S Bars etc. or 1000 Nos bricks, 10"x 5"x3" or 1000 Nos: tiles, 12"x6"x2"or 150 Cft of timber or 100 Maunds of fuel wood by trucks or any other means owned by the Contractors. Carriage for 05 Miles		Cft	714.29	%Cft	9,500.77	714.00	9,496.91
	TOTAL QUOTED / CORRECTED COST			- 1.1		998,499		996,709

(Muhammad Nawaz Khan) D.A.O (District East)

Member / Secretary

(Saif-ul-Haque) Addl. Director Internal Audit KMC - Member

(Maqsood Ahmed Shaikh) Superintending Engineer (K.M.C) Member

(Ghulam Qadir Abbas) S.E (District East) Member

(Saleem Ahmed) Director (Design & Estimate)

NIT No.SPPRA Serial No.33037

Method of Procurement: Single Stage Single Envelope.

Name of Work: DE-SILTING OF 18", 15" & 12" DIA BADLY SILTED SEWERAGE

LINE AT SUNNY VIEW BLOCK-14 TO C-262 BLOCK-14 OF GULISTAN-E-JOHAR DIVISION INCLUDING REHABILITATION / REPLACEMENT OF DEFECTED SEWERAGE SYSTEM 12" DIA & 08" DIA AT DIFFERENT PORTION OF GULISTAN-E-JAUHAR

DIVISION

MINUTES OF BID OPENING MEETING.

A meeting of the procurement committee of this department was held on 22-05-2017 for opening the bids received in respect of subject NIT till deadlines of submission. The meeting was attended by all / following members of the procurement committee and the representative of bidders. (Attendance sheet is enclosed).

- 2. Three bidders submitted their bids till the deadline of submission.
 - i. M/s. Waqar Enterprises
 - ii. M/s. Tooba Enterprises
 - iii. M/s. Ashabi Builders & Contractor
- 3. The bids were opened at 2:30 P.M in the presence of the above mentioned participants and the rates quoted by bidders were read aloud and encircled by Chairman of the Procurement Committee.

S. No	Name of Firm	Quoted Price	Amount of Bid Security	Pay Order No. / Date
01	M/s. Waqar Enterprises	Rs.9,98,135/-	Rs.20,000/-	P.O # 18282070 dt:16-05-2017 from HBL Nazimabad Branch Karachi
02	M/s. Tooba Enterprises	Rs.9,99,220/-	8=8	Pay Order not attached
03	M/s.Ashabi Builders & Contractor	Rs.10,03,680/-	-	Pay Order not attached

- The bids do not contain any cutting or over-writing.
- 5. The committee shall examine all the bids as per the qualification / eligibility criteria provided in the bidding document and verify the documents and bid security submitted by the bidders (if required).

The meeting ended with the vote of thanks to and from the chair.

(Muhammad Nawaz Khan)

D.A.O (District East)

Member / Secretary

(Saif-ul-Haque)

Additional Director Internal

Audit - KMC Member

(Maqsood Ahmed Shaikh)

Superintending Engineer (KMC)

Member

(Ghulam Qadir Abbas)

S.E (District East)

Member

(Saleem Ahmed) // Director (Design & Estimate)

NIT No.SPPRA Serial No.33037

Method and procedure of procurement: Open Competitive Bidding (National/ International Competitive Bidding) (Single Stage-One Envelope)

DE-SILTING OF 18". 15" & 12" DIA BADLY SILTED Description of work:

SEWERAGE LINE AT SUNNY VIEW BLOCK-14 TO C-262 BLOCK-14 OF GULISTAN-E-JOHAR DIVISION INCLUDING REPLACEMENT DEFECTED REHABILITATION OF SEWERAGE SYSTEM 12" DIA & 08" DIA AT DIFFERENT

PORTION OF GULISTAN-E-JAUHAR DIVISION

Date of Opening:

22-05-2017

BIDDERS' ELIGIBILITY/ QUALIFICATION REPORT

Eligibility/ Qualification Criteria:

S.		Bidders' Name					
No.	Eligibility / Qualification Criteria	M/s.Waqar Enterprises	M/s.Tooba Enterprises	M/s.Ashabi Builders & Cont			
1.	Registration with PEC (if applicable)	N/A	N/A	N/A			
2.	NTN	Yes	Yes	Yes			
3.	Sales Tax Registration (FBR)	N/A	N/A	N/A			
4.	Registration with Sindh Revenue Board (SRB)	Yes	Yes	Yes			
	Qualification Criteria:						
5.	Minimum three years' experience of relevant field.	Yes	Yes	Yes			
6.	Turnover of at least last three years	Yes	Yes	Yes			
7.	Required Bid Security is attached.	Yes	No	No			
8.	Bid is signed, named and stamped by the authorized person of the firm along with Authorization letter.	Yes	Yes	Yes			
9.	Any other factor deemed to be relevant by the procuring agency subject to provision of Rule-44	N/A	N/A	N/A			
10.	Qualified/ disqualified	Qualified	Disqualified	Disqualified			

(Muhammad Nawaz Khan)

D.A.O (District East) Member / Secretary

(Saif-ul Haque)

Additional Director Internal Audit - KMC Member

(Magsood Ahmed Shaikh) Superintending Engineer (KMC)

Member

(Ghulam Qadir Abbas) S.E (District East)

Member

(Saleem Ahmed) Director (Design & Estimate)



ATTENDANCE SHEET OF CONTRACTORS

NAME OF WORK :-

DE-SILTING OF 18" DIA, 15" DAI & 12" DIA BADLY SILTED SEWERAGE LINE AT SUNNY VIEW BVLOCK-14 TO C-262 BLOCK-14 OF GULISTAN-E-JAUHAR DIVISION INCLUDING REHABILITATION / REPLACEMENT OF DEFFECTED SEWERAGE SYSTEM 12" DIA & 8" DIA AT DIFFERENT PORTION OF GULISTAN-E-JAUHAR DIVISION.

1. Date of Opening & Time :- 22-05-2017, At 2.30 pm.

2. Estimated Cost : Rs.9,98,499/=

3. Serial No.: SPPRA SERIAL NO.33037.

SR.NO.	NAME OF FIRM	NAME OF REPRESENTATIVES & DESIGNATION	SIGNATURE
	wallak Entrep		wif.
	Ashabi Bildarse Con Robg Entup	-	4 (kg)
	Poeta Entup	Sami	Gend
1			
			<u> </u>
	*		
	8		

SINDH PUBLIC PROCUREMENT REGULATORY AUTHORITY

CONTRACT EVALUATION FORM

TO BE FILLED IN BY ALL PROCURING AGENCIES FOR PUBLIC CONTRACTS OF WORKS, SERVICES & GOODS

15	NAME OF THE ORGANIZATION (DEBTT	KARACHI WATER & SEWERAGE BOARD
1)	NAME OF THE ORGANIZATION / DEPTT.	
2)	PROVINCIAL / LOCAL GOVT./ OTHER	DE SULTING OF AST ASSESSMENT DADING THE SERVED
3)	TITLE OF CONTRACT	DE-SILTING OF 18", 15" & 12" DIA BADLY SILTED SEWER
4)	TENDER NUMBER	SPPRA Sr No.21866 I.D No
5)	BRIEF DESCRIPTION OF CONTRACT	RDE-SILTING OF 18", 15" & 12" DIA BADLY SILTED SEWER
6)	FORUM THAT APPROVED THE SCHEME	Managing Director KW&SB
7)	TENDER ESTIMATED VALUE	Rs.9,96,709/=
8)	ENGINEER'S ESTIMATE (For civil works only)	Rs 9,98,499/=
9)	ESTIMATED COMPLETION PERIOD (AS P.	ER CONTRACT) 10 days
10)	TENDER OPENED ON (DATE & TIME)	22-05-2017
11)	NUMBER OF TENDER DOCUMENTS SOLI (Attach list of buyers)	3 (THREE)
12)	NUMBER OF BIDS RECEIVED	3 (THREE)
W-73	NUMBER OF BIDDERS PRESENT AT THE	TIME OF OPENING OF BIDS 3 (THREE)
		Copy Attached
14)	BID EVALUATION REPORT (Enclose a copy)	Copy Attached
15)	NAME AND ADDRESS OF THE SUCCESSF	UL BIDDER M/S WAQAR ENTERPRISES
16)	CONTRACT AWARD PRICE	Rs.9,96,709/=
17)	RANKING OF SUCCESSFUL BIDDER IN EV (i.e. 1st, 2nd, 3rd EVALUATION BID).	VALUATION REPORT MS WAQAR ENTERPRISES
		M/S TOOBA ENTERPRISES.
		M/S ASHABI BUILDERS & CONTRACTOR
18)	METHOD OF PROCUREMENT USED : - (Tie	ck one)
	a) SINGLE STAGE – ONE ENVELOPE	PROCEDURE Domestic/ Local
	b) SINGLE STAGE – TWO ENVELOPE	PROCEDURE
	c) TWO STAGE BIDDING PROCEDUR	RE
	d) TWO STAGE – TWO ENVELOPE B	IDDING PROCEDURE
	PLEASE SPECIFY IF ANY OTHER EMERGENCY, DIRECT CONTRACTING	METHOD OF PROCUREMENT WAS ADOPTED i.e. G ETC. WITH BRIEF REASONS:

			M.D KW&	SB
19) APPR	OVING AUTHORITY	FOR AWARD OF CONTR	RACT	
20) WHE	THER THE PROCURE	MENT WAS INCLUDED	IN ANNUAL P	ROCUREMENT PLAN? Yes No
21) ADV	ERTISEMENT:			
			Yes Serial N	lo 33037
i)	SPPRA Website (If yes, give date and	SPPRA Identification No.)		
	()		No	
ii)	News Papers		Yes	
	(If yes, give names of	newspapers and dates)		
			No	
	()	*		
22) NATI	JRE OF CONTRACT			Domestic/ Local ✓ Int.
23) WHE	THER QUALIFICATIO	N CRITERIA		
WAS		NG / TENDER DOCUMEN	NTS?	
(II yes	s, enclose a copy)			Yes V No
24) WHE	THER BID EVALUATION	ON CRITERIA	\wedge	
WAS		NG / TENDER DOCUMEN	ITS?	Yes No
(11) 60	, enclose a copy)	4		
		COMPETENT AUTHORIT		AFNED FOR USING A
METI	HOD OTHER THAN OF	EN COMPETITIVE BIDD	NG?	Yes No
26) WAS	BID SECURITY OBTA	INED FROM ALL THE B	IDDERS?	
7.0			4	Yes No
27) WHE	THER THE SUCCESSF	UL BID WAS LOWEST E	VALUATED	Yes No
BID /	BEST EVALUATED B	ID (in case of Consultancies	s)	
90 WHE	THER THE SUCCESSE	UL BIDDER WAS TECHN	SICALLY	Yes No No
	PLIANT?	OL BIDDER WAS TECH	NICALLI	163 7 10
			QUOTED PRI	CES WERE READ OUT AT
THE	TIME OF OPENING OF	RIDS.		Yes V No
30) WHE	THER EVALUATION	REPORT GIVEN TO	BIDDERS BE	EFORE THE AWARD OF
CONT	RACT? h copy of the bid evaluat			
(Anac	n copy of the old evaluat	ion report)		Yes No

31) ANY COMPLAINTS RECEIVED (If yes, result thereof)	Yes
	No
 ANY DEVIATION FROM SPECIFICATIONS (If yes, give details) 	GIVEN IN THE TENDER NOTICE / DOCUMENT
(11 yes, give details)	Yes
	No
33) WAS THE EXTENSION MADE IN RESPONS (If yes, give reasons)	SE TIME? Yes
	No
34) DEVIATION FROM QUALIFICATION CRIT	5 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -
(If yes, give detailed reasons.)	Yes
	No
35) WAS IT ASSURED BY THE PROCURING BLACK LISTED?	AGENCY THAT THE SELECTED FIRM IS NO Yes No
	Yes No
37) WERE PROPER SAFEGUARDS PROVIDED THE CONTRACT (BANK GUARANTEE ETC	O ON MOBILIZATION ADVANCE PAYMENT (C.)? Yes No
38) SPECIAL CONDITIONS, IF ANY (If yes, give Brief Description)	Yes
	No
39) Date of Award of Contract:	
Authorized Officer Cultive Engineer	SCV.
OFFICE USE ONLY	

SPPRA, Block. No.8, Sindh Secretariat No.4-A, Court Road, Karachi Tele: 021-9205356; 021-9205369 & Fax: 021-9206291

Print Save Reset



OFFICE OF THE EXECUTIVE ENGINEER (SEW) GULISTAN-E-JOHAR DIVISION
WATER PUMP STATION BLOCK-01, GULISTAN-E-JOHAR, DISTRICT (EAST)

NO.EE/GJD/DE-B/SEW/KW&SB/2016-17/

DATED:- 29-06-2017.

M/S. WAQAR ENTERPRISES. 2-C-10/4, NAZIMABAD NO.02, NAZIMABAD, KARACHI

WORK ORDER / L.O.C.

SUBJECT:

DE-SILTING OF 18", 15" & 12" DIA BADLY SILTED SEWERAGE LINE AT SUNNY VIEW BLOCK-14 TO C-262 BLOCK-14 OF GULISTAN-E-JAUHAR DIVISION I/C REHABILITATION / REPLACEMENT OF DEFECTED SEWERAGE SYSTEM 12" DIA & 8" DIA AT DIFFERENT PORTION OF GULISTAN-E-JAUHAR DIVISION.

Your tender dated: <u>22-05-2017</u>, has been approved by the Competent Authority, KW&SB on item rate basis for amounting to Rs.9,96,709/=(Rupees Nine Lac Ninety Six Thousand Seven hundred And Nine only). You are therefore ,requested to start the above mentioned work as per design and specification.

The work is to be completed with (10) days, failing which penalty of Rs.1000/= per day will be imposed/recovered as per terms and conditions of the contract.

You are further requested to contact the concerned A.E.E., in connection with commencement of supervision for necessary instruction of the work.

EXECUTIVE ENGINEER (SEW)
GULISTAN-E-JOHAR DIVISION
KW&SB

Copy to:-

- The Chief Engineer (W&S), KW&SB.
- 2. Superintending Engineer, District (East), KW&SB.
- Accountant Officer, (Gulistan-e-Johar), KW&SB.
- 4. A.O. (Budget)
- Office Copy.

OFFICE CITMOW the Amaragraph witnesses as follows:-

RUPEES ONE THOUSAND ONLY

1020 hidrehmond Ad


In this Agreement words and expression shall have the same meanings as are respectively signed to them in the conditions of Contract hereinafter R. No.

Greferred to f of challan No. 50

parpose of

The following documents which for the purpose of identification have been signed by MR. WAOAR ARSHAD on behalf of the contractor and by DEPUTY, MANAGING DIRECTOR (T/S), KW&SB, on behalf the EMPLOYER all of which shall be deemed to form and be read and construed as part of this Agreement.

- This Form of Agreement. a).
- b). Employer letter Acceptance No.DMD/TS/DE-B/W&S/KW&SB/2017/148 dated: 23-06-2017.
- c). The Tender.
- The conditions of the Particular Application Part-II-A & II-B. d).
- The General Conditions Part-I. e).
- The Drawings. f).
- g). The specifications and
- h). The Priced Bill of Quantities.
- i) Time period is 90 Days.
- 3. In consideration of the payments to be made by the EMPLOYER to the CONTRACTOR has hereinafter mentioned, the CONTRACTOR hereby covenants with the EMPLOYER to execute and complete the WORK and to remedy any defects therein and maintaining the same in conformity in all respects with the provisions of the CONTRACT.
- THE EMPLOYER hereby covenants to pay to the CONTRACT in the manner 5. prescribed by the CONTRACT.



CONTRACT AGREEMENT

AMP OFFICE CITY COURT, KARACHI.

WHEREAS the Employer is desirous to execute the work "DESILTING OF 18", 15" & 12" DIA BADLY SILTED SEWERAGE LINE AT SUNNY VIEW BLOCK-14 TO C-262 BLOCK-14 OF GULISTAN-E-JAUHAR DIVISION INCLUDING REHABILITATION / REPLACEMENT OF DEFECTED SEWERAGE SYSTEM 12" DIA & 8" DIA AT DIFFERENT PORTION OF GULISTAN-E-JAUHAR DIVISION" UNDER KW&SB'S OWN FUNDED PROGRAMME, for RS.9,96,709/= (RUPEES NINE LACS NINETY SIX THOUSAND SEVEN HUNDRED AND NINE ONLY), for the construction and completion of such WORKS and the remedying of an defects therein. The tender called upon through Authority's Website of SPPRA Rule-2010 under Serial NO.33037.

AND WHEREAS THE CONTRACTOR has already deposited 2% Pay Order for amounting to Rs.20,000/=, vide Pay Order No.18282071 dated: 16-05-2017, issued from HBL- Nazimabad Branch Karachi remaining 8% for amounting to Rs.79,671/= will be deducted of 10% Performance Security as Security Deposit from his bill, the same will be kept with the EMPLOYER till the maintenance period of the work for the due fulfillment of the CONTRACTOR. Further 1% Water Charges will also be deducted from his bill as per Standard Operating Procedure (SOP).

unf.

THICE SUPERINTENDE

Steme Office City Course



IN WITNESS WHEREOF, the parties hereto have set their respective hands

IMRAN STAME SELVE day and year first above written.

Address Signed, Sealed and Delivered by the.

Attached FALEDI on behalf of bris Signature will produce P SANK GUARANTES WILL DOUBLE NEATER SPONEIRS ANY FAKE DOCUMENTATION

DEPUTY, MANAGING DIRECTOR (T/S) K.W.&.S.B

WITNESS OF EMPLOYER

SUPERINTENDING ENGINEER DISTRICT EAST-B, KW&SB

EXECUTIVE ENGINEER (SEW) GULISTAN-E-JAUHAR DIV. DISTRICT EAST-B K.W.&.S.B.

For and on behalf of CONTRACTOR

> MR. WAQAR ARSHAD MANAGING PARTNER M/S. WAQAR ENTERPRISES.

WITNESS OF CONTRACTOR

aharat 9

CHIEF ENGINEER (W&S)

1ST Floor Block-"B" 9th Mile Karsaz, Shahrah-e-Faisal Karachi.

No:DMD/TS/DE-B/KW&SB/ACCTT/2017/ 148

Dated: -23-0617

/s. Waqar Enterprises,

C-10/4, Nazimabad No.2, Nazimabad,

arachi.

LETTER OF ACCEPTANCE / SANCTION ORDER

JBJECT:-

DESILTING OF 18", 15" & 12" DIA BADLY SILTED SEWERAGE LINE AT SUNNY VIEW BLOCK-14 TO C-262 BLOCK-14 OF GULISTAN-E-JAUHAR DIVISION INCLUDING REHABILITATION / REPLACEMENT OF DEFECTED SEWERAGE SYSTEM 12" DIA & 8" DIA AT DIFFERENT PORTION OF GULISTAN-E-JAUHAR DIVISION.

As conferred the powers of Chief Engineer (W&S),KW&SB delegated to ndersigned by the Managing Director, KW&SB communicated vide O/O o.KW&SB/DMD/HRD&A/1141 dated: 26th October, 2016, on behalf of the mployer, it is notified that following the approval of the Managing Director, Karachi later. Sewerage Board, vide para-29/N, tender called upon through Authority's lebsite of SPPRA Rule-2010 under Serial NO.33037, as recommended by the ocurement Committee-I, KW&SB, vide para-17(01)/N to para-23(07)/N, your d for the subject is hereby accepted for the sum of Rs.9,96,709/= (Rupees ine Lacs Ninety Six Thousand Seven Hundred and Nine Only), duly concurred y the Finance Department, vide para-32/N to para-41/N. The expenditure will e charged from the Head of Account B.G.No. H-023-36, after Re-Appropriation f funds through Form B-20 from B.G.No.6023-04, to B.G.No. H-023-26, for ne year 2016-2017.

There is now binding contract between KW&SB and M/s. Waqar interprises.

In accordance with the General Condition of Contract, you are required penter in to and execute a contract agreement on non judicial stamp paper for s.3,489/= @ 0.35%, within 03 days positively. This agreement shall be signed by he employer and M/s. Waqar Enterprises.

Please be noted that 2% Performance Security may be provided in dvance & remaining 8% Performance Security will be deducted from your bill for ue fulfillment of defect liability.

All correspondence onward shall be carried out through Superintending ingineer, District East-B, KW&SB.

DRUTY MANAGING DIRECTOR (T/S K.W.&.S.B.

copy to :-

The Superintending Engineer, District East-B, KW&SB.

XEN (Sew) Gulistan-e-Jauhar Div. District East-B, KW&SB.

. Office Copy



"DE-SILTING OF 18", 15" & 12" DIA
BADLY SILTED SEWERAGE LINE
AT SUNNY VIEW BLOCK-14 TO C262 BLOCK-14 OF GULISTAN-EJOHAR DIVISION INCLUDING
REHABILITAION / REPLACEMENT
OF DEFECTED SEWERAGE
SYSTEM 12" DIA & 08" DIA AT
DIFFERENT PORTION OF
GULISTAN-E-JAUHAR DIVISION."

GULISTAN-E-JOHAR DIVISION (SEWERAGE)

CRITERIA

01	Name of Procuring Agency	KW&SB
	Traine of Freeding regions,	1
02	Name of Work	DE-SILTING OF 18", 15" & 12" DIA BADLY SILTED SEWERAGE LINE AT SUNNY VIEW BLOCK-14 TO C 262 BLOCK-14 OF GULISTAN-E-JOHAR DIVISION INCLUDING REHABILITAION / REPLACEMENT OF DEFECTED SEWERAGE SYSTEM 12" DIA & 08" DIA AT DIFFERENT PORTION OF GULISTAN-E-JAUHAF DIVISION.
03	Brief Description of Work	The Bamboos are play vital role in the regular maintenance of sewerage system. The bamboos are used to clear the chocked sewerage lines by roding regular requirement of the bamboos for the smooth running of sewerage system of Gulistan-e-Jauhan Division.
04	Procuring Agency Address	WATER PUMPING STATION BLOCK-01 GULISTAN-E- JAUHAR, KARACHI.
05	Estimated Cost	On Item Rate Basis
06	Amount of Bid Security.	2% bid security of the quoted cost / price in shape of pay order / bank Draft or Bank Guarantee from any schedule bank of Pakistan in favor
07	Period of Bid Validity	90 Days
08	Security Deposit (including Bid Security)	@ 10% of Billed amount
09	Venue, Time And Date of Bid Opening	The Tender in sealed cover super scribed with the name of the work should be dropped in the Tender Box kept in office of the Director (Design), KW&SB, Near COD Filter Plant, Gulshan-e-Iqbal Karachi 2205 - 2017 at 2:00 PM and will be opened on same day at 2:30 PM by Tender Opening Committee.
0	Deadline for submission of Bid along with time:	22-05-20172:00 PM
	Time for completion from written order commence	10 Days
I	Liquidity damage	Rs. 0.5% of the Estimated cost.
1	Bid issued to firm	MS. WARAR ENTOSPESSE
4	Deposit Receipt No. & Date	R. NO. 92 DT: 15-05-201
	Tender Cost.	Rs. 1,000/=
	Eligibility of contractor	 i) Having National Tax No. (Copy may Be Attached). ii) Three years Relevant work experience. iii) Three Years Turn Over Bank Statement. iv) Registration with SRB.

cutive Engineer (Sew)
- Johar Division, KW&SB

OFFICE OF THE EXECUTIVE ENGINEER (SEW) GULISTAN-E-JAUHAR DIVISION KARACHI WATER AND SEWERAGE BAORD

SHEDULE "B"

NAME OF WORK:-

DE-SILTING OF 18", 15" & 12" DIA BADLY SILTED SEWERAGE LINE AT SUNNY VIEW BLOCK-14 TO C-262 BLOCK-14 OF GULISTAN-E-JOHAR DIVISION INCLUDING REHABILITAION / REPLACEMENT OF DEFECTED SEWERAGE SYSTEM 12" DIA & 08" DIA AT DIFFERENT PORTION OF GULISTAN-E-JAUHAR DIVISION.

DESCRIPTION	16	QUANTITY	RATE	In words	PER	AMOUNT
Cleaning inside sewerage	line					
completely restoring original silt						
space / diameter of pipe line						
labour and equipment (mechani						
/ Electrically driven) i.c accessor				1		
like pulleys, steel ropes, buckets						
draggers sizing from 6" to 18"						
their " to and fro " pulling action			5.			
of passes shell be as many	100000000000000000000000000000000000000					
required) would be under take						
two faces Phases (1st phase e						
land to down stream to up stream						1
bringing down peak hours sewe						1
to flow inside pipe line (as free f	low)					
and in 2 nd face from up strear						
down stream of entire length insu	The second second					
no silt is observed in buckets (6			1			
to 18" dia) except only sewe	rage					
water and finally passing a steel			-			
of dia 12" less than the diameter	1000 - 200			1		
pipe. But not exceeding 48" dia				- 1		1
even for larger dia of pipe to in						
perfect cleaning . The job includ	e all					
the hire / cost of equipment	and			1		
accessories of above wind	_					
machine / devises along w						1
engine with winching drum	sets'					
having steel rope, pulley mou						1
over it, steel bucket from 6" d	ia to					
18" dia, hocks and other protect	tions				-	
ke safety barriers, traffic s	igns,			1		
ensuring no damage to pipe	line					
along with ensuring safety to la	bour			- m Hundred		
and other public property / lives	and			e Twenty ESD	b	
mmoval of silt / solid during desa	alting					
and clearance of site etc com	plete		~ *10*	Winely Sin &		2
per full satisfaction of	site			Sinty Paisn.		8.1
engineer.			1128.00)			
18" Dia	Pipe	1786 Rft.	120.00	Eighty &	P/Rft.	230036
15" Dia		2178 Rft.	46.00	fifly Paga	P/Rft.	210394.8
12" Dia		1286 Rft.	80.50.		P/Rft.	210394.8
	road	1 - 1 - 1 - 1 - 1 - 1		six leans	4	1035-1
	, oud	1514 Sft.	1116 11	Sint een paise	%Sft.	1758.00
difface.		101-7 011.	1.0.16	par eun paise	. 70016.	11/30,00

/				01.		
1.	Dismantling and removal road	4544.00		Sin Hundred	0/00	0.0
	matling.	1514 Cft.	(605.00)	HVEONE	%Cft.	9159.0
4.	Excavation for pipe line in					
	trenches and pits in all kinds of					
	soils of murum i.c trimming and					
	dressing sides to true alignment					
	and shape, leveling of beds of					1
- 1						
	trenches to correct level and					
- 1	grade, cutting joint holes and					
	disposal of surplus earth within					
	one chain as directed by					
	Engineering In charge, providing					
	fence guards, lights, flags and			Four Thouse of		
	temporary crossing for non					
	vehicular traffic where ever			Sin Hundrel		
	required lift up to 5 ft and lead up			& f: +19.		
	to one chain.			/		
	Lift 00'- 05'	3028 Cft.	4650.00		%0Cft.	14080:00
5.	Excavation for pipe line in trench		7535.00		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	1000.00
	and pits in wet soils, clay or mud					
	i/c trimming & dressing sides to					
	true alignment and shape,					
	leveling of beds of tranches to				*	
	correct level and grade, cutting					
E.	joint holes and disposal of surplus					
	earth in one chain as directed by					
	Engineer In-charge, providing		2			
B .	fence guards; lights, flags, and					
Ei.	temporary crossing for non	145				
翻	vehicular traffic where ever			Five Thousand		
Bi.	required lift up to 5ft and lead up			E Four Hundre	(
B)	to one chain.					
-	Lift 00'- 05'	3028 Cft. (5400.00	7	%0Cft	16351.00
数	Providing & Laying of R.C.C. pipe					
-	with Rubber ring joint and fitting	1				
器	in trench including cutting, fitting	4				
	and jointing with rubber ring i/c					
	testing with water to specified			Ti 11 1 6	G .	
1	pressure.			Three Huch	orly	04.01
整	15" Dia Pipe	258 Rft.	(36700	Two Hunday	D/D4	77686.00
		296 Rft.	1201	& Six enry)	P/Rft.	94686.00
	08" Dia Pipe Providing manhole 4ft dia (inside)	290 KIL.	(206.00)	(וייאים אונע די	P/Rft.	60716.00
	and 5ft clear depth, with C.I. Frame					
	(15 kg) cast in situ with 1:2:4 C.C in					
	thick wall, 1:4:8 C.C. in 6ft dia and					
1	inch thick in foundation 1:2:4 C.C.			×		
	benching, ½" thick cement					
	pastering with 1:3 C.M. on all inside					-
	aufaces, channel and benching					
	We making required Nos of main and			Forder Than		
1	branch channels, 3/4" dia M.S footrest			& five Hundred		
	12° dc l/c cost of excavation in all					
	of soil, backfilling and disposal					
1	excavated stuff etc complete as		1			
	design and instruction of the	3				
1	Engineer In-charge.	08 Nos. 1	14500.00	1/	Each.	11 6000.01
1	100	. 1		1		17. 0000.01
9	My T	100	(3/			4 3
- 1	MATERIAL Y	//				

· -						
1.	Full hire charges of the pumping					
1 3	set per day i/c of wages of driver					
	and Assistant fuel or Electric	(41	
	Energy plate form required for	Ĺ				
	placing pumps etc at lower depth					
	with suction and delivery pipes for	(+
	pumping out water found at					
	various depth from trenches i/c	A		1		
1	the cost of erection and	k		ONE Thomas		
	dismantling after completion of	1		ONE Thomas For Handrul S Winsely file		
	the job. Hire charges of pumping	l i		Winely five		
	set upto 10 HP pumping out	i i				4
	water from 10 feet deep trench.	24 Days	(1495.00	h	D/Day	35,880.00
9.	Making connection with the	24 00,5	17 13.00		Fibay.	22,800,00
0.	existing manhole i.c the cost of	1		ONE HUND	1	N 5 F
		1		COLLIC		4 9
	cutting hole in wall, making them good in C.C 1:2:4 and making	l e		SEISALY.	н	
		20 Nos	1000		Feeb	
40	required channel etc complete.	20 Nos.	(180.00	1	Each.	3600.00
10.	Manufacturing & supplying of RCC Ring Slabs of 21" dia (inside), 36" dia outside,	la di di				
-	7.5" width and 6" thick i/c 3/8" dia tor					
	steel bars two concentric rings with 3/8"					1.0
	dia 8 Nos cross linked bars welded and			l j		
	two sunk type hooks,, casted in 1:1 ½":3			one Thousand		
	concrete with embedded 15 Kgs C.I frame in perfect position . i/c	1		Ne Thousand Nine Huted E. Si'n only		
	frame in perfect position . i/c transportation charges for an average	A		5 B'n only		
	lead of 20 _a Km per trip from casting yard			1011		
	to town offices, (A minimum of 25 slabs					
_	per trip will be transported).	20 Nos. (1906.00		Each	38120.00
11.				Five Hundrel		
	(outer) Ring Slab in perfect position on damaged manholes i/c cutting of	A		FIVE HUNDON		
1	damaged portion of manhole in proper			& Sixy Threa.		
	shape and laying of Cement Mortar of 2"	#	-	/ /		
	thickness and disposal of the debris.	20 Nos.	(563.00)		Each	11260.00
12						
4	R.C.C manhole covers cast in	(*	
	1:2:4 cement concrete ratio 3"					
1	deep at center, reinforced with 1/2"	l/				
	dia tor steel bars @ 4" c/c welded	(Nine hundred	-	
ŧ	to a 3/16" thick 2" wide M.S plate					
	and two hook of 3/8" dia tor bars	(E. forten my		
	including compacting, curing and					
-	transportation within 10 miles.		-			
		00.11	(914.00)	1	Each.	25592.00
劃。	21" dia.	28 Nos.	11 1.00			
16		28 Nos.	111.00	(Two Throad	4	
16		28 Nos.	11 1.00	SOVER Hudow	P	
16	Refilling the excavated stuff in	28 Nos.	11 1.00	(Two Throad Sealer Hadon & Sinly only)		
16	Refilling the excavated stuff in trenches 6"thick layer i.c			SOVER Hudow		17222.00
16	Refilling the excavated stuff in trenches 6"thick layer i.c watering, ramming to full	28 Nos. 6239.90 Cft.		SOVER Hudow		17222.00
16	Refilling the excavated stuff in trenches 6"thick layer i.c watering, ramming to full			SOVER Hudow		17222.00
16	Refilling the excavated stuff in trenches 6"thick layer i.c watering, ramming to full			SOVER Hudow		17222.00
16	Refilling the excavated stuff in trenches 6"thick layer i.c watering, ramming to full			SOVER Hudow		17222.00
10	Refilling the excavated stuff in trenches 6"thick layer i.c watering, ramming to full			SOVER Hudow		17222.00