

KARACHI WATER & SEWERAGE BOARD

OFFICE OF THE CHIEF ENGINEER (IP&D)

BID EVALUATION REPORT

	Name of Procuring Agency:	KARACHI WATER & SEWERAGE BOARD
2	Tender Reference No:	SPPRA Serial No. 24SS1 I.D No. /2015
3	Tender Description/Name of Work/Item:	P/L 25MM, 4-CORE CABLE AND ELECTRICAL WIRING WORKS P/INSTALLATION OF FITTING & FIXTURES FOR HOUSE NO.E-3 AT SHYDHNUM RESERVOIR, MUSLIMABAD STAFF COLONY, KW&SB
4	Method of Procurement:	Single Stage (One Envelop)
5	Tender Published:	Through SPPRA Web Site
6	Total Bid Documents Sold:	<u>1 No</u>
7	Total Bid Received:	<u>l No</u>
8	Technical Bid Opening Date (if applicable):	N/A
9	No. of Bid Technically Qualified (if applicable)	N/A
10	Bid (s) Rejected:	<u>Nil</u>
1 I	Financial Bid Opening Date:	26-06-2015

12 BID EVALUATION REPORT

S#	Name of Firm / Bidder	COST OFFERED BY THE BIDDER	RANKING IN TERMS OF COST	COMPARISO N WITH ESTIMATED COST	REASON FOR ACCEPTANCE / REJECTION	REMARKS
1.	M/s.Decent Electric Services	Rs.4.91,180/-	1st Lowest	@0.833% Below	Pay order and other required documents are attached. P.O# 7410543 dt:25-06-2015 Rs.10.000/- from Bank Al Habib Ltd from Fatima Jinnah Colony Jamshed Town Karachi.	Substantially Responsive

The concerned bidder is being informed accordingly.

The E.E Concerned for compliance of Rule-45 of SPPRA 2010 M/s.Decent Electric Services declared as Single responsive bidder by the Committee and recommended for sanction from Competent Authority.

(Muhahimad Riaz) W D.A.Q. (M.W.)

Member Secretary

(Saif-ul-Haque)
Additional Director Internal
Audit – KMC Member

(Maqsood Ahmed Shaikh) Superintending Engineer (KMC)

Member

(Noor Mahantpad Chohan) Chief Engineer (E&M-W)

Member

Chief Engineer (IPD)

Convener

Method and procedure of procurement: <u>Open Competitive Bidding (National/ International Competitive Bidding) (Single Stage—One Envelope)</u>

Description of work:

P/L 25MM, 4-CORE CABLE AND ELECTRICAL WIRING

WORKS P/INSTALLATION OF FITTING & FIXTURES FOR HOUSE NO.E-3 AT SHYDHNUM RESERVOIR, MUSLIMABAD

STAFF COLONY, KW&SB

Date of Opening:

<u>26-06-2015</u>

BIDDERS' ELIGIBILITY/ QUALIFICATION REPORT

Eligibility/ Qualification Criteria:

		Bidders' Name
S. No.	Eligibility / Qualification Criteria	M/s.Decent Electric Services
1.	Registration with PEC (if applicable)	N/A
2.	NTN	Yes
3.	Sales Tax Registration	N/A
4.	Registration with Sindh Revenue Board (SRB)	Yes
	Qualification Criteria:	
5.	Minimum three years' experience of relevant field.	Yes
6.	Turnover of at least last three years	Yes
7.	Required Bid Security is attached.	Yes
8.	Bid is signed, named and stamped by the authorized person of the firm along with Authorization letter.	Yes
9.	Any other factor deemed to be relevant by the procuring agency subject to provision of Rule-44	N/A
10.	Qualified/ disqualified	Qualified

(Muhammad Riaz) D.A.OM&M-W) Member / Secretary

(Saif-ul-Haque)
Additional Director Internal
Audit – KMC Member

(Maqsood Ahmed Shaikh) Superintending Engineer (KMC) Member

(Noor Muhamund Chohan) Chief Engineer (E&M-W) Member

Convener

SPPRA Serial No. 245S1 NIT No.

Method of Procurement: Single Stage Single Envelope.

Name of Work:

P/L 25MM, 4-CORE CABLE AND ELECTRICAL WIRING WORKS P/INSTALLATION OF FITTING & FIXTURES FOR HOUSE NO.E-3 AT SHYDHNUM RESERVOIR, MUSLIMABAD STAFF COLONY,

KW&SB

MINUTES OF BID OPENING MEETING.

A meeting of the procurement committee of this department held on 26-06-2015 for opening the bids received in respect of subject NIT till deadlines of submission. The meeting was attended by all / following members of the procurement committee and the representative of bidders.

(Attendance sheet is enclosed).

- 2. Single bidder submits the bid till the deadline of submission.
 - M/s. Decent Electric Services
- The bids were opened at 11:30 A.M in the presence of the above mentioned 3. participants and the rates quoted by bidders were read aloud and encircled by Chairman of the Procurement Committee.

S. No	Name of Firm	Quoted Price	Amount of Bid Security	Pay Order No. / Date
1.	M/s.Decent Electric Services	Rs.4,91.180/-	Rs.10.000/-	P.O# 7410543 dt:25-06-2015 from Bank Al Habib Ltd from Fatima Jinnah Colony Jamshed Town Karachi.

- The bid do not contain any over writing and cutting. 4.
- The committee shall examine all the bids as per the qualification / eligibility criteria 5. provided in the bidding document and verify the documents and bid security submitted by the bidders (if required).

The meeting ended with the vote of thanks to and from the chair.

Member / Secretary

(Saif-ul-Haque) Additional Director Internal

Audit – KMC Member

(Magsood Ahmed Shaikh) Superintending Engineer (KMC)

Member

(Noor Mohammad Chohan) Chief Engineer (E&M-W)

Member

Chief Engineer

Convener

COMPARATIVE STATEMENT

Name of Work: P/L 25MM, 4-CORE CABLE AND ELECTRICAL WIRING WORKS P/INSTALLATION OF FITTING & FIXTURES FOR HOUSE NO.E-3 AT SHYDHNUM RESERVOIR, MUSLIMABAD STAFF COLONY, KW&SB

1 Providing & Laying (Main or Submain) PVC insulated PVC sheeted with 4-C ore armoured copper conductor 600/100 volts size 25mm2. 2 P/F Circuit Breaker 15,20,30,40,50,60 Amp. TP (XE-100CS (CB) on prepared board as required. 3 Providing & Laying (Main or Submain) PVC insulated with size 4,77,036 Copper conductor in 1" dia PVC Conduit recessed in the wall. 4 Providing & Fixing D/P i/c change over switch 500 Volts 60 Amps. On prepared board. 5 P/F Brass Ceiling Fan 56" (Good Quality) 6 Wiring for light or fan point with 37.029 PVC insulated wire in 20mm (3/4") PVC conduit recessed in the wall. 7 Wiring for Plug Point with (37.029) PVC insulated wire in 20mm (3/4") Channel patti on surface as required. 8 Wiring for Call Bell Points with (37.029) PVC insulated wire in 20mm (3/4") Channel patti on surface as required. 9 P/L (Main or Sub Main) PVC insulated with size 4.77,064 (16mm2) Copper conductor in 1.12" dia PVC conduit recesed in the wall.									
Providing & Laying (Main or Submain) PVC insulated 4-Core armoured copper conductor 600/100 volts size 22 PVF Circuit Breaker 15,20,30,40,50,60 Amp. TP (XI prepared board as required. Providing & Laying (Main or Submain) PVC insulated Copper conductor in 1" dia PVC Conduit recessed in the Previding & Fixing D/P i/c change over switch 500 V prepared board. P/F Brass Ceiling Fan 56" (Good Quality) Wiring for Plug Point with (3,029) PVC insulated wire conduit recessed in the wall. Wiring for Plug Point with (3,029) PVC insulated wire conduit recessed in the wall. Wiring for Call Bell Points with (3,029) PVC insulated wire conduit recessed in the wall. P/L (Main or Sub Main) PVC insulated with size Copper conductor in 1 1/2" dia PVC conduit recessed in	Iten			Est	Estimated Cost	ost		M/s.Dece	M/s.Decent Electric Services
Providing & Laying (Main or Submain) PVC insulatd 4-Core armoured copper conductor 600/100 volts size 22 P/F Circuit Breaker 15,20,30,40,50,60 Amp. TP (XI prepared board as required. Providing & Laying (Main or Submain) PVC insulatd Copper conductor in 1" dia PVC Conduit recessed in the Previding & Fixing D/P i/c change over switch 500 V prepard board. P/F Brass Ceiling Fan 56" (Good Quality) Wiring for light or fan point with 3/.029 PVC insulated wire conduit recessed in the wall. Wiring for Plug Point with (3/.029) PVC insulated wire conduit recessed in the wall. Wiring for Call Bell Points with (3/.029) PVC insulated wire (3/4") Channel patti on surface as required. P/L (Main or Sub Main) PVC insulated with size Copper conductor in 1.12" dia PVC conduit recesed in 1.2" dia PVC dia PVC dia precesed in 1.2" dia pVC dia precesed dia pVC d	ž		Quantity		Rate	Per	Amount	Rate	Amount
P/F Circuit Breaker 15,20,30,40,50,60 Amp. TP (XI prepared board as required. Providing & Laying (Main or Submain) PVC insulate Copper conductor in 1" dia PVC Conduit recessed in the Providing & Fixing D/P i/c change over switch 500 V prepard board. P/F Brass Ceiling Fan 56" (Good Quality) Wiring for light or fan point with 37.029 PVC insula (3/4") PVC conduit recessed in the wall. Wring for Plug Point with (3.029) PVC insulated wire conduit recessed in the wall. Wring for Call Bell Points with (3.029) PVC insula (3/4") Channel patti on surface as required. P/L (Main or Sub Main) PVC insulated with size Copper conductor in 1 1/2" dia PVC conduit recessed in the conductor in 1 1/2	_	Providing & Laying (Main or Submain) PVC insulatd PVC sheeted with 4-Core armoured copper conductor 600/100 volts size 25mm2.	M. 00.09	Meters	2435.00	P/Meter	219,150.00	1900.00	171.000.00
Providing & Laying (Main or Submain) PVC insulated Copper conductor in 1" dia PVC Conduit recessed in the Providing & Fixing D/P i/c change over switch 500 V prepard board. P/F Brass Ceiling Fan 56" (Good Quality) Wiring for light or fan point with 3/.029 PVC insulated wire conduit recessed in the wall. Wiring for Plug Point with (3/.029) PVC insulated wire conduit recessed in the wall. Wiring for Call Bell Points with (3/.029) PVC insulated wire conduit recessed in the wall. Wiring for Call Bell Points with (3/.029) PVC insulated wire conduit recessed in 11/2" dia PVC conduit recessed in P/L (Main or Sub Main) PVC insulated with size Copper conductor in 11/2" dia PVC conduit recesed in POTATED COST	C1	P/F Circuit Breaker 15,20,30,40,50,60 Amp. TP (XE-100CS (CB) on prepared hoard as required.	3.00	Nos	5521.00	Each	16.563.00	8200.00	24,600.00
Providing & Fixing D/P i/c change over switch 500 V prepard board. P/F Brass Ceiling Fan 56" (Good Quality) Wiring for light or fan point with 3/.029 PVC insula (3/4") PVC conduit recessed in the wall. Wiring for Plug Point with (3/.029) PVC insulated wire conduit recessed in the wall. Wiring for Call Bell Points with (3/.029) PVC insulated with (3/4") Channel patti on surface as required. P/L (Main or Sub Main) PVC insulated with size Copper conductor in 1 1/2" dia PVC conduit recessed in	'n		W 00 091	Meters	412 00	412 00 P/Meter	65.920.00	390.00	62,400.00
Wiring for Plug Point with (3/.029) PVC insula (3/4") PVC conduit recessed in the wall. Wiring for Plug Point with (3/.029) PVC insulated wire conduit recessed in the wall. Wiring for Call Bell Points with (3/.029) PVC insulated wire (3/4") Channel patti on surface as required. P/L (Main or Sub Main) PVC insulated with size Copper conductor in 1.12" dia PVC conduit recessed in	-	Providing & Fixing D/P i/c change over switch 500 Volts 60 Amps. On		Nos	3559.50	Each	7.119.00	5000.00	10,000.00
Wiring for light or fan point with 3/.029 PVC insula (3/4") PVC conduit recessed in the wall. Wiring for Plug Point with (3/.029) PVC insulated wire conduit recessed in the wall. Wiring for Call Bell Points with (3/.029) PVC insula (3/4") Channel patti on surface as required. P/L (Main or Sub Main) PVC insulated with size Copper conductor in 1 1/2" dia PVC conduit recessed in 1.02.4.4.	1.7	Prepard Doald. 197F Brass Ceiling Fan 56" (Good Ouality)		Nos	3185.00	Each	19,110.00	4200.00	25,200.00
Wiring for Plug Point with (3/.029) PVC insulated wire conduit recessed in the wall. Wiring for Call Bell Points with (3/.029) PVC insula (3/4") Channel patti on surface as required. P/L (Main or Sub Main) PVC insulated with size Copper conductor in 1.12" dia PVC conduit recessed in 1.52 A. O.	9	Wiring for light or fan point with 3/.029 PVC insulated wire in 20mm (3/4") PVC conduit recessed in the wall.	34.00 Pe	Points	1130.00	P/Point	38,420.00	1050.00	35,700.00
Wiring for Call Bell Points with (3/.029) PVC insula (3/4") Channel patti on surface as required. P/L (Main or Sub Main) PVC insulatd with size Copper conductor in 1 1/2" dia PVC conduit recesed in 100 to 100 t	7	Wiring for Plug Point with (3/.029) PVC insulated wire 20mm (3/4") PVC conduit recessed in the wall.	12.00 P	Points	985.00	P/Point	11.820.00	1050.00	12,600.00
P/L (Main or Sub Main) PVC insulate with size Copper conductor in 1 1/2" dia PVC conduit recesed in	<u>∞</u>	Wiring for Call Bell Points with (3/.029) PVC insulated wire in 20mm (3/4") Channel patti on surface as required.	2.00 P	Points	1590.00	P/Point	3.180.00	1050.00	2,100.00
TOOL OF THE CONTROL OF THE POST OF THE POS	_	P/L (Main or Sub Main) PVC insulated with size 4.77.064 (16mm2) Copper conductor in 1.1/2" dia PVC conduit recessed in the wall.	94.00 M	Meters	1213.00	P/Mtr	114,022.00	1570.00	147,580.00
TOTAL COOLED / CONNECTED COST		TOTAL QUOTED / CORRECTED COST					495,304		491,180

(Muhah had Riaz) w L D.A.O Kem-W J Member Secretary

(Saif-ul-Haque) Additional Director Internal Audit -- KMC Member

(Maqsood Ahmed Shaikh)
Superintending Engineer (KMC)
Member

(Noor Menathhad Chaohan) Chief Engineer (E&M-W) Member

Chel Engineer (PD)

KARACHI WATER & SEWERAGE BOARD

ATTENDANCE SHEET

FIRMS / CONTRACTORS

NAME OF WORK: P/L 25MM 4-CORE CABLE AND ELECTRICAL WIRING WORKS

P/INSTALLATION OF FITTING & FIXTURES FOR HOUSE NO.E-3 AT

SHYDHNUM RESERVOIR, MUSLIMABAD STAFF COLONY KW&SB.

Date of Opening:

26-06-2015

Time of Receiving: 02:00 P.M

Time of Opening: 02:30 PM

SPPRA S.No:

24551

S.NO	NAME OF CONTRACTOR	NAME OF FIRMS	SIGNATURE
حا	Sorvey Ali	Mk Decent Electric Services	Kurj.
		1	
! ;			