

KARACHI WATER & SEWERAGE BOARD

OFFICE OF THE DIRECTOR (DESIGN & ESTIMATE)

BID EVALUATION REPORT

Name of Procuring Agency:	KARACHI WATER & SEWERAGE BOARD
Tender Reference No:	SPPRA Serial No.33209 I.D No
Tender Description/Name of Work/Item:	REPLACEMENT OF 8" DIA & 12" DIA SUNK DOWN RCC SEWERS AT VARIUS PLACES OF JAMSHED TOWN (SEWERAGE)-I FOR THE IMPROVEMENT OF SEWERAGE SYSTEM IN UC-4,5,6,7 & 8 IN JAMSHED TOWN (SEWERAGE)-I
Method of Procurement:	Single Stage (One Envelop)
Tender Published:	Through SPPRA Web Site
Total Bid Documents Sold:	<u>2 Nos</u>
Total Bid Received:	2 Nos
Technical Bid Opening Date (if applicable):	<u>N/A</u>
No. of Bid Technically Qualified (if applicable)	N/A
Bid (s) Rejected:	NIL
Financial Bid Opening Date:	30-05-2017
	Tender Reference No: Tender Description/Name of Work/Item: Method of Procurement: Tender Published: Total Bid Documents Sold: Total Bid Received: Technical Bid Opening Date (if applicable): No. of Bid Technically Qualified (if applicable) Bid (s) Rejected: Financial Bid Opening

12 BID EVALUATION REPORT

S#	Name of Firm / Bidder	COST OFFERED BY THE BIDDER	RANKING IN TERMS OF COST	COMPARISON WITH ESTIMATED COST	REASON FOR ACCEPTANCE / REJECTION	REMARKS
1	M/s.Trust Construction Co.	Rs.9,63,493/-	l st Lowest	@0.017% Below	Pay Order and required documents are available. P.O # 18282145 dt:26-05-2017 Rs.19,400/-from HBL Nazimabad Branch Karachi	Substantially Responsive
2	M/s. Tooba Enterprises	Rs.9,99,261/-	2 nd Lowest	@3.695% Above	Pay Order and required documents are available. P.O # 182821454 dt:26-05-2017 Rs.20,000/-from HBL Nazimabad Branch Karachi	Substantially Responsive

The all concerned bidders are being informed accordingly.

The E.E Concerned for compliance of Rule-45 of SPPRA 2010 M/s.Trust Construction Co. declared as the lowest responsive bidder by the Committee and recommended for sanction from Competent Authority.

(Muhammad Nawaz Khan) D.A.O (District East)

Member / Secretary

(Saif-ul-Haque) Additional Director Internal

Audit - KMC Member

(Maqsood Ahmed Shaikh) Superintending Engineer (KMC)

Member

(Roshin Din Memon)

S.E (Jamshed Town)

Member

(Saleem Ahmed)

Director (Design & Estimate)

Convener

COMPARATIVE STATEMENT

Name of Work: REPLACEMENT OF 8" DIA & 12" DIA SUNK DOWN RCC SEWERS AT VARIUS PLACES OF JAMSHED TOWN (SEWERAGE)-I FOR THE IMPROVEMENT OF SEWERAGE SYSTEM IN UC-4,5,6,7 & 8 IN JAMSHED TOWN (SEWERAGE)-I

Item	Description of Work	Estimated Cost					M/s.Trust Construction Co.		M/s.Tooba Enterprises	
No		Quan	tity	Rate	Per	Amount	Rate	Amount	Rate	Amount
1	Dismantling and removing road matling	4000.00	Cft	605.00	%Cft	24,200.00	620.00	24,800.00	640.00	25,600.00
2	Excavation for pipe line in trenches and pits in all kind of soil									
	of murum i/c trimming and dressing sides to true alignment									
	and shape leveling of beds of trenches to correct level and									
	grade cutting joints holes and disposal of surplus earth within									
	one chain as directed by Engineer Incharge providing fence									
	guards, lights, flags sand temporary crossing for non-vehicular									
	traffic wherever required lift upto 5 ft (1.52 m) and lead upto									
	one chain (30.5m). i) Lift 0' - 5'ft	16000.00	Cft	4650.00	%0Cft	74,400.00	4665.00	74,640.00	4700.00	75,200.00
	ii) Lift upto 05' - 08'	3600.00	Cft	5200.00	%0Cft	18,720.00	5250.00	18,900.00	5300.00	19,080.00
3	Providing M/H 4' feet inside without manhole cover with C.I									
	Frame (15 Kg) and 5 feet clear depth 1:2:4 cast in situ with in									
	9" thick wall, 1:4:8: C.C in 6ft dia and 6" inch thick in									
	foundation 1:2:4 C.C in benching 12" thick cement plastering									
	with 1:3 C.M on all inside wall surfaces, channel and									
	benching i/c making required nos of main and branch									
	channels, 3/4" dia m.s foot rest @12" C/C i/c cost of									
	excavation in all kinds of soil, backfilling and disposal of									
	excavated stuff etc complete as per design and instruction of									
	Engineer Incharge.	10.00	Nos	14529.29	Each	145,292.90	14500.00	145,000.00	14250.00	142,500.00
3(i)	Add or deduct per ft depth.	21.00	(+)Ft	2538.62	P/ft	53,311.02	2500.00	52,500.00	2500.00	52,500.00
4	Full hire charges of pumping set per day i/c of wages of driver									
	and assistant fuel or electric energy platform for placing the									
	pump etc at lower depth with suction and delivery pipes for									
	pumping out water found at various depth from trenches						7			
	including the cost of erection and dismantling after									
	completion of the job. Hire charges of pumping set upto 10						1			
	HP pumping out water from 10 ft deep trench	12.00	Days	1500.00	P/Day	18,000.00	1525.00	18,300.00	1550.00	18,600.00



T

Sand Who column

- Name of Work: REPLACEMENT OF 8" DIA & 12" DIA SUNK DOWN RCC SEWERS AT VARIUS PLACES OF JAMSHED TOWN (SEWERAGE)-I FOR THE IMPROVEMENT OF SEWERAGE SYSTEM IN UC-4,5,6,7 & 8 IN JAMSHED TOWN (SEWERAGE)-I

Item	Description of Work		Estimated Cost					M/s.Trust Construction Co.		M/s.Tooba Enterprises	
No		Quantity		Rate	Per	Amount	Rate	Amount	Rate	Amount	
5	Providing & Laying of RCC Pipes with Rubber Ring Joint and fitting in trench including cutting, fitting, jointing with rubber ring i/c testing with water to specified pressure. i) 12" Dia ii) 08" Dia	500.00	Rft Rft	367.00		183,500.00		183,000.00		185,000.00	
-	(Self Aller) 1-50 - 1 second tem	1000.00	KII	206.00	P/KIT	206,000.00	207.00	207,000.00	210.00	210,000.00	
6	Manufacturing and supplying of RCC Manhole covers cast in situ 1:2:4 concrete ratio 3" deep at centre, reinforced with 1/2" dia tor steel bars @ 4" C/C welded to a 3/16" thick 2" wide M.S plate two hook of 3/8" dia tor bar including compacting i/c cutting and transportation with in 10 miles. 21" dia.	25.00	Nos	913.63	Each	22,840.75	875.00	21,875.00	900.00	22,500.00	
7	Making connection with the existing manhole including the										
	cost of cutting hole in wall, making them good in C.C 1:2:4 and making the required channel etc. complete	6.00	Nos	180.00	Each	1,080.00	200.00	1,200.00	250.00	1,500.00	
8	Cement concrete plain including placing compacting, fitting finishing and curing, complete (including screening and washing at stone aggregate without shuttering. Ratio 1:2:4	179.39	Cft	14429.25	%Cft	25,884.63	14400.00	25,832.16	14500.00	26,011.55	
9	Manufacturing and supplying of RCC Ring Slab of 21" dia (inside) and 36" dia outside 7 1/2" width and 6" thick i/c 3/8" dia tor steel bars two concentric rings with 3/8" dia 8 Nos cross linked bars welded and two sunk type hooks, casted in 1:1 1/2:3 concrete with embedded 15 Kg C.I Frame in perfect position i/c transportation charges for an average lead of 20 Km per trip from casting yard to town office. (A minimum of 25 slabs per trip will be transported.	25.00	Nos	1906.60		47,665.00	1900.00		2000.00	50,000.00	
10	Providing and fixing C.I Frame including cost of material etc.		10.1.S.S.			1,,000.00	200.00	17,000.00	2000.00	50,000.00	
		60.00	Kg	70.00	P/Kg	4,200.00	75.00	4,500.00	95.00	5,700.00	

m1/4

Sad

My Come,

- Name of Work: REPLACEMENT OF 8" DIA & 12" DIA SUNK DOWN RCC SEWERS AT VARIUS PLACES OF JAMSHED TOWN (SEWERAGE)-I FOR THE IMPROVEMENT OF SEWERAGE SYSTEM IN UC-4,5,6,7 & 8 IN JAMSHED TOWN (SEWERAGE)-I

Item No	Description of Work		Estimated Cost					M/s.Trust Construction Co.		M/s.Tooba Enterprises	
140		Quant	ity	Rate	Per	Amount	Rate	Amount	Rate	Amount	
	Hire charges of Steel shuttering both sdie for the construction of main hole (circular) at side i/c its erection in proper position and removal after concrete etc complete.		Ft	99.00	P/Ft	2,079.00	100.00	2,100.00	1150.00	24,150.00	
	Carriage of 100 Cft / 5 Tons of all matrials like stonne aggregate, spawl, coal, lime, surkhi etc B.G Rail fastening points and crossing bridges, Girders, pipes sheet Rail, M.S Bars etc. or 1000 Nos bricks, 10"x 5"x3" or 1000 Nos: tiles, 12" x6"x2" or 150 Cft of timber or 100 Maunds of fuel wood by trucks or any other means owned by the Contractors. Carriage for 05 Miles		Cft	714.29	%Cft	27,565.52	720.00	27,785.88	775.00	29,908.41	
13	Sand Haro or any other source sand of same modules of the fineness (Hill Sand)	2700.00	Cft	2425.00	%Cft	65,475.00	2400.00	64,800.00	2450.00	66,150.00	
14	Refilling the excavated stuff in trenches 6" thick layer i/c watering ramming to full compaction etc complete.	15740.85	Cft	2760.00	%0Cft	43,444.75	2780.00	43,759.56	2850.00	44,861.42	
	TOTAL QUOTED / CORRECTED COST					963,659		963,493		999,261	

(Muhammad Nawaz Khan) D.A.O (Distt. East) Member / Secretary (Saif-ul-Haque) Addl. Director Internal Audit KMC - Member

(Maqsood Ahmed Shaikh) Superintending Engineer (K.M.C) Member (Roshin Din Memon) S.E (Jamshed Town) Member

(Saleem Ahmed) / Director (Design & Estimate)
Convener

NIT No.SPPRA Serial No.33209

Method of Procurement: Single Stage Single Envelope.

Name of Work: REPLACEMENT OF 8" DIA & 12" DIA SUNK DOWN RCC SEWERS

AT VARIUS PLACES OF JAMSHED TOWN (SEWERAGE)-I FOR THE IMPROVEMENT OF SEWERAGE SYSTEM IN UC-4,5,6,7 & 8 IN

JAMSHED TOWN (SEWERAGE)-I

MINUTES OF BID OPENING MEETING.

A meeting of the procurement committee of this department was held on 30-05-2017 for opening the bids received in respect of subject NIT till deadlines of submission. The meeting was attended by all / following members of the procurement committee and the representative of bidders. (Attendance sheet is enclosed).

- 2. Two bidders submitted their bids till the deadline of submission.
 - i. M/s. Trust Construction Co.
 - ii. M/s.Tooba Enterprises
- The bids were opened at 11:30 A.M in the presence of the above mentioned participants and the rates quoted by bidders were read aloud and encircled by Chairman of the Procurement Committee.

S. No	Name of Firm	Quoted Price	Amount of Bid Security	Pay Order No. / Date
01	M/s.Trust Construction Co.	Rs.9,63,491/-	Rs.19,400/-	P.O # 18282145 dt:26-05-2017 from HBL Nazimabad Branch Karachi
02	M/s. Tooba Enterprises	Rs.9,99,260/-	Rs.20,000/-	P.O # 1828214 dt:26-05-2017 from HBL Nazimabad Branch Karachi

- 4. The bids do not contain any cutting or over-writing.
- The committee shall examine all the bids as per the qualification / eligibility criteria provided in the bidding document and verify the documents and bid security submitted by the bidders (if required).

The meeting ended with the vote of thanks to and from the chair.

(Muhamiyad Nawaz Khan) D.A.O (District East) Member / Secretary

(Saif-ul-Haque) Additional Director Internal Audit – KMC Member (Maqsood Ahmed Shaikh) Superintending Engineer (KMC) Member

(Roshin Din Memon) S.E (Jamshed Town) Member

Director (Design & Estimate)

Convener

NIT No.SPPRA Serial No.33209

Method and procedure of procurement: Open Competitive Bidding (National/ International Competitive Bidding) (Single Stage-One Envelope)

Description of work: REPLACEMENT OF 8" DIA & 12" DIA SUNK DOWN RCC SEWERS

AT VARIUS PLACES OF JAMSHED TOWN (SEWERAGE)-I FOR

THE IMPROVEMENT OF SEWERAGE SYSTEM IN UC-4,5,6,7 & 8

IN JAMSHED TOWN (SEWERAGE)-I

Date of Opening:

30-05-2017

BIDDERS' ELIGIBILITY/ QUALIFICATION REPORT

Eligibility/ Qualification Criteria:

S.		Bidders'	Name	
No.	Eligibility / Qualification Criteria	M/s.Trust Construction Co.	M/s.Tooba Enterprises	
1.	Registration with PEC (if applicable)	N/A	N/A	
2.	NTN	Yes	Yes	
3.	Sales Tax Registration (FBR)	N/A	N/A	
4.	Registration with Sindh Revenue Board (SRB)	Yes	Yes	
	Qualification Criteria:			
5.	Minimum three years' experience of relevant field.	Yes	Yes	
6.	Turnover of at least last three years	Yes	Yes	
7.	Required Bid Security is attached.	Yes	Yes	
8.	Bid is signed, named and stamped by the authorized person of the firm along with Authorization letter.	Yes	Yes	
9.	Any other factor deemed to be relevant by the procuring agency subject to provision of Rule-44	N/A	N/A	
10.	Qualified/ disqualified	Qualified	Qualified	

(Muhammad Nawaz Khan D.A.O (District East)

D.A.O (District East) Member / Secretary (Saif-ul-Haque) Additional Director Internal Audit – KMC Member (Maqsood Almed Shaikh) Superintending Engineer (KMC) Member

(Roshin Din Memon) S.E (Jamshed Town) Member

(Saleem Anmed)
Director (Design & Estimate)
Convener



KARACHI WATER & SEWERAGE BOARD

ATTENDANCE SHEET OF CONTRACTORS

NAME OF WORK :-

REPLACEMENT OF 8" DIA & 12" DIA SUNK DOWN RCC SEWERS AT VARIOUS PLACES OF JAMSHED TOWN (SEW-I) FOR THE IMPROVEMENT OF SEWERAGE SYSTTEM IN UC-4, 5, 6, 7, & 8 IN JAMSHED TOWN (SEW-I).

1. Date of Opening & Time :- 30-05-2017, At 11.30 am.

2. Estimated Cost : Rs.9,63,657/=

3. Serial No.: SPPRA SERIAL NO.33209.

SR.NO.	NAME OF FIRM	NAME OF REPRESENTATIVES & DESIGNATION	SIGNATURE
1,	Tout Count les	1-1/een Allmed How	Manhane
2,	Tooba Entry	Sans	Soul
)	,		
		i i	

SINDH PUBLIC PROCUREMENT REGULATORY AUTHORITY

CONTRACT EVALUATION FORM

TO BE FILLED IN BY ALL PROCURING AGENCIES FOR PUBLIC CONTRACTS OF WORKS, SERVICES & GOODS

1)	NAME OF THE ORGANIZATION / DEPTT	Karachi Water and Sewerage Board
2)	PROVINCIAL / LOCAL GOVT./ OTHER	Local Government REPLACEMENT OF 8"DIA & 12"DIA SUNK DOWN RCC SEWERS AT VARIOUS PLACES OF JAMSHED TOWN (SEWERAGE)-I FOR THE IMPROVEMENT OF SEWERAGE SYSTEM IN UC-
3)	TITLE OF CONTRACT	4, 5, 6, 7 & 8 IN JAMSHED TOWN (SEWERAGE)-I.
4)	TENDER NUMBER	S.No.33209
5)	BRIEF DESCRIPTION OF CONTRACT	For improvement of sewerage system.
6)	FORUM THAT APPROVED THE SCHEME	Managing Director, KW&SB
7)	TENDER ESTIMATED VALUE	Less than 1.00 Million
8)	ENGINEER'S ESTIMATE	Rs.9,67,748/=
	(For civil works only	
9)	ESTIMATED ON PLETI N ERIOD (AS F	PER CONTRACT) 20 Days
10)	TENDER OPENE ON (SAT STIME)	30-05-2017 at 11.30 P.M.
NUI	MBER OF TENDER DO UMENTS S	OLD 02 Nos.
	(Attach list of buyers)	
12)	NUMBER OF BIDS RECEIVED	02 Nos.
	•	T THE TIME OF OPENING OF BIDS 02 Nos.
		27 5
14)	Enclose a copy)	Attached
	IVI	s.Trust Construction Co, 23, Block-H, North Nazimabad, Karachi.
15)	NAME AND ADDRESS OF THE SU	CCESSFUL BIDDER
	CONTRACT AWARD DRIES	Pa 0 62 402/-
16)	CONTRACT AWARD PRICE	Rs.9,63,493/=
17)	RANKING OF SUCCESSFUL BIDDER IN I	EVALUATION REPORT
	(i.e. 1 st , 2 nd , 3 rd EVALUATION BID).	1 st Lowest
	_	
18)	METHOD OF PROCUREMENT USED : - (T	ick one)
	a) SINGLE STAGE -ONE ENVELOPE	E PROCEDURE Domestic/ Local
	,	
	b) SINGLE STAGE –TWO ENVELOP	E PROCEDURE NIL
	c) TWO STAGE BIDDING PROCEDUR	EENIL
	d) TWO STAGE -TWO ENVELOPE B	BIDDING PROCEDURE NIL
	DI CACE ODECIEV ID ANN OTHER	METHOD OF BROCHDEMENT WAS ADORTED !-
		METHOD OF PROCUREMENT WAS ADOPTED i.e.
	EMERGENCY, DIRECT CONTRACTION	NO ETC. WITH BRIEF REASONS:

19) APPR	ROVING AUTHORITY FOR AWARD OF CONTR	RACT Managing Director, KW&SB
20) WHE	THER THE PROCUREMENT WAS INCLUDED	IN ANNUAL PROCUREMENT PLAN?
21) ADV	ERTISEMENT:	Yes No
,		Yes 30-05-17 S.No. 33209
i)	SPPRA Website (If yes, give date and SPPRA Identification No.)	
		No
ii)	News Papers (If yes, give names of newspapers and dates)	Yes
		No
		Domestic/
22) NATU	JRE OF CONTRACT	Local Int.
WAS	THER QUALIFICATION CRITERIA INCLUDED IN BYODIC TENDER DOCUMEN	NTS?
(If yes	s, enclose a copy	Yes No
24.11.11	THER BID EVALUATION CRUTERIA	
WAS	THER BID EVALUATION CRUTERIA INCLUDED IN BIDDING TO DER DOCUMEN s, enclose a copy)	NTS? Yes No
25) WHE	THER APPROVAL OF COMPETENT AUTHO IT	TY WOBT INED FOR USING A
	HOD OTHER THAN OPEN COMPETITIVE BIDDIN	
26) WAS I	SPPRA BID SECURITY OBTAINED FROM ALL THE BIDDER	DC9
20) WAS I	SID SECURITY OBTAINED FROM ALL THE BIDDER	Yes No
	THER THE SUCCESSFUL BID WAS LOWEST E	
BID /	BEST EVALUATED BID (in case of Consultancies	25)
28) WHE	THER THE SUCCESSFUL BIDDER WAS TECHN	NICALLY Yes No ✓
COMI	PLIANT?	
	ΓHER NAMES OF THE BIDDERS AND THEIR (ΓΙΜΕ OF OPENING OF BIDS?	QUOTED PRICES WERE READ OUT AT
		ies No
	THER EVALUATION REPORT GIVEN TO BIDD h copy of the bid evaluation report)	DERS BEFORE THE AWARD OF CONTRACT?
		Yes ✓ No

31) ANY COMPLAINTS RECEIVED (If yes, result thereof)	Yes	
	No	
32) ANY DEVIATION FROM SPECIFICATIONS GIVEN IN (If yes, give details)	ГНЕ ТЕ	ENDER NOTICE / DOCUMENTS
(11 yes, give details)	Yes	
	No	
33) WAS THE EXTENSION MADE IN RESPONSE TIME? (If yes, give reasons)	Yes	
	No	
34) DEVIATION FROM QUALIFICATION CRITERIA (If yes, give detailed reasons.)	Yes	
	No	
35) WAS IT ASSURED BY THE PROCURING AGENCY (BLACK LISTED?	ТНАТ	THE SELECTED FIRM IS NOT Yes No
36) WAS A VISIT MADE BY ANY OFFICER/OFFICIAL OF SUPPLIER'S PREMISES IN CONNECTION WITH THE BE ASCERTAINED REGARDING FINANCING OF WISIT	PROCU	JREMENT? IF SO, DETAILS TO
(If yes, enclose a copy)		Yes No
37) WERE PROPER SAFEGUARDS PROVIDED ON MOB THE CONTRACT (BANK GUARANTEE ETC.)?	ILIZAT	TON ADVANCE PAYMENT IN Yes No
38) SPECIAL CONDITIONS, IF ANY (If yes, give Brief Description)	Yes	
	No	V
Signature & Official Stamp of SYED MUHAMMAD EJAZ Authorized Officer EXECUTIVE ENGINEER (SEW) JAMSHED TOWN, KW&SB		
FOR OFFICE USE ONLY		

<u>SPPRA, Block. No.8, Sindh Secretariat No.4-A, Court Road, Karachi</u> Tele: 021-9205356; 021-9205369 & Fax: 021-9206291

Print Save Reset



KARACHI WATER & SEWERAGE BOARD

OFFICE OF THE EXECUTIVE ENGINEER (SEW-I), JAMSHED TOWN, DISTRICT EAST-A

NO.EE/SEW-I/JT/DE-A/KW&SB/2017/9/8

Dated: 22-66 /2017

M/s. Trust Construction Co., Government Contractor, Karachi.

WORK ORDER / L.O.C

SUBJECT:- REPLACEMENT OF 8" DIA & 12" DIA SUNK DOWN
RCC SEWERS AT VARIOUS PLACES OF JAMSHED
TOWN (SEW-I) FOR THE IMPROVEMENT OF
SEWERAGE SYSTEM IN UC-4, 5, 6, 7, & 8 IN
JAMSHED TOWN (SEW-I.

Your Tender dated: 30-05-2017, has been approved by the competent authority, KW&SB for amounting to Rs.9,63,493/= (Rupees Nine Lacs Sixty Three Thousand Four Hundred Ninety Three Only). You are therefore, requested to start the above mentioned works as per design and specification.


The each work is to be completed with **25 Days**, failing which penalty of **Rs.1,000**/= per day will be imposed / recovered as per terms and conditions of the contract.

You are further requested to contact the Sub-Engineer / A.E.E, Jamshed Town (Sew-I), District East-A, KW&SB, in connection with commencement of supervision for necessary instructions of the works.

EXECUTIVE ENGINEER (SEW-I)
JAMSHED TOWN, DISTRICT EAST-A

Copy to :-

- 1. The Superintending Engineer, District East-B, KW&SB.
- 2. The Budget Officer, KW&SB.
- 3. The Asstt. Director (LFA), KW&SB.
- 4. Office Copy.




MUHAMMAD FAISAL KEAN STALE VENCONTRACT AGREEMENT
Licence No. 124, Shop No. 5 C., Maymar Tower
Gulshari-e-144 / Caractifactachi.

ATTHER THE SHARE WAY S. No. 1714113 - CONTRACT - AGREEMENT 20 Made the day of Through With Adulpetween the Karachin Water & Sewerage Board (KW&SB), Government of Purpose. Sindh, as conferred the powers of Chief Engineer (W&S), KW&SB delegated Value Bs. Value Rs........to Deputy Managing Director (T/S), KW&SB communicated vide **O/O** Not For used Ban Q.KW&SB/DMDZHRD&A/1141 26th dated: October, not responsible reinal educated on the "Employer" which expression shall wherever the context so admits or required to deemed to include their successor) on the one part as first Party M/S. TRUST CONSTRUCTION CO., having their office at A-231, Block-H, North Nazimabad Karachi, Represented by the MR. ALEEM AHMED KHAN hereinafter called the "Contractor" (which expression shall wherever the context so admit or required be deemed to include their Executors. Administrators. Successors and permitted Assignees) on other part as second party.

WHEREAS the Employer is desirous to execute the work "REPLACEMENT OF 8" DIA & 12" DIA SUNK DOWN RCC SEWERS AT VARIOUS PLACES OF JAMSHED TOWN (SEW-I) FOR THE IMPROVEMENT OF SEWERAGE SYSTEM IN UC-4, 5, 6, 7, & 8 IN JAMSHED TOWN (SEW-I)" UNDER KW&SB'S OWN FUNDED PROGRAMME, for RS.9,63,493/= (RUPES NINE LACS SIXTY THREE THOUSAND FOUR HUNDRED AND NINETY THREE ONLY), for the construction and completion of such WORKS and the remedying of an defects therein. The tender called upon through Authority's Website of SPPRA Rule-2010 under Serial NO.33209.

AND WHEREAS THE CONTRACTOR has already deposited 2% Pay Order for amounting to Rs.19,400/=, vide Pay Order No.18282145 dated: 26-05-2017, issued from H.B.L Nazimabad Branch Karachi remaining 8% for amounting to Rs.76,949/= will be deducted of 10% Performance Security as Security Deposit from his bill, the same will be kept with the EMPLOYER till the maintenance period of the work for the due fulfillment of the CONTRACTOR Further 1% Water Charges will also be deducted from his bill as per Standard Operating Procedure (SOP).

-50



THOW this partient witnesses as follows:-

CNIC No.

(movide D.S.R. No.

in this Agreement words and expression shall have the same meanings are respectively assigned/to them in the conditions of Contract hereinafter referred to


On behalf of challen No

for the parpose of 2.17 Entry No.,

The following documents which for the purpose of identification have been signed by MR. ALEEM ALMED KHAN on behalf of the contractor and by PUTY MANAGING DIRECTOR (T/S), KW&SB, on behalf the NOVER OF WHICH shall be deemed to form and be read and store of part of this Agreement.

- a). This Form of Agreement.
- b). Employer Acceptance No.DMD/TS/DEletter of A/W&S/KW&SB/2017/1/3 dated: 22 06- -2017.
- c).
- d). The conditions of the Particular Application - Part-II-A & II-B.
- e). The General Conditions - Part-I.
- f). The Drawings.
- g). The specifications and
- h). The Priced Bill of Quantities.
- i) Time period is 90 Days.
- 3. In consideration of the payments to be made by the EMPLOYER to the CONTRACTOR has hereinafter mentioned, the CONTRACTOR hereby covenants with the EMPLOYER to execute and complete the WORK and to remedy any defects therein and maintaining the same in conformity in all respects with the provisions of the CONTRACT.

THE EMPLOYER hereby covenants to pay to the CONTRACT in the manner 4. prescribed by the CONTRACT.



STAMP OFFICE IN WITNESS WHEREOF, Ithe Parties he Issued to Signed Sealed and Delivered by the	
On behalf of challan No. for the parpose of For and on behalf of the parpose of EMPLOYER OF THE PARPORE OF THE	For and on behalf of CONTRACTOR

En Offic Lation DEPUTY MANAGING DIRECTOR (T/S) K.W.&.S.B

ALEEM AHMED KHAN
MANAGING PARTNER
M/S. TRUST CONSTRUCTION CO.

WITNESS OF EMPLOYER

WITNESS OF CONTRACTOR

SUPERINTENDING ENGINEER DISTRICT EAST-A, KW&SB

EXECUTIVE ENGINEER (SEW) JAMSHED TOWN, DISTRICT EAST-A K.W.&.S.B.

MIS. AZAAN ENTERPRISES

OFFICE OF THE EXECUTIVE ENGINEER (SEWERAGE)-I, (JAMSHED TOWN). BLOCK-B, KMC MARKET, SINDHI MUSLIM SOCIETY

SUBJECT :-

REPLACEMENT OF 8"DIA & 12"DIA SUNK DOWN RCC SEWERS AT VARIUS PLACES OF JAMSHED TOWN (SEWERAGE)-I FOR THE IMPROVEMENT OF SEWRAGE SYSTEM IN UC-4,5,6,7 & 8 IN JAMSHED TOWN (SEWERAGE)-I.

SL.	DESCRIPTION	QTY.	RATE		PER	AMOUNT
NO.			Rupees	Rupees in	UNIT	IN
			in	Words	/	RUPEES
			Figures.		ITEM	
1	Dismantling and removing road metalling					
			10	Six hundered		aug la
		4000 Cft	620=	I twenty only	%Cft	24800
2	Excavation for pipe line in trenches, and		F	0		
	pits in all kind of soils of murum i/c			6		
	trimming and dressing sides to true					
	alignment and shape leveling of beds of			ĺ		
	trenches to correct level and grade, cutting					
	joint holes and disposal of surplus earth					
	within a one chain as directed by Engineer Incharged. Providing fence guards, lights,		10			
	flags and temporary crossings for non-					
	vehicular traffic where ever required lift			0 1		
	up to S ft. (1.52m) and lead up to one			town thousund sin		
	chain (30.Sm).			In lead sont five	None	
			17	2 4 1	1,	21./1. 15
	i. Lift 0'-05'	16000 Cft	4665=	food thousands in landered sort five Sive thousand he hundered sitty or	%0Cft	74640=
	ii. Lift 05'- 08'	3600 Cft	5250=	pringeres yearyou	2%0Cft	189001
_	Providing M/H 4ft inside with CI frame					
	(15 kg) and 5 feet clear depth 1 :2:4 cast					
	in situ in 9 inch thick wall 1:4:8 cement					
	concrete in 6ft dia and 6" inch thick in					
	foundation 1:2:4 c.c in benching, 1/2"					
,	thick cement plastering with 1:3 cement			(4)		
	mortar on inside wall and surface of					-
	channel/benching i/c making required					
	No's of main and branch channels, 34"					
	dia bar footrest at 12" C/C i/c cost of					
	excavation of all kinds of soil, backfilling			0		
	and disposal of excavated stuff etc complete, as per design and instruction of			Exteen Mouse	. J .	1
	the Engineer Incharage. (R/A attached).	10 Nos.	(14500)=	Sive lumbered -	Each	145000=
	Add/deduct per ft depth	(+) 21 Ft		two howard for	P/Ft.	52500
	Full hire charge of the pumping set per	(1) 2111	2300	huserdonly.	 	02000
	day i/c of wages of driver and Assistant			,		
	fuel or electric energy plate forms					
	required for placing pumps etc at lower					
	depth with suction and delivery pipe for		- 1			
	pumping out water found at various depth					
	from trenches i/c the cost of refection and	=	1 1			
	lismantling after completion of the job.	Ty Ty	115	ONE Margary 8:	ie	
	lire charges of pumping set up to 10 HP.	155 T	The state of the s	hunlered twenty	she	18300/=
	umping out water from 10ft deep trench.	12 Days	1525=	15	P/Day	10000
		Conference of				

(Cont..on page No.2...)

UBJECT:- REPLACEMENT OF 8*DIA & 12*DIA SUNK DOWN RCC SEWERS AT VARIUS PLACES OF JAMSHED TOWN (SEWERAGE)-I FOR THE IMPROVEMENT OF SEWRAGE SYSTEM IN UC-4,5,6,7 & 8 IN JAMSHED TOWN (SEWERAGE)-I.

DESCRIPTION		QTY.	RATE		PER	AMOUNT
			Rupees in Figures.	Rupees in Words	UNIT / ITEM	IN RUPEES
materials like stone aggregate, scoal, lime, surkhi etc: B.G Rail far points and crossing bridge, Girders Sheets Rail, M.S Bars etc: or 100 bricks, 10"x 6"x2" or 150 Cft or tin 100 mounds of fuel wood by trucks other means owned by the contractor	spawal, stening s, pipes 0 Nos: nber or or any			1 , 0	L	2-7-
Sand hero or any other source sand				0 0	Res	27785
Refilling the excavated stuff in tr 6" thick layer i/c watering ramming	enches				ku	64800
-						*
Sinty Notes house	2 lan	of RS 163	491 =	= (Rupees	Nine	lac
- All existing SPPRA Rule will be abid	de.					
	Carriage of 100 Cft/ 5 Tons materials like stone aggregate, scoal, lime, surkhi etc: B.G Rail fapoints and crossing bridge, Girders Sheets Rail, M.S Bars etc: or 100 bricks, 10"x 6"x2" or 150 Cft or tin 100 mounds of fuel wood by trucks other means owned by the contractor Up to 5th Mile. Sand hero or any other source sand same modulus of the fineness (Hill Refilling the excavated stuff in the thick layer i/c watering ramming 1-compaction etc. complete.	Carriage of 100 Cft/ 5 Tons of all materials like stone aggregate, spawal, coal, lime, surkhi etc: B.G Rail fastening points and crossing bridge, Girders, pipes Sheets Rail, M.S Bars etc: or 1000 Nos: bricks, 10"x 6"x2" or 150 Cft or timber or 100 mounds of fuel wood by trucks or any other means owned by the contractors. Up to 5 th Mile. Sand hero or any other source sand of the same modulus of the fineness (Hill Sand). Refilling the excavated stuff in trenches 6" thick layer i/c watering ramming to full 1-compaction etc. complete.	Carriage of 100 Cft/ 5 Tons of all materials like stone aggregate, spawal, coal, lime, surkhi etc: B.G Rail fastening points and crossing bridge, Girders, pipes Sheets Rail, M.S Bars etc: or 1000 Nos: bricks, 10"x 6"x2" or 150 Cft or timber or 100 mounds of fuel wood by trucks or any other means owned by the contractors. Up to 5 th Mile. Sand hero or any other source sand of the same modulus of the fineness (Hill Sand). Refilling the excavated stuff in trenches 6" thick layer i/c watering ramming to full 1-compaction etc. complete. Thereby quoted bid amount of Rs. 15740.85 Cft or 100 cm and 10	Carriage of 100 Cft/ 5 Tons of all materials like stone aggregate, spawal, coal, lime, surkhi etc: B.G Rail fastening points and crossing bridge, Girders, pipes Sheets Rail, M.S Bars etc: or 1000 Nos: bricks, 10"x 6"x2" or 150 Cft or timber or 100 mounds of fuel wood by trucks or any other means owned by the contractors. Up to 5th Mile. Sand hero or any other source sand of the same modulus of the fineness (Hill Sand). Refilling the excavated stuff in trenches 6" thick layer i/c watering ramming to full 1-compaction etc. complete. Thereby quoted bid amount of Reflexion of Reflexi	Rupees in Words Carriage of 100 Cft/ 5 Tons of all materials like stone aggregate, spawal, coal, lime, surkhi etc: B.G Rail fastening points and crossing bridge, Girders, pipes Sheets Rail, M.S Bars etc: or 1000 Nos: bricks, 10"x 6"x2" or 150 Cft or timber or 100 mounds of fuel wood by trucks or any other means owned by the contractors. Up to 5th Mile. Sand hero or any other source sand of the same modulus of the fineness (Hill Sand). Refilling the excavated stuff in trenches 6" thick layer i/c watering ramming to full 1-compaction etc. complete. TOTAL EXECUTIVE ENGING JAMSHED TOWN, hereby quoted bid amount of 8.5 13 491 = (Rupees All existing SPPRA Rule will be abide.)	Rupees in Words Rupees in Words Rupees in Words Figures. Rupees in Condition of the Samble Indicated in

i, forder	RECEIVED	MEEVIEW	DUE BELLEVIER	April 10	E.
E. Raic Un	iolec @ Rs.	1,63,491	> 194e	Loc So	No
3 Cutting	OI OVER VIrit	ing is not for	ind / Found	three th	Suppe X
a Pay Orn	ier Attached	/ Nor Attache	touch h	une sel a	anly are
P. G. NO.	82821	45,01:26	-517	R:19400	1. 84
AMORIN	7.	M	Emys	La Pour	-dal
De North	A' DIVA	SEIMING	S E. Ens	A 250010	12
	HANCE			- with sides freedown	417

UBJECT:- REPLACEMENT OF 8"DIA & 12"DIA SUNK DOWN RCC SEWERS AT VARIUS PLACES OF JAMSHED TOWN (SEWERAGE)-I FOR THE IMPROVEMENT OF SEWRAGE SYSTEM IN UC-4,5,6,7 & 8 IN JAMSHED TOWN (SEWERAGE)-I.

Ĺ,	DESCRIPTION	QTY.	RATE		PER	AMOUNT	
0.			Rupees	Rupees in	UNIT	IN	
			in	Words	/	RUPEES	
	19		Figures.		ITEM		
	Providing, laying RCC pipes with						
	(Rubber Ring Joint and fitting in trench						
	i/c cutting, fitting and jointing with rubber						
	ring i/c testing with water to specified						
	pressure'		366=	three lundered sin	15	183000	
	i. 12"dia	500 Rft	3661-	SIN 5	P/Rft		
	ii. 08"dia	1000 Rft	2011=1	two hubered & Saver	P/Rft	201000	
	Manufacturing and supplying of 21 inch				>		
	diameter RCC Manhole Covers cast in						
	1:2:4 cement concrete ratio (50% graded						
	bajri and 50% crush) 3"inch deep at centre						
	rain-forced with 1/2"dia M.S. tor bars with						
	4" c/c welded to a 3/16" thick 2" wide						
	M.S.Flat and tow hook of 3/8" dia tor bars						
	including compacting, curing and			Eight hundered & Saventy hive -S			
	transportation within 10 miles etc.		(275)	Savent hve -		21920-	
	21"dia.	25 Nos.	(875)=)	ano. Duc 7	Each	21875=	
	Making connection with the existing				i		
	manhole i/c the cost of cutting hole in				i		
i	wall, making them good in C.C 1:2:4 and		(5 I)	two hundrelow	4-	12 1-	
+	making required channel etc complete.	06 Nos.	(200=)		O Each	1200=	
1	Cement concrete plain including placing						
1	compacting, fitting finishing and curing,	7.7					
1	complete (including screening and			0. 1			
1	washing at stone aggregate without			forteen Mondard			
1	shuttering.	170 20 06	14400=	forteen Mondard	%Cft	25832	
+	Ratio 1:2:4	179.39 Cft	(14400)-	,	%Cft	25002	
- 1	Manufacturing & supplying of RCC ring						
- 1	slab 21"dia (inside) and 36"dia outside						
1	7.5 width and 6"thick i/c 3/8"dia tor steel						
	bars two concentric rings with 3/8" dia 8 Nos cross linked bars welded and two	-					
	[- TO SEA]						
	sunk type hooks, casted in 1:1 ½:3 concrete with embedded 15 Kg C.I frame						
	in perfect position i/c transportation						
						İ	
	charges for an average lead of 20KM per trip from casting yard to town offices (A			One thoround with			
	minimum of 25 slabs per trip will be			ONE SUBIGINAL NO.			
	transported).	25 Nos.	1900=	limbered -5	Each	4750d=	
	Providing and fixing C.I.Frame including	25 1103.	100	C	Lacii	1004	
	cost of material etc.	60 Kgs.	(7d=)	savenishing -	P/Kg.	4500/5	
	Hire charges of steel shuttering both side	ou regs.				1000	
	for the construction of main hole						
	(circular) at side i/c its erection in proper			. \ \			
	position and removal after concrete etc			one lumbered			
	complete.	21 Ft.	(lud=)	-	P/Ft.	2100=	

m/4

Wh

Sol

(Cont..on page No.3...)