

KARACHI WATER & SEWERAGE BOARD

OFFICE OF THE CHIEF ENGINEER (IP&D)

BID EVALUATION REPORT

		,
1	Name of Procuring Agency	KARACHI WATER & SEWERAGE BOARD
2	Tender Reference No	SPPRA Serial No.26178 I.D No/2016
3	Work/Item	REPLACEMENT OF 4" DIA & 3" DIA C.I RUSTED / CHOCKED WATER LINE BY 04" DIA & 03" DIA UPVC PIPE AND LEAKAGES 18" DIA, 15" DIA & 12" DIA PRCC PIPE LINE FOR IMPROVEMENT OF WATER SUPPLY SYSTEM ROW OF 1633 TO 1652 BLOCK-02 F.B AREA GULBERG TOWN.
4	Method of Procurement	Single Stage (One Envelop)
5	Tender Published	Through Website
6	Total Bid Documents Sold	02 Nos
7	Total Bid Received	02 Nos
8	Technical Bid Opening Date (if applicable)	N/A .
9	No. of Bid Technically Qualified (if applicable)	N/A .
10	Bid (s) rejected	One
11	Financial Bid Opening Date	03/02/16

12 Bid Evaluation Report

S#	NAME OF FIRM OR BIDDER	COST OFFERED BY THE BIDDERS	RANKING IN TERMS OF COST	COMPARISON WITH ESTIMATED COST	REASON FOR ACCEPTANCE/ REJECTION	REMARIOS
1	M/s. Tooba Enterprises	Rs. 211,998/-	1st Lowest	@ 0.090% Below	Substantially Responsive	P.O # 13711415 Dt: 02-02-2016 Rs.4400/- HBL Iqbal Library Br Karachi
2	M/s. Nabiha & Co	Rs. 213,349/-	2nd Lowest	@ 0.5465% Above	Un Responsive due to Disqualified	P.O # 13711413 Dt: 02-02-2016 Rs.4500/- HBL Iqbal Libraty Br Karachi

The all concerned bidder are being informed accordingly.

The E.E Concerned for compliance of rule 45 of SPPRA 2010 M/s. Tooba Enterprises, declared as the lowgst responsive bidder by the Committee and recommended for Sanction from Competent Authority.

v. Accounts Officer (Central)

Member/Secretary

(Saif-ul-Hāque)
Additional Director Internal
Audit - KMC Member

(Maqsood Ahmed Shaikh)
Superintending Engineer (KMC)
Member

(Syed Muhammad Jameel Akhtar) Chief Engineer (Central) Member (Syed Mashkoof ut-Hasnain) Chief Engineer (IPL), (Convener)

COMPARATIVE STATEMENT

AND LEAKAGES 18" DIA, 15" DIA & 12" DIA PRCC PIPE LINE FOR IMPROVEMENT OF WATER SUPPLY SYSTEM ROW OF 1633 NAME OF WORK: REPLACEMENT OF 4" DIA & 3" DIA C.I RUSTED / CHOCKED WATER LINE BY 04" DIA & 03" DIA UPVC PIPE TO 1652 BLOCK-02 F.B AREA GULBERG TOWN.

titing & removing road Metaling 478 Cft 605 00 % Cft 2.891 90 it titon for pipe lines in trenches and pits and of soil of murum i/c trimming and g side to true alignment and shape g of beds of trenches to correct level ade, cutting joint holes and disposal of a carth with in a one chain as directed engineer incharge providing fence lights, flags and temporary crossings rependently flags and temporary crossings rependently flags and temporary crossings rependently flags and lead upto one chain 1930 Cft 4,650.00 %0 Cft 8,974.50 for placing and lead upto one chain 1930 Cft 4,650.00 %0 Cft 8,974.50 for placing the pumping set per day we of the wages of driver and ant, fuel and electric energy plate form and delivery pipe for any out water pound at various depth renches including the cost of erection smantling after completion of job of 10 umping out water from 10 ft deep es. Ing Laying UPVC Pipes of Class "B" are of 200 ft water to head eter or 200 ft 3,600.00 P/Rft 3,600.00 P/Rft 3,600.00	S.No	Description of Work	1 11	Engineer's Estimate	Estimate	unt	M/s. Tooba Enterprises Rate Amou	ooba orises Amount		M/s. Nabiha & Co
Dismantling & removing road Metaling Excavation for pipe lines in trenches and pits in all kind of soil of murum i/c trimming and dressing side to true alignment and shape levelling of beds of trenches to correct level and grade, cutting joint holes and disposal of surplus earth with in a one chain as directed by the engineer incharge providing fence guards, lights, flags and temporary crossings for non-vehicular traffic where ever required lift upto 5 ft (1.52m) and lead upto one chain (30.5m). Full hire charges of pumping set per day inclusive of the wages of driver and assistant, fuel and electric energy plate form required for placing the pump etc, at lower depth with suction and delivery pipe for pumping out water pound at various depth from trenches including the cost of erection and dismantling after completion of job of 10 HP pumping out water from 10 ft deep trenches. Providing Laying UPVC Pipes of Class "B" trenches i/c cutting fitting and jointing with solvent cement i/c testing with water to head 1.5 meter or 200 ft 4.0 Rft 90.00 P/Rft 25,840.00 40 Rft 90.00 P/Rft 3,600.00			Quantity	+	Unit		Rate	<u> </u>	Amount	Amount
Excavation for pipe lines in trenches and pits in all kind of soil of murum <i>ilc</i> trimming and dressing side to true alignment and shape levelling of beds of trenches to correct levell and grade, cutting joint holes and disposal of surplus earth with in a one chain as directed by the engineer incharge providing fence guards, lights, flags and temporary crossings for non-vehicular traffic where ever required iff upto 5 ft (1.52m) and lead upto one chain (30.5m). Full hire charges of pumping set per day inclusive of the wages of driver and assistant, fuel and electric energy plate form required for placing the pump etc, at lower depth with suction and delivery pipe for pumping out water pound at various depth from trenches including the cost of erection and dismantling after completion of job of 10 HP pumping out water from 10 ft deep trenches. Providing Laying UPVC Pipes of Class "B" trenches <i>i/c</i> cutting fitting and jointing with solvent cement <i>i/c</i> testing with water to head 1.5 meter or 200 ft 4.00.00 P/Rft 25,840,00 P/Rft 3,600,00	>	Dismantling & removing road Metaling		 	% Cft	2,891 90	605.00	8	00 2.891.90	+-
dressing side to true alignment and shape levelling of beds of trenches to correct level and grade, cutting joint holes and disposal of surplus earth with in a one chain as directed by the engineer incharge providing fence guards, lights, flags and temporary crossings for non-vehicular traffic where ever required lift upto 5 ft (1.52m) and lead upto one chain (30.5m). Full hire charges of pumping set per day inclusive of the wages of driver and assistant, fuel and electric energy plate form required for placing the pump etc, at lower depth with suction and delivery pipe for pumping out water pound at various depth from thenches including the cost of erection and dismantling after completion of job of 10 HP pumping out water from 10 ft deep trenches. Providing Laying UPVC Pipes of Class "B" trenches i/c cutting fitting and jointing with solvent cement i/c testing with water to head 1.5 meter or 200 ft 4.000.00 P/Rft 25,840.00 A Rft 90.00 P/Rft 3,600.00		Excavation for pipe lines in trenches and pits in all kind of soil of murum i/c trimming and								
and grade, cutting joint holes and disposal of surplus earth with in a one chain as directed by the engineer incharge providing fence guards, lights, flags and temporary crossings for non-vehicular traffic where ever required litt upto 5 ft (1.52m) and lead upto one chain (30.5m). Full hire charges of pumping set per day inclusive of the wages of driver and assistant, fuel and electric energy plate form required for placing the pump etc, at lower depth with suction and delivery pipe for pumping out water pound at various depth from trenches including the cost of erection and dismantling after completion of job of 10 HP pumping out water from 10 ft deep trenches. Providing Laying UPVC Pipes of Class "B" trenches i/c cutting fitting and jointing with solvent cement i/c testing with water to head 1.5 meter or 200 ft 3" Dia 8ft 136.00 P/Rft 25,840.00 40 Rft 90.00 P/Rft 3,600.00		dressing side to true alignment and shape levelling of beds of trenches to correct level								
surplus earth with in a one chain as directed by the engineer incharge providing fence guards, lights, flags and temporary crossings for non-vehicular traffic where ever required lift upto 5 ft (1.52m) and lead upto one chain (30.5m). Full hire charges of pumping set per day inclusive of the wages of driver and assistant, fuel and electric energy plate form required for placing the pump etc, at lower depth with suction and delivery pipe for pumping out water pound at various depth from trenches including the cost of erection and dismantling after completion of job of 10 HP pumping out water from 10 ft deep trenches. Providing Laying UPVC Pipes of Class "B" trenches i/c cutting fitting and jointing with solvent cement i/c testing with water to head 1.5 meter or 200 ft 4,650.00 P/Rft 25,840.00 P/Rft 3,600.00		levelling of beds of trenches to correct level and grade, cutting joint holes and disposal of								
by the engineer incharge providing fence guards, lights, flags and temporary crossings for non-vehicular traffic where ever required lift upto 5 ft (1.52m) and lead upto one chain (30.5m). Full hire charges of pumping set per day inclusive of the wages of driver and assistant, fuel and electric energy plate form required for placing the pump etc, at lower depth with suction and delivery pipe for pumping out water pound at various depth from trenches including the cost of erection and dismantling after completion of job of 10 HP pumping out water from 10 ft deep trenches. Providing Laying UPVC Pipes of Class "B" trenches i/c cutting fitting and jointing with solvent cement i/c testing with water to head 1.5 meter or 200 ft 40 Rft 90.00 P/Rft 3,600.00 40 Rft 90.00 P/Rft 3,600.00	2	surplus earth with in a one chain as directed								
guards, lights, flags and temporary crossings for non-vehicular traffic where ever required lift upto 5 ft (1.52m) and lead upto one chain (30.5m). Full hire charges of pumping set per day inclusive of the wages of driver and assistant, fuel and electric energy plate form required for placing the pump etc, at lower depth with suction and delivery pipe for pumping out water pound at various depth from trenches including the cost of erection and dismantling after completion of job of 10 HP pumping out water from 10 ft deep trenches. Providing Laying UPVC Pipes of Class "B" trenches i/c cutting fitting and jointing with solvent cement i/c testing with water to head 1.5 meter or 200 ft 40 Rft 90.00 P/Rft 25,840.00 9/Rft 3,600.00		by the engineer incharge providing fence								
for non-vehicular traffic where ever required lift upto 5 ft (1.52m) and lead upto one chain (30.5m). Full hire charges of pumping set per day inclusive of the wages of driver and assistant, fuel and electric energy plate form required for placing the pump etc. at lower depth with suction and delivery pipe for pumping out water pound at various depth from trenches including the cost of erection and dismantling after completion of job of 10 HP pumping out water from 10 ft deep trenches. Providing Laying UPVC Pipes of Class "B" trenches i/c cutting fitting and jointing with solvent cement i/c testing with water to head 1.5 meter or 200 ft 40 Rft 90.00 P/Rft 25,840.00 3" Dia 40 Rft 90.00 P/Rft 3,600.00		guards, lights, flags and temporary crossings								
lift upto 5 ft (1.52m) and lead upto one chain (30.5m). (30.5m). Full hire charges of pumping set per day inclusive of the wages of driver and assistant, fuel and electric energy plate form required for placing the pump etc, at lower depth with suction and delivery pipe for pumping out water pound at various depth from trenches including the cost of erection and dismantling after completion of job of 10 HP pumping out water from 10 ft deep trenches. Providing Laying UPVC Pipes of Class "B" trenches i/c cutting fitting and jointing with solvent cement i/c testing with water to head 1.5 meter or 200 ft 4" Dia 40 Rft 90.00 P/Rft 25,840.00 3" Dia 40 Rft 90.00 P/Rft 3,600.00		for non-vehicular traffic where ever required								
Full hire charges of pumping set per day inclusive of the wages of driver and assistant, fuel and electric energy plate form required for placing the pump etc, at lower depth with suction and delivery pipe for pumping out water pound at various depth from trenches including the cost of erection and dismantling after completion of job of 10 HP pumping out water from 10 ft deep trenches. Providing Laying UPVC Pipes of Class "B" trenches i/c cutting fitting and jointing with solvent cement i/c testing with water to head 1.5 meter or 200 ft 4" Dia 40 Rft 90.00 P/Rft 25,840.00 90 P/Rft 3,600.00		lift upto 5 ft (1.52m) and lead upto one chain				8 974 50		4 650 00	4 650 00 8.974.50	
inclusive of the wages of driver and assistant, fuel and electric energy plate form required for placing the pump etc, at lower depth with suction and delivery pipe for pumping out water pound at various depth from trenches including the cost of erection and dismantling after completion of job of 10 HP pumping out water from 10 ft deep trenches. Providing Laying UPVC Pipes of Class "B" trenches i/c cutting fitting and jointing with solvent cement i/c testing with water to head 1.5 meter or 200 ft 40 Rft 136.00 P/Rft 3" Dia 40 Rft 90.00 P/Rft		charges of pumping set per		\dashv						
assistant, fuel and electric energy plate form required for placing the pump etc, at lower depth with suction and delivery pipe for pumping out water pound at various depth from trenches including the cost of erection and dismantling after completion of job of 10 HP pumping out water from 10 ft deep trenches. Providing Laying UPVC Pipes of Class "B" trenches i/c cutting fitting and jointing with solvent cement i/c testing with water to head 1.5 meter or 200 ft 40 Rft 136.00 P/Rft 3" Dia 40 Rft 90.00 P/Rft										
required for placing the pump etc, at lower depth with suction and delivery pipe for pumping out water pound at various depth from trenches including the cost of erection and dismantling after completion of job of 10 HP pumping out water from 10 ft deep trenches. Providing Laying UPVC Pipes of Class "B" trenches i/c cutting fitting and jointing with solvent cement i/c testing with water to head 1.5 meter or 200 ft 4" Dia 40 Rft 136.00 P/Rft 3" Dia 40 Rft 90.00 P/Rft		assistant, fuel and electric energy plate form								
depth with suction and delivery pipe for pumping out water pound at various depth from trenches including the cost of erection and dismantling after completion of job of 10 HP pumping out water from 10 ft deep trenches. Providing Laying UPVC Pipes of Class "B" trenches i/c cutting fitting and jointing with solvent cement i/c testing with water to head 1.5 meter or 200 ft 4" Dia 40 Rft 136.00 P/Rft 3" Dia 40 Rft 90.00 P/Rft		required for placing the pump etc, at lower								
pumping out water pound at various depth from trenches including the cost of erection and dismantling after completion of job of 10 HP pumping out water from 10 ft deep trenches. Providing Laying UPVC Pipes of Class "B" trenches i/c cutting fitting and jointing with solvent cement i/c testing with water to head 1.5 meter or 200 ft 4" Dia 3" Dia 40 Rft 90.00 P/Rft 3,600.00	در	depth with suction and delivery pipe for								
rrom trenches including the cost of election and dismantling after completion of job of 10 HP pumping out water from 10 ft deep trenches. Providing Laying UPVC Pipes of Class "B" trenches i/c cutting fitting and jointing with solvent cement i/c testing with water to head 1.5 meter or 200 ft 4" Dia 190 Rft 136.00 P/Rft 25,840.00 3" Dia 40 Rft 90.00 P/Rft 3,600.00	(pumping out water pound at various depth								
trenches. Providing Laying UPVC Pipes of Class "B" trenches i/c cutting fitting and jointing with solvent cement i/c testing with water to head 1.5 meter or 200 ft 4" Dia 3" Dia 40 Rft 90.00 P/Rft		and dismantling after completion of job of 10								
trenches. 4 Day 1,500.00 P/Day Providing Laying UPVC Pipes of Class "B" trenches i/c cutting fitting and jointing with solvent cement i/c testing with water to head 1.5 meter or 200 ft 4" Dia 190 Rft 136.00 P/Rft 3" Dia 40 Rft 90.00 P/Rft		HP pumping out water from 10 ft deep								
Providing Laying UPVC Pipes of Class "B" trenches i/c cutting fitting and jointing with solvent cement i/c testing with water to head 1.5 meter or 200 ft 4" Dia 3" Dia 40 Rft 90.00 P/Rft		trenches.		+	+		+-	1,500.00	1,500.00 6,000.00	
trenches i/c cutting fitting and jointing with solvent cement i/c testing with water to head 1.5 meter or 200 ft 4" Dia 3" Dia 40 Rft 90.00 P/Rft		Providing Laying UPVC Pipes of Class "B"								
solvent cement i/c testing with water to head 1.5 meter or 200 ft 4" Dia 40 Rft 90.00 P/Rft 3" Dia 40 Rft 90.00 P/Rft		trenches i/c cutting fitting and jointing with		·						
ter or 200 ft 190 Rft 136.00 P/Rft 40 Rft 90.00 P/Rft	4	solvent cement i/c testing with water to head		•						
40 Rft 90.00 P/Rft		1.5 meter or 200 ft			P/Rft	25,840.00		135.00	135.00 25,650.00	
		3" Dia			P/Rft	3,600.00		90.00	90.00 3,600.00	-

Charles

A A

AND LEAKAGES 18" DIA, 15" DIA & 12" DIA PRCC PIPE LINE FOR IMPROVEMENT OF WATER SUPPLY SYSTEM ROW OF 1633 NAME OF WORK: REPLACEMENT OF 4" DIA & 3" DIA C.I RUSTED / CHOCKED WATER LINE BY 04" DIA & 03" DIA UPVC PIPE

TO 1652 BLOCK-02 F.B AREA GULBERG TOWN.

S.No	Description of Work		Eng	Engineer's Estimate	stimate			M/s. Tooba Enterprises	<i>i</i>	's. Nab
	į	Quantity		Rate	Unit	Amount	Rate	Amount		Rate Amount
	Providing & Fixing Split Collar tee on on									
	be Fabrica									
	plate excluding the cost of the Nek. It e/c he									
	cost of 3/4" thick MS sq bars on both ends 4									
ഗ്വ	Nos 3/" thick MS flange with a total weight as									
	maintain each items it i/c the cost of nuts,									
	bolts, rubber packing, Labour and sealing									
	material and all tools and plants.									!
	18" dia (18" x 18" width (133.49 Kg)		Nos	24,521.00	Each	24,521.00	24,521.00	24,521.00	24	24,521.00
	Providing & fixing split collar 9" wide on AC						•			
	pipe fabricated with 1/4" thick MS Plate									
Ò	weighing as mentioned against each item. It				- 			-		
σ	include the cost of 4 Nos. 1/4" thick flanges.									
	Nuts & bolts, rubber packing etc complete									
	04 Dia (Weight 8.68 Kg)	2	Nos	1,835.00	Each	3,670.00	1,835.00	3,670.00		1,835.00
	P/F 0-9" long 3/8" thick M.S meek to existing				_			-		
	M.S pipe or to split collar tee having a total									
7	weight as mentioned against each item i/c					-				
	the cost of fabrication and welding to the split									
	collar tee.								1)))
	3" dia (4.773 Kg)	2	Nos	895.00	Each	1,790.00	895.00	1,790.00	1 00	895.00
	Cast Iron Specials for UPVC/ A.C Pipes Cast							·-		
<u></u>	Iron Special for PVC/A.C Pipes (Standard					-				
0	weight for AC "B" Class)		2	E60 75	Π 2 2	1 137 50	75 75	1 137 50	רכ	568 75
	VII UPVC fitting precase equivalent make)							1)
	(ii) Socket 100 mm class 'B" 3" Dia	2	Nos	350.00	Each	700.00	350.00	700.00		350.00

NAME OF WORK: REPLACEMENT OF 4" DIA & 3" DIA C.I RUSTED / CHOCKED WATER LINE BY 04" DIA & 03" DIA UPVC PIPE AND LEAKAGES 18" DIA, 15" DIA & 12" DIA PRCC PIPE LINE FOR IMPROVEMENT OF WATER SUPPLY SYSTEM ROW OF 1633
TO 1652 BLOCK-02 F.B AREA GULBERG TOWN.

Mem								12				7				10				· ·	0			S.No	
D.A.O.Centran) Member/Secretary	John W.	1	Total			etc complete.	metrial, geny	of execution of	PRCC pipe of	Repair of lea	compaction etc complete	layer i/c v	Refilling the e	4" Dia	labour etc.Complete	the cost of n	one flanged a	Fixing of slice	4" Dia	(imported)	pressure 21.	Providing C.I:		De	
(Saif-ul-Haque) Additional Director Internal Audit - KMC Member		Say	Total Quoted / Corrected Cost	12" Dia	15" Dia	18" Dia	metrial, geny bags sand spain yain, labours,	of execution de-watering, back filling sealing	PRCC pipe of various diametter i/c the cost	Repair of leaking joints (external watta) on	c complete.	watering ramming to full	excavated stuff in trenches 6"		nplete.	the cost of nuts bolts and rubber packing,	one flanged and other with socket including	Fixing of slice valve with two cost iron picese			21.0Kg/sq or 300 lb/sq inch	C.I sluice valve heavy pattern test		Description of Work	
(Maqsood Ahmed Shaikh) Superintending Engineer (KMC) Member	Lynn 1/2			2 No	3 No	5 No			.,.		1901.52 Cft			1 No					1 No				Quantity	m	
(Maqsood Ahmed Shaikh) perintending Engineer (KN Member				9,716.00	10,729.00	13,841.00					2,760.00			1,532.00					5,460.00				Rate	Engineer's Estimate	
				Each	Each	Each					% 0 CIT)		Each					Each				Unit	stimate	
(Syed Muhamn Chief Eng Mo		212,189	212,189.10	19,432.00	32,187.00	69,205.00					5,248.20			1,532.00					5,460.00				Amount		
uhammad Jameel Akhtar) ief Engineer (Central) Member	A)			9,716.00	10,729.00	13,841.00					2,760.00)		1,532.00					5,460.00				Rate	Enter	
htar)		211,998	211,998.40	19,432.00	32,187.00	69,205.00					5,248.20			1,532.00)))				5,460.00)		ï	Amount	Enterprises	
ed Mashkoor vil Chief Enginger (Convener				9,716.00	10,729.00	13,841.00					2,760.00)		1,532.00)				5,460.00)			Rate	M/s. Nak	
(Syed Mashkoor Al Hashkin) Chief Enginger (IPD), (Convener)		213,349	213,348.80	19,432.00	32,187.00	69,205.00					5,248.20			1,532.00)				5,460.00)			Amount	M/s. Nabiha & Co	

Method of Procurement:

Single Stage Single Envelope.

Tame of Work:

REPLACEMENT OF 4" DIA & 3" DIA C.I RUSTED / CHOCKED WATER LINE BY 04" DIA & 03" DIA UPVC PIPE AND LEAKAGES 18" DIA, 15" DIA & 12" DIA PRCC PIPE LINE FOR IMPROVEMENT OF WATER SUPPLY SYSTEM ROW OF 1633 TO 1652 BLOCK-02 F.B AREA **GULBERG TOWN.**

MINUTES OF BID OPENING MEETING.

A meeting of the procurement committee of this department was held on 03-02-2016 for opening the bids received in respect of subject NIT till deadlines of submission. The meeting was attended by all / following members of the procurement committee and the representative of bidders. (Attendance sheet is enclosed).

- Two bidders submitted their bids till the deadline of submission. 2.
 - i. M/s. Tooba Enterprises.
 - ii. M/s. Nabiha & Co.
- 3. The bids were opened at 02:30 P.M in the presence of the above mentioned participants and the rates quoted by bidders were read aloud and encircled by Chairman of the Procurement Committee.

S. No	Name of Firm	Quoted Price	Amount of Bid Security	Pay Order No. / Date
01	M/s. Tooba Enterprises	Rs. 211,998/-	Rs.4,400/-	P.O # 13711415 Dt: 02-02-2016 HBL Iqbal Library Br Karachi
02	M/s. Nabiha & Co	Rs. 213,349/-	Rs.4,500/-	P.O # 13711413 Dt: 02-02-2016 HBL Iqbal Library Br Karachi

- 4. The bids do not contain any over-writing or cutting.
- 5. The committee shall examine all the bids as per the qualification / eligibility criteria provided in the bidding document and verify the documents and bid security submitted by the bidders (if required).

The meeting ended with the vote of thanks to and from the chair.

(Saif-ul-Haque) Additional Director Internal Audit - KMC Member

(Magsood Ahmed Shaikh) Superintending Engineer (KMC) Member

(Syed Muhammad Jameel Akhtar) Chief Engineer (Central)

Member

(Syed Mashicor ul Chief Éngineer (IPD)

Convener

Method and procedure of procurement: Open Competitive Bidding(National/ International Competitive Bidding) (Single Stage – One Envelope)

Description of work: REPLACEMENT OF 4" DIA & 3" DIA C.I RUSTED / CHOCKED

WATER LINE BY 04" DIA & 03" DIA UPVC PIPE AND LEAKAGES 18" DIA, 15" DIA & 12" DIA PRCC PIPE LINE FOR IMPROVEMENT OF WATER SUPPLY SYSTEM ROW OF 1633 TO 1652 BLOCK-02 F.B AREA

GULBERG TOWN.

Opening Dated:

03/02/2016

BIDDERS' ELIGIBILITY/ QUALIFICATION REPORT

Eligibility/ Qualification Criteria:

S. No.	Eligibility / Qualification Criteria	Bidders' name M/s. Tooba Enterprises.	Bidders' name M/s. Nabiha & Co.
1.	Registration with PEC (if applicable)	N/A	N/A
2.	NTN	Yes	N/A
3.	Sales Tax Registration	N/A	N/A
4.	Registration with Sindh Revenue Board (SRB)	Yes	N/A
	Qualification Criteria:		
5.	Minimum three years' experience of relevant field.	Yes	N/A
6.	Turnover of at least last three years	Yes	N/A
7.	Required Bid Security is attached.	Yes	Yes
8.	Bid is signed, named and stamped by the authorized person of the firm along with Authorization letter.	Yes	N/A
9.	Any other factor deemed to be relevant by the procuring agency subject to provision of Rule-44	N/A	N/A
10.	Qualified/ disqualified	Qualified	Disqualified

Div. Accounts Officer (Central)

Member / Secretary

(Saif-ul-Haque)
Additional Director Internal
Audit – KMC Member

(Maqsood Ahmed Shaikh) Superintending Engineer (KMC) Member

(Syed Muhammad Jameel Akhtar) Chief Engineer (Central) Member

Chief Engineer (IPD)

Convener 31.4 (6)

(Syed Mastr



KARACHI WATER & SEWERAGE BOARD

ATTENDANCE SHEET OF CONTRACTORS

NAME OF WORK :-

REPLACEMENT OF 4" DIA & 3" DIA C.I RUSTED / CHOCKED WATER LINE BY 4" DIA & 3" DIA UPVC PIPE AND LEAKAGES 18" DIA, 15" DIA & 12" DIA PRCC PIPE LINE FOR IMPROVEMENT OF WATER SUPPLY SYSTEM ROW OF 1633 TO 1652 BLOCK-02 F.B.AREA GULBERG TOWN.

1. Date of Opening & Time :- <u>03-02-2016</u>. At 2.00 pm.

2. Estimated Cost:

Rs.2,12,189/=

3. Serial No.:

SPPRA SERIAL NO.26178.

SR.NO.	NAME OF FIRM	NAME OF REPRESENTATIVES & DESIGNATION	SIGNATURE
	Tooba Engineers	Smi Tanaveen	Sano.
V	Masihaq. co	Tanaveen	-b =