

Institute of Business Administration Karachi

eadership and Ideas for Tomorrow

PURCHASE ORDER

To : Order No :

M/s Digital Links (Pvt) Ltd IBA-MC/PD/P&S/205/0079/2015-16

Date of Issue
Date of Delivery
Place of Delivery

November 25, 2015 December 8, 2015 IBA, Main Campus

Total Amount : Rs.1

Rs.1,250,782.65 (Including GST)

(Rupees One Million Two Hundred Fifty Thousand Seven Hundred Eighty Two & Paisa Sixty Five Only)

Two & Paisa Sixty rive Only)						
S. #	DESCRIPTION	QT	١	RATE (RS.)	AMOUNT (RS.)	
	<u>IP CAMERA- MINI DOME - 1.3 MP HIK</u>		1			
	VISION	i				
	 Support dual stream, and the sub-stream formobile surveillance High-performance and long service life enhared LED. Approx. 10 to 30 meters IR range Must Support intrusion detection. line crossing detection Must Support VCA, which is compatible with NVR for the second time of video searching and analyzing Up to 1.3 megapixel (1280 + 960) resoluted Wi-F. Support Standard video compression with high compression ratio, ROI (region of interest encoding Progressive scan CMOS, capture motion video without incised margin Built-in Micro SD/SDHC/SDXC card s'ot into 128 GB Ingress Protection level: 1966 Ewo-way audio Support Audio Support Input Output Rent filter with auto switch Pol: Power over Ethernet Impact Protection: IEC60068-2-78 test, 13 	(an) 4.2 4.3		Rs.14,435,00	Rs.606,270 00	
	 703; ENS0102, an to IK let 16. Other functions; rotate mode, alarm, mirroreset button, etc 17. Image Sensor: 1.3" Progressive Sear 18. Min. Humination 0.01Lux & (F).2 18. AGC ON) to Lux with IR, 0.028 Lux at 					
	(F2.0, AGC ON) .0 Lux with IR			,		

19 Shutter Speed: 1/3 s to 1/100,000 s

20. Lens: Angle of view: 92.5%22.8mm LENS

	Lens Mount: M12
	Day & Night: R cut filter with auto switch
	Digital Noise Reduction: 3D DNR
	Wide Dynamic Range: Digital WDR
29. az	Angle Adjustment: Pan:0° -
40.	Angle Adjustment: Pan:0° -
0.7	355°, Tilt: 0° - 75°, Rotation: 0-355°
	Video Compression H.264+
	H.264 Type: Main Profile
	Video Bit Rate:32 Kbps 12 Mbps
	Dual Stream: Yes
211.	Audio Compression: G.711/G.722.1/G.726/MP2L2
S .	Audio Bit Rate: 64Kbps(G.711)
3:	74660 Mc Kare, 6486ps(G.711) - 16Kbps(G.722-1)/16Kbps(G.726)/52-
. ~	+28Kbps(MP2U2)
	Max. Resolution (280 x 96)
-111	Frame Rate: 50 Hz: 25 fbs : 1280
	+ 960), 25 fps (1280 x 720)
	60 Hz: 30 fps (1280 × 960), 30 fps (1280 ×
~ .	720)
.44.	Image Settings: Rotate mode, Saturation,
	Brightness, Contrast adjustable
2 0	by client software or web browser
35	Backlight compensation: Yes, zone
	optional
	ROI: (Region of interest) Support
37.	Line crossing Detection Support
38.	Network Storage:Local storage: Built-in
	Micro SD/SDHC/SDXC card slot, up to
	128 GB
36	NAS: Must Supported NAS (Support NES)
	SMB CIES/
417.	Protocol-TCP (P.JCMP, HTTP, HTTP, HTTP, ETP.D)
	HCP,DNS,DDNS
	RTP,RTSP,RTCP. PPPoE, NTP, UPnP,
	SMTP,SNMP
	PPPOENTPU PnPSMTPSNMRIGMP
	802.1X,QoS,1Pv6,Bonjour
	Standard: ONVIE. PSIA, CGI, ISAPI
42.	Communication Interface: 1 RJ45
	10MT100M Ethernet interface
43.	Alarm interface: Lalarm I/O
44.	Audio interface: Laudio FO
45.	Wireless Standards:
	IEEE802.116, 802.11g, 802.11h
40	Frequency Ranger 2.4 GHz 2.4835
	Cif (z
	Channet Barchwidth: 20 46XHz Sipport
	Protocols. 802.115; CCK, QPSK.
	BPSK
40	802.11g/n: OFDM
50	Security: 64/128-bit WEP,
	WPA/WPA2, WPA-PSK WPA2-PSK, WPS
51.	Fransmit Output Power: 116:
	17±1.5dBm (& HMbps
	11g: 14 : 1.5dBm (d) 54Mbps
	Hn: 12.5±1.5dBm

11b: -90dBm @ 52. Receive Sensitivity: HMbps (Typical) Hg: -75dBm @ 54Mpbs (Typical) 11n: -74dBm (Typical) 53. Transfer Rates: 11b: 11Mbps Hg: 54Mbps Him up to 150Mbns 54. Wireless Range:50m (minimum) TEEE802.116. 55. Wireless Standards: 802.11g, 802.11n 56 Operating Conditions: . -30°C +60°C (+22 F 140 W) 95% or less (non-5" Humidity: condensing) $12 \text{ V DC} \pm 10^6 \text{ s}$ 58. Power Supply (802.3af) 59. Poli: Max. 5W 60. Power Consumption: 61. Ingress Protection level: IP66 62. IR Range: 30 meters IEC60068-2-75Eh. 63. Impact Protection: 20J; EN50102, up to IK10 Φ111 × 82 (4.4" × 3.2") 64. Dimensions: 65. Weight: 500g (* .1 lb) 65 Nann Trigger Une Crossing, Intrusion Detection, Metion detection. Dynamic analysis, Tampering, alarm. One-key Network disconnect. IP address conflict. Storage execution. Plash-prevention, deal stream. hearrbeat. n bron, password protection, privacy mask. watermark, IP address filtering. 66. The camera Box should include following items:a. IP Camera b. Power Adaptor 220 v Screw driver L Key type for camera Weather proof network connector cover Camera manual Packing ţÌ. 67. Power supply should be included on each camera. NVR 32 channel HIK VISION Connectable to the third-sarty network cameras like ake ACTI. Arecont. AAS. Bosch, Brickcom, Canon, ONVIF. Rs. 343,750.00 PANASONIC, Pelco, PSIA, SAMSUNG. Rs.68.750.00 units

SANYO, SONY and Vivotek and ZAVIO.Video Content Analysis: NVR Should support VCA for smart search

Stream Media Server: NVR should support. Stream Media Server to increase the number of users on Network or to decrease the load.

2-

- over WAN connection for multiple users at remote location
- 4. Up to 64 network cameras can be connected
- Support live view, storage, and playback of the connected camera with up to the resolution of 5 megapixels.
- Simultaneous HDMI and VGA at 1920 × 1080 resolution.
- 7. New GCI and support starting record with one key:
- 8 Redundant recording, holiday recording and capture schedule configuration:
- 9 Realize instant playback for assigned channel during multi-channel display mode.
- 10. Up to 16-ch synchronous playback at 4CIF resolution.
- 11. Smart search for the selected area in the video.
- 12. Customization of tags, searching, and playing back by tags.
- 13. Locking and unlocking record files.
- 14. Compression: "H.264+" (NVR Should not be H.264 or below)
- Support HDD quota and group modes: Jifferent capacity can be assigned to Jifferent channel.
- 16 Up to 4 SATA hapd disks and 1 eSATA disk can be connected, for both recording and backup.
- 17 Seif-adaptive TOM/T00MT1000M network interface.
- Support Hikvision DDNS (Dynamic Domain Name System).
- 19. Must Support Channel-zero encoding, which chables you to get a view in the remote client or web browser of all the channels in one screen.
- 20. Support network detection, including network delay, packet loss, etc.
- 21. Adopt pioneering dual-OS design to ensure the security of system running.
- 22. Channel Zero: NVR Should Support Channel | Zero function with VBR function | i.e. | (32Kbps 2Mbps) which sucks one camera bandwidth and shows at most 16-cameras | View at a time
- 23. VGA HDMI or CVBS: NVR should independently operate (VGA HDMI) & CVBS
- 24 P video Audio lopur 12-ch
- 25. Ewo-way audio. Tech. BNC (2.0 Vg. p. 1kΩ)
- 26. Incoming bandwidth: 160Mbps
- 27. Outgoing bandwidth: 160Mbps
- 28. Remote Connection: 128
- 29. Video/Audio output:
- 30. Recording resolution 5MP/3MP 1080P/UXGA /720P /VGA /4CIF /DCIF 2CIF /CIF /QCIF
- 31. Compression: "H.264-" (NVR Should not be H.264 or below)
- -32. Channel Zero: NVR Should Support Channel 🖟

Zero function with VBR ability i.e. (32Kbps ~ 2Mbps) which sucks one camera bandwidth and shows at most 16-cameras View at a time

33. VGA/HDMI or CVBS: NVR should independently operate (VGA/HDMI) & CVBS

34. Video Coment Analysis: NVR Should support VCA for smart search

35. Stream Media Server: NVR should support Stream Media Server to increase the number of users on Network or to decrease the load over WAN connection for multiple users at remote location.

36 NAS: NVR should support NAS function

3.1 Frame 10.1 Main stream; 25 fps (P) + 30 (ps (N))

1. Sub-stream: 25 fps (P) : 30 fps (N) -

38. CVBS output: 1-ch. BNC (1.0 Vp-p. 75 \Omega)

39. Resolution: 704 × 576 (PAL): 704 × 480 (NTSC)

40. HDMf output: 1-ch, resolution: 1920 × 1080P /60Hz, 1920 × 1080P /50Hz, 1600 + 1200 /60Hz, 1280 × 1024 /60Hz, 1280 + 720 /60Hz, 1024 × 768 /60Hz

41. VGA output: 1-ch, resolution, 1920 × 1080P '60Hz, 1600 × 1200 60Hz, 1280 × 1024 (60Hz, 1280 × 720 (60Hz, 1024 × 768 60Hz)

42 Audio output 2-ch, BNC (Linear, https://doi.org/10.1001/10.

43 Playback resolution SMP 4MP 686P ENGN 720P NGA 4CL DCP 2CH CHE QCH

44. Synchronous playback: 10-63

48. Hard disk (SATA) 3. SATA interface.

46 eSATA | LeSATA interface

47. Capacity: Up to 4TB capacity for each HDD

48. Network interface: 1 RJ-45 10 /100 / 1000 Mbps self-adaptive Ethernet

49. Serial interface: RS-232: RS-485: Keyboard

1.5

50. USB interface: 3 × USB 2.0

51 Alarmin:

52. Alarm out:

53. Power supply: 400 - 240 VAC, 6.3 A, 50 - 60 Hz

54 Power Consumption (without mird disk) 45 W

S.E. Working temperature: $-10\%C_{\odot} + 55\%C_{\odot}$

56. Working humidity.

\$7. Chrosis Wineb mck-mountee 1011 throats

Ss. Dimensions (W + D + H) 435 + 356 (20 pm)

59. Weight of 4 Kg (8,82 lb) cwithout mind desker

	LED-	32 channel S.	AMSUNG			f.	RECEIVED	١
	Dispia	y Technology	LED	į		# (F)	25 NOV 2015	2
			2D	. !	,	l'a	1	ã
1	.2ID/31) ra trad	No.				1 (4)	<u>.</u>
		et Enabled	EMR 120Hz					,
		sh Rate	16:9				(100 85/55)	
		et Ratio		or higher				
	5.Resel			gy Star				
		y Grade	LED	* *				
	7.Cates	ioù			i			
	8.Brigh	itness (cd/m2)	1200:1 or be	tter :				
		rast Ratio						
	l().	Response Tin	10 (14/V)	170~170				
i	11.	Viewing Ang				0 20 / 75 0/	0 : Rs.119.025.00	
:	12.	Life Time	16.71		j 3 unit t	Rs.39,675.00		
1	13.	Colors		rated speakers	:			
!	14.	Speakers	Titte j.	Transfer of the second	i.			
		nom side)	. Charact	5W-5W	i i			
	15	Audia Power	_{irround} HD Ye					
	16		III Offing 1435 12	**				
	:7	HDMI						
	18.	USB						
) ()	AV in					:	
	20.	AV out		:				
	- S - 1 	RF Component	N Dis Del	· I				
	23.		(11000)	i				
	23.	VGA		Coaxiai				
	24	SPDU		N 0				
	25.	3D Glasses		C 220 V 50/60Hz	1			
	26.	Power Supp	sumption - TV				•	
	27.	Power Con	sumptibn – Sta			1	and the second second	
	28.	Power Con	Sumption - ote		=		Rs.1,069,045,00	
			Total				en e	

17% GST

Rs.181,737.65

Total Amount

Rs.1,250,782.55

General Instructions:-


- All the items should be available in ready stock and displayed in front of the end user.
- No un marked items acceptable
- No Neutral version and Chinese version acceptable.
- Supplier should have office located in Karachi.
- Items should have local warranty.

Terms & Conditions:

1	Material of this order is subject to final inspection at the time of delivery.
2.	We reserve the right to cancel any or all the above items if material is not be accordance with our specification or if the activery is decayed
3.	Payment will be made through crossed cheduce after the receipt of the bili and delivery of the above item.
	and the control of th
4.	Penalty at the rate of 2% per month on actual will be imposed on delayed delivery
5	Penalty at the race of 2.14 pc. I have discounted for expressively be accepted
(1,	The rate litem cost is final and no change what so ever will be accounted the rate litem cost is final and no change what so ever will be accounted to provide some SRO.
7.	Government tax(es), levi(es) and charge(s) will be charged at actual as per SRO Competent Authority reserves the right to change / after / remove any item
8	Competent Authority reserves the right of change of article or reduce / enhance quantity without assigning any reason invoice / bill, Purchase Order & Delivery Challan should be submitted to in and
()	Invoice / bill, Purchase Order & Denvely Chanan SA and ov
	Department
143	Advance Payment subject to Bank Charantee
11	Advance Payment stopled of hash control and stamp buty a levies and charges. All Government taxes cincluding Income tax and stamp buty a levies and charges with be charged as per applicable rates. I denomination of Purchase. Work Order with be charged as per applicable rates. I denomination of Purchase Order with be levied.
	The control of the Co

Manager Purchase & Stores

Registrar



Leadership and Ideas for Tomorrow

PURCHASE ORDER

10 : M/s M. M. Corporation

Order No : IBA-MC/PD/P&S/205/0080/2015-16

Date of Issue : November 25, 2015 Date of Delivery : November 30, 2015 Place of Delivery : IBA, Main Campus

Total Amount : Rs.241,348.77 (Including GST)

(Rupees Two Hundred Forty One Thousand Three Hundred Forty Eight &

Paisa Seventy Seven Only)

9 ₁₂ 17	D	ESCRIPTION		QTY	RATE (RS.)	AMOUNT (RS.)
		Hard Disk Surveillance g	rade Seagate		4 4	
	1.	Formatted capacity 4 TB				By Mindelle
	2	Form factor 3.5-inc	h			RECEIVE
		Advanced Format (AF)				Of 2
	- 1.	RoHS compliant	Yeş .			In the way
	5	Data transfer rate (max)				Test 1
	; '(),	Buffer to host	6 Gb/s			Told with the
	7.	Host to from drive (sustaine	d)			To a resident
			150 MB s			100[23]557
	3.	Cache (MB)	()-			
	ψ.	Rotational speed (RPM)	IntelliPower			
		in oud amound cycles 300.00				
		Non-recoverable read errors				
	12	. Limited warranty (years) (3	10		
		. Averagé power requirement	s (W)	units	Rs.20.513.00	Rs.205.130.00
		. Read Write	5.1	(1111)		
	15	. Idie	4.5			
	16	. Standby and Sleep	11,4			
	17	. Temperature (°C, on the bas	ke custing)			
	.18	. Operating	0 to 65		:	
	- 119	Non-operating	-40 to 70			
	20	. Shock (Gs)				
	21	. Operating (2 ms, read write	30			
		. Operating (2 ms. read)	65			
	133	. Non-operating (2 ms)	250			
	2.	. Acoustics (dBA)				
	5	. Idle	Y 55			
		. Seek (average)	20			
		. Height (:n.:mm. max)	1.028/26.1			
i		. Length (in/mm. max)	5.787(147)			
:		e. Width (ins.mm. + .01 ins)	4/101.6		•	1

30. Weight (lb./kg, ± 10%) 1.50/0.68

Reduces video frame loss with surveillance-class storage.

Specifically tuned for surveillance security systems.

Specifically tuned for surveillance security systems.

Caching algorithms are tuned for write-intensive, low bit rate, high stream count applications that are typical of surveillance applications.

Priority change for write allocations and preemptive caching policies.

TLER & ATA streaming support.

Supports up to eight drives.



SD Card 32 GB KINGSTON

- Capacities^{1, 32} GB. Must work with HIKVISION 1.3 MP IP camera or Equipment
- **Speed** Class 4 or above (Data writing speed (Why sor higher)
- Dimensions: Flanm x 15mm x Lum
- Operating temperature: -25° C to 85° C.
- Storage temperature: -40° C to 85° C
- Voltage: 3.3v
- Compliant: with the SD Card Association specification
- Compatible: with micro SDHC/SDXC host devices only
- Reliable: lifetime warranty

Total	Rs.206,281.00
17% GS1	Rs.35,067.77
and the second of the second o	
Total Amount	Rs.241,348.77

Lunit

1,151.00

General Instructions:-

- All the items should be available in ready stock and displayed in front of the end user.
- No un marked items acceptable
- No Neutral version and Chinese version acceptable.
- Supplier should have office located in Karachi.
- Items should have local warranty.



Terms & Conditions:

- Material of this order is subject to final inspection at the time of delivery.
- 2. We reserve the right to cancel any or all the above items if material is not in accordance with our specification or if the delivery is delayed.
- Payment will be made through crossed cheque after the receipt of the bill and idelivery of the above item.
- 4. General Sales Tax will be paid on applicable items only.
- 5. Penalty at the rate of 2% per month on actual will be imposed on delayed derivery.
- 6. The rate / item cost is final and no change what so ever will be accepted.
- 7 Government tax(es), levi(es) and charge(s) will be charged at actual as per SRO.
- 8. Competent Authority reserves the right to change aner? remove any item or article or reduce / enhance quantity without assigning any reason.
- Invoice / bill, Purchase Order & Delivery Challan should be submitted to Finance Department.
- 10. Advance Payment subject to Bank Guarantee
- 11. All Government taxes (including Income tax and stamp duty), levies and charges will be charged as per applicable rates. Johnstination of Parchase. Work Order.
- Stamp duty 0.35% for Goods against total value of Purchase Order will be levied accordingly.

Manager Purchase & Stores

Solvatale 7 Doctantes Tender # ME/03/2015-16

TENDER FORM Provide & Supply of Surveillance Equipment 3.

IP CAMERA- MINI DOME - 1.3 ME VISION OR EQUIVALENT	· HIK		
1. Support dual stream, and the s for mobile surveillance 2. High-performance and long se infrared LED, Approx. 10 to IR range 3. Must Support intrusion detec crossing detection 4. Must Support VCA, which is e with NVR for the second time searching and analyzing 5. Up to 1.3 megapixel (1280 resolution 6. Wi-Fi Support 7. Standard video compression compression ratio, ROI (r interest) encoding 8. Progressive scan CMOS, captu video without incised margin 9. Built-in Micro SD/SDIIC/SD slot, up to 128 GB 10. Ingress Protection level: IP66 11. Two-way audio Support 12. Audio Support Input Output 13. IR cut filter with auto switch 14. PoE (Power over Ethernet) 15. Impact Protection: IEC60068- Eh, 20J; EN50102, up to IK10	ervice life 30 meters tion, line ompatible of video × 960) with high egion of re motion 2-75 test,	14,435	606,270
Eh, 20J; EN50102, up to IK10 16. Other functions: rotate mod mirror, reset button, etc	le, alarm,		
17. Image Sensor: 1/3" Progressi CMOS 18. Min. Illumination: 0.01Lux	ve Scan (â) (F1.2,		
AGC ON) ,0 Lux with IR, 0.02 (F2.0, AGC ON) ,0 Lux with II-19. Shutter Speed: 1/3 s to 1/100,00 20. Lens: Angle of view: 92.5	8 Lux (a° 8 10 s		

Page 5 of 17

LENS		
21. Lens Mount: M12		
22. Day & Night: IR cut filter with auto		
switch		
23. Digital Noise Reduction: 3D DNR		
24. Wide Dynamic Range: Digital		
WDR		
25. Angle Adjustment: Pan:0° -		
355°, Tilt: 0° - 75°, Rotation: 0-355°		[{
26. Video Compression H.264+		
27. H.264 Type: Main Profile		
28. Video Bit Rate:32 Kbps – 12 Mbps		
29. Dual Stream: Yes		}
30. Audio Compression:		
G.711/G.722.1/G.726/MP2L2		
31. Audio Bit Rate: 64Kbps(G.711)		
/16Kbps(G.722.1)/16Kbps(G.726) /32-		
128Kbps(MP2L2)		
32. Max. Resolution: 1280 x 960		
33. Frame Rate: 50 Hz: 25 fps		
(1280×960) , 25 fps (1280×720)		
60 Hz: 30 fps (1280 × 960), 30 fps (1280		
x 720)		
34. Image Settings: Rotate mode, Saturation,		
Brightness, Contrast adjustable		
by client software or web browser	_	
35. Backlight compensation: Yes, zone		
optional res, zone		
*		
36. ROI: (Region of interest) Support 37. Line crossing Detection Support		
37. Line crossing Detection Support		
38. Network Storage:Local storage: Built-in		
Micro SD/SDHC/SDXC card slot, up to		
128 GB.		
39. NAS: Must Supported NAS (Support		
· ·		
NFS, SMB/CIFS)		
40. Protocol:TCP/IP,ICMP,HTTP,HTTPS,FT		
P,DHCP,DNS,DDNS		
RTP.RTSP.RTCP, PPPoE, NTP, UPnP,		
SMTP,SNMP		
PPPoE,NTP,UPnP,SMTP,SNMP,IGMP		
802.1X,QoS,lPv6,Bonjour		
802.1A,Q05,1PV0,B01J041		
41. Standard: ONVIF, PSIA, CGI,		
ISAPI		
42. Communication Interface: 1 RJ45		
10M/100M Ethernet interface		!
43. Alarm interface: Lalarm I/O		
44. Audio interface: 1 audio I/O		
44. Augio interface: 1 augio 1/U	i i	



45. Wireless Standards:

IEEE802.11b, 802.11g, 802.11n

46. Frequency Range:

 $2.4 \text{ GHz} \sim 2.4835$

47. Channel Bandwidth: 20/40MHz

Support

802.11b: CCK, QPSK, 48. Protocols: **BPSK**

49. 802.11g/n: **OFDM**

50. Security: 64/128-bit WEP, WPA/WPA2, WPA-PSK/WPA2-PSK, **WPS**

51. Transmit Output Power:

11b: 17±1.5dBm @ 11Mbps 11g: 14±1,5dBm @ 54Mbps 11n: 12.5±1.5dBm

52. Receive Sensitivity: 11b: -90dBm @ 11Mbps (Typical)

11g: -75dBm @ 54Mpbs (Typical)

11n: -74dBm (Typical)

11b: 11Mbps 53. Transfer Rates:

> 11g: 54Mbps Hn: up to 150Mbps

54. Wireless Range:

50m (minimum)

55. Wireless Standards: IEEE802.11b,

802.11g, 802.11n

56. Operating Conditions: -30 °C - 60 °C (-22 °F - 140 °F)

95% 57. Humidity: less (nonor condensing)

58. Power Supply:

 $12~V~DC\pm10\%$

59. PoE:

(802.3af)

60. Power Consumption: Max. 5W

61. Ingress Protection level:

62. IR Range: 30 meters

63. Impact Protection: IEC60068-2-75Eh, 20J; EN50102, up to IK10

64. Dimensions: $\Phi 111 \times 82 (4.4" \times 3.2")$

500g (1.1 lb) 65. Weight:

65. Alarm Trigger:

Line Crossing, Intrusion Detection, Motion detection,

Dynamic analysis, Tampering, alarm, Onekey reset,

Network disconnect, IP address conflict,

Storage

10.4 800 Page 7 617

he m wa	ception, Flash-prevention, dual stream, artbeat, irror, password protection, privacy mask, atermark, IP address filtering. The camera Box should include following items: a. IP Camera b. Power Adaptor 220 v c. Screw driver L Key type for camera d. Weather proof network connector cover e. Camera manual f. Packing Power supply should be included on each camera.			
2. 4. 5. 6. 7. 8. 9. 10. 11.	Connectable to the third-party network cameras like like ACTI, Arecont, AXIS, Bosch, Brickcom, Canon, ONVIF, PANASONIC, Pelco, PSIA, SAMSUNG, SANYO, SONY and Vivotek and ZAVIO. Video Content Analysis: NVR Should support VCA for smart search Stream Media Server: NVR should support Stream Media Server to increase the number of users on Network or to decrease the load over WAN connection for multiple users at remote location Up to 64 network cameras can be connected Support live view, storage, and playback of the connected camera with up to the resolution of 5 megapixels. Simultaneous HDMI and VGA at 1920 × 1080 resolution. New GUI and support starting record with one key; Redundant recording, holiday recording and capture schedule configuration; Realize instant playback for assigned channel during multi-channel display mode. Up to 16-ch synchronous playback at 4CIF resolution. Smart search for the selected area in the video. Customization of tags, searching, and playing back by tags.	05 units	68,750	343,75C

Page 8 of 17

9

13. Locking and unlocking record files. 14. Compression: "H.264+" (NVR Should not be H.264 or below) 15. Support HDD quota and group modes; different capacity can be assigned to different channel. 16. Up to 4 SATA hard disks and 1 eSATA disk can be connected, for both recording and backup. 17. 1 self-adaptive 10M/100M/1000M network interface. 18. Support Hikvision DDNS (Dynamic Domain Name System); 19. Must Support Channel-zero encoding, which enables you to get a view in the remote client or web browser of all the channels in one screen. 20. Support network detection, including network delay, packet loss, etc. 21. Adopt pioneering dual-OS design to ensure the security of system running. 22. Channel Zero: NVR Should Support Channel Zero function with VBR i.e. $(32Kbps \sim 2Mbps)$ function which sucks one camera bandwidth and shows at most 16-cameras View at a time 23. VGA/HDMI or CVBS: NVR should independently operate (VGA/HDMI) & CVBS 24. IP video/Audio input :32-ch 25. Two-way audio: 💎 1-ch, BNC (2.0) $Vp-p, Tk\Omega$) 26. Incoming bandwidth: 160Mbps 27. Outgoing bandwidth: 160Mbps 28. Remote Connection: 128 29. Video/Audio output: 30. Recording resolution 5MP /3MP /2CIF/CIF/QCIF 31. Compression: "H.264+" (NVR Should not be H.264 or below) 32. Channel Zero: NVR Should Support Channel Zero function with VBR ability i.e. (32Kbps ~ 2Mbps) which sucks one camera bandwidth and shows at most 16cameras View at a time 33. VGA/HDMI or CVBS: NVR should independently operate (VGA/HDMI) & CVBS 34. Video Content Analysis: NVR Should support VCA for smart search 35. Stream Media Server: NVR should support Stream Media Server to increase the number of users on Network or to decrease the load over WAN connection

for multiple users at remote location 36. NAS: NVR should support NAS

function

Page 9 of 17

The state of the s

37. Frame rate: Main stream: 25 fps (P) / 30 fps (N)		
1. Sub-stream: 25 fps (P) / 30 fps		
(N) 38. CVBS output: 1-ch, BNC (1.0 Vp-p, 75		
$\Omega)$		
39. Resolution: 704 × 576 (PAL); 704 × 480 (NTSC)		
40. HDMI output: 1-ch, resolution: 1920 × 1080P /60Hz, 1920 × 1080P /50Hz, 1600		
× 1200 /60Hz, 1280 × 1024 /60Hz, 1280		
× 720 /60Hz, 1024 × 768 /60Hz 41. VGA output: 1-ch, resolution: 1920 ×		
1080P /60Hz, 1600 × 1200 /60Hz, 1280		
× 1024 /60Hz, 1280 × 720 /60Hz, 1024 × 768 /60Hz		
42. Audio output: 2-ch, BNC (Linear, 600Ω)		
43. Playback resolution 5MP/3MP		,
/1080P /UXGA /720P /VGA /4CIF /DCIF /2CIF /CIF /QCIF		1
44. Synchronous playback: 16-ch		!
45. Hard disk (SATA) 4 SATA interfaces 46. eSATA 1 eSATA interface		
47. Capacity: Up to 4TB capacity for each		İ
48. Network interface: 1 RJ-45 10 /100		
/1000 Mbps self-adaptive Ethernet 49. Serial interface: RS-232; RS-485;		
Keyboard 50. USB interface:3 × USB 2.0		:
51. Alarm in: 16		
52. Alarm out: 4 53. Power supply: 100 ~ 240 VAC, 6.3 A, 50		:
~ 60 Hz		İ
54. Power Consumption: (without hard disk) \leq 45 W		
55. Working temperature: -10 °C ~ +55 °C 56. Working humidity: 10 % ~ 90 %		
57. Chassis 19-inch rack-mounted		İ
1.5U chassis 58. Dimensions (W × D × H) 445 × 390		Ì
×70 mm 59. Weight≤ 4 Kg (8.82 lb) (without hard		ļ
disk)		
Hard Disk Surveillance grade		:
1. Formatted capacity 4 TB	01 500 015 000	:
3.5-inch	10 21,590 215,900 units) :
3. Advanced Format (AF) Yes4. RoHS compliant Yes	Units	!
4. RoHS compliant Yes5. Data transfer rate (max)		Ì
6. Buffer to host 6 Gb/s		

Page A0 of 17

7

OCCUPSE AD

PHATHER

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT

OCCUPANT


OC

7. Host to/from drive (sustained)				
150 N	AB/s			
8. Cache (MB)	64	į,		
9. Rotational speed (RPM) Intell	iPower			
10. Load/unload cycles 300,000				
11. Non-recoverable read errors per	bits read			
<1 in 10 ¹⁴				
12. Limited warranty (years) ⁵ 3				
13. Average power requirements (W	·)			
14. Read/Write 5.1				
15. Idle	4.5			1
16. Standby and Sleep	0.4			
17. Temperature (°C, on the base case	,			
18. Operating	0 to 65	İ		
19. Non-operating	-40 to 70	:		
20. Shock (Gs)			İ	
21. Operating (2 ms, read/write)	30	-	İ	
22. Operating (2 ms, read)	65		İ	
23. Non-operating (2 ms)	250			
24. Acoustics (dBA)				
25. Idle	25			
26. Seek (average)	26			
	3/26.1			
28. Length (in./mm, max) 5.787		i I		
29. Width (in./mm, ± .01 in.) 4/101				
β 0. Weight (lb./kg, \pm 10%) 1.50/			İ	
Reduces video frame loss with s	urveillance-			
elass storage.				
Specifically tuned for surveillan	ce security			
systems.			:	
Caching algorithms are tuned fo				ļ
intensive, low bit rate, high stream		ļ		į
applications that are typical of s	urveillance			
applications.				
Priority change for write allocat	ions and		į	!
preemptive caching policies.				:
TLER & ATA streaming suppor	rt.			:
Supports up to eight drives.				

(is) Carl Comment



	LED- 32 channel SAM	ISUNG or			ļ
	<u>EQUIVALENT</u>				
4	EQUIVALENT 1.Display Technology 2.2D/3D 3.Internet Enabled 4.Refresh Rate 5.Aspect Ratio 6.Resolution 7.Energy Grade 8.Category 9.Brightness (cd/m2) 10. Contrast Ratio 120 11. Response Time 12. Viewing Angle (H. 13. Life Time >3 14. Colors 15. Speakers (Bottom side) 16. Audio Power Outp 17. SRS True Surround 18. HDMI 19. USB 20. AV in 21. AV out 22. RF 23. Component (Y/Pb) 24. VGA 25. SPDIF 26. 3D Glasses 27. Power Supply 28. Power Consumptic 29. Power Consumptic	6.5ms (V) 170°/170° 0,000hrs (min) 16.7M Integrated speakers at 5W+5W d HD Yes 2 I I I Coaxial No AC 220V 50/60Hz	3 unit	39,675	119,025
	<0.5W		<u> </u>	<u> </u>	



 Capacities¹: 32 GB. Must work with HIKVISION 1.3 MP IP camera or Equipment Speed²:Class 4 or above (Data writing speed 4MB/s or higher) Dimensions: Hmm x 15mm x 1mm Operating temperature: -25° C to 85° C Storage temperature: -40° C to 85° C Voltage: 3.3v Compliant: with the SD Card Association specification Compatible: with micro SDHC/SDXC host devices only 	l unit	1,530	1,530
• Reliable: lifetime warranty ⁷	:		
Total		1,286	,475
17% GST		1,286 218, 1,505,	700
Total Amount		1,505.	175

Total Amount Rupees (in words) One million Live hundred

Zive Housand one hundred Seventy Live Only

General Instructions:-

- All the items should be available in ready stock and displayed in front of the end user.
- No un marked items acceptable
- No Neutral version and Chinese version acceptable.
- Supplier should have office located in Karachi.
- Items should have local warranty.

(1/3)

Stamp & Signature

Page 13 of 17

Scheolule & Perfunce Tender # ME/03/2015-16

TENDER FORM Provide & Supply of Surveillance Equipment

IP CAMERA- MINI DOME - 1.3 MP-HIK).#	DESCRIPTION	QTY	RATE (RS.)	AMOUNT (RS.)
18. Min. Illumination: 0.01Lux @ (F1.2, AGC ON) ,0 Lux with IR, 0.028 Lux # (F2.0, AGC ON) ,0 Lux with IR 19. Shutter Speed: F3 s to 1 100,000 s		IP CAMERA- MINI DOME - 1.3 MP-HHK VISION OR EQUIVALENT 1. Support dual stream, and the sub-stream for mobile surveillance 2. High-performance and long service life infrared LED, Approx. 10 to 30 meters IR range 3. Must Support intrusion detection, line crossing detection 4. Must Support VCA, which is compatible with NVR for the second time of video searching and analyzing 5. Up to 1.3 megapixel (1280 > 960) resolution 6. Wi-Fi Support 7. Standard video compression with high compression ratio, ROI (region of interest) encoding 8. Progressive scan CMOS, capture motion video without incised margin 9. Built-in Micro SD/SDHC/SDXC card slot, up to 128 GB 10. Ingress Protection level: IP66 11. Two-way audio Support 12. Audio Support Input Output 13. IR cut filter with auto switch 14. PoE (Power over Ethernet) 15. Impact Protection: IEC60068-2-75 test, Eh, 20J; EN50102, up to IK10 16. Other functions: rotate mode, alarm, mirror, reset button, etc	42 units	(RS.)	(RS.)
$(Y_1, Y_2, Y_3, Y_4, Y_4, Y_5, Y_5, Y_5, Y_5, Y_5, Y_5, Y_5, Y_5$		18. Min. Illumination: 0.01Lux (\$\wideta\$) (F1.2, AGC ON) ,0 Lux with IR, 0.028 Lux (F2.0, AGC ON) ,0 Lux with IR 19. Shutter Speed: 1/3 s to 1/100,000 s	!		

Page 5 of 17

	18					
		xception, Flash-prevention, dual stream.				
		eartbeat,	1			;
	т //	irror, password protection, privacy mask.				
	<i>₩</i>	atermark, IP address filtering.		i		į
		5. The camera Box should include		İ		-
	66	following items:-				
	1	a. IP Camera				-
		b. Power Adaptor 220 v	I I			
		c. Screw driver L Key type for		:	1	-
		camera	į		j	1
	;	d. Weather proof network connector	İ			i
	i	cover	į			ĺ
		e. Camera manual		<u> </u>		
	i	f. Packing		\$ } !		1
	67.	Power supply should be included on each	1			
	!	camera.				1
	NVR -	- 32 channel HIK VISION OR		•	: •	i
	EOUL	VALENT	!		i i 4	
	2001	7 (3.4.2.) 1 1 4	! 			
		Connectable to the third-party network				:
		cameras like like ACTI, Arecont, AXIS.				ļ
		Bosch, Brickcom, Canon, ONVIF, PANASONIC, Pelco, PSIA,				
:		SAMSUNG, SANYO, SONY and				
		Vivotek and ZAVIO.			 - 	
		Video Content Analysis: NVR Should			ı	
:		support VCA for smart search				
:		Stream Media Server: NVR should support Stream Media Server to increase			ı	
		the number of users on Network or to		77493	!	1
		decrease the load over WAN connection		. , , , , , ,		;
		for multiple users at remote location	.			i
		Up to 64 network cameras can be	()5			
		connected Support live view, storage, and playback	units		387465	
		of the connected camera with up to the			701 (/ / / / / /	
		resolution of 5 megapixels.				:
	6.	Simultaneous HDMI and VGA at 1920				1
	~	1080 resolution.				1
:		New GUI and support starting record with one key;			i :	
		Redundant recording, holiday recording			; •	
		and capture schedule configuration:			:	
	9.	Realize instant playback for assigned				i
		channel during multi-channel display			: 	
		mode. Up to 16-ch synchronous playback at				1
		4CIF resolution.		1		į
	11.	Smart search for the selected area in the				
		video.		i i	· ·	م مرکبی
	12.	Customization of tags, searching, and playing back by tags.			·	7
		maying odek uy tags.		· 		ا پ
			1	ř	<u>i</u>	1
			b			

J. H

Page 8 of 17


W	Main stream: 25 fne (D)		;	[7
1 (4)	37. Frame rate: Main stream: 25 fps (P)				
A	30 fps (N) 1. Sub-stream: 25 fps (P) / 30 fps		 		
ıllı	(N)				
	38. CVBS output: 1-ch, BNC (1.0 Vp-p. 75				
	Ω)		i		1
	39. Résolution: 704 × 576 (PAL); 704 ×	!			
	480 (NTSC)]]	!		}
	40. HDMI output: 1-ch, resolution: 1920 -	 		1 I !	
	1080P /60Hz, 1920 × 1080P /50Hz, 1600	İ		i	į
	× 1200 /60Hz, 1280 × 1024 /60Hz, 1280 × 720 /60Hz, 1024 × 768 /60Hz			l	
	41. VGA output: 1-ch, resolution: 1920 ×	İ			
1	1080P /60Hz, 1600 × 1200 /60Hz, 1280				ļ
	× 1024 /60Hz, 1280 × 720 /60Hz, 1024	Ì		:	
	× 768 /60Hz	i	:		1
	42. Audio output: 2-ch, BNC				İ
	(Linear, 600Ω)	Ì			
	43. Playback resolution 5MP/3MP	İ			1
	/1080P /UXGA /720P /VGA /4CIF /DCIF /2CIF /CIF /QCIF				
!	44. Synchronous playback: 16-ch				
	45. Hard disk (SATA) 4 SATA interfaces				-
	46. eSATA LeSATA interface	:	•		
	47. Capacity: Up to 4TB capacity for each				
	HDD				
ļ	48. Network interface: 1 RJ-45 10 /100				
	/1000 Mbps self-adaptive Ethernet				
	49. Serial interface: RS-232; RS-485;		1		i
	Keyboard 50. USB interface: 3 × USB 2.0	}			İ
	51. Alarm in: 16				
į	52. Alarm out: 4	İ		! !	
:	53. Power supply: 100 ~ 240 VAC, 6.3 A. 50		:	! !	
į	~ 60 Hz	1		_	
	54. Power Consumption: (without	i	i	*	
	hard disk) $\leq 45 \text{ W}$				i
!	55. Working temperature: -10 °C ~ ±55 °C 56. Working humidity: 10 % ~ 90 %				İ
	57. Chassis 19-inch rack-mounted		i :	1	
	1.5U chassis			}	!
į.	58. Dimensions (W \times D \times H) 445 \times 390			!	
1	×70 mm	•		•	
	59. Weight≤ 4 Kg (8.82 lb) (without hard	4			
i	disk)				
		+			*- i
	Hard Disk Surveillance grade .			1	:
¦1.	Formatted capacity 4 TB		:		
Ь	Form factor 3.5-inch	10	15,2013		
.) .	Advanced Format (AF) Yes	units	4000	205130	
	• •	1	1		1
į.	•			1	40
5.	Data transfer rate (max)			1	X7
6.	Buffer to host 6 Gb/s		1	1 / 1/2	Ka
				X	
				Page 10 of 17	

Page 10 of 17



	LE	D-32 channel SAMS	<u>UNG or</u>			
	EQ	UIVALENT				
	1.Dis	play Technology	LED			
l	2.2D/		2D			
- /		rnet Enabled	No			
-		resh Rate	EMR 120Hz			
		ect Ratio	16:9			· !
1		olution	720p or higher			
1		rgy Grade	Energy Star			
1	8.Cato		LED TV	: 		
i	-	htness (cd/m2)	250			; :
1	10.	Contrast Ratio 1200:		:		
	11.	Response Time	6.5ms			: i
i	12.	Viewing Angle (H/V		i		
-	13.		000hrs (min)			!
	14.	Colors	16.7M	3 unit		:
1	15.	Speakers	Integrated speakers		39886	
i	•	tom side)	-111	:		
1	16.	Audio Power Output	5W±5W			!
	17.	SRS True Surround I	HD Yes	· :		· :
ì	18.	HDMI		;		
1	19.	USB	1			119658
	20.	AV in	1			·
	21.	AV out	1			
	22.	RF (V/III) (b)		!		
	23.	Component (Y/Pb/Pr) 1			
	24.	VGA				
1	25.	SPDIF	Coaxial		·	
Ì	26.	3D Glasses	No			
	27.	Power Supply	AC 220V 50/60Hz			(
1	28.	Power Consumption				i.
	29.	Power Consumption	- Standby			
		<0.5 W		1		





Page 12 of 17




SD Card 32 GB KINGSTON or Equivalent			
• Capacities ¹ : 32 GB. Must work with HIKVISION 1.3 MP IP camera or Equipment • Speed ² :Class 4 or above (Data writing speed 4MB/s or higher) • Dimensions: 11mm x 15mm x 1mm • Operating temperature: -25° C to 85° C • Storage temperature: -40° C to 85° C • Voltage: 3.3v • Compliant: with the SD Card Association specification • Compatible: with micro SDHC/SDXC host devices only • Reliable: lifetime warranty ⁷	l unit	(151	1151
Total		1665	880
17% GST		2.83	5200
Total Amount	1	1940	1080

Total Amount Rupees (in words) One Million Nine He Ind

General Instructions:-

- All the items should be available in ready stock and displayed in front of the end user.
- No un marked items acceptable
- No Neutral version and Chinese version acceptable.
- Supplier should have office located in Karachi.
- Items should have local warranty.





Page 13 of 17



SINDH PUBLIC PROCUREMENT REGULATORY AUTHORITY

CONTRACT EVALUATION FORM

TO BE FILLED IN BY ALL PROCURING AGENCIES FOR PUBLIC CONTRACTS OF WORKS, SERVICES & GOODS

1.	NAME OF THE ORGANIZATION / DEPTT.	Institute of Business Administration, Kara-	
1)	PROVINCIAL / LOCAL GOVT./ OTHER	Local Govt	
2)		Goods	
3)	TITLE OF CONTRACT	Tender # ME/3/2015-16	
4) 5)	TENDER NUMBER BRIEF DESCRIPTION OF CONTRACT	Provide & Supply of Surveillance Equipme	ent
6)	FORUM THAT APPROVED THE SCHEME	Procurement Committee	
		Rs.2,000,000/-	
7)	TENDER ESTIMATED VALUE	NA	**************************************
8)	ENGINEER'S ESTIMATE (For civil works only)	The state of the s	
9) 10) 11)	ESTIMATED COMPLETION PERIOD (AS P TENDER OPENED ON (DATE & TIME) NUMBER OF TENDER DOCUMENTS SOLI (Attach list of buyers)	November 03, 2015 (3:30 pm)	
12)	NUMBER OF BIDS RECEIVED	THREE	
13)	NUMBER OF BIDDERS PRESENT AT THE	TIME O F OPENING OF BIDS	E
	BID EVALUATION REPORT (Enclose a copy)	Copy Enclosed	
15)	NAME AND ADDRESS OF THE SUCCESSF	UL BIDDER(1)Digital Link (2) M.M.Cor	poration
16)	CONTRACT AWARD PRICE	Rs.1,492,131.32	
17)	RANKING OF SUCCESSFUL BIDDER IN EV (i.e. 1 st , 2 nd , 3 rd EVALUATION BID).	VALUATION REPORT M/s Digital Links (Pvt) Ltd	
		M/s M. M. Corporation	
18)	METHOD OF PROCUREMENT USED : - (Ti	ck one)	
	a) SINGLE STAGE - ONE ENVELOPE	PROCEDURE	Domestic/ Local
	b) SINGLE STAGE TWO ENVELOPE	PROCEDURE	Domestic
	e) TWO STAGE BIDDING PROCEDUI	RE	
	d) TWO STAGE - TWO ENVELOPE B	IDDING PROCEDURE	

PLEASE SPECIFY IF ANY OTHER METHOD OF PROCUREMENT WAS ADOPTED i.e. EMERGENCY, DIRECT CONTRACTING ETC. WITH BRIEF REASONS:

ii) SPPRA Website (If yes, give date and SPPRA Identification No.) No No No No No No No No No N	Yes No
i) SPPRA Website (If yes, give date and SPPRA Identification No.) No ii) News Papers (If yes, give names of newspapers and dates) Yes Fig. No No No 22) NATURE OF CONTRACT 23) WHETHER QUALIFICATION CRITERIA WAS INCLUDED IN BIDDING TENDER DOCUMENTS? (If yes, enclose a copy) 24) WHETHER BID EVALUATION CRITERIA WAS INCLUDED IN BIDDING TENDER DOCUMENTS? (If yes, enclose a copy) 25) WHETHER APPROVAL OF COMPETENT AUTHORITY WAS OMETHOD OTHER THAN OPEN COMPETITIVE BIDDING? 26) WAS BID SECURITY OBTAINED FROM ALL THE BIDDERS? 27) WHETHER THE SUCCESSEUL BID WAS LOWEST EVALUATED BID BEST EVALUATED BID (in case of Consultancies)	
ii) News Papers (If yes, give names of newspapers and dates) Yes Fn No No No No No No No No No No	ober 16, 2015 and SPPRA ID # 3/2015
(If yes, give names of newspapers and dates) No No No No No No No No No N	
22) NATURE OF CONTRACT 23) WHETHER QUALIFICATION CRITERIA WAS INCLUDED IN BIDDING TENDER DOCUMENTS? (If yes, enclose a copy) 24) WHETHER BID EVALUATION CRITERIA WAS INCLUDED IN BIDDING TENDER DOCUMENTS? (If yes, enclose a copy) 25) WHETHER APPROVAL OF COMPETENT AUTHORITY WAS O METHOD OTHER THAN OPEN COMPETITIVE BIDDING? 26) WAS BID SECURITY OBTAINED FROM ALL THE BIDDERS? 27) WHETHER THE SUCCESSFUL BID WAS LOWEST EVALUATE BID BEST EVALUATED BID (in case of Consultancies) 28) WHETHER THE SUCCESSFUL BIDDER WAS TECHNICALLY COMPLIANT?	day October 16, 2015 "Dawn". "Jang" "Daily Pak"
23) WHETHER QUALIFICATION CRITERIA WAS INCLUDED IN BIDDING—TENDER DOCUMENTS? (If yes, enclose a copy) 24) WHETHER BID EVALUATION CRITERIA WAS INCLUDED IN BIDDING / TENDER DOCUMENTS? (If yes, enclose a copy) 25) WHETHER APPROVAL OF COMPETENT AUTHORITY WAS O METHOD OTHER THAN OPEN COMPETITIVE BIDDING? 26) WAS BID SECURITY OBTAINED FROM ALL THE BIDDERS? 27) WHETHER THE SUCCESSEUL BID WAS LOWEST EVALUATE BID BEST EVALUATED BID (in case of Consultancies) 28) WHETHER THE SUCCESSEUL BIDDER WAS TECHNICALLY COMPLIANT?	
WAS INCLUDED IN BIDDING—TENDER DOCUMENTS? (If yes, enclose a copy) 4) WHETHER BID EVALUATION CRITERIA WAS INCLUDED IN BIDDING / TENDER DOCUMENTS? (If yes, enclose a copy) 5) WHETHER APPROVAL OF COMPETENT AUTHORITY WAS O METHOD OTHER THAN OPEN COMPETITIVE BIDDING? 6) WAS BID SECURITY OBTAINED FROM ALL THE BIDDERS? 7) WHETHER THE SUCCESSFUL BID WAS LOWEST EVALUATE BID / BEST EVALUATED BID (in case of Consultancies) 8) WHETHER THE SUCCESSFUL BIDDER WAS TECHNICALLY COMPLIANT?	Domestic V Int.
 WAS INCLUDED IN BIDDING / TENDER DOCUMENTS? (If yes, enclose a copy) 5) WHETHER APPROVAL OF COMPETENT AUTHORITY WAS OMETHOD OTHER THAN OPEN COMPETITIVE BIDDING? 6) WAS BID SECURITY OBTAINED FROM ALL THE BIDDERS? 7) WHETHER THE SUCCESSFUL BID WAS LOWEST EVALUATED BID (in case of Consultancies) 8) WHETHER THE SUCCESSFUL BIDDER WAS TECHNICALLY COMPLIANT? 	Yes No V
METHOD OTHER THAN OPEN COMPETITIVE BIDDING? 6) WAS BID SECURITY OBTAINED FROM ALL THE BIDDERS? 7) WHETHER THE SUCCESSFUL BID WAS LOWEST EVALUATE BID. BEST EVALUATED BID (in case of Consultancies) 8) WHETHER THE SUCCESSFUL BIDDER WAS TECHNICALLY COMPLIANT?	Yes No V
7) WHETHER THE SUCCESSFUL BID WAS LOWEST EVALUATE BID. BEST EVALUATED BID (in case of Consultancies) 8) WHETHER THE SUCCESSFUL BIDDER WAS TECHNICALLY COMPLIANT?	Yes No
BID / BEST EVALUATED BID (in case of Consultancies) 8) WHETHER THE SUCCESSFUL BIDDER WAS TECHNICALLY COMPLIANT?	Yes No
COMPLIANT?	D Yes V No
9) WHETHER NAMES OF THE RIDDERS AND THEIR OHOTED	Yes No
THE TIME OF OPENING OF BIDS?	PRICES WERE READ OUT A
0) WHETHER EVALUATION REPORT GIVEN TO BIDDERS CONTRACT?	BEFORE THE AWARD O

31) ANY COMPLAINTS RECEIVED	Yes	
(If yes, result thereof)		
	No	V
32) ANY DEVIATION FROM SPECIFICATIONS C (If yes, give details)	IVEN IN THE TENDER	R NOTICE / DOCUMENTS
(if yes, give details)	Yes	
	No	
33) WAS THE EXTENSION MADE IN RESPONSE (If yes, give reasons)	TIME? Yes	
	No	✓
34) DEVIATION FROM QUALIFICATION CRITER (If yes, give detailed reasons.)	IA Yes	
	No	
35) WAS IT ASSURED BY THE PROCURING A BLACK LISTED?	GENCY THAT THE S	SELECTED FIRM IS NOT Yes No
36) WAS A VISIT MADE BY ANY OFFICER/OFF SUPPLIER'S PREMISES IN CONNECTION W BE ASCERTAINED REGARDING FINANCING (If yes, enclose a copy)	TH THE PROCUREMI	ENT? IF SO, DETAILS TO
		Yes No
37) WERE PROPER SAFEGUARDS PROVIDED (THE CONTRACT (BANK GUARANTEE FTC.)		ADVANCE PAYMENT IN Yes No
38) SPECIAL CONDITIONS, IF ANY (If yes, give Brief Description)	Yes	
	No	
Signature & Official Stamp of Authorized Officer	Capt. (Retd) Abs	PAR
	institute of Susines	s Administration
R OFFICE USE ONLY	Karachi, Pa	IKISTan.

Bid Evaluation Report

Name of Procuring Agency: <u>Institute of Business Administration, Karachi</u>
2. Tender Reference No: ME/03/15-16
3. Tender Description/Name of work/item: <u>Provide & Supply of Surveillance Equipment</u>
4. Method of Procurement: Single Stage One Envelope
5. Tender Published: October 16, 2015 on IBA, SPPRA web sites and leading newspapers Serial # 25551 Print & Electronic Media (SPPRA ID No. & News papers names with dates)
6. Total Bid documents Sold; 7 Companies have collected Tender Documents
7. Total Bids Received: 03
8. Technical Bid Opening date: (if applicable) NA (Provide details in separate form)

11. Financial Bid Opening date: November 03, 2015

9. No. of Bid technically qualified (if applicable): NA

12. Bid Evaluation Report:

10. Bid(s) Rejected: NA

S No	Name of Firm or Bidder	Cost offered by the Bidder	Ranking in terms of cost	Comparison with Estimated cost	Reasons for acceptance/ rejection	Remurks
0	1	2	3	4	5	6
1.	M/s Digital Links (Pvt) Ltd	Rs.1.250,782.65	Lowest only THREE Items	Rs.2,000,000.00	Accepted, du lowest in TH items. Compa	REE arative
2.	M/s M M. Corporation	Rs.241.348.77	Lowest only 1W() Items		· Accepted, du · iowest -n TW	
3.	M/s Dawn Constructors	Rs. 2.447.406.00	Highest Bidder		·	

Signatures of the Central Purchase Committee, Members

IBA

DE NOISTI Professor

IGA

TRAL PURCHASE JOHNETTEE

TUTE OF EUSINESS APPRIAISTRATION

r(ARACHI PPRA Advison

HE5




List of Buyers

Tender # ME/03/15-16

Caption: Provide & Supply of Surveillance Equipment Number of Tender Documents Sold: 07

S #	List of Buyers
01	M/s Dawn Construction
02	M/s Telecom Engineering Company
03	M/s Digital Links (Pvt) Ltd
04	M/s Acme Systems Engineering (Pvt) Ltd
05	M/s International Office Suppliers
06	M/s RESCO (Pvt) Ltd
07	M/s MMC Corporation



SIGNED OFFICE CITY COURT, KARRACHIA

SIGNED COMMING COURT AND COMMING



AGREEMENT

THIS AGREMENT is executed at KARACHI, on this _____ day of November, 2015.


BETWEEN

M/s Institute of Business Administration, through its Registrar, located at Main Campus, University Road, Karachi, hereinafter called and referred to as "IBA" (which expression shall wherever the context so permits, be deemed to include its legal representatives, executors, successors and assigns) of the FIRST PART.

AND

M/s Digital Links (Pvt) Ltd, having its office at Banglow # 45 9/2, 4th Sunset Street, D.H.A. Extension Phase II, Karachi, hereinafter referred to as "THE SUPPLIER" (which expression shall wherever the context so permits be deemed to include its legal representatives, executors, successor and assigns), through its proprietor Mr. Rizwan Qureshi, holding CNIC No.42101-1803718-9 on the SECOND PART.

WHEREAS "IBA" intends to obtain of Surveillance Equipment tender # ME/03/15-16 to Provide & Supply Surveillance Equipment (IBA requirement) discussions in respect of the



to, 10, 0kg Conditionable 21570 BANC - CLESCHILL

Alexandra de la lace de la lace de la lace de la lace de la lace de la lace de la lace de la lace de la lace d La lace de lace de la lace de la lace de la lace de lace de lace de la lace de lace de la lace de la lace de la lace de la lace de la lace de la lace de la lace de la lace de la lace de la lace de lace de la lace de la lace de la lace de la lace de la lace de la lace de la lace de la lace de

20 NOV ZUN



-: 2:-

same before the determination of scope of work will be held with "IBA" as "Surveillance Equipment" and "THE SUPPLIER" have offered to provide & supply of Surveillance Equipment as per IBA standards & handing over the material(s) to the "IBA" having accepted the offer in finished form complete in all respect

NOW IT IS HEREBY AGREED & DECLARED BY AND BETWEEN THE PARTIES AS FOLLOWS:


WITNESSETH

"IBA" hereby offer to appoint "THE SUPPLIER" as their official supplier for the specific purpose of "Surveillance Equipment" discussions in respect of the same with "IBA" before the determination of Scope of Provide & Supply of Surveillance Equipment. "THE SUPPLIER" hereby agree to the offer of the "IBA" in acceptance of the terms & conditions here in below forth.

ARTICLE I:

DUTIES & SCOPE OF SUPPLIES & AGREEMENT

1.1 This Agreement includes, the "Surveillance Equipment", discussions with "IBA" before the provide & supply of



21523

201107 2015



-: 3:-

1.2 Surveillance Equipment to "IBA". The description/Boq is appended below:

S. #	Description	Qty	Quoted Brand	Rate (Rs.)	Amount (Rs.)
1.	IP Cameras 1.3 Mega Pixel	42 units	HIK Vision	Rs14,435.00	Rs606,270.00
2	32 Channel NVR	5 units	HIK Vision	Rs68,750.00	Rs343,750.00
3	LED - 32 inch	3 units	Samsung	Rs39,675.00	Rs119,025.00
Total			Rs1,069,045.00		
17% GST			Rs181,737.65		
Total Amount			Rs1,250,782.65		

- 1.3"THE SUPPLIER" agrees to provide all above mentioned Surveillance Equipment as per the terms & conditions of this Agreement.
- 1.4"THE SUPPLIER" will coordinate their supplies with Manager Security, of the "IBA" who will assist "THE

- 1.5 SUPPLIER" in supervision of proposed Surveillance Equipment.
- 1.6"THE SUPPLIER" hereby agrees to accept variation, if occurred, in scope of professional services and supplies mutual consent on acceptable cost/price/charges/amount inclusive of all taxes and levies.
- 1.7"THE SUPPLIER" will visit the Purchase Offices located at Main Campus, University Road, Karachi as & when required with prior appointment. 1.8 All logistic charges will be borne by "THE SUPPLIER OF CE US 20 ARTICLE II

SCOPE OF PROFESSIONAL SERVICES:

- 2.1"THE SUPPLIER" hereby agree and acknowledge for the periodic supervision of the supply and to check the delivery of Surveillance Equipment in accordance with the Description & Specification.
- 2.2"THE SUPPLIER" hereby agree and acknowledge the acceptance of attending the meetings with the Manager Security "IBA" as & when required.
- 2.3"THE SUPPLIER" hereby agrees to accept variation, if occurred, in scope of professional services and supplies with mutual consent acceptable on cost/price/charges/amount inclusive of all taxes and levies.
- 2.4 Minimum 10 (Ten) days after Approval of Sample(s) will be required to deliver the Surveillance Equipment at the SUPPLIER'S expense.
- 2.5 All staff must have CNIC and clearly mentioned to discourage work through child labor.
- 2.6"THE SUPPLLIER", will provide all required / necessary labor(s) / transportation(s) /cartage(s) what so ever required to complete the delivery of Surveillance Equipment at the cost/charges amount offered in the tender vide # ME/03/15-16.

ARTICLE III

REMUNERATION

3.1 The cost offered by the Supplier is Rs. 1,250,782.65 (inclusive of all taxes) Provide, Supply & of Surveillance Equipment but limited to in tender vide # ME/03/15-16 variation may occurred. The cost is inclusive of labor/transportation/supplier/etc.

- 3.2 A Penalty @ 2% per month, of the total agreed payment as per Purchase Order, of the total cost will be imposed in case of delayed delivery. Penalty will be imposed after 25 days subject to final proof sample material handed over by supplier to IBA before the starting date mentioned on the Purchase Order. Supplies will be deemed completed in finished form as per specification and "THE SUPPLIER" have to deliver the required number of Surveillance Equipment to IBA.
- 3.3 Payment will be made after delivery and submission invoice. Advance Payment subject to Bank Guarantee
- 3.4 Performance Security 5% of total amount of Purching Order will be provided by the party.
- 3.5 Stamp Duty @ 0.35% of the cost of transaction purchase order will be deposited in Government treasury by the SUPPLIER. This paid Stamp Duty challan would be submitted along with the Bill / Invoice.
- 3.6 Tax(es)/Challan(s)/Levy(ies), if any or additional will be paid/borne by SUPPLIER as per SRO/Notification.

ARTICLE IV:

ARBITRATION

4.1 In case of any dispute, difference or and question which may at any time arise between the parties hereto or any person under them, arising out in respect of this letter of intent or this subject matter thereof shall be referred to the Registrar of the IBA and CEO of the company / firm / agency for arbitration/settling of the dispute, failing which the decision of the court law in the jurisdiction of Karachi binding to the parties. The Arbitration proceedings will be governed by the Arbitration Act, 1940 and the Substantive and procedural law of Pakistan. The venue shall be Karachi.

ARTICLE V:

TERMINATION

5.1"IBA" may terminate this agreement if the job is not executed according to the requirement at anytime after issuing a 15 day's notice.

ARTICLE VI:

INDEMNITY

6.1"THE SUPPLIER" in its individual capacity shall indemnify and keep IBA and any person claiming through IBA fully indemnified and harmless from and against all damages, cost and expenses caused to or incurred by "THE

SUPPLIER", as a result of any defect in the title of IBA or any fault, neglect or omission by the "THE SUPPLIER" which disturbs or damage the reputation, quality or the standard of services provided by "IBA" and any person claiming through the IBA.

ARTICLE VII:

NOTICE

7.1 Any notice given under this AGREEMENT shall sufficient if it is in writing and if sent by courier or registered mail.

Article VIII: INTEGRITY PACT

- 8.1 The intention not to obtain the procurement / work of any Contract, right, interest, privilege, or other obligation or benefit from the IBA or any administrative or financial offices thereof or any other department under the control of the IBA through any corrupt practice(s).
- 8.2 Without limiting the generality of the forgoing the M/s Digital Links (Pvt) Ltd, represents and warrants that it has fully declared the charges, fees, commission, taxes, levies etc, paid or payable to anyone and not given or agreed to give and shall not give or agree to give to anyone within the IBA directly or indirectly through any means any commission, gratification, bribe, gifts, kickback whether described as consultation fee or otherwise, with the object of obtaining or including the procurement or service contract or order or other obligations whatsoever from the IBA, except that which has been expressly declared pursuant hereto.
- 8.3 M/s Digital Links (Pvt) Ltd accepts full responsibility and strict liability for making any false declaration/statement, not making full disclosure, misrepresenting facts or taking any action likely to degrade the purpose of declaration, representation and warranty. It agrees that any contract/order obtained aforesaid shall without prejudice to any other right & remedies available to the IBA under any law, contact, or other instrument, be stand void at the discretion of the IBA.
- 8.4 Notwithstanding any right and remedies exercised by the IBA in this regard, M/s Digital Links (Pvt) Ltd agrees to indemnify the IBA for any loss or damage incurred by it on account of its corrupt business practice & further pay compensation to the IBA in any amount equivalent to the

loss of any commission, gratification, bribe, gifts, kickback given by the M/s Digital Links (Pvt) Ltd as aforesaid for the purpose of obtaining or inducing procurement/work/service or other obligation or benefit in whatsoever from the IBA.

ARTICLE IX:



MISCELLANEOUS

- 9.1 Any addition & alteration(s) made in the contents as required by the contractor on proof sample or in course of the supplies in progress which entail extra time & labor and material on part of the fabrication, shall not be charged separately/extra on 'Quantum Merit' basis before & on final material handed over to the "IBA". After FINALIZATION OF SAMPLE(S) if any alteration(s), arise charges will be paid on mutually agreed upon.
- 9.2 Material(s) will be handed over by the "IBA" or vet the cost with authentic stamp and signature.
- 9.3 The terms and conditions of the AGREEMENT have been read over to the parties which they admit to be correct and abide by the same.
- 9.4 The validity of the contract will be effective from the date of issue of Purchase Order.
- 9.5 All terms and conditions of tender vide # ME/03/15-16 will be the integral part of this agreement and can't be revoked.
- 9.6 One year warranty required in the name of Institute of Business Administration, Karachi (IBA, Karachi).

IN WITNESS WHEREOF both the parties hereto have set & subscribed their respective hands to this agreement at Karachi on the date as mentioned above.

"IBA" NAME: CAPT. (RETD.) AHMED ZAHEER PN

CNIC#___

M/S DIGITAL LINKS (PVT) LTD

NAME: RIZWAN QURESHI

CNIC# 42101-1803718-9

Address:

REGISTRAR, INSTITUTE OF BUSINESS BANGALOW # 45 9/2, ADMINISTRATION MAIN CAMPUS UNIVERSITY ROAD, KARACHI Address:

4TH SUNSET STREET, DHA EXT. PHASE II, KARACHI

WITNESS:


MUHAMMAD SHOAIB MOLANI S/O ABDULB SATTAR MOLANI CNIC NO.42201-3320536-1 ADD:45- A/2, SUNSET CLUB, D.H.A., PHASE-II, KARACHI. GOVT. OF CARRESTON SINDH CONTROL SINDH CONTR

ATTESTED

Justice of Peace
As Magistrate
Empowered U/S 22A CR. PC.
Karachi. Pakistan

2.0 NOV 2015

2. ARMUGHAN HALEEM CNIC NO.42201-1706244-1 ADD:45- A/2, SUNSET CLUB, D.H.A., PHASE-II, KARACHI. E999336 RC900/-19-11-15



前24月間報日前編集日刊報刊出版日本日本

AGREEMENT

THIS AGREMENT is executed at KARACHI, on this day 19th November, 2015.

BETWEEN

M/s Institute of Business Administration, through its Registrar, located at Main Campus, University Road, Karachi, hereinafter called and referred to as "IBA" (which expression shall wherever the context so permits, be deemed to include its legal representatives, executors, successors and assigns) of the FIRST PART.

AND

M/s M. M. Corporation, having its office at A-13, Al-Hilal Society Opp Askari Park, Karachi, hereinafter referred to as "THE SUPPLIER" (which expression shall wherever the context so permits be deemed to include its legal representatives, executors, successor and assigns), through its proprietor Mr. Jameel Ahmed Siddiqui, holding CNIC No. 42201-6967796-7 on the SECOND PART.

WHEREAS "IBA" intends to obtain of Surveillance Equipment tender # ME/03/15-16 to Provide & Supply Surveillance Equipment (IBA requirement) discussions in respect of the same before the determination of scope of work will be held with "IBA" as "Surveillance Equipment" and "THE SUPPLIER" have offered to provide & supply of Surveillance Equipment as per IBA standards & handing over the material(s) to the "IBA" having accepted the offer in finished form complete in all respect.

NOW IT IS HEREBY AGREED & DECLARED BY AND BETWEEN THE PARTIES AS FOLLOWS:

WITNESSETH

"IBA" hereby offer to appoint "THE SUPPLIER" as their official supplier for the specific purpose of "Surveillance Equipment" discussions in respect of the same with "IBA" before the determination of Scope of Provide & Supply of Surveillance Equipment. "THE SUPPLIER" hereby agree to the offer of the "IBA" in acceptance of the terms & conditions here in below forth.

Article I: DUTIES & SCOPE OF SUPPLIES & AGREEMENT

1.1 This Agreement includes, the "Surveillance Equipment", discussions with "IBA" before the provide & supply of Surveillance Equipment to "IBA". The description/BoQ is appended below:

S. #	Description	Qty	Quoted Brand	Rate (Rs.)	Amount (Rs.)	
1	Hard Disk 4 TB	10 units	Seagate	Rs20,513.00	Rs205,130.00	
2	SD Card 32GB	1 unit	Kingston	Rs1,151.00	Rs1,151.00	
	Total	, 1 ,		Rs206,281.00		
17% GST		Rs35,067.77				
	Total Amour	ıt		Rs241,348.	77	

- 1.2 "THE SUPPLIER" agrees to provide all above mentioned Surveillance Equipment as per the terms & conditions of this Agreement.
- 1.3 "THE SUPPLIER" will coordinate their supplies with Manager Security, of the "IBA" who will assist "THE SUPPLIER" in supervision of proposed Surveillance Equipment.
- 1.4 "THE SUPPLIER" hereby agrees to accept variation, if occurred, in scope of professional services and supplies with mutual consent on acceptable cost/price/charges/amount inclusive of all taxes and levies.
- 1.5 "THE SUPPLIER" will visit the Purchase Offices located at Main Campus, University Road, Karachi as & when required with prior appointment.
- 1.6 All logistic charges will be borne by "THE SUPPLIER".



Article II SCOPE OF PROFESSIONAL SERVICES:

- 2.1 "THE SUPPLIER" hereby agree and acknowledge for the periodic supervision of the supply and to check the delivery of Surveillance Equipment in accordance with the Description & Specification.
- 2.2 "THE SUPPLIER" hereby agree and acknowledge the acceptance of attending the meetings with the Manager Security "IBA" as & when required.
- 2.3 "THE SUPPLIER" hereby agrees to accept variation, if occurred, in scope of professional services and supplies with mutual consent on acceptable cost/price/charges/amount inclusive of all taxes and levies.
- 2.4 Minimum 10 (Ten) days after Approval of Sample(s) will be required to deliver the Surveillance Equipment at the SUPPLIER'S expense.
- 2.5 All staff must have CNIC and clearly mentioned to discourage work through child labor.
- 2.6 "THE SUPPLLIER", will provide all required / necessary labor(s) / transportation(s) /cartage(s) what so ever required to complete the delivery of Surveillance Equipment at the cost/charges amount offered in the tender vide # ME/03/15-16.

Article III REMUNERATION

- 3.1 The cost offered by the Supplier is Rs. 241,348.77 (inclusive of all taxes) Provide, Supply & of Surveillance Equipment but limited to in tender vide # ME/03/15-16 variation may occurred. The cost is inclusive of labor/transportation/supplier/etc.
- 3.2 A Penalty @ 2% per month, of the total agreed payment as per Purchase Order, of the total cost will be imposed in case of delayed delivery. Penalty will be imposed after 25 days subject to final proof sample material handed over by supplier to IBA before the starting date mentioned on the Purchase Order. Supplies will be deemed completed in finished form as per specification and "THE SUPPLIER" have to deliver the required number of Surveillance Equipment to IBA.
- 3.3 Payment will be made after delivery and submission of invoice. Advance Payment subject to Bank Guarantee.
- 3.4 Performance Security 5% of total amount of Purchase Order will be provided by the party.
- 3.5 Stamp Duty @ 0.35% of the cost of transaction / purchase order will be deposited in Government treasury by the SUPPLIER. This paid Stamp Duty challan would be submitted along with the Bill / Invoice.
- 3.6 Tax(es)/Challan(s)/Lèvy(ies), if any or additional will be paid/borne by SUPPLIER as per SRO/Notification.

Article IV: ARBITRATION

4.1 In case of any dispute, difference or and question which may at any time arise between the parties hereto or any person under them, arising out in respect of this letter of intent or this subject matter thereof shall be referred to the Registrar of the IBA and CEO of the company / firm / agency for arbitration/settling of the dispute, failing which the decision of the court law in the jurisdiction of Karachi binding to the parties. The Arbitration proceedings will be governed by the Arbitration Act, 1940 and the Substantive and procedural law of Pakistan. The venue shall be Karachi.

Article V:

5.1 "IBA" may terminate this agreement if the job is not executed according to the requirement at anytime after issuing a 15 day's notice.

Article VI: INDEMNITY

6.1 "THE SUPPLIER" in its individual capacity shall indemnify and keep IBA and any person claiming through IBA fully indemnified and harmless from and against all damages, cost and expenses caused to or incurred by "THE SUPPLIER", as a result of any defect in the title of IBA or any fault, neglect or omission by the "THE SUPPLIER" which disturbs or damage the reputation, quality or the standard of services provided by "IBA" and any person claiming through the IBA.

Article VII: NOTICE

7.1 Any notice given under this AGREEMENT shall be sufficient if it is in writing and if sent by courier or registered mail.

Article VIII: INTEGRITY PACT

- 8.1 The intention not to obtain the procurement / work of any Contract, right, interest, privilege, or other obligation or benefit from the IBA or any administrative or financial offices thereof or any other department under the control of the IBA through any corrupt practice(s).
- 8.2 Without limiting the generality of the forgoing the M/s M. M. Corporation, represents and warrants that it has fully declared the charges, fees, commission, taxes, levies etc, paid or payable to anyone and not given or agreed to give and shall not give or agree to give to anyone within the IBA directly or indirectly through any means any commission, gratification, bribe, gifts, kickback whether described as consultation fee or otherwise, with the object of obtaining or including the procurement or service contract or order or other obligations whatsoever from the IBA, except that which has been expressly declared pursuant hereto.
- 8.3 M/s M. M. Corporation Ltd accepts full responsibility and strict liability for making any false declaration/statement, not making full disclosure, misrepresenting facts or taking any action likely to degrade the purpose of declaration, representation and warranty. It agrees that any contract/order obtained aforesaid shall without prejudice

to any other right & remedies available to the IBA under any law, contact, or other instrument, be stand void at the discretion of the IBA.

8.4 Notwithstanding any right and remedies exercised by the IBA in this regard, M/s M. M. Corporation agrees to indemnify the IBA for any loss or damage incurred by it on account of its corrupt business practice & further pay compensation to the IBA in any amount equivalent to the loss of any commission, gratification, bribe, gifts, kickback given by the M/s M. M. Corporation as aforesaid for the purpose of obtaining or inducing procurement/work/service or other obligation or benefit in whatsoever from the IBA.

Article IX: MISCELLANEOUS

- 9.1 Any addition & alteration(s) made in the contents as required by the contractor on proof sample or in course of the supplies in progress which entail extra time & labor and material on part of the fabrication, shall not be charged separately/extra on 'Quantum Merit' basis before & on final material handed over to the "IBA". After
 FINALIZATION OF SAMPLE(S) if any alteration(s), arise charges will be paid on
 - FINALIZATION OF SAMPLE(S) it any alteration(s), arise charges will be paid or mutually agreed upon.
- 9.2 Material(s) will be handed over by the "IBA" or vet the cost with authentic stamp and signature.
- 9.3 The terms and conditions of the AGREEMENT have been read over to the parties which they admit to be correct and abide by the same.
- 9.4 The validity of the contract will be effective from the date of issue of Purchase Order.
- 9.5 All terms and conditions of tender vide # ME/03/15-16 will be the integral part of this agreement and can't be revoked.
- 9.6 One year warranty required in the name of Institute of Business Administration, Karachi (IBA, Karachi).

IN WITNESS WHEREOF both the parties he hands to this agreement at Karachi on the date	
"IBA"	M/S M/s M. M. CORPORATION
NAME: Capt. (Retd.) Ahmed Zaheer PN	NAME: Jameel Ahmed Siddiqui
CNIC #	CNIC # <u>42201-6967796-7</u>
Address:	Address:
Registrar, Institute of Business Administration Main Campus	A-13,Al-Hilal Society Opp Askari Park,

Karachi

2. Mohamma

کے

University Road, Karachi

Bid Evaluation Report

1. Name of Procuring Agency: <u>Institute of Business Administration, Karachi</u>
2. Tender Reference No: ME/03/15-16
3. Tender Description/Name of work/item: <u>Provide & Supply of Surveillance Equipment</u>
4. Method of Procurement: Single Stage One Envelope
5. Tender Published: October 16, 2015 on IBA, SPPRA web sites and leading newspapers Serial # 25551 Print & Electronic Media (SPPRA ID No. & News papers names with dates)
6. Total Bid documents Sold; <u>7 Companies have collected Tender Documents</u>
7. Total Bids Received: 03
8. Technical Bid Opening date: (if applicable) NA (Provide details in separate form
9. No. of Rid technically qualified (if applicable): NA

11. Financial Bid Opening date: November 03, 2015

12. Bid Evaluation Report:

10. Bid(s) Rejected: NA

14, 171	u Evaluation Repor	l.			·	
S No	Name of Firm or Bidder	Cost offered by the Bidder	Ranking in terms of cost	Comparison with Estimated cost	Reasons for acceptance/ rejection	Remarks
_0	1	2	3	4	5	6
1.	M/s Digital Links (Pvt) Ltd	Rs.1.250,782.65	Lowest only THREE Items	Rs.2,000,000.00	Accepted, do lowest in TH items. Comp Statement is	REE arative
2.	M/s M. M. Corporation	Rs.241,348.77	Lowest only TWO Items		Accepted, du lowest in TW	
3.	M/s Dawn Constructors	Rs. 2.447,406.00	Highest Bidder			
4.						

Signatures of the Central Purchase Committee, Members

1.84

DE WASH Profesion J. C. . 4

SSTEEL FLACE FIELDSWATON 1465

Provide & Supply of Surveillance Equipk_ent
Comparative Statement
Tender # ME/03/15-16

) cuc	ender # VIE/US/13-10	01-01/0										
				M,	M/s Digital Links (Pvt) Lt	vt) Ltd	M/s	M/s M. M. Corporation	tion	Z	M/s Dawn Constructors	uctors
.S.	Description	Qty	Brand	Quoted	Rate (Rs.)	ount (Rs.)	Quoted Brand	Rate (Rs.)	Amount (Rs.)	Quoted	Rate (Rs.)	Amount (Rs.)
				Brand						2 aug		
_	IP Cameras 1.3 Mega	42 units	HIK Vision or	HIK Vision	Rs14,435.00	Rs606,270.00	Dahua	Rs22,678.00	Rs952,476.00	HIK	Rs23,200.00	Rs974,400.00
C1	Pixel 32 Channel NVR	5 units	HIK Vision or	HIK	Rs68,750.00	Rs343,750.00	Dahua	Rs77,493.00	Rs387.465.00	HIK	Rs128.000.00	Rs640,000.00
			Equivalent									
ι.c.	Hard Disk 4 TB	10 units			Rs21.590.00	Rs215,900.00	Seagate	Rs20,513.00	Rs205,130.00		Rs32,800.00	Rs328,000.00
	LED 32		Samsung or		00 317 0000	De110 025 00	Samsimo	Rs39.886.00	Rs119,658.00 Samsung	Samsung	Rs48,800.00	Rs146.400.00
च		3 units	Equivalent	Samsung	K839,0/5.00							
\script{\script{\chi}}	SD Card	l unit	Kingston or	Kingston	Rs1.530.00	Rs1,530.00	Kingston	Rs1,151.00	Rs1,151.00	Kingston	Rs3,000.00	Rs3,000.00
	32UB		Equivalent		327 700 1 0			Rel 665 880.00			Rs2,091,800.00	00.
	•	Total			Ks1,286,4/5.00	.00		0.000,000,100			De355 606 00	00
		17% GST			Rs218,700.75	75		Rs283,199.60			Noonicces Con	90
			1		Rel 505 175 75	75		Rs1,949,079.60	0		Rs2,447,406.00	.00
_	E10 I	Iotal Amount	_		C. Ither Carties					Ì		

M/s M. M. Corporation	Rs206,281.00	Rs35,067.77	Rs241,348.77	
M/s Digital Links (Pvt) Ltd	Rs1,069,045.00	Rs181,737.65	Rs1,250,782.65	

17	
1,492,131,42	Itemized Grand Total Amount (Inclusive of GST)
716,805.42	17% GST
1,275.326.00	Itemized Total
00 /00 300 1	



West Charles

10000

Muhammad Hanif / Executive I (Purchase) @ Main Campus

Subject:

SPPRA PC Approval

From: Muhammad Sohail Khan / Manager Purchase and Stores @ IBA

Sent: Saturday, November 07, 2015 11:28 AM

To: Muhammad Hanif / Executive I (Purchase) @ Main Campus

Subject: FW: Item # 1

Pls process further necessary action.

From: Syed Jehanzeb / Asst. Manager Finance (Projects) @ Main Campus

Sent: Saturday, November 07, 2015 10:37 AM

To: Muhammad Sohail Khan / Manager Purchase and Stores @ IBA Cc: Procurement Committee; Dr. Ishrat Husain / Dean & Director @ IBA

Subject: Item # 1

ttem # 1: Approval for Provide & Supply of Surveillance Equipment

Discussion: The user confirm the specification of IP cameras and NVR offered by the Lowest evaluated builder.

Decision: The committee approved the award of tender for IP Surveillance Equipment on itemized basis to M/S Digital Links and M/S M.M Corporation at Rs.1.492,131.42.

M/s Digital Links (Pvt) Ltd	M/c M. M. Corporation
R-4,069,045,00	Rs206.281/00
Rs181.737.65	R-35,000,773
Rs1,250,782.05	Rs241.348.00

Itemized Lotal	1.2*5.326.00
17% GS1	216.805.42
Itemized Grand Total Amount (Inclusive of GST)	1.492.131.42


Attendance:

- 1. Dr. Nasir Touheed
- 2. Syed Jehanzeb
- 3. Haris Quershi
- 4. Asjad Asad Siddiqui
- 5. Ahmed Ali Khan
- 6. Khalid Rishi
- 7. Muhammad Sohail Khan

Syed Jehanzeh Secretary Procurement Committee

stitute of Business Administration | Karachi Tender Opening | November 3, 2015 | at 3:30 pm

Common of Tender for	Provide & Supply	common of Tender for Provide & Supply of Surveillance Equipment			Tender#: ME:03/15-16	
Statement of Tenace For						
S. # Company Name	Name	Tender Amount in Figures / in Words	Conditions, if any	Earnest Money Pay Order No. / Amount & Date	Contractors / Representative Signature	Remarks
	Cognition Kine Kat	101		113,8321 Allich Bank	min !	
ALENATOR O	CAMON Courtiette	62,447,476/		2265 Brow - 1018, 5515	1725	
S. M. W. M.C.		1949 080/		08625232 ABOUR ALTON B97508/ NOVES200	The A	
					Mark Soir Sur Sur Sur Sur Sur Sur Sur Sur Sur Su	
	S		Q [£]	Twee Z	A COUNTY	
M. SOHAIL KHAN Manager Purchase & Stores nstitute of Business Administration Karachi-Pakistar		ABDUL KHR BS.1. ABDUL KOllice (BS.10) Traveling & Protocol Administration Travelin	1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1	(sae we free show		, T



YOUR SECURITY

CONTENTS

A MESSAGE FROM THE CHAIRMAN

A POPULA GRADO DE MINOCORDO ACONTRANCO REPUBLICA DE COMPONIO PROPERADO DE CARRO DE COMPONI

CAS A STAU BETWEEN FOR ALL TO AS PROCUCE DIGITAL OF AS WHO ARE WORKING TO THE THEO.

OF A STAU STAU STEEL AND STATE OF THE STAND AND THE INDICATOR WORLD

RESEARCH STATE OF STANDARD AND ASSOCIATION WE HAVE BEEN AS A STANDARD ASSOCIATION OF THE STANDARD.

Memorial elementarial and the results of the desired and the second section of the section of the second section of the section of the second section of the secti

A CONTRACTOR OF A CONTRACT CONTRACT OF A CONTRACT OF A CONTRACTOR OF A CONTRACT OF A C

IN 1900 STORE HIS TO MAY BE AND




TDIgital Links" has been working in communication sector, ance 1992 to provide security solutions. (Because of purification and brilliant performance). The communication and brilliant performance is resellership for Pakistan by Hikvision, anviz IPTEC, Cross Point SOCA HiD, Win4Net and SOEST for their range of security products. We offer preminent and APT solutions catering to the specific needs of the businesses of our valued customers. As are sure that with our state of the art and technical approach towards your needs, we will be able to make you join our growing list of satisfied customers.

Assurance of providing the best customized technical solution and services keeping in view the economic viability of our customers and suppose of equationent through our global network of business associates, indicates our marker position. Digital crick considers the energy services as the case strength warrang round the cases for its valuable customers. Pre-sales assistance and post-tates services and a reflection of our continument.

Digital Links has maintained an integrated system that ensures the company's honest commitment to become a responsible corporate catizen, it includes quality environment, health, and consider the formativity and dedication of a constitute standard aspects and aspects as the key to our efforts and dedication of a constitute 12. services offer endless possibilities to achieve higher standards that contribute direct some services around us

INTELLIGENT VISUAL SURVEILLANCE




VISUAL SURVEILLANCE

"The third
person narrator,
instead of being
omniscient, is like a
constantly running
surveillance tape"

Andrew Vachss

Visual Surveillance is the monitoring of the behavior, activities or other changing information, usually of people for the purpose of influencing, managing, directing, or protecting them. This can include observation from a distance by means of electronic equipment (such as CCTV cameras) and it can include simple, relatively no or low technologymethods such as human intelligence agents and postal interception. Visual surveillance is rapidly expanding its role in retail loss prevention and asset protection in all the industries. Through VMS various benefits can be achieved in the form of improved productivity and security.



Surved above the remeded to governor and taw entorgeness, were exitomaintain social and a constraint and monitor forcers are prevent anniestigate commandantivity advances smuch surveillances the second of the constraint of the box is track moving enterts but also interpret these nutterns of the box is

Medical Science proves that a human brain cannot concentrate imputaneously on more first order to more than 10 minutes and that is the orientma with conventional CCTV Surveillance Systems.

A coded submerdance system most be unantenough to alert by mark to the viewer present of the library breach of pre-defined set of track the surveitlance takes of the uniteng 100 or more by continued to cameras.


Motore Detection

- Autobalement
- People built
- · Automotive
- System of the CE.
- Land the control of the state of the

• Government Buildings

- Military Bases
- mon n lostitutes
- Communication of the communica
- The state of the s
- * 1000 AT
- :: c1Qy
- Principactoring

BIOMETRICS & RFID



"In digital era, privacy must be a priority. Is it just me, or is secret blanket surveillance obscenely outrageous"

Ai Gore

BIOMETRICS & RFID

Biometrics is the science and technology of measuring and analyzing biological data. In information technology, biometrics refers to technologies that measure and analyze human body characteristics, such as DNA, Fingerprints, Eye retina (Iris), Voice patterns, Facial patterns and Hand measurements for authentication purposes.

Radio frequency identification (RFID) is a generic term that is used to describe a system that transmits the identity of an object or person wirelessly using radio waves such as Access management and Attendance devices.

1083/5/05





Key Features

• 1/31 FICABLS


IIIK.

Kiny Featoning

Vistos
Anticología
Mosenta de la cología

10.6468






Key Features

000

era de la capación este de la capación de la capación este de la capación de la capación de la capación de la capación de la capación de la capación de la capación este de la capación de












Key Features

1

Udatescenter

• 5 16 earl symmotomer, and a con-









4


Eur. Pearl with a single of the distribution of the single

z e stelle ha an ele Video potpar model hi e e 6408-il. Hiles

en uga erismadifeller Quementer




in the second of






- 4 Standard -
- A standard or service ser







Key Features


- Control of the second of the se








BOARD OF DIRECTORS



- Maior General (Retd) M Saleem Khan (Chairman)
- . Mr. Kamiran Rashid (COO)
- Mr. Saleem Oureshi (Director Finance)
- Mr. Aami: Malik (Director Marketing)
- Major (Retd) Ahmer Dilshad (Director Operations).

Companies that grow for the sak of growth or that expand into areas a linear their core business strategy often stumble. On the other hand, companies that build scale for the benefit of their customers and shareholders more often succeed over time

Jamie Dimon, President and CEO of JPMorgan Chase





BRANCH OFFICES

10 mm

46 Garden Block

New Garden Town

Lahore

UAN: 111-44-33-55

Fax: 042-35830812

email: info@digitallinks.biz

www.digitallinks.biz

5 - Alnoor Plaza

Moti Ram Road

Quetta

081-2822005 - 2825996

081-2815997

email: info@digitallinks.biz

www.digitallinks.biz

45 / A-2 4th Sunset Street

Behind Sunset Club, DHA

Phase II, Karachi

UAN: 111-44-33-55

Fax: 042-35830812

email: info@digitallinks.biz

www.digitallinks.biz

P.O. Box 22572

Dubai

United Arab Emirates

+971-4-286-9070

+971-4-286-9071

email: info@digitallinks.biz

www.digitallinks.biz

Plot # 89

Street # 10, I - 9/2

Islamabad

051-4431111

051-4444655

email: info@digitallinks.biz

www.digitallinks.biz

Shahrah-e-Noh

Highway

Kabul

+93-786-346000


+93-799-346000


email: info@digitallinks.biz

www.diqitallinks.biz

YOUR SECURITY









TRAPATER REGISTRATION GERTIFICATE

ORIGINAL

5.0% 3986079-5

Littlegaev

Status

Regulate Date: 1984 And 1

Name points we submitted the

Address AFF HILLER STEEL FORESERS - AHORF DISTLANDREFLANCE

Other Activities (FAMILY WE)

Registered for Income Tax w.e.f 30-41-0-1012

Sales Tax wied __ 31 31 32

. EXPORTER INPORTER, WHOLISALIA :

Representative's CNIC: NTN Shear Certain

Name PAMetric entrary

Box Office Professional Profession Professio

Edikiness Nante (1997), 1994, 1994 (1998), 2008 (2007), 1895, 2008

and the second second second second second

1、建筑,中国1987年,1987年,1987年,1987年,1987年,1987年,1987年,1987年,1987年,1987年,1987年,1987年,1987年,1987年,1987年,1987年,1987年,1



Contract Contract Action

Common Production W. P. C.

Major Clients




MM Corporation

PAKISTAN

Ir recognition of your continued commitment to excellence in delivering Lenovo solutions.

Mohammed Hitti General Manager Guff & KSA Lenovo Middle East & Africa





NATIONAL TAX NUMBER CERTIFICATE

(Issued under section 20 of the Finance Act, 1999)

National Tax Number (NTN)

2312412-1

Name: MUHAMMAD MUGEEM

Address: M.M.CORPORATION

IST FLOOR SHAIKH ARIF BUILDING DARYALAL

STREET JODIA BAZAR

KARACHI

Status/Nature: Busin

Business Individual

NIC/Firm Reg./Company Inc.Number.

/New NIC: 4220153060655

This certificate shall be prominently displayed at a conspicuous place of the premises in which business or work for gain is carried on. It is also required to be indicated on the signboard wherever it is affixed.

20/06/2005

Chairman

GOVERNMENT OF PAKISTAN COLLECTORATE OF SALES TAX COLLECTORATE OF SALES TAX&CENTRAL EXCISE (WEST ZON

CERTIFICATE OF REGISTRATION LUnder Sales lax Act. 19901

M/S. M.M. CURFORATION.

(OZ) ADDRESS SHAIKH MUHAMAMD ARIF BLDG: DARIYA LAL STREET.JODIA BAZAR: KARACHI.

You have been registered as:

(M.) : Manufacturer

校) Importer

(d) Exporter

Distributer

Wholesoler (Chailer

Ship Breakers

This means that you must:

- (i) Charge Sales Tak on all takable supplies made during th course of taxable activity.
- File a return in the designated bank relating to a on or before the 15th of the following worlding
- (111) File a Nil Return even if no taxable activity takes place during the current tax period.
- Abide by provisions of Sales Tax Act 1990, and rules (1V) made there under.

Your Sales Tax Registration Number 1:5: (04)

11-00-2900-452-82

Date of Registration: 22-AUG-2000 $\{05\}$

(ZZnd Of August Two Thousand)

(06) This number must be shown in the tax return and on all the invoice by you and quoted in all your correspondence with ti Sales Tax Department.

Registration 1

Division / 6 ASSISTANT COLLECTOR (Sales (Registration & Information Division)

Book No.B 03613

Serial No.B 361277

TO THE PARTY OF TH

AEMBERSHIP NO. 48 Name & address of Char	KSHIF CERTI 632 nber Karachi Chamber of C iation Alwan e-Tijarat Road, Off: Shahrah e	ommerce & Industry
	Federation of Pakistan Chambers of Comm	
CERTIFIED that	M.M. CORPORATION	
Shaikh Arif Building, 1st Floor,	Daryalal Street, dedic Baser, Kar	nohi Firm / Company)
G.S.T. No. 11-00-2800-452	2- 82 N.T.N. No	2312412
is a member of this Chamber Associatio	n	
	ATE shall be valid upto the	1-MARCH-2016 unless (date)
otherwise notified to the N	ITN / GST Registration author	ority / Scheduled Bank
concerned.	Given on this	day of 20
	Signature of Secretary Genera	1 - 1 - 1
	Countersigned by	I SUL as fine name and designation)