

BID EVALUATION REPORT

1.	Name of Procuring Agency: -	Senior Director(M&HS)KMC
2.	Tender Reference No.	No .Sr. Dir (M&HS)/Tender/Proc/2017/95 Dated 13-04-2017
3.	Tender Description / Name of Work / Item: -	1-A. Purchase of Medicines
4.	Method of Procurement: -	Single stage Two Envelope Procedure
5.	Tender Published: -	Dawn / Express / Sarwan on 15-04-2017 SPPRA Sr.No.32958
6.	Total Bid Documents Sold: -	09
7.	Total Bid Received: -	02
8.	Technical Bid Opening Date: -	11-05-2017
9.	No. of Bid(s) Technically Qualified: -	02
10.	Bid(s) Rejected: -	Nil
11.	Financial Bid Opening Date: -	07-06-2017

12. Bid Evaluation Report: -

Sr. No.	Name of Firm or Bidder alongwith Property Offered	Cost Offered by the Bidder	Ranking in Terms of Cost	Comparison with Estimated Cost	Reasons Acceptance / Rejection	Remarks
1	M/S. Shamim & Co.	Please see items wise comparative statement				On lowest basis
2	M/S. Universal Enterprises	Please see items wise comparative statement				On lowest basis


Items wise Comparative Statement is attached (Lower offer is highlighted in comparative statements).


DR.SAID AKHTAR
 Dy. Director Procurement /
 Incharge Main Stores
 Medical & Health Services
 Karachi Metropolitan Corporation


DR. HAMID ZAHEER
 Director (Admin & Accounts)
 Medical & Health Services
 Karachi Metropolitan Corporation


Dr. Muhammad Ali Abbasi
 Senior Director
 Medical & Health Service
 Karachi Metropolitan Corporation


Dr. Syed Khalid Masood
 Medical Superintendent
 Sindh Govt. Qatar Hospital
 Orangi Town Karachi.


Dy. Muhammad Shahid Ali
 District Officer (H) Curative
 O.D.O. Karachi

NOTE SHEET

Paras

()

Reference

MINUTES OF THE MEETING OF CENTRAL PURCHASE COMMITTEE FOR FINANCIAL BID OPENING

SUBJECT: - PURCHASE OF GENERAL MEDICINES / X-RAY FILMS/SURGICAL DISPOSABLES / LABORATORY ITEMS & ELECTRO MEDICAL EQUIPMENTS ETC. FOR MAJOR HOSPITALS OF KMC FOR THE YEAR 2016-2017.

Meetings of Central Purchase (Procurement) Committee were held on 07-06-2017 and 12-06-2017 at 10:00 am in the office of Senior Director Medical & Health Services KMC, presiding by the chairman Central Purchase (Procurement) Committee to open Financial Bids of Technically qualified Bidders for purchase of Medicines & Allied Items, X-Ray Films, Laboratory Items, Electro Medical Equipment's, Machinery, Furniture & Fixtures, Misc. items etc. through Annual Tender and under ADP Schemes for KMC Hospitals for the Year 2016-2017. Following members attended the meeting: -

1.	Dr. Muhammad Ali Abbasi, Senior Director Medical & Health Services, KMC	Chairman
2	Dr. Hamid Zaheer D.M.S (Admin. & Accounts) , M&HS, KMC	Secretary
3.	Dr. Said Akhter Deputy Director (Procurement), M&HS, KMC	Member
4.	Dr. Khalid Masood, Medical Superintendent, Qatar Hospital & Representative of Health Dept. Govt. of Sindh	Member
5	Dr. Muhammad Shahid Ali, District Officer, Health Dept. Govt. of Sindh.	Member

The Financial Bid of following technically qualified firms for respective groups of tender items were opened in the presence of members / Chairman Central (Procurement) Committee and representatives of the firms / contractors (Attendance sheet enclosed) . Details of qualified firms / contractors is appended below: -

Medicine (1-A)		X-Ray Films etc. (2-B)		Surgical Disposables (3-C)	
1	M/S Universal Enterprises	1	M/S Shamim & Co	1	M/S Universal Enterprises
2	M/S Shamim & Co			2	M/S Shamim & Co
				3	M/S Hakim & Sons
Laboratory Items / Materials (4-D)		Linen Material (5-D)		Washing Materials & Miscellaneous Items (6-D)	
1	M/S Seico Scientific				
2	M/S Moon Enterprises				
3	M/S Popular international Pvt. Ltd		Nil		Nil
4	M/S Diagnostic System				
5	M/S Shamim & Co				



NOTE SHEET


Paras


Reference


ELECTRO MEDICAL EQUIPMENTS (7-G)					
1	M/S Ameer Din Instruments	7	M/S Hospital Supply Corporation	13	M/S DWP Technologies
2	Oasis Medical System	8	M/S Medequips SMC	14	M/S Med Elect Corporation
3	M/S Oasis Medical System	9	M/S BIOS	15	M/S Seico Scientific
4	M/S Popular international	10	M/S Shamim & Co	16	M/S OPTI Surg
5	M/S Khalid Corporation	11	M/S Hadi Enterprises	17	M/S Universal Enterprises
6	M/S Noor International	12	M/S Aijaz Uddin & Co		
Electro Medical Equipment / Instruments / Machinery/ Lab Item / Surgical Disposables / Furniture & Fixture & Miscellaneous Items For KMC Hospitals Under ADP Scheme 2016-2017					
1	M/S Ameer Din Instruments	7	M/S Medequips SMC	13	M/S Bio Medical Technologies
2	M/S Oasis Medical System	8	M/S Gulf Marketing	14	M/S Med Elec Corporation
3	M/S Popular International	9	M/S Shamim & Co	15	M/S JAFCO International
4	M/S Khalid Corporation	10	M/S Elect C.C. Private	16	M/S Universal Enterprises
5	M/S Noor International	11	M/S S. Aijaz Uddin & Co		
6	M/S FAS Traders	12	M/S Faraz Associates		


After completion of all codal formalities as per SPPRA rules 2010 (Amended 2013) the Central Purchase (Procurement) Committee unanimously agreed upon the selection of the rates on lowest basis among the technically qualified bidders.


The details of selected items and bidders are mentioned in Financial Comparative Statement which is attached herewith.


Dr. Muhammad Shahid Ali
Member C.P.C.
& District Officer, Health Dept.
Govt. of Sindh.


Dr. Khalid Masood
Member C.P.C.
& Medical Superintendent
Qatar Hospital & Representative
of Health Dept. Govt. of Sindh


Dr. Said Akhter
Member C.P.C.
& Deputy Director (Procurement)
M&HS, KMC


Dr. Hamid Zaheer
Secretary C.P.C.
& D.M.S (Admin. & Accounts)
M&HS, KMC


Dr. Muhammad Ali Abbasi
Chairman C.P.C
& Senior Director
Medical & Health Services, KMC



KARACHI METROPOLITAN CORPORATION

OFFICE OF THE SENIOR DIRECTOR

MEDICAL & HEALTH SERVICES DEPARTMENT

N.H. MEMORIAL KIDNEY CENTRE, KMC ST:5, BLOCK:6, F.B. AREA, NEAR TAHIR VILLA
ADJACENT TO RANGERS HEAD QUARTAR

Email Address: - seniordirectormhskmc@gmail.com

Phone No: 021-99230865

No. Sr. Dir (M&HS)/KMC/2017/ 296

Dated: 12/06/2017

C E R T I F I C A T E

This is to certify that Central Purchase (Procurement) Committee has verified the rates / prices of single quoted items from open market and found the same reasonable and comparable as per last awarded contract.

Dr. Muhammad Shahid Ali
Member C.P.C.
& District Officer, Health Dept.
Govt. of Sindh.

Dr. Khalid Masood
Member C.P.C.
& Medical Superintendent
Qatar Hospital & Representative
of Health Dept. Govt. of Sindh

Dr. Said Akhter
Member C.P.C.
& Deputy Director (Procurement)
M&HS, KMC

Dr. Hamid Zaheer
Secretary C.P.C.
& D.M.S (Admin. & Accounts)
M&HS, KMC

Dr. Muhammad Ali Abbasi
Chairman C.P.C
& Senior Director
Medical & Health Services, KMC



KARACHI METROPOLITAN CORPORATION

OFFICE OF THE SENIOR DIRECTOR

MEDICAL & HEALTH SERVICES DEPARTMENT

N.H. MEMORIAL KIDNEY CENTRE, KMC ST:5, BLOCK:6, F.B. AREA, NEAR TAHIR VILLA
ADJACENT TO RANGERS HEAD QUARTAR

Email Address: - seniordirectormhskmc@gmail.com


Phone No: 021-99230865


No. Sr. Dir (M&HS)/KMC/2017/ 306


Dated: 15/06/2017


C E R T I F I C A T E


This is to certify that Estimated Cost of Tender for Medicine & Allied Items, X-Ray Films, Laboratory Items etc & Electro Medical Equipment's under ADP is Rs.300 Million & Rs.107 Million respectively. Total Cost as per lowest bidder is below the allocation / sub total estimated cost:


Dr. Muhammad Shahid Ali
Member C.P.C.
& District Officer, Health Dept.
Govt. of Sindh.


Dr. Khalid Masood
Member C.P.C.
& Medical Superintendent
Qatar Hospital & Representative
of Health Dept. Govt. of Sindh


Dr. Said Akhter
Member C.P.C.
& Deputy Director (Procurement)
M&HS, KMC







Dr. Hamid Zaheer
Secretary C.P.C.
& D.M.S (Admin. & Accounts)
M&HS, KMC


Dr. Muhammad Ali Abbasi
Chairman C.P.C
& Senior Director
Medical & Health Services, KMC

COMPARATIVE STATEMENT (FINANCIAL PROPOSAL)
TENDER SR. NO. 1 (A) SUPPLY OF MEDICINES FOR THE YEAR 2016-17

ITEM NO.	NAME OF TABLET/ CAPSULE / SYRUPS / INJECTABLE	REQ. QTY.	A/U	NAME OF QUALIFYING FIRM	QUOTED UNIT PRICE	TOTAL QUOTED PRICE	RANKING	NAME OF SUCCESSFUL BIDDER	REMARKS	
ANTI BIOTICS: -										
1	CAP. CIFIXIM 400mg	127000		SHAMIM & CO.	i. GEOFMAN	25	3175000	1ST LOWEST	SHAMIM & CO	
					ii. MECTER	43.41	6408000	2ND LOWEST		
				UNIVERSAL ENTERPRISES	i. ENVOY PHARMA	49.42	6276340	3RD LOWEST		
2	CAP.CEPHRADINE 500mg	122000		UNIVERSAL ENTERPRISES	ENVOY PHARMA	8.43	1028460	1ST LOWEST	UNIVERSAL ENTERPRISES	
				SHAMIM & CO.	ZAFA	11.3	1378600	2ND LOWEST		
3	CAP.DOXYCYCLINE 100mg	45000		UNIVERSAL ENTERPRISES	ENVOY PHARMA	2.14	96300	1ST LOWEST	UNIVERSAL ENTERPRISES	Dropped by CPC
4	TAB. AMOXYICILLIN + CLAVULANIC ACID 625mg	162000		SHAMIM & CO.	NOVARTIS	17.83	2888460	1ST LOWEST	SHAMIM & CO.	
5	TAB. CIPROFLOXACIN 500mg	146000		SHAMIM & CO.	FEROZE SONS	8	1168000	1ST LOWEST	SHAMIM & CO.	
					BARRETT HODGSON	11	1606000	2ND LOWEST		
					MECTER	19.4	2832400	4TH LOWEST		
				UNIVERSAL ENTERPRISES	ENVOY PHARMA	12.62	1842520	3RD LOWEST		
6	TAB. CLARITHROMYCIN 500mg	31000		SHAMIM & CO.	BARRETT HODGSON	24	744000	1ST LOWEST	SHAMIM & CO.	
					NOVARTIS	38.1	1181100	2ND LOWEST		
7	TAB. LEVOFLOXACIN 500mg	75000		SHAMIM & CO.	BARRETT HODGSON	10	750000	1ST LOWEST	SHAMIM & CO.	
					NOVARTIS	22.08	1656000	3RD LOWEST		
				UNIVERSAL ENTERPRISES	ENVOY PHARMA	12	900000	2ND LOWEST		
ANTI MALARIALS: -										
8	TAB.ARTEMETHER + LUMEFANTRINE 40/240	20000		SHAMIM & CO.	BARRETT HODGSON	12	240000	1ST LOWEST	SHAMIM & CO.	
9	TAB.ARTEMETHER + LUMEFANTRINE 80/480	21000		SHAMIM & CO.	BARRETT HODGSON	22	462000	1ST LOWEST	SHAMIM & CO.	

ITEM NO.	NAME OF TABLET/ CAPSULE / SYRUPS / INJECTABLE	REC QTY.	A/U	NAME OF QUALIFYING FIRM	QUOTED UNIT PRICE	TOTAL QUOTED PRICE	RANKING	NAME OF SUCCESSFUL BIDDER	REMARKS
ANTHELMINTIC: -									
10	TAB MEBENDAZOLE 500mg	8000							NOT QUOTED
ANTI SPASMODIC: -									
11	TAB. DROTAVERINE 40mg	135000							NOT QUOTED
ANTI EMETICS: -									
12	TAB. DOMPERIDONE 10mg	98000		SHAMIM & CO.	Barrett Hodgson	2	196000	1ST LOWEST	SHAMIM & CO.
					Atco	2	196000		
ANTACIDS/H₂RECEPTOR ANTAGONIST/PROTON PUMP INHEBITOR: -									
13	TAB. MAGNESIUM TRISILICATE	150000							NOT QUOTED
14	CAP. LANSOPRAZOLE 30 mg	885000							NOT QUOTED
LAXATIVE: -									
15	TAB. BISOCODYLE	25000							NOT QUOTED
ANTI HYPERTENSIVE/CARDIAC MEDICINE: -									
16	TAB. ACETAZOLAMIDE 250mg	8600							NOT QUOTED
17	TAB. FRUSEMIDE 40mg	20000							NOT QUOTED
18	TAB.SPIRANOLACTONE+FRUSEMIDE (20mg+50mg)	200000							NOT QUOTED
Anti Hypertensive: -									
19	TAB. AMLODIPINE 5mg	589000		SHAMIM & CO.	Barrett Hodgson	2	1178000	1ST LOWEST	SHAMIM & CO.
					Shaigan	3.12	1837680	2ND LOWEST	
					Novartis	7.6	4476400	3RD LOWEST	

ITEM NO.	NAME OF TABLET/ CAPSULE / SYRUPS / INJECTABLE	REQ QTY.	A/U	NAME OF QUALIFYING FIRM	QUOTED UNIT PRICE		TOTAL QUOTED PRICE	RANKING	NAME OF SUCCESSFUL BIDDER	REMARKS
20	TAB. AMLODIPINE+VALSARTAN 5/80 mg	30000		SHAMIM & CO.	Shaigan	6.49	194700	1ST LOWEST	SHAMIM & CO.	
					Atco	15	450000	2ND LOWEST		
					Feroze Sons	20.12	603600	3RD LOWEST		
21	TAB. AMLODIPINE + VALSARTAN 5/160 mg	20000		SHAMIM & CO.	Shaigan	8.92	178400	1ST LOWEST	SHAMIM & CO.	
					Feroze Sons	18.48	369600	2ND LOWEST		
					ATCO	21	420000	3RD LOWEST		
					Shaigan	11.2	820000	1ST LOWEST		
22	TAB. AMLODIPINE + VALSARTAN 10/160 mg	25000		SHAMIM & CO.	Feroze Sons	23.53	588250	2ND LOWEST	SHAMIM & CO.	Dropped by CPC
					ATCO	24	600000	3RD LOWEST		
23	TAB. ATENOLOL 50mg	800000		SHAMIM & CO.	Zafa	1.35	1080000	1ST LOWEST	SHAMIM & CO	
					Geofman	2	1600000	2ND LOWEST		
24	TAB. BISOPROLOL 5mg	9000		SHAMIM & CO.	Barrett Hadgson	3	27000	1ST LOWEST	SHAMIM & CO	
25	TAB. CAPTOPRIL 25mg	304000		SHAMIM & CO.	Maple	2.05	623200	1ST LOWEST	SHAMIM & CO	
					Zafa	2.81	854240	2ND LOWEST		
26	TAB. CARVIDALOL 12.5 mg	15000		SHAMIM & CO.	Macter	3.82	57300	1ST LOWEST	SHAMIM & CO.	
					Feroze Sons	3.88	58200	2ND LOWEST		
					Barrett Hadgson	4.01	60150	3RD LOWEST		
27	TAB. CARVIDALOL 25 mg	27000		SHAMIM & CO.	Feroze Sons	5.06	136620	1ST LOWEST	SHAMIM & CO.	Dropped by CPC
					Macter	5.08	137160	2ND LOWEST		
					Barrett Hadgson	5.86	158220	3RD LOWEST		

ITEM NO.	NAME OF TABLET/ CAPSULE / SYRUPS / INJECTABLE	REQ QTY.	A/U	NAME OF QUALIFYING FIRM	QUOTED UNIT PRICE		TOTAL QUOTED PRICE	RANKING	NAME OF SUCCESSFUL BIDDER	REMARKS
28	TAB. HYDRALAZIN HCL 25mg	6000		SHAMIM & CO.	Zafa	2.18	13080	1ST LOWEST	SHAMIM & CO	
29	TAB. LOSARTAN-K 50mg	45500		SHAMIM & CO.	Zafa	1.78	80990	1ST LOWEST	SHAMIM & CO	Dropped by CPC
					Feroze Sons	3.29	149695	2ND LOWEST		
30	TAB. METOPROLOL 50mg	740000		SHAMIM & CO.	Atco	3	2220000	1ST LOWEST	SHAMIM & CO	
31	TAB. NABIVOLOL 5mg	20000		NOT QUOTED						
32	TAB. PROPRANOLOL 10mg	9000		NOT QUOTED						
33	TAB. VALSARTAN 80 mg	270000		NOT QUOTED						
34	TAB. VERAPAMIL 40mg	18000		NOT QUOTED						
35	TAB.METHYL DOPA 250mg	9500		NOT QUOTED						
36	TAB.RAMIPRIL 5mg	32000		NOT QUOTED						
LIPID LOWERING AGENT: -										
37	TAB. ROSUVASTATIN 20mg	400000		SHAMIM & CO.	Feroze Sons	10	4000000	1ST LOWEST	SHAMIM & CO.	
					Macter	16.02	6408000	2ND LOWEST		
					Atco	24	9600000	3RD LOWEST		
NITRATES/ NITRITES: -										
38	TAB. GLYCERYL TRINITRATE (SUB-LINGUAL) 0.5 mg	20000		NOT QUOTED						
39	TAB. GLYCERYL TRINITRATE 6.4 mg	200000		SHAMIM & CO.	Zafa	3.76	752000	1ST LOWEST	SHAMIM & CO	Dropped by CPC
					Maple	4.75	950000	2ND LOWEST		
40	TAB. ISO SORBIDE MONO NITRATE 20mg	795500		SHAMIM & CO.	Maple	2.07	1646685	1ST LOWEST	SHAMIM & CO	
					Zafa	2.07	1646685	2ND LOWEST		

ITEM NO.	NAME OF TABLET/ CAPSULE / SYRUPS / INJECTABLE	REC QTY.	A/U	NAME OF QUALIFYING FIRM	QUOTED UNIT PRICE	TOTAL QUOTED PRICE	RANKING	NAME OF SUCCESSFUL BIDDER	REMARKS
ANTI PLATELETS: -									
41	TAB. CLOPIDOGREL 75mg + ACETYLSALICYLIC ACID(Enteric Coated) 75mg	910000		SHAMIM & CO.	Atco	11	10010000	1ST LOWEST	SHAMIM & CO
ANTI ANTICOAGULANTS: -									
42	TAB. WARFARIN SODIUM 5mg	5000		SHAMIM & CO.	Shaigan	4.43	22150	1ST LOWEST	SHAMIM & CO
CARDIAC GLYCOSITES: -									
43	TAB. DIGOXIN 250 mcg	270000		NOT QUOTED					
ANALGESICS/ANTI PYRETIC/NSAIDS: -									
44	TAB. CELECOXIBE 100mg	10000		NOT QUOTED					
45	TAB. DICLOFENAC SODIUM 50mg	470000		UNIVERSAL ENTERPRISES	Mission Pharmaceuticals	1.14	535800	1ST LOWEST	UNIVERSAL ENTERPRISES
				SHAMIM & CO.	Maple	1.85	869500	2ND LOWEST	SHAMIM & CO
					Barrett Hadgson	3	1410000	3RD LOWEST	
46	TAB. IBU PROFEN 400mg	495000		NOT QUOTED					
47	TAB. PARACETAMOL ACETAMINOPHEN) 500mg	760000		SHAMIM & CO.	Barrett Hadgson	0.87	661200	1ST LOWEST	SHAMIM & CO
ANTI HISTAMINE: -									
48	TAB. CETIRIZINE 10mg	150000		SHAMIM & CO.	Barrett Hadgson	2	300000	1ST LOWEST	SHAMIM & CO
49	TAB. CHLOROPHENRAMINE	300000		NOT QUOTED					
BRONCHODILATORS: -									
50	TAB. TERBUTALIN 2.5mg	35000		SHAMIM & CO.	Barrett Hadgson	1	35000	LOWEST	SHAMIM & CO
51	TAB. THEOPHYLLINE 300mg	6000		NOT QUOTED					

ITEM NO.	NAME OF TABLET / CAPSULE / SYRUPS / INJECTABLE	REQ QTY.	A/U	NAME OF QUALIFYING FIRM	QUOTED UNIT PRICE	TOTAL QUOTED PRICE	RANKING	NAME OF SUCCESSFUL BIDDER	REMARKS
ORAL HYPOGLYCAEMIC: -									
52	TAB. GLIMEPIRIDE 2mg	94000		SHAMIM & CO.	Barrett Hadgson	2	188000	1ST LOWEST	SHAMIM & CO
					Novartis	6.35	596900	2ND LOWEST	
53	TAB. METFORMIN 500mg	108000		SHAMIM & CO.	Geofman	1	108000	1ST LOWEST	SHAMIM & CO
54	TAB. METFORMIN 850mg	10000		NOT QUOTED					
55	TAB. SITAGLIPTIN 50 mg	5000		SHAMIM & CO.	Barrett Hadgson	10.56	52800	1ST LOWEST	SHAMIM & CO
					Feroze Sons	12.59	62950	2ND LOWEST	
					Atco	15	75000	3RD LOWEST	
ANTIFIBRINOLYTICS: -									
56	CAP. TRANEXAMIC ACID 250mg	50000		SHAMIM & CO.	Ambrosia	10	500000	1ST LOWEST	SHAMIM & CO Dropped by CPC
ORAL STEROIDS: -									
57	TAB. PREDNISOLONE 5mg (Enteric Coated)	10000		SHAMIM & CO.	Geofman	1	10000	1ST LOWEST	SHAMIM & CO
GYNEACOLOGICAL PREPARATION: -									
58	TAB. CLOTRIMAZOLE VAG. (500mg)	10000		SHAMIM & CO.	Geofman	41	410000	1ST LOWEST	SHAMIM & CO
					Ambrosia	42	420000	2ND LOWEST	
59	TAB. DYDROGESTERONE 10mg	6000		NOT QUOTED					
60	TAB. ETHINYLOESTRADIOL 35mg (1x21s)	500		NOT QUOTED					
61	TAB. NORETHISTERONE 5mg	15000		NOT QUOTED					
62	TAB. PROGESTOGENS/OESTROGEN 2mg (1x21s)	2000		NOT QUOTED					

ITEM NO.	NAME OF TABLET/ CAPSULE / SYRUPS / INJECTABLE	REQ QTY.	A/U	NAME OF QUALIFYING FIRM	QUOTED UNIT PRICE		TOTAL QUOTED PRICE	RANKING	NAME OF SUCCESSFUL BIDDER	REMARKS
63	TAB.MISOPROSTOL 200microgram (Prostaglandin E ₁ Analogue)	40500		SHAMIM & CO.	Atco	8	324000	LOWEST	SHAMIM & CO	Dropped by CPC
					ZAFA	SAMPLE NOT APPROVED				
64	TRIPLE SULPHA VAG. CREAM	9000		NOT QUOTED						
VITAMINS MINRALS & IRON PREPARATION: -										
65	TAB. CALCIUM CARBONATE 1250mg (500 Essential Calcium)	190000		NOT QUOTED						
66	TAB. FOLIC ACID	910000		SHAMIM & CO.	Zafa	0.38	345800	1ST LOWEST	SHAMIM & CO	
67	TAB. IRON + FOLIC ACID	336000		SHAMIM & CO.	Barret Hadgson	4.02	1350720	1ST LOWEST	SHAMIM & CO	
68	TAB. MECOBALAMINE 500mcg	12000		SHAMIM & CO.	Geofman	2	24000	1ST LOWEST	SHAMIM & CO	Dropped by CPC
					Barrett Hodgson	3	36000	2ND LOWEST		
					UNIVERSAL ENTERPRISES	Envoy Pharmac (Pvt) Ltd.	3.1	37200		
PSYCHIATRIC MEDICINE: -										
69	CAP. FLUOXETINE 20mg	5000		SHAMIM & CO.	Geofman	2	10000	1ST LOWEST	SHAMIM & CO	
				UNIVERSAL ENTERPRISES	Envoy Pharmac (Pvt) Ltd.	2.42	12100	2ND LOWEST		
70	TAB. ALPRAZOLAM 0.5 mg	5000		NOT QUOTED						
71	TAB. BROMAZEPAM 3mg	311000		NOT QUOTED						
72	TAB. CARBAMAZEPINE 200mg	5000		NOT QUOTED						
73	TAB. CHLOROPROMAZINE 100mg	5000		NOT QUOTED						
74	TAB. CLONAZEPAM 2mg	5000		NOT QUOTED						
75	TAB. ESCITALOPRAM 10mg	5000		SHAMIM & CO.	Barret Hadgson	5.85	29250	1ST LOWEST	SHAMIM & CO.	
76	TAB. ESCITALOPRAM 20mg	5000		NOT QUOTED						

ITEM NO.	NAME OF TABLET/ CAPSULE / SYRUPS / INJECTABLE	REQ QTY.	A/U	NAME OF QUALIFYING FIRM	QUOTED UNIT PRICE	TOTAL QUOTED PRICE	RANKING	NAME OF SUCCESSFUL BIDDER	REMARKS
77	TAB. HALOPERIDOL 5mg	1000							NOT QUOTED
78	TAB. LITHIUM CARBONATE SR 400 mg	2000							NOT QUOTED
79	TAB. LORAZEPAM 2mg	5000							NOT QUOTED
80	TAB. OLANZAPINE 5mg	5000							NOT QUOTED
81	TAB. PROCYLIDINE HCL 5mg	5000							NOT QUOTED
82	TAB. QUETIAPINE 100 mg	5000							NOT QUOTED
83	TAB. RESPERIDONE 2mg	10000		SHAMIM & CO.	Barrett Hadgson	7	70000	1ST LOWEST	SHAMIM & CO.
84	TAB. SODIUM VALPORATE 250mg	10000							NOT QUOTED
85	TAB. SODIUM VALPORATE 500mg	2000							NOT QUOTED
86	TAB. HALOPERIDOL 10mg	3000							NOT QUOTED
MISCILLANEOUS: -									
87	ATROVENT SOLUTION	70000		SHAMIM & CO.	Zafa	42.57	2979900	1ST LOWEST	SHAMIM & CO.
88	BETAMETHASONE CREAM/OINTMENT 15gm	13000		SHAMIM & CO.	Atco	29.1	378300	1ST LOWEST	SHAMIM & CO.
89	CLOTRIMAZOLE LOTION/CREAM	23400		SHAMIM & CO.	Geofman	19	444600	1ST LOWEST	SHAMIM & CO.
90	FUSIDIC ACID CREAM/OINTMENT 15gm	33000		SHAMIM & CO.	Sante Pvt. Ltd.	106.25	3506250	1ST LOWEST	SHAMIM & CO.
91	HYDROCORTISONE 1% CRAEM (5gm)	6000							NOT QUOTED
92	IPRATORIUM BROMIDE INHALLER	2000		SHAMIM & CO.	Geofman	35	70000	1ST LOWEST	SHAMIM & CO.
93	IPRATORIUM BROMIDE+STEROID INHALLER	2000							NOT QUOTED
94	LIGNOCAINE (XYLOCAINE) GEL	39150		SHAMIM & CO.	Barrett Hadgson	27.96	1094634	1ST LOWEST	SHAMIM & CO.

ITEM NO.	NAME OF TABLET/ CAPSULE / SYRUPS / INJECTABLE	REQ QTY.	A/U	NAME OF QUALIFYING FIRM	QUOTED UNIT PRICE	TOTAL QUOTED PRICE	RANKING	NAME OF SUCCESSFUL BIDDER	REMARKS	
95	ORS/LOW OSMOLAR ORS	78500		NOT QUOTED						
96	POLYMIXIN + BACITRACIN SKIN OINTMENT 20gm	60000		NOT QUOTED						
97	POLYMIXIN + BACITRACIN + LIGNOCANIN SKIN OINTMENT 20gm	6000		SHAMIM & CO.	Barrett Hadgson	78.27	469620	1ST LOWEST	SHAMIM & CO.	
98	SALBUTAMOL NABULIZER SOLUTION	10000		SHAMIM & CO.	Zafa	24.28	242800	1ST LOWEST	SHAMIM & CO.	
					Atco	29.6	296000	2ND LOWEST		
99	SODIUM BIPHOSPHATE ENEMA	7500		NOT QUOTED						

DERMATOLOGICAL PREPARATIONS: -

100	PREMETHERIN LOTION/CREAM (60ml)	20700		SHAMIM & CO.	Atco	38.2	790740	1ST LOWEST	SHAMIM & CO.	
101	WHITE PETROLLIUM JELLY DRUM	5		NOT QUOTED						

OPHTHALMIC PREPARATIONS: -

105	ACYCLOVIR EYE OINTMENT	1200		SHAMIM & CO.	Sante Pvt. Ltd.	122.5	147000	1ST LOWEST	SHAMIM & CO.	
106	ALCAINE EYE DROP	500		NOT QUOTED						
107	ARTIFICIAL TEARS EYE DROPS	500		SHAMIM & CO.	Sante Pvt. Ltd.	100	50000	1ST LOWEST	SHAMIM & CO.	
					Atco	REJECTED AS GEL NOT REQUIRED				
108	ATROPINE/ORBATROPINE	700		NOT QUOTED						
109	BETAXOLOL DROPS	2300		NOT QUOTED						
110	CHLORAMPHENICOL EYE DROP	3000		SHAMIM & CO.	Barrett Hadgson	35	105000	1ST LOWEST	SHAMIM & CO.	
111	CHLORAMPHENICOL+DEXAMETHASONE EYE OINTMENT	16000		NOT QUOTED						
112	DORZALOMIDE + TIMOLOL EYE DROPS	850		SHAMIM & CO.	Sante Pvt. Ltd.	390.98	332333	1ST LOWEST	SHAMIM & CO.	
					Barrett Hadgson	390.98	332333			

ITEM NO.	NAME OF TABLET/ CAPSULE / SYRUPS / INJECTABLE	REQ QTY.	A/U	NAME OF QUALIFYING FIRM	QUOTED UNIT PRICE	TOTAL QUOTED PRICE	RANKING	NAME OF SUCCESSFUL BIDDER	REMARKS	
113	ETHIFRIN	400		NOT QUOTED						
114	FLOUROMETHOLONE EYE DROP	600		SHAMIM & CO.	Barrett Hadgson	44	26400	1ST LOWEST	SHAMIM & CO.	
115	FLOUROMETHOLONE+NEOMYCIN EYE DROPS	3500		SHAMIM & CO.	Barrett Hadgson	44	154000	1ST LOWEST	SHAMIM & CO.	
116	FLUORESCEIN/(DYE)	200		NOT QUOTED						
117	HISTAZOLINE EYE DROP	2000		NOT QUOTED						
118	LEVOBUMOLOL EYE DROPS	2000		SHAMIM & CO.	Barrett Hadgson	85	170000	1ST LOWEST	SHAMIM & CO.	Dropped by CPC
119	MOXIFLOXACINE EYE DROPS	8000		SHAMIM & CO.	Barrett Hadgson	57	456000	1ST LOWEST	SHAMIM & CO.	
120	MOXIFLOXACINE+DEXAMETHASONE EYE DROPS	7000		SHAMIM & CO.	Sante Pvt. Ltd.	144	1008000	1ST LOWEST	SHAMIM & CO	
					Barrett Hadgson /	144	1008000	1ST LOWEST		
121	NATAMYCINE	200		SHAMIM & CO.	Sante Pvt. Ltd.	132	26400	1ST LOWEST	SHAMIM & CO	
					ATCO	132	26400	1ST LOWEST		
122	OLOPATADIN HYDROCHLORIDE EYE DROPS	900		SHAMIM & CO.	Atco	132	118800	1ST LOWEST	SHAMIM & CO.	
123	PILOCARPINE 2% DROPS	1000		NOT QUOTED						
124	POLYMIXIN + BACITRACIN EYE OINTMENT	31000		NOT QUOTED						
125	POLYVINYLE ALCOHOL 14mg + POVIDONE 6mg EYE DROP	1200		SHAMIM & CO.	Barrett Hadgson	31.28	37536	1ST LOWEST	SHAMIM & CO.	
126	PREDNISOLONE EYE DROPS	6000		SHAMIM & CO.	Barrett Hadgson	51.72	310320	1ST LOWEST	SHAMIM & CO.	Dropped by CPC
127	PROPARACAINE/ETHICAINE	1000		NOT QUOTED						
128	SODIUM CROMOGLYCATE EYE DROPS	1700		NOT QUOTED						
129	TIMOLOL EYE DROPS	2000		SHAMIM & CO.	Sante Pvt. Ltd.	83	166000	1ST LOWEST	SHAMIM & CO.	

ITEM NO.	NAME OF TABLET/ CAPSULE / SYRUPS / INJECTABLE	REQ. QTY.	A/U	NAME OF QUALIFYING FIRM	QUOTED UNIT PRICE		TOTAL QUOTED PRICE	RANKING	NAME OF SUCCESSFUL BIDDER	REMARKS
130	TOBRAMYCINE EYE DROPS	6500		SHAMIM & CO.	Barrett Hadgson	62	403000	1ST LOWEST	SHAMIM & CO.	
					Atco	72	468000	2ND LOWEST		
131	TOBRAMYCINE+DEXAMETHASONE EYE DROP	27000		SHAMIM & CO.	Barrett Hadgson	63	1701000	1ST LOWEST	SHAMIM & CO.	
					Atco	70	1890000	2ND LOWEST		
					Sante Pvt. Ltd.	REJECTED				
132	TROPICAMIDE/MYDOLAPE 1%	2500		SHAMIM & CO.	Sante Pvt. Ltd.	99	247500	1ST LOWEST	SHAMIM & CO.	

OTONASAL PREPARATIONS: -

133	2 % SODA GLYCERINE EAR DROPS	10000		NOT QUOTED						
134	POVIDONE/ IODINE ANTISEPTIC / ANTI-INFLAMMATORY GARGLES 60ml	500		NOT QUOTED						
135	CHLORAMPHENICOL EAR DROP	7000		NOT QUOTED						
136	CIPROFLOXACINE +LIGNOCAIN EAR DROPS	12000		SHAMIM & CO.	Sante Pvt. Ltd.	44	528000	1ST LOWEST	SHAMIM & CO.	
					Barrett Hadgson	51	612000	2ND LOWEST		
137	LIGNOCAINE 10%/DEQUSAN/SOLOPHAR SPRAY	500		NOT QUOTED						
138	NASAL SPRAY (DECONGESTANT)/ STERIOD	5000		NOT QUOTED						
139	TOBRAMYCIN EAR DROPS	12000		NOT QUOTED						

SYRUPS: -


ANTI BIOTICS: -

1	SYP. AMOXYCILLINE+CULVALANIC ACID 312.25mg	41000		NOT QUOTED						
---	--	-------	--	------------	--	--	--	--	--	--

[Handwritten signatures and initials]

ITEM NO.	NAME OF TABLET/ CAPSULE / SYRUPS / INJECTABLE	REQ. QTY.	A/U	NAME OF QUALIFYING FIRM	QUOTED UNIT PRICE		TOTAL QUOTED PRICE	RANKING	NAME OF SUCCESSFUL BIDDER	REMARKS	
2	SYP. CEFEXIME 200mg/5ml	29000		SHAMIM & CO.	Ambrosia	108.29	3140410	1ST LOWEST	SHAMIM & CO.	RATE QUOTED FOR 30ML. WHILE PURCHASE COMMITTEE DEMANDED 60 ML. Dropped by CPC	
					Macter	182.7		5298300			2ND LOWEST
					UNIVERSAL ENTERPRISES	Envoy Pharmac (Pvt) Ltd.		162			4698000
3	SYP. CIPROFLOXACIN 125mg (60 ML.)	6000		SHAMIM & CO.	Barrett Hadgson	77.59	465540	1ST LOWEST	SHAMIM & CO		
4	SYP. CIPROFLOXACIN 250mg (60 ML.)	3000		SHAMIM & CO.	Barrett Hadgson	125.48	376440	1ST LOWEST	SHAMIM & CO	Dropped by CPC	
					Barrett Hadgson	187	1496000	1ST LOWEST			
5	SYP. CLARITHROMYCIN 125mg (60 ML.)	8000		SHAMIM & CO.					SHAMIM & CO		
					Macter	187	1496000	1ST LOWEST			
ANTI AMOEBIASIS: -											
6	SYP. METRONIDAZOLE 200mg/5ml= 60ml	44000		SHAMIM & CO.	Zafa	27.97	1230680	1ST LOWEST	SHAMIM & CO		
ANTI MALARIALS: -											
7	SYP. ARTEMETHER + LUMEFANTRINE 15/90mg 60ml	5000		SHAMIM & CO.	Barrett Hadgson	57.55	287750	1ST LOWEST	SHAMIM & CO	COMMITTEE HAS OPINION TO PURCHASE 30 ML. Dropped by CPC	
8	SYP. ARTEMETHER + LUMEFANTRINE 30/180 60ml	5000		SHAMIM & CO.	Barrett Hadgson	86.83	434150	1ST LOWEST	SHAMIM & CO		
ANTHELMENTIC: -											
9	SYP MEBENDAZOLE 100mg/5ml	9000		NOT QUOTED							
ANTI EMETICS: -											
10	SYP. DIMENHYDRINATE 60ml	12000		NOT QUOTED							
11	SYP. DOMPERIDONE 5mg/5ml 60ml	14000		SHAMIM & CO.	Barrett Hadgson	27.84	389760	1ST LOWEST	SHAMIM & CO		



ITEM NO.	NAME OF TABLET/ CAPSULE / SYRUPS / INJECTABLE	RE QTY.	A/U	NAME OF QUALIFYING FIRM	QUOTED UNIT PRICE	TOTAL QUOTED PRICE	RANKING	NAME OF SUCCESSFUL BIDDER	REMARKS	
LAXATIVE: -										
12	SYP.LACTULOSE 120ml	1800		SHAMIM & CO.	Ambrosia	117.57	211626	1ST LOWEST	SHAMIM & CO	Dropped by CPC
ANALGESICS/ANTI PYRETIC/NSAIDS: -										
13	SYP. IBU PROFEN 100mg/5ml 90ml	120000		NOT QUOTED						
14	SYP. PARACETAMOL 120mg/5ml 60ml	164000		UNIVERSAL ENTERPRISES	Mission Pharmaceuticals	17	2788000	1ST LOWEST	UNIVERSAL ENTERPRISES	
				SHAMIM & CO.	Barrett Hadgson	24.47	4013080	2ND LOWEST		
					Reckitt Benckiser	27	4428000	3RD LOWEST		
ANTI HISTAMINE: -										
15	SYP. CITRIZINE 5mg/ml=60ml	20000		SHAMIM & CO.	Barrett Hadgson	24.57	491400	1ST LOWEST	SHAMIM & CO.	
					Ambrosia	29.37	587400	2ND LOWEST		
BRONCHODILATORS: -										
16	SYP.TERBUTALINE 0.3mg/ml=60ml	17200		SHAMIM & CO.	Barrett Hadgson	28.14	484008	1ST LOWEST	SHAMIM & CO	
17	SYP.ACEFYLLINE 125mg/5ml=60ml	14000		NOT QUOTED						
VITAMINS MINRALS & IRON PREPARATION: -										
18	SYP.ZINC SULPHATE 60ml	7000		SHAMIM & CO.	Barrett Hadgson	34.35	240450	1ST LOWEST	SHAMIM & CO	
19	SYP. IRON+FOLIC ACID 60ml	21000		SHAMIM & CO.	Barrett Hadgson	47.12	989520	1ST LOWEST	SHAMIM & CO	
COUGH EXPECTORANT / SUPPRESENT: -										
20	SYP. AMINOPHYLLINE DIPHEN HYDRAMIN AMMONIUM CHLORIDE MENTHOL (COUGH EXPECTORANT) 60ml	65000		SHAMIM & CO.	MECTER	35.9	2333500	1ST LOWEST	SHAMIM & CO	DEMAND WAS 60 ML
21	SYP. PHENYLEPHRINE + DIPHENDYDRAMINE + DEXTROMETHORPHEN + AMMONIUM CHLORIDE+CHLOROFORM 60ml	17000		NOT QUOTED						



ITEM NO.	NAME OF TABLET/ CAPSULE / SYRUPS / INJECTABLE	REQ. QTY.	A/U	NAME OF QUALIFYING FIRM	QUOTED UNIT PRICE	TOTAL QUOTED PRICE	RANKING	NAME OF SUCCESSFUL BIDDER	REMARKS
22	SYP. PROMETHAZINE+ PHOLCODINE + PHENYLPROPANALAMINE 60ml	14000							NOT QUOTED
23	SYP. TRIPROLIDINE HCL, PSEUDOEPHEDRINE HCL, DEXTROMETHORPHAN, HYDROBROMIDE COUGH SYP 60ml	40000							NOT QUOTED
PSYCHIATRIC MEDICINE: -									
24	SYP. SODIUM VALPORATE 60ml/120ml	2000							NOT QUOTED
INJECTABLE: -									
ANALGESIC: -									
1	DICLOFENAC SODIUM 75MG/3ML INJ.	171000		SHAMIM & CO.	Zafa	6.58	1125180	1ST LOWEST	SHAMIM & CO
				UNIVERSAL ENTERPRISES	Mission Pharmaceuticals	8.84	1511640	2ND LOWEST	
				SHAMIM & CO.	Barrett Hadgson	14.7	2513700	3RD LOWEST	
2	KETOROLAC 30MG INJ. (TORADOL)	7000							NOT QUOTED
3	NALBUPHIN 20MG INJ.	31200		SHAMIM & CO.	Macter	REJECTED AS NOT ACCORDING TO SPECIFICATION.			
					Ambrosia				
4	TRAMADOL HCL 100MG / 2ML INJ.	3500		UNIVERSAL ENTERPRISES	Mission Pharmaceuticals	17.3	60550	1ST LOWEST	UNIVERSAL ENTERPRISES
ANTIBIOTICS: -									
5	AMIKACIN 100MG INJ.	7000		SHAMIM & CO.	Geofman	27	189000	1ST LOWEST	SHAMIM & CO
					Zafa	30	210000	2ND LOWEST	
6	AMIKACIN 500MG INJ.	8600		SHAMIM & CO.	Geofman	44	378400	1ST LOWEST	SHAMIM & CO
					Zafa	87.71	737106	2ND LOWEST	

ITEM NO.	NAME OF TABLET/ CAPSULE / SYRUPS / INJECTABLE	REQ QTY.	A/U	NAME OF QUALIFYING FIRM	QUOTED UNIT PRICE		TOTAL QUOTED PRICE	RANKING	NAME OF SUCCESSFUL BIDDER	REMARKS
7	CEFTRIAZONE 1G INJ.	91200		SHAMIM & CO.	Shaigan	73.86	6736032	1ST LOWEST	SHAMIM & CO	
					Geofman	58.9	5371680	2ND LOWEST		
				UNIVERSAL ENTERPRISES	Envoy Pharmac (Pvt) Ltd.	133	12129600	3RD LOWEST		
				SHAMIM & CO.	Barrett Hadgson	139.34	12707808	4TH LOWEST		
8	CEFTRIAZONE 250MG INJ.	15000		SHAMIM & CO.	Geofman	22	330000	1ST LOWEST	SHAMIM & CO	Dropped by CPC
				UNIVERSAL ENTERPRISES	Envoy Pharmac (Pvt) Ltd.	42	630000	2ND LOWEST		
				SHAMIM & CO.	Barrett Hadgson	47.64	714600	3RD LOWEST		
9	CEFTRIAZONE 500MG INJ.	10000		SHAMIM & CO.	Geofman	27	270000	1ST LOWEST	SHAMIM & CO	
					Shaigan	67.04	670400	2ND LOWEST		
					Barrett Hadgson	80.34	803400	3RD LOWEST		
				UNIVERSAL ENTERPRISES	Envoy Pharmac (Pvt) Ltd.	98	980000	4TH LOWEST		
10	CEPHRADINE 500mg INJ.	39100		SHAMIM & CO.	Zafa	32	1251200	1ST LOWEST	SHAMIM & CO	Dropped by CPC
11	CLOXACILLIN SODIUM 250MG INJ.	2000		NOT QUOTED						
12	CO-AMOXICLAV 1.2G INJ.	12100		NOT QUOTED						
13	IMIPENEM 500MG INJ.	3000		SHAMIM & CO.	Stallion Pharma	887	2661000	1ST LOWEST	SHAMIM & CO	
14	IMIPENEM 1 G INJ.	2000		NOT QUOTED						
15	LEVOFLOXACIN 500MG / 100ML INJ.	26500		SHAMIM & CO.	Frontier Dextrose	49	1298500	1ST LOWEST	SHAMIM & CO	
					Shaigan	102.27	2710155	2ND LOWEST		
					Barrett Hadgson	125.55	3327075	3RD LOWEST		

ITEM NO.	NAME OF TABLET/ CAPSULE / SYRUPS / INJECTABLE	REQ QTY.	A/U	NAME OF QUALIFYING FIRM	QUOTED UNIT PRICE	TOTAL QUOTED PRICE	RANKING	NAME OF SUCCESSFUL BIDDER	REMARKS	
16	LINCOMYCINE 2ml 600mg	2500		NOT QUOTED						
17	MEROPENEM 1G INJ.	1600		SHAMIM & CO.	Macter	1232	1971200	1ST LOWEST	SHAMIM & CO	
18	MEROPENEM 500MG INJ.	1600		SHAMIM & CO.	Macter	637	1019200	1ST LOWEST	SHAMIM & CO	
19	METRONIDAZOLE 500MG INJ.	94000		SHAMIM & CO.	Frontier Dextrose	39	3666000	1ST LOWEST	SHAMIM & CO	
					B. Braun	72.9	6852600	2ND LOWEST		
20	PIPERACILLIN + TAZOBACTAM 4.5GM INJ.	10000		SHAMIM & CO.	Macter	595	5950000	1ST LOWEST	SHAMIM & CO	
21	VANCOMYCIN HCL 1G INJ.	5000		NOT QUOTED						
22	VANCOMYCIN HCL 500MG INJ.	5200		NOT QUOTED						
ANTIHESTAMINE: -										
23	CHLORPHENERAMINE INJ.	27000		NOT QUOTED						
GYNEACOLOGICAL PREPARATION: -										
24	MAGNESIUM SULPHATE 500mg/10ml INJ.	5100		NOT QUOTED						
25	METHYL ERGOMETRINE MALEATE (1mlX50)	400		NOT QUOTED						
STEROID: -										
26	DEXAMETHASONE 4MG INJ.	43000		SHAMIM & CO.	Geofman	7	301000	1ST LOWEST	SHAMIM & CO	
27	HYDROCORTISONE SODIUM 100MG INJ.	21800		SHAMIM & CO.	Zafa	62.85	1370130	1ST LOWEST	SHAMIM & CO	
28	HYDROCORTISONE SODIUM 250MG INJ.	51200		SHAMIM & CO.	Zafa	110	5632000	1ST LOWEST	SHAMIM & CO	
INFUSIONS / ELECTROLYTES / PAR ENTRAL NUTRIENTS: -										
29	AMINOACID 500ml INJ.	5000		SHAMIM & CO.	B. Braun	REJECTED AS NOT ACCORDING TO SPECIFICATION.				
30	ANHYDROUS DEXTROSE 25%/25ML INJ.	18000		NOT QUOTED						

ITEM NO.	NAME OF TABLET/ CAPSULE / SYRUPS / INJECTABLE	REQ QTY.	A/U	NAME OF QUALIFYING FIRM	QUOTED UNIT PRICE	TOTAL QUOTED PRICE	RANKING	NAME OF SUCCESSFUL BIDDER	REMARKS	
31	DEXTROSE SALINE 1/2 & 500ML INJ.	1000		SHAMIM & CO.	Frontier Dextrose	38.9	38900	1ST LOWEST	SHAMIM & CO	Dropped by CPC
32	DEXTROSE SALINE 1/5 & 500ML INJ.	1000		SHAMIM & CO.	Frontier Dextrose	38.9	38900	1ST LOWEST	SHAMIM & CO	Dropped by CPC
33	DEXTROSE SALINE 1000ML/5% INJ.	500		SHAMIM & CO.	Frontier Dextrose	58	29000	1ST LOWEST	SHAMIM & CO	Dropped by CPC
34	DEXTROSE WATER 1000ML/10% INJ.	1000		SHAMIM & CO.	Frontier Dextrose	69	69000	1ST LOWEST	SHAMIM & CO	Dropped by CPC
35	DEXTROSE WATER 1000ML/5% INJ.	500		SHAMIM & CO.	Frontier Dextrose	55	27500	1ST LOWEST	SHAMIM & CO	Dropped by CPC
36	DISTILLED WATER 5CC	36000		SHAMIM & CO.	Frontier Dextrose	4.49	161640	1ST LOWEST	SHAMIM & CO	
37	FAT EMULSION 20% INJ.	5000		SHAMIM & CO.	B. Braun	454	2270000	1ST LOWEST	SHAMIM & CO	Dropped by CPC
38	MANITOL 500ML INJ.	3050		SHAMIM & CO.	Frontier Dextrose	104.98	320189	1ST LOWEST	SHAMIM & CO	
39	NORMAL SALINE 0.9%/1000ML INJ.	200000		SHAMIM & CO.	Frontier Dextrose	54.4	10880000	1ST LOWEST	SHAMIM & CO	
40	NORMAL SALINE 0.9%/100ML INJ.	63000		SHAMIM & CO.	Frontier Dextrose	32.3	2034900	1ST LOWEST	SHAMIM & CO	
					B. Braun	32.3	2034900	1ST LOWEST		
41	PLASMA SUBSTITUTE FOR TRAUMATIC INFUSION 500ML INJ. (CELAFLINDINE OR HEAMCEL)	19200		SHAMIM & CO.	B. Braun	314	6028800	1ST LOWEST	SHAMIM & CO	
42	POTASSIUM CHLORIDE INJ.	4200		SHAMIM & CO.	Frontier Dextrose	14.9	62580	1ST LOWEST	SHAMIM & CO	
43	RINGERS LACTATE 1000ML INJ.	106500		SHAMIM & CO.	Frontier Dextrose	57	6070500	1ST LOWEST	SHAMIM & CO	
					B. Braun	57	6070500	1ST LOWEST		
44	RINGERS LACTATE 500ML INJ.	48500		SHAMIM & CO.	Frontier Dextrose	54	2619000	1ST LOWEST	SHAMIM & CO	
ANTACIDS / ANTI EMETIC / ANTI SPASMODICS: -										
45	DIMENHYDRIMATE 50MG / 1ML INJ.	52200								NOT QUOTED
46	DROTAVERINE HCL 40MG / 2ML INJ.	41000								NOT QUOTED

ITEM NO.	NAME OF TABLET/ CAPSULE / SYRUPS / INJECTABLE	REQ. QTY.	A/U	NAME OF QUALIFYING FIRM	QUOTED UNIT PRICE	TOTAL QUOTED PRICE	RANKING	NAME OF SUCCESSFUL BIDDER	REMARKS
47	METOCLOPRAMIDE 10mg / 2ml INJ.	30000		SHAMIM & CO.	Siza International	7.54	226200	1ST LOWEST	SHAMIM & CO
48	OMEPRAZOLE 40MG INJ.	76500		NOT QUOTED					
49	RANITIDINE 50MG/2ML INJ.	36000		NOT QUOTED					
50	ADRENALINE 1ML INJ.	42250		NOT QUOTED					
51	ATROPINE SULPHATE 1ML INJ.	75700		NOT QUOTED					
52	NOREPINEPHRINE 8mg INJ.	7200		SHAMIM & CO.	Atco	REJECTED AS NOT ACCORDING TO SPECIFICATION.			
ANAESTHETIC AGENTS & MUSCLE RELAXANT / SEDATIVE: -									
53	ATRACURIUM BESYLATE 25MG/5ML INJ.	15400		NOT QUOTED					
54	ATRACURIUM BESYLATE 50MG/5ML INJ.	37100		NOT QUOTED					
55	BUPIVACAINE 10ml INJ.	1300		NOT QUOTED					
56	BUPIVACAINE HCL (SPINAL) 0.75% INJ.	11820		NOT QUOTED					
57	DIAZEPAM 10MG / 2ML INJ.	12800		NOT QUOTED					
58	EPHEDRINE INJ.	1000		NOT QUOTED					
59	GLYCOPYROLATE + NEOSTIGMINE INJ.	12850		NOT QUOTED					
60	HALOTHANE 250ML	1250		SHAMIM & CO.	Akhai Pharma	1900	2375000	1ST LOWEST	SHAMIM & CO
61	ISOFLURANE 100ML	1320		SHAMIM & CO.	Getz	1941.17	2562344.4	1ST LOWEST	SHAMIM & CO
					Akhai Pharma	1941.17	2562344.4		
62	KETAMINE 50mg/2ml INJ.	1925		SHAMIM & CO.	Akhai Pharma	REJECTED AS NOT ACCORDING TO SPECIFICATION.			
63	LIGNOCAINE + ADRENALINE 2% INJ. (10ML)	10600		SHAMIM & CO.	Barrett Hadgson	18.6	197160	1ST LOWEST	SHAMIM & CO



ITEM NO.	NAME OF TABLET/ CAPSULE / SYRUPS / INJECTABLE	REQ QTY.	A/U	NAME OF QUALIFYING FIRM	QUOTED UNIT PRICE	TOTAL QUOTED PRICE	RANKING	NAME OF SUCCESSFUL BIDDER	REMARKS
64	LIGNOCAINE PLAIN 2% INJ. (10ML)	28900		SHAMIM & CO.	Barrett Hadgson	18.6	537540	1ST LOWEST	SHAMIM & CO
65	NEOSTIGMINE METHYLSULPHATE 2.5MG / 1ML INJ.	2000		NOT QUOTED					
66	PENTOTHAL INJ.	800		NOT QUOTED					
67	PROPOFOL 1% INJ.	11800		SHAMIM & CO.	Akhai Pharma	328	3870400	1ST LOWEST	SHAMIM & CO
					B. Braun	328	3870400	2ND LOWEST	
68	SUXAMETHONIUM CHLORIDE 100MG/2ML INJ.	5500		SHAMIM & CO.	Akhai Pharma	30.58	168190	1ST LOWEST	SHAMIM & CO
TETANUS TOXOID: -									
69	TETANUS TOXOID INJ.	25500		NOT QUOTED					
DIURETICS: -									
70	FRUSEMIDE 20MG/2ML INJ.	142000		NOT QUOTED					
ANTI HISTAMINE / BRONCHODILATOR: -									
71	AMINOPHYLLINE 250MG / 10ML INJ.	3250		NOT QUOTED					
72	PHENIRAMINE MALEATE 22.7MG/2ML INJ.	12000		NOT QUOTED					
HYPOGLYCEMIC AGENTS: -									
73	INSULIN 70/30 INJ.	14900		SHAMIM & CO.	Getz Pharma	324	4827600	1ST LOWEST	SHAMIM & CO
74	INSULIN NPH INJ.	5200		Getz Pharma	Getz Pharma	324	1684800	1ST LOWEST	SHAMIM & CO
75	INSULIN REGULAR/PLAIN INJ.	24400		Getz Pharma	Getz Pharma	324	7905600	1ST LOWEST	SHAMIM & CO
HEMOSTATIC / ANTI COAGULANTS: -									
76	ENOXAPARIN SODIUM 60mg INJ. (CLEXANE)	70000		NOT QUOTED					

[Handwritten signatures]


[Handwritten signature]

ITEM NO.	NAME OF TABLET/ CAPSULE / SYRUPS / INJECTABLE	REQ QTY.	A/U	NAME OF QUALIFYING FIRM	QUOTED UNIT PRICE	TOTAL QUOTED PRICE	RANKING	NAME OF SUCCESSFUL BIDDER	REMARKS	
77	ENOXAPARIN SODIUM 80mg INJ. (CLEXANE)	65000		NOT QUOTED						
78	HEPARIN SODIUM 5000IU INJ.	9000		SHAMIM & CO.	B. Braun	400	3600000	1ST LOWEST	SHAMIM & CO	
79	TRANEXAMIC ACID 500MG / 5ML INJ.	11500		SHAMIM & CO.	Zafa	24.28	279220	1ST LOWEST	SHAMIM & CO	Dropped by CPC
IRON PREPARATIONS / ERYTHROPOIETIN FACTOR/ VITAMINS: -										
80	CALCIUM GLUCONATE 10ML INJ.	1500		NOT QUOTED						
81	ERYTHROPOIETIN 4000IU / 1ML INJ.	3000		SHAMIM & CO.	Bio Science	398	1194000	1ST LOWEST	SHAMIM & CO	
82	IRON SUCROSE 100MG INJ.	17500		SHAMIM & CO.	Shaigan	79.54	1391950	1ST LOWEST	SHAMIM & CO	
					Barrett Hadgson	90.38	1581650	2ND LOWEST		
83	METHYCOBAL 500 mcg/ml	10000		Macter	Macter	30.9	309000	1ST LOWEST	SHAMIM & CO	Dropped by CPC
84	PHYTOMENADINE VITAMIN K INJ	6000		NOT QUOTED						
85	VITAMIN-D ₃ 6000000IU INJ.	10000		SHAMIM & CO.	Macter	DROPPED				
UTERINE MUSCLE CONTRACTORS										
86	SYNTOCINON INJ. OXYTOCIN	206000		SHAMIM & CO.	Geofman	10	2060000	1ST LOWEST	SHAMIM & CO	
CARDIAC/ANTI HYPERTENSIVES/ INOTROPICS: -										
87	ADENOSINE INJ.	100		NOT QUOTED						
88	AMIODARONE 150MG INJ. (CORDARONE)	9800		NOT QUOTED						
89	DIGOXIN INJ. 0.5mg	4500		NOT QUOTED						

ITEM NO.	NAME OF TABLET/ CAPSULE / SYRUPS / INJECTABLE	REQ QTY.	A/U	NAME OF QUALIFYING FIRM	QUOTED UNIT PRICE	TOTAL QUOTED PRICE	RANKING	NAME OF SUCCESSFUL BIDDER	REMARKS
90	DOBUTAMINE 250MG / 20ML INJ.	14040							NOT QUOTED
91	DOPAMIN 200MG INJ.	11440							NOT QUOTED
92	HYDRALAZINE INJ.	3500							NOT QUOTED
93	ISOSORBIDE DINITRATE 10MG / 10ML INJ.	55000							NOT QUOTED
94	METOPROLOL 5MG / 5ML INJ. (MEROL)	25100		SHAMIM & CO.	Atco	37.6	943760	1ST LOWEST	SHAMIM & CO
95	STREPTOKINASE INJ. 1.5miu	6000							NOT QUOTED
96	VERAPAMIL 5ML INJ.	6600							NOT QUOTED
ANTI DEPRESSANTS / ANTI PSYCHOTIC / ANTI CONVULSANTS: -									
97	CLOPIXOL ACCUPHASE 100MG INJ.	100							NOT QUOTED
98	CLOPIXOL ACCUPHASE 50MG INJ.	100							NOT QUOTED
99	FLUPHENAZINE 25MG INJ.	1000							NOT QUOTED
100	HALOPERIDOL 5MG INJ.	1000							NOT QUOTED
101	MIDAZOLAM 5MG INJ.	28500							NOT QUOTED
MISCELLANEOUS: -									
102	ANTI RABIES INJ.	3600							NOT QUOTED
103	CARBACHOL 0.01% / 1ML INJ.	250							NOT QUOTED




ITEM NO.	NAME OF TABLET/ CAPSULE / SYRUPS / INJECTABLE	REQ QTY.	A/U	NAME OF QUALIFYING FIRM	QUOTED UNIT PRICE	TOTAL QUOTED PRICE	RANKING	NAME OF SUCCESSFUL BIDDER	REMARKS
104	IV CONTRAST FOR MRI 10ml	400							NOT QUOTED
105	IV CONTRAST FOR MRI 15ml	300							NOT QUOTED
106	IV CONTRAST FOR MRI 20ml	300							NOT QUOTED
107	METHYL CELULOSE VIALS	1100							NOT QUOTED
108	NON IONIC DIE INJ.	9000							NOT QUOTED
109	SODIUM BICARBONATE INJ.	1120		SHAMIM & CO.	Frontier Dextrose	12.5	14000	LOWEST	SHAMIM & CO
110	ULTRAVIST 50ml (X-RAY) VIALS	1500							NOT QUOTED
111	UROGRAFIN 100ml (X-RAY) VIALS	1500							NOT QUOTED
112	UROGRAFIN 20ml (X-RAY) AMP.	3100							NOT QUOTED


DR.SAID AKHTAR
 Dy. Director Procurement /
 Incharge Main Stores
 Medical & Health Services
 Karachi Metropolitan Corporation


DR. HAMID ZAHEER
 Director (Admin & Accounts)
 Medical & Health Services
 Karachi Metropolitan Corporation


Dr. Muhammad Ali Abbasi
 Senior Director
 Medical & Health Service
 Karachi Metropolitan Corporation


Dr. Syed Khalid Masood
 Medical Superintendent
 Sindh Govt. Qatar Hospital
 Orangi Town Karachi.


Dr. Muhammad Shakid Ali
 District Officer (H) Curative
 C.D.G Karachi

BID EVALUATION REPORT

1.	Name of Procuring Agency: -	Senior Director(M&HS)KMC
2.	Tender Reference No.	No .Sr. Dir (M&HS)/Tender/Proc/2017/95 Dated 13-04-2017
3.	Tender Description / Name of Work / Item: -	2-B. Purchase of X-Ray Films etc.
4.	Method of Procurement: -	Single stage Two Envelope Procedure
5.	Tender Published: -	Dawn / Express / Sarwan on 15-04-2017 SPPRA Sr.No.32958
6.	Total Bid Documents Sold: -	03
7.	Total Bid Received: -	01
8.	Technical Bid Opening Date: -	11-05-2017
9.	No. of Bid(s) Technically Qualified: -	01
10.	Bid(s) Rejected: -	Nil
11.	Financial Bid Opening Date: -	07-06-2017

12. Bid Evaluation Report: -


Sr. No.	Name of Firm or Bidder alongwith Property Offered	Cost Offered by the Bidder	Ranking in Terms of Cost	Comparison with Estimated Cost	Reasons Acceptance / Rejection	Remarks
1	M/S. Shamim & Co.	Please see items wise comparative statement				On lowest basis


Items wise Comparative Statement is attached (Lower offer is highlighted in comparative statements).


DR.SAID AKHTAR
Dy. Director Procurement /
Incharge Main Stores
Medical & Health Services
Karachi Metropolitan Corporation


DR. HAMID ZAHEER
Director (Admin & Accounts)
Medical & Health Services
Karachi Metropolitan Corporation


Dr. Muhammad Ali Abbasi
Senior Director
Medical & Health Service
Karachi Metropolitan Corporation


Dr. Syed Khalid Masood
Medical Superintendent
Sindh Govt. Qatar Hospital
Orangi Town Karachi.


Dr. Muhammad Shahid Ali
District Officer (H) Curative
G.D.G Karachi

COMPARATIVE STATEMENT (FINANCIAL PROPOSAL)
TENDER SR. NO. 2 (B) SUPPLY OF X-RAY FILMS ETC. FOR THE YEAR 2016-17


ITEM NO.	DESCRIPTION	REQ. QTY.	A/U	Name of Qualifying Firm	Quoted Unit Price		Total Quoted Price	Ranking	Name of Successful Bidder	Remarks
1	Computerized Radio Cassettes (10X12)	50		Shamim & Co.	AGFA Pakistan	180,550	9,027,500	1st Lowest	Shamim & Co.	
2	Computerized Radio Cassettes (14X17)	50		Shamim & Co.	AGFA Pakistan	208,330	10,416,500	1st Lowest	Shamim & Co.	
3	MRI X-Ray Films 14X17 Pkt.	200		Shamim & Co.	AGFA Pakistan	26,320	5,264,000	1st Lowest	Shamim & Co.	
4	X-Ray Chemical Auto Developer Can	20		Shamim & Co.	AGFA Pakistan	3,545	70,900	1st Lowest	Shamim & Co.	
5	X-Ray Chemical Auto Fixer Can	20		Shamim & Co.	AGFA Pakistan	2,015	40,300	1st Lowest	Shamim & Co.	
6	X-Ray Films Conventional Size 8X10 Pkt.	79		Shamim & Co.	AGFA Pakistan	3,980	314,420	1st Lowest	Shamim & Co.	
7	X-Ray Films Conventional Size 10X12 Pkt.	259		Shamim & Co.	AGFA Pakistan	6,030	1,561,770	1st Lowest	Shamim & Co.	
8	X-Ray Films Conventional Size 12X15 Pkt.	264		Shamim & Co.	AGFA Pakistan	9,000	2,376,000	1st Lowest	Shamim & Co.	
9	X-Ray Films Conventional Size 14X17 Pkt.	70		Shamim & Co.	AGFA Pakistan	11,940	835,800	1st Lowest	Shamim & Co.	
10	X-Ray Films Dry Star DT 2 B Size 10X12" Pkt.	3000		Shamim & Co.	AGFA Pakistan	14,560	43,680,000	1st Lowest	Shamim & Co.	
11	X-Ray Films Dry Star DT 2 B Size 14X17" Pkt.	1500		Shamim & Co.	AGFA Pakistan	26,320	39,480,000	1st Lowest	Shamim & Co.	
12	X-Ray Lead No. Set	42		NOT QUOTED						
13	Developer Powder Form Pkt.	135		Shamim & Co.	AGFA Pakistan	1,375	185,625	1st Lowest	Shamim & Co.	
14	Fixer Powder Form Pkt.	135		Shamim & Co.	AGFA Pakistan	1,375	185,625	1st Lowest	Shamim & Co.	


ITEM NO.	DESCRIPTION	REQ. QTY.	A/U	Name of Qualifying Firm	Quoted Unit Price	Total Quoted Price	Ranking	Name of Successful Bidder	Remarks
15	X-Ray Cassette with Screen High Speed (8X10)	9							NOT QUOTED
16	X-Ray Cassette with Screen High Speed (10X12)	7							NOT QUOTED
17	X-Ray Cassette with Screen High Speed (12X15)	9							NOT QUOTED
18	X-Ray Cassette with Screen High Speed (14X17)	9							NOT QUOTED
19	X-Ray Hangers (8X10)	22							NOT QUOTED
20	X-Ray Hangers (10X12)	22							NOT QUOTED
21	X-Ray Hangers (12X15)	22							NOT QUOTED
22	X-Ray Hangers (14X17)	16							NOT QUOTED
23	Lead Apron	8							NOT QUOTED
24	X-Ray Chemical Drum	4							NOT QUOTED
25	Safty Light for X-ray	2							NOT QUOTED
26	Developing Tanks with complete Set	2							NOT QUOTED


DR. SAID AKHTAR
 Dy. Director Procurement /
 Incharge Main Stores
 Medical & Health Services
 Karachi Metropolitan Corporation


DR. HAMID ZAHEER
 Director (Admin & Accounts)
 Medical & Health Services
 Karachi Metropolitan Corporation


Dr. Muhammad Ali Abbasi
 Senior Director
 Medical & Health Service
 Karachi Metropolitan Corporation


Dr. Syed Khalid Masood
 Medical Superintendent
 Sindh Govt. Qatar Hospital
 Orangi Town Karachi.


Dr. Muhammad Shahid
 District Officer (R) Curative
 D.B. Karachi

BID EVALUATION REPORT

1.	Name of Procuring Agency: -	Senior Director(M&HS)KMC
2.	Tender Reference No.	No .Sr. Dir (M&HS)/Tender/Proc/2017/95 Dated 13-04-2017
3.	Tender Description / Name of Work / Item: -	3-C. Purchase of Surgical Disposable
4.	Method of Procurement: -	Single stage Two Envelope Procedure
5.	Tender Published:-	Dawn / Express / Sarwan on 15-04-2017 SPPRA Sr.No.32958
6.	Total Bid Documents Sold: -	09
7.	Total Bid Received: -	03
8.	Technical Bid Opening Date: -	11-05-2017
9.	No. of Bid(s) Technically Qualified: -	03
10.	Bid(s) Rejected: -	Nil
11.	Financial Bid Opening Date: -	07-06-2017

12. Bid Evaluation Report: -


Sr. No.	Name of Firm or Bidder alongwith Property Offered	Cost Offered by the Bidder	Ranking in Terms of Cost	Comparison with Estimated Cost	Reasons Acceptance / Rejection	Remarks
1	M/S. Shamim & Co.	Please see items wise comparative statement				On lowest basis
2	M/S. Hakimsons	Please see items wise comparative statement				On lowest basis
3	M/S. Universal Enterprises	Please see items wise comparative statement				On lowest basis


Items wise Comparative Statement is attached (Lower offer is highlighted in comparative statements).


DR.SAID AKHTAR
Dy. Director Procurement /
Incharge Main Stores
Medical & Health Services
Karachi Metropolitan Corporation


DR. HAMID ZAHEER
Director (Admin & Accounts)
Medical & Health Services
Karachi Metropolitan Corporation


Dr. Muhammad Ali Abbasi
Senior Director
Medical & Health Service
Karachi Metropolitan Corporation


Dr. Syed Khalid Masood
Medical Superintendent
Sindh Govt. Qatar Hospital
Orangi Town Karachi.


Dr. Muhammad Shahid Ali
District Officer (H) Curative
G.D.6 Karachi

COMPARATIVE STATEMENT (FINANCIAL PROPOSAL)
TENDER SR. NO. 3 (C) SUPPLY OF SURGICAL DISPOSABLES FOR THE YEAR 2016-17

ITEM NO.	DESCRIPTION	REQ. QTY.	A/U	Name of Qualifying Firm	Quoted Unit Price		Total Quoted Price	Ranking	Name of Successful Bidder	Remarks
1	Absorbant Cotton Roll 400 gm Roll	27800		Shamim & Co.	National Absorbent Cotton	139	3,864,200	1st Lowest	Shamim & Co.	
2	Absorbant Gauzthan 90CMX50CM (50 Meter Than)	8400		Shamim & Co.	National Absorbent Cotton	745	6,258,000	1st Lowest	Shamim & Co.	
3	Air Way Size Medium	500		Shamim & Co.	Inter Surgical UK	75.71	37,855	1st Lowest	Shamim & Co.	
				Sample of M/s. Hakim & Sons is not approved						
4	Air Way Size Small	1500		Shamim & Co.	Inter Surgical UK	75.71	113,565	1st Lowest	Shamim & Co.	
				Sample of M/s. Hakim & Sons is not approved						
5	Air ways (Adult)	2500		Shamim & Co.	Inter Surgical UK	75.71	189,275	1st Lowest	Shamim & Co.	
				Sample of M/s. Hakim & Sons is not approved						
6	Ambo Bag Small	26		Hakim & Sons	Flexicare / UK	4,000	104,000	1st Lowest	Hakim & Sons	
7	AmbuBag Adult Set	40		Hakim & Sons	Flexicare / UK	4,000	160,000	1st Lowest	Hakim & Sons	
				Sample of M/s. Shamim & Co. is not approved						
8	Anaesthesia Mask Size 2	10		Hakim & Sons	Teleflex / USA	400	4,000	1st Lowest	Hakim & Sons	
				Sample of M/s. Shamim & Co. is not approved						
9	Anaesthesia Mask Size 3	10		Hakim & Sons	Teleflex / USA	400	4,000	1st Lowest	Hakim & Sons	
				Sample of M/s. Shamim & Co. is not approved						

ITEM NO.	DESCRIPTION	REQ. QTY.	A/U	Name of Qualifying Firm	Quoted Unit Price		Total Quoted Price	Ranking	Name of Successful Bidder	Remarks
10	Anaesthesia Mask Size 4	10		Hakim & Sons	Teleflex / USA	400	4,000	1st Lowest	Hakim & Sons	
				Sample of M/s.Shamim & Co. is not approved						
11	Anaesthesia Mask Size 5	10		Hakim & Sons	Teleflex / USA	400	4,000	1st Lowest	Hakim & Sons	
				Sample of M/s.Shamim & Co. is not approved						
12	Auto Clave Tape Roll	70		Sample of M/s.Shamim & Co. is not approved						
13	Bactigras (15cm X 20cm) (1X10) Pkt.	850		NOT QUOTED						
14	Bain Circuit	210		Hakim & Sons	Flexicare / UK	1,200	252,000	1st Lowest	Hakim & Sons	
				Sample of M/s.Shamim & Co. is not approved						
15	Barium Enema Bags	500		NOT QUOTED						
16	Bioptr (Biopsy needle with gun)	100		NOT QUOTED						
17	Bone Wax Doz.	20		Shamim & Co.	SMI (BELGIUM)	2,242.85	44,857	LOWEST	Shamim & Co.	Dropped by CPC
18	Bright Light with Pedel Pump	1		NOT QUOTED						
19	C.V.P Line 18G Double Lumen	500		Hakim & Sons	Giant Medical / China	1,200	600,000	1st Lowest	Hakim & Sons	
20	C.V.P Line Double Luman Adult Size	500		Hakim & Sons	Giant Medical / China	1,200	600,000	1st Lowest	Hakim & Sons	
				Shamim & Co.	B. Braun	2,717.75	1,358,875	2nd Lowest		

ITEM NO.	DESCRIPTION	REQ. QTY.	A/U	Name of Qualifying Firm	Quoted Unit Price	Total Quoted Price	Ranking	Name of Successful Bidder	Remarks	
21	C.V.P Line Infraclavicular with guide wire	500		NOT QUOTED						
22	C.V.P Triple Lumen	360		Hakim & Sons	Giant Medical / China	1,300	468,000	1st Lowest	Hakim & Sons	Dropped by CPC
				Shamim & Co.	B. Braun	3,097	1,114,920	2nd Lowest		
23	Caesercain Disposable Pack Containing 8 Pcs for hepatis B,C, HIV	550		NOT QUOTED						
24	Chest Bottle with Tubing	500		Hakim & Sons	Hospitech / Malaysia	860	430,000	1st Lowest	Hakim & Sons	
25	Chest Tube 28" with Trocar	1000		Hakim & Sons	Hospitech / Malaysia	490	490,000	1st Lowest	Hakim & Sons	
26	Chest Tube 32" with Trocar	1500		Hakim & Sons	Hospitech / Malaysia	490	735,000	1st Lowest	Hakim & Sons	
27	Chromic Catgut R/B 0/0 40mm Needle.	1300		NOT QUOTED						
28	Chromic Catgut R/B 2/0 30 mm Needle Doz.	925		NOT QUOTED						
29	Chromic Catgut R/B 2/0 40 mm Needle Doz.	635		NOT QUOTED						
30	Chromic Catgut R/B 3/0 30 mm Needle Doz.	75		NOT QUOTED						
31	Chromic Catgut R/B No. 1 40mm Needle.	1455		NOT QUOTED						
32	Chromic Catgut R/B No.2 40mm Needle.	1055		Sample of M/s.Shamim & Co. is not approved						
33	Clostomy Bag with wafer No. 57mm	200		NOT QUOTED						
34	Clostomy Bag with wafer No. 70mm	200		NOT QUOTED						
35	Clostomy Clip	500		NOT QUOTED						
36	Cord clamp	21100		NOT QUOTED						
37	Cotton Bandage 3" Doz.	8600		Shamim & Co.	National Absorbent Cotton	176	1,513,600	1st Lowest	Shamim & Co.	

ITEM NO.	DESCRIPTION	REQ. QTY.	A/U	Name of Qualifying Firm	Quoted Unit Price		Total Quoted Price	Ranking	Name of Successful Bidder	Remarks
38	Cotton Bandage 4" (10cm X 4.5m) Doz.	39100		Shamim & Co.	National Absorbent Cotton	232	9,071,200	1st Lowest	Shamim & Co.	
39	Cotton Bandage 6" (15cm X 4.5m) Doz.	35100		Shamim & Co.	National Absorbent Cotton	348	12,214,800	1st Lowest	Shamim & Co.	
40	Crap Bandge 3" Roll	2050		Shamim & Co.	National Absorbent Cotton	37	75,850	1st Lowest	Shamim & Co.	
41	Crap Bandge 4" (10cmX4.5m) Roll	11800		Shamim & Co.	National Absorbent Cotton	49	578,200	1st Lowest	Shamim & Co.	
42	Crap Bandge 6" (15cmX4.5m) Roll	12400		Shamim & Co.	National Absorbent Cotton	73.50	911,400	1st Lowest	Shamim & Co.	
43	Dead Body Cotton Than	100		NOT QUOTED						
44	Deponet Patch 5mg	7400		NOT QUOTED						
45	Dettole Ltr. (Chloroxylonol)	148		NOT QUOTED						
46	Dia therymy Pad Steel	25		NOT QUOTED						
47	Dial Flow	2000		Shamim & Co.	Kawa Medical	111.42	222,840	1st Lowest	Shamim & Co.	Dropped by CPC
48	Disposable Diathermy Leads	150		Sample of M/s. Hakim & Sons is not approved						
49	Disposable Gloves Polythene (1X100) Pkts.	2300		NOT QUOTED						
50	Disposable Gowns	1260		Shamim & Co.	3M	645.71	813,594.60	1st Lowest	Shamim & Co.	Dropped by CPC
51	Disposable Latex Gloves (1X100 Box) Large size	500		Shamim & Co.	Searle	415.07	207,535	1st Lowest	Shamim & Co.	
				Sample of M/s. Universal Enterprises is not approved						
52	Disposable Latex Gloves (1X100 Box) Medium size	2550		Shamim & Co.	Searle	415.07	1,058,428.50	1st Lowest	Shamim & Co.	
				Sample of M/s. Universal Enterprises is not approved						

ITEM NO.	DESCRIPTION	REQ. QTY.	A/U	Name of Qualifying Firm	Quoted Unit Price	Total Quoted Price	Ranking	Name of Successful Bidder	Remarks	
53	Disposable Latex Gloves (1X100 Box) Small size	500		Shamim & Co.	Searle	415.07	207,535	1st Lowest	Shamim & Co.	
				Sample of M/s. Universal Enterprises is not approved						
54	Disposable Mask (1X50 Pieces) Box	445		Shamim & Co.	3M	26.40	11,748	1st Lowest	Shamim & Co.	
55	Disposable OT Cap (1X100 Pieces) Box	215		NOT QUOTED						
56	Disposable Syringe 60 cc Feeding Syringe	11000		Universal Enterprises	Terumo Corporation, Japan	121	1,331,000	1st Lowest	Universal Enterprises	Dropped by CPC
57	Disposable Syringes 10cc Blister Pack With Needle	674000		Universal Enterprises	Terumo Corporation, Philippine	21.35	14,389,900	1st Lowest	Universal Enterprises	
				Sample of M/s. Shamim & Co. is not approved						
58	Disposable Syringes 20cc Blister Pack With Needle	20200		Universal Enterprises	Terumo Corporation, Philippine	39.30	793,860	1st Lowest	Universal Enterprises	Dropped by CPC
59	Disposable Syringes 3cc Blister Pack With Needle	392000		Universal Enterprises	Terumo Corporation, Philippine	16.73	6,558,160	1st Lowest	Universal Enterprises	Dropped by CPC
				Sample of M/s. Shamim & Co. is not approved						
60	Disposable Syringes 5cc Blister Pack With Needle	1215000		Shamim & Co.	Searle	9.28	11,275,200	1st Lowest	Shamim & Co.	
				Sample of M/s. Shamim & Co. is not approved						
61	Disposable Syringes 50cc with needle	3000		Sample of M/s. Universal Enterprises is not approved						
62	Disposal Ventilator circuit	1200		Hakim & Sons	Flexicare / UK	300	360,000	1st Lowest	Hakim & Sons	
				Shamim & Co.	Inter Surgical UK	1,714.28	2,057,136	2nd Lowest		
63	Disposal Ventilator circuit (Peads)	200		Sample of M/s. Hakim & Sons is not approved						


ITEM NO.	DESCRIPTION	REQ. QTY.	A/U	Name of Qualifying Firm	Quoted Unit Price		Total Quoted Price	Ranking	Name of Successful Bidder	Remarks
64	ECG Electrodes ETT, Holter	280000		Hakim & Sons	Vermed / Austria	6.50	1,820,000	1st Lowest	Hakim & Sons	
				Sample of M/s. Shamim & Co. is not approved						
65	ECG Roll 63mm X 30mm	14200		NOT QUOTED						
66	Endo-Tracheal Tube Disposable (E.T Tube No 6.5.)	425		Sample of M/s. Hakim & Sons & M/s. Shamim & Co. is not approved						
67	Endo-Tracheal Tube Disposable (E.T Tube No. 5.5)	100		Sample of M/s. Hakim & Sons & M/s. Shamim & Co. is not approved						
68	Endo-Tracheal Tube Disposable (E.T Tube No.6)	500		Shamim & Co.	Flexicare / UK	164.28	82,140	1st Lowest	Shamim & Co.	
				Sample of M/s. Hakim & Sons is not approved						
69	Endo-Tracheal Tube Disposable (E.T Tube No.7)	3500		Shamim & Co.	Flexicare / UK	164.28	574,980	1st Lowest	Shamim & Co.	
				Sample of M/s. Hakim & Sons is not approved						
70	Endo-Tracheal Tube Disposable (E.T Tube No.7.5)	3125		Shamim & Co.	Flexicare / UK	164.28	513,375	1st Lowest	Shamim & Co.	
				Sample of M/s. Hakim & Sons is not approved						
71	Endo-Tracheal Tube Disposable (E.T Tube No.8)	250		Shamim & Co.	Flexicare / UK	164.28	41,070	1st Lowest	Shamim & Co.	
				Sample of M/s. Hakim & Sons is not approved						
72	Endo-Tracheal Tube Disposable (E.T Tube No.8.5)	250		Shamim & Co.	Flexicare / UK	164.28	41,070	1st Lowest	Shamim & Co.	
				Sample of M/s. Hakim & Sons is not approved						
73	Epidural Set with Lock Syringe 18G	8		Shamim & Co.	B. Braun	1,600	12,800	1st Lowest	Shamim & Co.	Dropped by CPC
74	Eye Pads	30000		NOT QUOTED						
75	Foley's Catheter 14 F	1950		Sample of M/s. Hakim & Sons is not approved						

ITEM NO.	DESCRIPTION	REQ. QTY.	A/U	Name of Qualifying Firm	Quoted Unit Price		Total Quoted Price	Ranking	Name of Successful Bidder	Remarks
76	Foley's Catheter 16 F	19300			Sample of M/s. Hakim & Sons is not approved					
77	Foley's Catheter 18 F	14700			Sample of M/s. Hakim & Sons is not approved					
78	Formaline Solution Ltr.	970			NOT QUOTED					
79	Gastrografin Liquid contrast	1500			NOT QUOTED					
80	Glycerin Ltr.	20			NOT QUOTED					
81	Guid Wire Size 0.038J Tip	10			NOT QUOTED					
82	Gypsona Plaster POP 4"	31000			NOT QUOTED					
83	Gypsona Plaster POP 6"	26000			NOT QUOTED					
84	Hand Wash Sanatizar	2186		Shamim & Co.	3M	2,500	5,465,000	1st Lowest	Shamim & Co.	Dropped by CPC
85	Hydrogen Peroxid 450 ml Bottle	1350			NOT QUOTED					
86	I/V Canuula 16" with Stopper	16000		Shamim & Co.	B. Braun	70	1,120,000	1st Lowest	Shamim & Co.	
87	I/V Canuula 18" with Stopper	94200			Sample of M/s. Shamim & Co. & M/s. Universal Enterprises is not approved					
88	I/V Canuula 20" with Stopper	354700		Shamim & Co.	B. Braun	97.14	34,455,558	1st Lowest	Shamim & Co.	
89	I/V Canuula 20X2" (Long Length)	2500			NOT QUOTED					
90	I/V Canuula 22" with Stopper	146500		Shamim & Co.	B. Braun	97.14	14,231,010	1st Lowest	Shamim & Co.	
91	I/V Canuula 24"	61700		Shamim & Co.	B. Braun	107.50	6,632,750	1st Lowest	Shamim & Co.	
92	I/v Chamber	51200		Shamim & Co.	Kawa Medical	125.71	6,436,352	1st Lowest	Shamim & Co.	
93	Infusion Set/ Drip Set	300000		Shamim & Co.	Searle	30	9,000,000	1st Lowest	Shamim & Co.	

ITEM NO.	DESCRIPTION	REQ. QTY.	A/U	Name of Qualifying Firm	Quoted Unit Price	Total Quoted Price	Ranking	Name of Successful Bidder	Remarks
94	Injector Syringe 150CC	100		NOT QUOTED					
95	Instant Disinfecten Solution for HCV / HBV or Similar Can 500ml	500		Shamim & Co.	i. Anticaptica (GMBH)	750	375,000	1st Lowest	Shamim & Co.
					ii. SCHULKE	3900	1950000	2nd Lowest	
96	Insulin Syringes 1cc	130000		Shamim & Co.	Searle	14	1,820,000	1st Lowest	Shamim & Co.
97	Laryngeal Mask Airway Size 3	26		Shamim & Co.	Flexicare / UK	1,014.28	26,371.28	1st Lowest	Shamim & Co.
98	Laryngeal Mask Airway Size 4	26		Shamim & Co.	Flexicare / UK	1,014.28	26,371.28	1st Lowest	Shamim & Co.
99	Monofilament Polypro Pylene R/B 0 (Prolene) Doz.	103		NOT QUOTED					
100	Monofilament Polypro Pylene R/B 1 (Prolene) Doz.	138		Shamim & Co.	B.Braun	2,700	372,600	1st Lowest	Shamim & Co.
101	Monofilament Polypro Pylene R/B 2 (Prolene) Doz.	403		Shamim & Co.	B.Braun	2,800	1,128,400	1st Lowest	Shamim & Co.
102	Monofilament Polypro Pylene R/B 4/0 (Prolene) Doz.	70		Shamim & Co.	B.Braun	3,000	210,000	1st Lowest	Shamim & Co.
103	Monofilament Polypro Pylene R/B 5/0 (Prolene) Doz.	70		Shamim & Co.	B.Braun	3,400	238,000	1st Lowest	Shamim & Co.
104	Monofilament Polypro Pylene R/B 6/0 (Prolene) Doz.	10		NOT QUOTED					
105	Monofilament Polypro Pylene Straight Cutting Needle 2/0 Doz.	290		Shamim & Co.	B.Braun	2,600	754,000	1st Lowest	Shamim & Co.
106	Mucus Sucker	1000		Hakim & Sons	Foyomed / China	80	80,000	1st Lowest	Hakim & Sons
107	N.G. Tube 14	515		Sample of M/s. Hakim & Sons is not approved					
108	N.G. Tube 16	7225		Sample of M/s. Hakim & Sons is not approved					

ITEM NO.	DESCRIPTION	REQ. QTY.	A/U	Name of Qualifying Firm	Quoted Unit Price	Total Quoted Price	Ranking	Name of Successful Bidder	Remarks	
109	N.G. Tube 18	1335		Sample of M/s. Hakim & Sons is not approved						
110	Nebulizer Kit (Mask)	9450		Hakim & Sons	Foyomed / China	69	652,050	1st Lowest	Hakim & Sons	
				Shamim & Co.	Inter Surgical UK	238.57	2,254,486.50	2nd Lowest		
111	Nebulizer Kit For Ventilator	400		Sample of M/s. Hakim & Sons is not approved						
112	Needle Cutter	165		NOT QUOTED						
113	Opsit Dressing (28X45cm)	1030		Shamim & Co.	3M	825	849,750	1st Lowest	Shamim & Co.	Dropped by CPC
114	Opsit Dressing (55X45cm)	1000		Shamim & Co.	3M	1,590	1,590,000	1st Lowest	Shamim & Co.	Dropped by CPC
115	Paper Tape 1"	1100		Shamim & Co.	Usman Enterprise	41.66	45,826	1st Lowest	Shamim & Co.	
116	Paper Tape 1/2"	1650		Shamim & Co.	Usman Enterprise	20.83	34,369.50	1st Lowest	Shamim & Co.	
117	Paper Tape 2"	1550		Shamim & Co.	Usman Enterprise	83.35	129,192.50	1st Lowest	Shamim & Co.	Dropped by CPC
118	Paper Tape 3"	700		Shamim & Co.	Usman Enterprise	125	87,500	1st Lowest	Shamim & Co.	
119	Paper Tape 4"	4500		Shamim & Co.	Usman Enterprise	166.65	749,925	1st Lowest	Shamim & Co.	Dropped by CPC
120	Polyglycolic Acid Violet Size 0 R/B (Vicryl) Doz.	300		Shamim & Co.	B.Braun	2,467	740,100	1st Lowest	Shamim & Co.	
121	Polyglycolic Acid Violet Size 1 R/B (Vicryl) Doz.	800		Sample of M/s. Shamim & Co. is not approved						
122	Polyglycolic Acid Violet Size 2 R/B (Vicryl) Doz.	60		Shamim & Co.	B.Braun	2,800	168,000	1st Lowest	Shamim & Co.	Dropped by CPC
123	Polyglycolic Acid Violet Size 2/0 R/B (Vicryl) Doz.	150		Shamim & Co.	B.Braun	2,367	355,050	1st Lowest	Shamim & Co.	
124	Polyglycolic Acid Violet Size 3/0 R/B (Vicryl) Doz.	175		Sample of M/s. Shamim & Co. is not approved						
125	Pressure Line	10000		Hakim & Sons	Biometrix / Netherland	110	1,100,000	1st Lowest	Hakim & Sons	Dropped by CPC

ITEM NO.	DESCRIPTION	REQ. QTY.	A/U	Name of Qualifying Firm	Quoted Unit Price	Total Quoted Price	Ranking	Name of Successful Bidder	Remarks
126	Prolene Mesh 11x15	225							NOT QUOTED
127	Pyodine Scrub 450ml Bottle	2150							NOT QUOTED
128	Pyodine Solution 450ml Bottle	11650							NOT QUOTED
129	Radivac Drain Tube # 10	200							Sample of M/s.Shamim & Co. is not approved
130	Radivac Drain Tube # 12	200							Sample of M/s.Shamim & Co. is not approved
131	Radivac Drain Tube # 14	600							Sample of M/s.Shamim & Co. is not approved
132	Radivac Drain Tube # 16	600							Sample of M/s.Shamim & Co. is not approved
133	Radivac Drain Tube # 18	600							Sample of M/s.Shamim & Co. is not approved
134	Radivac Drain Tube # 8	200							Sample of M/s.Shamim & Co. is not approved
135	Sanitary Pads	7050							NOT QUOTED
136	Savlon 1 ltr Bottle	1450							NOT QUOTED
137	Silk 0 Round Body 30mm Cutting Needle Doz.	105							Sample of M/s.Shamim & Co. is not approved
138	Silk 1 Round Body 30mm Cutting Needle Doz.	125							Sample of M/s.Shamim & Co. is not approved
139	Silk 10/0 Doz.	150							NOT QUOTED
140	Silk 2 Round Body 30mm Needle Doz.	75							Sample of M/s.Shamim & Co. is not approved
141	Silk 2/0 R/B 30mm Needle Doz.	150							Sample of M/s.Shamim & Co. is not approved
142	Silk 2/0 Straight Cutting 30mm Needle Doz.	145							NOT QUOTED
143	Silk 3/0 Round Body 30mm Needle Doz.	85							Sample of M/s.Shamim & Co. is not approved



ITEM NO.	DESCRIPTION	REQ. QTY.	A/U	Name of Qualifying Firm	Quoted Unit Price	Total Quoted Price	Ranking	Name of Successful Bidder	Remarks
144	Silk 3/0 Straight Cutting 30mm Needle Doz.	30		NOT QUOTED					
145	Silk Virgin 8/0 Doz.	24		NOT QUOTED					
146	Skin Grafting Blade Nos.	120		Universal Enterprises	Swan Morton, UK	304	36,480	1st Lowest	Universal Enterprises
147	Spinal Needle 25G	6610		Shamim & Co.	B.Braun	120	793,200	1st Lowest	Shamim & Co.
148	Spinal Needle 27G	2500		Shamim & Co.	B.Braun	120	300,000	1st Lowest	Shamim & Co.
149	Spirit Ltr.	6320		NOT QUOTED					
150	Spong Stone	300		Sample of M/s.Shamim & Co. is not approved					
151	Sterilent for Endoscope or Simillar (5Ltr) Can	200		NOT QUOTED					
152	Sticking Plaster (1.5cmX5m)	5300		NOT QUOTED					
153	Sticking Plaster (2.5cmX5m)	15200		Sample of M/s.Shamim & Co. is not approved					
154	Sticking Plaster (7.5cmX5m)	14300		Sample of M/s.Shamim & Co. is not approved					
155	Stopper (with Heprin Lock)	35000		NOT QUOTED					
156	Suction Catheter 12 Nos.	1200		Sample of M/s. Hakim & Sons is not approved					
157	Suction Catheter 14 Nos.	13400		Sample of M/s. Hakim & Sons is not approved					
158	Suction Catheter 16 Nos.	6300		Sample of M/s. Hakim & Sons is not approved					
159	Suction Catheter 8 Nos.	10000		Sample of M/s. Hakim & Sons is not approved					
160	Surgical Blade 24 (1X100) Pkt.	155		Universal Enterprises	Swan Morton, UK	1,633	253,115	1st Lowest	Universal Enterprises
				Sample of M/s.Shamim & Co. is not approved					


ITEM NO.	DESCRIPTION	REQ. QTY.	A/U	Name of Qualifying Firm	Quoted Unit Price		Total Quoted Price	Ranking	Name of Successful Bidder	Remarks
161	Surgical Blades 10 (1 X100) Pkt.	112		Universal Enterprises	Swan Morton, UK	1,633	182,896	1st Lowest	Universal Enterprises	
				Sample of M/s.Shamim & Co. is not approved						
162	Surgical Blades 11 (1X100) Pkt.	240		Universal Enterprises	Swan Morton, UK	1,633	391,920	1st Lowest	Universal Enterprises	
				Sample of M/s.Shamim & Co. is not approved						
163	Surgical Blades 12 (1 X100) Pkt.	150		Universal Enterprises	Swan Morton, UK	1,633	244,950	1st Lowest	Universal Enterprises	
				Sample of M/s.Shamim & Co. is not approved						
164	Surgical Blades 15 (1X100) Pkt.	120		Universal Enterprises	Swan Morton, UK	1,633	195,960	1st Lowest	Universal Enterprises	
				Sample of M/s.Shamim & Co. is not approved						
165	Surgical Blades 20 (1X100) Pkt.	5		Universal Enterprises	Swan Morton, UK	1,633	8,165	1st Lowest	Universal Enterprises	Dropped by CPC
				Sample of M/s.Shamim & Co. is not approved						
166	Surgical Blades 21 (1X100) Pkt.	5		Universal Enterprises	Swan Morton, UK	1,633	8,165	1st Lowest	Universal Enterprises	Dropped by CPC
				Sample of M/s.Shamim & Co. is not approved						
167	Surgical Blades 22 (1X100) Pkt.	5		Universal Enterprises	Swan Morton, UK	1,633	8,165	1st Lowest	Universal Enterprises	Dropped by CPC
				Sample of M/s.Shamim & Co. is not approved						
168	Surgical Blades 23 (1X100) Pkt.	200		Universal Enterprises	Swan Morton, UK	1,633	326,600	1st Lowest	Universal Enterprises	
				Sample of M/s.Shamim & Co. is not approved						
169	Surgical Gloves 6.5 Pairs	48500		Shamim & Co.	Searle	41.28	2,002,080	1st Lowest	Shamim & Co.	

ITEM NO.	DESCRIPTION	REQ. QTY.	A/U	Name of Qualifying Firm	Quoted Unit Price		Total Quoted Price	Ranking	Name of Successful Bidder	Remarks
170	Surgical Gloves 7 Pairs	69500		Shamim & Co.	Searle	41.28	2,868,960	1st Lowest	Shamim & Co.	
171	Surgical Gloves 7.5 Pairs	62500		Shamim & Co.	Searle	41.28	2,580,000	1st Lowest	Shamim & Co.	
					Advent Health , Malaysia	45.71	2,856,875	2nd Lowest		
172	Surgical Gloves 8 Pairs	10600		Shamim & Co.	Searle	41.28	437,568	1st Lowest	Shamim & Co.	
					Advent Health , Malaysia	45.71	484,526	2nd Lowest		
173	T- Handle With Key	10		NOT QUOTED						
174	Threeway stopper	21000		Shamim & Co.	Kawa Medical	22.85	479,850	1st Lowest	Shamim & Co.	Dropped by CPC
					B. Braun	54.20	1,138,200	2nd Lowest		
					Sample of M/s. Hakim & Sons is not approved					
175	Tincture Benzoin Co. 450ml Bottle	100		NOT QUOTED						
176	Towel Protective Against Hepatitis B,C HIV Etc.	125		NOT QUOTED						
177	Trachestomy Tube Protex Size 9 with Cuffed	100		Sample of M/s. Shamim & Co. is not approved						
178	Transradial Band	2000		NOT QUOTED						
179	Ultra Sound Gel 5Ltr Can	680		NOT QUOTED						
180	Ultra Sound Printer Rolls	1900		NOT QUOTED						
181	Urine Bag Nos.	56100		Hakim & Sons	Foyomed / China	29.50	1,654,950	1st Lowest	Hakim & Sons	
				Shamim & Co.	Kawa Medical	42.85	2,403,885	2nd Lowest		

ITEM NO.	DESCRIPTION	REQ. QTY.	A/U	Name of Qualifying Firm	Quoted Unit Price	Total Quoted Price	Ranking	Name of Successful Bidder	Remarks	
CABG FOR K.I.H.D: -										
182	ABG Cartridge	100							NOT QUOTED	
183	GM Pack	150							NOT QUOTED	
184	CABG Pack	350							NOT QUOTED	
185	Prolene 7/0 CC	1200		Shamim & Co.	B.Braun	8,133	9,759,600	1st Lowest	Shamim & Co.	
186	Prodek 6/0 (10mm)	1200		Shamim & Co.	B.Braun	5,600	6,720,000	1st Lowest	Shamim & Co.	
187	Prodek 6/0 (8mm)	1200		Shamim & Co.	B.Braun	6,400	7,680,000	1st Lowest	Shamim & Co.	
188	Prodek 7/0 CC	1200		Shamim & Co.	B.Braun	5,600	6,720,000	1st Lowest	Shamim & Co.	
189	Prolene 4/0 CC	1000							NOT QUOTED	
190	Drain Bottle	400							Sample of M/s. Hakim & Sons is not approved	
191	Femoral Sheath 6F	1200							NOT QUOTED	
192	Surgicell	1000							NOT QUOTED	
193	Silk 4/0 N536	1200							NOT QUOTED	
194	Silk Tie (1)	3000							NOT QUOTED	
195	Manorapid Hand Wash	350							Sample of M/s.Shamim & Co. is not approved	
196	Solution for O.T. Cleaning	350							Sample of M/s.Shamim & Co. is not approved	
197	Oxygenator with Tubing	350		Universal Enterprises	Terumo Corporation, Japan	27,350	9,572,500	1st Lowest	Universal Enterprises	Dropped by CPC
198	Aortic Root Cannula	350							NOT QUOTED	




ITEM NO.	DESCRIPTION	REQ. QTY.	A/U	Name of Qualifying Firm	Quoted Unit Price	Total Quoted Price	Ranking	Name of Successful Bidder	Remarks	
199	Aortic Root Needle	350		NOT QUOTED						
200	Two Stage Venous Cannula	350		NOT QUOTED						
201	Spirometer	350		Hakim & Sons	Teleflex / USA	450	157,500	1st Lowest	Hakim & Sons	
202	Opsite (Large)	1000		Shamim & Co.	3M	1,590	1,590,000	1st Lowest	Shamim & Co.	Dropped by CPC
203	Chest Binder	350		NOT QUOTED						
204	Lega Clip LS200	1000		Sample of M/s. Shamim & Co. is not approved						
205	Mepore	1000		Shamim & Co.	3M	108.57	108,570	1st Lowest	Shamim & Co.	Dropped by CPC
206	Ethibond 3/0 R.B	2000		NOT QUOTED						
207	Surgical Blade 11,15,20	1000		Universal Enterprises	Swan Morton, UK	1,633	1,633,000	1st Lowest	Universal Enterprises	Dropped by CPC
208	Chest Tube 32 Fr	2500		Sample of M/s. Hakim & Sons is not approved						
209	Diathermy Pad	700		Hakim & Sons	Vermed / Austria	140	98,000	1st Lowest	Hakim & Sons	
210	Diathermy Pencil	700		Hakim & Sons	Foyomed / China	160	112,000	1st Lowest	Hakim & Sons	
211	Silk N723	2000		NOT QUOTED						
212	Vicryl 1/0 & 2/0 R.B	1000		NOT QUOTED						
213	Vicryl 2/0 Stright	1000		NOT QUOTED						


DR. SAID AKHTAR
 Dy. Director Procurement /
 Incharge Main Stores
 Medical & Health Services
 Karachi Metropolitan Corporation


DR. HAMID ZAHEER
 Director (Admin & Accounts)
 Medical & Health Services
 Karachi Metropolitan Corporation


Dr. Muhammad Ali Abbasi
 Senior Director
 Medical & Health Service
 Karachi Metropolitan Corporation


Dr. Syed Khalid Masood
 Medical Superintendent
 Sindh Govt. Qatar Hospital
 Orangi Town Karachi.


Dr. Mohammad Shahid Ali
 District Officer (H) Curative
 G.D.B Karachi

BID EVALUATION REPORT

1.	Name of Procuring Agency: -	Senior Director(M&HS)KMC
2.	Tender Reference No.	No .Sr. Dir (M&HS)/Tender/Proc/2017/95 Dated 13-04-2017
3.	Tender Description / Name of Work / Item: -	4-D. Purchase of Laboratory items / Materials etc
4.	Method of Procurement: -	Single stage Two Envelope Procedure
5.	Tender Published: -	Dawn / Express / Sarwan on 15-04-2017 SPPRA Sr.No.32958
6.	Total Bid Documents Sold: -	11
7.	Total Bid Received: -	05
8.	Technical Bid Opening Date: -	11-05-2017
9.	No. of Bid(s) Technically Qualified: -	05
10.	Bid(s) Rejected: -	Nil
11.	Financial Bid Opening Date: -	07-06-2017

12. Bid Evaluation Report: -


Sr. No.	Name of Firm or Bidder alongwith Property Offered	Cost Offered by the Bidder	Ranking in Terms of Cost	Comparison with Estimated Cost	Reasons Acceptance / Rejection	Remarks
1	M/S. Shamim & Co.	Please see items wise comparative statement				On lowest basis
2	M/S. Secio Scientific Traders	Please see items wise comparative statement				On lowest basis
3	M/S. Moon Enterprises	Please see items wise comparative statement				On lowest basis
4	M/S. Popular International	Please see items wise comparative statement				On lowest basis
5	M/S. Diagnostic System	Please see items wise comparative statement				On lowest basis

Items wise Comparative Statement is attached (Lower offer is highlighted in comparative statements).


DR.SAID AKHTAR
 Dy. Director Procurement /
 Incharge Main Stores
 Medical & Health Services
 Karachi Metropolitan Corporation


DR. HAMID ZAHEER
 Director (Admin & Accounts)
 Medical & Health Services
 Karachi Metropolitan Corporation


Dr. Muhammad Ali Abbasi
 Senior Director
 Medical & Health Service
 Karachi Metropolitan Corporation



Dr. Syed Khalid Mahmood
 Medical Superintendent
 Sindh Govt. Qatar Hospital
 Orangi Town Karachi.


Dr. Naveed Ahmad Shalid Ali
 District Officer (H) Curative
 C.H.E. Karachi

COMPARATIVE STATEMENT (FINANCIAL PROPOSAL)
TENDER SR. NO. 4 (D) SUPPLY OF LABORATORY ITEMS / MATERIALS ETC. FOR THE YEAR 2016-17

ITEM NO.	DESCRIPTION	REQ. QTY.	A/U	Name of Qualifying Firm	Quoted Unit Price		Total Quoted Price	Ranking	Name of Successful Bidder	Remarks
1	0.1 / 0.2 ml thin walled flat cap sterile PCR tubes compatible with rotorgene	2 / 1		Shamim & Co.	QIAGEN, Germany	30,000	60,000	1st Lowest	Shamim & Co.	
2	1.5 ml-graduated microtube DNase RNase Free / Sterile	8000					NOT QUOTED			
3	15 ml graduated falcon/Corning tubes, self standing, sterile, Racked stable at 8500 RPM	1000					NOT QUOTED			
4	2 ml screw cap sample collection / transferase tube DNase RNase Free / Sterile	8000					NOT QUOTED			
5	4 way (1.5, 15, 50 ml) Racks	16					NOT QUOTED			
6	50 ml graduate falcon / corning tube, self standing, sterile, Racked stable at 8500 RPM	10					NOT QUOTED			
7	8 way Wasler Head Elisa	2					NOT QUOTED			
8	96 sample capacity 1.5 / 2 ml tubes racks DNase RNase Free	16					NOT QUOTED			
9	Abacus Paper Roll	100					NOT QUOTED			
10	ABS absorbance test (Applicable Dimension Analyzer)	12					NOT QUOTED			
11	Absolute ethanol Merck 2.5 liter	4					NOT QUOTED			
12	Actin Fs (APTT) Siemen Sysmex	35					NOT QUOTED			
13	Adjustable Micropipette 1-10, 10-100,100-1000	2		Popular International	Human Germany	11,473	22,946	1st Lowest	Popular International	


ITEM NO.	DESCRIPTION	REQ. QTY.	A/U	Name of Qualifying Firm	Quoted Unit Price	Total Quoted Price	Ranking	Name of Successful Bidder	Remarks
14	Aerosol barrier self sealing sterile / racked tips (0.5 - 10 ul) compatible pipette tips DNase RNase Free (960/Box)	20							NOT QUOTED
15	Aerosol barrier self sealing sterile / racked tips (100-1000 ul) compatible pipette tips DNase RNase Free (960/Box)	20							NOT QUOTED
16	Aerosol barrier self sealing sterile / racked tips (10-100 ul) compatible pipette tips DNase RNase Free (960/Box)	20							NOT QUOTED
17	AFB staining Kit (Cold Method) (3x1000 ml)	12							NOT QUOTED
18	AHDL Calibrator (Applicable Dimension Analyzer)	4							NOT QUOTED
19	Alanine amonotransferance (Applicable Dimension Analyzer)	100							NOT QUOTED
20	ALB / TP Calibrator (Applicable Dimension Analyzer)	4							NOT QUOTED
21	Albumin (Applicable Dimension Analyzer)	26							NOT QUOTED
22	Alkaline Phosphatase (Applicable Dimension Analyzer)	100							NOT QUOTED
23	Alkaline phosphotase (500ml Kit)	97		Secio Scientific Traders	Linear Chemicals, Spain	1,200	116,400	1st Lowest	Secio Scientific Traders
24	Aluminium Foil Riks	10							NOT QUOTED
25	Amikacin (250 Disc Box)	10							NOT QUOTED
26	Amox-Clav (250 Disc Box)	10							NOT QUOTED




ITEM NO.	DESCRIPTION	REQ. QTY.	A/U	Name of Qualifying Firm	Quoted Unit Price	Total Quoted Price	Ranking	Name of Successful Bidder	Remarks
27	Ampicillin (250 Disc Box)	10		NOT QUOTED					
28	Amylase (100ml Kit)	4		Secio Scientific Traders	Linear Chemicals, Spain	6,000	24,000	1st Lowest	Secio Scientific Traders
29	Amylase (Applicable Dimension Analyzer)	24		NOT QUOTED					
30	Anaerobic Kit (Gas Packs)	4		NOT QUOTED					
31	Anti ACV Kit Vitros Eli	100		Secio Scientific Traders	Ortho Clinical Diagnostics	39,990	3,999,000	1st Lowest	Secio Scientific Traders
32	Anti HBs Kit Vitros Eli	10		Secio Scientific Traders	Ortho Clinical Diagnostics	25,000	250,000	1st Lowest	Secio Scientific Traders
33	Anti-Sera A Vials	195		Moon Enterprises	Antitoxin GmbH-Germany	199	38,805	1st Lowest	Moon Enterprises
34	Anti-Sera A1 (10ml)	6		Moon Enterprises	Antitoxin GmbH-Germany	797	4,782	1st Lowest	Moon Enterprises
35	Anti-Sera B Vials	195		Moon Enterprises	Antitoxin GmbH-Germany	199	38,805	1st Lowest	Moon Enterprises
36	Anti-Sera D Vials	195		Moon Enterprises	Antitoxin GmbH-Germany	397	77,415	1st Lowest	Moon Enterprises
37	API 20 E (50 strip Kit)	2		NOT QUOTED					
38	API NE (50 strip Kit)	2		NOT QUOTED					
39	Appen drop (Plastic caps) 1.5 ml	2000		NOT QUOTED					
40	ASOT (100 Tests Kit)	30		Secio Scientific Traders	Linear Chemicals, Spain	1,850	55,500	1st Lowest	Secio Scientific Traders
41	Asparate aminotransferance (Applicable Dimension Analyzer)	10		NOT QUOTED					

ITEM NO.	DESCRIPTION	REQ. QTY.	A/U	Name of Qualifying Firm	Quoted Unit Price	Total Quoted Price	Ranking	Name of Successful Bidder	Remarks
42	Assy kit tubing IMT Mixe (Applicable Dimension Analyzer)	2							NOT QUOTED
43	Assy pump and sample tubing IMT SVSP (Applicable Dimension Analyzer)	2							NOT QUOTED
44	Automated HDL (Applicable Dimension Analyzer)	4							NOT QUOTED
45	Automated TIBC (Applicable Dimension Analyzer)	1							NOT QUOTED
46	Aztronem (250 Disc Box)	10							NOT QUOTED
47	Bacitracin Disc (250 Disc Box)	2							NOT QUOTED
48	Beakers (25,50,100,500 7 1000ml) Each	2							NOT QUOTED
49	BHI Broth (500gm Box)	10							NOT QUOTED
50	Bile Esculine Media (500 grams)	2							NOT QUOTED
51	Bilirubin Direct (500ml Kit)	68		Secio Scientific Traders	Linear Chemicals, Spain	650	44,200	1st Lowest	Secio Scientific Traders
52	Biochemical (Abnomal Control) (10x5ml Kit)	20							NOT QUOTED
53	Biochemical (Normal Control) (10x5ml Kit)	20							NOT QUOTED
54	Blood Agar Base (500gm Box)	10							NOT QUOTED
55	Blue Tpis Packs	50		Moon Enterprises	Hangzhou Rollmed Co, Ltd, China	193	9,650	1st Lowest	Moon Enterprises
56	C Kinase (200ml Kit)	6							NOT QUOTED

ITEM NO.	DESCRIPTION	REQ. QTY.	A/U	Name of Qualifying Firm	Quoted Unit Price	Total Quoted Price	Ranking	Name of Successful Bidder	Remarks
57	C.S.F Meningitis Kit	2							NOT QUOTED
58	Caftazidime (250 Disc Box)	10							NOT QUOTED
59	Calcium (Applicable Dimension Analyzer)	25							NOT QUOTED
60	Calcium Chloride (APTT) Siemen Sysmex	5							NOT QUOTED
61	Carboy liquid storage tanks with tap 5 liter, 10 liters	8							NOT QUOTED
62	Cartridges	100							NOT QUOTED
63	Cefixime (250 Disc Box)	10							NOT QUOTED
64	Cefoperazone / Sulbacton (250 Disc Box)	10							NOT QUOTED
65	Cefotaxime (250 Disc Box)	10							NOT QUOTED
66	Cell Pack Sysmex	200		Diagnostic System	Boule Medical Sweden	40,000	8,000,000	1st Lowest	Diagnostic System
				Specificatio of M/s. Secio Scientific Traders is not approved					
67	Chart Paper (902) or Similar Box	100							NOT QUOTED
68	Chem 1 Calibrator (Applicable Dimension Analyzer)	4							NOT QUOTED
69	Chemistry Control Bio Red (High) Boxes	2							NOT QUOTED
70	Chemistry Control Bio Red (Normal) Boxes	12							NOT QUOTED



ITEM NO.	DESCRIPTION	REQ. QTY.	A/U	Name of Qualifying Firm	Quoted Unit Price	Total Quoted Price	Ranking	Name of Successful Bidder	Remarks
71	Chemistry wash (Applicable Dimension Analyzer)	6				NOT QUOTED			
72	Chlroamphenical (250 Disc Box)	10				NOT QUOTED			
73	Chol.Calibrator (Applicable Dimension Analyzer)	4				NOT QUOTED			
74	Cholesterol (Applicable Dimension Analyzer)	20				NOT QUOTED			
75	Ciprofloxacin (250 Disc Box)	10				NOT QUOTED			
76	Citrol 2 Siemen Sysmex	10				NOT QUOTED			
77	CK NAC (Applicable Dimension Analyzer)	2				NOT QUOTED			
78	CK Verifier (Applicable Dimension Analyzer)	4				NOT QUOTED			
79	CKMB (200ml Kit)	6		Secio Scientific Traders	Linear Chemicals, Spain	6,000	36,000	1st Lowest	Secio Scientific Traders
80	CKMB (Applicable Dimension Analyzer)	4				NOT QUOTED			
81	CKMB Verifier (Applicable Dimension Analyzer)	4				NOT QUOTED			
82	Cleaning solution 9180 (Bottles)	4				NOT QUOTED			
83	Cled Agar (500gm Box)	10				NOT QUOTED			
84	Colistin (250 Disc Box)	10				NOT QUOTED			
85	Continuous Paper (2000 Pg) Boxes	300				NOT QUOTED			



ITEM NO.	DESCRIPTION	REQ. QTY.	A/U	Name of Qualifying Firm	Quoted Unit Price		Total Quoted Price	Ranking	Name of Successful Bidder	Remarks
86	Control Abacus (2 Set)	5		Secio Scientific Traders	Diatron Hungary	48,000	240,000	1st Lowest	Secio Scientific Traders	
87	Coombs Anti-Sera (10ml)	6		NOT QUOTED						
88	Co-trimoxazole (250 Disc Box)	10		NOT QUOTED						
89	Coulter Pack (with standard & Cleanse)	25		NOT QUOTED						
90	Cover Slips 18 x 18 mm (100x8/Boxes)	24		Moon Enterprises	Hangzhou Rollmed Co, Ltd, China	73	1,752	1st Lowest	Moon Enterprises	
91	Cover Slips 22 x 22 mm (100x8/Boxes)	110		Moon Enterprises	Hangzhou Rollmed Co, Ltd, China	133	14,630	1st Lowest	Moon Enterprises	
92	Cover slips small size (1 x 800) Boxes	26		NOT QUOTED						
93	Creatinin (500ml Kit)	107		Secio Scientific Traders	Linear Chemicals, Spain	1,380	147,660	1st Lowest	Secio Scientific Traders	
94	Creatinine (Applicable Dimension Analyzer)	160		NOT QUOTED						
95	Cryogenic sample storage boxes for 1.5/2ml tubes Box	20		NOT QUOTED						
96	Cuvette Cartridge (Applicable Dimension Analyzer)	60		NOT QUOTED						
97	Dengue Elisa Kit	20		NOT QUOTED						
98	Dengue ICT Kits	60		Popular International	Human Germany	16,254	975,240	1st Lowest	Popular International	
99	Diatron Abaclean Kit Abacus	53		Secio Scientific Traders	Diatron Hungary	7,500	397,500	1st Lowest	Secio Scientific Traders	
100	Diatron Abalyse Kit Abacus	61		Secio Scientific Traders	Diatron Hungary	8,000	488,000	1st Lowest	Secio Scientific Traders	

[Handwritten signatures and initials]

ITEM NO.	DESCRIPTION	REQ. QTY.	A/U	Name of Qualifying Firm	Quoted Unit Price		Total Quoted Price	Ranking	Name of Successful Bidder	Remarks
101	Diatron Diluant Kit Abacus (20 Ltrs.)	128		Secio Scientific Traders	Diatron Hungary	8,500	1,088,000	1st Lowest	Secio Scientific Traders	
102	Diluter Valve for Selectra or Similar	2		NOT QUOTED						
103	Diposible petri dishes small	20000		Moon Enterprises	Hangzhou Rollmed Co, Ltd, China	9.93	198,600	1st Lowest	Moon Enterprises	
104	Direct bilirubin (Applicable Dimension Analyzer)	50		NOT QUOTED						
105	Discarding bins	16		NOT QUOTED						
106	Disposible Bucket (Dust Bin) Doz.	2		NOT QUOTED						
107	Disposible Tubes Plastic with Purple Cork	1050		Moon Enterprises	Hangzhou Rollmed Co, Ltd, China	4.93	5,176.50	1st Lowest	Moon Enterprises	
108	Dnsas Media	2		NOT QUOTED						
109	E Co2 Calibrator Sets	2		NOT QUOTED						
110	E.PEC Serology For E-Coli	2		NOT QUOTED						
111	EDTA Bottle	6		NOT QUOTED						
112	Electrode Chloride 9180	6		NOT QUOTED						
113	Electrode ISe Reference 9180	6		NOT QUOTED						
114	Electrode Pottasium 9180	6		NOT QUOTED						
115	Electrode reference housing 9180	6		NOT QUOTED						





ITEM NO.	DESCRIPTION	REQ. QTY.	A/U	Name of Qualifying Firm	Quoted Unit Price	Total Quoted Price	Ranking	Name of Successful Bidder	Remarks
116	Electrode Soidum 9180	6							NOT QUOTED
117	Electrolyte control 9180 (Box)	2							NOT QUOTED
118	Enzyme diluent (Applicable Dimension Analyzer)	4							NOT QUOTED
119	Enzyme Verifier (Applicable Dimension Analyzer)	4							NOT QUOTED
120	Erythromycin (250 Disc Box)	10							NOT QUOTED
121	ESR Pipettes (Disposable)	40000							NOT QUOTED
122	ESR Stand	30							NOT QUOTED
123	ESR Tube	5000							NOT QUOTED
124	Ferriten Kit Vitros Eli	50		Secio Scientific Traders	Ortho Clinical Diagnostics	22,000	1,100,000	1st Lowest	Secio Scientific Traders
125	Field Stain A (Bottle)	45							NOT QUOTED
126	Field Stain B (Bottle)	45							NOT QUOTED
127	Filter WSU	2							NOT QUOTED
128	Floppy disk drive	2							NOT QUOTED
129	Forceps (plain / toothed / pointed) Each	12							NOT QUOTED
130	Fosfomycin (250 Disc Box)	10							NOT QUOTED

Handwritten signatures and initials:
 [Signature] [Signature] [Signature] [Signature]


ITEM NO.	DESCRIPTION	REQ. QTY.	A/U	Name of Qualifying Firm	Quoted Unit Price	Total Quoted Price	Ranking	Name of Successful Bidder	Remarks
131	Fridge 4-6 Centigrade (6 ft)	2							NOT QUOTED
132	Fusidic Acid (250 Disc Box)	10							NOT QUOTED
133	Gamma GT (250ml Kit)	2		Secio Scientific Traders	Linear Chemicals, Spain	3,500	7,000	1st Lowest	Secio Scientific Traders
134	Gamma GT (Applicable Dimension Analyzer)	26							NOT QUOTED
135	Glass petri dishes (150 mm) Plates	500							NOT QUOTED
136	Glass slides (Frosted) (50/box)	340		Moon Enterprises	Hangzhou Rollmed Co, Ltd, China	153	52,020	1st Lowest	Moon Enterprises
137	Glass Slides Boxes	580							NOT QUOTED
138	Gloves (Disposable 1 x 52) Pack	100							NOT QUOTED
139	Gloves (Disposable) (1x50)	100							NOT QUOTED
140	Glucose (1000ml Kit)	129		Secio Scientific Traders	Linear Chemicals, Spain	1,700	219,300	1st Lowest	Secio Scientific Traders
				Popular International	Human Germany	3,912	504,648	2nd Lowest	
141	Glucose (Applicable Dimension Analyzer)	40							NOT QUOTED
142	Gram Staining (3x1000 ml)	5							NOT QUOTED







ITEM NO.	DESCRIPTION	REQ. QTY.	A/U	Name of Qualifying Firm	Quoted Unit Price	Total Quoted Price	Ranking	Name of Successful Bidder	Remarks	
143	Gram Staining (3x1000 ml)	5							NOT QUOTED	
144	Half Yearly Maintance Kit or Similar	2							NOT QUOTED	
145	Halogen (Bulb for Microscope)	24							NOT QUOTED	
146	Halogen Lamp or Similar	4							NOT QUOTED	
147	HB Kit	10		Secio Scientific Traders	Linear Chemicals, Spain	750	7,500	1st Lowest	Secio Scientific Traders	
148	Hbe Ag Vitros Eli	20		Secio Scientific Traders	Ortho Clinical Diagnostics	15,000	300,000	1st Lowest	Secio Scientific Traders	
149	HBs Ag Kits Vitros Eli	100		Secio Scientific Traders	Ortho Clinical Diagnostics	16,000	1,600,000	1st Lowest	Secio Scientific Traders	
150	HDL (320ml Kit)	30		Popular International	Human Germany	1,618	48,540	1st Lowest	Popular International	
151	Hematology Eight Check Control Sysmex Set	24							NOT QUOTED	
152	Hep B Kits (Chemiluminesence) with placement of Analyser (1x200/Boxes)	200		Secio Scientific Traders	Ortho Clinical Diagnostics	16,000	3,200,000	1st Lowest	Secio Scientific Traders	Dropped by CPC
153	Hep C Kits (Chemiluminesence) with placement of Analyser (1x200/Boxes)	200		Secio Scientific Traders	Ortho Clinical Diagnostics	39,990	7,998,000	1st Lowest	Secio Scientific Traders	Dropped by CPC
154	High Speed Centrifuge 14000 RPM 24 x 1.5/2ml tube	2							Specification of M/s. Diagnostic System is not approved	
155	Hitergent (10x100) or Similar	6							NOT QUOTED	
156	HIV Kits (Chemiluminesence) with placement of Analyser (1x200/Boxes)	10		Secio Scientific Traders	Ortho Clinical Diagnostics	20,000	200,000	1st Lowest	Secio Scientific Traders	Dropped by CPC
157	HM reaction vessels (Applicable Dimension Analyzer)	2							NOT QUOTED	

ITEM NO.	DESCRIPTION	REQ. QTY.	A/U	Name of Qualifying Firm	Quoted Unit Price		Total Quoted Price	Ranking	Name of Successful Bidder	Remarks
158	ICT H.Pylori Kit Cassettes	250		Moon Enterprises	Healgen Scientific LLC, USA	53.97	13,492.50	1st Lowest	Moon Enterprises	
159	ICT HB's Ag Device (40 Tests Kit)	925		Moon Enterprises	Healgen Scientific LLC, USA	12.97	11,997.25	1st Lowest	Moon Enterprises	
160	ICT HCV (40 Tests Kit)	925		Moon Enterprises	Healgen Scientific LLC, USA	24.97	23,097.25	1st Lowest	Moon Enterprises	
161	ICT HIV (100 Tests Kit)	40		Moon Enterprises	Healgen Scientific LLC, USA	26.97	1,078.80	1st Lowest	Moon Enterprises	
162	Identification kit for Strept (Grouping)	2		NOT QUOTED						
163	Identification kit for Strept (Grouping)	2		NOT QUOTED						
164	Imepenam (250 Disc Box)	10		NOT QUOTED						
165	IMT Probe (Indirect) (Applicable Dimension Analyzer) Sets	2		NOT QUOTED						
166	IMT Probe Cleaner (Applicable Dimension Analyzer)	2		NOT QUOTED						
167	IMT Probe tubing (Applicable Dimension Analyzer) Sets	2		NOT QUOTED						
168	Inorganic Phosphorus (250ml Kit)	6		Secio Scientific Traders	Linear Chemicals, Spain	2,100	12,600	1st Lowest	Secio Scientific Traders	
169	ISO - Sensitized Agar (500gm Box)	10		NOT QUOTED						
170	Juster	8		NOT QUOTED						
171	Juster Adjustable	12		NOT QUOTED						
172	Juster Adjustable	12		NOT QUOTED						



ITEM NO.	DESCRIPTION	REQ. QTY.	A/U	Name of Qualifying Firm	Quoted Unit Price	Total Quoted Price	Ranking	Name of Successful Bidder	Remarks
173	Juster Adjustable	17							NOT QUOTED
174	Juster Fixed (10 ul)	11							NOT QUOTED
175	Juster Fixed (100 ul)	6							NOT QUOTED
176	Juster Fixed (50 ul)	6		Popular International	Human Germany	8,275	49,650	1st Lowest	Popular International
177	Lactice Dehydrogenase (Applicable Dimension Analyzer)	4							NOT QUOTED
178	LDH (200ml Kit)	11		Secio Scientific Traders	Linear Chemicals, Spain	1,000	11,000	1st Lowest	Secio Scientific Traders
179	LDL Calibrator (320ml Kit)	4							NOT QUOTED
180	LDL Kit	24		Secio Scientific Traders	Linear Chemicals, Spain	930	22,320	1st Lowest	Secio Scientific Traders
181	Liquid Iodine (Ltrs)	5							NOT QUOTED
182	Liquid Soap Disinfect	26							NOT QUOTED
183	Liquid Soap Disinfectant Fixing Bottle	10							NOT QUOTED
184	M.P ICT (1x40/Boxes)	445		Moon Enterprises	Healgen Scientific LLC, USA	53.97	24,016.65	1st Lowest	Moon Enterprises
185	Macconkey's Agar (500gm Box)	10							NOT QUOTED
186	Maintenance Kit Half Yearly Selectra or Similar	2							NOT QUOTED
187	Maintenance Kit Yearly Selectra or Similar	2							NOT QUOTED





ITEM NO.	DESCRIPTION	REQ. QTY.	A/U	Name of Qualifying Firm	Quoted Unit Price		Total Quoted Price	Ranking	Name of Successful Bidder	Remarks
188	Maintenance Pack	6		Secio Scientific Traders	Ortho Clinical Diagnostics	45,000	270,000	1st Lowest	Secio Scientific Traders	
189	Mannitol Salt Agar (500 gm)	4					NOT QUOTED			
190	Media Preparation bottles	10					NOT QUOTED			
191	Mega Unit Cell Sepretor Kit ACD Sdution	200					NOT QUOTED			
192	Meropenem (Box / 250 Disc)	10					NOT QUOTED			
193	Methanol	54					NOT QUOTED			
194	Monting cover slips 24 x 50 mm Boxes	26					NOT QUOTED			
195	Montoux Test (25 Tests Kit)	5					NOT QUOTED			
196	Mueller Hinton agar base (10gmx1 Bottle)	6					NOT QUOTED			
197	Mueller Hinton agar base (500 grams)	10					NOT QUOTED			
198	Multi-Calibrator (10x5ml Kit)	6					NOT QUOTED			
199	Multiclean (2 Liters) or Similar	8					NOT QUOTED			
200	Nalidixic Acid (250 Disc Box)	10					NOT QUOTED			
201	Neubar Chamber TLC Counting	5					NOT QUOTED			
202	Nitrofuranton (250 Disc Box)	10					NOT QUOTED			






ITEM NO.	DESCRIPTION	REQ. QTY.	A/U	Name of Qualifying Firm	Quoted Unit Price	Total Quoted Price	Ranking	Name of Successful Bidder	Remarks
203	Novobiocin (250 Disc Box)	2				NOT QUOTED			
204	Ofloxacin (250 Disc Box)	10				NOT QUOTED			
205	Optochin (250 Disc Box)	4				NOT QUOTED			
206	Optochin Disc (Box / 250 Disc)	4				NOT QUOTED			
207	Optochin Disc (Box / 250 Disc)	4				NOT QUOTED			
208	Oxacillin (250 Disc Box)	10				NOT QUOTED			
209	Paper Roll 9180 Box	6				NOT QUOTED			
210	Paraffin Oil Bottle	6				NOT QUOTED			
211	PCB No. 3061 Sysmex	1				NOT QUOTED			
212	PCS II Disposable Tips Packs	100				NOT QUOTED			
213	Pcv Tube or Similar (Packs)	2				NOT QUOTED			
214	Peptone Water (500gm Box)	10				NOT QUOTED			
215	Petri Plates	300				NOT QUOTED			
216	Petri Plates	300				NOT QUOTED			
217	Petri Plates	300				NOT QUOTED			

ITEM NO.	DESCRIPTION	REQ. QTY.	A/U	Name of Qualifying Firm	Quoted Unit Price	Total Quoted Price	Ranking	Name of Successful Bidder	Remarks
218	pH Paper (1x100)	25				NOT QUOTED			
219	pH Paper (1x100) pack	26				NOT QUOTED			
220	Phosphorus (Applicable Dimension Analyzer)	20				NOT QUOTED			
221	Pipemidic Acid (250 Disc Box)	10				NOT QUOTED			
222	Piperacillin / Tazobact (250 Disc Box)	10				NOT QUOTED			
223	Plastic Racks (48 Hools)	150				NOT QUOTED			
224	Polymyxin B (250 Disc Box)	10				NOT QUOTED			
225	Pregnancy Test (Latex) (100 Tests Kit)	52				NOT QUOTED			
226	Pregnancy Test (Strips) (1x50 Tests Kit) Box	40		Moon Enterprises	Healgen Scientific LLC, USA	4.97	198.80	1st Lowest	Moon Enterprises
227	Probe Cleaner (Applicable Dimension Analyzer)	6				NOT QUOTED			
228	PT, APTT Control Citrol 1 E Siemen Sysmex	10				NOT QUOTED			
229	Purple top EDTA tubes for sample collection	1000		Moon Enterprises	Hangzhou Rollmed Co, Ltd, China	5.67	5,670	1st Lowest	Moon Enterprises
230	Q1 Lamp Selectra or Similar	2				NOT QUOTED			




ITEM NO.	DESCRIPTION	REQ. QTY.	A/U	Name of Qualifying Firm	Quoted Unit Price		Total Quoted Price	Ranking	Name of Successful Bidder	Remarks
231	QIAGEN Amplification Kits for HBV Viral Load Real Time PCR (Rotor gene compatible with internal control) (IVD, FDA Approved, CE marked) (96 Runs Kit)	2		Shamim & Co.	QIAGEN, Germany	210,000	420,000	1st Lowest	Shamim & Co.	
Specification of M/s. Secio Scientific Traders is not approved										
232	QIAGEN Amplification kits for HCV Genotype Prob Hybridization (Rotor gene compatible with internal control)(IVD, FDA Approved, CE marked) (20 Runs Kit)	6		Specification of M/s. Secio Scientific Traders & M/s. Shamim & Co. is not approved						
233	QIAGEN Amplifications kits ofr HCV Viral Load, Real time PCR (Rotor gene compatible with internal control) (IVD, FDA Approved, CE marked) (96 Runs Kits)	20		Shamim & Co.	QIAGEN, Germany	210,000	4,200,000	1st Lowest	Shamim & Co.	
Specification of M/s. Secio Scientific Traders is not approved										
234	Quicklyte - IMT Standard A (Applicable Dimension Analyzer) Boxes	10		NOT QUOTED						
235	Quicklyte - IMT Standard B (Applicable Dimension Analyzer) Boxes	6		NOT QUOTED						
236	Quicklyte - Integrated Multisensor Cartidge (Applicable Dimension Analyzer) Sets	10		NOT QUOTED						
237	Quicklyte IMT Flush Solution (Applicable Dimension Analyzer) Packs	6		NOT QUOTED						
238	RA Test (100 Tests Kit)	26		Secio Scientific Traders	Linear Chemicals, Spain	1,350	35,100	1st Lowest	Secio Scientific Traders	
239	Raction Cuveet (6 Segment) or Similar	4		NOT QUOTED						
240	Reaction Tubes SU - 40 Sysmex	15		NOT QUOTED						




ITEM NO.	DESCRIPTION	REQ. QTY.	A/U	Name of Qualifying Firm	Quoted Unit Price	Total Quoted Price	Ranking	Name of Successful Bidder	Remarks
241	Reagent probe (Applicable Dimension Analyzer) Sets	2				NOT QUOTED			
242	Refil resin (25 Liters) or Similar	4				NOT QUOTED			
243	Retic Solution (Liquid) Bottle	4				NOT QUOTED			
244	ROCHE HCV Amplicor Amplification Kit (IVD, FDA Approved, CE marked) WITH PLACEMENT OF ANALYZER	24				NOT QUOTED			
245	ROCHE HCV Amplicor Specimen Preparation Kit (Roche or Equivalent) (IVD, FDA Approved, CE marked) WITH PLACEMENT OF ANALYZER	24				NOT QUOTED			
246	ROCHE HCV COBAS Amplicor Detection Kit (With Placement Automation Detection System) (IVD, FDA Approved, CE marked) WITH PLACEMENT OF ANALYZER	24				NOT QUOTED			
247	ROCHE HCV genotyping kit	12				NOT QUOTED			
248	Rotary Valve Assay (Applicable Dimension Analyzer) Sets	2				NOT QUOTED			
249	Rotor Selectra or Similar	16				NOT QUOTED			
250	Rubber Gloves (Unsterilized) Boxes	50				NOT QUOTED			
251	Sabrose Dextrose Agar (500gm)	2				NOT QUOTED			
252	Sabrose Dextrose Agar (500gm)	2				NOT QUOTED			
253	Salmonella serology kit	2				NOT QUOTED			
254	Salmonella serology kit	2				NOT QUOTED			

J. Alonzo *William* *A* *W*

ITEM NO.	DESCRIPTION	REQ. QTY.	A/U	Name of Qualifying Firm	Quoted Unit Price	Total Quoted Price	Ranking	Name of Successful Bidder	Remarks	
255	Salt Bridge Solution (Applicable Dimension Analyzer) Packs	6				NOT QUOTED				
256	Sample Cups / 1000 or Similar (Packs)	10				NOT QUOTED				
257	Sample Cups with lid (1.5 ml) (Applicable Dimension Analyzer)	100		Moon Enterprises	Hangzhou Rollmed Co, Ltd, China	1.07	107	1st Lowest	Moon Enterprises	Dropped by CPC
258	Sample diluent (Applicable Dimension Analyzer)	2				NOT QUOTED				
259	Sample Diluent IMT (Applicable Dimension Analyzer) packs	6				NOT QUOTED				
260	Sample Probe (Applicable Dimension Analyzer) Sets	2				NOT QUOTED				
261	Sample Probe Cleaner (Applicable Dimension Analyzer)	6				NOT QUOTED				
262	Serum Albumin (1000ml Kit)	14		Secio Scientific Traders	Linear Chemicals, Spain	1,200	16,800	1st Lowest	Secio Scientific Traders	
263	Serum Calcium (320ml Kit)	42		Secio Scientific Traders	Linear Chemicals, Spain	1,970	82,740	1st Lowest	Secio Scientific Traders	
264	Serum Cholesterol (450ml Kit)	48		Secio Scientific Traders	Linear Chemicals, Spain	6,500	312,000	1st Lowest	Secio Scientific Traders	
265	Serum Iron (250ml Kit)	2		Secio Scientific Traders	Linear Chemicals, Spain	1,470	2,940	1st Lowest	Secio Scientific Traders	
266	SGOT (AST) (200ml Kit)	6		Secio Scientific Traders	Linear Chemicals, Spain	1,950	11,700	1st Lowest	Secio Scientific Traders	
267	SGPT (ALT) (500ml Kit)	103		Secio Scientific Traders	Linear Chemicals, Spain	2,230	229,690	1st Lowest	Secio Scientific Traders	
268	SIM Media (500 grams)	2				NOT QUOTED				
269	SIM Media (500gm)	2				NOT QUOTED				
270	Simon Citrate (500gm Box)	2				NOT QUOTED				
271	Single Reagent Pack	75		Secio Scientific Traders	Ortho Clinical Diagnostics	11,000	825,000	1st Lowest	Secio Scientific Traders	
272	Slide boxes wodden (100 slides)	120				NOT QUOTED				
273	Snappack 9180 (Packs)	150				NOT QUOTED				

F. Hassan / *A* *20*

ITEM NO.	DESCRIPTION	REQ. QTY.	A/U	Name of Qualifying Firm	Quoted Unit Price	Total Quoted Price	Ranking	Name of Successful Bidder	Remarks
274	Sodium Electrode conditioner 9180	6							NOT QUOTED
275	Sodium Fluoride	7							NOT QUOTED
276	Source Lamp (Applicable Dimension Analyzer) Sets	4							NOT QUOTED
277	Spin Column based DNA Extraction kit (QIAGEN) (250 Extractions)	4		Shamim & Co.	QIAGEN, Germany	95,000	380,000	1st Lowest	Shamim & Co.
				Specification of M/s. Secio Scientific Traders is not approved					
278	Spin Column based RNA Extraction Kit of Viral RNA (QIAGEN) (250 Extractions)	4		Shamim & Co.	QIAGEN, Germany	98,000	392,000	1st Lowest	Shamim & Co.
				Specification of M/s. Secio Scientific Traders is not approved					
279	Staining Box (Plastic) Boxes	50							NOT QUOTED
280	Staining Rack	30							NOT QUOTED
281	Stainless Steel Racks for 3-7 ml blood tubes	8							NOT QUOTED
282	Sterile swab sticks	5000		Moon Enterprises	Hangzhou Rollmed Co, Ltd, China	7.67	38,350	1st Lowest	Moon Enterprises
283	Stirrer or Similar Set	2							NOT QUOTED
284	Stool Container Disposable (1x100) Pack	120							NOT QUOTED
285	Straight wires with holders Each	12							NOT QUOTED
286	Stromatolyzer 4 DL Sysmex XI - 1000	12							NOT QUOTED
287	Stromatolyzer 4 DS Sysmex XI - 1000	8							NOT QUOTED
288	Stromatolyzer W.H Sysmex KX - 20	194							Specification of M/s. Secio Scientific Traders is not approved
289	Sulfolyzer Sysmex X1 - 1000	3							NOT QUOTED
290	Syringe Module (Applicable Dimension Analyzer) Set	1							NOT QUOTED
291	T.B.I.L / D.B.I.L Calibrator (Applicable Dimension Analyzer)	4							NOT QUOTED





ITEM NO.	DESCRIPTION	REQ. QTY.	A/U	Name of Qualifying Firm	Quoted Unit Price	Total Quoted Price	Ranking	Name of Successful Bidder	Remarks
292	Tablet / Strip for Occult Blood (1x50) Boxes	50				NOT QUOTED			
293	Tablet / Strips for occult blood (1x100)	50				NOT QUOTED			
294	TCBS agar Medium (500gm)	50				NOT QUOTED			
295	Tecaplanin (Box / 250 Disc)	10				NOT QUOTED			
296	Tephlon tube or Similar (Packs)	2				NOT QUOTED			
297	Test tube medium glass Box	1020				NOT QUOTED			
298	Test Tubes Medium sized (1 x 100) Boxes	16				NOT QUOTED			
299	Test Tubes Medium sized (1 x 100) Boxes	15				NOT QUOTED			
300	Tetracycline (250 Disc Box)	10				NOT QUOTED			
301	Thermal Paper Roll	184		Moon Enterprises	Hangzhou Rollmed Co, Ltd, China	83	15,272	1st Lowest	Moon Enterprises
				Secio Scientific Traders	Local	85	15,640	2nd Lowest	
302	Thermal printer roll (Applicable Dimension Analyzer)	100				NOT QUOTED			
303	Thermoborel S (PT) Siemens Sysmex	35				NOT QUOTED			
304	TIBC (250ml Kit)	2				NOT QUOTED			
305	Tips (1ml to 5ml) Packs	2				NOT QUOTED			
306	Toner HP Laser Jet P1005	26				NOT QUOTED			
307	Top Seal Elements Sets	2				NOT QUOTED			
308	Total Bilirubin (500ml Kit)	73		Secio Scientific Traders	Linear Chemicals, Spain	750	54,750	1st Lowest	Secio Scientific Traders
				Popular International	Human Germany	1,554	113,442	2nd Lowest	
309	Total bilirubin (Applicable Dimension Analyzer)	30				NOT QUOTED			

ITEM NO.	DESCRIPTION	REQ. QTY.	A/U	Name of Qualifying Firm	Quoted Unit Price		Total Quoted Price	Ranking	Name of Successful Bidder	Remarks
310	Total Protein (1000ml Kit)	14		Secio Scientific Traders	Linear Chemicals, Spain	1,790	25,060	1st Lowest	Secio Scientific Traders	
				Popular International	Human Germany	2,790	39,060	2nd Lowest		
311	Total protein (Applicable Dimension Analyzer)	30		NOT QUOTED						
312	Triglycerides (Applicable Dimension Analyzer)	40		NOT QUOTED						
313	Tryglyceride (450ml Kit)	33		Popular International	Human Germany	3,477	114,741	1st Lowest	Popular International	
				Secio Scientific Traders	Linear Chemicals, Spain	5,990	197,670	2nd Lowest		
314	TSH Kit Vitros Eli	10		Secio Scientific Traders	Ortho Clinical Diagnostics	19,500	195,000	1st Lowest	Secio Scientific Traders	
315	Tube Silicon	2		NOT QUOTED						
316	Tubes Racks 48 holes Racks	6		NOT QUOTED						
317	Tubes Racks 48 holes Racks	6		NOT QUOTED						
318	Tungston Wire Loop	16		NOT QUOTED						
319	Typhidot (1x25/Boxes)	220		NOT QUOTED						
320	Universal Wash Reagent	50		Secio Scientific Traders	Ortho Clinical Diagnostics	12,500	625,000	1st Lowest	Secio Scientific Traders	
321	Unsterile Swab Sticks (1x100/Pack)	100		Moon Enterprises	Hangzhou Rollmed Co, Ltd, China	7.67	767	1st Lowest	Moon Enterprises	
322	Urea (Cholrometric) (100x500ml Kit)	62		Popular International	Human Germany	6,088	377,456	1st Lowest	Popular International	
323	Urea (UV Kincetic) (600ml Kit)	81		Secio Scientific Traders	Linear Chemicals, Spain	2,790	225,990	1st Lowest	Secio Scientific Traders	
				Popular International	Human Germany	5,428	439,668	2nd Lowest		
324	Urea Medium (500 gm)	4		NOT QUOTED						
325	Urea Nitrogen (Applicable Dimension Analyzer)	160		NOT QUOTED						



ITEM NO.	DESCRIPTION	REQ. QTY.	A/U	Name of Qualifying Firm	Quoted Unit Price		Total Quoted Price	Ranking	Name of Successful Bidder	Remarks
326	Uri Stix M2 for Albumin Sugar (1x100 Test)	20		Popular International	Acon, USA	200	4,000	1st Lowest	Popular International	
327	Uric Acid (500ml Kit)	54		Popular International	Human Germany	3,165	170,910	1st Lowest	Popular International	
				Secio Scientific Traders	Linear Chemicals, Spain	5,760	311,040	2nd Lowest		
328	Uric Acid (Applicable Dimension Analyzer)	20		NOT QUOTED						
329	Urinary Protein - UCFP (Applicable Dimension Analyzer)	8		NOT QUOTED						
330	Urine C/S Container Disposable	10000		NOT QUOTED						
331	Urine D/R Glass Bottles with Cap Bottle	500		NOT QUOTED						
332	Urine DR bottles (ENO)	300		NOT QUOTED						
333	Urine Multistick Strips (10 Parameters) (bottles/100 strips)	550		Popular International	Acon, USA	540	297,000	1st Lowest	Popular International	
335	Vaccum diaphragm	2		NOT QUOTED						
336	Vacutainer (EDTA) (1000 per Box)	390		Moon Enterprises	Hangzhou Rollmed Co, Ltd, China	5.67	2,211.30	1st Lowest	Moon Enterprises	
337	Vacutainer (ESR) (1000 per Box)	140		Moon Enterprises	Hangzhou Rollmed Co, Ltd, China	10.76	1,506.40	1st Lowest	Moon Enterprises	
338	Vacutainer (PT & APTT) (1000 per Box)	40		Moon Enterprises	Hangzhou Rollmed Co, Ltd, China	5.67	226.80	1st Lowest	Moon Enterprises	
339	Vacutainer Tube Blue Top (1000/Box)	50		Moon Enterprises	Hangzhou Rollmed Co, Ltd, China	5.67	283.50	1st Lowest	Moon Enterprises	
340	Vacutainer Tube Flourid Grey Top (1000/Box)	110		Moon Enterprises	Hangzhou Rollmed Co, Ltd, China	5.67	623.70	1st Lowest	Moon Enterprises	
341	Vacutainer Tube Red Top (1000/Box)	120		Moon Enterprises	Hangzhou Rollmed Co, Ltd, China	5.67	680.40	1st Lowest	Moon Enterprises	
342	Vancomycin (250 Disc Box)	10		NOT QUOTED						
343	VDRL (100 Tests Kit)	40		Popular International	Human Germany	2,605	104,200	1st Lowest	Popular International	
				Secio Scientific Traders	Linear Chemicals, Spain	3,280	131,200	2nd Lowest		

ITEM NO.	DESCRIPTION	REQ. QTY.	A/U	Name of Qualifying Firm	Quoted Unit Price		Total Quoted Price	Ranking	Name of Successful Bidder	Remarks
344	Vortex Mixer	2		Popular International	Human Germany	24,300	48,600	1st Lowest	Popular International	
				Diagnostic System	Stuart, UK	55,000	110,000	2nd Lowest		
345	Wash Bottles (500 ml)	8		NOT QUOTED						
346	Widal Test AH, BH, TH, TO, AO, BO Vials each	21		Secio Scientific Traders	Linear Chemicals, Spain	2,520	52,920	1st Lowest	Secio Scientific Traders	
				Popular International	Human Germany	4,946	103,866	2nd Lowest		
347	Window glass	2		NOT QUOTED						
348	Wire Loops - Calibrated with Holders (0.001 & 0.0004 m) Each	24		NOT QUOTED						
349	XLD Agar Medium (500 gm)	4		NOT QUOTED						
350	Xyelene Bottle	4		NOT QUOTED						
351	Yellow cap gel tubes for sample collection	1000		Moon Enterprises	Hangzhou Rollmed Co, Ltd, China	7.93	7,930	1st Lowest	Moon Enterprises	
352	Yellow Tips Packs	82		Moon Enterprises	Hangzhou Rollmed Co, Ltd, China	176	14,432	1st Lowest	Moon Enterprises	
353	Absolue Alcohol Ltrs.	200		NOT QUOTED						
354	Absolute Alcohol	250		NOT QUOTED						
355	Acetic Acid Ltrs.	5		NOT QUOTED						
356	Acetone Ltrs.	5		NOT QUOTED						
357	Acid Fuchin Grams	100		NOT QUOTED						
358	Alcian Blue Grams	50		NOT QUOTED						
359	Ammonia solution Ltrs.	2.5		NOT QUOTED						
360	Ammonium alum Kg	5		NOT QUOTED						

Handwritten signatures and initials:
 J. Assan, J. Assan, A, Y. Assan

ITEM NO.	DESCRIPTION	REQ. QTY.	A/U	Name of Qualifying Firm	Quoted Unit Price	Total Quoted Price	Ranking	Name of Successful Bidder	Remarks
361	Basic Fuchsin Grams	100				NOT QUOTED			
362	Biebrich Scarlet Grams	100				NOT QUOTED			
363	Borax Grams	500				NOT QUOTED			
364	Buffers for pH Meter (4, 7, 10) Bottle Each	3				NOT QUOTED			
365	Citric Acid Kg	1				NOT QUOTED			
366	Congo red stain Grams	100				NOT QUOTED			
367	Cover Slips (24x50 mm)	100		Moon Enterprises	Hangzhou Rollmed Co, Ltd, China	176	17,600	1st Lowest	Moon Enterprises
368	Diamond Pencil	2				NOT QUOTED			
369	Disodium hydrogen phosphate Kg	20				NOT QUOTED			
370	DPX mountant	4				NOT QUOTED			
371	DPX Mountant Ltrs.	6				NOT QUOTED			
372	E.A. 50	5				NOT QUOTED			
373	E.A. 50 Ltrs.	2				NOT QUOTED			
374	EDTA Kg	1				NOT QUOTED			
375	Ennovin	2				NOT QUOTED			
376	Eosin Powder (yellowish) Grams	100				NOT QUOTED			
377	Ferric Alum Kg	1				NOT QUOTED			
378	Ferric Chloride Kg	1				NOT QUOTED			
379	Filter Paper sheet	200				NOT QUOTED			


Handwritten signatures and initials:
 J. Assan, H. Khan, A. G. S.

ITEM NO.	DESCRIPTION	REQ. QTY.	A/U	Name of Qualifying Firm	Quoted Unit Price	Total Quoted Price	Ranking	Name of Successful Bidder	Remarks
380	Formaline Ltrs.	200				NOT QUOTED			
381	Formic acid Ltrs.	5				NOT QUOTED			
382	Giemsa Powder Grams	100				NOT QUOTED			
383	Gloves (Medium)	32				NOT QUOTED			
384	Gloves (Small)	30				NOT QUOTED			
385	Glycerine Ltrs.	5				NOT QUOTED			
386	Hematoxylin (Prepared)	5				NOT QUOTED			
387	Hematoxylin powder Grams	200				NOT QUOTED			
388	Hexamine Kg	1				NOT QUOTED			
389	Hydrochloric acid Ltrs.	5				NOT QUOTED			
390	Hydrogen peroxide Ltrs.	2				NOT QUOTED			
391	Iodine Grams	100				NOT QUOTED			
392	Juster Adjustable (100 uL - 1000 uL)	1		Popular International	Human Germany	11,014	11,014	1st Lowest	Popular International
393	Lenses Paper	2				NOT QUOTED			
394	Light green SF yellowish CL Grams	200				NOT QUOTED			
395	Mercuric Oxide Yellow Grams	200				NOT QUOTED			
396	Methanol (2.5 Ltrs. Bottle) for Histo	320				NOT QUOTED			
397	Methyl Violet Grams	100				NOT QUOTED			
398	Methylene blue Grams	100				NOT QUOTED			
399	Microtome Blades Packs	40				NOT QUOTED			


ITEM NO.	DESCRIPTION	REQ. QTY.	A/U	Name of Qualifying Firm	Quoted Unit Price	Total Quoted Price	Ranking	Name of Successful Bidder	Remarks
400	Mucicarmine Powder Grams	100				NOT QUOTED			
401	Neo Mountant Ltrs.	2				NOT QUOTED			
402	Neutral Red Grams	100				NOT QUOTED			
403	Nuclear fast red Grams	100				NOT QUOTED			
404	O.G.6	5				NOT QUOTED			
405	Orcein Grams	100				NOT QUOTED			
406	Parafin wax Kg	200				NOT QUOTED			
407	Periodic Acid Grams	400				NOT QUOTED			
408	Phenol Crystal Kg	2				NOT QUOTED			
409	Phosphotungstic acid Grams	200				NOT QUOTED			
410	Picric Acid Kg	2				NOT QUOTED			
411	Potassium Ferrocyanide Kg	1				NOT QUOTED			
412	Potassium Hydroxide Grams	500				NOT QUOTED			
413	Potassium Iodide Grams	500				NOT QUOTED			
414	Potassium Metabi-sulphite Grams	500				NOT QUOTED			
415	Potassium Permanganate Grams	500				NOT QUOTED			
416	Rubianic acid C ₂ H ₄ N ₂ S ₂ Grams	25				NOT QUOTED			
417	Schiff's Reagent	2				NOT QUOTED			
418	Schiff's Reagent Ltrs.	3				NOT QUOTED			
419	Silver Nitrate Grams	400				NOT QUOTED			

[Handwritten signatures and initials]

ITEM NO.	DESCRIPTION	REQ. QTY.	A/U	Name of Qualifying Firm	Quoted Unit Price	Total Quoted Price	Ranking	Name of Successful Bidder	Remarks	
420	Slide Box (Frosted)	150							NOT QUOTED	
421	Slide Strickers	5000							NOT QUOTED	
422	Slide Trays	50							NOT QUOTED	
423	Sodium Chloride Kg	15							NOT QUOTED	
424	Sodium Dihydrogen Phosphage Kg	20							NOT QUOTED	
425	Sodium Hydroxide Kg	1							NOT QUOTED	
426	Staining Racks	4							NOT QUOTED	
427	Tissue Roll (small)	400							NOT QUOTED	
428	Tris base Kg	3							NOT QUOTED	
429	Trisodium Citrate Kg	1							NOT QUOTED	
430	Xylene	500							NOT QUOTED	
431	Ziehl Nelson Stain Bottles	3							NOT QUOTED	
432	(-80) Freezer Verticle 200 Ltr.	1		Diagnostic System	Arctiko, Denmark	1,590,000	1,590,000	1st Lowest	Diagnostic System	
433	Real Time PCR Automation with Complete Accessories	1		Diagnostic System	Techne, UK	1,990,000	1,990,000	1st Lowest	Diagnostic System	Dropped by CPC
				Shamim & Co.	QIAGEN, Germany	3,500,000	3,500,000	2nd Lowest		
			Specification of M/s. Secio Scientific Traders & M/s. Popular International is not approved							
434	Centrifuge 18000 RPM	1		Diagnostic System	DLAB USA / China	200,000	200,000	1st Lowest	Diagnostic System	
435	Cutting Loops for TURP Resectoscope Single stem	100							NOT QUOTED	
436	Danger Bin (4)	1							NOT QUOTED	
437	Ice Machine	1							NOT QUOTED	



ITEM NO.	DESCRIPTION	REQ. QTY.	A/U	Name of Qualifying Firm	Quoted Unit Price		Total Quoted Price	Ranking	Name of Successful Bidder	Remarks
438	Multipipette Juster	1		Popular International	Human Germany	67,107	67,107	1st Lowest	Popular International	
439	Nano Drop	1		Diagnostic System	Jenway, UK	950,000	950,000	1st Lowest	Diagnostic System	Dropped by CPC
440	Nucleic Acid Extraction for Quamtica	1		NOT QUOTED						
441	Picofuge	2		Diagnostic System	DLAB USA / China	30,000	60,000	1st Lowest	Diagnostic System	
442	Printer with Poly Phomic Film	1		NOT QUOTED						
443	Vortex	1		Diagnostic System	Stuart, UK	55,000	55,000	1st Lowest	Diagnostic System	Dropped by CPC
444	Glucose Pap 1000ml	25		Diagnostic System	Ennoline / Elitech France	4,700	117,500	1st Lowest	Diagnostic System	
				Specification of M/s. Scio Scientific Traders & M/s. Popular International is not approved						
445	Urea UV 250ml	50		Diagnostic System	Ennoline / Elitech France	6,000	300,000	1st Lowest	Diagnostic System	
				Specification of M/s. Scio Scientific Traders & M/s. Popular International is not approved						
446	Creatinine 300ml	50		Diagnostic System	Ennoline / Elitech France	6,700	335,000	1st Lowest	Diagnostic System	
				Specification of M/s. Scio Scientific Traders & M/s. Popular International is not approved						
447	Uric Acid 250ml	25		Diagnostic System	Ennoline / Elitech France	7,500	187,500	1st Lowest	Diagnostic System	
				Specification of M/s. Scio Scientific Traders & M/s. Popular International is not approved						
448	Calcium 150ml	25		Diagnostic System	Ennoline / Elitech France	4,750	118,750	1st Lowest	Diagnostic System	
				Specification of M/s. Scio Scientific Traders & M/s. Popular International is not approved						
449	Triglycerides 300ml	25		Diagnostic System	Ennoline / Elitech France	11,500	287,500	1st Lowest	Diagnostic System	
				Specification of M/s. Scio Scientific Traders & M/s. Popular International is not approved						
450	Cholesterol 300ml	25		Diagnostic System	Ennoline / Elitech France	8,500	212,500	1st Lowest	Diagnostic System	
				Specification of M/s. Scio Scientific Traders & M/s. Popular International is not approved						



ITEM NO.	DESCRIPTION	REQ. QTY.	A/U	Name of Qualifying Firm	Quoted Unit Price	Total Quoted Price	Ranking	Name of Successful Bidder	Remarks
451	Bil-Tot 250ml	50		Diagnostic System	Ennoline / Elitech France	8,000	400,000	1st Lowest	Diagnostic System
				Specification of M/s. Secio Scientific Traders & M/s. Popular International is not approved					
452	Bil-Dir 250ml	50		Diagnostic System	Ennoline / Elitech France	8,000	400,000	1st Lowest	Diagnostic System
				Specification of M/s. Secio Scientific Traders & M/s. Popular International is not approved					
453	SGPT 250ml	50		Diagnostic System	Ennoline / Elitech France	7,800	390,000	1st Lowest	Diagnostic System
				Specification of M/s. Secio Scientific Traders & M/s. Popular International is not approved					
454	Alkaline Phos 250ml	50		Diagnostic System	Ennoline / Elitech France	7,500	375,000	1st Lowest	Diagnostic System
				Specification of M/s. Secio Scientific Traders & M/s. Popular International is not approved					
455	T. Protein 300ml	20		Diagnostic System	Ennoline / Elitech France	5,200	104,000	1st Lowest	Diagnostic System
				Specification of M/s. Secio Scientific Traders & M/s. Popular International is not approved					
456	Gamma GT 250ml	50		Diagnostic System	Ennoline / Elitech France	11,100	555,000	1st Lowest	Diagnostic System
				Specification of M/s. Secio Scientific Traders & M/s. Popular International is not approved					
457	Iron 250ml	15		Diagnostic System	Ennoline / Elitech France	13,200	198,000	1st Lowest	Diagnostic System
				Specification of M/s. Secio Scientific Traders & M/s. Popular International is not approved					
458	Albumin 300ml	15		Diagnostic System	Ennoline / Elitech France	6,700	100,500	1st Lowest	Diagnostic System
				Specification of M/s. Secio Scientific Traders & M/s. Popular International is not approved					
459	Phosphorus UV 150ml	15		Diagnostic System	Ennoline / Elitech France	3,950	59,250	1st Lowest	Diagnostic System
				Specification of M/s. Secio Scientific Traders & M/s. Popular International is not approved					
460	Magnesium 300ml	15		Diagnostic System	Ennoline / Elitech France	8,500	127,500	1st Lowest	Diagnostic System
				Specification of M/s. Secio Scientific Traders & M/s. Popular International is not approved					



ITEM NO.	DESCRIPTION	REQ. QTY.	A/U	Name of Qualifying Firm	Quoted Unit Price	Total Quoted Price	Ranking	Name of Successful Bidder	Remarks
461	CK NAC 125ml	10		Diagnostic System	Ennoline / Elitech France	8,750	87,500	1st Lowest	Diagnostic System
				Specification of M/s. Popular International is not approved					
462	CK-MB 150ml	10		Diagnostic System	Ennoline / Elitech France	18,500	185,000	1st Lowest	Diagnostic System
				Specification of M/s. Popular International is not approved					
463	SGOT 250ml	10		Diagnostic System	Ennoline / Elitech France	7,800	78,000	1st Lowest	Diagnostic System
				Specification of M/s. Secio Scientific Traders & M/s. Popular International is not approved					
464	LDH 150ml	10		Diagnostic System	Ennoline / Elitech France	6,000	60,000	1st Lowest	Diagnostic System
				Specification of M/s. Secio Scientific Traders & M/s. Popular International is not approved					
465	Amylase 60ml	15		Diagnostic System	Ennoline / Elitech France	16,950	254,250	1st Lowest	Diagnostic System
				Specification of M/s. Secio Scientific Traders & M/s. Popular International is not approved					
466	Chemistry Control Normal (HSN Control)	15		Diagnostic System	Ennoline / Elitech France	15,000	225,000	1st Lowest	Diagnostic System
				Specification of M/s. Popular International is not approved					
467	Chemistry Control High (HSP Control)	15		Diagnostic System	Ennoline / Elitech France	16,000	240,000	1st Lowest	Diagnostic System
				Specification of M/s. Popular International is not approved					
468	MultiCalibrator	10		Diagnostic System	Ennoline / Elitech France	1,450	14,500	1st Lowest	Diagnostic System
469	System Solution	25		Diagnostic System	Ennoline / Elitech France	10,000	250,000	1st Lowest	Diagnostic System
470	Cleaning Solution	5		Diagnostic System	Ennoline / Elitech France	11,000	55,000	1st Lowest	Diagnostic System
471	Reaction Rotor	20		Diagnostic System	Ennoline / Elitech France	15,000	300,000	1st Lowest	Diagnostic System
472	U & CSF Total Proteins	8		Diagnostic System	Ennoline / Elitech France	5,800	46,400	1st Lowest	Diagnostic System
				Specification of M/s. Secio Scientific Traders is not approved					

ITEM NO.	DESCRIPTION	REQ. QTY.	A/U	Name of Qualifying Firm	Quoted Unit Price		Total Quoted Price	Ranking	Name of Successful Bidder	Remarks
473	ASO Turbi With Calibrator 50ml	10		Diagnostic System	Ennoline / Elitech France	9,500	95,000	1st Lowest	Diagnostic System	Dropped by CPC
474	CRP Turbi With Calibrator 50ml	10		Diagnostic System	Ennoline / Elitech France	9,500	95,000	1st Lowest	Diagnostic System	Dropped by CPC
475	Micro AlbuminTurbi 50ml	10		Diagnostic System	Ennoline / Elitech France	9,500	95,000	1st Lowest	Diagnostic System	
476	HDL Direct 100ml	15		Diagnostic System	Ennoline / Elitech France	22,000	330,000	1st Lowest	Diagnostic System	
				Specification of M/s. Secio Scientific Traders & M/s. Popular International is not approved						
477	LDL Direct 100ml	15		Diagnostic System	Ennoline / Elitech France	38,140	572,100	1st Lowest	Diagnostic System	
				Specification of M/s. Secio Scientific Traders & M/s. Popular International is not approved						
478	HBA1C	10		Secio Scientific Traders	Gettein	8,100	81,000	1st Lowest	Secio Scientific Traders	Dropped by CPC
				Diagnostic System	Ennoline / Elitech France	25,000	250,000	2nd Lowest		
				Popular International	Human Germany	32,902	329,020	3rd Lowest		
479	HBA1C Calibrator	3		Popular International	Human Germany	11,914	35,742	1st Lowest	Popular International	Dropped by CPC
				Diagnostic System	Ennoline / Elitech France	17,500	52,500	2nd Lowest		
480	HBA1C Control	3		Popular International	Human Germany	10,994	32,982	1st Lowest	Popular International	Dropped by CPC
				Diagnostic System	Ennoline / Elitech France	12,000	36,000	2nd Lowest		
481	Yearly Maintance kit Selectra E	1		Diagnostic System	Ennoline / Elitech France	250,000	250,000	1st Lowest	Diagnostic System	
482	Half Yearly Maintance kit Selectra E	1		Diagnostic System	Ennoline / Elitech France	200,000	200,000	1st Lowest	Diagnostic System	
483	Q.I Lamp	4		Diagnostic System	Ennoline / Elitech France	5,000	20,000	1st Lowest	Diagnostic System	


DR. SAID AKHTAR
 Dy. Director Procurement /
 Incharge Main Stores
 Medical & Health Services
 Karachi Metropolitan Corporation


DR. HAMID ZAHEER
 Director (Admin & Accounts)
 Medical & Health Services
 Karachi Metropolitan Corporation


Dr. Muhammad Atif Abbasi
 Senior Director
 Medical & Health Service
 Karachi Metropolitan Corporation


Dr. Syed Khalid Masood
 Medical Superintendent
 Sindh Govt. Qatar Hospital
 Orangi Town Karachi.


Dr. Muhammad Shabir Ali
 District Officer (H) Curative
 C. R. Karachi

BID EVALUATION REPORT

1.	Name of Procuring Agency: -	Senior Director(M&HS)KMC
2.	Tender Reference No.	No .Sr. Dir (M&HS)/Tender/Proc/2017/95 Dated 13-04-2017
3.	Tender Description / Name of Work / Item: -	7-G. Purchase of Electro Medical Equipment
4.	Method of Procurement: -	Single stage Two Envelope Procedure
5.	Tender Published: -	Dawn / Express / Sarwan on 15-04-2017 SPPRA Sr.No.32958
6.	Total Bid Documents Sold: -	20
7.	Total Bid Received: -	17
8.	Technical Bid Opening Date: -	11-05-2017
9.	No. of Bid(s) Technically Qualified: -	17
10.	Bid(s) Rejected: -	Nil
11.	Financial Bid Opening Date: -	12-06-2017

12. Bid Evaluation Report: -

Sr. No.	Name of Firm or Bidder alongwith Property Offered	Cost Offered by the Bidder	Ranking in Terms of Cost	Comparison with Estimated Cost	Reasons Acceptance / Rejection	Remarks
1.	M/s. Ameer Din Instrument	Please see items wise comparative statement				On lowest basis
2.	M/s. Oasis Medical System	Please see items wise comparative statement				On lowest basis
3.	M/s. Popular International	Please see items wise comparative statement				On lowest basis
4.	M/s. Khalid Corp.	Please see items wise comparative statement				On lowest basis
5.	M/s. Noor International	Please see items wise comparative statement				On lowest basis
6.	M/s. Hospital Supply Corp.	Please see items wise comparative statement				On lowest basis
7.	M/s. Mediquips (SMC)	Please see items wise comparative statement				On lowest basis

8.	M/s. BIOS	Please see items wise comparative statement				On lowest basis
9.	M/s. Shamim & CO.	Please see items wise comparative statement				On lowest basis
10.	M/s. Hadi Enterprises	Please see items wise comparative statement				On lowest basis
11.	M/s. S. Ejazuddin Co.	Please see items wise comparative statement				On lowest basis
12.	M/s. DWP Tech. Pvt. Ltd.	Please see items wise comparative statement				On lowest basis
13.	M/s. Bio Medical Tech.	Please see items wise comparative statement				On lowest basis
14.	M/s. Med. Elec. Corp.	Please see items wise comparative statement				On lowest basis
15.	M/s. Seico Scientific Traders	Please see items wise comparative statement				On lowest basis
16.	M/s. Optisurg	Please see items wise comparative statement				On lowest basis
17.	M/s. Universal Enterprises	Please see items wise comparative statement				On lowest basis


Items wise Comparative Statements attached (Lower offer is highlighted in comparative statements).


DR.SAID AKHTAR
 Dy. Director Procurement /
 Incharge Main Stores
 Medical & Health Services
 Karachi Metropolitan Corporation


DR. HAMID ZAHEER
 Director (Admin & Accounts)
 Medical & Health Services
 Karachi Metropolitan Corporation


Dr. Muhammad Ali Abbasi
 Senior Director
 Medical & Health Service
 Karachi Metropolitan Corporation


Dr. Syed Khalid Masood
 Medical Superintendent
 Sindh Govt. Qatar Hospital
 Orangi Town Karachi.


Dr. Muhammad Shafiq Ali
 District Officer (H) Curative
 G.D.B. Karachi

COMPARATIVE STATEMENT (FINANCIAL PROPOSAL)
TENDER SR. NO. 7 (G) SUPPLY OF ELECTRO MEDICAL EQUIPMENT FOR KMC HOSPITALS UNDER ANNUAL TENDER FOR THE YEAR 2016 – 2017

Item No.	Description	Qty	Name of Bidder	Model / Make	Rate Per A/U		Ranking	Remarks
					C & F	Pak Rs.		
1	VENTILATOR FOR ADULT & PEADS	14	M/s. Noor International	Homilton Medical	-	2,350,000	1st Lowest	
2	C-ARM SYSTEM	1	M/s. BIOS	Dongmun, Korea	-	4,900,000	1st Lowest	
			M/s. Mediquips (SMC)	Toshiba Japan	-	10,960,000	2nd Lowest	
3	COLOR DOPPLER ULTRASOUND SCANNER	11	M/s. DWP Tech. Pvt. Ltd.	Philips	\$31,400	-	1st Lowest	Dropped by CPC
			M/s. Mediquips (SMC)	Toshiba Japan	-	4,800,000	2nd Lowest	
			Specification of M/s. Khalid Corporation is Not Approved					
4	COLPOSCOPE DIGITAL VIDEO	1	Specification of M/s. Khalid Corporation is Not Approved					
5	MULTIPARA MONITORS	30	Specification of M/s. Bio Medical Technologies is Not Approved					
6	OPERATIVE HYSTERSCOPE	1	NOT QUOTED					
7	OPERATIVE AND DIAGNOSTIC HYSTEROSCOPY SET WITH TCRE AND FLUID MANAGEMENT SYSTEM.	1	NOT QUOTED					
8	DIGITAL MAMMOGRAPHY UNIT.	1	M/s. Mediquips (SMC)	Metaltronica Italy	-	21,000,000	1st Lowest	Dropped by CPC
9	ROOF MOUNTED OPERATION THEATER LIGHT (TWO PRONG)	14	M/s. Med. Elec. Corporation	Skytron, USA	-	1,699,000	1st Lowest	
			M/s. Universal Enterprises	Brandon Medical, UK	-	1,776,888	2nd Lowest	
			M/s. Noor International	Simeon Medical	-	1,835,000	3rd Lowest	
			Specification of M/s. Khalid Corporation is Not Approved					
10	PHOTOTHERAPY LIGHT	11	M/s. Oasis Medical System	Novous Medical System, Turkey	-	177,000	1st Lowest	

Item No.	Description	Qty	Name of Bidder	Model / Make	Rate Per A/U		Ranking	Remarks
					C & F	Pak Rs.		
11	INFANT WARMER	10	M/s. Oasis Medical System	Novous Medical System, Turkey	-	520,000	1st Lowest	
12	LAPAROSCOPE	1	M/s. Shamim & Co.	B. Braun Aesculap	-	4,999,000	1st Lowest	Dropped by CPC
13	MOBILE OT LIGHT	10	M/s. Noor International	Simeon Medical	-	720,360	1st Lowest	
			M/s. Universal Enterprises	Brandon Medical, UK	-	225,000	2nd Lowest	
			Specification of M/s. Khalid Corporation is Not Approved					
14	CTG FETAL & MATERNAL MONITOR	8	Specification of M/s. Khalid Corporation & M/s. Bio Medical Technologies is Not Approved					
15	CARDIAC MONITOR (MULTI PARA MONITOR) SMART CABLE MODULE CABLE TECHNOLOGY:	30	M/s. Mediquips (SMC)	Nihon Kohden Japan	-	700,000	1st Lowest	
16	CENTRIFUGE MACHINE	20	NOT QUOTED					
17	ANESTHESIA MACHINE WITH VENTILATOR	15	M/s. Noor International	Medec	-	2,800,000	1st Lowest	
			Specification of M/s. Khalid Corporation & M/s. Oasis Medical System is Not Approved					
18	SYRINGE PUMP	40	Specification of M/s. Noor International, M/s. S. Ejazuddin Co. & M/s. Med. Elec. Corporation is Not Approved					
19	PULSE OXIMETER TECHNICAL (WITH PROP)	29	Specification of M/s. Khalid Corporation & M/s. Bio Medical Technologies is Not Approved					
20	DEFIBRILLATOR:	2	M/s. Khalid Corporation	Innomad, Germany	-	627,000	1st Lowest	Dropped by CPC
			Specification of M/s. Mediquips (SMC) is Not Approved					
21	DYNAMAP PORTABLE	22	NOT QUOTED					
22	BLOOD GAS ANALYZER (ABG ANALYZER)	1	M/s. Noor International	Radiometer	-	2,215,000	1st Lowest	Dropped by CPC
			M/s. S. Ejazuddin Co.	Radio Meter Denmark	-	2,580,000	2nd Lowest	

Item No.	Description	Qty	Name of Bidder	Model / Make	Rate Per A/U		Ranking	Remarks
					C & F	Pak Rs.		
23	RADIOFREQUENCY LESION GENERATOR	1	M/s. Noor International	Piros Technologies	-	2,835,000	1st Lowest	Dropped by CPC
			M/s. S. Ejazuddin Co.	Schwa Medico, Germany	-	3,350,000	2nd Lowest	
24	POLYSOMNOGRAPHY SYSTEM WITH VIDEO & TITRATION SYSTEM (SLEEP SYSTEM)	1	M/s. Hadi Enterprises	Embla Natus USA	-	3,800,000	1st Lowest	Dropped by CPC
			Specification of M/s. Shamim & Co. is Not Approved					
25	SUCTION MACHINE FOR EMERGENCY, ICU AND OT	36	M/s. Oasis Medical System	CAMI, Italy	€ 810	-	1st Lowest	Dropped by CPC
			M/s. Noor International	Medela	-	280,000	2nd Lowest	
			Specification of M/s. Khalid Corporation is Not Approved					
26	3 CHANNEL ECG MACHINE	30	M/s. Khalid Corporation	Suzuken Co. Ltd. Japan	-	167,000	1st Lowest	
			M/s. Mediquips (SMC)	Nihon Kohden Japan	-	290,000	2nd Lowest	
			Specification of M/s. Bio Medical Technologies is Not Approved					
27	O.T. TABLE FOR UROLOGY, GYNAE & OBS.	9	Specification of M/s. Khalid Corporation is Not Approved					
28	PORTABLE ECHO MACHINE	1	Specification of M/s. Khalid Corporation, M/s. Mediquips (SMC) & M/s. BIOS is Not Approved					
29	DIGITAL ECHOCARDIOGRAPHY MACHINE	1	M/s. DWP Tech. Pvt. Ltd.	Philips	\$41,000	-	1st Lowest	
			Specification of M/s. Khalid Corporation, M/s. Mediquips (SMC) & M/s. BIOS is Not Approved					
30	MOBILE VENTILATOR MRI COMPATIBLE ADULT & PEADS	4	M/s. Noor International	Homilton Medical	-	4,190,000	1st Lowest	Dropped by CPC
31	A&B SCAN WITH BIOMETER DYNAMIC DIGITAL VIDEO	3	Specification of M/s. Ameer Din Instruments & M/s. Khalid Corporation is Not Approved					
32	APPLANATION TONOMETER HANGING TYPE WITH ONE STANDARD AND ONE EXTRA PRISM	5	M/s. Ameer Din Instruments	Haag Streit Switzerland	-	198,000	1st Lowest	
			M/s. Khalid Corporation	Haag Striet, Swiss	-	285,000	2nd Lowest	

Item No.	Description	Qty	Name of Bidder	Model / Make	Rate Per A/U		Ranking	Remarks
					C & F	Pak Rs.		
33	ARGON LASER:	2	Specification of M/s. Ameer Din Instruments & M/s. Khalid Corporation is Not Approved					
34	AUTOREFRACTOMETER WITH KERATOMETER REFRACTOMETRY	4	Specification of M/s. Ameer Din Instruments & M/s. Khalid Corporation is Not Approved					
35	OPHTHALMOSCOPE & RETINOSCOPE WITH DESK TYPE CHARGER	13	M/s. Ameer Din Instruments	Heine Germany	-	148,750	1st Lowest	
			Specification of M/s. Khalid Corporation is Not Approved					
36	LENSOMETER / PHECOMETER	1	M/s. Ameer Din Instruments	Topcon Japan	-	218,000	1st Lowest	
				Unicos Korea	-	205,000	2nd Lowest	
37	OPTICAL CHORANCE TOMOGRAPHY(OCT) WITH SCANING LASER TOMOGRAPHIC IMAGING	2	M/s. Optisurg	Optopol Poland	-	4,400,000	1st Lowest	
			M/s. Ameer Din Instruments	Topcon Japan	-	5,943,000	2nd Lowest	
			Specification of M/s. Khalid Corporation is Not Approved					
38	PHACOEMULSIFICATION SYSTEM	5	M/s. Optisurg	Oertli Instruments AG, Switzerland	-	2,697,000	1st Lowest	Dropped by CPC
			Specification of M/s. Ameer Din Instruments & M/s. Khalid Corporation is Not Approved					
39	YAG LASER	3	M/s. Ameer Din Instruments	Lightmed USA	-	2,243,000	1st Lowest	Dropped by CPC
			Specification of M/s. Khalid Corporation is Not Approved					
40	DR SYSTEM X-RAY	1	Specification of M/s. Mediquips (SMC), M/s. BIOS & M/s. Shamim & Co. is Not Approved					
41	X-RAY MACHINE	1	M/s. BIOS	Stephanix France	-	3,795,000	1st Lowest	
			Specification of M/s. Mediquips (SMC) is Not Approved					
42	PORTABLE X-RAY MACHINE 300MA	2	Specification of M/s. Mediquips (SMC) & M/s. BIOS is Not Approved					
43	PORTABLE X-RAY MACHINE 100MA	8	M/s. BIOS	Stephanix France	-	1,895,000	1st Lowest	
			M/s. Mediquips (SMC)	Toshiba Japan	-	4,500,000	2nd Lowest	



Item No.	Description	Qty	Name of Bidder	Model / Make	Rate Per A/U		Ranking	Remarks
					C & F	Pak Rs.		
44	PORTABLE ULTRASOUND MACHINE	3	Specification of M/s. Khalid Corporation) & M/s. BIOS is Not Approved					
45	DENTAL UNIT	13	Specification of M/s. Khalid Corporation is Not Approved					
46	CUSPIDOR UNIT	1	NOT QUOTED					
47	AUTOCLAVE	17	Specification of M/s. Khalid Corporation is Not Approved					
48	Dental X-Ray	5	Specification of M/s. Khalid Corporation is Not Approved					
49	R.O. PLANT	1	M/s. Hospital Supply Corporation	Crane Environmental Products, USA	-	1,380,000	1st Lowest	
			Specification of M/s. Khalid Corporation is Not Approved					
50	Diathermy Machine (Monopolar)	12	M/s. Med. Elec. Corporation	MGB Germany	-	549,000	1st Lowest	
			Specification of M/s. Oasis Medical System & M/s. Khalid Corporation is Not Approved					
51	Sonicaid	9	M/s. Bio Medical Technologies	Huntleigh, UK	-	105,000	1st Lowest	
			Specification of M/s. Khalid Corporation is Not Approved					
52	Electric POP Cutter	4	M/s. Khalid Corporation	Diameda, Germany	-	135,000	1st Lowest	
53	Pneumatic Bone Saw	2	M/s. Khalid Corporation	Diameda, Germany	-	785,000	1st Lowest	
54	Pneumatic Power Drill	4	M/s. Khalid Corporation	Diameda, Germany	-	985,000	1st Lowest	
55	Power Drill Pneumatic	1	Item Dropped by Purchased Committee					
56	Endtidal CO2 Monitor	2	NOT QUOTED					
57	Laryngoscope all size with complete Blade Set	19	M/s. Ameer Din Instruments	Heine Germany	-	94,000	1st Lowest	
			Specification of M/s. Khalid Corporation is Not Approved					
58	Laryngoscope Complete Set (Paeds/Infant)	8	M/s. Ameer Din Instruments	Heine Germany	-	77,000	1st Lowest	
			Specification of M/s. Khalid Corporation is Not Approved					


Item No.	Description	Qty	Name of Bidder	Model / Make	Rate Per A/U		Ranking	Remarks
					C & F	Pak Rs.		
59	Infantometer	8	NOT QUOTED					
60	Phototherapy Unit	11	M/s. Oasis Medical System	Novous Medical System, Turkey	\$1,150	-	1st Lowest	
61	Black Metallic Endoscope for Laser Surgery (6 Dif. Sizes)	6	NOT QUOTED					
62	Black Metallic Forceps/Accessories for Laser Surgery (6 Dif. Sizes)	6	M/s. Khalid Corporation	Hilbro, Pakistan	-	1,580	1st Lowest	
63	Electric Drill Burrs for Ear Surgery	25	M/s. Khalid Corporation	Diameda, Germany	-	1,130	1st Lowest	
64	Electric Drill for Ear Surgery	2	M/s. Khalid Corporation	Diameda, Germany	-	890,000	1st Lowest	
65	Head Light for ENT	9	M/s. Universal Enterprises	Tekno, Germany	-	73,915	1st Lowest	
			M/s. Ameer Din Instruments	Heine Germany	-	144,000	2nd Lowest	
			Specification of M/s. Khalid Corporation is Not Approved					
66	Pneumatic Drill for Head & Neck Surgery	1	M/s. Khalid Corporation	Diameda, Germany/ W&H Austria	-	2,800,000	1st Lowest	
67	Tympanometry	1	Specification of M/s. Khalid Corporation is Not Approved					
68	Auto Processing Plant	3	NOT QUOTED					
69	High Speed Hand Piece	8	Specification of M/s. Khalid Corporation is Not Approved					
70	Scaler Ultrasonic	2	Specification of M/s. Khalid Corporation is Not Approved					
71	Scaler with Tips	4	Specification of M/s. Khalid Corporation is Not Approved					
73	Bone Cutting Surgical Motorized Drill	2	M/s. Khalid Corporation	Diameda, Germany	-	1,490,000	1st Lowest	
74	Electric Nerve Tester	10	Specification of M/s. Khalid Corporation is Not Approved					
75	Pizzo Electric Bone Cutting Unit	1	Specification of M/s. Khalid Corporation is Not Approved					
76	Rechargeable Oscillatory Saw	2	M/s. Khalid Corporation	Diameda, Germany	-	985,000	1st Lowest	
77	90 D Lens	4	Specification of M/s. Khalid Corporation is Not Approved					




Item No.	Description	Qty	Name of Bidder	Model / Make	Rate Per A/U		Ranking	Remarks
					C & F	Pak Rs.		
78	Bipolar Cautery	1	M/s. Universal Enterprises	Tekno, Germany	-	205,320	1st Lowest	
			Specification of M/s. Khalid Corporation is Not Approved					
79	Electro Cautery Machine	1	M/s. Universal Enterprises	Tekno, Germany	-	205,320	1st Lowest	
			Specification of M/s. Khalid Corporation is Not Approved					
80	Electrolysis Machine	1	Specification of M/s. Popular International is Not Approved					
81	Field Analyzer	1	M/s. Ameer Din Instruments	Haag Streit Switzerland	-	1,783,000	1st Lowest	
			Specification of M/s. Khalid Corporation is Not Approved					
82	Fundus Camera	2	M/s. Ameer Din Instruments	Topcon Japan	-	2,883,000	1st Lowest	
			Specification of M/s. Khalid Corporation is Not Approved					
83	Humphery Visual Field	1	Specification of M/s. Khalid Corporation is Not Approved					
84	Hydraulic O.T. Chair	1	Specification of M/s. Khalid Corporation is Not Approved					
85	Indirect Ophthalmoscope	4	M/s. Ameer Din Instruments	Heine Germany	-	269,000	1st Lowest	
			M/s. Khalid Corporation	Neitz Japan	-	475,000	2nd Lowest	
86	Lensometer	4	M/s. Ameer Din Instruments	Topcon Japan	-	218,000	1st Lowest	
				Unicos Korea	-	205,000	2nd Lowest	
			Specification of M/s. Khalid Corporation is Not Approved					
87	Auto Clave for Lab.	2	NOT QUOTED					
88	Centrifuge Machine (12 Tubes)	20	M/s. Popular International	Human Germany	-	272,391.25	1st Lowest	
89	Digital Balance 1 mg to 1Kg	3	NOT QUOTED					
90	Hematology (Manual Control)	3	NOT QUOTED					



Item No.	Description	Qty	Name of Bidder	Model / Make	Rate Per A/U		Ranking	Remarks
					C & F	Pak Rs.		
91	Hematology Analyzer (3 Part)	6	M/a. Scio Scientific	Hungary	-	389,000	1st Lowest	
			M/s. Khalid Corporation	Swelab Sweden	-	678,000	2nd Lowest	
			M/s. Popular International	Human Germany	-	678,890	3rd Lowest	
			M/s. S. Ejazuddin Co.	Sysmex Corp. Japan	-	796,970	4th Lowest	
92	Hot Air Oven	7	NOT QUOTED					
93	Lab. Incubator	1	NOT QUOTED					
94	Microscope (Binocular)	12	M/s. Khalid Corporation	Olympus, Japan	-	158,000	1st Lowest	
			M/s. Popular International	Human Germany	-	223,238.75	2nd Lowest	
95	Microscope (Detached for Teaching with Camera & Monitor)	1	M/s. Khalid Corporation	Olympus, Japan	-	1,835,000	1st Lowest	
96	Microscope (Double Head)	2	M/s. Khalid Corporation	Olympus, Japan	-	485,000	1st Lowest	
97	Sample Mixer	3	NOT QUOTED					
98	Ultra Centrifuge (1800 rpm)	1	NOT QUOTED					
99	Water Bath	9	M/s. Popular International	Human Germany	-	152,985	1st Lowest	
100	(-80) Freezer	1	NOT QUOTED					
101	Ambo Bags (Adult)	30	Specification of M/s. Khalid Corporation is Not Approved					
102	Ambo Bags (New Born)	30	Specification of M/s. Khalid Corporation is Not Approved					
103	Auto Clave	17	Specification of M/s. Khalid Corporation is Not Approved					
104	Baby Weighing Machine	12	Specification of M/s. Khalid Corporation is Not Approved					
105	Bipolar Diathermy Cable	6	M/s. Khalid Corporation	Diameda, Germany	-	24,000	1st Lowest	
106	BP Apparatus (Andriod)	440	M/s. Khalid Corporation	Yamasu Japan	-	2,870	1st Lowest	
			M/s. Ameer Din Instruments	Heine Germany	-	7,700	2nd Lowest	



Item No.	Description	Qty	Name of Bidder	Model / Make	Rate Per A/U		Ranking	Remarks
					C & F	Pak Rs.		
107	Dianamap Monitor Cable compatible with Dianamap	44	NOT QUOTED					
108	Dry Sterilizer	10	Specification of M/s. Khalid Corporation is Not Approved					
109	Examination Light for Labor Room with LED	17	M/s. Ameer Din Instruments	Heine Germany	-	53,400	1st Lowest	
			Specification of M/s. Khalid Corporation is Not Approved					
110	Fund scope (Paeds)	4	M/s. Ameer Din Instruments	Heine Germany	-	19,400	1st Lowest	
			Specification of M/s. Khalid Corporation is Not Approved					
111	Gluco Meter	70	M/s. S. Ejazuddin Co.	Arkary Japan	-	1,500	1st Lowest	
			Specification of M/s. Popular International & M/s. Khalid Corporation is Not Approved					
112	Monopolar Diathermy Cable	24	Specification of M/s. Khalid Corporation is Not Approved					
113	Multipara Monitor Cables compatible with Multipara Monitors (Adult)	60	NOT QUOTED					
114	Multipara Monitor Cables compatible with Multipara Monitors (Paeds)	50	NOT QUOTED					
115	Nebulizer Machine	50	Specification of M/s. Khalid Corporation is Not Approved					
116	Otoscope (Adult)	12	M/s. Ameer Din Instruments	Heine Germany	-	23,900	1st Lowest	
			Specification of M/s. Khalid Corporation is Not Approved					
117	Otoscope (Paeds)	7	M/s. Ameer Din Instruments	Heine Germany	-	19,400	1st Lowest	
			Specification of M/s. Khalid Corporation is Not Approved					
118	Oxygen Concentrator	3	M/s. Bio Medical Technologies	Olive China	-	78,000	1st Lowest	
119	Oxygen Cylinder Large	27	Specification of M/s. Khalid Corporation is Not Approved					
120	Oxygen Cylinder Medium	48	Specification of M/s. Khalid Corporation is Not Approved					




Item No.	Description	Qty	Name of Bidder	Model / Make	Rate Per A/U		Ranking	Remarks
					C & F	Pak Rs.		
121	Oxygen Flowmeter	390	M/s. Bio Medical Technologies	Pneumatic Medical Solution	-	6,000	1st Lowest	
			M/s. Oasis Medical System	Megasan, Turkey	\$600	-	2nd Lowest	
			Specification of M/s. Khalid Corporation is Not Approved					
122	Pulse Oximeter Cordless (Adult)	43	Specification of M/s. Khalid Corporation & M/s. Bio Medical Technologies is Not Approved					
123	Pulse Oximeter Cordless (Paeds)	25	Specification of M/s. Khalid Corporation & M/s. Bio Medical Technologies is Not Approved					
124	Pulse Oximeter with Probe	29	M/s. Bio Medical Technologies	Care Vision	-	74,000	1st Lowest	
			M/s. Khalid Corporation	Mad Lab Germany	-	140,000	2nd Lowest	
125	Stethoscope	440	M/s. Ameer Din Instruments	Heine Germany	-	5,645	1st Lowest	Dropped by CPC
			Specification of M/s. Khalid Corporation is Not Approved					
126	UPS for Flourosopy Machine	1	M/s. Khalid Corporation	Italy / Europe	-	5,428,000	1st Lowest	
127	Weighing Machine (Adult)	28	Specification of M/s. Khalid Corporation is Not Approved					


DR. SAID AKHTAR
 Dy. Director Procurement /
 Incharge Main Stores
 Medical & Health Services
 Karachi Metropolitan Corporation


DR. HAMID ZAHEER
 Director (Admin & Accounts)
 Medical & Health Services
 Karachi Metropolitan Corporation


Dr. Muhammad Ali Abbasi
 Senior Director
 Medical & Health Service
 Karachi Metropolitan Corporation


Dr. Syed Khalid Masood
 Medical Superintendent
 Sindh Govt. Qatar Hospital
 Orangi Town Karachi.


Dr. Mahammad Shohid Ali
 District Officer (R) Curative
 B.B.O. ...

BID EVALUATION REPORT

1.	Name of Procuring Agency: -	Senior Director(M&HS)KMC
2.	Tender Reference No.	No .Sr. Dir (M&HS)/Tender/Proc/2017/95 Dated 13-04-2017
3.	Tender Description / Name of Work / Item: -	8-H. Purchase of Electro Medical Equipment / Instruments/ Machinery/ Lab items/Surgical Disposable/ Furniture & Fixture / Misc items under ADP schemes
4.	Method of Procurement: -	Single stage Two Envelope Procedure
5.	Tender Published: -	Dawn / Express / Sarwan on 15-04-2017 SPPRA Sr.No.32958
6.	Total Bid Documents Sold: -	28
7.	Total Bid Received: -	16
8.	Technical Bid Opening Date: -	11-05-2017
9.	No. of Bid(s) Technically Qualified: -	16
10.	Bid(s) Rejected: -	Nil
11.	Financial Bid Opening Date: -	12-06-2017

12. Bid Evaluation Report: -

Sr. No.	Name of Firm or Bidder alongwith Property Offered	Cost Offered by the Bidder	Ranking in Terms of Cost	Comparison with Estimated Cost	Reasons Acceptance / Rejection	Remarks
1.	M/s. Ameer Din Instrument	Please see items wise comparative statement				On lowest basis
2.	M/s. Oasis Medical System	Please see items wise comparative statement				On lowest basis
3.	M/s. Faraz Associates	Please see items wise comparative statement				On lowest basis
4.	M/s. Popular International	Please see items wise comparative statement				On lowest basis
5.	M/s. Elate C.C. Pvt Ltd.	Please see items wise comparative statement				On lowest basis
6.	M/s. Gulf Marketing Instrument	Please see items wise comparative statement				On lowest basis
7.	M/s. Khalid Corp.	Please see items wise comparative statement				On lowest basis

8.	M/s. Noor International	Please see items wise comparative statement				On lowest basis
9.	M/s. Jafco International	Please see items wise comparative statement				On lowest basis
10.	M/s. Mediquips (SMC)	Please see items wise comparative statement				On lowest basis
11.	M/s. FAS Traders	Please see items wise comparative statement				On lowest basis
12.	M/s. Shamim & Co.	Please see items wise comparative statement				On lowest basis
13.	M/s. S. Ejazuddin & Co.	Please see items wise comparative statement				On lowest basis
14.	M/s. Bio Medical Tech.	Please see items wise comparative statement				On lowest basis
15.	M/s. Universal Enterprises	Please see items wise comparative statement				On lowest basis
16.	M/s. Med. Elec. Corp.	Please see items wise comparative statement				On lowest basis

Items wise Comparative Statement is attached (Lower offer is highlighted in comparative statements).



DR.SAID AKHTAR
Dy. Director Procurement /
Incharge Main Stores
Medical & Health Services
Karachi Metropolitan Corporation



DR. HAMID ZAHEER
Director (Admin & Accounts)
Medical & Health Services
Karachi Metropolitan Corporation



Dr. Muhammad Ali Abbasi
Senior Director
Medical & Health Service
Karachi Metropolitan Corporation



Dr. Syed Khalid Masood
Medical Superintendent
Sindh Govt. Qatar Hospital
Orangi Town Karachi.




Dr. Muhammad Shahid Ali
District Officer (H) Curative
G.D.G Karachi

COMPARATIVE STATEMENT (FINANCIAL PROPOSAL)
TENDER SR. NO. 8 (H) PURCHASE OF ELECTRO MEDICAL EQUIPMENTS / INSTRUMENTS / MACHINERY / LAB ITEM / SURGICAL DISPOSABLES /
FURNITURE & FIXTURE & MISCELLANEOUS ITEMS FOR KMC HOSPITALS
UNDER ADP SCHEMES FOR THE YEAR 2016 - 2017

Item No.	Description	Qty	Name of Bidder	Model / Make	Rate Per A/U		Ranking	Remarks
					C & F	Pak Rs.		

ELECTRO MEDICAL EQUIPMENTS :-

1	VENTILATOR FOR ADULT & PEADS	1	M/s. Noor International	Hamilton C-2, Switzerland	-	2,350,000	1st Lowest	
			Specification of M/s. Elate C.C. Pvt. Ltd is not approved					
2	COLOR DOPPLER ULTRASOUND SCANNER	3	M/s. Mediquips (SMC)	Toshiba, Japan	-	4,800,000	1st Lowest	
			Specification of M/s. Khalid Corporation & M/s. Universal Enterprises is not approved					
3	MULTIPARA MONITORS	14	M/s. Bio Medical Technologies	C-250 Care Vision, Korea	-	205,000	1st Lowest	
			Specification of M/s. Mediquips (SMC) & M/s. Jafco International is not approved					
4	ROOF MOUNTED OPERATION THEATER LIGHT (TWO PRONG)	2	M/s. Med. Elec. Corporation	STX-55 Skytron International USA	-	1,699,000	1st Lowest	
			Specification of M/s. Elate C.C. Pvt. Ltd, M/s. Khalid Corporation, M/s. Noor International & M/s. Jafco International is not approved					
5	MOBILE OT LIGHT	2	M/s. Noor International	Sim LED 350 Simeon, Germany	-	225,000	1st Lowest	
			M/s. Universal Enterprises	AMAX-30FMEL Brandon Medical, UK	-	704,700	2nd Lowest	
			Specification of M/s. Elate C.C. Pvt. Ltd, M/s. Khalid Corporation, M/s. Jafco International & M/s. FAS Traders is not approved					
6	SYRINGE PUMP	7	M/s. Elate C.C. Pvt. Ltd,	S100 Medima, Poland	-	113,000	1st Lowest	
			M/s. Bio Medical Technologies	DS-3000 Daiwaha, Korea	-	120,000	2nd Lowest	
			Specification of M/s. Noor International, M/s. Jafco International, M/s. FAS Traders & M/s. Universal Enterprises is not approved					
7	DEFIBRILLATOR	1	M/s. Elate C.C. Pvt. Ltd,	Primedic, Germany	-	549,000	1st Lowest	Dropped by CPC
			Specification of M/s. Khalid Corporation, M/s. Jafco International, & M/s. Mediquips (SMC) is not approved					




Item No.	Description	Qty	Name of Bidder	Model / Make	Rate Per A/U		Ranking	Remarks
					C & F	Pak Rs.		
8	BLOOD GAS ANALYZER (ABG ANALYZER)	1	M/s. Noor International	Radiometer ABL 80 Flex Denmark	-	2,215,000	1st Lowest	Dropped by CPC
			M/s. S. Ejazuddin & Co.	Radiometer, Denmark	-	2,580,000	2nd Lowest	
9	SUCTION MACHINE FOR EMERGENCY, ICU AND OT	13	M/s. Oasis Medical System	CAMI Italy	-	99,500	1st Lowest	
			M/s. Bio Medical Technologies	SAM-35 MG Medicals UK	-	150,000	2nd Lowest	
			Specification of M/s. Elate C.C. Pvt. Ltd, M/s. Khalid Corporation, M/s. Noor International M/s. Jafco International, & M/s. FAS Traders, & M/s. Universal Enterprises is not approved					
10	3 CHANNEL ECG MACHINE	1	Specification of M/s. Jafco International, M/s. Mediquips (SMC), M/s. FAS Traders & M/s. Bio Medical Technologies is not approved					
11	PORTABLE ECHO MACHINE	2	Specification of M/s. Mediquips (SMC) & M/s. FAS Traders is not approved					
12	MOBILE VENTILATOR MRI COMPATIBLE ADULT & PEADS	6	M/s. Noor International	Hamilton MRI Switzerland	-	4,190,000	1st Lowest	Dropped by CPC
			Specification of M/s. Elate C.C. Pvt. Ltd is not approved					
13	A&B SCAN WITH BIOMETER DYNAMIC DIGITAL VIDEO	2	Specification of M/s. Ameer Din Instruments & M/s. Khalid Corporation is not approved					
14	ARGON LASER:	2	M/s. Ameer Din Instruments	Ligh Las 532, Lightmed, USA	-	3,439,000	1st Lowest	
			M/s. Jafco International	Novous Spectra, Lumenis Germany	-	9,430,000	2nd Lowest	
			Specification of M/s. Faraz Associates & M/s. Khalid Corporation is not approved					
15	AUTOREFRACTOMETER WITH KERATOMETER REFRACTOMETRY	1	Specification of M/s. Ameer Din Instruments is not approved					
16	PHACOEMULSIFICATION SYSTEM	2	M/s. Ameer Din Instruments	Light Sonic Pro, Lightmed, USA	-	2,243,000	1st Lowest	
			Specification of M/s. Faraz Associates is not approved					
17	YAG LASER	2	M/s. Ameer Din Instruments	Light Las Yag Lightmed, USA	-	2,243,000	1st Lowest	
			M/s. Khalid Corporation	Quantel Medical, France	-	3,750,000	2nd Lowest	
			M/s. Jafco International	Aura PT, Lumenis, Germany	-	9,430,000	3rd Lowest	


Item No.	Description	Qty	Name of Bidder	Model / Make	Rate Per A/U		Ranking	Remarks
					C & F	Pak Rs.		
19	PORTABLE X-RAY MACHINE 100MA	1	Specification of M/s. Mediquips (SMC) is not approved					
20	ETT MACHINE COMPLETE WITH SOFTWARE AND TREAD MILL.	1	M/s. Med. Elec. Corporation	Norav Medical Inc. GMBH	-	2,200,000	1st Lowest	
			Specification of M/s. Oasis Medical System, M/s. Khalid Corporation, M/s. Jafco International, & M/s. Bio Medical Technologies is not approved					
21	ANGIOGRAPHY TUBE PHILIPS FOR ANGIOGRAPHY MACHINE	1	NOT QUOTED					
22	DENTAL UNIT	32	M/s. Khalid Corporation	Fona Dental Solvakia	-	768,000	1st Lowest	
23	DENTAL X-RAY	1	M/s. Khalid Corporation	Fona Dental Solvakia	-	768,000	1st Lowest	
24	Chemistry Analyzer (Fully Automated)	2	M/s. Elate C.C. Pvt. Ltd,	Vegasys Alliance, Italy	-	1,375,000	1st Lowest	
			M/s. Popular International	Human Germany	-	2,250,000	2nd Lowest	
			M/s. S. Ejazuddin & Co.	Erba XL-200, Czech Republic	-	3,185,000	3rd Lowest	
			Specification of M/s. Gulf Marketing Instrument is not approved					
25	Diathermy Machine with Lead (Monopolar)	3	M/s. Popular International	Coviden LLC, USA / Germany	-	500,000	1st Lowest	
			M/s. Med. Elec. Corporation	HF-4000 B MGB	-	549,000	2nd Lowest	
			M/s. Khalid Corporation	Diameda Germany	-	685,000	3rd Lowest	
26	Fiberoptic Laryngoscope.	4	M/s. Ameer Din Instruments	LED Fiber Optic Laryngoscope, Heine, Germany	-	42,500	1st Lowest	
			Specification of M/s. Khalid Corporation is not approved					
27	Hematology Analyzer (Manual Counter)	2	M/s. Gulf Marketing Instrument	Orphee, Germany	-	599,000	1st Lowest	




Item No.	Description	Qty	Name of Bidder	Model / Make	Rate Per A/U		Ranking	Remarks
					C & F	Pak Rs.		
28	Infusion Pump	7	M/s. Noor International	SYS-6010 MediCaptain China	-	90,000	1st Lowest	
			M/s. Bio Medical Technologies	D1-2000 Daiwaha Korea	-	105,000	2nd Lowest	
			M/s. Universal Enterprises	TE-112 Teramu Corporation Japan	-	151,800	3rd Lowest	
			M/s. S. Ejazuddin & Co.	JMS-OT-701, Singapore	-	227,500	4th Lowest	
29	Multimedia Projector Complete Set.	4	Specification of M/s. Khalid Corporation is not approved					
LAB ITEMS: -								
1	ABS Absorbance Test (12 Test / Box)	4 Boxes	NOT QUOTED					
2	AHDL Calibrator (2 sets / 3 levels)	1 Box	NOT QUOTED					
3	Alanine amonotransferance (240 Tests)	50 Boxes	M/s. Popular International	Human Germany	-	6,566.25	1st Lowest	
4	ALB / TP Calibrator (2 sets / 3 levels)	1 Box	NOT QUOTED					
5	Albumin (480 Tests)	13 Boxes	M/s. S. Ejazuddin & Co.	Erba Germany	-	2,218	1st Lowest	
			M/s. Popular International	Human Germany	-	2,293.75	2nd Lowest	
			Specification of M/s. Gulf Marketing Instrument is not approved					
6	Alkaline Phosphatase (360 Tests)	25 Boxes	M/s. S. Ejazuddin & Co.	Erba Germany	-	4,002	1st Lowest	
			M/s. Popular International	Human Germany	-	7,711.25	2nd Lowest	
			Specification of M/s. Gulf Marketing Instrument is not approved					
7	Amylase (240 Tests)	12 Boxes	M/s. Popular International	Human Germany	-	7,611	1st Lowest	
			M/s. S. Ejazuddin & Co.	Erba Germany	-	9,016	2nd Lowest	
			Specification of M/s. Gulf Marketing Instrument is not approved					
8	Assay Pump and Sample tubing IMT SVSP (Set)	1 No.	NOT QUOTED					
9	Automated HDL (240 Tests)	5 Boxes	M/s. Popular International	Human Germany	-	8,583.60	1st Lowest	Dropped by CPC
			M/s. S. Ejazuddin & Co.	Erba Germany	-	15,910	2nd Lowest	
			Specification of M/s. Gulf Marketing Instrument is not approved					



Item No.	Description	Qty	Name of Bidder	Model / Make	Rate Per A/U		Ranking	Remarks
					C & F	Pak Rs.		
10	Calcium (480 Tests)	25 Boxes	M/s. Popular International	Human Germany	-	1,291.20	1st Lowest	
			M/s. S. Ejazuddin & Co.	Erba Germany	-	2,411	2nd Lowest	
			Specification of M/s. Gulf Marketing Instrument is not approved					
11	Chem 1 Calibartor (2 sets / 3 levels)	1 Box	NOT QUOTED					
12	Chol Calibrator (2 sets / 3 levels)	1 Box	NOT QUOTED					
13	Cholesterol (480 Tests)	20 Boxes	M/s. Popular International	Human Germany	-	3,335	1st Lowest	
			M/s. S. Ejazuddin & Co.	Erba Germany	-	4,339	2nd Lowest	
			Specification of M/s. Gulf Marketing Instrument is not approved					
14	Cleaning Solution 9180 (Closed System)	2 Boxes	NOT QUOTED					
15	Creatinine (480 Tests)	80 Boxes	M/s. Popular International	Human Germany	-	1,418	1st Lowest	
			M/s. S. Ejazuddin & Co.	Erba Germany	-	2,073	2nd Lowest	
			Specification of M/s. Gulf Marketing Instrument is not approved					
16	Cuvette Cartridge (12000 covette / cartridge)	30 roll	NOT QUOTED					
17	Direct Bilirubim (320 Tests)	25 Boxes	M/s. Popular International	Human Germany	-	1,716	1st Lowest	
			M/s. S. Ejazuddin & Co.	Erba Germany	-	2,459	2nd Lowest	
			Specification of M/s. Gulf Marketing Instrument is not approved					
18	Electrode Chloride 9180 (Closed System)	2 Boxes	NOT QUOTED					
19	Electrode ISe Reference 9180 (Closed System)	2 Nos	NOT QUOTED					
20	Electrode Pottasium 9180 (Closed System)	2 Nos	NOT QUOTED					
21	Electrode Reference Housing 9180 (Closed System)	2 Nos	NOT QUOTED					
22	Electrode Sodium 9180 (Closed System)	2 Nos	NOT QUOTED					
23	Electrolyte Control 9180 (Closed System)	03 Boxes	NOT QUOTED					



Item No.	Description	Qty	Name of Bidder	Model / Make	Rate Per A/U		Ranking	Remarks
					C & F	Pak Rs.		
24	Enzyme Verifier (2 sets / 3 levels)	1 Box	NOT QUOTED					
25	Gamma GT (288 Tests)	08 Boxes	M/s. S. Ejazuddin & Co.	Erba Germany	-	3,761	1st Lowest	
			M/s. Popular International	Human Germany	-	5,175.00	2nd Lowest	
			Specification of M/s. Gulf Marketing Instrument is not approved					
26	Glucose (1440 Tests)	20 Boxes	M/s. Popular International	Human Germany	-	4,117.50	1st Lowest	
			M/s. S. Ejazuddin & Co.	Erba Germany	-	6,027	2nd Lowest	
			Specification of M/s. Gulf Marketing Instrument is not approved					
27	IMT Probe (Set)	1 No.	NOT QUOTED					
28	Phosphorus (480 Tests)	15 Boxes	M/s. Popular International	Human Germany	-	1,436.25	1st Lowest	
29	Probe Cleaner (1 x 500 ml)	3 Nos.	NOT QUOTED					
30	Sample Cups with Lid (1.5 ml) 1000 /bag	20 Packs	NOT QUOTED					
31	Sample Probe Cleaner (1 x 1000 ml)	1 No.	NOT QUOTED					
32	Snappack 9180 (Closed System)	80 Packs	NOT QUOTED					
33	Sodium Electrode Conditioner 9180 (Closed System)	2 Nos	NOT QUOTED					
34	Source Lamp (Set)	2 Nos	NOT QUOTED					
35	T.B.LL. / D.B.LL Calibrator (2 sets / 3 levels)	2 Boxes	NOT QUOTED					
36	Thermal Printer roll (4 Pcs)	100 Boxes	M/s. S. Ejazuddin & Co.	Erba Germany	-	125	1st Lowest	
37	Top Seal Element (Set)	1 No.	NOT QUOTED					
38	Total Bilirubin (480 Tests)	15 Boxes	M/s. Popular International	Human Germany	-	1,767.50	1st Lowest	
			M/s. S. Ejazuddin & Co.	Erba Germany	-	2,459	2nd Lowest	
			Specification of M/s. Gulf Marketing Instrument is not approved					



Item No.	Description	Qty	Name of Bidder	Model / Make	Rate Per A/U		Ranking	Remarks
					C & F	Pak Rs.		
39	Total Protein (480 Tests)	15 Boxes	M/s. S. Ejazuddin & Co.	Erba Germany	-	2,796	1st Lowest	
			M/s. Popular International	Human Germany	-	2,906.25	2nd Lowest	
			Specification of M/s. Gulf Marketing Instrument is not approved					
40	Triglycerides (240 Tests)	20 Boxes	M/s. Popular International	Human Germany	-	3,622	1st Lowest	
			M/s. S. Ejazuddin & Co.	Erba Germany	-	4,098	2nd Lowest	
			Specification of M/s. Gulf Marketing Instrument is not approved					
41	Urea Nitrogen (480 Tests)	80 Boxes	M/s. S. Ejazuddin & Co.	Erba Germany	-	4,426	1st Lowest	
			M/s. Popular International	Human Germany	-	4,717.50	2nd Lowest	
			Specification of M/s. Gulf Marketing Instrument is not approved					
42	Uric Acid (480 Tests)	10 Boxes	M/s. Popular International	Human Germany	-	3,297.50	1st Lowest	
			M/s. S. Ejazuddin & Co.	Erba Germany	-	3,857	2nd Lowest	
			Specification of M/s. Gulf Marketing Instrument is not approved					
43	Actin Fs (APTT) Siemen Sysmex. (10 X 4)	12	M/s. S. Ejazuddin & Co.	Siemens Germany	-	6,691	1st Lowest	
44	Anti Sera A (10 ml)	45	NOT QUOTED					
45	Anti Sera B (10 ml)	45	NOT QUOTED					
46	Anti Sera D (10 ml)	45	NOT QUOTED					
47	Calcium Chloride (APTT) Siemen Sysmex (10 x 50)	6	M/s. S. Ejazuddin & Co.	Siemens Germany	-	7,927	1st Lowest	
			Specification of M/s. Gulf Marketing Instrument is not approved					
48	Cell Pack Sysmex (20 Lit)	108	M/s. S. Ejazuddin & Co.	Sysmex Japan	-	9,420	1st Lowest	
			Specification of M/s. Gulf Marketing Instrument is not approved					
49	Citrol 2 Siemen Sysmex (10 x 1)	3	M/s. S. Ejazuddin & Co.	Siemens Germany	-	1,059	1st Lowest	
50	Coombs Anti Sera (10 ml)	5	NOT QUOTED					




Item No.	Description	Qty	Name of Bidder	Model / Make	Rate Per A/U		Ranking	Remarks
					C & F	Pak Rs.		
51	Disposable Tubes Plastic with Purple Cork (500 / Pack)	200	NOT QUOTED					
52	Field Strain A	20	M/s. Gulf Marketing Instrument	Mediline	-	1,000	1st Lowest	
53	Field Strain B	20	M/s. Gulf Marketing Instrument	Mediline	-	1,000	1st Lowest	
54	Hematology Eight Check Control Sysmex Set (105 ml / 2 vial Set)	12	M/s. S. Ejazuddin & Co.	Sysmex Japan	-	3,246	1st Lowest	
			Specification of M/s. Gulf Marketing Instrument is not approved					
55	Methanol (Merck 205 Lit)	12	NOT QUOTED					
56	MP (ICT) (1 X 40 Combo)	18	M/s. Gulf Marketing Instrument	Diagnostar	-	4.50	1st Lowest	
57	Paraffin Oil (2.5 Lit)	2	NOT QUOTED					
58	PT, APTT Control Cirrol 1 E Siemen Sysmex (10 x 1)	3	M/s. S. Ejazuddin & Co.	Siemens Germany	-	10,591	1st Lowest	
59	Reaction Tubes SU - 40 Sysmex (3000 per Box)	5	M/s. S. Ejazuddin & Co.	Siemens Germany	-	38,258	1st Lowest	
60	Retic Solution (Liquid 1 Lit)	3	NOT QUOTED					
61	Stromatolyzer W.H. Sysmex KX - 20 (500ml)	145	M/s. S. Ejazuddin & Co.	Sysmex Japan	-	7,860	1st Lowest	
			Specification of M/s. Gulf Marketing Instrument is not approved					
62	Thermoborel S (PT) Siemens Sysmex (10 x 2)	12	M/s. S. Ejazuddin & Co.	Siemens Germany	-	8,175	1st Lowest	
63	Vacutainer (EDTA) (1000 / Box)	75	M/s. S. Ejazuddin & Co.	Greiner Austria	-	12.80	1st Lowest	
64	Vacutainer (ESR) (1000 / Box)	30	M/s. S. Ejazuddin & Co.	Greiner Austria	-	13	1st Lowest	
65	Vacutainer (PT & APTT) (1000 / Box)	20	M/s. S. Ejazuddin & Co.	Greiner Austria	-	16.60	1st Lowest	
66	Xyelene (2.5 Lit Bot)	1	Specification of M/s. Gulf Marketing Instrument is not approved					
67	Adult Crisis Manikin Complete Resuscitation. System to perform CPR, IV, Blood Pressure Defibrillation, Arrhythmia and ECG. LF 3953	1	NOT QUOTED					
68	Adult Venipuncture and Injection Training Arm.	1	NOT QUOTED					




Item No.	Description	Qty	Name of Bidder	Model / Make	Rate Per A/U		Ranking	Remarks
					C & F	Pak Rs.		
69	Advanced Childbirth Simulator SB22438U	1						NOT QUOTED
70	Blood Pressure Simulator. LF01129U	1						NOT QUOTED
71	Breast Examination Simulators LF00984U	1						NOT QUOTED
72	Catheterization Simulators (Female)	1						NOT QUOTED
73	Catheterization Simulators (Male) LF00855U	1						NOT QUOTED
74	Cervical Diltation / Effacement Simulator LF01096U	1						NOT QUOTED
75	Eye Retinopathy Trainers SB38895	1						NOT QUOTED
76	Fetal monitoring and Labor Progress Model SB23508U	1						NOT QUOTED
77	Forceps/Vacuum Delivery OB Manikin SB32252U	1						NOT QUOTED
78	Gynecologic Simulator SB28796U	1						NOT QUOTED
79	Intramuscular Injection Simulators. LF00961U	1						NOT QUOTED
80	Local Anaesthesia For Minor Surgery SB32742U	1						NOT QUOTED
81	Minor Skin Procedures SB32743U	1						NOT QUOTED
82	Model for Intrauterine Contaceptive Device Insertion	1						NOT QUOTED
83	NG Tube & Trach Cre Simulator LG02083U	1						NOT QUOTED
84	Nose Bleed Trainer SB38892	1						NOT QUOTED
85	Pediatric Multivenous IV Training Arm.	1						NOT QUOTED
86	Set of 30 Videos (Latest) in Obstetric & Gynaecology (American Hi-Tech)	1						NOT QUOTED
87	Suture Practice Trainers (Arm) LF01028U	1						NOT QUOTED



Item No.	Description	Qty	Name of Bidder	Model / Make	Rate Per A/U		Ranking	Remarks
					C & F	Pak Rs.		
88	Suture Practice Trainers (Leg) LF01034U	1						NOT QUOTED
89	Suture Tutor. SB32741U	1						NOT QUOTED
90	Testicular Examination Simulators, LF01143U	1						NOT QUOTED
91	Toenail Tutor SB32744U	1						NOT QUOTED
SURGICAL DISPOSABLES: -								
1	Chromic 2/0	15 Dozen						Specification of M/s. Faraz Associates & M/s. FAS Traders is not approved
2	Chromic No: 0	15 Dozen						Specification of M/s. Faraz Associates & M/s. FAS Traders is not approved
3	Chromic No: 1	15 Dozen						Specification of M/s. Faraz Associates & M/s. FAS Traders is not approved
4	Cotton Bandage 4"	400 Doz	M/s. Faraz Associates	Local	-	150	1st Lowest	
			Specification of M/s. FAS Traders is not approved					
5	Cotton Roll 400g	280 Rolls	M/s. Faraz Associates	Local	-	181	1st Lowest	
			Specification of M/s. FAS Traders is not approved					
6	Crape Bandage 4"	280 Doz	M/s. Faraz Associates	Local	-	57	1st Lowest	
			Specification of M/s. FAS Traders is not approved					
7	Crape Bandage 6"	380 Doz	M/s. Faraz Associates	Local	-	81	1st Lowest	
			Specification of M/s. FAS Traders is not approved					
8	Proline 0	05 Doz						Specification of M/s. FAS Traders is not approved
9	Proline 1	10 Doz						Specification of M/s. FAS Traders is not approved
10	Proline 2 / 0 Round Body Needle	04 Doz						Specification of M/s. FAS Traders is not approved
11	Proline 2 / 0 Straight Needle	08 Doz						Specification of M/s. FAS Traders is not approved
12	Proline 5 / 0	02 Doz						NOT QUOTED
13	Proline 6 / 0	02 Doz						NOT QUOTED



Item No.	Description	Qty	Name of Bidder	Model / Make	Rate Per A/U		Ranking	Remarks
					C & F	Pak Rs.		
14	Pyodine Scrub 450ml	80 Bottles						Specification of M/s. FAS Traders is not approved
15	Rectal Catheter No: 20 & 22	700 Nos						Specification of M/s. FAS Traders is not approved
16	Silk 2 / 0	12 Doz						Specification of M/s. FAS Traders is not approved
17	Silk 4 / 0	08 Doz						Specification of M/s. FAS Traders is not approved
18	Silk No: 0	15 Dozen						Specification of M/s. FAS Traders is not approved
19	Silk No: 1	15 Dozen						Specification of M/s. FAS Traders is not approved
20	Silk No: 2 / 0	07 Doz						Specification of M/s. FAS Traders is not approved
21	Spinal Needle No: 25	50						Specification of M/s. FAS Traders is not approved
22	Sponge Stone	50						Specification of M/s. FAS Traders is not approved
23	Sticking Plaster Roll 4"	80						Specification of M/s. FAS Traders is not approved
24	Suction Catheter No: 12 & 16	1200 Nos						Specification of M/s. FAS Traders is not approved
25	Surgical Blade No: 24	800 Nos						Specification of M/s. FAS Traders is not approved
26	Surgical Gloves No: 6.5	1000 Pairs	M/s. Faraz Associates	King Malaysia	-	30	1st Lowest	
			Specification of M/s. FAS Traders is not approved					
27	Surgical Gloves No: 7	1500 Pairs	M/s. Faraz Associates	King Malaysia	-	30	1st Lowest	
			Specification of M/s. FAS Traders is not approved					
28	Surgical Gloves No: 7.5	1500 Pairs	M/s. Faraz Associates	King Malaysia	-	30	1st Lowest	
			Specification of M/s. FAS Traders is not approved					
29	Surgical Gloves No: 7.5 & 7	1600 Nos	M/s. Faraz Associates	King Malaysia	-	30	1st Lowest	
			Specification of M/s. FAS Traders is not approved					
30	Urine Bag	2000	M/s. Faraz Associates	Imported	-	99	1st Lowest	
			Specification of M/s. FAS Traders is not approved					



Item No.	Description	Qty	Name of Bidder	Model / Make	Rate Per A/U		Ranking	Remarks
					C & F	Pak Rs.		
31	Vicryl No: 0	07 Doz						Specification of M/s. FAS Traders is not approved
32	Vicryl No: 1	15 Dozen						Specification of M/s. FAS Traders is not approved
33	Vicryl No: 2/0	30 Doz						Specification of M/s. FAS Traders is not approved
34	Vicryl No: 3/0	10 Doz						Specification of M/s. FAS Traders is not approved
35	Vicryl No: 4/0	10 Doz						Specification of M/s. FAS Traders is not approved
36	Xylocain Gel	400 Nos						NOT QUOTED
37	Air Way Adult	200 Nos						Specification of M/s. FAS Traders is not approved
38	Air Way Small	100 Nos						Specification of M/s. FAS Traders is not approved
39	Ambo Bag Disposable (Large & Small)	05 Each						Specification of M/s. FAS Traders is not approved
40	Disposable Ventilator Circuit Double Tubing	1000 Nos						NOT QUOTED
41	H M E Fitter for Ventilator	1000 Nos						NOT QUOTED
42	CVP Lines adult size	1000 Nos						Specification of M/s. FAS Traders is not approved
43	Precutaneous Tracheotomy Kit	50 Nos						NOT QUOTED
44	Temporary Pace Maker	2	M/s. Oasis Medical System	Pale Star Galix, Bio Medical, USA	-	300,000	1st Lowest	
45	Sterile Surgical Procedure Drapes Packs, Laprotomy, Craniotomy for HCV, HBV, HIV, Etc.	1000						NOT QUOTED
MACHINERY: -								
1	Power Generator, 250 KV	2	M/s. Khalid Corporation	Perkins, UK	-	5,400,000	1st Lowest	
2	Power Generator Diesel / Gas 50 KV	1	M/s. Khalid Corporation	Perkins, UK	-	1,885,000	1st Lowest	
3	Power Generator Diesel / Gas 10 KV	1	M/s. Khalid Corporation	Perkins, UK	-	1,185,000	1st Lowest	
4	UPS with Battery	26	M/s. FAS Traders	Local	-	41,000	1st Lowest	
			M/s. Khalid Corporation	UPS with Battery 210 AMP	-	49,500	2nd Lowest	



Item No.	Description	Qty	Name of Bidder	Model / Make	Rate Per A/U		Ranking	Remarks
					C & F	Pak Rs.		
5	Photocopier	4	Specification of M/s. Khalid Corporation is not approved					
6	Computer (With accessories, LCD monitor, Laser Printer & UPS)	21	M/s. Khalid Corporation	Mercer	-	110,000	1st Lowest	
7	Refrigerator (Large)	18 Nos	M/s. Khalid Corporation	Dawlance / PEL / Haier	-	78,000	1st Lowest	
8	Lift for Patients.	1	Specification of M/s. Khalid Corporation is not approved					
9	Split A.C. 2 Ton (DC Inverter)	10	M/s. Khalid Corporation	Gree Air Condition	-	145,000	1st Lowest	
10	Installation of Central Oxygen System.	1						

FURNITURE & FIXTURE: -

1	Air Mattress for ICU Beds	20 Nos	M/s. FAS Traders	China		4,100	1st Lowest	
			M/s. Khalid Corporation	China	-	6,900	2nd Lowest	
2	Patient Beds Double Crank	200 Nos	M/s. Faraz Associates	Modern Furniture	-	29,500	1st Lowest	
			M/s. Khalid Corporation	Hilbro Pakistan	-	43,700	2nd Lowest	
3	Mattress with Rexene Cover	400 Nos	M/s. Khalid Corporation	Master Molty Foam	-	8,750	1st Lowest	
			M/s. Faraz Associates	Modern Furniture	-	8,900	2nd Lowest	
4	Chairs for Auditorium	100	M/s. Faraz Associates	Modern Furniture	-	9,900	1st Lowest	Dropped by CPC
5	Bed side Lockers (100% Stainless Steel)	50	M/s. Khalid Corporation	Hilbro Pakistan	-	9,500	1st Lowest	
			M/s. Faraz Associates	Modern Furniture	-	9,900	2nd Lowest	
6	Strechers for Patient.	6	M/s. FAS Traders	Local	-	14,000	1st Lowest	
			M/s. Khalid Corporation	Hilbro Pakistan	-	48,700	2nd Lowest	
7	Wheel Chairs.	4	M/s. FAS Traders	China	-	8,600	1st Lowest	

J. Assan / *Ali* / *Arif* / *500*


Item No.	Description	Qty	Name of Bidder	Model / Make	Rate Per A/U		Ranking	Remarks
					C & F	Pak Rs.		
SURGICAL INSTRUMENTS: -								
1	Laryngoscope (Complete Set)	11	M/s. Khalid Corporation	Hilbro Pakistan	-	11,500	1st Lowest	
			M/s. Ameer Din Instruments	LED Fiber Optic Laryngoscope, Heine, Germany	-	94,000	2nd Lowest	
			Specification of M/s. FAS Traders is not approved					
2	General Surgical Sets	9	M/s. Khalid Corporation	Hilbro Pakistan	-	105,000	1st Lowest	
			Specification of M/s. FAS Traders is not approved					
3	Cataract Surgery Instruments Set	10 Nos	M/s. Khalid Corporation	Zomax Instrument	-	60,000	1st Lowest	
			Specification of M/s. FAS Traders is not approved					
MEDICINE: -								
1	25% D/Water	2000 Nos	M/s. FAS Traders	China	-	14	1st Lowest	


DR. SAID AKHTAR
 Dy. Director Procurement /
 Incharge Main Stores
 Medical & Health Services
 Karachi Metropolitan Corporation


DR. HAMID ZAHEER
 Director (Admin & Accounts)
 Medical & Health Services
 Karachi Metropolitan Corporation


Dr. Muhammad Ali Abbasi
 Senior Director
 Medical & Health Service
 Karachi Metropolitan Corporation


Dr. Syed Khalid Masood
 Medical Superintendent
 Sindh Govt. Qatar Hospital
 Orangi Town Karachi.


Dr. Mohammad Shahid Ali
 District Officer (H) Curative
 C. D. B. Karachi




KARACHI METROPOLITAN CORPORATION
OFFICE OF THE SENIOR DIRECTOR
MEDICAL & HEALTH SERVICES DEPARTMENT

N.H MEMORIAL KIDNEY CENTRE, ST:5, BLOCK:6, F.B.ARE, NEAR TAHIR VILLA,
ADJACENT TO RANGERS HEAD QUARTER

ELIGIBILITY CRITERIA / BIDDER'S QUALIFICATION REPORT


TENDER FOR PURCHASE OF 1(A) MEDICINE, 2(B) X-RAY FILMS ETC., 3(C) SURGICAL DISPOSABLE, 4 (C) LABORATORY ITEMS / MATERIALS ETC. FOR MAJOR HOSPITALS OF KMC FOR THE YEAR 2016-2017 OPENED ON 11-05-2017

Sr. No.	Criteria for Qualification	M/s Shamim & Co.	M/s Universal Enterprises	M/s Hakim Sons	Seico Scientific Traders	M/s Moon Enterprises	M/s Popular International	M/s Diagnostic System
ATTACHED (YES/ NO)								
1.	Copy of NTN Certificate.	YES	YES	YES	YES	YES	YES	YES
2.	Copy of Experience Certificate in Relevant Field (minimum three years)	YES	YES	YES	YES	YES	YES	YES
3.	Financial Turnover at least 3 years of Rs.05 Million (Bank Statement or Bank certificate mentioned required turnover).	YES	YES	YES	YES	YES	YES	YES
4.	Undertaking / affidavit on stamp papers that the firm has never been black listed in any department and also undertaking that the firm has the capability to do the work.	YES	YES	YES	YES	YES	YES	YES
5.	2% bid security of total bid amount	YES	YES	YES	YES	YES	YES	YES
RESULT		QUALIFIED	QUALIFIED	QUALIFIED	QUALIFIED	QUALIFIED	QUALIFIED	QUALIFIED


DR.SAID AKHTAR
Dy. Director Procurement /
Incharge Main Stores
Medical & Health Services
Karachi Metropolitan Corporation


DR. HAMID ZAHEER
Director (Admin & Accounts)
Medical & Health Services
Karachi Metropolitan Corporation


Dr. Muhammad Ali Abbasi
Senior Director
Medical & Health Service
Karachi Metropolitan Corporation


Dr. Syed Khalid Masood
Medical Superintendent
Sindh Govt. Qatar Hospital
Orangi Town Karachi.


Dr. Muhammad Shahid Ali
District Officer (R) Curative
G.D.G. Karachi

BIDDER'S QUALIFICATION REPORT
TENDER SR. NO. 7 (G) PURCHASE OF ELECTRO MEDICAL EQUIPMENT FOR THE YEAR 2016-17


Sr. No.	Requirement	M/s. Ameer Din Instrument	M/s. Oasis Medical System	M/s. Popular International	M/s. Khalid Corp.	M/s. Noor International	M/s. Hospital Supply Corp.	M/s. Mediquips (SMC)	M/s. BIOS	M/s. Shamim & CO.	M/s. Hadi Enterprises	M/s. S. Ejazuddin Co.	M/s. DWP Tech. Pvt. Ltd.	M/s. Bio Medical Tech.	M/s. Med. Elec. Corp.	M/s. Seico Scientific Traders	M/s. Optisurg	M/s. Universal Enterprises
ATTACHED (YES / NO)																		
1	Copy of NTN Certificate.	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES
2	Copy of Experience Certificate in Relevant Field (minimum three years)	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES
3	Financial Turnover at least 3 years of Rs.05 Million (Bank Statement or Bank certificate mentioned required turnover).	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES
4	Undertaking / affidavit on stamp papers that the firm has never been black listed in any department and also undertaking that the firm has the capability to do the work.	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES
5	2% bid security of total bid amount	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES
RESULT		Qualified	Qualified	Qualified	Qualified	Qualified	Qualified	Qualified	Qualified	Qualified	Qualified	Qualified	Qualified	Qualified	Qualified	Qualified	Qualified	Qualified


DR. SAID AKHTAR
 By Director Procurement /
 Incharge Main Stores
 Medical & Health Services
 Karachi Metropolitan Corporation


DR. HAMID ZAHEER
 Director (Admin & Accounts)
 Medical & Health Services
 Karachi Metropolitan Corporation



Dr. Muhammad Ali Abbasi
 Senior Director
 Medical & Health Service
 Karachi Metropolitan Corporation


Dr. Syed Khalid Masood
 Medical Superintendent
 Sindh Govt. Qatar Hospital
 Orangi Town Karachi.


Dr. Muhammad Shahid Ali
 District Officer (H) Curative
 G.D.G Karachi

BIDDER'S QUALIFICATION REPORT
TENDER SR. NO. 8 (H) PURCHASE OF ELECTRO MEDICAL EQUIPMENTS / INSTRUMENTS / MACHINERY / LAB ITEM / SURGICAL DISPOSABLES / FURNITURE & FIXTURE & MISCELLANEOUS ITEMS FOR KMC HOSPITALS UNDER ADP SCHEMES FOR THE YEAR 2016 – 2017


Sr. No.	Requirement	M/s. Ameer Din Instrument	M/s. Oasis Medical System	M/s. Faraz Associates	M/s. Popular International	M/s. Elate C.C. Pvt Ltd.	M/s. Gulf Marketing Instrument	M/s. Khalid Corp.	M/s. Noor International	M/s. Jafco International	M/s. Mediquips (SMC)	M/s. FAS Traders	M/s. Shamim & CO.	M/s. S. Ejazuddin & Co.	M/s. Bio Medical Tech.	M/s. Universal Enterprises	M/s. Med. Elec. Corp.
ATTACHED (YES / NO)																	
1	Copy of NTN Certificate.	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES
2	Copy of Experience Certificate in Relevant Field (minimum three years)	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES
3	Financial Turnover at least 3 years of Rs.05 Million (Bank Statement or Bank certificate mentioned required turnover).	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES
4	Undertaking / affidavit on stamp papers that the firm has never been black listed in any department and also undertaking that the firm has the capability to do the work.	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES
5	2% bid security of total bid amount	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES
RESULT		Qualified	Qualified	Qualified	Qualified	Qualified	Qualified	Qualified	Qualified	Qualified	Qualified	Qualified	Qualified	Qualified	Qualified	Qualified	Qualified


DR. SAID AKHTAR
 Dy. Director Procurement /
 Incharge Main Stores
 Medical & Health Services
 Karachi Metropolitan Corporation


DR. HAMID ZAHEER
 Director (Admin & Accounts)
 Medical & Health Services
 Karachi Metropolitan Corporation


Dr. Muhammad Ali Abbasi
 Senior Director
 Medical & Health Service
 Karachi Metropolitan Corporation


Dr. Syed Khalid Masood
 Medical Superintendent
 Sindh Govt. Qatar Hospital
 Orangi Town Karachi.


Dr. Muhammad Shahid Ali
 District Officer (H) Curative
 G.D.G. Karachi

NOTE SHEET

Paras

Reference

MINUTES OF MEETING (OPENING OF TECHNICAL BID) ON 11-05-2017 AT 01:00 PM.

Subject:- Annual / ADP Tender for the year 2016-17 for the Purchases of Medicines & Allied Items / Electro Medical equipment / Electro Medical equipment, Machinery, Furniture Fixture, Misc items etc under ADP Schemes for KMC Hospitals.


A meeting of Central Purchase (Procurement) Committee held on 11-05-2017 at 01:00 PM under the chairmanship of chairman of Central Purchase (Procurement) committee to open the Tender (Technical Bid) for the purchase of Medicines & Allied Items / Electro Medical equipment/ / Electro Medical equipment, Machinery, Furniture Fixture, Misc items etc under ADP Schemes for KMC Hospitals for the year 2016-17. Following members were attended the meeting.

- 1 Dr. Muhammad Ali Abbasi, Chairman & Senior Director (M&HS) KMC
- 2 Dr. Hamid Zaheer, Secretary & Director (Admin & Accounts) (M&HS) KMC.
- 3 Dr. Khalid Masood, Member & Medical Superintendent Qatar Hospital, GOS.
- 4 Dr. Muhammad Shahid Ali, Member & District Officer, Health Deptt GOS.
- 5 Dr. Said Akhter, Member & Deputy Director (Procurement) M&HS.KMC.


The meeting started with recitation of Holy Quran. The Tender Boxes was opened with the permission of Chairman in the presence of Central Purchase (Procurement) committee members / representatives of the Firms / Contractors (Attendance Sheet enclosed). The following firms / Contractors were participated in the Tender.

S#	Name of Firm	S#	Name of Firm	S#	Name of Firm
1	Shamim & Co.	10	Khalid Corp	19	Med Elec Corp
2	Universal Enterprise	11	Noor International	20	Opti surg
3	Hakeemsons	12	Hospital Supply corp.	21	FAS Traders
4	Secio Scientific	13	Mediquips(SMC)	22	Gulf Marketing
5	Moon Enterprises	14	BIOS	23	Elect C.C Private
6	Popular Inter	15	Hadi Enterprises	24	Faraz Associates
7	Diagnostic System	16	S.Ejazuddin&co	25	Jafco International
8	AmeerDin Instrument	17	DWP Technologist		
9	Oasis Med System	18	BioMed Technologist		


The opened Technical Bids of above Firms / Contractors is being sent for placement before the Technical Committee for scrutinizing / evaluation and resubmission its finding for further process in the matter.




Dr. Muhammad Ali Abbasi
Chairman & Senior Director (M&HS) KMC




Dr. Hamid Zaheer
Secretary & Director (Admn. &Accts.)
Medical Services, KMC



Dr. Khalid Masood
Member & Medical Superintendent
Qatar Hospital, GOS.



Dr. Muhammad Shahid Ali
Member & District Officer,
Health Dept. GOS.



Dr. Said Akhter
Member & Dy. Director (Procurement)
M&HS.KMC.

ATTENDANCE SHEET OF OFFICERS
TENDER OPENING (TECHNICAL BID) SR. NO. 1(A) TO 8 (H)
DATE: - 11-05-2017

SR. NO.	NAME OF OFFICERS / DESIGNATION	CELL NO.	SIGNATURE
1	Dr. Muhammad Ali Abbasi Senior Director (M&HS) KMC	0300-2444451	
2	Dr. Hamid Zaheer DMS (Admin & Accounts) M&HS KMC	0345-2552314	
3	Dr. Said Akhtar Dy. Director (Procurement) M&HS KMC	0345-2939386	
4	Dr. Khalid Masood Medical Superintendent Qatar Hospital Representative of Health Department, Government of Sindh.	0333-2219582	
5	Dr. Muhammad Shahid Ali District Officer Health (Curative) Government of Sindh.	0321-2167879	

ATTENDANCE SHEET OF OFFICERS
TENDER OPENING (FINANCIAL BID) SR. NO. 7(G) TO 8 (H)
DATE: - 12-06-2017

SR. NO.	NAME OF OFFICERS / DESIGNATION	CELL NO.	SIGNATURE
1	Dr. Muhammad Ali Abbasi Senior Director (M&HS) KMC	0300-2444451	
2	Dr. Hamid Zaheer DMS (Admin & Accounts) M&HS KMC	0345-2552314	
3	Dr. Said Akhtar Dy. Director (Procurement) M&HS KMC	0345-2939386	
4	Dr. Khalid Masood Medical Superintendant Qatar Hospital Representative of Health Department, Government of Sindh.	0333-2219582	
5	Dr. Muhammad Shahid Ali District Officer Health (Curative) Government of Sindh.	0321-2167879	

ATTENDANCE SHEET

TENDER OPENING (FINANCIAL BID) SR. NO. 7 (G) & 8 (H) DATE: - 12-06-2017

PURCHASE OF ELECTRO MEDICAL EQUIPMENT PURCHASE OF ELECTRO MEDICAL EQUIPMENTS / INSTRUMENTS / MACHINERY / LAB ITEM / SURGICAL DISPOSABLES / FURNITURE & FIXTURE & MISCELLANEOUS ITEMS FOR KMC HOSPITALS FOR THE YEAR 2016-17

SR. NO.	NAME OF PARTICIPENT	NAME OF FIRM	CELL NO.	SIGNATURE
1	Arif Usman	MEDELEC Corp	0300 2213573	
2	Muhammad Nadeem	Seio Scientific	0345 8560612	
3	M Ali	Shamim & Co	0333 1214324	
4	Mounam Iqbal	Ameer Din Instrument	0347-2542629	
5	Zeehan Hussain	S. Ejazuddin Co	0345-2465765	
6	Abdullah Khan	Bios	0333 3203772	
7	M. Farhan	DWP Technology	0335 3276442	
8	M. MASROOR	M/S JAFECO INTL	0321 2740865	
9	SHUJA	M/S Noor International	0333-3874651	
10	Sunil Sharif	Bio-Medical Technology	0303-2350648 0322-594911	
11	Ahteshan	Oasis Medical systems	0322-6776707	
12	Zeesaan Ahmed Khan	OPTISURG	0332-8294943	
13	Safiq Ahmad Khan	Khalid Coop	0301-2233062	
14	Khalid	Universal Int	0301-8263268	
15	SHARON MASSOR	M/S MEDEQUIPS INC.	0333-2135067	
16	Shafiq Ahmad Khan	Glode cc (PVT) LTD	0301-2233062	
17	Popular International			
18	M. ASHRAF	Popular International	0301879272	
19	M. Arif	H.S.C	0300204290	
20				
21				
22				
23				
24				



ATTENDANCE SHEET OF OFFICERS
TENDER OPENING (FINANCIAL BID) SR. NO. 1(A) TO 4 (D)
DATE: - 07-06-2017

SR. NO.	NAME OF OFFICERS / DESIGNATION	CELL NO.	SIGNATURE
1	Dr. Muhammad Ali Abbasi Senior Director (M&HS) KMC	0300-2444451	
2	Dr. Hamid Zaheer DMS (Admin & Accounts) M&HS KMC	0345-2552314	
3	Dr. Said Akhtar Dy. Director (Procurement) M&HS KMC	0345-2939386	
4	Dr. Khalid Masood Medical Superintendant Qatar Hospital Representtative of Health Department, Government of Sindh.	0333-2219582	
5	Dr. Muhammad Shahid Ali District Officer Health (Curative) Government of Sindh.	0321-2167879	

ATTENDANCE SHEET



TENDER OPENING (TECHNICAL BID) SR. NO. 1 (A) DATE: - 11-05-2017

SUPPLY OF MEDICINES FOR THE YEAR 2016-17

SR. NO.	NAME OF PARTICIPENT	NAME OF FIRM	CELL NO.	SIGNATURE
1	M. A. L.	Shamim L D	033521492	
2	Azmat ul Haq Sharif	Universal Enterprises	0346-270792	
3				
4				
5				
6				
7				
8				
9				
10				




ATTENDANCE SHEET

TENDER OPENING (TECHNICAL BID) SR. NO. 2 (B) DATE: - 11-05-2017
SUPPLY OF X-RAY FILMS ETC. FOR THE YEAR 2016-17

SR. NO.	NAME OF PARTICIPENT	NAME OF FIRM	CELL NO.	SIGNATURE
1	M Au	Shamim & Co	0333214324	
2	Amratala Shrif	Universal Enterprises	0346-270792	
3				
4				
5				
6				
7				
8				
9				
10				






ATTENDANCE SHEET

TENDER OPENING (TECHNICAL BID) SR. NO. 3 (C) DATE: - 11-05-2017
SUPPLY OF SURGICAL DISPOSABLES FOR THE YEAR 2016-17

SR. NO.	NAME OF PARTICIPENT	NAME OF FIRM	CELL NO.	SIGNATURE
1	Arshad Asif Hakemsons (Pvt) Ltd	Hakemsons (Pvt) Ltd	0336255288	
2	Shamam	Shamam & Co	03331214524	
3	Azmat ul Haq	Universal Enterprises	0346-2707092	
4				
5				
6				
7				
8				
9				
10				
11				
12				
13				

ATTENDANCE SHEET

TENDER OPENING (TECHNICAL BID) SR. NO. 4 (D) DATE: - 11-05-2017
SUPPLY OF LABORATORY ITEMS / MATERIALS ETC. FOR THE YEAR 2016-17

SR. NO.	NAME OF PARTICIPENT	NAME OF FIRM	CELL NO.	SIGNATURE
1	Salahuddin	Seico Scientific	0348-8860614	
2	Faizan Arsan	MOON Enterprises	0344 21136707	
3	M. Shajid Malik	POPULAR informed pur. Ltd.	0321-8755107	
4	Adnan	diagnostic system	03331309823	
5	M Awan	Shanin & Co	03331214324	
6				
7				
8				
9				
10				
11				
12				
13				

ATTENDANCE SHEET


TENDER OPENING (FINANCIAL BID) SR. NO. 1 (A) DATE: - 07-06-2017
SUPPLY OF MEDICINES FOR THE YEAR 2016-17

medicines

SR. NO.	NAME OF PARTICIPENT	NAME OF FIRM	CELL NO.	SIGNATURE
1	M Ali	m/s. Shamim + co	03331214324	
2	KHARID AKTAR	m/s. Universal Enterprises	0300-263268	
3				
4				
5				
6				
7				
8				
9				
10				




ATTENDANCE SHEET

TENDER OPENING (FINANCIAL BID) SR. NO. 2 (B) DATE: - 07-06-2017
SUPPLY OF X-RAY FILMS ETC. FOR THE YEAR 2016-17

SR. NO.	NAME OF PARTICIPENT	NAME OF FIRM	CELL NO.	SIGNATURE
1	M Aci	M/S. Shamim & Co	03331214324	
2				
3				
4				
5				
6				
7				
8				
9				
10				





ATTENDANCE SHEET

TENDER OPENING (FINANCIAL BID) SR. NO. 3 (C) DATE: - 07-06-2017
SUPPLY OF SURGICAL DISPOSABLES FOR THE YEAR 2016-17

SR. NO.	NAME OF PARTICIPENT	NAME OF FIRM	CELL NO.	SIGNATURE
1	Ichab Alkani Mohammed. Imran Qadri	M/s. Universal Enterprise	0300 2263268 0300 9247219	
2	M Ali	M/s. Shamim & Co	0333 1214329	
3	Mohammed Zaullah	M/s. Hakimsons	0776 2552838	
4				
5				
6				
7				
8				
9				
10				
11				
12				
13				

ATTENDANCE SHEET

TENDER OPENING (FINANCIAL BID) SR. NO. 4 (D) DATE: - 07-06-2017
SUPPLY OF LABORATORY ITEMS / MATERIALS ETC. FOR THE YEAR 2016-17

SR. NO.	NAME OF PARTICIPENT	NAME OF FIRM	CELL NO.	SIGNATURE
1	MUHAMMAD NADEEM	M/S. Socio Scientific Toodlers	0345-8560611	
2		M/S. Moan Enterprises		
3	M. ASHRAF	M/S. Popular International	03018279272	
4	ADNAN	M/S. Diagnostic Systems	03331309223	
5	MALI	M/S. Shumaira & Co.	03331214324	
6				
7				
8				
9				
10				
11				
12				
13				

ATTENDANCE SHEET

TENDER OPENING (TECHNICAL BID) SR. NO. 7 (G) DATE: - 11-05-2017
PURCHASE OF ELECTRO MEDICAL EQUIPMENT FOR THE YEAR 2016-17

SR. NO.	NAME OF PARTICIPENT	NAME OF FIRM	CELL NO.	SIGNATURE
✓ 1	Mounam Qybal	Ameer Din Instrumental	0347-2542629	<i>Mounam</i>
✓ 2	Rashid Ali	Oasis Medical Equip ^{ts}	03002732385	<i>Rashid Ali</i>
✓ 3	M. Shehzad Malik	POPULAR INTERNATIONAL PARTS	0321-8785107	<i>M. Shehzad Malik</i>
✓ 4	Ishaq	Khalid Corporation	0300-2807696	<i>Ishaq</i>
✓ 5	Adif Hussain	NOON INTERNATIONAL	0312-2262263	<i>Adif</i>
✓ 6	M. Arif	Hospital Supply Corp	03002042906	<i>M. Arif</i>
✓ 7	S. Shabbir Hussain	M/s Medeqeopsme	0333-2135067	<i>S. Shabbir</i>
✓ 8	Abdullah Khan	m/s Bios	0333-3203772	<i>Abdullah</i>
✓ 9	M. Arif	SKANIN + CO	03331214224	<i>M. Arif</i>
✓ 10	M. Irfan	Hadji Enterprise	0333-2199615	<i>M. Irfan</i>
✓ 11	Zeehan Hussain	S. Gajuddin Co	03452465765	<i>Zeehan</i>
✓ 12	Rashan	DWP Technology	03353276442 03002849060	<i>Rashan</i>
✓ 13	Sunil Sharif	Bio Medical Technologies	0303-2350643 03222594411	<i>Sunil</i>
✓ 14	ARIF USMAN	MCSELEC Corp	0300-2213573	<i>Arif</i>
15				
16				
17				
18				
19				
20				
21				
22				
23				
24				
25				

ATTENDANCE SHEET

TENDER OPENING (TECHNICAL BID) SR. NO. 8 (H) DATE: - 11-05-2017
PURCHASE OF ELECTRO MEDICAL EQUIPMENTS / INSTRUMENTS / MACHINERY / LAB ITEM /
SURGICAL DISPOSABLES / FURNITURE & FIXTURE & MISCELLANEOUS ITEMS
FOR KMC HOSPITALS
UNDER ADP SCHEMES FOR THE YEAR 2016 - 2017

SR. NO.	NAME OF PARTICIPENT	NAME OF FIRM	CELL NO.	SIGNATURE
✓ 1	M.ounam Jibbal	Ameez Sin Instrument	0347-2542629	
✓ 2	Rashid Ali	Oasis Medical Systems	03002732397	
✓ 3	M. Hov's ul Haav	Farag Associate	03212644607	
✗ 4	M. Shekhat Malik	POPULAR informed Pvt. Ltd	0321-8755107	
✓ 5	Sarfraz Ahmed	Elite cc (Pvt) Ltd	0300-2233062	
✓ 6	AFTAB AHMED	Gulf Marketing Int'l	0300-2296654	
✓ 7	Ishaav	Khalid Corporation	0300-2807696	
✓ 8	Haif Hussain	Noor International	0312-2262263	
✓ 9	M. MASROOR ASLAM	M/S JAFEE INTL	0327-2740865	
✓ 10	S. Shabbir Hussain	M/S Meedee ps SMC	0333-2135667	
✓ 11	MOHSIN RAZA	M/S FAS Trader	0345-2206556	
✓ 12	M. Ali	Shamim & Co	0333214324	
✓ 13	Zeesham Hussain	S. Ejazuddin Co	0345-2465765	
✓ 14	Sunil Shauk	Bio-Medical Technology	0303-2350648 0322259444	
✓ 15	Azmat-ur-Razvi	Universal Enterprises	0346-270792	
✓ 16	ARIF USMAN	MEDELEE CORP	0300-2213573	
✓ 17	ZEESSHAN AHMAD KHAN.	OPTISURG	0332-8294943	
18				
19				
20				
21				
22				
23				
24				

COMPARATIVE STATEMENT (TECHNIC PROPOSAL)
TENDER SR. NO. 1 (A) SUPPLY OF MEDICINES FOR THE YEAR 2016-17

Item No.	NAME OF TABLET / CAPSULE / SYRUPS / INJECTABLE	TOTAL QTY.	A/U	M/s. Shamim & Co.	M/s. Universal Enterprises
ANTI BIOTICS: -					
1	CAP. CEFIXIM 400mg	127000		Macter / Geofman	Envoy Pharmac (Pvt) Ltd. <i>no emp</i>
2	CAP. CEPHRADINE 500mg	122000		Zafa	Envoy Pharmac (Pvt) Ltd. <i>no emp</i>
3	CAP. DOXYCYCLINE 100mg	45000		N/Q	Envoy Pharmac (Pvt) Ltd. <i>no emp</i>
4	TAB. AMOXYCILLIN + CLAVULANIC ACID 625mg	162000		Novartis	N/Q
5	TAB. CIPROFLOXACIN 500mg	146000		Barrett Hodgson / Feroze Sons Macter	Envoy Pharmac (Pvt) Ltd.
6	TAB. CLARITHROMYCIN 500mg	31000		Novartis / Barrett Hodgson	N/Q
7	TAB. LEVOFLOXACIN 500mg	75000		Novartis / Barrett Hodgson	Envoy Pharmac (Pvt) Ltd.
ANTI MALARIALS: -					
8	TAB. ARTEMETHER + LUMEFANTRINE 40/240	20000		Barrett Hodgson	N/Q
9	TAB. ARTEMETHER + LUMEFANTRINE 80/480	21000		Geofman / Barrett Hodgson	N/Q
ANTHELMENTIC: -					
10	TAB MEBENDAZOLE 500mg	8000		N/Q	N/Q
ANTI SPASMODIC: -					
11	TAB. DROTAVERINE 40mg	135000		N/Q	N/Q

Medical Superintendent
Abbasi Shaheed Hospital
Karachi Metropolitan Corporation

Prof. Saleemullah
M.B.B.S (Dow) M.R.C.P (UK)
Professor of Medicine
Incharge Medical Unit-I
Abbasi Shaheed Hospital

DR. S. ASADULLAH HUSSAINI
M.B.B.S (DOW) F.R.C.S. (IREL) FRCS (EDIN)
ASSOCIATE PROF. CARDIAC SURGERY
KARACHI INSTITUTE OF HEART DISEASES

Deputy Medical Superintendent
Stores
ABBASI SHAHEED HOSPITAL
Karachi Metropolitan Corporation

Item No.	NAME OF TABLET / CAPSULE / SYRUPS / INJECTABLE	TOTAL QTY.	A/U	M/s. Shamim & Co.	M/s. Universal Enterprises
----------	--	------------	-----	-------------------	----------------------------

ANTI EMETICS: -

12	TAB. DOMPERIDONE 10mg	98000		Barrett Hodgson / Atco	N/Q
----	-----------------------	-------	--	------------------------	-----

ANTACIDS/H₂RECEPTOR ANTAGONIST/PROTON PUMP INHIBITOR: -

13	TAB. MAGNESIUM TRISILICATE	150000		N/Q	N/Q
14	CAP. LANSOPRAZOLE 30 mg	885000		N/Q	N/Q

LAXATIVE: -

15	TAB. BISOCODYLE	25000		N/Q	N/Q
----	-----------------	-------	--	-----	-----

ANTI HYPERTENSIVE/CARDIAC MEDICINE: -

16	TAB. ACETAZOLAMIDE 250mg	8600		N/Q	N/Q
17	TAB. FRUSEMIDE 40mg	20000		N/Q	N/Q
18	TAB.SPIRANOLACTONE+FRUSEMIDE (20mg+50mg)	200000		N/Q	N/Q

Anti Hypertensive: -

19	TAB. AMLODIPINE 5mg	589000		Barrett Hodgson / Novartis / Shaigan	N/Q
20	TAB. AMLODIPINE+VALSARTAN 5/80 mg	30000		Shaigan / Atco / Feroze Sons	N/Q
21	TAB. AMLODIPINE + VALSARTAN 5/160 mg	20000		Shaigan / Atco / Feroze Sons	N/Q
22	TAB. AMLODIPINE + VALSARTAN 10/160 mg	25000		Shaigan / Atco / Feroze Sons	N/Q

Prof. Saleemullah
M.B.B.S (Dow) M.R.C.P (UK)
Professor of Medicine
Incharge Medical Unit-I
Abbasi Shaheed Hospital

DR. S.ASADULLAH HUSSAIN
M.B.B.S (DOW) F.R.C.S. (IREL) FRCS (EDIN)
ASSOCIATE PROF. CARDIAC SURGERY
KARACHI INSTITUTE OF HEART DISEASES

Deputy Medical Superintendent
Medical Superintendent
Abbasi Shaheed Hospital
Karachi Metropolitan Corporation

Item No.	NAME OF TABLET / CAPSULE / SYRUPS / INJECTABLE	TOTAL QTY.	A/U	M/s. Shamim & Co.	M/s. Universal Enterprises
23	TAB. ATENOLOL 50mg	800000		Zafa Geofman	N/Q
24	TAB. BISOPROLOL 5mg	9000		Barrett Hadgson	N/Q
25	TAB. CAPTOPRIL 25mg	304000		Zafa / Maple	N/Q
26	TAB. CARVIDALOL 12.5 mg	15000		Barrett Hadgson / Macter / Feroze Sons	N/Q
27	TAB. CARVIDALOL 25 mg	27000		Barrett Hadgson / Macter / Feroze Sons	N/Q
28	TAB. HYDRALAZIN HCL 25mg	6000		Zafa	N/Q
29	TAB. LOSARTAN-K 50mg	45500		Feroze Sons / Zafa	N/Q
30	TAB. METOPROLOL 50mg	740000		Atco	N/Q
31	TAB. NABIVOLOL 5mg	20000		N/Q	N/Q
32	TAB. PROPRANOLOL 10mg	9000		N/Q	N/Q
33	TAB. VALSARTAN 80 mg	270000		N/Q	N/Q
34	TAB. VERAPAMIL 40mg	18000		N/Q	N/Q
35	TAB.METHYL DOPA 250mg	9500		N/Q	N/Q
36	TAB.RAMIPRIL 5mg	32000		N/Q	N/Q

LIPID LOWERING AGENT: -

37	TAB. ROSUVASTATIN 20mg	400000		Feroze Sons / Macter / Atco	N/Q
----	------------------------	--------	--	-----------------------------	-----

Prof. Saleem
M.B.B.S (Dow) M.R.C.P (UK)
Professor of Medicine
Incharge Medical Unit-I
Abbasi Shaheed Hospital

DR. S. ASADULLAH HUSSAINI
M.B.B.S (DOW) F.R.C.S (IREL) FRCS (ED) Deputy Medical Superintendent
ASSOCIATE PROF. CARDIAC SURGERY
KARACHI INSTITUTE OF HEART DISEASES
ABBASI SHAHEED HOSPITAL
Karachi Metropolitan Corporation

Medical Superintendent
Abbasi Shaheed Hospital
Karachi Metropolitan Corporation

Item No.	NAME OF TABLET / CAPSULE / SYRUPS / INJECTABLE	TOTAL QTY.	A/U	M/s. Shamim & Co.	M/s. Universal Enterprises
<u>NITRATES/ NITRITES: -</u>					
38	TAB. GLYCERYL TRINITRATE (SUB-LINGUAL) 0.5 mg	20000		N/Q	N/Q
39	TAB. GLYCERYL TRINITRATE 6.4 mg	200000		Zafa / Maple	N/Q
40	TAB. ISO SORBIDE MONO NITRATE 20mg	795500		Zafa / Maple	N/Q
<u>ANTI PLATELETS: -</u>					
41	TAB. CLOPIDOGREL 75mg + ACETYLSALICYLIC ACID(Enteric Coated) 75mg	910000		Atco	N/Q
<u>ANTI ANTICOAGULANTS: -</u>					
42	TAB. WARFARIN SODIUM 5mg	5000		Shaigan	N/Q
<u>CARDIAC GLYCOSITES: -</u>					
43	TAB. DIGOXIN 250 mcg	270000		N/Q	N/Q
<u>ANALGESICS/ANTI PYRETIC/NSAIDS: -</u>					
44	TAB. CELECOXIBE 100mg	10000		N/Q	N/Q
45	TAB. DICLOFENAC SODIUM 50mg	470000		Barrett Hadgson / Maple / Geofman	Mission Pharmaceuticals No entry
46	TAB. IBU PROFEN 400mg	495000		N/Q	N/Q
47	TAB. PARACETAMOL ACETAMINOPHEN) 500mg	760000		Barrett Hadgson	N/Q
<u>ANTI HISTAMINE: -</u>					

Prof. Saleemullah
M.B.B.S (Dow) M.R.C.P (UK)
Professor of Medicine
Incharge Medical Officer
Abbasi Shaheed Hospital

DR. S.ASADULLAH HUSSAINI

M.B.B.S. (DOW) F.R.C.S. (IREL) F.R.C.S. (EDIN)

ASSOCIATE PROF. CARDIAC SURGERY

INSTITUTE OF HEART DISEASES

ABBASI SHAHEED HOSPITAL

Karachi Metropolitan Corporation

Medical Superintendent

Abbasi Shaheed Hospital

Karachi Metropolitan Corporation

Item No.	NAME OF TABLET / CAPSULE / SYRUPS / INJECTABLE	TOTAL QTY.	A/U	M/s. Shamim & Co.	M/s. Universal Enterprises
48	TAB. CETIRIZINE 10mg	150000		Barrett Hadgson	N/Q
49	TAB. CHLOROPHENRAMINE	300000		N/Q	N/Q
BRONCHODILATORS: -					
50	TAB. TERBUTALIN 2.5mg	35000		Barrett Hadgson	N/Q
51	TAB. THEOPHYLLINE 300mg	6000		N/Q	N/Q
ORAL HYPOGLYCAEMIC: -					
52	TAB. GLIMEPIRIDE 2mg	94000		Barrett Hadgson / Novartis	N/Q
53	TAB. METFORMIN 500mg	108000		No one else reported Geofman	N/Q
54	TAB. METFORMIN 850mg	10000		N/Q	N/Q
55	TAB. SITAGLIPTIN 50 mg	5000		Atco / Barrett Hadgson / Feroze Sons	N/Q
ANTIFIBRINOLYTICS: -					
56	CAP. TRANEXAMIC ACID 250mg	50000		Ambrosia	No experience but single quoted N/Q
ORAL STEROIDS: -					
57	TAB. PREDNISOLONE 5mg (Enteric Coated)	10000		Geofman	No exp. but single quoted N/Q
GYNEACOLOGICAL PREPARATION: -					
58	TAB. CLOTRIMAZOLE VAG. (500mg)	10000		Geofman / Ambrosia	N/Q

Medical Superintendent
Abhasi Shaheed Hospital
Karachi

Deputy Medical Superintendent
Stores
ABBASI SHAHEED HOSPITAL
Karachi Metropolitan Corporation

Prof. Saleemullah
M.B.B.S (D) M.C.P (UK)
Professor of Medicine
Incharge Medical Officer
Abbasi Shaheed Hospital

Take qn ni for gyne

DR. S.ASADULLAH HUSSAINI
M.B.B.S (DOW) F.R.C.S. (IREL) FRCS (EDIN)
ASSOCIATE PROF. CARDIAC SURGERY
KARACHI INSTITUTE OF HEART DISEASES

Item No.	NAME OF TABLET / CAPSULE / SYRUPS / INJECTABLE	TOTAL QTY.	A/U	M/s. Shamim & Co.	M/s. Universal Enterprises
59	TAB. DYDROGESTERONE 10mg	6000		N/Q	N/Q
60	TAB. ETHINYLOESTRADIOL 35mg (1x21s)	500		N/Q	N/Q
61	TAB. NORETHISTERONE 5mg	15000		N/Q	N/Q
62	TAB. PROGESTOGENS/OESTROGEN 2mg (1x21s)	2000		N/Q	N/Q
63	TAB.MISOPROSTOL 200microgram (Prostaglandin E ₁ Analogue)	40500		<i>S. Khalid</i> Atco / Zafa	N/Q
64	TRIPLE SULPHA VAG. CREAM	9000		N/Q	N/Q

VITAMINS MINRALS & IRON PREPARATION: -

65	TAB. CALCIUM CARBONATE 1250mg (500 Essential Calcium)	190000		N/Q	N/Q
66	TAB. FOLIC ACID	910000		Zafa	N/Q
67	TAB. IRON + FOLIC ACID	336000		Barret Hadgson	N/Q
68	TAB. MECOBALAMINE 500mcg	12000		Geofman Barrett Hodgson	Envoy Pharmac (Pvt) Ltd.

PSYCHIATRIC MEDICINE: -

69	CAP. FLUOXETINE 20mg	5000		<i>take opinion for psychiatry</i> Geofman	Envoy Pharmac (Pvt) Ltd.
70	TAB. ALPRAZOLAM 0.5 mg	5000		N/Q	N/Q
71	TAB. BROMAZEPAM 3mg	311000		N/Q	N/Q
72	TAB. CARBAMAZEPINE 200mg	5000		<i>of. Saleemullah</i> N/Q	N/Q

Deputy Medical Superintendent
Stores
ABBASI SHAHEED HOSPITAL
Karachi Metropolitan Corporation

of. Saleemullah
M.B.B.S (Dow) M.R.C.P (UK)
Professor of Medicine
Incharge Medical Unit
Abbasi Shaheed Hospital

DR. S. ASADULLAH HUSSAINI
M.B.B.S. (DOW) F.R.C.S. (IREL) FRCS (EDIN)
ASSOCIATE PROF. CARDIAC SURGERY
KARACHI INSTITUTE OF HEART DISEASES

Medical Superintendent
ABBASI SHAHEED HOSPITAL
Karachi Metropolitan Corporation

Item No.	NAME OF TABLET / CAPSULE / SYRUPS / INJECTABLE	TOTAL QTY.	A/U	M/s. Shamim & Co.	M/s. Universal Enterprises
73	TAB. CHLOROPROMAZINE 100mg	5000		N/Q	N/Q
74	TAB. CLONAZEPAM 2mg	5000		N/Q	N/Q
75	TAB. ESCITALOPRAM 10mg	5000		Barret Hadgson	N/Q
76	TAB. ESCITALOPRAM 20mg	5000		N/Q	N/Q
77	TAB. HALOPERIDOL 5mg	1000		N/Q	N/Q
78	TAB. LITHIUM CARBONATE SR 400 mg	2000		N/Q	N/Q
79	TAB. LORAZEPAM 2mg	5000		N/Q	N/Q
80	TAB. OLANZAPINE 5mg	5000		N/Q	N/Q
81	TAB. PROCYLIDINE HCL 5mg	5000		N/Q	N/Q
82	TAB. QUETIAPINE 100 mg	5000		N/Q	N/Q
83	TAB. RESPERIDONE 2mg	10000		Barrett Hadgson	N/Q
84	TAB. SODIUM VALPORATE 250mg	10000		N/Q	N/Q
85	TAB. SODIUM VALPORATE 500mg	2000		N/Q	N/Q
86	TAB. HALOPERIDOL 10mg	3000		N/Q	N/Q
MISCILLANEOUS: -					
87	ATROVENT SOLUTION	70000			N/Q

Deputy Medical Superintendent
ABBASI SHAHEED HOSPITAL
Karachi Metropolitan Corporation

Prof. Saleemullah
M.B.B.S (Dow) M.R.C.P (UK)
Professor of Medicine
Incharge Medical Unit-I
Abbasi Shaheed Hospital

DR. S. ASADULLAH HUSSAINI
M.B.B.S (DOW) F.R.C.S (IREL) FRCS (EDIN)
ASSOCIATE PROF. CARDIAC SURGERY
KORSAH INSTITUTE OF HEART DISEASES

Medical Superintendent
Abbasi Shaheed Hospital
Karachi Metropolitan Corporation

Item No.	NAME OF TABLET / CAPSULE / SYRUPS / INJECTABLE	TOTAL QTY.	A/U	M/s. Shamim & Co.	M/s. Universal Enterprises
88	BETAMETHASONE CREAM/OINTMENT 15gm	13000		Atco / Geofman	N/Q
89	CLOTRIMAZOLE LOTION/CREAM	23400		Geofman / Ambrosia	N/Q
90	FUSIDIC ACID CREAM/OINTMENT 15gm	33000		Sante Pvt. Ltd.	N/Q
91	HYDROCORTISONE 1% CRAEM (5gm)	6000		N/Q	N/Q
92	IPRATORIUM BROMIDE INHALLER	2000		Geofman	N/Q
93	IPRATORIUM BROMIDE+STEROID INHALLER	2000		N/Q	N/Q
94	LIGNOCAINE (XYLOCAINE) GEL	39150		Barrett Hadgson	N/Q
95	ORS/LOW OSMOLAR ORS	78500		N/Q	N/Q
96	POLYMXIN + BACITRACIN SKIN OINTMENT 20gm	60000		N/Q	N/Q
97	POLYMXIN + BACITRACIN + LIGNOCANIN SKIN OINTMENT 20gm	6000		Barrett Hadgson	N/Q
98	SALBUTAMOL NABULIZER SOLUTION	10000		Zafa / Atco	N/Q
99	SODIUM BIPHOSPHATE ENEMA	7500		N/Q	N/Q
DERMATOLOGICAL PREPARATIONS: -					
100	PREMETHERIN LOTION/CREAM (60ml)	20700		Atco	N/Q
101	WHITE PETROLLIUM JELLY DRUM	5		N/Q	N/Q
OPHTHALMIC PREPARATIONS: -					

Deputy Medical Superintendent
 Abbas Shaheed Hospital
 Karachi Metropolitan Corporation

DR. BASADULLAH HUSSAIN
 M.B.B.S. (DOW), M.R.C.S. (IREL), FRC.S. (ORDIN)
 ASSOCIATE PROF. CARBON SURGERY
 KARACHI INSTITUTE OF HEARD DISEASES

Prof. Saleemullah
 M.B.B.S. (Dow) M.R.C.P. (UK)
 Professor of Medical Microbiology
 Medical Superintendent
 Abbas Shaheed Hospital
 Karachi Metropolitan Corporation

Item No.	NAME OF TABLET / CAPSULE / SYRUPS / INJECTABLE	TOTAL QTY.	A/U	M/s. Shamim & Co.	M/s. Universal Enterprises
105	ACYCLOVIR EYE OINTMENT	1200		Sante Pvt. Ltd.	N/Q
106	ALCAINE EYE DROP	500		N/Q	N/Q
107	ARTIFICIAL TEARS EYE DROPS	500		Atco / Sante Pvt. Ltd.	N/Q
108	ATROPINE/ORBATROPINE	700		N/Q	N/Q
109	BETAXOLOL DROPS	2300		N/Q	N/Q
110	CHLORAMPHENICOL EYE DROP	3000		Barrett Hadgson	N/Q
111	CHLORAMPHENICOL+DEXAMETHASONE EYE OINTMENT	16000		N/Q	N/Q
112	DORZALOMIDE + TIMOLOL EYE DROPS	850		Barrett Hadgson / Sante Pvt. Ltd.	N/Q
113	ETHIFRIN	400		N/Q	N/Q
114	FLOUROMETHOLONE EYE DROP	600		Barrett Hadgson	N/Q
115	FLOUROMETHOLONE+NEOMYCIN EYE DROPS	3500		Barrett Hadgson	N/Q
116	FLUORESCIN/(DYE)	200		N/Q	N/Q
117	HISTAZOLINE EYE DROP	2000		N/Q	N/Q
118	LEVOBUMOLOL EYE DROPS	2000		Barrett Hadgson	N/Q
119	MOXIFLOXACINE EYE DROPS	8000		Barrett Hadgson	N/Q
120	MOXIFLOXACINE+DEXAMETHASONE EYE DROPS	7000		Barrett Hadgson / Sante Pvt. Ltd.	N/Q

Deputy Medical Superintendent
 Sd/-
 ABBASI SHAHEED HOSPITAL
 Karachi Metropolitan Corporation

Prof. Saleemullah
 M.B.B.S. (Dow) M.R.C.P.(UK)
 Professor of Medicine
 Incharge Medical Unit-I
 Abbasi Shaheed Hospital

DR. S. ASADULLAH HUSSAIN
 M.B.B.S. (DOW) F.R.C.S. (IRELAND) F.R.C.S. (EDIN)
 ASSOCIATE PROF. CARDIAC SURGERY
 KARACHI INSTITUTE OF HEART DISEASES

Medical Superintendent
 ABBASI SHAHEED HOSPITAL
 Karachi Metropolitan Corporation

Item No.	NAME OF TABLET / CAPSULE / SYRUPS / INJECTABLE	TOTAL QTY.	A/U	M/s. Shamim & Co.	M/s. Universal Enterprises
121	NATAMYCINE	200		Atco / Sante Pvt. Ltd.	N/Q
122	OLOPATADIN HYDROCHLORIDE EYE DROPS	900		Atco	N/Q
123	PILOCARPINE 2% DROPS	1000		N/Q	N/Q
124	POLYMXIN + BACITRACIN EYE OINTMENT	31000		N/Q	N/Q
125	POLYVINYLE ALCOHOL 14mg + POVIDONE 6mg EYE DROP	1200		Barrett Hadgson	N/Q
126	PREDNISOLONE EYE DROPS	6000		Barrett Hadgson	N/Q
127	PROPARACAINE/ETHICAINE	1000		N/Q	N/Q
128	SODIUM CROMOGLYCAT EYE DROPS	1700		N/Q	N/Q
129	TIMOLOL EYE DROPS	2000		Sante Pvt. Ltd.	N/Q
130	TOBRAMYCINE EYE DROPS	6500		Atco / Barrett Hadgson	N/Q
131	TOBRAMYCINE+DEXAMETHASONE EYE DROP	27000		Atco / Barrett Hadgson / Sante Pvt. Ltd.	N/Q
132	TROPICAMIDE/MYDOLAPE 1%	2500		Sante Pvt. Ltd.	N/Q
OTONASAL PREPARATIONS: -					
133	2 % SODA GLYCERINE EAR DROPS	10000		N/Q	N/Q
134	POVIDONE/ IODINE ANTISEPTIC / ANTI-INFLAMMATORY GARGLES 60ml	500		N/Q	N/Q
135	CHLORAMPHENICOL EAR DROP	7000		Prof. Saleemullah N/Q	N/Q

Deputy Medical Superintendent
ABBASI SHAHEED HOSPITAL
Karachi Metropolitan Corporation

Prof. Saleemullah
M.B.B.S (Dow) M.R.C.P (Dow)
Professor of Medicine
Incharge Medical Unit-I
Abbasi Shaheed Hospital

DR. S.ASADULLAH HUSSAINI
M.B.B.S. (DOW) F.R.C.S. (IREL) FRCS (EDIN)
Associate Prof. Cardiac Surgery
Abbasi Shaheed Hospital
Karachi Metropolitan Corporation
INSTITUTE OF HEART DISEASES

Item No.	NAME OF TABLET / CAPSULE / SYRUPS / INJECTABLE	TOTAL QTY.	A/U	M/s. Shamim & Co.	M/s. Universal Enterprises
136	CIPROFLOXACINE +LIGNOCAIN EAR DROPS	12000		Barrett Hadgson / Sante Pvt. Ltd.	N/Q
137	LIGNOCAINE 10%/DEQUSAN/SOLOPHAR SPRAY	500		N/Q	N/Q
138	NASAL SPRAY (DECONGESTANT)/ STERIOD	5000		N/Q	N/Q
139	TOBRAMYCIN EAR DROPS	12000		N/Q	N/Q

SYRUPS: -

ANTI BIOTICS: -

1	SYP. AMOXYCILLINE+CULVALANIC ACID 312.25mg	41000		N/Q	N/Q
2	SYP. CEFEXIME 200mg/5ml	29000		Macter / Ambrosia <i>No cap.</i>	Envoy Pharmac (Pvt) Ltd.
3	SYP. CIPROFLOXACIN 125mg	6000		Barrett Hadgson	N/Q
4	SYP. CIPROFLOXACIN 250mg	3000		Barrett Hadgson	N/Q
5	SYP. CLARITHROMYCIN 125mg	8000		Barrett Hadgson / Macter	N/Q

ANTI AMOEBIASIS: -

6	SYP. METRONIDAZOLE 200mg/5ml= 60ml	44000		Zafa	N/Q
---	------------------------------------	-------	--	------	-----

ANTI MALARIALS: -

7	SYP. ARTEMETHER + LUMEFANTRINE 15/90mg 60ml	5000		Barrett Hadgson	N/Q
8	SYP. ARTEMETHER + LUMEFANTRINE 30/180 60ml	5000		Barrett Hadgson	N/Q

Deputy Medical Superintendent
ABBASI SHAHEED HOSPITAL
Karachi Metropolitan Corporation

Prof. Saleemullah
M.B.B.S (Dow) M.R.C.P (UK)
Professor of Medicine
Incharge Medical Unit-I
Abbasi Shaheed Hospital

DR. S. ASADULLAH HUSSAINI
M.B.B.S (DOW) F.R.C.S. (IREL) FRCS (EDIN)
ASSOCIATE PROF. CARDIAC SURGERY
KARACHI INSTITUTE OF HEART DISEASES

Medical Superintendent
Abbasi Shaheed Hospital
Karachi Metropolitan Corporation

Item No.	NAME OF TABLET / CAPSULE / SYRUPS / INJECTABLE	TOTAL QTY.	A/U	M/s. Shamim & Co.	M/s. Universal Enterprises
ANTHELMINTIC: -					
9	SYP MEBENDAZOLE 100mg/5ml	9000		N/Q	N/Q
ANTI EMETICS: -					
10	SYP. DIMENHYDRINATE 60ml	12000		N/Q	N/Q
11	SYP. DOMPERIDONE 5mg/5ml 60ml	14000		Barrett Hadgson	N/Q
LAXATIVE: -					
12	SYP.LACTULOSE 120ml	1800		Ambrosia <i>no emp.</i> <i>no sample</i>	N/Q
ANALGESICS/ANTI PYRETIC/NSAIDS: -					
13	SYP. IBU PROFEN 100mg/5ml 90ml	120000		N/Q	N/Q
14	SYP. PARACETAMOL 120mg/5ml 60ml	164000		Reckitt Benckiser / Barrett Hadgson	Mission Pharmaceuticals
ANTI HISTAMINE: -					
15	SYP. CITRIZINE 5mg/ml=60ml	20000		Barrett Hadgson / Ambrosia	N/Q
BRONCHODILATORS: -					
16	SYP.TERBUTALINE 0.3mg/ml=60ml	17200		Barrett Hadgson	N/Q
17	SYP.ACEFYLLINE 125mg/5ml=60ml	14000		N/Q	N/Q
VITAMINS MINRALS & IRON PREPARATION: -					

Deputy Medical Superintendent
 ABBASI SHAHEED HOSPITAL
 Karachi Metropolitan Corporation

Prof. Saleemullah
 M.B.B.S (Dow) M.R.C.P (UK)
 Professor of Medicine
 Incharge Medical Unit-I
 Abbasi Shaheed Hospital

DR. S. ASADULLAH HUSSAINI
 M.B.B.S. (DOW) F.R.C.S. (IREL) FRCS (EDIN)
 ASSOCIATE CARDIAC SURGEON
 KARACHI INSTITUTE OF HEART DISEASES

Medical Superintendent
 Abbasi Shaheed Hospital
 Karachi Metropolitan Corporation

Item No.	NAME OF TABLET / CAPSULE / SYRUPS / INJECTABLE	TOTAL QTY.	A/U	M/s. Shamim & Co.	M/s. Universal Enterprises
18	SYP.ZINC SULPHATE 60ml	7000		Barrett Hadgson	N/Q
19	SYP. IRON+FOLIC ACID 60ml	21000		Barrett Hadgson	N/Q
COUGH EXPECTORANT / SUPPRESENT: -					
20	SYP. AMINOPHYLLINE DIPHEN HYDRAMIN AMMONIUM CHLORIDE MENTHOL (COUGH EXPECTORANT) 60ml	65000		Macter / Ambrosia	N/Q
21	SYP. PHENYLEPHRINE + DIPHENDYDRAMINE + DEXTROMETHORPHEN + AMMONIUM CHLORIDE+CHLOROFORM 60ml	17000		N/Q	N/Q
22	SYP. PROMETHAZINE+ PHOLCODINE + PHENYLPROPANALAMINE 60ml	14000		N/Q	N/Q
23	SYP. TRIPROLIDINE HCL, PSEUDOEPHEDRINE HCL, DEXTROMETHORPHAN, HYDROBROMIDE COUGH SYP 60ml	40000		N/Q	N/Q
PSYCHIATRIC MEDICINE: -					
24	SYP. SODIUM VALPORATE 60ml/120ml	2000		N/Q	N/Q
INJECTABLE: -					
ANALGESIC: -					
1	DICLOFENAC SODIUM 75MG/3ML INJ.	171000		Zafa / Barrett Hadgson	Mission Pharmaceuticals
2	KETOROLAC 30MG INJ. (TORADOL)	7000		N/Q	N/Q
3	NALBUPHIN 20MG INJ.	31200		Macter / Ambrosia	N/Q
4	TRAMADOL HCL 100MG / 2ML INJ.	3500		N/Q	Mission Pharmaceuticals

Deputy Superintendent

ABBASI SHAHEED HOSPITAL
Karachi Metropolitan Corporation

Prof. Saleemullah

M.B.B.S (Dow) M.R.C.P (UK)
Professor of Medicine
Incharge Medical Unit-I
Abbasi Shahheed Hospital

DR. S.ASAULLAH HUSSAINI

M.B.B.S. (DOW) F.R.C.S. (RCP) FRCS (EDIN)
ASSOCIATE CARDIAC SURGEON
KARACHI INSTITUTE OF HEART DISEASES

Medical Superintendent
Abbasi Shahheed Hospital

Item No.	NAME OF TABLET / CAPSULE / SYRUPS / INJECTABLE	TOTAL QTY.	A/U	M/s. Shamim & Co.	M/s. Universal Enterprises
ANTIBIOTICS: -					
5	AMIKACIN 100MG INJ.	7000		Geofman / Zafa <i>No sup</i>	N/Q
6	AMIKACIN 500MG INJ.	8600		Geofman / Zafa	N/Q
7	CEFTRIAZONE 1G INJ.	91200		Barrett Hadgson / Geofman / Shaigan	Envoy Pharmac (Pvt) Ltd.
8	CEFTRIAZONE 250MG INJ.	15000		Barrett Hadgson / Geofman	Envoy Pharmac (Pvt) Ltd.
9	CEFTRIAZONE 500MG INJ.	10000		Barrett Hadgson / Geofman / Shaigan	Envoy Pharmac (Pvt) Ltd.
10	CEPHRADINE 500mg INJ.	39100		Zafa	N/Q
11	CLOXACILLIN SODIUM 250MG INJ.	2000		N/Q	N/Q
12	CO-AMOXICLAV 1.2G INJ.	12100		N/Q	N/Q
13	IMIPENEM 500MG INJ.	3000		Stallion Pharma <i>No sample</i>	N/Q
14	IMIPENEM 1 G INJ.	2000		N/Q	N/Q
15	LEVOFLOXACIN 500MG / 100ML INJ.	26500		Barrett Hadgson / Shaigan / Frontier Dextrose	N/Q
16	LINCOMYCINE 2ml 600mg	2500		N/Q	N/Q
17	MEROPENEM 1G INJ.	1600		Macter	N/Q
18	MEROPENEM 500MG INJ.	1600		Macter	N/Q
19	METRONIDAZOLE 500MG INJ.	94000		Frontier Dextrose / B. Braun DR. S.ASADULLAH HUSSAIN M.B.B.S. (DOW) F.R.C.S. (IREL) FRCS (EDIN) ASSOCIATE PROF. CARDIAC SURGERY KARACHI INSTITUTE OF HEART DISEASES	N/Q

Deputy Superintendent
ABBASI SHAHEED HOSPITAL
Karachi Metropolitan Corporation

Medical Superintendent
Abbasi Shaheed Hospital
Karachi Metropolitan Corporation

Item No.	NAME OF TABLET / CAPSULE / SYRUPS / INJECTABLE	TOTAL QTY.	A/U	M/s. Shamim & Co.	M/s. Universal Enterprises
18	SYP.ZINC SULPHATE 60ml	7000		Barrett Hadgson	N/Q
19	SYP. IRON+FOLIC ACID 60ml	21000		Barrett Hadgson	N/Q

COUGH EXPECTORANT / SUPPRESENT: -

20	SYP. AMINOPHYLLINE DIPHEN HYDRAMIN AMMONIUM CHLORIDE MENTHOL (COUGH EXPECTORANT) 60ml	65000		Macter / Ambrosia	N/Q
21	SYP. PHENYLEPHRINE + DIPHENDYDRAMINE + DEXTROMETHORPHEN + AMMONIUM CHLORIDE+CHLOROFORM 60ml	17000		N/Q	N/Q
22	SYP. PROMETHAZINE+ PHOLCODINE + PHENYLPROPANALAMINE 60ml	14000		N/Q	N/Q
23	SYP. TRIPROLIDINE HCL, PSEUDOEPHEDRINE HCL, DEXTROMETHORPHAN, HYDROBROMIDE COUGH SYP 60ml	40000		N/Q	N/Q

PSYCHIATRIC MEDICINE: -

24	SYP. SODIUM VALPORATE 60ml/120ml	2000		N/Q	N/Q
----	----------------------------------	------	--	-----	-----

INJECTABLE: -

ANALGESIC: -

1	DICLOFENAC SODIUM 75MG/3ML INJ.	171000		Zafa / Barrett Hadgson	Mission Pharmaceuticals
2	KETOROLAC 30MG INJ. (TORADOL)	7000		N/Q	N/Q
3	NALBUPHIN 20MG INJ.	31200		Macter / Ambrosia	N/Q
4	TRAMADOL HCL 100MG / 2ML INJ.	3500		N/Q	Mission Pharmaceuticals

Deputy Superintendent
 ABBASI SHAHEED HOSPITAL,
 Karachi Metropolitan Corporation

Prof. Saleemullah
 M.B.B.S (Dow) M.R.C.P (UK)
 Professor of Medicine
 Incharge Medical Unit-I
 Abbasi Shaheed Hospital

DR. SASADULLAH HUSSAINI
 M.B.B.S. (DOW) F.R.C.S. (IRL) F.R.C.S. (EDIN)
 ASSOCIATE CARDIAC SURGERY
 KARACHI INSTITUTE OF HEART DISEASES

Medical Superintendent
 Abbasi Shaheed Hospital
 Karachi Metropolitan Corporation

Item No.	NAME OF TABLET / CAPSULE / SYRUPS / INJECTABLE	TOTAL QTY.	A/U	M/s. Shamim & Co.	M/s. Universal Enterprises
----------	--	------------	-----	-------------------	----------------------------

ANTIBIOTICS: -

5	AMIKACIN 100MG INJ.	7000		Geofman / Zafa <i>No exp.</i>	N/Q
6	AMIKACIN 500MG INJ.	8600		Geofman / Zafa	N/Q
7	CEFTRIAZONE 1G INJ.	91200		Barrett Hadgson / Geofman / Shaigan	Envoy Pharmac (Pvt) Ltd.
8	CEFTRIAZONE 250MG INJ.	15000		Barrett Hadgson / Geofman	Envoy Pharmac (Pvt) Ltd.
9	CEFTRIAZONE 500MG INJ.	10000		Barrett Hadgson / Geofman / Shaigan	Envoy Pharmac (Pvt) Ltd.
10	CEPHRADINE 500mg INJ.	39100		Zafa	N/Q
11	CLOXACILLIN SODIUM 250MG INJ.	2000		N/Q	N/Q
12	CO-AMOXICLAV 1.2G INJ.	12100		N/Q	N/Q
13	IMIPENEM 500MG INJ.	3000		Stallion Pharma <i>No sample</i>	N/Q
14	IMIPENEM 1 G INJ.	2000		N/Q	N/Q
15	LEVOFLOXACIN 500MG / 100ML INJ.	26500		Barrett Hadgson / Shaigan / Frontier Dextrose	N/Q
16	LINCOMYCINE 2ml 600mg	2500		N/Q	N/Q
17	MEROPENEM 1G INJ.	1600		Macter	N/Q
18	MEROPENEM 500MG INJ.	1600		Macter	N/Q
19	METRONIDAZOLE 500MG INJ.	94000		Frontier Dextrose / B. Braun DR. S.ASADULLAH HUSSAIN M.B.B.S. (DOW) F.R.C.S. (REL) FRCS (EDIN) ASSOCIATE PROF: CARDIAC SURGERY KARACHI INSTITUTE OF HEART DISEASES	N/Q

Deputy Medical Superintendent
ABBASI SHAHEED HOSPITAL
Karachi Metropolitan Corporation

DR. S.ASADULLAH HUSSAIN
M.B.B.S. (DOW) F.R.C.S. (REL) FRCS (EDIN)
ASSOCIATE PROF: CARDIAC SURGERY
KARACHI INSTITUTE OF HEART DISEASES

Medical Superintendent
Abbasi Shaheed Hospital
Karachi Metropolitan Corporation

Item No.	NAME OF TABLET / CAPSULE / SYRUPS / INJECTABLE	TOTAL QTY.	A/U	M/s. Shamim & Co.	M/s. Universal Enterprises
20	PIPERACILLIN + TAZOBACTAM 4.5GM INJ.	10000		Macter	N/Q
21	VANCOMYCIN HCL 1G INJ.	5000		N/Q	N/Q
22	VANCOMYCIN HCL 500MG INJ.	5200		N/Q	N/Q

ANTIHESTAMINE: -

23	CHLORPHENERAMINE INJ.	27000		N/Q	N/Q
----	-----------------------	-------	--	-----	-----

GYNEACOLOGICAL PREPARATION: -

24	MAGNESIUM SULPHATE 500mg/10ml INJ.	5100		N/Q	N/Q
25	METHYL ERGOMETRINE MALEATE (1mlX50)	400		N/Q	N/Q

STEROID: -

26	DEXAMETHASONE 4MG INJ.	43000		Geofman	N/Q
27	HYDROCORTISONE SODIUM 100MG INJ.	21800		Zafa	N/Q
28	HYDROCORTISONE SODIUM 250MG INJ.	51200		Zafa	N/Q

INFUSIONS / ELECTROLYTES / PAR ENTRAL NUTRIENTS: -

29	AMINOACID 500ml INJ.	5000		B. Braun	N/Q
30	ANHYDROUS DEXTROSE 25%/25ML INJ.	18000		N/Q	N/Q
31	DEXTROSE SALINE 1/2 & 500ML INJ.	1000		Frontier Dextrose	N/Q

[Handwritten signature]

Deputy Medical Superintendent
Stores
ABBASI SHAHEED HOSPITAL
Karachi Metropolitan Corporation

DR. S.ASADULLAH HUSSAINI
M.B.B.S. (DOW) F.R.C.S. (IREL) FRCS (EDIN)
ASSOCIATE PROF. CARDIAC SURGERY
KARACHI INSTITUTE OF HEART DISEASES

Prof. Saleem
M.B.B.S. (Dow) M.R.C.P. (UK)
Professor of Medicine
Incharge Medical Deptt
Karachi Metropolitan Corporation

but can be taken as m other

Medical Superintendent
Abbasi Shaheed Hospital
Karachi Metropolitan Co.

Item No.	NAME OF TABLET / CAPSULE / SYRUPS / INJECTABLE	TOTAL QTY.	A/U	M/s. Shamim & Co.	M/s. Universal Enterprises
32	DEXTROSE SALINE 1/5 & 500ML INJ.	1000		Frontier Dextrose	N/Q
33	DEXTROSE SALINE 1000ML/5% INJ.	500		Frontier Dextrose	N/Q
34	DEXTROSE WATER 1000ML/10% INJ.	1000		Frontier Dextrose	N/Q
35	DEXTROSE WATER 1000ML/5% INJ.	500		Frontier Dextrose	N/Q
36	DISTILLED WATER 5CC	36000		Frontier Dextrose	N/Q
37	FAT EMULSION 20% INJ.	5000		B. Braun	N/Q
38	MANITOL 500ML INJ.	3050		Frontier Dextrose	N/Q
39	NORMAL SALINE 0.9%/1000ML INJ.	200000		Frontier Dextrose	N/Q
40	NORMAL SALINE 0.9%/100ML INJ.	63000		Frontier Dextrose B. Braun	N/Q
41	PLASMA SUBSTITUTE FOR TRAVENOUS INFUSION 500ML INJ. (GELAFUNDINE OR HEAMCCEL)	19200		B. Braun	N/Q
42	POTASSIUM CHLORIDE INJ.	4200		Frontier Dextrose	N/Q
43	RINGERS LACTATE 1000ML INJ.	106500		Frontier Dextrose B. Braun	N/Q
44	RINGERS LACTATE 500ML INJ.	48500		Frontier Dextrose	N/Q

ANTACIDS / ANTI EMETIC / ANTI SPASOMADICS: -

45	DIMENHYDRIMATE 50MG / 1ML INJ.	52200		N/Q	N/Q
46	DROTAVERINE HCL 40MG / 2ML INJ.	41000		N/Q	N/Q

Deputy Medical Superintendent
Abbasi Shaheed Hospital
Karachi Metropolitan Corporation

Prof. Saleemullah
M.B.B.S (Dow) M.R.C.P (UK)
Professor of Medicine
Incharge Medical Unit-I
Abbasi Shaheed Hospital

DR. S.ASADULLAH HUSSAINI
M.B.B.S (DOW) F.R.C.S. (IREL) FRCS (EDIN)
ASSOCIATE PROF. CARDIAC SURGERY
Karachi Institute of Heart Diseases
Medical Superintendent
Abbasi Shaheed Hospital
Karachi Metropolitan Corporation

Item No.	NAME OF TABLET / CAPSULE / SYRUPS / INJECTABLE	TOTAL QTY.	A/U	M/s. Shamim & Co.	M/s. Universal Enterprises
47	METOCLOPRAMIDE 10mg / 2ml INJ.	30000		Siza International <i>NO Sample</i>	N/Q
48	OMEPRAZOLE 40MG INJ.	76500		N/Q <i>no sample</i>	N/Q
49	RANITIDINE 50MG/2ML INJ.	36000		N/Q	N/Q
50	ADRENALINE 1ML INJ.	42250		N/Q	N/Q
51	ATROPINE SULPHATE 1ML INJ.	75700		N/Q	N/Q
52	NOREPINEPHRINE 8mg INJ.	7200		Atco	N/Q

ANAESTHETIC AGENTS & MUSCLE RELAXANT / SEDATIVE: -

taken order from anaesthetist

53	ATRACURIUM BESYLATE 25MG/5ML INJ.	15400		N/Q	N/Q
54	ATRACURIUM BESYLATE 50MG/5ML INJ.	37100		N/Q	N/Q
55	BUPIVACAINE 10ml INJ.	1300		N/Q	N/Q
56	BUPIVACAINE HCL (SPINAL) 0.75% INJ.	11820		N/Q	N/Q
57	DIAZEPAM 10MG / 2ML INJ.	12800		N/Q	N/Q
58	EPHEDRINE INJ.	1000		N/Q	N/Q
59	GLYCOPYROLATE + NEOSTIGMINE INJ.	12850		N/Q	N/Q
60	HALOTHANE 250ML	1250		Akhai Pharma	N/Q
61	ISOFLURANE 100ML	1320		Akhai Pharma Getz	N/Q

Deputy Medical Superintendent
Stores
ABBASI SHAHEED HOSPITAL
Karachi Metropolitan Corporation

Prof. Saleemullah
M.B.B.S (Dow) M.R.C.P (UK)
Professor of Medicine
Incharge Medical Unit-I
Abbasi Shaheed Hospital

DR. S. ASADULLAH HUSSAINI
M.B.B.S (ICHI) F.R.C.S (IREL) F.R.C.S (ADN)
ASSOCIATE CHIEF CARDIAC SURGEON
KARACHI INSTITUTE OF HEART DISEASES

Medical Superintendent
Abbasi Shaheed Hospital
Karachi Metropolitan Corporation

Item No.	NAME OF TABLET / CAPSULE / SYRUPS / INJECTABLE	TOTAL QTY.	A/U	M/s. Shamim & Co.	M/s. Universal Enterprises
62	KETAMINE 50mg/2ml INJ.	1925		Akhai Pharma	N/Q
63	LIGNOCAINE + ADRENALINE 2% INJ.	10600		Barrett Hadgson	N/Q
64	LIGNOCAINE PLAIN 2% INJ.	28900		Barrett Hadgson	N/Q
65	NEOSTIGMINE METHYLSULPHATE 2.5MG / 1ML INJ.	2000		N/Q	N/Q
66	PENTOTHAL INJ.	800		N/Q	N/Q
67	PROPOFOL 1% INJ.	11800		Akhai Pharma / B. Braun	N/Q
68	SUXAMETHONIUM CHLORIDE 100MG/2ML INJ.	5500		Akhai Pharma	N/Q
TETANUS TOXOID: -					
69	TETANUS TOXOID INJ.	25500		N/Q	N/Q
DIURETICS: -					
70	FRUSEMIDE 20MG/2ML INJ.	142000		N/Q	N/Q
ANTI HISTAMINE / BRONCHODILATOR: -					
71	AMINOPHYLLINE 250MG / 10ML INJ.	3250		N/Q	N/Q
72	PHENIRAMINE MALEATE 22.7MG/2ML INJ.	12000		N/Q	N/Q
HYPOGLYCEMIC AGENTS: -					
73	INSULIN 70/30 INJ.	4900		Getz Pharma	N/Q

Deputy Medical Superintendent
Stores
ABBASI SHAHEED HOSPITAL
Karachi Metropolitan Corporation

Prof. S. M. Mulla
M.B.B.S (Dow) M.R.C.P (UK)
Professor of Medicine
Incharge Medical Unit-I
Abbasi Shaheed Hospital

DR. S. ASADULLAH HUSSAINI
M.B.B.S (DOW) F.R.C.S. (IREL) F.R.C.T (EDIN)
ASSOCIATE PROF. CARDIAC SURGERY
KARACHI INSTITUTE OF HEART DISEASES

Medical Superintendent
Abbasi Shaheed Hospital
Karachi Metropolitan Corporation

Item No.	NAME OF TABLET / CAPSULE / SYRUPS / INJECTABLE	TOTAL QTY.	A/U	M/s. Shamim & Co.	M/s. Universal Enterprises
74	INSULIN NPH INJ.	5200		Getz Pharma	N/Q
75	INSULIN REGULAR/PLAIN INJ.	24400		Getz Pharma	N/Q
HEMOSTATIC / ANTI COAGULANTS: -					
76	ENOXAPARIN SODIUM 60mg INJ. (CLEXANE)	70000		N/Q	N/Q
77	ENOXAPARIN SODIUM 80mg INJ. (CLEXANE)	65000		N/Q	N/Q
78	HEPARIN SODIUM 5000IU INJ.	9000		B. Braun	N/Q
79	TRANEXAMIC ACID 500MG / 5ML INJ.	11500		Zafa	N/Q
IRON PREPARATIONS / ERYTHROPOIETIN FACTOR/ VITAMINS: -					
80	CALCIUM GLUCONATE 10ML INJ.	1500		N/Q	N/Q
81	ERYTHROPOIETIN 4000IU / 1ML INJ.	3000		Bio Science	N/Q
82	IRON SUCROSE 100MG INJ.	17500		Shaigan Barrett Hadgson	N/Q
83	METHYCOBAL 500 mcg/ml	10000		Macter	N/Q
84	PHYTOMENADINE VITAMIN K INJ	6000		N/Q	N/Q
85	VITAMIN-D ₃ 6000000IU INJ.	10000		Macter	N/Q
UTERINE MUSCLE CONTRACTORS					
86	SYNTOCINON INJ.	206000		Geofman	N/Q

Deputy Medical Superintendent
 Sd/-
 ABBASI SHAMIM HOSPITAL
 Karachi Metropolitan Corporation

Prof. Saleemullah
 M.B.B.S (Dow) M.A.S. (P.K)
 Professor of Medicine
 Incharge Medical Unit-I
 Abbasi Shamim Hospital

DR. S. ASADULLAH HUSSAINI
 M.B.B.S (DOWLER.C.S. (H.R.C.))
 ANGIOPLASTY PROF. CARDIAC SURGERY
 KARACHI INSTITUTE OF HEART DISEASES

Medical Superintendent
 Sd/-
 Abbasi Shamim Hospital
 Karachi Metropolitan Corporation

Item No.	NAME OF TABLET / CAPSULE / SYRUPS / INJECTABLE	TOTAL QTY.	A/U	M/s. Shamim & Co.	M/s. Universal Enterprises
----------	--	------------	-----	-------------------	----------------------------

CARDIAC/ANTI HYPERTENSIVES/ INOTROPICS: -

87	ADENOSINE INJ.	100		N/Q	N/Q
88	AMIODARONE 150MG INJ. (CORDARONE)	9800		N/Q	N/Q
89	DIGOXIN INJ. 0.5mg	4500		N/Q	N/Q
90	DOBUTAMINE 250MG / 20ML INJ.	14040		N/Q	N/Q
91	DOPAMIN 200MG INJ.	11440		N/Q	N/Q
92	HYDRALAZINE INJ.	3500		N/Q	N/Q
93	ISOSORBIDE DINITRATE 10MG / 10ML INJ.	55000		N/Q	N/Q
94	METOPROLOL 5MG / 5ML INJ. (MEROL)	25100		Atco	N/Q
95	STREPTOKINASE INJ. 1.5miu	6000		N/Q	N/Q
96	VERAPAMIL 5ML INJ.	6600		N/Q	N/Q

ANTI DEPRESSANTS / ANTI PSYCHOTIC / ANTI CONVULSANTS: -

97	CLOPIXOL ACCUPHASE 100MG INJ.	100		N/Q	N/Q
98	CLOPIXOL ACCUPHASE 50MG INJ.	100		N/Q	N/Q
99	FLUPHENAZINE 25MG INJ.	1000		N/Q	N/Q
100	HALOPERIDOL 5MG INJ.	1000		N/Q	N/Q

Deputy Medical Superintendent
 ABBASI SHAHEED HOSPITAL
 Karachi Metropolitan Corporation

Prof. Saleemullah
 M.B.B.S (Dow) M.R.C.P (UK)
 Professor of Medicine
 Incharge Medical Unit-I
 Abbasi Shaheed Hospital

DR. S.ASADULLAH HUSSAINI
 M.B.B.S. (DOW) F.R.C.S. (IREL) FRCS (EDIN)
 ASSOCIATE PROF. CARDIAC SURGERY
 KARACHI INSTITUTE OF HEART DISEASES

Medical Superintendent
 Abbasi Shaheed Hosnital
 Karachi Metropolitan Corporation

Item No.	NAME OF TABLET / CAPSULE / SYRUPS / INJECTABLE	TOTAL QTY.	A/U	M/s. Shamim & Co.	M/s. Universal Enterprises
101	MIDAZOLAM 5MG INJ.	28500		N/Q	N/Q
MISCELLANEOUS: -					
102	ANTI RABIES INJ.	3600		N/Q	N/Q
103	CARBACHOL 0.01% / 1ML INJ.	250		N/Q	N/Q
104	IV CONTRAST FOR MRI 10ml	400		N/Q	N/Q
105	IV CONTRAST FOR MRI 15ml	300		N/Q	N/Q
106	IV CONTRAST FOR MRI 20ml	300		N/Q	N/Q
107	METHYL CELULOSE VIALS	1100		N/Q	N/Q
108	NON IONIC DIE INJ.	9000		N/Q	N/Q
109	SODIUM BICARBONATE INJ.	1120		Frontier Dextrose	N/Q
110	ULTRAVIST 50ml (X-RAY) VIALS	1500		N/Q	N/Q
111	UROGRAFIN 100ml (X-RAY) VIALS	1500		N/Q	N/Q
112	UROGRAFIN 20ml (X-RAY) AMP.	3100		N/Q	N/Q

Deputy Medical Superintendent
 ABBASI SHAHEED HOSPITAL
 Karachi Metropolitan Corporation

Prof. Saleemullah
 M.B.B.S (Dow) M.R.C.P (UK)
 Professor of Medicine
 Incharge Medical Unit-I
 Abbasi Shaheed Hospital

DR. S.ASADULLAH HUSSAINI
 M.B.B.S. (DOW) F.R.C.S. (IREL) FRCS (EDIN)
 ASSOCIATE PROF. CARDIAC SURGERY
 KARACHI INSTITUTE OF HEART DISEASES

Medical Superintendent
 Abbasi Shaheed Hospital
 Karachi Metropolitan Corporation

COMPARATIVE STATEMENT (TECHNICAL PROPOSAL)
TENDER SR. NO. 2 (B) SUPPLY OF X-RAY FILMS ETC. FOR THE YEAR 2016-17

Item No.	DESCRIPTION	TOTAL QTY.	A/U	M/s. Shamim & Co.
1	Computarized Radio Cassetes (10X12)	4	50 Boxes / 100 sheet	AGFA
2	Computarized Radio Cassetes (14X17)	4	50 Boxes / 100 sheet	AGFA
3	MRI X-Ray Films 14X17 Pkt.	200		AGFA
4	X-Ray Chemical Auto Developer Can	20		AGFA
5	X-Ray Chemical Auto Fixer Can	20		AGFA
6	X-Ray Films Conventional Size 8X10 Pkt.	79		AGFA
7	X-Ray Films Conventional Size 10X12 Pkt.	259		AGFA
8	X-Ray Films Conventional Size 12X15 Pkt.	264		AGFA
9	X-Ray Films Conventional Size 14X17 Pkt.	70		AGFA
10	X-Ray Films Dry Star DT 2 B Size 10X12" Pkt.	3000		AGFA
11	X-Ray Films Dry Star DT 2 B Size 14X17" Pkt.	1500		AGFA
12	X-Ray Lead No. Set	42		N/Q
13	Developer Powder Form Pkt.	135		AGFA
14	Fixer Powder Form Pkt.	135		AGFA

Deputy Medical Superintendent
 ABBASI SHAHEED HOSPITAL
 Karachi Metropolitan Corporation


Prof. Saleemullah
 M.B.B.S (UK) M.R.C.P (UK)
 Professor of Medicine
 Incharge Medical Unit-I
 Abbasi Shaheed Hospital

Medical Superintendent
 DR. ASADULLAH HUSSAINI
 M.B.B.S (UK) M.F.R.C.S. (IREL) (FRCR) (FRCR) (FRCR)
 Associate Prof. Cardiac Surgery
 KARACHI INSTITUTE OF HEART DISEASES
 Karachi Metropolitan Corporation


Item No.	DESCRIPTION	TOTAL QTY	A/U	M/s. Shamim & Co.
15	X-Ray Cassette with Screen High Speed (8X10)	9		N/Q
16	X-Ray Cassette with Screen High Speed (10X12)	7		N/Q
17	X-Ray Cassette with Screen High Speed (12X15)	9		N/Q
18	X-Ray Cassette with Screen High Speed (14X17)	9		N/Q
19	X-Ray Hangers (8X10)	22		N/Q
20	X-Ray Hangers (10X12)	22		N/Q
21	X-Ray Hangers (12X15)	22		N/Q
22	X-Ray Hangers (14X17)	16		N/Q
23	Lead Apron	8		N/Q
24	X-Ray Chemical Drum	4		N/Q
25	Safty Light for X-ray	2		N/Q
26	Developing Tanks with complete Set	2		N/Q




 Deputy Medical Superintendent
 Abbas Shaheed Hospital
 Karachi Metropolitan Corporation


Prof. Saleemullah
 M.B.B.S (Dow) M.R.C.P (UK)
 Professor of Medicine
 Incharge Medical Unit-I
 Abbasi Shaheed Hospital


DR. S. ANWARULLAH HUSSAINI
 M.B.B.S (Dow) F.R.C.S. (IREL) F.R.C.S. (EDIN)
 ASSOCIATE PROF. CARDIAC SURGERY
 (KARACHI INSTITUTE OF HEART DISEASES)


Medical Superintendent
 Abbasi Shaheed Hospital
 Karachi Metropolitan Corporation

COMPARATIVE STATEMENT (TECHNICAL PROPOSAL)
TENDER SR. NO. 3 (C) SUPPLY OF SURGICAL DISPOSABLES FOR THE YEAR 2016-17

Item No.	DESCRIPTION	TOTAL QTY.	A/U	M/s. Hakim Sons (Pvt) Ltd.	M/s. Shamim & CO.	M/s. Universal Enterprises
1	Absorbant Cotton Roll 400 gm Roll	27800		N/Q	National Absorbent Cotton	N/Q
2	Absorbant Gauzthan 90CMX50CM (50 Meter Than)	8400		N/Q	National Absorbent Cotton	N/Q
3	Air Way Size Medium	500		Foyomed / China	Inter Surgical UK	N/Q
4	Air Way Size Small	1500		Foyomed / China	Inter Surgical UK	N/Q
5	Air ways (Adult)	2500		Foyomed / China	Inter Surgical UK	N/Q
6	Ambo Bag Small	26		Flexicare / UK	N/Q	N/Q
7	AmbuBag Adult Set	40		Flexicare / UK	Sample Not Provided Inter Surgical UK	N/Q
8	Anaesthesia Mask Size 2	10		Teleflex / USA	Flexicare / UK	N/Q
9	Anaesthesia Mask Size 3	10		Teleflex / USA	Flexicare / UK	N/Q
10	Anaesthesia Mask Size 4	10		Teleflex / USA	Flexicare / UK	N/Q
11	Anaesthesia Mask Size 5	10		Teleflex / USA	Flexicare / UK	N/Q
12	Auto Clave Tape Roll	70		N/Q	3M	N/Q
13	Bactigras (15cm X 20cm) (1X10) Pkt.	850		N/Q	N/Q	N/Q
14	Bain Circuit	210		Flexicare / UK	Sample Not Provided Flexicare / UK	N/Q
15	Barium Enema Bags	500		N/Q	N/Q	N/Q
16	Biopter (Biopsy needle with gun)	100		N/Q	N/Q	N/Q
17	Bone Wax Doz.	20		N/Q	SMI (Belgium)	N/Q

Deputy Medical Superintendent
 ABBASI SHERIFF HOSPITAL
 Karachi Metropolitan Corporation

Prof. Saleemullah
 M.B.B.S (Dow) M.R.C.P (UK)
 Professor of Medicine
 Incharge Medical Unit I
 Abbasi Sheriff Hospital

DR. SASADULLAH HUSAINI
 M.B.B.S (DOW) F.R.C.S. (IRE) F.R.C.S. (EDIN)
 ASSOCIATE PROF. CARDIAC SURGERY
 KARACHI CENTRE OF HEART DISEASES

Deputy Medical Superintendent
 ABBASI SHERIFF HOSPITAL
 Karachi Metropolitan Corporation

Item No.	DESCRIPTION	TOTAL QTY.	A/U	M/s. H. Sons (Pvt) Ltd.	M/s. Shamim & CO.	M/s. Univers. Enterprises
18	Bright Light with Pedel Pump	1		N/Q	N/Q	N/Q
19	C.V.P Line 18G Double Lumen	500		Giant Medical / China	N/Q	N/Q
20	C.V.P Line Double Luman Adult Size	500		Giant Medical / China	B.Braun	N/Q
21	C.V.P Line Infraclavicular with guide wire	500		N/Q	N/Q	N/Q
22	C.V.P Triple Lumen	360		Giant Medical / China	B.Braun	N/Q
23	Caesercain Disposable Pack Containing 8 Pcs for hepatis B,C, HIV	550		N/Q	N/Q	N/Q
24	Chest Bottle with Tubing	500		Hospitech / Malaysia	N/Q	N/Q
25	Chest Tube 28" with Trocar	1000		Hospitech / Malaysia	N/Q	N/Q
26	Chest Tube 32" with Trocar	1500		Hospitech / Malaysia	N/Q	N/Q
27	Chromic Catgut R/B 0/0 40mm Needle.	1300		N/Q	N/Q	N/Q
28	Chromic Catgut R/B 2/0 30 mm Needle Doz.	925		N/Q	N/Q	N/Q
29	Chromic Catgut R/B 2/0 40 mm Needle Doz.	635		N/Q	N/Q	N/Q
30	Chromic Catgut R/B 3/0 30 mm Needle Doz.	75		N/Q	N/Q	N/Q
31	Chromic Catgut R/B No. 1 40mm Needle.	1455		N/Q	N/Q	N/Q
32	Chromic Catgut R/B No.2 40mm Needle.	1055		N/Q	SMI (Belgium)	N/Q
33	Clostomy Bag with wafer No. 57mm	200		N/Q	N/Q	N/Q
34	Clostomy Bag with wafer No. 70mm	200		N/Q	N/Q	N/Q
35	Clostomy Clip	500		N/Q	N/Q	N/Q
36	Cord clamp	21100		N/Q	N/Q	N/Q

Depute Medical Superintendent
 ABBASI SHAHEED HOSPITAL
 Karachi Metropolitan Corporation

Prof. Saleemullah
 B.B.S (Dow) M.R.C.P (JK)
 Professor of Medicine
 Incharge Medical Unit-I
 Abbasi Shaheed Hospital

DR. QASADULLAH HUSSAINI
 M.B.B.S (DOW) F.R.C.S (IRE) F.R.C.S (EDIN)
 ASSOCIATE SENIOR CARDIAC SURGEON
 KARACHI INSTITUTE OF HEART DISEASES

Medical Superintendent
 Abbasi Shaheed Hospital
 Karachi Metropolitan Corporation

Item No.	DESCRIPTION	TOTAL QTY.	A/U	M/s. H. Sons (Pvt) Ltd.	M/s. Shamim & CO.	M/s. Universal Enterprises
37	Cotton Bandage 3" Doz.	8600		N/Q	National Absorbent Cotton	N/Q
38	Cotton Bandage 4" (10cm X 4.5m) Doz.	39100		N/Q	National Absorbent Cotton	N/Q
39	Cotton Bandage 6" (15cm X 4.5m) Doz.	35100		N/Q	National Absorbent Cotton	N/Q
40	Crap Bandge 3" Roll	2050		N/Q	National Absorbent Cotton	N/Q
41	Crap Bandge 4" (10cmX4.5m) Roll	11800		N/Q	National Absorbent Cotton	N/Q
42	Crap Bandge 6" (15cmX4.5m) Roll	12400		N/Q	National Absorbent Cotton	N/Q
43	Dead Body Cotton Than	100		N/Q	N/Q	N/Q
44	Deponet Patch 5mg	7400		N/Q	N/Q	N/Q
45	Dettol Ltr. (Chloroxylonol)	148		N/Q	N/Q	N/Q
46	Dia therny Pad Steel	25		N/Q	N/Q	N/Q
47	Dial Flow	2000		N/Q	Kawa Medical	N/Q
48	Disposable Diathermy Leads	150		Sample Not Provided Foyomed / China	N/Q	N/Q
49	Disposable Gloves Polythene (1X100) Pkts.	2300		N/Q	N/Q	N/Q
50	Disposable Gowns	1260		N/Q	3M	N/Q
51	Disposable Latex Gloves (1X100 Box) Large size	500		N/Q	Searle	Soft Touch Malaysia
52	Disposable Latex Gloves (1X100 Box) Medium size	2550		N/Q	Searle	Soft Touch Malaysia
53	Disposable Latex Gloves (1X100 Box) Small size	500		N/Q	Searle	Soft Touch Malaysia
54	Disposable Mask (1X50 Pieces) Box	445		N/Q	3M	N/Q
55	Disposable OT Cap (1X100 Pieces) Box	215		N/Q	N/Q	N/Q

Deputy Medical Superintendent
 Cores
ABBASI SHAHEED HOSPITAL
 Karachi Metropolitan Corporation

Prof. Saleemullah
 M.B.B.S (Dow) M.R.C.P (UK)
 Professor of Medicine
 Incharge Medical Unit-I
 Abbasi Shaheed Hospital

DR. S.ASADULLAH HUSSAIN
 M.B.B.S (DOW) F.C.S (IREL) F.R.C.S (EDIN)
 ASSOCIATE PROF. CARDIAC SURGERY
 KARACHI INSTITUTE OF HEART DISEASES

Medical Superintendent
Abbasi Shaheed Hospital
 Karachi Metropolitan Corporation

Item No.	DESCRIPTION	TOTAL QTY.	A/U	M/s. H. Sogs (Pvt) Ltd.	M/s. Shamim & CO.	M/s. Universal Enterprises
✓ 56	Disposable Syringe 60 cc Feeding Syringe	11000		N/Q	N/Q	Terumo Corporation, Japan
57	Disposable Syringes 10cc Blister Pack With Needle	674000		N/Q	Sample Not Provided B. Braun	Terumo Corporation, Philippine
✓ 58	Disposable Syringes 20cc Blister Pack With Needle (Needles Not Provided)	20200		N/Q	Sample Not Provided	Terumo Corporation, Philippine
59	Disposable Syringes 3cc Blister Pack With Needle	392000		N/Q	B. Braun / Searle	Terumo Corporation, Philippine
60	Disposable Syringes 5cc Blister Pack With Needle	1215000		N/Q	Sample Not Provided B. Braun / Searle	Terumo Corporation, Philippine
61	Disposable Syringes 50cc with needle (Needles Not Provided)	3000		N/Q	N/Q	Terumo Corporation, Japan
62	Disposal Ventilator circuit	1200		Flexicare / UK	Inter Surgical UK	N/Q
63	Disposal Ventilator circuit (Peads) Subject to the provision of 62/11	200		Flexicare / UK	N/Q	N/Q
64	ECG Electrodes ETT, Holter	280000		Vermed / Austria	3M	N/Q
65	ECG Roll 63mm X 30mm	14200		N/Q	N/Q	N/Q
66	Endo-Tracheal Tube Disposable (E.T Tube No 6.5,)	425		Foyomed / China	Sample Sumi Poland	N/Q
67	Endo-Tracheal Tube Disposable (E.T Tube No. 5.5)	100		Foyomed / China	Sample Sumi Poland	N/Q
68	Endo-Tracheal Tube Disposable (E.T Tube No.6)	500		Foyomed / China	Flexicare / UK	N/Q
69	Endo-Tracheal Tube Disposable (E.T Tube No.7)	3500		Foyomed / China	Flexicare / UK	N/Q
70	Endo-Tracheal Tube Disposable (E.T Tube No.7.5)	3125		Foyomed / China	Flexicare / UK	N/Q
71	Endo-Tracheal Tube Disposable (E.T Tube No.8)	250		Foyomed / China	Flexicare / UK	N/Q
72	Endo-Tracheal Tube Disposable (E.T Tube No.8.5)	250		Flexicare / UK	Flexicare / UK	N/Q
73	Epidural Set with Lock Syringe 18G	8		N/Q	B. Braun	N/Q
74	Eye Pads	30000		N/Q	N/Q	N/Q

273

[Handwritten signature]

Deputy Medical Superintendent
ABBASI SHAHEED HOSPITAL
 Karachi Metropolitan Corporation

Prof. Saleemullah
 M.B.B.S (Dow) M.R.C.P (UK)
 Professor of Medicine
 Incharge Medical Unit-I
 Abbasi Shaheed Hospital

DR. SASADULLAH HUSSAINI
 M.B.B.S (DOW) F.R.C.S. (IREL) FRCS (EDIN)
 ASSOCIATE PROFESSOR OF CARDIAC SURGERY
 KARACHI INSTITUTE OF HEART DISEASES

Medical Superintendent
Abbasi Shaheed Hospital
 Karachi Metropolitan Corporation

Item No.	DESCRIPTION	TOTAL QTY.	A/U	M/s. Ha... Sons (Pvt) Ltd.	M/s. Shamim & CO.	M/s. Universal Enterprises
75	Foley's Catheter 14 F	1950		X Foyomed / China	N/Q	N/Q
76	Foley's Catheter 16 F	19300		X Foyomed / China	N/Q	N/Q
77	Foley's Catheter 18 F	14700		X Foyomed / China	N/Q	N/Q
78	Formaline Solution Ltr.	970		N/Q	N/Q	N/Q
79	Gastrografin Liquid contrast	1500		N/Q	N/Q	N/Q
80	Glycerin Ltr.	20		N/Q	N/Q	N/Q
81	Guid Wire Size 0.038J Tip	10		N/Q	N/Q	N/Q
82	Gypsona Plaster POP 4"	31000		N/Q	N/Q	N/Q
83	Gypsona Plaster POP 6"	26000		N/Q	N/Q	N/Q
84	Hand Wash Sanatizar	2186		N/Q	3M / SCHULKE	N/Q
85	Hydrogen Peroxid 450 ml Bottle	1350		N/Q	N/Q	N/Q
86	I/V Canuula 16" with Stopper	16000		N/Q	B. Braun / Searle	N/Q
87	I/V Canuula 18" with Stopper <i>(Stopper provided)</i>	94200		N/Q	Searle	Silver Surgical
88	I/V Canuula 20" with Stopper	354700		N/Q	B. Braun / Silver Surgical	N/Q
89	I/V Canuula 20X2" (Long Length)	2500		N/Q	N/Q	N/Q
90	I/V Canuula 22" with Stopper	146500		N/Q	B. Braun / Searle	N/Q
91	I/V Canuula 24"	61700		N/Q	B. Braun / Searle	N/Q
92	I/v Chamber	51200		N/Q	<i>Stopper Not Provided</i> Kawa Medical	N/Q
93	Infusion Set/ Drip Set <i>Sample Not Provided</i>	300000		N/Q	B. Braun / Searle	N/Q

Deputy Medical Superintendent
Stores
ABBAS KHAN MEDICAL HOSPITAL
Karachi Metropolitan Corporation

Prof. Saleemullah
M.B.B.S (Dow) M.R.C.P (UK)
Professor of Medicine
Incharge Medical Unit-I
Abbasi Shaheed Hospital

Dr. Asadullah Hussain
M.B.B.S (Dow) F.R.C.S. (Int'l) F.R.C.P. (Edin)
ASSOCIATE PROF. CARDIAC SURGERY
KARACHI INSTITUTE OF HEART DISEASES

Dr. Muhammad Aslam
Medical Superintendent
Abbasi Shaheed Hospital
Karachi Metropolitan Corporation

Item No.	DESCRIPTION	TOTAL QTY.	A/U	M/s. Ha... Sons (Pvt) Ltd.	M/s. Shamim & CO.	M/s. Universal Enterprises
94	Injector Syringe 150CC	100		N/Q	N/Q	N/Q
95	Instant Disinfecten Solution for HCV / HBV or Similar Can 500ml	500		N/Q	SCHULKE / Anticaptica (GMBH)	N/Q
96	Insulin Syringes 1cc	130000		N/Q	Searle	N/Q
97	Laryngeal Mask Airway Size 3	26		Foyomed / China	Flexicare / UK	N/Q
98	Laryngeal Mask Airway Size 4	26		Foyomed / China	Flexicare / UK	N/Q
99	Monofilament Polypro Pylene R/B 0 (Prolene) Doz.	103		N/Q	N/Q	N/Q
100	Monofilament Polypro Pylene R/B 1 (Prolene) Doz.	138		N/Q	B.Braun	N/Q
101	Monofilament Polypro Pylene R/B 2 (Prolene) Doz.	403		N/Q	B.Braun	N/Q
102	Monofilament Polypro Pylene R/B 4/0 (Prolene) Doz.	70		N/Q	B.Braun	N/Q
103	Monofilament Polypro Pylene R/B 5/0 (Prolene) Doz.	70		N/Q	B.Braun	N/Q
104	Monofilament Polypro Pylene R/B 6/0 (Prolene) Doz.	10		N/Q	N/Q	N/Q
105	Monofilament Polypro Pylene Straight Cutting Needle 2/0 Doz.	290		N/Q	B.Braun	N/Q
106	Mucus Sucker	1000		Pennine / UK Foyomed / China	N/Q	N/Q
107	N.G. Tube 14	515		Foyomed / China	N/Q	N/Q
108	N.G. Tube 16	7225		Foyomed / China	N/Q	N/Q
109	N.G. Tube 18	1335		Foyomed / China	N/Q	N/Q
110	Nebulizer Kit (Mask)	9450		Foyomed / China	Inter Surgical UK	N/Q
111	Nebulizer Kit For Ventilator <i>Sample</i>	400		Foyomed / China	N/Q	N/Q
112	Needle Cutter	165		N/Q	N/Q	N/Q

[Signature]
Deputy Medical Superintendent
ABBASI SHAHEED HOSPITAL
Karachi Metropolitan Corporation

[Signature]
Prof. Saleemullah
M.B.B.S (Dow) M.R.C.P (UK)
Professor of Medicine
Incharge Medical Unit-I
Abbasi Shaheed Hospital
N/O. S.ASADULLAH HUSSAINI
M.B.B.S (DOW) F.R.C.S. (IREL) F.R.C.S. (EDIN)
ASSOCIATE PROF. CARDIAC SURGERY
KARACHI INSTITUTE OF HEART DISEASES

[Signature]
Medical Superintendent
Abbasi Shaheed Hospital
Karachi Metropolitan Corporation

Item No.	DESCRIPTION	TOTAL QTY.	A/U	M/s. Ha	Sons (Pvt) Ltd.	M/s. Shamim & CO.	M/s. Universal Enterprises
113	Opsit Dressing (28X45cm)	1030			N/Q	3M	N/Q
114	Opsit Dressing (55X45cm)	1000			N/Q	3M	N/Q
115	Paper Tape 1"	1100			N/Q	Usman Enterprise	N/Q
116	Paper Tape 1/2"	1650			N/Q	Usman Enterprise	N/Q
117	Paper Tape 2"	1550			N/Q	Usman Enterprise	N/Q
118	Paper Tape 3"	700			N/Q	Usman Enterprise	N/Q
119	Paper Tape 4"	4500			N/Q	Usman Enterprise Uniferoze	N/Q
120	Polyglycolic Acid Violet Size 0 R/B (Vicryl) Doz.	300			N/Q	B.Braun / SMI Belgium	N/Q
121	Polyglycolic Acid Violet Size 1 R/B (Vicryl) Doz.	800			N/Q	B.Braun / SMI Belgium	N/Q
122	Polyglycolic Acid Violet Size 2 R/B (Vicryl) Doz.	60			N/Q	B.Braun / SMI Belgium	N/Q
123	Polyglycolic Acid Violet Size 2/0 R/B (Vicryl) Doz.	150			N/Q	B.Braun / SMI Belgium	N/Q
124	Polyglycolic Acid Violet Size 3/0 R/B (Vicryl) Doz.	175			N/Q	B.Braun / SMI Belgium	N/Q
125	Pressure Line	10000			Biometrix / Netherland	N/Q	N/Q
126	Prolene Mesh 11x15	225			N/Q	N/Q	N/Q
127	Pyodine Scrub 450ml Bottle	2150			N/Q	N/Q	N/Q
128	Pyodine Solution 450ml Bottle	11650			N/Q	N/Q	N/Q
129	Radivac Drain Tube # 10	200			N/Q	Kawa Medical	N/Q
130	Radivac Drain Tube # 12	200			N/Q	Kawa Medical	N/Q
131	Radivac Drain Tube # 14	600			N/Q	Kawa Medical	N/Q

A

Sample

Sample

Sample

Deputy Medical Superintendent
Stores
ABBASI SHAHEED HOSPITAL
Karachi Metropolitan Corporation
Medical Superintendent
Abbasi Shaheed Hospital
Karachi Metropolitan Corporation

Prof. Saleemullah
M.B.B.S (Dow) M.R.C.P (UK)
Professor of Medicine
Incharge Medical Unit I
Abbasi Shaheed Hospital

DR. S.ASADULLAH HUSSAINI
M.B.B.S (DOW) F.R.C.S (IREL) F.R.C.S (EDIN)
ASSOCIATE PROF. CARDIAC SURGERY
KARACHI INSTITUTE OF HEART DISEASES

Medical Superintendent
Abbasi Shaheed Hospital
Karachi Metropolitan Corporation

No.	DESCRIPTION	TOTAL QTY.	A/U	M/s. H. Sons (Pvt) Ltd.	M/s. Shamim & CO.	M/s. Universal Enterprises
132	Radivac Drain Tube # 16 <i>Sample</i>	600		N/Q	Kawa Medical	N/Q
133	Radivac Drain Tube # 18 <i>//</i>	600		N/Q	Kawa Medical	N/Q
134	Radivac Drain Tube # 8 <i>//</i>	200		N/Q	Kawa Medical	N/Q
135	Sanitary Pads	7050		N/Q	N/Q	N/Q
136	Savlon 1 ltr Bottle	1450		N/Q	N/Q	N/Q
137	Silk 0 Round Body 30mm Cutting Needle Doz.	105		N/Q	<i>Sample Not Provided</i> SMI (Belgium)	N/Q
138	Silk 1 Round Body 30mm Cutting Needle Doz.	125		N/Q	<i>Sample Not Provided</i> SMI (Belgium)	N/Q
139	Silk 10/0 Doz.	150		N/Q	N/Q	N/Q
140	Silk 2 Round Body 30mm Needle Doz.	75		N/Q	<i>Sample Not Provided</i> SMI (Belgium)	N/Q
141	Silk 2/0 R/B 30mm Needle Doz.	150		N/Q	<i>Sample Not Provided</i> SMI (Belgium)	N/Q
142	Silk 2/0 Straight Cutting 30mm Needle Doz.	145		N/Q	N/Q	N/Q
143	Silk 3/0 Round Body 30mm Needle Doz.	85		N/Q	<i>Sample Not Provided</i> SMI (Belgium)	N/Q
144	Silk 3/0 Straight Cutting 30mm Needle Doz.	30		N/Q	N/Q	N/Q
145	Silk Virgin 8/0 Doz.	24		N/Q	N/Q	N/Q
✓ 146	Skin Grafting Blade Nos.	120		N/Q	N/Q	Swan Morton, UK
147	Spinal Needle 25G	6610		N/Q	<i>mm</i> B.Braun	N/Q
148	Spinal Needle 27G	2500		N/Q	<i>mm</i> B.Braun	N/Q
149	Spirit Ltr.	6320		N/Q	N/Q	N/Q
150	Spong Stone <i>Sample Not Provided</i>	300		N/Q	Mascia Bruneli (Italy)	N/Q

Prof. Sateemullah
Deputy Medical Superintendent
ABBASI SHAHEED HOSPITAL
Karachi Metropolitan Corporation

DR. S. ASADULLAH HUSSAINI
M.B.B.S (Dow) M.R.C.P (UK)
Professor of Medicine
Charge Medical Unit-1
Abbasi Shaheed Hospital

DR. S. ASADULLAH HUSSAINI
M.B.B.S (DOW) F.R.C.S. (IREL) F.R.C.S. (EDIN)
ASSOCIATE PROFESSOR OF THORACIC SURGERY
KARACHI INSTITUTE OF HEART DISEASES

Medical Superintendent
Abbasi Shaheed Hospital
Karachi Metropolitan Corporation

Item No.	DESCRIPTION	TOTAL QTY.	A/U	M/s. Ha... Sons (Pvt) Ltd.	M/s. Shamim & CO.	M/s. Universal Enterprises
151	Sterilent for Endoscope or Simillar (5Ltr) Can	200		N/Q	N/Q	N/Q
152	Sticking Plaster (1.5cmX5m)	5300		N/Q	N/Q	N/Q
✓ 153	Sticking Plaster (2.5cmX5m)	15200		N/Q	3M	N/Q
✓ 154	Sticking Plaster (7.5cmX5m)	14300		N/Q	3M	N/Q
155	Stopper (with Heprin Lock)	35000		N/Q	N/Q	N/Q
156	Suction Catheter 12 Nos. <i>Sande</i>	1200		Foyomed / China	N/Q	N/Q
157	Suction Catheter 14 Nos. <i>//</i>	13400		Foyomed / China	N/Q	N/Q
158	Suction Catheter 16 Nos. <i>//</i>	6300		Foyomed / China	N/Q	N/Q
159	Suction Catheter 8 Nos. <i>//</i>	10000		Foyomed / China	N/Q	N/Q
160	Surgical Blade 24 (1X100) Pkt.	155		N/Q	SMI (Belgium)	Swan Morton, UK
161	Surgical Blades 10 (1 X100) Pkt.	112		N/Q	SMI (Belgium)	Swan Morton, UK
162	Surgical Blades 11 (1X100) Pkt.	240		N/Q	SMI (Belgium)	Swan Morton, UK
163	Surgical Blades 12 (1 X100) Pkt.	150		N/Q	SMI (Belgium)	Swan Morton, UK
164	Surgical Blades 15 (1X100) Pkt.	120		N/Q	SMI (Belgium)	Swan Morton, UK
165	Surgical Blades 20 (1X100) Pkt.	5		N/Q	SMI (Belgium)	Swan Morton, UK
166	Surgical Blades 21 (1X100) Pkt.	5		N/Q	SMI (Belgium)	Swan Morton, UK
167	Surgical Blades 22 (1X100) Pkt.	5		N/Q	SMI (Belgium)	Swan Morton, UK
168	Surgical Blades 23 (1X100) Pkt.	200		N/Q	SMI (Belgium)	Swan Morton, UK
169	Surgical Gloves 6.5 Pairs	48500		N/Q	Searle / Advent Health, Malaysia	N/Q

[Signature]
 Deputy Medical Superintendent
 ABBASI SHAHEED HOSPITAL
 Karachi Metropolitan Corporation

[Signature]
 Prof. Saleemullah
 M.B.B.S (Dow) M.R.C.P (UK)
 Professor of Medicine
 Incharge Medical Unit-I
 Abbasi Shaheed Hospital

[Signature]
 DR. SAADU LAH ROSSINI
 M.B.B.S (DOW), M.D. (F.R.C.S. ED), F.R.C.S. (GEN)
 ASSOCIATE IN CHARGE, CARDIAC SURGERY
 KARACHI INSTITUTE OF HEART DISEASES

[Signature]
 Medical Superintendent
 Abbasi Shaheed Hospital
 Karachi Metropolitan Corporation

Item No.	DESCRIPTION	TOTAL QTY.	A/U	M/s. Ha Sons (Pvt) Ltd.	M/s. Shamim & CO.	M/s. Universal Enterprises
o.k 170	Surgical Gloves 7 Pairs	69500		N/Q	Searle / Advent Health Malaysia	N/Q
o.k 171	Surgical Gloves 7.5 Pairs	62500		N/Q	Searle / Advent Health Malaysia	N/Q
o.k 172	Surgical Gloves 8 Pairs	10600		N/Q	Searle / Advent Health Malaysia	N/Q
173	T- Handle With Key	10		N/Q	N/Q	N/Q
174	Threeway stopper	21000	Sample Not Bonid	Hospitech / Malaysia	B. Braun Kawa Medical	N/Q
175	Tincture Benzoin Co. 450ml Bottle	100		N/Q	N/Q	N/Q
176	Towel Protective Against Hepatitis B,C HIV Etc.	125		N/Q	N/Q	N/Q
Sample? 177	Trachestomy Tube Protex Size 9 with Cuffed	100		N/Q	Sumi Poland	N/Q
178	Transradial Band	2000		N/Q	N/Q	N/Q
179	Ultra Sound Gel 5Ltr Can	680		N/Q	N/Q	N/Q
180	Ultra Sound Printer Rolls	1900		N/Q	N/Q	N/Q
181	Urine Bag Nos.	56100		Foyomed / China	Kawa Medical	N/Q

CABG FOR K.I.H.D: -

182	ABG Cartridge	100		N/Q	N/Q	N/Q
183	GM Pack	150		N/Q	N/Q	N/Q
184	CABG Pack	350		N/Q	N/Q	N/Q
185	Prolene 7/0 CC	1200		N/Q	B. Braun	N/Q
186	Prodek 6/0 (10mm)	1200		N/Q	B. Braun	N/Q
187	Prodek 6/0 (8mm)	1200		N/Q	B. Braun	N/Q

Deputy Medical Superintendent
 Store
ABBASI SHAHEED HOSPITAL
 Karachi Metropolitan Corporation

Prof. Saleemuttah
 M.B.B.S (Dow) M.R.C.P (N/Q)
 Professor of Medicine
 Incharge Medical Unit-I
 Abbasi Shaheed Hospital

DR. S.ASAD ULLAH KHUSRO
 M.B.B.S (DOW) M.R.C.S. (IRE) FRCS (EDIN)
 ASSOCIATE PROFESSOR CARDIAC SURGERY
 KARACHI INSTITUTE OF HEART DISEASES

Medical Superintendent
Abbasi Shaheed Hospital
 Karachi Metropolitan Corporation

Item No.	DESCRIPTION	TOTAL QTY.	A/U	M/s. Ha... Sons (Pvt) Ltd.	M/s. Shamim & CO.	M/s. Univer...
188	Prodek 7/0 CC	1200		N/Q	B.Braun	N/Q
189	Prolene 4/0 CC	1000		N/Q	N/Q	N/Q
190	Drain Bottle <i>Sample</i>	400		Hospitech / Malaysia Biomatrix / Netherland	N/Q	N/Q
191	Femoral Sheath 6F	1200		N/Q	N/Q	N/Q
192	Surgicell	1000		N/Q	N/Q	N/Q
193	Silk 4/0 N536	1200		N/Q	N/Q	N/Q
194	Silk Tie (1)	3000		N/Q	N/Q	N/Q
195	Manorapid Hand Wash <i>Sample</i>	350		N/Q	Anticeptica (GMBH)	N/Q
196	Solution for O.T. Cleaning <i>Sample</i>	350		N/Q <i>Mismatched Samples</i>	Anticeptica (GMBH) / Inter Surgical, UK	N/Q
197	Oxygenator with Tubing <i>Sample</i>	350		N/Q	N/Q	Terumo Corporation, Japan
198	Aortic Root Cannula	350		N/Q	N/Q	N/Q
199	Aortic Root Needle	350		N/Q	N/Q	N/Q
200	Two Stage Venous Cannula	350		N/Q	N/Q	N/Q
201	Spirometer	350		<i>Teleflex / USA</i>	N/Q	N/Q
202	Opsite (Large) <i>Sample</i>	1000		N/Q	<i>3M</i>	N/Q
203	Chest Binder	350		N/Q	N/Q	N/Q
204	Lega Clip LS200 <i>Sample</i>	1000		N/Q	<i>Advent Health, Malaysia</i>	N/Q
205	Mepore	1000		N/Q	Advent Health, Malaysia / <i>3M / Uniferoze</i>	N/Q
206	Ethibond 3/0 R.B.	2000		N/Q	N/Q	N/Q

Deputy Medical Superintendent
ABBASI SHAHEED HOSPITAL
Karachi Metropolitan Corporation

Prof. Saleemullah
M.B.B.S. (Dow) M.B.C.P. (UK)
Professor of Medicine
Incharge Medical Unit-I
Abbasi Shaheed Hospital

DR. S. ASADULLAH RUSSAINI
M.B.B.S. (DOW) F.R.C.S. (IREL) F.R.C.S. (EDIN)
ASSOCIATE PROFESSOR OF CARDIAC SURGERY
KARACHI INSTITUTE OF HEART DISEASES

Medical Superintendent
Abbasi Shaheed Hospital
Karachi Metropolitan Corporation

Item No.	DESCRIPTION	TOTAL QTY.	A/U	M/s. Haij Sons (Pvt) Ltd.	M/s. Shamim & CO.	M/s. Universal Enterprises
✓ 207	Surgical Blade 11,15,20	1000		N/Q	N/Q	Swan Morton, UK
208	Chest Tube 32 Fr <i>Sample</i>	2500		Foyomed / China	N/Q	N/Q
209	Diathermy Pad	700		Vermed / Austria <i>Sample</i>	N/Q	N/Q
210	Diathermy Pencil	700		Foyomed / China <i>Sample</i>	N/Q	N/Q
211	Silk N723 <i>Sample</i>	2000		N/Q	SMI (Belgium)	N/Q
212	Vicryl 1/0 & 2/0 R.B	1000		N/Q	N/Q	N/Q
213	Vicryl 2/0 Stright	1000		N/Q	N/Q	N/Q



[Signature]
 Deputy Medical Superintendent
 Stores
 ABBASI SHAHEED HOSPITAL
 Karachi Metropolitan Corporation

[Signature]
 Prof. Saleemullah
 M.B.B.S (Dow) M.R.C.P (UK)
 Professor of Medicine
 Incharge Medical Unit-I
 Abbasi Shaheed Hospital

[Signature]
 DR. S. ASADULLAH HUSSAINI
 M.B.B.S (DOW) F.R.C.S. (IREL) FRCS (EDIN)
 ASSOCIATE PROF. CARDIAC SURGERY
 KARACHI INSTITUTE OF HEART DISEASES

[Signature]
 Medical Superintendent
 Abbasi Shaheed Hospital
 Karachi Metropolitan Corporation

COMPARATIVE STATEMENT (TECHNICAL PROPOSAL)
TENDER SR. NO. 4 (D) SUPPLY OF LABORATORY ITEMS / MATERIALS ETC. FOR THE YEAR 2016-17

Item NO.	DESCRIPTION	TOTAL QTY.	A/U	M/s. Secio Scientific Traders	M/s. Moon Enterprises	M/s. Popular International	M/s. Diagnostic System	M/s. Shamim & CO.
1	0.1 / 0.2 ml thin walled flat cap sterile PCR tubes compatible with rotorgene	2000/1000		N/Q	N/Q	N/Q	N/Q	QIAGEN, Germany
2	1.5 ml-graduated microtube DNase RNase Free / Sterile	8000		N/Q	N/Q	N/Q	N/Q	N/Q
3	15 ml graduated falcon/Corning tubes, self standing, sterile, Racked stable at 8500 RPM	1000		N/Q	N/Q	N/Q	N/Q	N/Q
4	2 ml screw cap sample collection / transferase tube DNase RNase Free / Sterile	8000		N/Q	N/Q	N/Q	N/Q	N/Q
5	4 way (1.5, 15, 50 ml) Racks	16		N/Q	N/Q	N/Q	N/Q	N/Q
6	50 ml graduate falcon / corning tube, self standing, sterile, Racked stable at 8500 RPM	10		N/Q	N/Q	N/Q	N/Q	N/Q
7	8 way Wasler Head Elisa	2		N/Q	N/Q	N/Q	N/Q	N/Q
8	96 sample capacity 1.5 / 2 ml tubes racks DNase RNase Free	16		N/Q	N/Q	N/Q	N/Q	N/Q
9	Abacus Paper Roll	100		N/Q	N/Q	N/Q	N/Q	N/Q
10	ABS absorbance test (Applicable Dimension Analyzer)	12		N/Q	N/Q	N/Q	N/Q	N/Q
11	Absolute ethanol Merck 2.5 liter	4		N/Q	N/Q	N/Q	N/Q	N/Q

[Signature]
 Medical Superintendent
 Deputy Medical Superintendent
 Stores
Abbasi Shaheed Hospital
 Karachi Metropolitan Corporation

DR. S.ASADULLAH HUSSAIN
 M.B.B.S. (DOW) F.R.C.S. (IREL) F.R.C.S. (ED)
 ASSOCIATE PROF. CARDIAC SURGERY
 KARACHI INSTITUTE OF HEART DISEASES

Prof. Saleemullah
 M.B.B.S (Dow) M.R.C.P (JK)
 Professor of Medicine
 Incharge Medical Unit-I
 Abbasi Shaheed Hospital

Item NO.	DESCRIPTION	TOTAL QTY.	A/U	M/s. Scio Scientific Traders	M/s. Moon Enterprises	M/s. Popular International	M/s. Diagnostic System	M/s. Shamim & CO.
12	Actin Fs (APTT) Siemen Sysmex	35		N/Q	N/Q	N/Q	N/Q	N/Q
13	Adjustable Micropipet 1-10, 10-100,100-1000	2		N/Q	N/Q	Human Germany	N/Q	N/Q
14	Aerosol barrier self sealing sterile / racked tips (0.5 - 10 ul) compatible pipette tips DNase RNase Free (960/Box)	20		N/Q	N/Q	N/Q	N/Q	N/Q
15	Aerosol barrier self sealing sterile / racked tips (100-1000 ul) compatible pipette tips DNase RNase Free (960/Box)	20		N/Q	N/Q	N/Q	N/Q	N/Q
16	Aerosol barrier self sealing sterile / racked tips (10-100 ul) compatible pipette tips DNase RNase Free (960/Box)	20		N/Q	N/Q	N/Q	N/Q	N/Q
17	AFB staining Kit (Cold Method) (3x1000 ml)	12		N/Q	N/Q	N/Q	N/Q	N/Q
18	AHDL Calibrator (Applicable Dimension Analyzer)	4		N/Q	N/Q	N/Q	N/Q	N/Q
19	Alanine amonotransferance (Applicable Dimension Analyzer)	100		N/Q	N/Q	N/Q	N/Q	N/Q
20	ALB / TP Calibrator (Applicable Dimension Analyzer)	4		N/Q	N/Q	N/Q	N/Q	N/Q
21	Albumin (Applicable Dimension Analyzer)	26		N/Q	N/Q	N/Q	N/Q	N/Q
22	Alkaline Phosphatase (Applicable Dimension Analyzer)	100		N/Q	N/Q	N/Q	N/Q	N/Q
23	Alkaline phosphotase (500ml Kit)	97		Linear Chemicals, Spain	N/Q	Human Germany	N/Q	N/Q
24	Aluminium Foil Riks	10		N/Q	N/Q	DR. S. ASADULLAH HUSSAINI	N/Q	N/Q

Medical Superintendent
Abbasi Shaheed Hospital
Karachi Metropolitan Corporation

Deputy Medical Superintendent
Stores
ABBASI SHAHEED HOSPITAL
Karachi Metropolitan Corporation


DR. S. ASADULLAH HUSSAINI
M.B.B.S. (DOW) F.R.C.S. (IREL) FRCS (EDIN)
ASSOCIATE PROF. OF ORTHOPEDIC SURGERY
KARACHI INSTITUTE OF HEART DISEASES

Prof. Saleemullah
M.B.B.S (Dow) M.R.C.P (UK)
Professor of Medicine
Incharge Medical Unit-I
Abbasi Shaheed Hospital

Item NO.	DESCRIPTION	TOTAL QTY.	A/U	M/s. Secio Scientific Traders	M/s. Moon Enterprises	M/s. Popular International	M/s. Diagnostic System	M/s. Shamim & CO.
25	Amikacin (250 Disc Box)	10		N/Q	N/Q	N/Q	N/Q	N/Q
26	Amox-Clav (250 Disc Box)	10		N/Q	N/Q	N/Q	N/Q	N/Q
27	Ampicillin (250 Disc Box)	10		N/Q	N/Q	N/Q	N/Q	N/Q
28	Amylase (100ml Kit)	4		Linear Chemicals, Spain	N/Q	Human Germany	N/Q	N/Q
29	Amylase (Applicable Dimension Analyzer)	24		N/Q	N/Q	N/Q	N/Q	N/Q
30	Anaerobic Kit (Gas Packs)	4		N/Q	N/Q	N/Q	N/Q	N/Q
31	Anti ACV Kit Vitros Eli	100		Ortho Clinical Diagnostics	N/Q	N/Q	N/Q	N/Q
32	Anti HBs Kit Vitros Eli	10		Ortho Clinical Diagnostics	N/Q	N/Q	N/Q	N/Q
33	Anti-Sera A Vials	195		N/Q	Antitoxin GmbH Germany	N/Q	N/Q	N/Q
34	Anti-Sera A1 (10ml)	6		N/Q	Antitoxin GmbH Germany	N/Q	N/Q	N/Q
35	Anti-Sera B Vials	195		N/Q	Antitoxin GmbH Germany	N/Q	N/Q	N/Q
36	Anti-Sera D Vials	195		N/Q	Antitoxin GmbH Germany	N/Q	N/Q	N/Q
37	API 20 E (50 strip Kit)	2		N/Q	N/Q	N/Q	N/Q	N/Q
38	API NE (50 strip Kit)	2		N/Q	N/Q	N/Q	N/Q	N/Q
39	Appen drop (Plastic caps) 1.5 ml	2000		N/Q	N/Q	N/Q	N/Q	N/Q
40	ASOT (100 Tests Kit)	30		Linear Chemicals, Spain	N/Q	Human Germany	N/Q	N/Q


 Medical Superintendent
 Abbasi Shaheed Hospital
 Karachi Metropolitan Corporation
 Deputy Medical Superintendent
 Stores
 ABBASI SHAHEED HOSPITAL
 Karachi Metropolitan Corporation


 DR. S. ASADULLAH HUSSAIN
 M.B.B.S. (DOW) F.R.C.S. (IREL) FRCS (EDIN)
 ASSOCIATE PROFESSOR OF CARDIAC SURGERY
 KARACHI INSTITUTE OF HEART DISEASES


 Prof. Saleemullah
 M.B.B.S. (Dow) M.R.C.P. (JK)
 Professor of Medicine
 Incharge Medical Unit-I
 Abbasi Shaheed Hospital

Item NO.	DESCRIPTION	TOTAL QTY.	A/U	M/s. Scio Scientific Traders	M/s. Moon Enterprises	M/s. Popular International	M/s. Diagnostic System	M/s. Shamim & CO.
41	Asparate aminotransferance (Applicable Dimension Analyzer)	10		N/Q	N/Q	N/Q	N/Q	N/Q
42	Assy kit tubing IMT Mixe (Applicable Dimension Analyzer)	2		N/Q	N/Q	N/Q	N/Q	N/Q
43	Assy pump and sample tubing IMT SVSP (Applicable Dimension Analyzer)	2		N/Q	N/Q	N/Q	N/Q	N/Q
44	Automated HDL (Applicable Dimension Analyzer)	4		N/Q	N/Q	N/Q	N/Q	N/Q
45	Automated TIBC (Applicable Dimension Analyzer)	1		N/Q	N/Q	N/Q	N/Q	N/Q
46	Aztronem (250 Disc Box)	10		N/Q	N/Q	N/Q	N/Q	N/Q
47	Bacitracin Disc (250 Disc Box)	2		N/Q	N/Q	N/Q	N/Q	N/Q
48	Beakers (25,50,100,500 7 1000ml) Each	2		N/Q	N/Q	N/Q	N/Q	N/Q
49	BHI Broth (500gm Box)	10		N/Q	N/Q	N/Q	N/Q	N/Q
50	Bile Esculine Media (500 grams)	2		N/Q	N/Q	N/Q	N/Q	N/Q
51	Bilirubin Direct (500ml Kit)	68		Linear Chemicals, Spain	N/Q	Human Germany	N/Q	N/Q
52	Biochemical (Abnomal Control) (10x5ml Kit)	20		N/Q	N/Q	Human Germany	N/Q	N/Q
53	Biochemical (Normal Control) (10x5ml Kit)	20		N/Q	N/Q	Human Germany	N/Q	N/Q
54	Blood Agar Base (500gm Box)	10		N/Q	N/Q	N/Q	N/Q	N/Q


 Medical Superintendent Deputy Medical Superintendent
 Abbasi Shaheed Hospital
 Karachi Metropolitan Corporation
 ABBASI SHAHEED HOSPITAL
 Karachi Metropolitan Corporation

DR. S.ASADULLAH HUSSAINI
 M.B.B.S. (DOW) F.R.C.S. (IREL) F.R.C.S. (EDIN)
 ASSOCIATE PROFESSOR OF SURGERY
 KARACHI INSTITUTE OF HEART DISEASES

Prof. Saleemullah
 M.B.B.S. (Dow) M.R.C.P. (JK)
 Professor of Medicine
 Incharge Medical Unit-I
 Abbasi Shaheed Hospital

Item NO.	DESCRIPTION	TOTAL QTY.	A/U	M/s. Secio Scientific Traders	M/s. Moon Enterprises	M/s. Popular International	M/s. Diagnostic System	M/s. Shamim & CO.
55	Blue Tpis Packs	50	<i>When No. 66 of M/s. Secio Scientific is received a package to make the instrument sensitive to the test. It is likely to be imported.</i>	N/Q	Hangzhou Rollmed Co, Ltd, China	N/Q	N/Q	N/Q
56	C Kinase (200ml Kit)	6		N/Q	N/Q	Human Germany	N/Q	N/Q
57	C.S.F Meningitis Kit	2		N/Q	N/Q	N/Q	N/Q	N/Q
58	Caftazidime (250 Disc Box)	10		N/Q	N/Q	N/Q	N/Q	N/Q
59	Calcium (Applicable Dimension Analyzer)	25		N/Q	N/Q	N/Q	N/Q	N/Q
60	Calcium Chloride (APTT) Siemen Sysmex	5		N/Q	N/Q	N/Q	N/Q	N/Q
61	Carboy liquid storage tanks with tap 5 liter, 10 liters	8		N/Q	N/Q	N/Q	N/Q	N/Q
62	Cartridges	100		N/Q	N/Q	N/Q	N/Q	N/Q
63	Cefixime (250 Disc Box)	10		N/Q	N/Q	N/Q	N/Q	N/Q
64	Cefoperazone / Sulbacton (250 Disc Box)	10		N/Q	N/Q	N/Q	N/Q	N/Q
65	Cefotaxime (250 Disc Box)	10	N/Q	N/Q	N/Q	N/Q	N/Q	
66	Cell Pack Sysmex ??	200	<i>Sysmex 1st priority M/s Diagnostic system Sci Scientific 1st priority</i>	<i>condition & plant</i> Diatron Hungary	N/Q	<i>Condi</i> N/Q	<i>condition & plant Sweden 1st priority</i> Boule Medical	N/Q
67	Chart Paper (902) or Similar Box	100		N/Q	N/Q	N/Q	N/Q	N/Q
68	Chem 1 Calibrator (Applicable Dimension Analyzer)	4		N/Q	N/Q	N/Q	N/Q	N/Q
69	Chemistry Control Bio Red (High) Boxes	2		N/Q	N/Q	Human Germany	N/Q	N/Q

Medical Superintendent
Abbasi Shaheed Hospital
 Karachi Metropolitan Corporation

Deputy Medical Superintendent
 Stores
ABBASI SHAHEED HOSPITAL
 Karachi Metropolitan Corporation


DR. S. ASADULLAH HUSAINI
 M.B.B.S. (DOW) F.R.C.S. (IREL) FRCS (EDM)
 ASSOCIATE PROFESSOR OF CARDIAC SURGERY
 KARACHI INSTITUTE OF HEART DISEASES

Prof. Saleemullah
 M.B.B.S (Dow) M.R.C.P (UK)
 Professor of Medicine
 Incharge Medical Unit-I
 Abbasi Shaheed Hospital


Item NO.	DESCRIPTION	TOTAL QTY.	A/U	M/s. Secio Scientific Traders	M/s. Moon Enterprises	M/s. Popular International	M/s. Diagnostic System	M/s. Shamim & CO.
70	Chemistry Control Bio Red (Normal) Boxes	12		N/Q	N/Q	Human Germany	N/Q	N/Q
71	Chemistry wash (Applicable Dimension Analyzer)	6		N/Q	N/Q	N/Q	N/Q	N/Q
72	Chlroamphenical (250 Disc Box)	10		N/Q	N/Q	N/Q	N/Q	N/Q
73	Chol.Calibrator (Applicable Dimension Analyzer)	4		N/Q	N/Q	N/Q	N/Q	N/Q
74	Cholesterol (Applicable Dimension Analyzer)	20		N/Q	N/Q	N/Q	N/Q	N/Q
75	Ciprofloxacin (250 Disc Box)	10		N/Q	N/Q	N/Q	N/Q	N/Q
76	Citrol 2 Siemen Sysmex	10		N/Q	N/Q	N/Q	N/Q	N/Q
77	CK NAC (Applicable Dimension Analyzer)	2		N/Q	N/Q	N/Q	N/Q	N/Q
78	CK Verifier (Applicable Dimension Analyzer)	4		N/Q	N/Q	N/Q	N/Q	N/Q
79	CKMB (200ml Kit)	6		Linear Chemicals, Spain	N/Q	Human Germany	N/Q	N/Q
80	CKMB (Applicable Dimension Analyzer)	4		N/Q	N/Q	N/Q	N/Q	N/Q
81	CKMB Verifier (Applicable Dimension Analyzer)	4		N/Q	N/Q	N/Q	N/Q	N/Q
82	Cleaning solution 9180 (Bottles)	4		N/Q	N/Q	N/Q	N/Q	N/Q
83	Cled Agar (500gm Box)	10		N/Q	N/Q	N/Q	N/Q	N/Q
84	Colistin (250 Disc Box)	10		N/Q	N/Q	N/Q	N/Q	N/Q


 Deputy Medical Superintendent
 Stores
 Abbasi Shaheed Hospital
 Karachi Metropolitan Corporation
 ABBASI SHAHEED HOSPITAL
 Karachi Metropolitan Corporation


DR. S.ASADULLAH HUSSAINI
 M.B.B.S. (DOW) F.R.C.S. (REL) F.R.C.S. (EDIN)
 ASSOCIATE PROFESSOR OF SURGERY
 KARACHI INSTITUTE OF HEART DISEASES


 Prof. Saleemullah
 M.B.B.S. (Dow) M.R.C.P. (UK)
 Professor of Medicine
 Incharge Medical Unit-I
 Abbasi Shaheed Hospital


Item NO.	DESCRIPTION	TOTAL QTY.	A/U	M/s. Secio Scientific Traders	M/s. Moon Enterprises	M/s. Popular International	M/s. Diagnostic System	M/s. Shamim & CO.
85	Continuous Paper (2000 Pg) Boxes	300		N/Q	N/Q	N/Q	N/Q	N/Q
86	Control Abacus (2 Set)	5		Diatron Hungary	N/Q	N/Q	N/Q	N/Q
87	Coombs Anti-Sera (10ml)	6		N/Q	N/Q	N/Q	N/Q	N/Q
88	Co-trimoxazole (250 Disc Box)	10		N/Q	N/Q	N/Q	N/Q	N/Q
89	Coulter Pack (with standard & Cleanse)	25		N/Q	N/Q	N/Q	N/Q	N/Q
90	Cover Slips 18 x 18 mm (100x8/Boxes)	24		N/Q	Hangzhou Rollmed Co, Ltd, China	N/Q	N/Q	N/Q
91	Cover Slips 22 x 22 mm (100x8/Boxes)	110		N/Q	Hangzhou Rollmed Co, Ltd, China	N/Q	N/Q	N/Q
92	Cover slips small size (1 x 800) Boxes	26		N/Q	N/Q	N/Q	N/Q	N/Q
93	Creatinin (500ml Kit)	107		Linear Chemicals, Spain	N/Q	Human Germany	N/Q	N/Q
94	Creatinine (Applicable Dimension Analyzer)	160		N/Q	N/Q	N/Q	N/Q	N/Q
95	Cryogenic sample storage boxes for 1.5/2ml tubes Box	20		N/Q	N/Q	N/Q	N/Q	N/Q
96	Cuvette Cartridge (Applicable Dimension Analyzer)	60		N/Q	N/Q	N/Q	N/Q	N/Q
97	Dengue Elisa Kit	20		N/Q	N/Q	Human Germany	N/Q	N/Q


 Deputy District Superintendent
 Stores
 Medical Superintendent
 Abbasi Shaheed Hospital
 Karachi Metropolitan Corporation


 DR. S. ASADULLAH HUSSAINI
 M.B.B.S. (DOW) F.R.C.S. (IREL) F.R.C.S. (EDIN)
 ASSOCIATE PROFESSOR OF SURGERY
 KARACHI INSTITUTE OF HEART DISEASES


 Prof. Saleemullah
 M.B.B.S. (Dow) M.R.C.P. (UK)
 Professor of Medicine
 Incharge Medical Unit-I
 Abbasi Shaheed Hospital


Item NO.	DESCRIPTION	TOTAL QTY.	A/U	M/s. Secio Scientific Traders	M/s. Moon Enterprises	M/s. Popular International	M/s. Diagnostic System	M/s. Shamim & CO.
98	Dengue ICT Kits	60		N/Q	Healgen Scientific LLC, USA	Human Germany	N/Q	N/Q
99	Diatron Abaclean Kit Abacus	53		Diatron Hungary	N/Q	N/Q	N/Q	N/Q
100	Diatron Abalyse Kit Abacus	61		Diatron Hungary	N/Q	N/Q	N/Q	N/Q
101	Diatron Diluant Kit Abacus (20 Ltrs.)	128		Diatron Hungary	N/Q	N/Q	N/Q	N/Q
102	Diluter Valve for Selectra or Similar	2		N/Q	N/Q	N/Q	N/Q	N/Q
103	Diposible petri dishes small	20000		N/Q	Hangzhou Rollmed Co, Ltd.	N/Q	N/Q	N/Q
104	Direct bilirubin (Applicable Dimension Analyzer)	50		N/Q	N/Q	N/Q	N/Q	N/Q
105	Discarding bins	16		N/Q	N/Q	N/Q	N/Q	N/Q
106	Disposible Bucket (Dust Bin) Doz.	2		N/Q	N/Q	N/Q	N/Q	N/Q
107	Disposible Tubes Plastic with Purple Cork	1050		N/Q	Hangzhou Rollmed Co, Ltd. China	N/Q	N/Q	N/Q
108	Dnsas Media	2		N/Q	N/Q	N/Q	N/Q	N/Q
109	E Co2 Calibrator Sets	2		N/Q	N/Q	N/Q	N/Q	N/Q
110	E.PEC Serology For E-Coli	2		N/Q	N/Q	N/Q	N/Q	N/Q
111	EDTA Bottle	6		N/Q	N/Q	N/Q	N/Q	N/Q
112	Electrode Chloride 9180	6		N/Q	N/Q	N/Q	N/Q	N/Q


 Deputy Medical Superintendent
 Stores
 Abbasi Shaheed Hospital
 Karachi Metropolitan Corporation

DR. S. ASADULLAH HUSSAIN
 M.B.B.S. (DOW) F.R.C.S. (EDIN) F.R.C.S. (GEN) F.R.C.S. (SUR) F.R.C.S. (ORL)
 ASSOCIATE PROF. CLINICAL SURGERY
 KARACHI INSTITUTE OF HEART DISEASES

Prof. Saleemullah
 M.B.B.S. (DOW) M.R.C.P. (UK)
 Professor of Medicine
 Large Medical Unit-I
 Abbasi Shaheed Hospital


Item NO.	DESCRIPTION	TOTAL QTY.	A/U	M/s. Scio Scientific Traders	M/s. Moon Enterprises	M/s. Popular International	M/s. Diagnostic System	M/s. Shamim & CO.
113	Electrode ISe Reference 9180	6		N/Q	N/Q	N/Q	N/Q	N/Q
114	Electrode Pottasium 9180	6		N/Q	N/Q	N/Q	N/Q	N/Q
115	Electrode reference housing 9180	6		N/Q	N/Q	N/Q	N/Q	N/Q
116	Electrode Soidum 9180	6		N/Q	N/Q	N/Q	N/Q	N/Q
117	Electrolyte control 9180 (Box)	2		N/Q	N/Q	N/Q	N/Q	N/Q
118	Enzyme diluent (Applicable Dimension Analyzer)	4		N/Q	N/Q	N/Q	N/Q	N/Q
119	Enzyme Verifier (Applicable Dimension Analyzer)	4		N/Q	N/Q	N/Q	N/Q	N/Q
120	Erythromycin (250 Disc Box)	10		N/Q	N/Q	N/Q	N/Q	N/Q
121	ESR Pipettes (Disposable)	40000		N/Q	N/Q	N/Q	N/Q	N/Q
122	ESR Stand	30		N/Q	N/Q	N/Q	N/Q	N/Q
123	ESR Tube	5000		N/Q	N/Q	N/Q	N/Q	N/Q
124	Ferriten Kit Vitros Eli	50		Ortho Clinical Diagnostics	N/Q	N/Q	N/Q	N/Q
125	Field Stain A (Bottle)	45		N/Q	N/Q	N/Q	N/Q	N/Q
126	Field Stain B (Bottle)	45		N/Q	N/Q	N/Q	N/Q	N/Q
127	Filter WSU	2		N/Q	N/Q	N/Q	N/Q	N/Q


 Deputy Medical Superintendent
Medical Superintendent
Abbasi Shaheed Hospital
 Karachi Metropolitan Corporation



 DR. S. ASADULLAH HUSSAINI
 M.B.B.S. (DOW) F.R.C.S. (GEN. SURG.)
 ASSOCIATE PROF. CARDIAC SURGERY
 KARACHI INSTITUTE OF HEART DISEASES

Prof. Saleemullah
 M.B.B.S (Dow) M.R.C.P (UK)
 Professor of Medicine
 Incharge Medical Unit-I
 Abbasi Shaheed Hospital

Item NO.	DESCRIPTION	TOTAL QTY.	A/U	M/s. Secio Scientific Traders	M/s. Moon Enterprises	M/s. Popular International	M/s. Diagnostic System	M/s. Shamim & CO.
128	Floppy disk drive	2		N/Q	N/Q	N/Q	N/Q	N/Q
129	Forceps (plain / toothed / pointed) Each	12		N/Q	N/Q	N/Q	N/Q	N/Q
130	Fosfomycin (250 Disc Box)	10		N/Q	N/Q	N/Q	N/Q	N/Q
131	Fridge 4-6 Centigrade (6 ft)	2		N/Q	N/Q	N/Q	N/Q	N/Q
132	Fusidic Acid (250 Disc Box)	10		N/Q	N/Q	N/Q	N/Q	N/Q
133	Gamma GT (250ml Kit)	2		Linear Chemicals, Spain	N/Q	Human Germany	N/Q	N/Q
134	Gamma GT (Applicable Dimension Analyzer)	26		N/Q	N/Q	N/Q	N/Q	N/Q
135	Glass petri dishes (150 mm) Plates	500		N/Q	N/Q	N/Q	N/Q	N/Q
136	Glass slides (Frosted) (50/box)	340		N/Q	Hangzhou Rollmed Co, Ltd, China	N/Q	N/Q	N/Q
137	Glass Slides Boxes	580		N/Q	N/Q	N/Q	N/Q	N/Q
138	Gloves (Disposable 1 x 52) Pack	100		N/Q	N/Q	N/Q	N/Q	N/Q
139	Gloves (Disposible) (1x50)	100		N/Q	N/Q	N/Q	N/Q	N/Q
140	Glucose (1000ml Kit)	129		Linear Chemicals, Spain	N/Q	Human Germany	N/Q	N/Q
141	Glucose (Applicable Dimension Analyzer)	40		N/Q	N/Q	N/Q	N/Q	N/Q
142	Gram Staining (3x1000 ml)	5		N/Q	N/Q	N/Q	N/Q	N/Q


 Deputy Medical Superintendent
 Stores
 Medical Superintendent
 Dr. ASADULLAH HUSSAINI
 M.B.B.S (DOW) M.R.C.P (UK)
 Professor of Medicine
 Associate Prof. Cardio Surgery
 KARACHI INSTITUTE OF HEART DISEASES
 Abbasi Shaheed Hospital
 Karachi Metropolitan Corporation
 Prof. Saleemullah
 M.B.B.S (Dow) M.R.C.P (UK)
 Professor of Medicine
 Associate Medical Unit-I
 Karachi Metropolitan Corporation

Item NO.	DESCRIPTION	TOTAL QTY.	A/U	M/s. Secio Scientific Traders	M/s. Moon Enterprises	M/s. Popular International	M/s. Diagnostic System	M/s. Shamim & CO.
143	Gram Staining (3x1000 ml)	5		N/Q	N/Q	N/Q	N/Q	N/Q
144	Half Yearly Maintance Kit or Similar	2		N/Q	N/Q	N/Q	N/Q	N/Q
145	Halogen (Bulb for Microscope)	24		N/Q	N/Q	N/Q	N/Q	N/Q
146	Halogen Lamp or Similar	4		N/Q	N/Q	N/Q	N/Q	N/Q
147	HB Kit	10		Linear Chemicals Spain	N/Q	Human Germany	N/Q	N/Q
148	Hbe Ag Vitros Eli	20		Ortho Clinical Diagnostics	N/Q	N/Q	N/Q	N/Q
149	HBs Ag Kits Vitros Eli	100		Ortho Clinical Diagnostics	N/Q	N/Q	N/Q	N/Q
150	HDL (320ml Kit)	30		N/Q	N/Q	Human Germany	N/Q	N/Q
151	Hematology Eight Check Control Sysmex Set	24		N/Q	N/Q	N/Q	N/Q	N/Q
152	Hep B Kits (Chemiluminesence) with placement of Analyser (1x200/Boxes)	200		Ortho Clinical Diagnostics	N/Q	N/Q	N/Q	N/Q
153	Hep C Kits (Chemiluminesence) with placement of Analyser (1x200/Boxes)	200		Ortho Clinical Diagnostics	N/Q	N/Q	N/Q	N/Q
154	High Speed Centrifuge 14000 RPM 24 x 1.5/2ml tube	2		N/Q	N/Q	Human Germany	DLAB USA / China	N/Q
155	Hitergent (10x100) or Similar	6		N/Q	N/Q	N/Q	N/Q	N/Q
156	HIV Kits (Chemiluminesence) with placement of Analyser (1x200/Boxes)	10		Ortho Clinical Diagnostics	N/Q	N/Q	N/Q	N/Q
157	HM reaction vessels (Applicable Dimension Analyzer)	2		N/Q	N/Q	N/Q	N/Q	N/Q


 Medical Superintendent
 Deputy Medical Stores
 Abbasi Shaheed Hospital
 Karachi Metropolitan Corporation

Prof. Saleemullah
 M.B.B.S (Dow) M.R.C.P (UK)
 Professor of Medicine
 Incharge Medical Unit-I
 Abbasi Shaheed Hospital
 DR. S. AGADULLAH HUSSAIN
 M.B.B.S (DOW) F.R.C.S (EDIN) F.R.C.S (EDIN)
 ASSOCIATE PROF. CARDIAC SURGERY
 KARACHI INSTITUTE OF HEART DISEASES

Item NO.	DESCRIPTION	TOTAL QTY.	A/U	M/s. Secio Scientific Traders	M/s. Moon Enterprises	M/s. Popular International	M/s. Diagnostic System	M/s. Shamim & CO.
158	ICT H.Pylori Kit Cassettes	250		N/Q	Healgen Scientific LLC, USA	Human Germany	N/Q	N/Q
159	ICT HB's Ag Device (40 Tests Kit)	925		N/Q	Healgen Scientific LLC, USA	N/Q	N/Q	N/Q
160	ICT HCV (40 Tests Kit)	925		N/Q	Healgen Scientific LLC, USA	N/Q	N/Q	N/Q
161	ICT HIV (100 Tests Kit)	40		N/Q	Healgen Scientific LLC, USA	N/Q	N/Q	N/Q
162	Identification kit for Strept (Grouping)	2		N/Q	N/Q	N/Q	N/Q	N/Q
163	Identification kit for Strept (Grouping)	2		N/Q	N/Q	N/Q	N/Q	N/Q
164	Imepenam (250 Disc Box)	10		N/Q	N/Q	N/Q	N/Q	N/Q
165	IMT Probe (Indirect) (Applicable Dimension Analyzer) Sets	2		N/Q	N/Q	N/Q	N/Q	N/Q
166	IMT Probe Cleaner (Applicable Dimension Analyzer)	2		N/Q	N/Q	N/Q	N/Q	N/Q
167	IMT Probe tubing (Applicable Dimension Analyzer) Sets	2		N/Q	N/Q	N/Q	N/Q	N/Q
168	Inorganic Phosphorus (250ml Kit)	6		Linear Chemicals, Spain	N/Q	Human Germany	N/Q	N/Q
169	ISO - Sensitized Agar (500gm Box)	10		N/Q	N/Q	N/Q	N/Q	N/Q
170	Juster	8		N/Q	N/Q	Human Germany	N/Q	N/Q


 Medical Superintendent
 Deputy Medical Superintendent
 Stores
 Abbasi Shaheed Hospital
 Karachi Metropolitan Corporation
 ABBASI SHAHEED HOSPITAL
 Karachi Metropolitan Corporation

DR. S. ASADULLAH HUSSAIN
 M.B.B.S. (DOW) F.R.C.S. (ED) F.R.C.S. (GEN)
 ASSOCIATE PROF. CARDIAC SURGERY
 KARACHI INSTITUTE OF HEART DISEASES

62
 Prof. Saleemullah
 M.B.B.S. (Dow) M.R.C.P. (JK)
 Professor of Medicine
 Incharge Medical Unit-I
 Abbasi Shaheed Hospital

Item NO.	DESCRIPTION	TOTAL QTY.	A/U	M/s. Secio Scientific Traders	M/s. Moon Enterprises	M/s. Popular International	M/s. Diagnostic System	M/s. Shamim & CO.
171	Juster Adjustable	12		N/Q	N/Q	Human Germany	N/Q	N/Q
172	Juster Adjustable	12		N/Q	N/Q	N/Q	N/Q	N/Q
173	Juster Adjustable	17		N/Q	N/Q	N/Q	N/Q	N/Q
174	Juster, Fixed (10 ul)	11		N/Q	N/Q	Human Germany	N/Q	N/Q
175	Juster Fixed (100 ul)	6		N/Q	N/Q	Human Germany	N/Q	N/Q
176	Juster Fixed (50 ul)	6		N/Q	N/Q	Human Germany	N/Q	N/Q
177	Lactice Dehydrogenase (Applicable Dimension Analyzer)	4		N/Q	N/Q	N/Q	N/Q	N/Q
178	LDH (200ml Kit)	11		Linear Chemicals, Spain	N/Q	Human Germany	N/Q	N/Q
179	LDL Calibrator (320ml Kit)	4		N/Q	N/Q	N/Q	N/Q	N/Q
180	LDL Kit	24		Linear Chemicals, Spain	N/Q	N/Q	N/Q	N/Q
181	Liquid Iodine (Ltrs)	5		N/Q	N/Q	N/Q	N/Q	N/Q
182	Liquid Soap Disinfect	26		N/Q	N/Q	N/Q	N/Q	N/Q
183	Liquid Soap Disinfectant Fixing Bottle	10		N/Q	N/Q	N/Q	N/Q	N/Q
184	M.P ICT (1x40/Boxes)	445		N/Q	Healgen Scientific LLC, USA	N/Q	N/Q	N/Q
185	Macconkey's Agar (500gm Box)	10		N/Q	N/Q	N/Q	N/Q	N/Q
186	Maintenance Kit Half Yearly Selectra or Similar	2		N/Q	N/Q	N/Q	N/Q	N/Q

Deputy Medical Superintendent
DR. S. ASADULLAH HUSSAINI
 M.B.B.S (DOW) F.R.C.S. (HON) F.P.S. (HON)
 ASSOCIATE PROF. CARDIAC SURGERY
 KARACHI INSTITUTE OF HEART DISEASES

Prof. Saleemullah
 M.B.B.S (DOW) M.R.C.P (UK)
 Professor of Medicine
 In-charge Medical Unit-I
 Abbasi Shaheed Hospital

Medical Superintendent
Abbas Shaheed Hospital
 Karachi Metropolitan Corporation

Stores
SHAHEED HOSPITAL
 Karachi Metropolitan Corporation

Item NO.	DESCRIPTION	TOTAL QTY.	A/U	M/s. Secio Scientific Traders	M/s. Moon Enterprises	M/s. Popular International	M/s. Diagnostic System	M/s. Shamim & CO.
187	Maintenance Kit Yearly Selectra or Similar	2		N/Q	N/Q	N/Q	N/Q	N/Q
188	Maintenance Pack	6		Ortho Clinical Diagnostics	N/Q	N/Q	N/Q	N/Q
189	Mannitol Salt Agar (500 gm)	4		N/Q	N/Q	N/Q	N/Q	N/Q
190	Media Preparation bottles	10		N/Q	N/Q	N/Q	N/Q	N/Q
191	Mega Unit Cell Sepretor Kit ACD Sdution	200		N/Q	N/Q	N/Q	N/Q	N/Q
192	Meropenem (Box / 250 Disc)	10		N/Q	N/Q	N/Q	N/Q	N/Q
193	Methanol	54		N/Q	N/Q	N/Q	N/Q	N/Q
194	Monting cover slips 24 x 50 mm Boxes	26		N/Q	N/Q	N/Q	N/Q	N/Q
195	Montoux Test (25 Tests Kit)	5		N/Q	N/Q	N/Q	N/Q	N/Q
196	Mueller Hinton agar base (10gmx1 Bottle)	6		N/Q	N/Q	N/Q	N/Q	N/Q
197	Mueller Hinton agar base (500 grams)	10		N/Q	N/Q	N/Q	N/Q	N/Q
198	Multi-Calibrator (10x5ml Kit)	6		N/Q	N/Q	N/Q	N/Q	N/Q
199	Multiclean (2 Liters) or Similar	8		N/Q	N/Q	N/Q	N/Q	N/Q
200	Nalidixic Acid (250 Disc Box)	10		N/Q	N/Q	N/Q	N/Q	N/Q
201	Neubar Chamber TLC Counting	5		N/Q	N/Q	N/Q	N/Q	N/Q
202	Nitrofuranton (250 Disc Box)	10		N/Q	N/Q	N/Q	N/Q	N/Q

Deputy Medical Superintendent
Stores
Medical Superintendent
Abbasi Shaheed Hospital
Karachi Metropolitan Corporation

DR. S.ASADULLAH HUSSAINI
M.B.B.S. (DOW) F.R.C.S. (ED) F.R.C.S. (ED) (UK)
ASSOCIATE PROF. CARDIAC SURGERY
KARACHI INSTITUTE OF HEART DISEASES

Prof. Saleemullah
M.B.B.S (Dow) M.R.C.P (UK)
Professor of Medicine
Incharge Medical Unit-I
Abbasi Shaheed Hospital

Item NO.	DESCRIPTION	TOTAL QTY.	A/U	M/s. Secio Scientific Traders	M/s. Moon Enterprises	M/s. Popular International	M/s. Diagnostic System	M/s. Shamim & CO.
203	Novobiocin (250 Disc Box)	2		N/Q	N/Q	N/Q	N/Q	N/Q
204	Ofloxacin (250 Disc Box)	10		N/Q	N/Q	N/Q	N/Q	N/Q
205	Optochin (250 Disc Box)	4		N/Q	N/Q	N/Q	N/Q	N/Q
206	Optochin Disc (Box / 250 Disc)	4		N/Q	N/Q	N/Q	N/Q	N/Q
207	Optochin Disc (Box / 250 Disc)	4		N/Q	N/Q	N/Q	N/Q	N/Q
208	Oxacillin (250 Disc Box)	10		N/Q	N/Q	N/Q	N/Q	N/Q
209	Paper Roll 9180 Box	6		N/Q	N/Q	N/Q	N/Q	N/Q
210	Paraffin Oil Bottle	6		N/Q	N/Q	N/Q	N/Q	N/Q
211	PCB No. 3061 Sysmex	1		N/Q	N/Q	N/Q	N/Q	N/Q
212	PCS II Disposable Tips Packs	100		N/Q	N/Q	N/Q	N/Q	N/Q
213	Pcv Tube or Similar (Packs)	2		N/Q	N/Q	N/Q	N/Q	N/Q
214	Peptone Water (500gm Box)	10		N/Q	N/Q	N/Q	N/Q	N/Q
215	Petri Plates	300		N/Q	N/Q	N/Q	N/Q	N/Q
216	Petri Plates	300		N/Q	N/Q	N/Q	N/Q	N/Q
217	Petri Plates	300		N/Q	N/Q	N/Q	N/Q	N/Q
218	pH Paper (1x100)	25		N/Q	N/Q	N/Q	N/Q	N/Q
219	pH Paper (1x100) pack	26		N/Q	N/Q	N/Q	N/Q	N/Q


 Deputy Medical Superintendent
 Medical Superintendent
 Abbasi Shaheed Hospital
 Karachi Metropolitan Corporation

Dr. S. ASADULLAH HUSSAINI
 M.B.B.S. (DOW) F.R.C.S. (IREL) F.R.C.S. (EDIN)
 ASSOCIATE PROFESSOR OF SURGERY
 KARACHI INSTITUTE OF DENTAL DISEASES

Prof. Saleem Nigam
 M.B.B.S. (Dow) M.R.C.P. (Dr)
 Professor of Medicine
 Incharge Medical Unit-I
 Abbasi Shaheed Hospital

Item NO.	DESCRIPTION	TOTAL QTY.	A/U	M/s. Secio Scientific Traders	M/s. Moon Enterprises	M/s. Popular International	M/s. Diagnostic System	M/s. Shamim & CO.
220	Phosphorus (Applicable Dimension Analyzer)	20		N/Q	N/Q	N/Q	N/Q	N/Q
221	Pipemidic Acid (250 Disc Box)	10		N/Q	N/Q	N/Q	N/Q	N/Q
222	Piperacillin / Tazobact (250 Disc Box)	10		N/Q	N/Q	N/Q	N/Q	N/Q
223	Plastic Racks (48 Hools)	150		N/Q	N/Q	N/Q	N/Q	N/Q
224	Polymyxin B (250 Disc Box)	10		N/Q	N/Q	N/Q	N/Q	N/Q
225	Pregnancy Test (Latex) (100 Tests Kit)	52		N/Q	N/Q	Human Germany	N/Q	N/Q
226	Pregnancy Test (Strips) (1x50 Tests Kit) Box	40		N/Q	Healgen Scientific LLC, USA	N/Q	N/Q	N/Q
227	Probe Cleaner (Applicable Dimension Analyzer)	6		N/Q	N/Q	N/Q	N/Q	N/Q
228	PT, APTT Control Citrol 1 E Siemen Sysmex	10		N/Q	N/Q	N/Q	N/Q	N/Q
229	Purple top EDTA tubes for sample collection	1000		N/Q	Hangzhou Rollmed Co, Ltd, China	N/Q	N/Q	N/Q
230	Q1 Lamp Selectra or Similar	2		N/Q	N/Q	N/Q	N/Q	N/Q
231	QIAGEN Amplification Kits for HBV Viral Load Real Time PCR (Rotor gene compatible with internal control) (IVD, FDA Approved, CE marked) (96 Runs Kit)	2		DNA Technology Russia No experim q user	N/Q	N/Q	N/Q	QIAGEN, Germany
232	QIAGEN Amplification kits for HCV Genotype Prob Hybridization (Rotor gene compatible with internal control)(IVD, FDA Approved, CE marked) (20 Runs Kit)	6		DNA Technology Russia No experim q user	N/Q	N/Q	N/Q	AB ANALICTCA, Italy ??/ user

Deputy Medical Superintendent
 Stores
Medical Superintendent
Abbasi Shaheed Hospital
 Karachi Metropolitan Corporation

DR. S. ASADULLAH HUSSAINI
 M.B.B.S. (Dow) M.R.C.P. (UK)
 Associate Prof. of Surgery
 KARACHI INSTITUTE OF HEART DISEASES

Prof. Saleemullah
 M.B.B.S. (Dow) M.R.C.P. (UK)
 Professor of Medicine
 Incharge Medical Unit-I
 Abbasi Shaheed Hospital

no experim q user

Item NO.	DESCRIPTION	TOTAL QTY.	A/U	M/s. Secio Scientific Traders	M/s. Moon Enterprises	M/s. Popular International	M/s. Diagnostic System	M/s. Shamim & CO.
233	QIAGEN Amplifications kits ofr HCV Viral Load, Real time PCR (Rotor gene compatible with internal control) (IVD, FDA Approved, CE marked) (96 Runs Kits)	20		DNA Technology Russia <i>No explanation given</i>	N/Q	N/Q	N/Q	QIAGEN, Germany
234	Quicklyte - IMT Standard A (Applicable Dimension Analyzer) Boxes	10		N/Q	N/Q	N/Q	N/Q	N/Q
235	Quicklyte - IMT Standard B (Applicable Dimension Analyzer) Boxes	6		N/Q	N/Q	N/Q	N/Q	N/Q
236	Quicklyte - Integrated Multisensor Cartidge (Applicable Dimension Analyzer) Sets	10		N/Q	N/Q	N/Q	N/Q	N/Q
237	Quicklyte IMT Flush Solution (Applicable Dimension Analyzer) Packs	6		N/Q	N/Q	N/Q	N/Q	N/Q
238	RA Test (100 Tests Kit)	26		Linear Chemicals, Spain	N/Q	Human Germany	N/Q	N/Q
239	Raction Cuveet (6 Segment) or Similar	4		N/Q	N/Q	N/Q	N/Q	N/Q
240	Reaction Tubes SU - 40 Sysmex	15		N/Q	N/Q	N/Q	N/Q	N/Q
241	Reagent probe (Applicable Dimension Analyzer) Sets	2		N/Q	N/Q	N/Q	N/Q	N/Q
242	Refil resin (25 Liters) or Similar	4		N/Q	N/Q	N/Q	N/Q	N/Q
243	Retic Solution (Liquid) Bottle	4		N/Q	N/Q	N/Q	N/Q	N/Q

Deputy Medical Superintendent

ABBASI SHAHEED HOSPITAL
Karachi Metropolitan Corporation


DR. S.ASADULLAH HUSSAINI
M.B.B.S. (DOW) F.R.C.S. (IRELAND) MEDICINE
ASSOCIATE PROF. CARDIOLOGY
KARACHI INSTITUTE OF HEART DISEASES

Prof. Saleemullah
M.B.B.S (Dow) M.R.C.P (UK)
Professor of Medicine
Incharge Medical Unit-I
Abbasi Shaheed Hospital

Medical Superintendent
Abbasi Shaheed Hospital
Karachi Metropolitan Corporation

Item NO.	DESCRIPTION	TOTAL QTY.	A/U	M/s. Secio Scientific Traders	M/s. Moon Enterprises	M/s. Popular International	M/s. Diagnostic System	M/s. Shamim & CO.
244	ROCHE HCV Amplicor Amplification Kit (IVD, FDA Approved, CE marked) WITH PLACEMENT OF ANALYZER	24		N/Q	N/Q	N/Q	N/Q	N/Q
245	ROCHE HCV Amplicor Specimen Preparation Kit (Roche or Equivalent) (IVD, FDA Approved, CE marked) WITH PLACEMENT OF ANALYZER	24		N/Q	N/Q	N/Q	N/Q	N/Q
246	ROCHE HCV COBAS Amplicor Detection Kit (With Placement Automation Detection System) (IVD, FDA Approved, CE marked) WITH PLACEMENT OF ANALYZER	24		N/Q	N/Q	N/Q	N/Q	N/Q
247	ROCHE HCV genotyping kit	12		N/Q	N/Q	N/Q	N/Q	N/Q
248	Rotary Valve Assay (Applicable Dimension Analyzer) Sets	2		N/Q	N/Q	N/Q	N/Q	N/Q
249	Rotor Selectra or Similar	16		N/Q	N/Q	N/Q	N/Q	N/Q
250	Rubber Gloves (Unsterilized) Boxes	50		N/Q	N/Q	N/Q	N/Q	N/Q
251	Sabrose Dextrose Agar (500gm)	2		N/Q	N/Q	N/Q	N/Q	N/Q
252	Sabrose Dextrose Agar (500gm)	2		N/Q	N/Q	N/Q	N/Q	N/Q
253	Salmonella serology kit	2		N/Q	N/Q	N/Q	N/Q	N/Q
254	Salmonella serology kit	2		N/Q	N/Q	N/Q	N/Q	N/Q
255	Salt Bridge Solution (Applicable Dimension Analyzer) Packs	6		N/Q	N/Q	N/Q	N/Q	N/Q
256	Sample Cups / 1000 or Similar (Packs)	10		N/Q	N/Q	N/Q	N/Q	N/Q


 Deputy Medical Superintendent
 Stores
 ABBASI SHAHEED HOSPITAL
 Karachi Metropolitan Corporation


 Prof. Saleemullah
 M.B.B.S (Dow) M.R.C.P (UK)
 Professor of Medicine
 In-charge Medical Unit-I
 Abbasi Shaheed Hospital

Medical Superintendent
 Abbasi Shaheed Hospital
 Karachi Metropolitan Corporation

Item NO.	DESCRIPTION	TOTAL QTY.	A/U	M/s. Secio Scientific Traders	M/s. Moon Enterprises	M/s. Popular International	M/s. Diagnostic System	M/s. Shamim & CO.
257	Sample Cups with lid (1.5 ml) (Applicable Dimension Analyzer)	100		N/Q	Hangzhou Rollmed Co, Ltd, China	N/Q	N/Q	N/Q
258	Sample diluent (Applicable Dimension Analyzer)	2		N/Q	N/Q	N/Q	N/Q	N/Q
259	Sample Diluent IMT (Applicable Dimension Analyzer) packs	6		N/Q	N/Q	N/Q	N/Q	N/Q
260	Sample Probe (Applicable Dimension Analyzer) Sets	2		N/Q	N/Q	N/Q	N/Q	N/Q
261	Sample Probe Cleaner (Applicable Dimension Analyzer)	6		N/Q	N/Q	N/Q	N/Q	N/Q
262	Serum Albumin (1000ml Kit)	14		Linear Chemicals, Spain	N/Q	Human Germany	N/Q	N/Q
263	Serum Calcium (320ml Kit)	42		Linear Chemicals, Spain	N/Q	Human Germany	N/Q	N/Q
264	Serum Cholesterol (450ml Kit)	48		Linear Chemicals, Spain	N/Q	Human Germany	N/Q	N/Q
265	Serum Iron (250ml Kit)	2		Linear Chemicals, Spain	N/Q	Human Germany	N/Q	N/Q
266	SGOT (AST) (200ml Kit)	6		Linear Chemicals, Spain	N/Q	Human Germany	N/Q	N/Q
267	SGPT (ALT) (500ml Kit)	103		Linear Chemicals, Spain	N/Q	Human Germany	N/Q	N/Q
268	SIM Media (500 grams)	2		N/Q	N/Q	N/Q	N/Q	N/Q
269	SIM Media (500gm)	2		N/Q	N/Q	N/Q	N/Q	N/Q

Deputy Medical Superintendent
Stores
DR. S. ASAD HUSSAIN
M.B.B.S. (DOW) M.R.C.P. (UK)
ASSOCIATE PROF. CARDIAC SURGERY
KARACHI INSTITUTE OF HEART DISEASES

Prof. Saleemullah
M.B.B.S (Dow) M.R.C.P (UK)
Professor of Medicine
Incharge Medical Unit-I
Abbasi Shaheed Hospital
Karachi Metropolitan Corporation

Item NO.	DESCRIPTION	TOTAL QTY.	A/U	M/s. Secio Scientific Traders	M/s. Moon Enterprises	M/s. Popular International	M/s. Diagnostic System	M/s. Shamim & CO.
270	Simon Citrate (500gm Box)	2		N/Q	N/Q	N/Q	N/Q	N/Q
271	Single Reagent Pack	75		Ortho Clinical Diagnostics	N/Q	N/Q	N/Q	N/Q
272	Slide boxes wodden (100 slides)	120		N/Q	N/Q	N/Q	N/Q	N/Q
273	Snappack 9180 (Packs)	150		N/Q	N/Q	N/Q	N/Q	N/Q
274	Sodium Electrode conditioner 9180	6		N/Q	N/Q	N/Q	N/Q	N/Q
275	Sodium Fluoride	7		N/Q	N/Q	N/Q	N/Q	N/Q
276	Source Lamp (Applicable Dimension Analyzer) Sets	4		N/Q	N/Q	N/Q	N/Q	N/Q
277	Spin Column based DNA Extraction kit (QIAGEN) (250 Extractions)	4		DNA Technology Russia No experis furns	N/Q	N/Q	N/Q	QIAGEN, Germany
278	Spin Column based RNA Extraction Kit of Viral RNA (QIAGEN) (250 Extractions)	4		DNA Technology Russia No experis furns	N/Q	N/Q	N/Q	QIAGEN, Germany
279	Staining Box (Plastic) Boxes	50		N/Q	N/Q	N/Q	N/Q	N/Q
280	Staining Rack	30		N/Q	N/Q	N/Q	N/Q	N/Q
281	Stainless Steel Racks for 3-7 ml blood tubes	8		N/Q	N/Q	N/Q	N/Q	N/Q
282	Sterile swab sticks	5000		N/Q	Hangzhou Rollmed Co, Ltd, China	N/Q	N/Q	N/Q
283	Stirrer or Similar Set	2		N/Q	N/Q	N/Q	N/Q	N/Q

Deputy Medical Superintendent
Stores
ABBASI SHAHEED HOSPITAL
Karachi Metropolitan Corporation

DR. S. ASAD HUSSAIN
M.B.B.S. (DOW) F.R.C.S. (EDIN) FRCS (EDIN)
ASSOCIATE PROF. CARDIAC SURGERY
KARACHI INSTITUTE OF HEART DISEASES

Prof. Saleemullah
M.B.B.S. (Dow) M.R.C.P. (UK)
Professor of Medicine
Incharge Medical Unit-I
Abbasi Shaheed Hospital

Medical Superintendent
Abbasi Shaheed Hospital
Karachi Metropolitan Corporation

Item NO.	DESCRIPTION	TOTAL QTY.	A/U	M/s. Secio Scientific Traders	M/s. Moon Enterprises	M/s. Popular International	M/s. Diagnostic System	M/s. Shamim & CO.
284	Stool Container Disposable (1x100) Pack	120		N/Q	N/Q	N/Q	N/Q	N/Q
285	Straight wires with holders Each	12		N/Q	N/Q	N/Q	N/Q	N/Q
286	Stromatolyzer 4 DL Sysmex XI - 1000	12		N/Q	N/Q	N/Q	N/Q	N/Q
287	Stromatolyzer 4 DS Sysmex XI - 1000	8		N/Q	N/Q	N/Q	N/Q	N/Q
288	Stromatolyzer W.H Sysmex KX - 20 <i>7202</i>	194		<i>Diatron Hungary</i> <i>Replacement of unit</i>	N/Q	N/Q	N/Q	N/Q
289	Sulfolyzer Sysmex X1 - 1000	3		N/Q	N/Q	N/Q	N/Q	N/Q
290	Syringe Module (Applicable Dimension Analyzer) Set	1		N/Q	N/Q	N/Q	N/Q	N/Q
291	T.B.I.L / D.B.I.L Calibrator (Applicable Dimension Analyzer)	4		N/Q	N/Q	N/Q	N/Q	N/Q
292	Tablet / Strip for Occult Blood (1x50) Boxes	50		N/Q	N/Q	N/Q	N/Q	N/Q
293	Tablet / Strips for occult blood (1x100)	50		N/Q	N/Q	N/Q	N/Q	N/Q
294	TCBS agar Medium (500gm)	50		N/Q	N/Q	N/Q	N/Q	N/Q
295	Tecaplanin (Box / 250 Disc)	10		N/Q	N/Q	N/Q	N/Q	N/Q
296	Tephlon tube or Similar (Packs)	2		N/Q	N/Q	N/Q	N/Q	N/Q
297	Test tube medium glass Box	1020		N/Q	N/Q	N/Q	N/Q	N/Q
298	Test Tubes Medium sized (1 x 100) Boxes	16		N/Q	N/Q	N/Q	N/Q	N/Q

[Handwritten signature]

[Handwritten signature]
Deputy Medical Superintendent
Stores
ABBASI SHAHEED HOSPITAL
Karachi Metropolitan Corporation

DR. S. AGAD *[Handwritten signature]* HUSSAINI
M.B.B.S. (DOW) F.R.C.S. (EDIN) F.R.C.S. (EDIN)
ASSOCIATE PROF. CARDIAC SURGERY
KARACHI INSTITUTE OF HEART DISEASES

[Handwritten signature]
Prof. Saleem Ullah
M.B.B.S. (Dow) M.R.C.P. (UK)
Professor of Medicine
Incharge Medical Unit-I
Abbasi Shaheed Hospital

[Handwritten signature]
Medical Superintendent
Abbasi Shaheed Hospital
Karachi Metropolitan Corporation

Item NO.	DESCRIPTION	TOTAL QTY.	A/U	M/s. Secio Scientific Traders	M/s. Moon Enterprises	M/s. Popular International	M/s. Diagnostic System	M/s. Shamim & CO.
299	Test Tubes Medium sized (1 x 100) Boxes	15		N/Q	N/Q	N/Q	N/Q	N/Q
300	Tetracycline (250 Disc Box)	10		N/Q	N/Q	N/Q	N/Q	N/Q
301	Thermal Paper Roll <i>size 330x200</i>	184		Local	Hangzhou Rollmed Co, Ltd, China	N/Q	N/Q	N/Q
302	Thermal printer roll (Applicable Dimension Analyzer)	100		N/Q	N/Q	N/Q	N/Q	N/Q
303	Thermoborel S (PT) Siemens Sysmex	35		N/Q	N/Q	N/Q	N/Q	N/Q
304	TIBC (250ml Kit)	2		N/Q	N/Q	Human Germany	N/Q	N/Q
305	Tips (1ml to 5ml) Packs	2		N/Q	N/Q	Human Germany	N/Q	N/Q
306	Toner HP Laser Jet P1005	26		N/Q	N/Q	N/Q	N/Q	N/Q
307	Top Seal Elements Sets	2		N/Q	N/Q	N/Q	N/Q	N/Q
308	Total Bilirubin (500ml Kit)	73		Linear Chemicals, Spain	N/Q	Human Germany	N/Q	N/Q
309	Total bilirubin (Applicable Dimension Analyzer)	30		N/Q	N/Q	N/Q	N/Q	N/Q
310	Total Protein (1000ml Kit)	14		Linear Chemicals, Spain	N/Q	Human Germany	N/Q	N/Q
311	Total protein (Applicable Dimension Analyzer)	30		N/Q	N/Q	N/Q	N/Q	N/Q
312	Triglycerides (Applicable Dimension Analyzer)	40		N/Q	N/Q	N/Q	N/Q	N/Q
313	Tryglyceride (450ml Kit)	33		Linear Chemicals, Spain	N/Q	Human Germany	N/Q	N/Q

[Handwritten signature]

Deputy Medical Superintendent
 ABBASI SHAHEED HOSPITAL
 Karachi Metropolitan Corporation

DR. ASAD ULLAH MUSSAINI
 M.B.B.S. (Dow) M.R.C.P. (UK)
 ASSOCIATE PROF. CARDIAC SURGERY
 KARACHI INSTITUTE OF HEART DISEASES

Prof. Saleemullah
 M.B.B.S (Dow) M.R.C.P (UK)
 Professor of Medicine
 Incharge Medical Unit-I
 Abbasi Shaheed Hospital

Medical Superintendent
 Abbasi Shaheed Hospital
 Karachi Metropolitan Corporation

Item NO.	DESCRIPTION	TOTAL QTY.	A/U	M/s. Secio Scientific Traders	M/s. Moon Enterprises	M/s. Popular International	M/s. Diagnostic System	M/s. Shamim & CO.
314	TSH Kit Vitros Eli	10		Ortho Clinical Diagnostics	N/Q	N/Q	N/Q	N/Q
315	Tube Silicon	2		N/Q	N/Q	N/Q	N/Q	N/Q
316	Tubes Racks 48 holes Racks	6		N/Q	N/Q	N/Q	N/Q	N/Q
317	Tubes Racks 48 holes Racks	6		N/Q	N/Q	N/Q	N/Q	N/Q
318	Tungston Wire Loop	16		N/Q	N/Q	N/Q	N/Q	N/Q
319	Typhidot (1x25/Boxes)	220		N/Q	N/Q	N/Q	N/Q	N/Q
320	Universal Wash Reagent	50		Ortho Clinical Diagnostics	N/Q	N/Q	N/Q	N/Q
321	Unsterile Swab Sticks (1x100/Pack)	100		N/Q	Hangzhou Rollmed Co, Ltd, China	N/Q	N/Q	N/Q
322	Urea (Cholrometric) (100x500ml Kit)	62		N/Q	N/Q	Human Germany	N/Q	N/Q
323	Urea (UV Kinetic) (600ml Kit)	81		Linear Chemicals, Spain	N/Q	Human Germany	N/Q	N/Q
324	Urea Medium (500 gm)	4		N/Q	N/Q	N/Q	N/Q	N/Q
325	Urea Nitrogen (Applicable Dimension Analyzer)	160		N/Q	N/Q	N/Q	N/Q	N/Q
326	Uri Stix M2 for Albumin Sugar (1x100 Test)	20		N/Q	N/Q	Acon, USA	N/Q	N/Q
327	Uric Acid (500ml Kit)	54		Linear Chemicals, Spain	N/Q	Human Germany	N/Q	N/Q
328	Uric Acid (Applicable Dimension Analyzer)	20		N/Q	N/Q	N/Q	N/Q	N/Q
329	Urinary Protein - UCFF (Applicable Dimension Analyzer)	8		N/Q	N/Q	N/Q	N/Q	N/Q

Deputy Medical Superintendent
Stores
ABBASI SHAHEED HOSPITAL
Karachi

DR. S. ASADULLAH HUSSAIN
M.B.B.S. (DOW) F.R.C.S. (EDINBURGH)
ASSOCIATE PROF. CARDIAC SURGERY
KARACHI INSTITUTE OF HEART DISEASES

Prof. Saleemullah
M.B.B.S. (Dow) M.R.C.P. (UK)
Professor of Medicine
Incharge Medical Unit-I
Abbasi Shaheed Hospital

Medical Superintendent
Abbasi Shaheed Hospital

Item NO.	DESCRIPTION	TOTAL QTY.	A/U	M/s. Secio Scientific Traders	M/s. Moon Enterprises	M/s. Popular International	M/s. Diagnostic System	M/s. Shamim & CO.
330	Urine C/S Container Disposable	10000		N/Q	N/Q	N/Q	N/Q	N/Q
331	Urine D/R Glass Bottles with Cap Bottle	500		N/Q	N/Q	N/Q	N/Q	N/Q
332	Urine DR bottles (ENO)	300		N/Q	N/Q	N/Q	N/Q	N/Q
333	Urine Multistick Strips (10 Parameters) (bottles/100 strips)	550		N/Q	N/Q	Acon, USA	N/Q	N/Q
335	Vaccum diaphragm	2		N/Q	N/Q	N/Q	N/Q	N/Q
336	Vacutainer (EDTA) (1000 per Box)	390		N/Q	Hangzhou Rollmed Co, Ltd, China	N/Q	N/Q	N/Q
337	Vacutainer (ESR) (1000 per Box)	140		N/Q	Hangzhou Rollmed Co, Ltd, China	N/Q	N/Q	N/Q
338	Vacutainer (PT & APTT) (1000 per Box)	40		N/Q	Hangzhou Rollmed Co, Ltd, China	N/Q	N/Q	N/Q
339	Vacutainer Tube Blue Top (1000/Box)	50		N/Q	Hangzhou Rollmed Co, Ltd, China	N/Q	N/Q	N/Q
340	Vacutainer Tube Flourid Grey Top (1000/Box)	110		N/Q	Hangzhou Rollmed Co, Ltd, China	N/Q	N/Q	N/Q
341	Vacutainer Tube Red Top (1000/Box)	120		N/Q	Hangzhou Rollmed Co, Ltd, China	N/Q	N/Q	N/Q
342	Vancomycin (250 Disc Box)	10		N/Q	N/Q	N/Q	N/Q	N/Q
343	VDRL (100 Tests Kit)	40		Linear Chemicals, Spain	N/Q	Human Germany	N/Q	N/Q

Deputy Medical Superintendent
ABBASI SHAHEED HOSPITAL
Karachi Metropolitan Corporation

DR. SAGADULLAH HUSSAINI
M.B.B.S. (DOW) F.R.C.S. (ED) F.R.C.S. (GEN)
ASSOCIATE PROF. OF SURGERY
KARACHI INSTITUTE OF HEART DISEASES

Prof. Saleemullah
M.B.B.S. (Dow) M.R.C.P (UK)
Professor of Medicine
In-charge Medical Unit-I
Abbasi Shaheed Hospital

Medical Superintendent
Abbasi Shaheed Hospital
Karachi Metropolitan Corporation

Item NO.	DESCRIPTION	TOTAL QTY.	A/U	M/s. Secio Scientific Traders	M/s. Moon Enterprises	M/s. Popular International	M/s. Diagnostic System	M/s. Shamim & CO.
344	Vortex Mixer	2		N/Q	N/Q	Human Germany	Stuart UK	N/Q
345	Wash Bottles (500 ml)	8		N/Q	N/Q	N/Q	N/Q	N/Q
346	Widal Test AH, BH, TH, TO, AO, BO Vials each	21		Linear Chemicals, Spain	N/Q	Human Germany	N/Q	N/Q
347	Window glass	2		N/Q	N/Q	N/Q	N/Q	N/Q
348	Wire Loops - Calibrated with Holders (0.001 & 0.0004 m) Each	24		N/Q	N/Q	N/Q	N/Q	N/Q
349	XLD Agar Medium (500 gm)	4		N/Q	N/Q	N/Q	N/Q	N/Q
350	Xyelene Bottle	4		N/Q	N/Q	N/Q	N/Q	N/Q
351	Yellow cap gel tubes for sample collection	1000		N/Q	Hangzhou Rollmed Co, Ltd, China	N/Q	N/Q	N/Q
352	Yellow Tips Packs	82		N/Q	Hangzhou Rollmed Co, Ltd, China	N/Q	N/Q	N/Q
353	Absolue Alcohol Ltrs.	200		N/Q	N/Q	N/Q	N/Q	N/Q
354	Absolute Alcohol	250		N/Q	N/Q	N/Q	N/Q	N/Q
355	Acetic Acid Ltrs.	5		N/Q	N/Q	N/Q	N/Q	N/Q
356	Acetone Ltrs.	5		N/Q	N/Q	N/Q	N/Q	N/Q
357	Acid Fuchin Grams	100		N/Q	N/Q	N/Q	N/Q	N/Q
358	Alcian Blue Grams	50		N/Q	N/Q	N/Q	N/Q	N/Q

Deputy Medical Superintendent
 ABBASI SHAHEED HOSPITAL
 Karachi Metropolitan Corporation

DR. S. AGADULLAH HUSSAINI
 M.B.B.S. (DOW) F.R.C.S. (IREL) F.R.C.S. (EDIN)
 ASSOCIATE PROF. CLINICAL SURGERY
 KARACHI INSTITUTE OF MEDICAL SCIENCES

Prof. Sateemulla
 M.B.B.S (Dow) M.R.C.P (UK)
 Professor of Medicine
 Incharge Medical Unit-I
 Abbasi Shaheed Hospital

Medical Superintendent
 Abbasi Shaheed Hospital
 Karachi Metropolitan Corporation

Item NO.	DESCRIPTION	TOTAL QTY.	A/U	M/s. Secio Scientific Traders	M/s. Moon Enterprises	M/s. Popular International	M/s. Diagnostic System	M/s. Shamim & CO.
359	Ammonia solution Ltrs.	2.5		N/Q	N/Q	N/Q	N/Q	N/Q
360	Ammonium alum Kg	5		N/Q	N/Q	N/Q	N/Q	N/Q
361	Basic Fuchsin Grams	100		N/Q	N/Q	N/Q	N/Q	N/Q
362	Biebrich Scarlet Grams	100		N/Q	N/Q	N/Q	N/Q	N/Q
363	Borax Grams	500		N/Q	N/Q	N/Q	N/Q	N/Q
364	Buffers for pH Meter (4, 7, 10) Bottle Each	3		N/Q	N/Q	N/Q	N/Q	N/Q
365	Citric Acid Kg	1		N/Q	N/Q	N/Q	N/Q	N/Q
366	Congo red stain Grams	100		N/Q	N/Q	N/Q	N/Q	N/Q
367	Cover Slips (24x50 mm)	100		N/Q	Hangzhou Rollmed Co, Ltd, China	N/Q	N/Q	N/Q
368	Diamond Pencil	2		N/Q	N/Q	N/Q	N/Q	N/Q
369	Disodium hydrogen phosphate Kg	20		N/Q	N/Q	N/Q	N/Q	N/Q
370	DPX mountant	4		N/Q	N/Q	N/Q	N/Q	N/Q
371	DPX Mountant Ltrs.	6		N/Q	N/Q	N/Q	N/Q	N/Q
372	E.A. 50	5		N/Q	N/Q	N/Q	N/Q	N/Q
373	E.A. 50 Ltrs.	2		N/Q	N/Q	N/Q	N/Q	N/Q
374	EDTA Kg	1		N/Q	N/Q	N/Q	N/Q	N/Q

Deputy Medical Superintendent
 Deputy Medical Superintendent
 Abbas Shaheed Hospital
 Karachi Metropolitan Corporation

DR. S. ASADULLAH HOSSAIN
 M.B.B.S. (DOW) F.R.C.S. (JIPMER) F.R.C.S. (EDIN)
 ASSOCIATE PROF. OF SURGERY
 KARACHI INSTITUTE OF HEALTH SCIENCES

Prof. Saleemullah
 M.B.B.S. (Dow) M.R.C.P. (UK)
 Professor of Medicine
 Incharge Medical Unit-I
 Abbas Shaheed Hospital

Medical Superintendent
 Abbas Shaheed Hospital
 Karachi Metropolitan Corporation

Item NO.	DESCRIPTION	TOTAL QTY.	A/U	M/s. Scio Scientific Traders	M/s. Moon Enterprises	M/s. Popular International	M/s. Diagnostic System	M/s. Shamim & CO.
375	Ennovin	2		N/Q	N/Q	N/Q	N/Q	N/Q
376	Eosin Powder (yellowish) Grams	100		N/Q	N/Q	N/Q	N/Q	N/Q
377	Ferric Alum Kg	1		N/Q	N/Q	N/Q	N/Q	N/Q
378	Ferric Chloride Kg	1		N/Q	N/Q	N/Q	N/Q	N/Q
379	Filter Paper sheet	200		N/Q	N/Q	N/Q	N/Q	N/Q
380	Formaline Ltrs.	200		N/Q	N/Q	N/Q	N/Q	N/Q
381	Formic acid Ltrs.	5		N/Q	N/Q	N/Q	N/Q	N/Q
382	Giemsa Powder Grams	100		N/Q	N/Q	N/Q	N/Q	N/Q
383	Gloves (Medium)	32		N/Q	N/Q	N/Q	N/Q	N/Q
384	Gloves (Small)	30		N/Q	N/Q	N/Q	N/Q	N/Q
385	Glycerine Ltrs.	5		N/Q	N/Q	N/Q	N/Q	N/Q
386	Hematoxylin (Prepared)	5		N/Q	N/Q	N/Q	N/Q	N/Q
387	Hematoxylin powder Grams	200		N/Q	N/Q	N/Q	N/Q	N/Q
388	Hexamine Kg	1		N/Q	N/Q	N/Q	N/Q	N/Q
389	Hydrochloric acid Ltrs.	5		N/Q	N/Q	N/Q	N/Q	N/Q
390	Hydrogen peroxide Ltrs.	2		N/Q	N/Q	N/Q	N/Q	N/Q

Deputy Superintendent

ABBASI SHAHEED HOSPITAL
Karachi Metropolitan Corporation

Dr. S. ASADULLAH HUSSAINI
M.B.B.S. (DOW) F.R.C.S. (IREL) F.R.C.S. (EDIN)
ASSOCIATE PROF. CARCINOMA SURGERY
KARACHI INSTITUTE OF HEALTH SCIENCES

Prof. Saleemullah
M.B.B.S. (Dow) M.R.C.P. (UK)
Professor of Medicine
Incharge Medical Unit-I
Abbasi Shaheed Hospital

Medical Superintendent
Abbasi Shaheed Hospital
Karachi Metropolitan Corporation

Item NO.	DESCRIPTION	TOTAL QTY.	A/U	M/s. Secio Scientific Traders	M/s. Moon Enterprises	M/s. Popular International	M/s. Diagnostic System	M/s. Shamim & CO.
391	Iodine Grams	100		N/Q	N/Q	N/Q	N/Q	N/Q
392	Juster Adjustable (100 uL - 1000 uL)	1		N/Q	N/Q	Human Germany	N/Q	N/Q
393	Lenses Paper	2		N/Q	N/Q	N/Q	N/Q	N/Q
394	Light green SF yellowish CL Grams	200		N/Q	N/Q	N/Q	N/Q	N/Q
395	Mercuric Oxide Yellow Grams	200		N/Q	N/Q	N/Q	N/Q	N/Q
396	Methanol (2.5 Ltrs. Bottle) for Histo	320		N/Q	N/Q	N/Q	N/Q	N/Q
397	Methyl Violet Grams	100		N/Q	N/Q	N/Q	N/Q	N/Q
398	Methylene blue Grams	100		N/Q	N/Q	N/Q	N/Q	N/Q
399	Microtome Blades Packs	40		N/Q	N/Q	N/Q	N/Q	N/Q
400	Mucicarmine Powder Grams	100		N/Q	N/Q	N/Q	N/Q	N/Q
401	Neo Mountant Ltrs.	2		N/Q	N/Q	N/Q	N/Q	N/Q
402	Neutral Red Grams	100		N/Q	N/Q	N/Q	N/Q	N/Q
403	Nuclear fast red Grams	100		N/Q	N/Q	N/Q	N/Q	N/Q
404	O.G.6	5		N/Q	N/Q	N/Q	N/Q	N/Q
405	Orcein Grams	100		N/Q	N/Q	N/Q	N/Q	N/Q
406	Parafin wax Kg	200		N/Q	N/Q	N/Q	N/Q	N/Q

Deputy Medical Superintendent
 Dr. DULLAH HUSSAIN
 M.B.B.S. (Dow) M.R.C.P. (Dip)
 Professor of Medicine
 Incharge Medical Unit-I
 Abbasi Shaheed Hospital
 Karachi Metropolitan Corporation

Prof. Saleemullah
 M.B.B.S. (Dow) M.R.C.P. (Dip)
 Professor of Medicine
 Incharge Medical Unit-I
 Abbasi Shaheed Hospital
 Karachi Metropolitan Corporation

Medical Superintendent
 Abbasi Shaheed Hospital
 Karachi Metropolitan Corporation

Item NO.	DESCRIPTION	TOTAL QTY.	A/U	M/s. Secio Scientific Traders	M/s. Moon Enterprises	M/s. Popular International	M/s. Diagnostic System	M/s. Shamim & CO.
407	Periodic Acid Grams	400		N/Q	N/Q	N/Q	N/Q	N/Q
408	Phenol Crystal Kg	2		N/Q	N/Q	N/Q	N/Q	N/Q
409	Phosphotungstic acid Grams	200		N/Q	N/Q	N/Q	N/Q	N/Q
410	Picric Acid Kg	2		N/Q	N/Q	N/Q	N/Q	N/Q
411	Potassium Ferrocyanide Kg	1		N/Q	N/Q	N/Q	N/Q	N/Q
412	Potassium Hydroxide Grams	500		N/Q	N/Q	N/Q	N/Q	N/Q
413	Potassium Iodide Grams	500		N/Q	N/Q	N/Q	N/Q	N/Q
414	Potassium Metabi-sulphite Grams	500		N/Q	N/Q	N/Q	N/Q	N/Q
415	Potassium Permanganate Grams	500		N/Q	N/Q	N/Q	N/Q	N/Q
416	Rubianic acid C ₂ H ₄ N ₂ S ₂ Grams	25		N/Q	N/Q	N/Q	N/Q	N/Q
417	Schiff's Reagent	2		N/Q	N/Q	N/Q	N/Q	N/Q
418	Schiff's Reagent Ltrs.	3		N/Q	N/Q	N/Q	N/Q	N/Q
419	Silver Nitrate Grams	400		N/Q	N/Q	N/Q	N/Q	N/Q
420	Slide Box (Frosted)	150		N/Q	N/Q	N/Q	N/Q	N/Q
421	Slide Strickers	5000		N/Q	N/Q	N/Q	N/Q	N/Q
422	Slide Trays	50		N/Q	N/Q	N/Q	N/Q	N/Q

Deputy Medical Superintendent

ABBASI SHAHEED HOSPITAL
Karachi Metropolitan Corporation

DR. S. AGADULLAH HUSSAIN
M.B.B.S. (DOW) F.R.C.S. (Ed) F.I.C.S. (Ed)
ASSOCIATE PROF. CARDIAC SURGERY
KARACHI INSTITUTE OF HEART DISEASES

Prof. Saleemu
M.B.S. (Dow) M.R.C.P. (Ed)
Professor of Medicine
In-charge Medical Unit-I
Abbasi Shaheed Hospital

Medical Superintendent
Abbasi Shaheed Hospital
Karachi Metropolitan Corporation

Item NO.	DESCRIPTION	TOTAL QTY.	A/U	M/s. Secio Scientific Traders	M/s. Moon Enterprises	M/s. Popular International	M/s. Diagnostic System	M/s. Shamim & CO.
423	Sodium Chloride Kg	15		N/Q	N/Q	N/Q	N/Q	N/Q
424	Sodium Dihydrogen Phosphate Kg	20		N/Q	N/Q	N/Q	N/Q	N/Q
425	Sodium Hydroxide Kg	1		N/Q	N/Q	N/Q	N/Q	N/Q
426	Staining Racks	4		N/Q	N/Q	N/Q	N/Q	N/Q
427	Tissue Roll (small)	400		N/Q	N/Q	N/Q	N/Q	N/Q
428	Tris base Kg	3		N/Q	N/Q	N/Q	N/Q	N/Q
429	Trisodium Citrate Kg	1		N/Q	N/Q	N/Q	N/Q	N/Q
430	Xylene	500		N/Q	N/Q	N/Q	N/Q	N/Q
431	Ziehl Nelson Stain Bottles	3		N/Q	N/Q	N/Q	N/Q	N/Q
432	(-80) Freezer Verticle 200 Ltr.	1		N/Q	N/Q	N/Q	Arctiko, Denmark	N/Q
433	Real Time PCR Automation with Complete Accessories	1		DNA Technology Russia <i>No intralim 7 user</i>	N/Q	Human Germany <i>No expense 7 million</i>	Techne, UK	QIAGEN, Germany
434	Centrifuge 18000 RPM	1		N/Q	N/Q	N/Q	DLAB USA / China	N/Q
435	Cutting Loops for TURP Resectoscope Single stem	100		N/Q	N/Q	N/Q	N/Q	N/Q
436	Danger Bin (4)	1		N/Q	N/Q	N/Q	N/Q	N/Q
437	Ice Machine	1		N/Q	N/Q	N/Q	N/Q	N/Q

Deputy Medical Superintendent
Stores
ABBASI SHAHEED HOSPITAL
Karachi Metropolitan Corporation

DR. S. ASAD HUSSAIN
M.B.B.S. (DOW) F.R.C.S. (EDIN)
ASSOCIATE PROF. CARDIAC SURGERY
KARACHI INSTITUTE OF HEART DISEASES

Prof. Saleemullah
M.B.B.S (Dow) M.R.C.P (Jr.)
Professor of Medicine
Incharge Medical Unit-I
Abbasi Shaheed Hospi

Medical Superintendent
Abbasi Shaheed Hospital
Karachi Metropolitan Corporation

Item NO.	DESCRIPTION	TOTAL QTY.	A/U	M/s. Secio Scientific Traders	M/s. Moon Enterprises	M/s. Popular International	M/s. Diagnostic System	M/s. Shamim & CO.
438	Multipippte Juster	1		N/Q	N/Q	Human Germany	N/Q	N/Q
439	Nano Drop 1.24 ???	1		N/Q	N/Q	N/Q	Jenway, UK	N/Q
440	Nucleic Acid Extraction for Quamtica	1		N/Q	N/Q	N/Q	N/Q	N/Q
441	Picofuge	2		N/Q	N/Q	N/Q	DLAB USA / China	N/Q
442	Printer with Poly Phomic Film	1		N/Q	N/Q	N/Q	N/Q	N/Q
443	Vortex	1		N/Q	N/Q	Human Germany	Stuart UK	N/Q
444	Glucose Pap 1000ml	25		Linear Chemicals, Spain	N/Q	Human Germany	Ennoline / Elitech France	N/Q
445	Urea UV 250ml	50		Linear Chemicals, Spain	N/Q	Human Germany	Ennoline / Elitech France	N/Q
446	Creatinine 300ml	50		Linear Chemicals, Spain	N/Q	Human Germany	Ennoline / Elitech France	N/Q
447	Uric Acid 250ml	25		Linear Chemicals, Spain	N/Q	Human Germany	Ennoline / Elitech France	N/Q
448	Calcium 150ml	25		Linear Chemicals, Spain	N/Q	Human Germany	Ennoline / Elitech France	N/Q
449	Triglycerides 300ml	25		Linear Chemicals, Spain	N/Q	Human Germany	Ennoline / Elitech France	N/Q
450	Cholesterol 300ml	25		Linear Chemicals, Spain	N/Q	Human Germany	Ennoline / Elitech France	N/Q
451	Bil-Tot 250ml	50		Linear Chemicals, Spain	N/Q	Human Germany	Ennoline / Elitech France	N/Q
452	Bil-Dir 250ml	50		Linear Chemicals, Spain	N/Q	Human Germany	Ennoline / Elitech France	N/Q
453	SGPT 250ml	50		Linear Chemicals, Spain	N/Q	Human Germany	Ennoline / Elitech France	N/Q

Deputy Medical Superintendent
 ABBASI SHAHEED HOSPITAL
 Karachi Metropolitan Corporation

DR. S. ASADULLAH HUSSAINI
 M.B.B.S. (DOW), F.R.C.S. (RE), F.R.C.S. (EDIN)
 ASSOCIATE PROFESSOR OF CARDIAC SURGERY
 KARACHI INSTITUTE OF HEART DISEASES

Prof. Saleemullah
 M.B.B.S. (Dow) M.D. C.P. (UK)
 Professor of Medicine
 Incharge Medical Unit-1
 Abbasi Shaheed Hospital

Medical Superintendent
 Abbasi Shaheed Hospital
 Karachi Metropolitan Corporation
 1st priority

Item NO.	DESCRIPTION	TOTAL QTY.	A/U	M/s. Secio Scientific Traders	M/s. Moon Enterprises	M/s. Popular International	M/s. Diagnostic System	M/s. Shamim & CO.
454	Alkaline Phos 250ml	50		Linear Chemicals, Spain	N/Q	Human Germany	Ennoline / Elitech France	N/Q
455	T. Protein 300ml	20		Linear Chemicals, Spain	N/Q	Human Germany	Ennoline / Elitech France	N/Q
456	Gamma GT 250ml	50		Linear Chemicals, Spain	N/Q	Human Germany	Ennoline / Elitech France	N/Q
457	Iron 250ml <i>subject to Replenish of insling</i>	15	<i>Q2</i>	Linear Chemicals, Spain	N/Q	Human Germany	Ennoline / Elitech France	N/Q
458	Albumin 300ml	15		Linear Chemicals, Spain	N/Q	Human Germany	Ennoline / Elitech France	N/Q
459	Phosphorus UV 150ml	15		Linear Chemicals, Spain	N/Q	<i>Q2</i> Human Germany	Ennoline / Elitech France	N/Q
460	Magnesium 300ml	15		Linear Chemicals, Spain	N/Q	Human Germany	Ennoline / Elitech France	N/Q
461	CK NAC 125ml	10		N/Q	N/Q	Human Germany	Ennoline / Elitech France	N/Q
462	CK-MB 150ml	10		N/Q	N/Q	Human Germany	Ennoline / Elitech France	N/Q
463	SGOT 250ml	10		Linear Chemicals, Spain	N/Q	Human Germany	Ennoline / Elitech France	N/Q
464	LDH 150ml	10		Linear Chemicals, Spain	N/Q	Human Germany	Ennoline / Elitech France	N/Q
465	Amylase 60ml	15		Linear Chemicals, Spain	N/Q	Human Germany	Ennoline / Elitech France	N/Q
466	Chemistry Control Normal (HSN Control)	15		N/Q	N/Q	Human Germany	Ennoline / Elitech France	N/Q
467	Chemistry Control High (HSP Control)	15		N/Q	N/Q	Human Germany	Ennoline / Elitech France	N/Q
468	MultiCalibrator	10		N/Q	N/Q	Human Germany	Ennoline / Elitech France	N/Q
469	System Solution	25		N/Q	N/Q	N/Q	Ennoline / Elitech France	N/Q
470	Cleaning Solution	15		N/Q	N/Q	N/Q	Ennoline / Elitech France	N/Q

Deputy Medical Superintendent

DR. S. ASADULLAH HUSSAIN
M.B.B.S. (D.O.B.), (IREL) FRCS (EDIN)
ASSOCIATE PROF. CARDIAC SURGERY

Prof. Saleemullah
M.B.B.S. (Dow) M.P.C.P. (S) Professor of Medicine
Incharge Medical Unit-I

Medical Superintendent

ABBASI SHAHEED HOSPITAL
Karachi Metropolitan Corporation

KARACHI INSTITUTE OF HEART DISEASES

Abbasi Shaheed Hospital

Abbasi Shaheed Hospital
Karachi Metropolitan Corporation

1st part

Item NO.	DESCRIPTION	TOTAL QTY.	A/U	M/s. Secio Scientific Traders	M/s. Moon Enterprises	M/s. Popular International	M/s. Diagnostic System	M/s. Shamim & CO.
471	Reaction Rotor	20		N/Q	N/Q	N/Q	Ennoline / Elitech France	N/Q
472	U & CSF Total Proteins	8		Linear Chemicals, Spain	N/Q	N/Q	Ennoline / Elitech France	N/Q
473	ASO Turbi With Calibrator 50ml	10		N/Q	N/Q	N/Q	Ennoline / Elitech France	N/Q
474	CRP Turbi With Calibrator 50ml	10		N/Q	N/Q	N/Q	Ennoline / Elitech France	N/Q
475	Micro Albumin Turbi 50ml	10		N/Q	N/Q	N/Q	Ennoline / Elitech France	N/Q
476	HDL Direct 100ml	15		Linear Chemicals, Spain	N/Q	Human Germany	Ennoline / Elitech France	N/Q
477	LDL Direct 100ml	15		Linear Chemicals, Spain	N/Q	Human Germany	Ennoline / Elitech France	N/Q
478	HBA1C	10		Gettein	N/Q	Human Germany	Ennoline / Elitech France	N/Q
479	HBA1C Calibrator	3		N/Q	N/Q	Human Germany	Ennoline / Elitech France	N/Q
480	HBA1C Control	3		N/Q	N/Q	Human Germany	Ennoline / Elitech France	N/Q
481	Yearly Maintance kit Selectra E	1		N/Q	N/Q	N/Q	Ennoline / Elitech France	N/Q
482	Half Yearly Maintance kit Selectra E	1		N/Q	N/Q	N/Q	Ennoline / Elitech France	N/Q
483	Q.I Lamp	4		N/Q	N/Q	N/Q	Ennoline / Elitech France	N/Q




Deputy Medical Superintendent
Stores
ABBASI SHAHEED HOSPITAL
Karachi Metropolitan Corporation

DR. SASADULLAH HUSSAINI
M.B.B.S. (DOW), F.R.C.S. (IREL), F.R.C.S. (EDIN)
ASSOCIATE PROF. CARDIAC SURGERY
KARACHI INSTITUTE OF HEART DISEASES

Prof. Saleemullah
M.B.B.S. (DOW), M.R.C.P. (UK)
Professor of Medicine
Incharge Medical Unit-I
Abbasi Shaheed Hospital

Medical Superintendent
Abbasi Shaheed Hospital
Karachi Metropolitan Corporation

COMPARATIVE STATEMENT (TECHNICAL PROPOSAL)
TENDER SR. NO. 7(G) PURCHASE OF ELECTRO MEDICAL EQUIPMENT FOR THE YEAR 2016-17

Item NO.	DESCRIPTION	TOTAL QTY.	A/U	M/s. Ameer Din Instrument	M/s. Oasis Medical System	M/s. Popular International	M/s. Khalid Corp.	M/s. Noor International	M/s. Hospital Supply Corp.	M/s. Mediquip S (SMC)	M/s. BIOS	M/s. Shamim & CO.	M/s. Hadi Enterprises	M/s. S. Ejazuddin Co.	M/s. DWP Tech. Pvt. Ltd.	M/s. Bio Medical Tech.	M/s. Med. Elec. Corp.	M/s. Seico Scientific Traders	M/s. Optisurg	M/s. Universal Enterprises
1	<p>VENTILATOR FOR ADULT & PEADS: -</p> <p>1. Ventilation Modes: (S)CMV+/APVcmv, PCV+ (biphasic), SIMV+/APVsimv, SPONT, ASV, P-SIMV+, NIV, NIV-ST, DuoPAP and APRV 2. Tidal volume starting from 20 ml up to at least 2000 ml PEEP and CPAP ranges from 0 cm H2O not less than 35 cm H2O 3. Ventilation Cockpit Dynamic Lung: Should show real time visualization of the lungs with representations of tidal volume, lung compliance, resistance and patient activity; Vent Status: Visual representation of the ventilator dependency Adaptive Support Ventilation target graphics Not less than 41 monitoring parameters Real time waveforms: simultaneous display of Paw, Flow, Volume, P-trachea, CO2 Loops: Display of P-V, V-Flow, V-Flow, V-FCO2, V-PCO2Trending: Simultaneous display of 4 parameter trends for 1,6,12,24, or 72hours., supporting arm and original trolley 4. Power Supplies: Up to 240 V AC at 50/60Hz Should have back up batteries with at least 2 hours functionally including compressor 5. Physical Dimensions Should have display of 10" or more, TFT color, WXGA, backlit with touch screen 6. To be supplied with disposable patient breathing circuits for Adult Country of Manufacture. Europe/ USA/ Japan/ UK/ Korea/ Equivalent FDA/ CE approved.</p>	14		N/Q	N/Q	N/Q	N/Q		N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q
2	<p>C-ARM SYSTEM: -</p> <p>Latest Carm system for surgery, emergency and Intensive care environments catering fracture / pain management and spinal surgery applications. The Carm should comprise of the following configuration. CARM STAND: Depth : 60 cm or more SID : 95cm or more Motorised vertical movement : 40cm or more Rotation : 180 Deg or more Longitudinal Movement : 18cm or more</p> <p>Foot switch, handswitch XRAY TUBE Fixed anode tube with nominal dual focal spots of 0.6/1.5mm or less Maximum tube voltage should be 100KV or more Anode heat storage capacity: 45KHU or more with cooling capacity of 40KHU/min or more with cooling capacity of 40KHU/min or more XRAY GENERATION Max generator output: 2.2KW or more with maximum tube current of 20mA or more Continuous fluoroscopy with KV of upto 110KV and mA of 6mA or more should be possible 1/2 dose pulse fluoroscopy with pulse rates of 8 pulse/sec or less should be available Digital Spot imaging with upto 20mA should be available Builtin over temperature detection and protection IMAGE ETECTION: 9" or more image intensifier supporting triple mode CCD camera High Resolution Compact. Digital image rotation on live image should be possible XRAY COLLIMATOR Lead Shutters helping in block un-necessary radiation Rotation: 360Deg or more Shutter position on last image hold without radiate on should be possible IRIS collimation should also be possible IMAGE PROCESSING: 1K2 imaging chain Real time noise reduction with auto contrast & brightness Annotation placement on images, image inversion, edge enhancement, image zoom, measurements Real time movement detection for noise free imaging, system should adapt to the area of interest and exclude those areas not needed for the image to save time for the procedure, and also unnecessary dose Image storage : 100,000 or more images on system HDD MONITORS & CONTROL STATION Compact mobile type control station with Two (02) color LCD monitors, 17" or more Image storage on external USB medium, DVD should be possible. Dicom package including print, store and export classes to be available Integrated keyboard and selection buttons layout ACCESSORIES: 9" Cassette Holder Set of sterilizable covers Handheld Remote control for controlling the main image handling functions Country of Manufacture Europe/ USA/ Japan/ UK/ Korea/ Equivalent FDA/ CE approved.</p>	1		N/Q	N/Q	N/Q	N/Q	N/Q	N/Q			N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	

Deputy Medical Superintendent
 Stores
ABBASI SHAHEED HOSPITAL
 Karachi Metropolitan Corporation

Prof. Saleemullah
 M.B.B.S (Dow) M.R.C.P (UK)
 Professor of Medicine
 Incharge Medical Unit I
Abbasi Shaheed Hospital

DR. SAJJADULLAH HUSSAINI
 M.B.B.S (DOW) F.R.C.S. (REL) F.R.C.S. (EDIN)
 ASSOCIATE PROF. CARDIAC SURGERY
KARACHI INSTITUTE OF HEART DISEASES

Medical Superintendent
Abbasi Shaheed Hospital
 Karachi Metropolitan Corporation

Item NO.	DESCRIPTION	TOTAL QTY.	A/U	M/s. Ameer Din Instrument	M/s. Oasis Medical System	M/s. Popular International	M/s. Khalid Corp.	M/s. Noor International	M/s. Hospital Supply Corp.	M/s. Mediquip (SMC)	M/s. BIOS	M/s. Shamim & CO.	M/s. Hadi Enterprises	M/s. S. Ejazuddin Co.	M/s. DWP Tech. Pvt. Ltd.	M/s. Bio Medical Tech.	M/s. Med. Elec. Corp.	M/s. Seico Scientific Traders	M/s. Optisurg	M/s. Universal Enterprises	
3	<p>COLOR DOPPLER ULTRASOUND SCANNER</p> <p>System Standard features:</p> <ul style="list-style-type: none"> • 19" TFT LCD or more Color Monitor • Operational Modes: B Mode, M Mode, Doppler Mode, Color Flow Mapping • Color Flow Mapping in M Mode, HPRF, Duplex/Triplex modes • Power Doppler, Doppler, Directional Power Doppler • Frame Rate 500 FPS or more • Digital Channel 60,000 more • Scanning Dept. 30 cm or more • Max. Dynamic Range 250db or more Clinical Application: Radiology, General imaging, OB/Gynae, vascular with complete measurement package System <p>Advance Application Software</p> <ul style="list-style-type: none"> • Intelligent scan 2D optimization or equivalent • Edge enhancement software or equivalent • Tissue Harmonic imaging with 2THI or more frequencies • CW Software. • TSI (Tissues Spectral Imaging) Software or equivalent • Anatomical M Mode or equivalent. • Tissues Doppler Imaging or Power Doppler Probes • 2-6MHz MULTI-FREQUENCY CONVEX PROBE. • 5-1MHz MULTI-FREQUENCY LINEAR PROBE. • 4-9 TVS PROBE Probe Connector: 4 Active Probe Connector to be quoted as standard Probe to be quoted • 4D Imaging Software • 4D convex probe • 4D TVS probe Connectivity & Peripherals • 2 USB Ports in standard or more. • System should be upgradable to Elastography. <p>Country of Manufacture: Europe/ USA/ Japan/ UK/ Korea/ Equivalent FDA/ CE approved.</p>	11		N/Q	N/Q	N/Q	Esate, Europe / Italy ↓ <u>No Specification</u>	N/Q	N/Q	Toshiba Japan	N/Q	N/Q	N/Q	N/Q	Philips	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q
	<p>COLPOSCOPE DIGITAL VIDEO</p> <p>Specification of Colposcope with standard accessories.</p> <ul style="list-style-type: none"> • With an integrated digital SLR camera and live image viewing. • Convergent optical beams that mimic the human eye for the true stereoscopic 3-D visualization with less fatigue • Working distance is 300mm for optimal Clinical comfort • Variable fine & gross adjustment permit optimum working height & precision focus. • Adjusting diopter rings for individual eye correction. • Multiple modes of Electronic Green filter for enhanced contrast. • Tree step magnification 3.75x, 7.5x, 15x. • Ultra Bright white LED cold Light. • Recommended Lamp Life 25000Hours. • Minimum Illumination 0.2 Lux. • Warranty 5 years. Along with Multi-function Image processing software with imported Footswitch & imported capture Card for Laptop/Desktop. • Integrated Management of View Examination Image capture & Freeze, Recording, Observation, Processing, Saving and printout • More than 500 inbuilt Reference pictures. • Can be integrated to Lan and HIS • Side by side powerfull Comparison of colposcopic images. • Statistic Analysis function. • Multi format Report Facility Colposcopic REID Evaluation-Country of Manufacture Europe/ USA/ Japan/ UK/ Korea/ Equivalent FDA/ CE approved. 	1		N/Q	N/Q	N/Q	Medgyn, USA	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q

[Handwritten signature]

Deputy Medical Superintendent
ABBASI SHAHEED HOSPITAL
 Karachi Metropolitan Corporation

Prof. Saleemullah
 M.B.B.S (Dow) M.R.C.P (UK)
 Professor of Medicine
 Incharge Medical Unit-I
 Abbasi Shaheed Hospital

DR. S. ASADULLAH HUSSAIN
 M.B.B.S (Dow) M.R.C.P (UK)
 Associate Professor of Cardiac Surgery
 Karachi Institute of Heart Disease
 Medical Superintendent
Abbasi Shaheed Hospital
 Karachi Metropolitan Corporation

Subject to Clarification about 4D probes.
Yes should provide int. for sale Executive

No Brochure Catalogue.

Item NO.	DESCRIPTION	TOTAL QTY.	A/U	M/s. Ameer Din Instrument	M/s. Oasis Medical System	M/s. Popular International	M/s. Khalid Corp.	M/s. Noor International	M/s. Hospital Supply Corp.	M/s. Mediquip S (SMC)	M/s. BIOS	M/s. Shamim & CO.	M/s. Hadi Enterprises	M/s. S. Ejazuddin Co.	M/s. DWP Tech. Pvt. Ltd.	M/s. Bio Medical Tech.	M/s. Med. Elec. Corp.	M/s. Seico Scientific Traders	M/s. Optisurg	M/s. Universal Enterprises	
5	<p>MULTIPARA MONITORS</p> <p>Specifications for Bed side portable monitors:</p> <ol style="list-style-type: none"> 1. Please clearly specify OEM and model details. 2. Should be ready for NBP, SPO2, ECG, RR, Temp with simultaneous display of all graphs supplied with all applicable accessories. 3. SPO2 sensor should have masimo/nelcor technology. 4. Display size of min 10" 5. Should have defibrillation protection and auto pace maker detection. 6. Battery backup of min 4 hours without NIBP use. 7. Patient storage data for upto 24 hours. 8. Should be ready of networking and connectable to central monitors. 9. Should have real-time ST Analysis. 10. Should have arrhythmia detection and alarm facility. 11. Wall mount stand required. 12. 5 lead ECG acquisition. 13. Should be supplied with, Power cable, Operator manual hardcopy as well as soft copy in CD and 1 sets each of (ECG Acquisition cables, NIBP, SPO2 probe, Temp Probe). 14. Should have auto base line correction. 15. Patient leakage should be < 10µA. 16. ECG frequency response range of min (0.05 to 75)Hz. 17. CMRR of > 75db. 18. ADC = minimum 12 bits. 19. Digital filter of minimum 0.5 - 40 Hz. 20. Input impedance = minimum 5 M ohms. 21. Sampling rate = minimum 400 samples/sec. 22. ETCO2 and IBP monitoring upgrade decision to be taken during Pre-Bid meeting. 23. Separate price should be quoted for software for multi-location Central Monitoring System (PC for central monitoring, Switches and cabling to be provided by the hospital). Bidder shall provide necessary data and knowledge for Cabling, and switches installation if hospital decides to get networking done at their level. 24. Should be upgradeable for Invasive BP monitoring and price of which should be mentioned separately. 25. Should have 5 years warranty and additional 5 years CMC plan along with Price list of all proprietary consumables required if any. <p>Country of Manufacture</p>	30		N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	Medical Supply China	N/Q	N/Q	N/Q	N/Q	N/Q

Appled

[Handwritten signature]

[Handwritten signature]
 Deputy Medical Superintendent
 ABBASI SHAHEED HOSPITAL
 Karachi Metropolitan Corporation

[Handwritten signature]
 Prof. Safermal
 M.B.B.S. (Dip. V.R.C.P.)
 Professor of Medicine
 Incharge Medical Unit-I
 Abbasi Shaheed Hospital

[Handwritten signature]
 DR. SASANULLAH HUSSAINI
 M.B.B.S. (Dip. F.R.C.S. (ED))
 ASSOCIATE PROF. CARDIAC SURGERY
 KARACHI INSTITUTE OF HEART DISEASES
 Medical Superintendent
 Abbasi Shaheed Hospital
 Karachi Metropolitan Corporation

Item NO.	DESCRIPTION	TOTAL QTY.	A/U	M/s. Ameer Din Instrument	M/s. Oasis Medical System	M/s. Popular International	M/s. Khalid Corp.	M/s. Noor International	M/s. Hospital Supply Corp.	M/s. Mediquip S (SMC)	M/s. BIOS	M/s. Shamim & CO.	M/s. Hadi Enterprises	M/s. S. Ejazuddin Co.	M/s. DWP Tech. Pvt. Ltd.	M/s. Bio Medical Tech.	M/s. Med. Elec. Corp.	M/s. Seico Scientific Traders	M/s. Optisurg	M/s. Universal Enterprises	
6	<p>OPERATIVE HYSTERSCOPE</p> <ul style="list-style-type: none"> Betholic 2.9cm Inner Sheaths 4.3cm* Outer Sheaths 5.5cm Camera Image with five (05) different modes. Clera Chroma Clera + Chroma Spectra A Spectra B Biopsy Forceps Scissors Punch Mayoma Fixator Palpation Probe LED 1-75Watts Automatic 30,000 Hours.Special conditions for complete set of equipment and instruments. Demonstration is must before finalization of technical specification. Shall meet IEC -60601-1-2:2001 (Or equivalent BIS) General requirement of safety for electromagnetic compatibility or should comply with 89/366/EEC EMC -directive. The unit shall be capable of operating continuously in ambient temperature of 20-30 de Cand relative humidity of 15-90% Power supply : Power input to be 220-240VAC, 50Hz fitted with Indian plug. Should be US FDA or European CE approved. Manufacture should have ISO certification for quality standards. Comprehensive training for lab staff and support service till familiarity with the system. User/Technical /Maintenance manuals to be supplied in English. Should have supplied to institutions of repute in India with Certificate of calibration and inspection. Supplier should be a company of repute having its own office in India. Should cover at least 3 years warranty and maintenance. Should provide onsite installation and demonstration. Light instrument should be provided with voltage stabilizer. Should supply monitor with it Complete setup of the instrument set to be done by the company so that it will be ready to use Trolley (good quality rust proof and powder coated) to be provided by the 	1		N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q

Not Quoted
7

Prof. Saleemullah
 M.B.B.S (DOW) M.R.C.P (UK)
 Professor of Medicine
 Incharge Medical Unit-I
 Abbasi Shaheed Hospital
 Deputy Medical Superintendent
 Stores
 ABBASI SHAHEED HOSPITAL
 Karachi Metropolitan Corporation

DR. S.ASADULLAH HUSSAINI
 M.B.B.S. (DOW) F.R.C.S. (IREL) FRCS (EDIN)
 ASSOCIATE PROF. CARDIAC SURGERY
 KARACHI INSTITUTE OF HEART DISEASES
 Medical Superintendent
 Abbasi Shaheed Hospital
 Karachi Metropolitan Corporation

Item NO.	DESCRIPTION	TOTAL QTY.	A/U	M/s. Ameer Din Instrument	M/s. Oasis Medical System	M/s. Popular International	M/s. Khalid Corp.	M/s. Noor International	M/s. Hospital Supply Corp.	M/s. Mediquip (SMC)	M/s. BIOS	M/s. Shamim & CO.	M/s. Hadi Enterprises	M/s. S. Ejazuddin Co.	M/s. DWP Tech. Pvt. Ltd.	M/s. Bio Medical Tech.	M/s. Med. Elec. Corp.	M/s. Seico Scientific Traders	M/s. Optisurg	M/s. Universal Enterprises
7	<p>OPERATIVE AND DIAGNOSTIC HYSTEROSCOPY SET WITH TCRE AND FLUID MANAGEMENT SYSTEM.</p> <p>Telescope 12 degree for Bipolar Pestoscope Bipolar cutting loop electrode 24Fr. Bipolar, pointed, should work in saline. Bipolar cutting electrode pointed cutting electrode 24Fr, bipolar, pointed should work in saline. Bipolar coagulating electrode ball end cutting electrode 24Fr, bipolar, pointed, should work in saline. Resect scope sheath for unipolar and bipolar: Continuous flow resect scope sheath 26Fr, including connection tubes for in and outflow 2 LUER-lock adaptors, 26Fr, oblique beak, fixed inner tube, with ceramic insulation, for sue with working element. Obdurate: for use with resect scope sheath Laparoscope for Gynecology 1. Telescope (10mm and 5mm) 2. Monopole (5 graspers of different shapes, lila, bowl graper, dolspin nose etc) uterine prospen 3. Trocars (Recestable) 10mm & 5mm 4. Scissors (5mm) 5. Bipolar Forceps (5mm) 6. Tenarelam Forceps (10mm) 7. Cord Monoplolar Bipolar Cord 8. Manipulator for TVH, LVH Bigatti System for Mayoma 0,1,2,3 and Polyp Removal. 1. Drill 2. Blade 3. Drill Operative Machine Unidrive. 4. Hystromat CASI with Tubing Set Irrigation and suction device (One Unit) must show Uterus Pressure all sizes. • Hysteroscope • Laproscope Resectoscope • Morcellation System • Should be able to maintain pressure between : 0-200mmHg • Flow to be maintained between : 0-500ml/L • Suction pressure to be maintained between : 0-(-50kPa) • Should have foot switch for controlling various functions. • Hysteromat Easy</p>	1		N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q

Not Quoted.
7

Deputy Medical Superintendent
 ABBASI SHAHEED HOSPITAL
 Karachi Metropolitan Corporation

Prof. Saleemullah
 M.B.B.S (Dow) M.D. (UK)
 Professor of Medicine
 Incharge Medical Unit-I
 Abbasi Shaheed Hospital

DR. S.ASADULLAH HUSSAIN
 M.B.B.S. (DOW) F.R.C.S. (IREL) FRCS (EDIN)
 ASSOCIATE PROF. CARDIAC SURGERY
 KARACHI INSTITUTE OF HEART DISEASES

Medical Superintendent
 Abbasi Shaheed Hospital
 Karachi Metropolitan Corporation

Item NO.	DESCRIPTION	TOTAL QTY.	A/U	M/s. Ameer Din Instrument	M/s. Oasis Medical System	M/s. Popular International	M/s. Khalid Corp.	M/s. Noor International	M/s. Hospital Supply Corp.	M/s. Mediquip s (SMC)	M/s. BIOS	M/s. Shamim & CO.	M/s. Hadi Enterprises	M/s. S. Ejazuddin Co.	M/s. DWP Tech. Pvt. Ltd.	M/s. Bio Medical Tech.	M/s. Med. Elec. Corp.	M/s. Seico Scientific Traders	M/s. Optisurg	M/s. Universal Enterprises
8	<p>DIGITAL MAMMOGRAPHY UNIT.</p> <p>Specification of Quoted model should atleast 03 installations in Pakistan TECHNICAL SPECIFICATION REQUIRED A. X-RAY Tube Assembly a. Focal spot Single / Dual focus (0.3mm) or better b. Anode heat storage capacity Minimum 300KHU or more c. Filter Automatic (Rh/Mo/Al)d. Anode type Tungsten B. Generator. High frequency Generator: 5KW or more b. KV range 20-40 or more c. mA Range: 10-200mA or more d. Manual/AEC ModeC Flat Panel Detector a. Active Area: 24 x 30 cm or More b. Technology Crystalline silicon, Amorphous Selenium or better c. Depth 15 Bit or better d. Pixel Pitch 55µm or better e. QQE 70% or more f. MTF (Modulation Transfer Fuction) 50% @ 5LPIMM or more D. Mammography stand a. Rotation: +180o. motorized, Isocentric rotation b. SID: 65cms or more c. Movements: All movements should be motorized.E. Compression Parameter a. Compression plate: Standard, high edge and Smallb. Compression System: Motor Driven with digital display F. Needle examination package / Biopsy kit G. Console Monitor a. 1 mega pixel or more size 19" or more b. Touch Screen Colored Display 15" or more for Parameters and function management.H. Review Monitor a. Medical grade monitor having resolution not less than 1 mega pixel.I. Acquisition Workstation a. FPD with digital acquisition workstation b. Acquisition software consisting of -c. Local fully functional operational mode d. Selection and positioning of image to display e. DICOM 3 enable and compatible f. Sending or locally stored studies to PACS g. Dual foot switch.h. Workstation table. Standard table and imported lead glass i. Hard Disk capacity (1 TB or more) j. Memory 6GB or morel. Power Requirement a. Operating Voltages: 220VAC K. Environmental Parameter a. Operating Temperature 10oC-28oC or more b. Relative Humidity 30-75% L. Warranty Warrantee / guarantee period should be at least 02 years from the date of Commissioning of the equipment M. Training Supplier / firm should arrange the training of Radiologist and other staff at site.N. Additional Accessories Required: (to be quoted optional)a. 2KVA online UPS b. Lead Apron 2x number.COUNTRY OF MANUFACTURE: Europe/ USA/ Japan/ UK/ Korea/ EquivalentFDA/ CE approved</p>	1		N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	Metaltronica Italy	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q

Javed
 Deputy Medical Superintendent
 Stores
ABBASI SHAHEED HOSPITAL
 Karachi Metropolitan Corporation

Saleemullah
 Prof. Saleemullah
 M.B.B.S (D.O) M.R.C.P (UK)
 Professor of Medicine
 Incharge Medical Unit-I
 Abbasi Shaheed Hospital

S. Asadullah Hussain
 DR. S.ASADULLAH HUSSAIN
 M.B.B.S. (DOW) F.R.C.S. (RELI) F.R.C.S. (GEN)
 ASSOCIATE PROF. CARDIAC SURGERY
 KARACHI INSTITUTE OF HEART DISEASE
 Medical Superintendent
Abbasi Shaheed Hospital
 Karachi Metropolitan Corporation

Item NO.	DESCRIPTION	TOTAL QTY.	A/U	M/s. Ameer Din Instrument	M/s. Oasis Medical System	M/s. Popular International	M/s. Khalid Corp.	M/s. Noor International	M/s. Hospital Supply Corp.	M/s. Mediquip S (SMC)	M/s. BIOS	M/s. Shamim & CO.	M/s. Hadi Enterprises	M/s. S. Ejazuddin Co.	M/s. DWP Tech. Pvt. Ltd.	M/s. Bio Medical Tech.	M/s. Med. Elec. Corp.	M/s. Seico Scientific Traders	M/s. Optisurg	M/s. Universal Enterprises
9	<p>ROOF MOUNTED OPERATION THEATER LIGHT (TWO PRONG) FEATURES</p> <ul style="list-style-type: none"> Unit should have Clarity of vision, optimum performance. Unit should have Concentrated light source. Unit should have Patented, proven reflector technology. Unit should have No color deterioration. Unit should have Cool light. Unit should have be User-friendly. Unit should have Optimum hygiene. Unit should have Ultra-reliable lighting. Unit should have Safety glass for best possible clarity <p>SPECIFICATION</p> <ul style="list-style-type: none"> Should have light intensity of main light 160,000 lux or better. Should have light intensity of satellite 140,000 lux or better. Should have color temperature adjustment at 3500-5500 Kelvin or better. Should have Electric Field adjustment. Should have Focusable light field size d10 at 1m(mm) of main light should be 170-310 or better. Should have Focusable light field size d10 at 1m(mm) of satellite should be equal 170-300 or better. Should have temperature increase at head height <1°c Should have field of illumination of main 3320cm² and 2360cm² of satellite or better. Should have color rendering index to 96Ra or better. Should have light body power consumption must 65W or less. Should have life time of LED greater than 50,000. <p>Country of Manufacture. Europe/ USA/ Japan/ UK/ Korea/ Equivalent FDA/ CE approved.</p>	14		N/Q	N/Q	N/Q	Luvis, Korea	Simon Medical	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	Skytron, USA	N/Q	N/Q	Brandon Medical, UK
10	<p>PHOTOTHERAPY LIGHT</p> <p>1. 24 Nos. super Blue LED light between 420-480 nm2. Examination light 3. 5 inch LCD screen 4. Red Target light for center of the pocket. 5. Lamp life 20,000 hours 6. Continuous Temperature monitoring 7. Therapy time 8. Lamp time monitoring 9. Ensure 600w/cm2/nm is radiance 35cm10. 5 different levels according to patient need. Country of Manufacture. Europe/ USA/ Japan/ UK/ Korea/ Equivalent FDA/ CE approved.</p>	11		N/Q	Novus Medical System, Turkey	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q

[Handwritten signature]

[Handwritten signature]

Deputy Medical Superintendent
ABBASI SHAHEED HOSPITAL
Karachi Metropolitan Corporation

Prof. Sajidullah
M.B.B.S. (DOW) M.R.C.P (UK)
Professor of Medicine
Incharge Medical Unit-I
Abbasi Shaheed Hospital

DR. S.ASADULLAH HUSSAINI
M.B.B.S. (DOW) F.R.C.S. (IREL) FRCS (EDIN)
ASSOCIATE PROF. CARDIAC SURGERY
KARACHI INSTITUTE OF HEART DISEASES
Medical Superintendent
Abbasi Shaheed Hospital
Karachi Metropolitan Corporation

Item NO.	DESCRIPTION	TOTAL QTY.	A/U	M/s. Ameer Din Instrument	M/s. Oasis Medical System	M/s. Popular International	M/s. Khalid Corp.	M/s. Noor International	M/s. Hospital Supply Corp.	M/s. Mediquip (SMC)	M/s. BIOS	M/s. Shamim & CO.	M/s. Hadi Enterprises	M/s. S. Ejazuddin Co.	M/s. DWP Tech. Pvt. Ltd.	M/s. Bio Medical Tech.	M/s. Med. Elec. Corp.	M/s. Seico Scientific Traders	M/s. Optisurg	M/s. Universal Enterprises	
11	<p>INFANT WARMER</p> <ul style="list-style-type: none"> Motorized Trendierburg Easy to use control panel with large and bright LED displays. Pre-Warm. Manual and Servo (Baby) operation modes. Controlled heating of mattress with delayed alarms during Pre-Warm Mode. Remote alarm silence to provide clinician hands free silencing of the alarms. Trendelenburg and reverse Trendelenburg of bed just on a touch of a button Ceramic Heating element for rapid warming. 90o pivoting heater module for different operations like x-ray Digital Appar timer of 1,5,10,20, minutes. Two counters between 1-99 minutes. Intelligent alarms for maximum patient safety Large mattress, drop down side panels for easy access to the baby. Examination lamp for easy observation of baby Optional modules - Integrated Scale, Oxygen Supply, Blender, Easypuff Resuscitator, Suction Module, Integrated Phototherapy, and Electrical Elevation of bed module (Height adjustment), Double Door Drawer, Bracket for Cylinder and 360o Rotating bed for easy access to the baby during surgical operations (OPTIONAL) <p>Country of Manufacture. Europe/ USA/ Japan/ UK/ Korea/ Equivalent FDA/ CE approved</p>	10		N/Q	Novous Medical System, Turkey	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	
12	<p>LAPAROSCOPE</p> <p>Endovision System 3 chip video camera system with PAL/NTSC colour system 3 chip (3 CCD) Camera head BNC connecting cable at least 175cms long S-Video cable at least 175cms long Video printer cable Power cable Should have digital zoom facility and Automatic white balancing Fully autoclavable Light source Xenon light source 300 watt Consistent constant colour temperature Xenon arc lamp with life of 500 working Hours One spare Xenon arc lamp Power supply 100-240 V Connecting cable CO2 insufflator High quality high flow insufflator with flow rate 20 liters per minute Should have automatic pressure and flow control High and low intra abdominal pressure alarm/warning signal Silicon tubing 2 in number (Autoclavable) Connecting cable Sterile filter (1 pack of 10) Universal wrench (1 in number) High quality pin type CO2 cylinders (2 in number) Power supply 100-240 V CO2 regular Telescope High quality distortion free telescope 10mm diameter 0o fully autoclavable Incorporated fiber optic light Fiber optic light cable 300cm long (autoclavable) Minimum working length 30 cms Monitor Medical grade monitor 19 Inches or above Flat screen PAL/NTSC colour system Resolution 1280x1024 SDI Should have S-Video RGB Should have output video/printer 100 - 240 V Mains cord BNC cable Wall or stand mount Hand instruments 1. Vares pneumoperitoneum needle with spring loaded blunt stylet with leuc lock length 12cm or above (1 no) 2. Trocar 11mm (which can accommodate 10mm telescope & 10mm instruments) with pyramidal tip, magnetic ball valve, multiple function valve length 10cms or above insufflations stop cock (3 in nos) 3. Trocar 11mm consisting of trocar only with blunt tip without valve with insufflation stopcock with 2 flanges for fixation of sutures (1 no) 4. Trocar 6mm (which can accommodate 5mm telescope & 5mm instruments) with pyramidal tip with stop cock with multifunction valve length 10cms or above (3 in nos) 5. Reducer 11 to 5mm (1 no) 6. Reduction sleeve 11 to 5mm (1 no) 7. Click line dissecting and grasping forceps 5mm without ratchet 8. Maryland dissecting and grasping forceps 10mm heavy jaws double action with ratchet (1 no) 9. Grasping forceps 5mm with ratchet (1 no) 10. Hook scissors single action jaws without ratchet (1 no) 11. Metzbaum scissors double action jaws curved blades with length 10 to 12mm without ratchet (1 no) 12. Clip applicator 10mm length 30cms or more for application of ligaclips LT-300 & LT - 400 (1 no) 13. Needle holder 5mm self aligning with disengagable ratchet with Tungsten Carbide insert (1 no) 14. Dissecting and coagulating L - hook 5mm 35cms long or above (1 no) 15. Dissecting and coagulating spatula 5mm (1 no) 16. Suction and irrigation cannula 5mm with trumpet valves for suction and irrigation with stop cock (1 no) 17. Claw forceps 10mm heavy single action jaws with ratchet (1 no) 18. Puncture and aspiration needle 5mm with leuc lock connection working length</p>	1		N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	B. Braun Aesculap	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q

Deputy Medical Superintendent
 ABBASI SHAHEED HOSPITAL
 Karachi Metropolitan Corporation

Prof. Saleem
 M.B.B.S (Dow) M.D.
 Professor of Medicine
 Incharge Medical Unit-I
 Abbasi Shaheed Hospital

DR. S. ASADULLAH HUSAINI
 M.B.B.S (DOW) M.D. (FRCS (EDIN))
 ASSOCIATE PROFESSOR OF CARDIAC SURGERY
 KARACHI INSTITUTE OF HEART DISEASES

Medical Superintendent
 Abbasi Shaheed Hospital
 Karachi Metropolitan Corporation

Item NO.	DESCRIPTION	TOTAL QTY.	A/U	M/s. Ameer Din Instrument	M/s. Oasis Medical System	M/s. Popular International	M/s. Khalid Corp.	M/s. Noor International	M/s. Hospital Supply Corp.	M/s. Mediquip (SMC)	M/s. BIOS	M/s. Shamim & CO.	M/s. Hadi Enterprises	M/s. S. Ejazuddin Co.	M/s. DWP Tech. Pvt. Ltd.	M/s. Bio Medical Tech.	M/s. Med. Elec. Corp.	M/s. Seico Scientific Traders	M/s. Optisurg	M/s. Universal Enterprises	
13	<p>MOBILE OT LIGHT</p> <p>Technical Specifications</p> <ul style="list-style-type: none"> • Should have central illuminance EC (100 cm) [1x] =60,000 or better • Should have Electrical dimming capability from /to [1x] 25,000-60,000. • Color Temperature [k] should be 4,500 or better. • Focusable size of light field d 10at a distance of 1m [mm] should be 170 or better. • Colour rendering index Ra in any color temperature configuration should be 96 or better • Red Rendering index should be 96 or better. • Led Life Time must be at least > 40,000 [h] <p>Country of Manufacture Europe/ USA/ Japan/ UK/ Korea/ Equivalent FDA/ CE approved.</p>	10		N/Q	N/Q	N/Q	Luis, Korea	Simeon Medical	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	Brandon Medical, UK
14	<p>CTG FETAL & MATERNAL MONITOR</p> <p>Specification FHR Ultrasound frequency: 1.0 MHzUltrasound strength < 5mW/cm2FHR Range: 50-210 bpmAccuracy: +2 bpmTOCOTOCO Range: 0-100 unitsNon-linear tolerance: < +10%Auto Fetal MovementRange: 0-100Maternal SpO2Measurement Range: 70%- 100%Accuracy: +3%HRMeasurement Range: 30-240 bpm Accuracy: +2 bpmMaternal NIBPSystolic pressure: 50-240mmHgMean pressure: 15-180mmHgDiastolic pressure: 25-200mmHgOptions:</p> <ul style="list-style-type: none"> • Twins FHR measurement • Build-in network/PC connecting interface • FAS (Fetal acoustic stimulator) Wireless network Country of Manufacture Europe/ USA/ Japan/ UK/ Korea/ EquivalentFDA/ CE approved. 	8		N/Q	N/Q	N/Q	Huntleigh, UK	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	Huntleigh UK	N/Q	N/Q	N/Q	N/Q	N/Q

No Brochure

No Brochure

↓ Specifications ??

Deputy Medical Superintendent
 Stores
ABBASI SHAHEED HOSPITAL
 Karachi Metropolitan Corporation

Prof. Saleemullah
 M.B.S.S (Dow) M.R.C.P (UK)
 Professor of Medicine
 Incharge Medical Unit-I
Abbasi Shaheed Hospital

DR. S. ASADULLAH HUSSAINI
 M.B.S.S. (DOW) F.R.C.S. (REL) F.R.C.S. (EDIN)
 ASSOCIATE PROF. CARDIAC SURGERY
 KARACHI INSTITUTE OF HEART DISEASES

Medical Superintendent
Abbasi Shaheed Hospital
 Karachi Metropolitan Corporation

Item NO.	DESCRIPTION	TOTAL QTY.	A/U	M/s. Ameer Din Instrument	M/s. Oasis Medical System	M/s. Popular International	M/s. Khalid Corp.	M/s. Noor International	M/s. Hospital Supply Corp.	M/s. Mediquip s (SMC)	M/s. BIOS	M/s. Shamim & CO.	M/s. Hadi Enterprises	M/s. S. Ejazuddin Co.	M/s. DWP Tech. Pvt. Ltd.	M/s. Bio Medical Tech.	M/s. Med. Elec. Corp.	M/s. Seico Scientific Traders	M/s. Optisurg	M/s. Universal Enterprises	
15	<p>CARDIAC MONITOR (MULTI PARA MONITOR) SMART CABLE MODULE CABLE TECHNOLOGY: For monitoring of patients Vital Signs Operating Features and Characteristics: Non fade TFT color display. Electro-surgical interference suppression/protection. Defibrillator protection. Freeze and cascade facility Waveform: 14 or more. Waveform trace speed: 25 to 50 mm/sec Screen size 'min 12" or more TFT / LCD color Touch Screen display PARAMETERS: • ECG: Numeric: heart rate Waveform: 10 Wave forms minimum, real time and freeze ECG trace 12 Lead ECG Interpretation with 10 Lead ECG Electrode. • Non-invasive Blood Pressure (NIBP): Method: Oscillometric principle Numeric: Systolic, diastolic and mean pressures Selectable auto inflate interval settings Rising Cuff / Continuous Pressure display • Temperature: Numeric: Temperature Selectable in oC / oF • Pulse Oximetry: Numeric: 0-100% oxygen saturation measuring range Waveform: Plethysmograph pulse with pulse strength indication. Motion Tolerance Technology. Spo2 Technology should be from the original / same manufacturer. • Arrhythmia Analysis: Arrhythmia analysis and ST analysis. Minimum 20 or more arrhythmia items. • Respiration: Breathe rate display and alarms. Sweep speed, 12.5 to 50 mm/sec. • Other Features: Trend Data, 72 hours trend graphical and tabular. • Alarms: High & Low (settable) on all parameters.</p>	30		N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q
16	<p>CENTRIFUGE MACHINE Ultrahigh Centrifuge Machine 12000 to 14000rpm Country of Manufacture. Europe/ USA/ Japan/ UK/ Korea/ Equivalent FDA/ CE approved.</p>	20		N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q

Nihon Kohden Japan
 7

Not Quoted

7

[Handwritten signature]

[Handwritten signature]
 Medical Superintendent
 AbAbh Shaheed Hospital
 Karachi Metropolitan Corporation

[Handwritten signature]
 Deputy Medical Superintendent
 Stars
 ABBASI SHAHEED HOSPITAL
 Karachi Metropolitan Corporation

[Handwritten signature]
 Prof. Saadullah
 M.B.B.S. (Dow) M.R.C.P (UK)
 Professor of Medicine
 Incharge Medical Unit-I
 Abbasi Shaheed Hospital

DR. S. ASADULLAH HUSSAINI
 M.B.B.S. (DOW) F.R.C.S. (IREL) FRCS (EDIN)
 ASSOCIATE PROF. CARDIAC SURGERY
 KARACHI INSTITUTE OF HEART DISEASES

Item NO.	DESCRIPTION	TOTAL QTY.	A/U	M/s. Ameer Din Instrument	M/s. Oasis Medical System	Popular International	M/s. Khalid Corp.	M/s. Noor International	M/s. Hospital Supply Corp.	M/s. Mediquip S (SMC)	M/s. BIOS	M/s. Shamim & CO.	M/s. Hadi Enterprises	M/s. S. Ejazuddin Co.	M/s. DWP Tech. Pvt. Ltd.	M/s. Bio Medical Tech.	M/s. Med. Elec. Corp.	M/s. Seico Scientific Traders	M/s. Optisurg	M/s. Universal Enterprises
17	<p>ANESTHESIA MACHINE WITH VENTILATOR</p> <p>Anesthesia Ventilator:</p> <ul style="list-style-type: none"> Ventilator control screen should 15" or more full-color touch screen TFT. Should be based on bag in bottle system. Ventilation modes: Man/Spont, VCV, VC-SIMV, PC-SIMV PCV, PSV Should be equipped with anti-barotrauma and anti-volutrauma system. Tidal volume from 5 ml to 1600 ml • Peak pressure should be 4 – 70 cm H2 O. Inspiratory to expiratory time starting from 4:2 till 1:10. PEEP not less than 30mbar. Measured parameters should include: Expired tidal volume, frequency, minute volume, PEEP, mean pressures, airway pressure, ratio, patient pressure. Audible and visual alarms: Low air/ N2O/O2 input pressure, apnea alarm, O2 alarms, upper/lower limit alarms and leak or patient disconnection, user technical alarms. Battery backup till up to 150 minutes. Operating voltage: up to 240 V and 60 Hz. Supplied With • One vaporizer. CO2 absorber Disposable breathing circuit • Power Cord Operating manual Specification of machine: Oxygen flush 35 l/min (between 3 – 8 bar) Should have built in suction operation on vacuum. Should automatically compensate for the amount of fresh gas flow directly to the patient. Should have 25% of O2 guaranteed in mixture with N2O. Fresh gas flow settings are displayed in the form of a sphere so that both gas mixture and concentrations are immediately clear. Vaporizer should be flow and temperature compensated. Should work as a half open system or a fully closed system depending on the fresh gas setting set by the user. Should equipped with Electronic Rotameter. Selecatec system two station vaporizer mounting. Minimum 1.5 liters CO2 absorber volume Integrated multi gas analyzer option should be present. Three drawer units. Integrated CSM option should be present. <p>Country of Manufacture Europe/ USA/ Japan/ UK/ Korea/ Equivalent/FDA/ CE approved.</p>	15		N/Q	Norvap, UK	N/Q	AVS Penlon, UK	Medec	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q
18	<p>SYRINGE PUMP</p> <p>Syringe Sizes (ml) 10, 20, 30, 50</p> <p>Flow Rate Range</p> <ul style="list-style-type: none"> 0.1-400 mL/h (10 ml syringe) or better 0.1-700 mL/h (20 ml syringe) or better 0.1-900 mL/h (30 ml syringe) or better 0.1-1500 mL/h (50 ml syringe) or better <p>Features:</p> <ul style="list-style-type: none"> Maximum flow of up to 1500 ml/h Expanded number of applications e.g supplementary feeding, blood transfusion, chemotherapy and infusion of therapeutic drugs. Compatible with a wide make of syringes Plunger monitor Pressure Alarm for detection of occlusion Computer Integration System Electromagnetic Compatibility Safety mechanisms (Power switch) Replaceable Battery Up till 6 special function including operation reminder, auto power off, alarm repeat, data memorize, buzzer setting and power source switch alarm <p>Should be able to control the administration of intravenous fluids in very small amounts and at a carefully regulated rate over long periods</p> <p>Country of Manufacture Europe/ USA/ Japan/ UK/ Korea/ Equivalent/FDA/ CE approved.</p>	40		N/Q	N/Q	N/Q	N/Q	Medcaptain	N/Q	N/Q	N/Q	N/Q	N/Q	JMS Singapore	N/Q	Dqiwaha Korea	N/Q	N/Q	N/Q	N/Q

Specs to be confirmed letter required
 in A.

No brochures
 -

Medical Superintendent
 Abbasi Shaheed Hospital
 Karachi Metropolitan Corporation

Deputy Medical Superintendent
 Stores
 ABBASI SHAHEED HOSPITAL
 Karachi Metropolitan Corporation

Prof. Saleem
 M.B.B.S (Dow) M.R.C.P (UK)
 Professor of Medicine
 Incharge Medical Unit-I
 Abbasi Shaheed Hospital

Compatible
 e
 JMS
 Syringe
 flow
 rates
 less than
 demanded.

Does not fulfill specs.

DR. S. ASADULLAH HUSSAINI
 M.B.B.S (DOW) F.R.C.S. (IREL) F.R.C.S. (EDIN)
 ASSOCIATE PROFESSOR OF CARDIAC SURGERY
 KARACHI INSTITUTE OF HEART DISEASES

Item NO.	DESCRIPTION	TOTAL QTY.	A/U	M/s. Ameer Din Instrument	M/s. Oasis Medical System	M/s. Popular International	M/s. Khalid Corp.	M/s. Noor International	M/s. Hospital Supply Corp.	M/s. Mediquip s (SMC)	M/s. BIOS	M/s. Shamim & CO.	M/s. Hadi Enterprises	M/s. S. Ejazuddin Co.	M/s. DWP Tech. Pvt. Ltd.	M/s. Bio Medical Tech.	M/s. Med. Elec. Corp.	M/s. Seico Scientific Traders	M/s. Optisurg	M/s. Universal Enterprises	
19	PULSE OXIMETER TECHNICAL (WITH PROP) Specifications Oxygen Saturation Display Range 0-100% SpO2 Pulse Rate Range 15-315 BPM Features: • Should have 70 hours of memory available for extended monitoring or better • Monitors suitable to adult patients in acute care to homecare environments • Requirements • Should have light weights compact and user friendly interface • Should have Bright LED displays and large display screen offer clear readability • Use as a stand- alone device or interface with other equipment • Allow user to adjust the limit and volume default setting to their specific Country of Manufacture Europe/ USA/ Japan/ UK/ Korea/ Equivalent FDA/ CE approved.	29		N/Q	N/Q	N/Q	Meddlab, Germany <i>Johns battery backup</i>	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	Medical Supply China <i>China X.</i>	N/Q	N/Q	N/Q	N/Q	
20	DEFIBRILLATOR ✓ Display 6.5" inch or more color LCD TFT ✓ Defibrillator with color monitor and recorder mains 220V/50Hz 1 phase - Built in rechargeable battery for minimum 100 shocks at maximum energy - Energy delivered 2-270 joules or more - Quick ECG waveform recovery after defibrillation, the ECG waveform recovers within 3 seconds - Defibrillator should have discharge button on both main unit and the paddle - Charging time should be less than 5 seconds for 270 joules - Self-test should be available to ensure reliable use of the defibrillator, whenever the power is turned on or the power cord is connected or disconnected. The self-test checks the battery expiration date and remaining voltage and the High-Voltage circuit - Self test result should be saved in internal memory for later review - Bi-Phase waveform delivery system, ECG through paddles and patient cable - Trace Speed 25mm/sec - Contact Indicator to check for optimal skin contact via LED's on paddle, delivered energy level to be printed on the print out - Recorder speed 25mm/sec with standard paper, digital HR with low/high alarm and Adult & Pediatrics Paddles - Voice recording Surrounding sound, synchronized with the ECG waveform and should be recorded - AED Cable with pad - Should have upgradable capability to measure SPO2 & CO2 (Main Stream) for incubated patient & non-incubated patients - Country of Manufacture. - Europe/ USA/ Japan/ UK/ Korea/ Equivalent FDA/ CE approved.	2		N/Q	N/Q	N/Q	Innomad, Germany <i>77</i>	N/Q	N/Q	Minea Kohden Japan <i>77</i>	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	
21	5-8" touch screen TFT display- 2 trace waveform- SpO2% Range: 0-100%- Pulse Rate Range 30-250 bpm- NIBP Technology: Automatic oscillating measurement- Cuff inflating: <30s- Mode: Manual, Auto, STAT- Pulse Rate Range: 30 bpm-250 bpm- Measuring Range: Adult/Pediatric Mode- Adult mode: SYS: 40-250(mmHg), DIA: 15-200(mmHg)- Neonatal Mode: SYS: 40-135(mmHg), DIA: 15-100(mmHg)- Pressure Accuracy: Maximum Mean error + 5mmHg- Alarm- Red light LED wavelength SpO2Probe- Complete with accessories Country of Manufacture Europe/ USA/ Japan/ UK/ Korea/ Equivalent FDA/ CE approved.	22		N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q

[Handwritten signature]


Deputy Medical Superintendent
Stores
ABBASI SHAHEED HOSPITAL
Karachi Metropolitan Corporation
Medical Superintendent
Abbasi Shaheed Hospital
Karachi Metropolitan Corporation



Prof. Saleemullah
M.B.B.S (DOW) M.R.C.P (UK)
Professor of Medicine
Incharge Medical Unit-I
Abbasi Shaheed Hospital


MT Ahmad
77


DR. S. ASADULLAH HUSSAINI
M.B.B.S (DOW) F.R.C.S. (IREL) FRCS (EDIN)
ASSOCIATE PROF. CARDIAC SURGERY
KARACHI INSTITUTE OF HEART DISEASES

Item NO.	DESCRIPTION	TOTAL QTY.	A/U	M/s. Ameer Din Instrument	M/s. Oasis Medical System	M/s. Popular International	M/s. Khalid Corp.	M/s. Noor International	M/s. Hospital Supply Corp.	M/s. Mediquips (SMC)	M/s. BIOS	M/s. Shamim & CO.	M/s. Hadi Enterprises	M/s. S. Ejazuddin Co.	M/s. DWP Tech. Pvt. Ltd.	M/s. Bio Medical Tech.	M/s. Med. Elec. Corp.	M/s. Seico Scientific Traders	M/s. Optisurg	M/s. Universal Enterprises	
22	<p>BLOOD GAS ANALYZER (ABG ANALYZER) Display-TFT 10" VGA color touch screen or better Input Parameters: The input parameters should at least include the following; Patient ID, Patient height, Patient department, T, Sample type, Patient note, Patient weight, Patient accession no., Patient age, Patient sex, Draw time, Date of birth, Sample site, Patient birth weight, Patient gestational age, Patient name, Physician, Operator, Operator department, p50(st), RQ, FO2(I), Qt, VO2, VCO, sO2(v-), pO2(v-), ctHb, FCOHb(1), and FCOHb(2) Technical Specification: Liquid Volume: 700ul or better Cycle time: <2min 40 sec or better Scanning time: <30sec with filled carousel or better Hardware: Intel Celeron Processor 128 MB RAM Hardisk 40 GB CD/RW/DVD drive Dedicated 80386 CPU for wet section operations Serial line RS232 Windows XP Embedded Sybase Type Parameter PH PH**, cH+ Blood Gas PCO2, PO2 Electrolytes cCa2+, ck+, cNa+ Glucose cGlu Hemotocrit Het Oximetry ctHb, sO2, FO2HB, FCOHb, FMetHb, HHb, FHHbF Data Capacity: Should include the following results: Should be able to store 2000 Patients Records Country of Manufacture: Europe/ USA/ Japan/ UK/ Korea/ Equivalent FDA/ CE approved.</p>	1		N/Q	N/Q	N/Q	N/Q	Radiometer	N/Q	N/Q	N/Q	N/Q	N/Q	Radio Meter Denmark	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q




 Deputy Medical Superintendent
 Stores
 ABBASI SHAHEED HOSPITAL
 Karachi Metropolitan Corporation

 Medical Superintendent
 Abbasi Shaheed Hospital
 Karachi Metropolitan Corporation


 Prof. Saleem
 M.B.S.S (Dow) FRCGS
 Professor of Medicine
 Incharge Medical Unit
 Abbasi Shaheed Hos


 DR. SABADULLAH HUSSAINI
 M.B.S. (DOW) FRC(GENEREL) FRCS (EDIN)
 ASSOCIATE PROF. CARDIAC SURGERY
 KARACHI INSTITUTE OF HEART DISEASES

Item NO.	DESCRIPTION	TOTAL QTY.	A/U	M/s. Ameer Din Instrument	M/s. Oasis Medical System	M/s. Popular International	M/s. Khalid Corp.	M/s. Noor International	M/s. Hospital Supply Corp.	M/s. Mediquips (SMC)	M/s. BIOS	M/s. Shamim & CO.	M/s. Hadi Enterprises	M/s. S. Ejazuddin Co.	M/s. DWP Tech. Pvt. Ltd.	M/s. Bio Medical Tech.	M/s. Med. Elec. Corp.	M/s. Seico Scientific Traders	M/s. Optisurg	M/s. Universal Enterprises	
23	<p>RADIOFREQUENCY LESION GENERATOR For Pain Management The frequency used for the sensory and the motor stimulation can be varied by the user between 2 and 100 Hz respectively. The standard value for the sensory stimulation in mode "stimulation 1" is 50Hz for the motor stimulation in mode "stimulation2" the standard value is 2Hz Features:</p> <ul style="list-style-type: none"> • Should be ergonomic design and handing • Electronic temperature control • Automatic lesion via start button • Manual lesion with direct temperature pre-selection • Pulsed radiofrequency mode • Protective circuit for maximum security • Indications • Should be selective facette denervation • Thermo-coagulation of the ganglion gasserii • Pain therapy on the spinal cord • Pain therapy on the peripheral nerves • Sympathetic nerve block • Main Functions • Should have RF lesion with up to 25 Watt or more. • Pulsed RF-Lesion with up to 50 Volt• Stimulation with up to 3 Volt • Should be analog and digital temperature control • Easy menu navigation • Impedance Measurement • Range: 0 to 2500 Ω or better • Frequency: 50Hz or better. • Testresistor: 450 Ω or better• Display: 0 to 3000 Ω in 1 Ω steps • Stimulation: Voltage: 0 to 3,0 Volt (+- 0,3V) • Frequency: 2 to 100 Hz or more • Wave form: biphasic square, 1ms neg., 1ms pos. • Display: 0 to 100Hz in 1 Hz steps • Temperature • Thermo-element: Type k • Range 0 to 100 C • Digital display: 0 to 100 C in 1C steps • Analog display: 0 to 100 CRF-Lesion • Power 0 to 25 into 100Ω or better • Frequency: 480 kHz or better • Max lesion time: 300 s or less • Max temperature: 95 C • Timer: 1 to 300 s or less • Complete with Standard Accessories • Reusable Thermocouples 100 mm 1 no 	1		N/Q	N/Q	N/Q	N/Q	Piros Technologies	N/Q	N/Q	Schwa Medico, Germany	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q



Deputy Medical Superintendent
Abbasi Shaheed Hospital

Abbasi Shaheed Hospital
Karachi Metropolitan Corporation

Prof. Asadullah Hussaini
M.B.B.S (DOW), F.C.S. (IREL), F.R.C.S. (EDIN)
Professor of Medicine
Incharge Medical Unit-I
Abbasi Shaheed Hospital

DR. S. ASADULLAH HUSSAINI
M.B.B.S. (DOW), F.C.S. (IREL), F.R.C.S. (EDIN)
ASSOCIATE PROF. CARDIAC SURGERY
KARACHI INSTITUTE OF HEART DISEASES

Medical Superintendent
Abbasi Shaheed Hospital
Karachi Metropolitan Corporation

Item NO.	DESCRIPTION	TOTAL QTY.	A/U	M/s. Ameer Din Instrument	M/s. Oasis Medical System	M/s. Popular International	M/s. Khalid Corp.	M/s. Noor International	M/s. Hospital Supply Corp.	M/s. Mediquip S (SMC)	M/s. BIOS	M/s. Shamim & CO.	M/s. Hadi Enterprises	M/s. S. Ejazuddin Co.	M/s. DWP Tech. Pvt. Ltd.	M/s. Bio Medical Tech.	M/s. Med. Elec. Corp.	M/s. Seico Scientific Traders	M/s. Optisurg	M/s. Universal Enterprises	
24	<p>POLYSOMNOGRAPHY SYSTEM WITH VIDEO & TITRATION SYSTEM (SLEEP SYSTEM)</p> <p>Features:</p> <ul style="list-style-type: none"> • 60 channel amplifier with full 10/20 capability. • Additional derived signals including flow, lung volume and RMI when Embla XactTrace™ effort belts. • Interfaces through the MDrive for wireless recording and removable memory backup. • Routine and expanded sleep protocols, with up to 60 channels and full 10/20 EEG functionality. • Should Supported with Embla RemLogic™, Sandman®, and REMbrandt® a high quality color LCD screen for signal display Includes a removable memory card for raw data backu Standard RJ45 ethernet connection Supports adult and pediatric studies • 8 isolated auxiliary DC channels for external devices such as ETCO2 and pH • Flow (nasal cannula) Pulse waveform, Snore (nasal cannula) Heart rate (EKG) • Flow limitation, Flattening (nasal cannula), Qualitative Tidal volume*, R-R Intervals (EKG) • XFlow* SpO2 Average SpO2 Beat-to-beat X-Sum™*, SpO2 Beat-to-beat Phase*, Pulse rate Respiratory rate, XactTrace Belts RMI. <p>Specification:</p> <ul style="list-style-type: none"> - 32 Referential channels (EEG, EOG) - 8 Bipolar channels (EKG, EMG) - 11 Auxiliary channel inputs - 1 Event channel - 8 DC channels - Integrated impedance check - Wide range of selectable sampling rates - Integrated ambient light detector - User selectable up to 2000 Hz - Patient Unit Includes built-in Nasal Pressure and three dimensional Body Position Sensor <p>Components:</p> <ul style="list-style-type: none"> • Amplifier • Camera • Accessories set • CPU (Dell) • LCD 21inch 	1		N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	Philips	Embla Natu USA	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q
	<p>SUCTION MACHINE FOR EMERGENCY, ICU AND OT</p> <ul style="list-style-type: none"> • The pump should have accurate vacuum setting with the membrane vacuum regulator 																				
25	<ul style="list-style-type: none"> • Should have piston / cylinder technology • The vacuum range should start from - 90 mbar / - 675 mm Hg or better • The flow rate should be up to 30 liter/min or better • Should have ISO and CE certification • Castors should have brake system • Should have on 100 - 200 VAC (150W) or 230 - 240 VAC (150 W) • Foot switch ON/OFF • Should have Set of 3 liter jar • Should have Local trolley Imported wheels • Should have Antibacterial filter <p>Country of Manufacture Europe/ USA/ Japan/ UK/ Korea/ EquivalentFDA/ CE approved.</p>	36		N/Q	CAMI, Italy	N/Q	MG Medical, UK	Medela	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q

[Handwritten signature]

Deputy Medical Superintendent
Stores
ABBASI SHAHEED HOSPITAL
Karachi Metropolitan Corporation

M.B.B.S (DOW) M.D. (M.P.)
Professor of Medicine
Incharge Medical Unit-I
Abbasi Shaheed Hospital

DR. S. ASAD KHAN HUSSAINI
M.B.B.S. (DOW) F.R.C.S. (IREL) FRCS (EDIN)
ASSOCIATE PROF. CARDIAC SURGERY
KARACHI INSTITUTE OF HEART DISEASES

Medical Superintendent
Abbasi Shaheed Hospital
Karachi Metropolitan Corporation

Item NO.	DESCRIPTION	TOTAL QTY.	A/U	M/s. Ameer Din Instrument	M/s. Oasis Medical System	M/s. Popular International	M/s. Khalid Corp.	M/s. Noor International	M/s. Hospital Supply Corp.	M/s. Mediquip S (SMC)	M/s. BIOS	M/s. Shamim & CO.	M/s. Hadi Enterprises	M/s. S. Ejazuddin Co.	M/s. DWP Tech. Pvt. Ltd.	M/s. Bio Medical Tech.	M/s. Med. Elec. Corp.	M/s. Seico Scientific Traders	M/s. Optisurg	M/s. Universal Enterprises	
24	<p>POLYSOMNOGRAPHY SYSTEM WITH VIDEO & TITRATION SYSTEM (SLEEP SYSTEM)</p> <p>Features:</p> <ul style="list-style-type: none"> • 60 channel amplifier with full 10/20 capability. • Additional derived signals including flow, lung volume and RMI when Embla XactTrace™ effort belts • Interfaces through the MDrive for wireless recording and removable memory backup. • Routine and expanded sleep protocols, with up to 60 channels and full 10/20 EEG functionality • Should Supported with Embla RemLogic™, Sandman®, and REMbrandt® a high quality color LCD screen for signal display Includes a removable memory card for raw data backu Standard RJ45 ethernet connection Supports adult and pediatric studies • 8 isolated auxiliary DC channels for external devices such as ETCO2 and pH • Flow (nasal cannula) Pulse waveform, Snore (nasal cannula) Heart rate (EKG) • Flow limitation, Flattening (nasal cannula), Qualitative Tidal volume*, R-R Intervals (EKG) • XFlow* SpO2 Average SpO2 Beat-to-beat X-Sum™, SpO2 Beat-to-beat Phase*, Pulse rate Respiratory rate, XactTrace Belts RMI <p>Specification:</p> <ul style="list-style-type: none"> - 32 Referential channels (EEG, EOG) - 8 Bipolar channels (EKG, EMG) - 11 Auxiliary channel inputs - 1 Event channel - 8 DC channels - Integrated impedance check - Wide range of selectable sampling rates - Integrated ambient light detector - User selectable up to 2000 Hz - Patient Unit Includes built-in Nasal Pressure and three dimensional Body Position Sensor <p>Components:</p> <ul style="list-style-type: none"> • Amplifier • Camera • Accessories set • CPU (Dell) • LCD 21inch 	1		N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	Philips	Embla Natura USA	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q
	<p>SUCTION MACHINE FOR EMERGENCY, ICU AND OT</p> <ul style="list-style-type: none"> • The pump should have accurate vacuum setting with the membrane vacuum regulator • Should have piston / cylinder technology • The vacuum range should start from - 90 mbar / - 675 mm Hg or better • The flow rate should be up to 30 liter/min or better • Should have ISO and CE certification • Castors should have brake system • Should have on 100 - 200 VAC (150W) or 230 - 240 VAC (150 W) • Foot switch ON/OFF • Should have Set of 3 liter jar • Should have Local trolley Imported wheels • Should have Antibacterial filter <p>Country of Manufacture Europe/ USA/ Japan/ UK/ Korea/ EquivalentFDA/ CE approved</p>	36		N/Q	CAMI, Italy	N/Q	MG Medical, UK	Medela	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q

31 Channels
—
7.

No Brakes
—
7.

Deputy Medical Superintendent
Stores
ABBASI SHAHEED HOSPITAL
Karachi Metropolitan Corporation

DR. S. AGAS...
M.B.B.S. (DOW) F.R.C.S. (REL) FRCS (EDIN)
Professor of Medicine
Incharge Medical Unit-I
Abbasi Shaheed Hospital

DR. S. AGAS...
M.B.B.S. (DOW) F.R.C.S. (REL) FRCS (EDIN)
ASSOCIATE PROF. CARDIAC SURGERY
KARACHI INSTITUTE OF HEART DISEASES

Medical Superintendent
Abbasi Shaheed Hospital
Karachi Metropolitan Corporation

Item NO.	DESCRIPTION	TOTAL QTY.	A/U	M/s. Ameer Din Instrument	M/s. Oasis Medical System	M/s. Popular International	M/s. Khalid Corp.	M/s. Noor International	M/s. Hospital Supply Corp.	M/s. Mediquip (SMC)	M/s. BIOS	M/s. Shamim & CO.	M/s. Hadi Enterprises	M/s. S. Ejazuddin Co.	M/s. DWP Tech. Pvt. Ltd.	M/s. Bio Medical Tech.	M/s. Med. Elec. Corp.	M/s. Seico Scientific Traders	M/s. Optisurg	M/s. Universal Enterprises	
26	<p>3 CHANNEL ECG MACHINE -</p> <ul style="list-style-type: none"> 3-Channel interpretive Electrocardio graphs with LCD Screen, having the following 12-Lead ECG Simultaneous Display: - An LCD Screen show 12 - lead ECG waveform at a glance for easy reviewing. It also helps save paper. You can confirm noiseless waveforms, Data Storage and transfer. 8 - Files X 10 seconds ECG can be stored and transferred to the serial port of PC printout can be turned off when data is transferred. Manual ID Number Entry: - A numerical ID can be entered with the panel keys for easier filing. High Level 12-Lead ECG Analysis: - Latest Interpretation program is integrated. It provides simultaneous 12-lead ECG acquisition and analysis with approximately 200 finding and 5 judgment categories 3-Channel Recording: - Both roll and Z-Fold paper are available with various recording formats. A high resolution thermal print head provides clear printouts. Unique Pen Sound Generation A Pen sound generation is built into the thermal array recorder so that the operator can evaluate the quality of the ECG recording even from a distance. This helps avoid mis-recording and save paper. AC Battery operation: - An ecological NiMH battery allows measurement and recording of approx. 60 patients Country of Manufacture: Europe/ USA/ Japan/ UK/ Korea/ Equivalent FDA/ CE approved. 	30		N/Q	N/Q	N/Q	Suzuken Co Ltd. Japan	N/Q	N/Q	Nihon Kohden Japan	N/Q	N/Q	N/Q	N/Q	N/Q	Aspel Poland	N/Q	N/Q	N/Q	N/Q	N/Q
	<p>O.T. TABLE FOR UROLOGY, GYNAE & OBS</p> <ul style="list-style-type: none"> Multipurpose Electro Hydraulic Operation table with table top slid function. System operable with hand control switch for all electrical function and foot pump for hydraulic function In case of complete failure of electrical power, table will work on manual hydraulic system Hand switch control with a back lit illumination for convenient and ease of operation Patient weight capacity up to 350kg Built in X-ray cassettes channel. Radio translucent table top. Self diagnosis system with instant error code display. USB port to integrate with OR system. Safety side rail, emergency stop button, hand switch with a special function of patient positioning, up and down, left and right tilt, up and down back, up and down leg, sliding function. Essential function such as lock/unlock, level, flex/reflex incorporated - Normal orientation slide to head end 52" Normal orientation slide leg and 15"- Reserve orientation slide to lag and 25" Range of table movement- Head up : 900- Head down : 900 - Back : +800 / - 500- Leg up : 800- Leg Down : 1050- Trendelburg : +/-300 Lateral tilt : +/-200- Patient weight- Longitudinal Slide : 12.2"- Height from floor : 48"- Slide : 12.2" Complete with :- Anesthesia screen- Basic strap- Arm board pair Shoulder support Lithotomy pole Drain pan Necessary Mounting bracket, rails, sockets etc Country of Manufacture: Europe/ USA/ Japan/ UK/ Korea/ Equivalent FDA/ CE approved. 																				
27	<p>Patient weight capacity up to 350kg</p> <ul style="list-style-type: none"> Built in X-ray cassettes channel. Radio translucent table top. Self diagnosis system with instant error code display. USB port to integrate with OR system. Safety side rail, emergency stop button, hand switch with a special function of patient positioning, up and down, left and right tilt, up and down back, up and down leg, sliding function. Essential function such as lock/unlock, level, flex/reflex incorporated - Normal orientation slide to head end 52" Normal orientation slide leg and 15"- Reserve orientation slide to lag and 25" Range of table movement- Head up : 900- Head down : 900 - Back : +800 / - 500- Leg up : 800- Leg Down : 1050- Trendelburg : +/-300 Lateral tilt : +/-200- Patient weight- Longitudinal Slide : 12.2"- Height from floor : 48"- Slide : 12.2" Complete with :- Anesthesia screen- Basic strap- Arm board pair Shoulder support Lithotomy pole Drain pan Necessary Mounting bracket, rails, sockets etc Country of Manufacture: Europe/ USA/ Japan/ UK/ Korea/ Equivalent FDA/ CE approved. 	9		N/Q	N/Q	N/Q	AFA Taiwan	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q

Poor LCD display
y.

No Brachium Taiwan
y.

[Handwritten signature]

Deputy Medical Superintendent
Stores
ABBASI SHAHEED HOSPITAL
Karachi Metropolitan Corporation

DR. S. ASAD ULLAH HUSSAINI
M.B.B.S (Dow), M.R.C.P (Edin)
Professor of Medicine
Incharge Medical Unit-I
Abbasi Shaheed Hospital

DR. S. ASAD ULLAH HUSSAINI
M.B.B.S (Dow), M.R.C.P (Edin)
ASSOCIATE PROFESSOR
CARDIAC SURGERY
KARACHI INSTITUTE OF HEART DISEASES

[Handwritten signature]
Medical Superintendent
Abbasi Shaheed Hospital
Karachi Metropolitan Corporation

Item NO.	DESCRIPTION	TOTAL QTY.	A/U	M/s. Ameer Din Instrument	M/s. Oasis Medical System	M/s. Popular International	M/s. Khalid Corp.	M/s. Noor International	M/s. Hospital Supply Corp.	M/s. Mediquip S (SMC)	M/s. BIOS	M/s. Shamim & CO.	M/s. Hadi Enterprises	M/s. S. Ejazuddin Co.	M/s. DWP Tech. Pvt. Ltd.	M/s. Bio Medical Tech.	M/s. Med. Elec. Corp.	M/s. Seico Scientific Traders	M/s. Optisurg	M/s. Universal Enterprises
28	<p>PORTABLE ECHO MACHINE</p> <p>Portable Echo machine with fully Digital Beam Former Ultrasound System for Echocardiography Vascular and preoperative cardiac assessment Premium performance point of care Ultrasound</p> <p>SYSTEM COMPOSITION SHOULD HAVE</p> <ul style="list-style-type: none"> - Main Unit. - 15-Inches IPS type Monitor with touch screen - Customizable Pole Cart - Power Extension Unit - Three-Port Probe Unit - Color Doppler - PW Doppler - Power Doppler - Tissue Harmonic Imaging - Cable Hanger - Integrated battery approx one hour battery back up - Keyboard Kit - Needle Visualize Software - Anti-Virus License - 4 – 18 MHz Multi frequency Ultra-Broadband Linear Probe - CW Kit (Hardware & Software) with - 2 – 4 MHz Multi – frequency Phased Array Sector Probe - Compound scanning - Speckle reduction algorithm. - Trapezoid imaging - Auto image optimization should be able <p>-Portable Ultrasound system should have, easy to use interface and Efficient Workflow with seamless Connectivity. Should have linear, Convex and Phased Array Technology Transducers available with the system. -The standard configuration should include high resolution B mode with the innovative 3THI Harmonic Imaging, dedicated processing algorithms and complete</p>	1		N/Q	N/Q	N/Q	Esaote, Europe / Italy	N/Q	N/Q	Mindray Sona Scape China	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q

[Handwritten Signature]
 Senior Medical Superintendent
 Q-5
 Abbottabad Road, Phase-1
 D-6, G-7, H-8, I-9, J-10, K-11, L-12, M-13, N-14, O-15, P-16, Q-17, R-18, S-19, T-20, U-21, V-22, W-23, X-24, Y-25, Z-26, AA-27, AB-28, AC-29, AD-30, AE-31, AF-32, AG-33, AH-34, AI-35, AJ-36, AK-37, AL-38, AM-39, AN-40, AO-41, AP-42, AQ-43, AR-44, AS-45, AT-46, AU-47, AV-48, AW-49, AX-50, AY-51, AZ-52, BA-53, BB-54, BC-55, BD-56, BE-57, BF-58, BG-59, BH-60, BI-61, BJ-62, BK-63, BL-64, BM-65, BN-66, BO-67, BP-68, BQ-69, BR-70, BS-71, BT-72, BU-73, BV-74, BW-75, BX-76, BY-77, BZ-78, CA-79, CB-80, CC-81, CD-82, CE-83, CF-84, CG-85, CH-86, CI-87, CJ-88, CK-89, CL-90, CM-91, CN-92, CO-93, CP-94, CQ-95, CR-96, CS-97, CT-98, CU-99, CV-100, CW-101, CX-102, CY-103, CZ-104, DA-105, DB-106, DC-107, DD-108, DE-109, DF-110, DG-111, DH-112, DI-113, DJ-114, DK-115, DL-116, DM-117, DN-118, DO-119, DP-120, DQ-121, DR-122, DS-123, DT-124, DU-125, DV-126, DW-127, DX-128, DY-129, DZ-130, EA-131, EB-132, EC-133, ED-134, EE-135, EF-136, EG-137, EH-138, EI-139, EJ-140, EK-141, EL-142, EM-143, EN-144, EO-145, EP-146, EQ-147, ER-148, ES-149, ET-150, EU-151, EV-152, EW-153, EX-154, EY-155, EZ-156, FA-157, FB-158, FC-159, FD-160, FE-161, FF-162, FG-163, FH-164, FI-165, FJ-166, FK-167, FL-168, FM-169, FN-170, FO-171, FP-172, FQ-173, FR-174, FS-175, FT-176, FU-177, FV-178, FW-179, FX-180, FY-181, FZ-182, GA-183, GB-184, GC-185, GD-186, GE-187, GF-188, GG-189, GH-190, GI-191, GJ-192, GK-193, GL-194, GM-195, GN-196, GO-197, GP-198, GQ-199, GR-200, GS-201, GT-202, GU-203, GV-204, GW-205, GX-206, GY-207, GZ-208, HA-209, HB-210, HC-211, HD-212, HE-213, HF-214, HG-215, HH-216, HI-217, HJ-218, HK-219, HL-220, HM-221, HN-222, HO-223, HP-224, HQ-225, HR-226, HS-227, HT-228, HU-229, HV-230, HW-231, HX-232, HY-233, HZ-234, IA-235, IB-236, IC-237, ID-238, IE-239, IF-240, IG-241, IH-242, II-243, IJ-244, IK-245, IL-246, IM-247, IN-248, IO-249, IP-250, IQ-251, IR-252, IS-253, IT-254, IU-255, IV-256, IW-257, IX-258, IY-259, IZ-260, JA-261, JB-262, JC-263, JD-264, JE-265, JF-266, JG-267, JH-268, JI-269, JJ-270, JK-271, JL-272, JM-273, JN-274, JO-275, JP-276, JQ-277, JR-278, JS-279, JT-280, JU-281, JV-282, JW-283, JX-284, JY-285, JZ-286, KA-287, KB-288, KC-289, KD-290, KE-291, KF-292, KG-293, KH-294, KI-295, KJ-296, KK-297, KL-298, KM-299, KN-300, KO-301, KP-302, KQ-303, KR-304, KS-305, KT-306, KU-307, KV-308, KW-309, KX-310, KY-311, KZ-312, LA-313, LB-314, LC-315, LD-316, LE-317, LF-318, LG-319, LH-320, LI-321, LJ-322, LK-323, LL-324, LM-325, LN-326, LO-327, LP-328, LQ-329, LR-330, LS-331, LT-332, LU-333, LV-334, LW-335, LX-336, LY-337, LZ-338, MA-339, MB-340, MC-341, MD-342, ME-343, MF-344, MG-345, MH-346, MI-347, MJ-348, MK-349, ML-350, MN-351, MO-352, MP-353, MQ-354, MR-355, MS-356, MT-357, MU-358, MV-359, MW-360, MX-361, MY-362, MZ-363, NA-364, NB-365, NC-366, ND-367, NE-368, NF-369, NG-370, NH-371, NI-372, NJ-373, NK-374, NL-375, NM-376, NN-377, NO-378, NP-379, NQ-380, NR-381, NS-382, NT-383, NU-384, NV-385, NW-386, NX-387, NY-388, NZ-389, OA-390, OB-391, OC-392, OD-393, OE-394, OF-395, OG-396, OH-397, OI-398, OJ-399, OK-400, OL-401, OM-402, ON-403, OO-404, OP-405, OQ-406, OR-407, OS-408, OT-409, OU-410, OV-411, OW-412, OX-413, OY-414, OZ-415, PA-416, PB-417, PC-418, PD-419, PE-420, PF-421, PG-422, PH-423, PI-424, PJ-425, PK-426, PL-427, PM-428, PN-429, PO-430, PP-431, PQ-432, PR-433, PS-434, PT-435, PU-436, PV-437, PW-438, PX-439, PY-440, PZ-441, QA-442, QB-443, QC-444, QD-445, QE-446, QF-447, QG-448, QH-449, QI-450, QJ-451, QK-452, QL-453, QM-454, QN-455, QO-456, QP-457, QQ-458, QR-459, QS-460, QT-461, QU-462, QV-463, QW-464, QX-465, QY-466, QZ-467, RA-468, RB-469, RC-470, RD-471, RE-472, RF-473, RG-474, RH-475, RI-476, RJ-477, RK-478, RL-479, RM-480, RN-481, RO-482, RP-483, RQ-484, RR-485, RS-486, RT-487, RU-488, RV-489, RW-490, RX-491, RY-492, RZ-493, SA-494, SB-495, SC-496, SD-497, SE-498, SF-499, SG-500, SH-501, SI-502, SJ-503, SK-504, SL-505, SM-506, SN-507, SO-508, SP-509, SQ-510, SR-511, SS-512, ST-513, SU-514, SV-515, SW-516, SX-517, SY-518, SZ-519, TA-520, TB-521, TC-522, TD-523, TE-524, TF-525, TG-526, TH-527, TI-528, TJ-529, TK-530, TL-531, TM-532, TN-533, TO-534, TP-535, TQ-536, TR-537, TS-538, TT-539, TU-540, TV-541, TW-542, TX-543, TY-544, TZ-545, UA-546, UB-547, UC-548, UD-549, UE-550, UF-551, UG-552, UH-553, UI-554, UJ-555, UK-556, UL-557, UM-558, UN-559, UO-560, UP-561, UQ-562, UR-563, US-564, UT-565, UY-566, UZ-567, VA-568, VB-569, VC-570, VD-571, VE-572, VF-573, VG-574, VH-575, VI-576, VJ-577, VK-578, VL-579, VM-580, VN-581, VO-582, VP-583, VQ-584, VR-585, VS-586, VT-587, VU-588, VV-589, VW-590, VX-591, VY-592, VZ-593, WA-594, WB-595, WC-596, WD-597, WE-598, WF-599, WG-600, WH-601, WI-602, WJ-603, WK-604, WL-605, WM-606, WN-607, WO-608, WP-609, WQ-610, WR-611, WS-612, WT-613, WU-614, WV-615, WW-616, WX-617, WY-618, WZ-619, XA-620, XB-621, XC-622, XD-623, XE-624, XF-625, XG-626, XH-627, XI-628, XJ-629, XK-630, XL-631, XM-632, XN-633, XO-634, XP-635, XQ-636, XR-637, XS-638, XT-639, XU-640, XV-641, XW-642, XX-643, XY-644, XZ-645, YA-646, YB-647, YC-648, YD-649, YE-650, YF-651, YG-652, YH-653, YI-654, YJ-655, YK-656, YL-657, YM-658, YN-659, YO-660, YP-661, YQ-662, YR-663, YS-664, YT-665, YU-666, YV-667, YW-668, YX-669, YZ-670, ZA-671, ZB-672, ZC-673, ZD-674, ZE-675, ZF-676, ZG-677, ZH-678, ZI-679, ZJ-680, ZK-681, ZL-682, ZM-683, ZN-684, ZO-685, ZP-686, ZQ-687, ZR-688, ZS-689, ZT-690, ZU-691, ZV-692, ZW-693, ZX-694, ZY-695, ZZ-696

[Handwritten Signature]
 M.B.B.S (DOW) F.R.C.S. (IREL) FRCS (EDIN)
 Professor of Medicine
 Incharge Medical Unit-1
 Abbasi Shaheed Hospital

[Handwritten Signature]
 DR. S. ASADULLAH HUSSAINI
 M.B.B.S. (DOW) F.R.C.S. (IREL) FRCS (EDIN)
 ASSOCIATE PROF. CARDIAC SURGERY
 KARACHI INSTITUTE OF HEART DISEASES

[Handwritten Signature]
 Medical Superintendent
 Abbasi Shaheed Hospital
 Karachi Metropolitan Corporation

Item NO.	DESCRIPTION	TOTAL QTY.	A/U	M/s. Ameer Din Instrument	M/s. Oasis Medical System	M/s. Popular International	M/s. Khalid Corp.	M/s. Noor International	M/s. Hospital Supply Corp.	M/s. Mediquip s (SMC)	M/s. BIOS	M/s. Shamim & CO.	M/s. Hadi Enterprises	M/s. S. Ejazuddin Co.	M/s. DWP Tech. Pvt. Ltd.	M/s. Bio Medical Tech.	M/s. Med. Elec. Corp.	M/s. Seico Scientific Traders	M/s. Optisurg	M/s. Univerpris	
29	<p>DIGITAL ECHOCARDIOGRAPHY MACHINE</p> <p>Digital Echocardiography Machine Fully Digital Beam Former having 128 physical channels and 16,000 or more processing channels with 12 bit a/d converter. Integrated data management System having 500gb hard disk drive for still and cine clips storage.</p> <p>2d/m-mode doppler pw,cw & hprf doppler color flow imaging system capability 2.5</p> <p>- 16 mhz or more m- mode tissue harmonic imaging tissue doppler imaging viewing depth: 35cm or more frame rate 500 or more built - in cine loop 4000 frames or more real time freeze & image magnification ability > 4x pre & post processing sweep speed: slow, medium, fast independent linear syeering: 10- 15 degree for color and b/w ssystem dynamic range: 250 db or more system should be upgradeabe to elastography doppler mode dpecifications pulse repetition frequency range pwnd. up to 10 khz or more cwd: up to 45 khz or more lowest detectable velocity range 0.05cm or less maximum detectable velocity range: pwnd= 18 m/sec or more, cwd= 20 m/sec or more doppler beam steering sample gate size: 1 - 20mm in stepson line 3 - ports for transthorasic probes or more for imaging (all ports should have capability) for pw, and color doppler/doppler beam steering and bi-directional stereo audio color doppler both cw & pw doppler must be continuously steearable in color blood flow imaging mode in real time colorized spectrum display tissue harmonic imaging with three frequency 2d image with color flow power doppler quad parallel color doppler processing fro simultaneously reception in 4 directions auto image optimization /quick scan for single button optimization of all scanning parameters including stc overall gain and doppler spectrum compound scanning using frequency as well as spatial compounding trapezoid imaging / wide view for linear probe precision imaging to enhance b-mode imaginetissue doppler imaging measurement package to provide comprehensive software package for measurement of distance circumference, area, time, depth etc and separate software for, cardiovascular including venous doppler study, imt (intima medial thickness)system complete with 19 - inches or more color monitor with resolution 1280 x following facilities and 1024 flat screen non- interlaced. ecg including cablesaccessories and transducers / electrodes minimum 4 - ports for transducers inclusive of pencil probe standard probes 2 - 4 mhz or more multifrequency sector probe for adult. 3 - 6 mhz sector probe for paed s recording devices built - in cd/dvd recorder for digital image storage. external 2 channel ush lid display to indicate the active probe</p>	1		N/Q	N/Q	N/Q	Esaote, Europe / Italy	N/Q	N/Q	Toshiba Japan	Sono Scape China	N/Q	N/Q	N/Q	Philips	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q



Deputy Medical Superintendent
 Abbas Shaheed Hospital
 Karachi Metropolitan Corporation

M.B.B.S (Dow) F.R.C.S (Edin)
 Professor of Medicine
 Incharge Medical Unit-I
 Abbasi Shaheed Hospital

DR. S.ASADULLAH HUSSAIN
 M.B.B.S. (DOW) F.R.C.S. (IREL) F.R.C.S. (EDIN)
 ASSOCIATE PROF. CARDIAC SURGERY
 KARACHI INSTITUTE OF HEART DISEASES

Medical Superintendent
 Abbasi Shaheed Hospital
 Karachi Metropolitan Corporation

Item NO.	DESCRIPTION	TOTAL QTY.	A/U	M/s. Ameer Din Instrument	M/s. Oasis Medical System	M/s. Popular International	M/s. Khalid Corp.	M/s. Noor International	M/s. Hospital Supply Corp.	M/s. Mediquip s (SMC)	M/s. BIOS	M/s. Shamim & CO.	M/s. Hadi Enterprises	M/s. S. Ejazuddin Co.	M/s. DWP Tech. Pvt. Ltd.	M/s. Bio Medical Tech.	M/s. Med. Elec. Corp.	M/s. Seico Scientific Traders	M/s. Optisurg	M/s. Universal Enterprises
30	<p>MOBILE VENTILATOR MRI COMPATIBLE ADULT & PEADS General:</p> <p>Can be use in ICU special care areas, Cardiac surgery recovery rooms, sub acute care units, while transporting patient to the MRI Department, And provides the first ventilation during MRI Procedure.</p> <p>Special Functions:</p> <p>Special function should include nebulizer, manual breath, 100% O2, Standby, sigh, apnea backup ventilation, serene - lock, screen shot, suctioning tool, Dimmable screen and inspiratory hold, start up over body height and IBW.</p> <p>Ventilation Dimensions:</p> <p>(S) CMV + / APV cmv, PCV + Spont, SIMV + / APV simv, ASV, P-SIMV + OPTIONAL NIV, NIV-ST, DUO PAP and APRV</p> <p>Physical Dimensions:</p> <p>Should have display of 8" or more, TFT color, LED backlit backlit background dimmable</p> <p>Features:</p> <p>Ø Must be able to used at the magnetic field strength of 50mT.</p> <p>Ø Should have integrated gauss meter.</p> <p>Ø Should have alarm lamp at the top of the unit to ensure that the alarming ventilator is immediately identified without the need to look at the screen.</p> <p>Ø The turbine can deliver 210 L / MIN.</p> <p>Ø Should have three color LED'S on the gauss meter which indicates the acceptable limits of the magnetic field</p> <p>Ø Real time visualization of the lung with representation of tidal volume, lung compliance, resistance and patient spontaneous activity.</p> <p>Ø Visual representation of ventilator dependency with respect to time grouped in into oxygenation, CO2, elimination and patient activity.</p> <p>Ø Graphics disp of target and actual parameters for tidal volume frequency, pressure and minute ventilation.</p> <p>Ø Real time wave forms: simultaneous display of Paw, Flow, Volume, Ptrachea, CO2</p> <p>Ø Loops: Display of P-V, V-Flow, P-Flow</p> <p>Ø Trending: Simultaneous display of 4 parameter trends for 1,6,12,24 or 72 hours</p> <p>Technical Specification</p> <ul style="list-style-type: none"> • (S) CMV + / APV cmv, PCV + 4 to 80b/min • SIMV+APVsimv, Duo PAP 1 to 80b/min • PSIMV +, NIV - ST, APRV • Tidal volume starting from 20 ml up to at least 2000ml 	4		N/Q	N/Q	N/Q	N/Q	Homilton Medical	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q

Deputy Medical Superintendent
 ABBASI SHAHEED HOSPITAL
 Karachi Metropolitan Corporation

Prof. G. J. Khan
 M.B.B.S (DOW) F.R.C.P (UK)
 Professor of Medicine
 Incharge Medical Unit-I
 Abbasi Shaheed Hospital

DR. S. ASADULLAH HUSSAINI
 M.B.B.S (DOW) F.R.C.S (IREL) F.R.C.S (EDIN)
 ASSOCIATE PROF. CARDIAC SURGERY
 KARACHI INSTITUTE OF HEART DISEASES

Medical Superintendent
 Abbasi Shaheed Hospital
 Karachi Metropolitan Corporation

Item NO.	DESCRIPTION	TOTAL QTY.	A/U	M/s. Ameer Din Instrument	M/s. Oasis Medical System	M/s. Popular International	M/s. Khalid Corp.	M/s. Noor International	M/s. Hospital Supply Corp.	M/s. Mediquip (SMC)	M/s. BIOS	M/s. Shamim & CO.	M/s. Hadi Enterprises	M/s. S. Ejazuddin Co.	M/s. DWP Tech. Pvt. Ltd.	M/s. Bio Medical Tech.	M/s. Med. Elec. Corp.	M/s. Seico Scientific Traders	M/s. Optisurg	M/s. Universal Enterprises		
31	A&B SCAN WITH BIOMETER DYNAMIC DIGITAL VIDEO • Digital memory and image freezing. • A&B modes with control vector and biometric ruler with computer to calculate IOL power. • LCD monitor, display of overall gain • New field and dynamic settings • Depth of examination 43mm & 58mm • In B mode scanning angle 35° or 55°. • 10MHz B probe • 13 MHz biometry probe • Patient data base management system* Grey scale 256 • With printer A-SCAN TECHNICAL SPECIFICATIONS PROBE Type: Solid probe, "Immersion" or "Contact" Frequency: 13 MHz Internal fixation light: Red Led Measurable Value: Axial length, Anterior chamber Depth, lens thickness, Vitreous length Axial length range: 14 - 40 mm Clinical Accuracy: ± 0.1 mm User-selectable for each of Ultrasonic Velocity: Anterior chamber (1532 m/s), Lens (1532 m/s) for natural lens, preset for PMMA, Acrylic & Silicone IOLs Vitreous cavity (1532 m/s) Natural vitreous, Silicone oil-filled eye (980 m/s or 1040 m/s) IOL CALCULATIONS IOL formulas: Holladay I, Hoffer-Q, SRK-II, SRK/T and Haigis Accuracy: ± 0.01 D steps B-SCAN TECHNICAL SPECIFICATIONS PROBE Type: Motorized Sector B-Probe frequency: 10 MHz supplied (optional 20 MHz) Sector angle: Variable 35° or 55° DISPLAY Depth range: 43 or 58 mm from the probe tip Resolution: Axial direction 0.15 mm, lateral direction max. 0.2 mm live Zoom: 2X, user selectable location on the image Gain curves: logarithmic with user-selectable contrast and brightness CONTROL MEASUREMENTS Distance: Calipers on B-Scan display, gates on profile A-Scan display Dual Screen live Zoom with Calipers Measurement Gain: Adjustable 30 - 114 dB Dynamic range: Adjustable 0 - 85 dB Auto TGC Zone Depth: ± 100%, variable GENERAL TECHNICAL SPECIFICATIONS FILE EXPORT FEATURES Export report as: PDF, RTF Export Snapshot as: TIF, PNG, JPG, AKOM Export Movie as: MoV (Quick-time), AVIDYNAMIC RECORDING Recording time: 50 or 100 seconds loop through, depends on available computer memory recording and Playback: loop, Play, Half-Speed Country of Manufacture: Europe/ USA/ Japan/ UK/ Korea/ Equivalent FDA/ CE approved	3		Sono Med Corp USA (Probe 35 & 50 MHz) y /	N/Q	N/Q	Quantel Medical, France No Brochure - y /	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	
32	APPLANATION TONOMETER HANGING TYPE WITH ONE STANDARD AND ONE EXTRA PRISM Measuring range: From 0 to 80mm Hg in 2mm Hg Increments: ±0.5mm Hg Diameter of the pneumatic face: 3.06mm Measurement: 47mm wide x 30mm deep x 85 mm high Weight: 725gs STANDARD SET: 1 x Applanation Tonometer (main body) 2 x Prism 1 x Calibration bar 1 x slit lamp mount Adaptor Country of Manufacture: Europe/ USA/ Japan/ UK/ Korea/ Equivalent FDA/ CE approved	5		Haag Streit Switzerland Specifications y /	N/Q	N/Q	Haag Streit, Swiss y /	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q

[Handwritten signature]

Deputy Medical Superintendent
 Stores
 ABBASI SHAHEED HOSPITAL
 Karachi Metropolitan Corporation

Dr. S. A. HUSSAINI
 M.B.B.S (DOW) F.R.C.S. (IREL) F.R.C.S. (EDIN)
 Incharge Medical Unit-I
 Abbasi Shaheed Hospital

Dr. S. A. HUSSAINI
 M.B.B.S (DOW) F.R.C.S. (IREL) F.R.C.S. (EDIN)
 ASSOCIATE PROF. CARDIAC SURGERY
 KARACHI INSTITUTE OF HEART DISEASES

Medical Superintendent
 Abbasi Shaheed Hospital
 Karachi Metropolitan Corporation

Item NO.	DESCRIPTION	TOTAL QTY.	A/U	M/s. Ameer Din Instrument	M/s. Oasis Medical System	M/s. Popular International	M/s. Khalid Corp.	M/s. Noor International	M/s. Hospital Supply Corp.	M/s. Mediquips (SMC)	M/s. BIOS	M/s. Shamim & CO.	M/s. Hadi Enterprises	M/s. S. Ejazuddin Co.	M/s. DWP Tech. Pvt. Ltd.	M/s. Bio Medical Tech.	M/s. Med. Elec. Corp.	M/s. Seico Scientific Traders	M/s. Optisurg	M/s. Universal Enterprises
33	<p>ARGON LASER:</p> <ul style="list-style-type: none"> Type: Photo coagulator Laser: 532 nm - (Diode pumped doubled frequency solid state Laser) Output at fiber end: 1.5 watts Pulse interval: single pulse, 1 to 5 Hz Aiming Beam: Tri Dot 635 nm, 2 Mw max. Laser: 50 TO 800 μm Spot size Parfocal Foot Print: 250 X 190 X 52 mm* Weight: 3.3 Kg* Power Supply: External 18V Fiber Attachments: 2 Fiber Ports, One for Slit lamp, SLIT LAMP PCL5 (Laser Delivery System): Type: Binocular Stereoscope Stereo angle full 100° Oculars + 7 Diopter Magnification 5 Step, (6.3X / 10X / 16X / 25X / 40X) Pupillary Distance 52 to 78 mm Slit width 0-16 mm continuous Slit length 1-16 mm continuous Slit diaphragm Ø: 1 mm* Slit rotation + 90° (0-180°) Illumination unit swing Horizontal + 90° Filters Blue, Red free (Green), Grey (10%) UV and Heat Absorption filter are preinstalled Illumination Halogen 6 V, 20 W Eye protection filter Permanent Laser optic Par focal 50-500μm Power required 110 V - 240 V 50/60 Hz ACCESSORIES Integrated coupling for laser delivery Original elevated motorized instrument stand Safety goggles Country of Manufacture Europe/ USA/ Japan/ UK/ Korea/ Equivalent FDA/ CE approved. 	2		Lightmed USA	N/Q	N/Q	Quantel Medical, France	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q
	<p>AUTOREFRACTOMETER WITH KERATOMETER REFRACTOMETRY</p> <p>Measurement Range: SPH -20.00D to +23.00D (Auto / 0.12D / 0.25D increments)</p> <p>CYL: 0D or +12D (0.12D / 0.25D increments)</p> <p>Axis: 1-180° (1° increments)</p> <p>Minimum pupil diameter: Ø2.3mm</p> <p>Vertex Distance: 0 and 12, 13.5, 13.75, 15 or 16 mm</p> <p>PD Measurement: 1 to 83 mm</p> <p>Fixation Chart: Fire work & Road: high/mid/low intensity</p> <p>Pupil size reading range: 2.0 to 12.0 mm</p> <p>Keratometry</p> <p>Measurement range: Radius curvature: 5.00 to 11.00 mm</p> <p>Corneal astigmatism: 0.00D to 12.00D</p> <p>Axis: 0 to 180°</p> <p>Measurement area: Center: Ø3.2mm (R 8.0mm)</p> <p>Peripheral: 25° Ø6.8mm (R 8.0mm)</p> <p>Corneal Size Measurement</p> <p>Range: 0 to 16.0mm</p> <p>General</p> <p>Data Storage: 50 persons (100 eyes)</p> <p>Display: 5.7-inch color LCD touch panel (tilt 0 to 45°)</p> <p>Interface: RS232C, USB, IR</p> <p>Dimension: 254(W) x 469(D) x 447(H) mm</p> <p>Weight: Approx. 13kg</p> <p>Power Supply: AC100 - 240V 50/60Hz</p> <p>Power Supply: 40VA</p> <p>Country of Manufacture: Europe/ USA/ Japan/ UK / Korea / Equivalent FDA / CE approved.</p>																			
34	<p>Pupil size reading range: 2.0 to 12.0 mm</p> <p>Keratometry</p> <p>Measurement range: Radius curvature: 5.00 to 11.00 mm</p> <p>Corneal astigmatism: 0.00D to 12.00D</p> <p>Axis: 0 to 180°</p> <p>Measurement area: Center: Ø3.2mm (R 8.0mm)</p> <p>Peripheral: 25° Ø6.8mm (R 8.0mm)</p> <p>Corneal Size Measurement</p> <p>Range: 0 to 16.0mm</p> <p>General</p> <p>Data Storage: 50 persons (100 eyes)</p> <p>Display: 5.7-inch color LCD touch panel (tilt 0 to 45°)</p> <p>Interface: RS232C, USB, IR</p> <p>Dimension: 254(W) x 469(D) x 447(H) mm</p> <p>Weight: Approx. 13kg</p> <p>Power Supply: AC100 - 240V 50/60Hz</p> <p>Power Supply: 40VA</p> <p>Country of Manufacture: Europe/ USA/ Japan/ UK / Korea / Equivalent FDA / CE approved.</p>	4		Unicos Korea / Topcon Japan	N/Q	N/Q	Shin-Nippon, Japan	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q

Specification not as to folder document.

No Brochure.

Does not match specs

No Brochure

[Handwritten signature]

Deputy Medical Superintendent
Stores
ABBASI SHAHEED HOSPITAL
Karachi Metropolitan Corporation

DR. S. ASAD HUSSAIN
M.B.B.S (DOW), M.R.C.P (UK)
Professor of Medicine
Incharge Medical Unit-I
Abbasi Shaheed Hospital

DR. S. ASAD HUSSAIN
M.B.B.S (DOW), M.R.C.P (UK)
ASSOCIATE PROF. CARDIAC SURGERY
KARACHI INSTITUTE OF HEART DISEASES

Medical Superintendent
Abbasi Shaheed Hospital
Karachi Metropolitan Corporation

Item NO.	DESCRIPTION	TOTAL QTY.	A/U	M/s. Ameer Din Instrument	M/s. Oasis Medical System	M/s. Popular International	M/s. Khalid Corp.	M/s. Noor International	M/s. Hospital Supply Corp.	M/s. Mediquip s (SMC)	M/s. BIOS	M/s. Shamim & CO.	M/s. Hadi Enterprises	M/s. S. Ejazuddin Co.	M/s. DWP Tech. Pvt. Ltd.	M/s. Bio Medical Tech.	M/s. Med. Elec. Corp.	M/s. Seico Scientific Traders	M/s. Optisurg	M/s. Universal Enterprises
35	<p>OPHTHALMOSCOPE & RETINOSCOPE WITH DESK TYPE CHARGER</p> <ul style="list-style-type: none"> • Halogen HPX® lamp provides light for true tissue color and long-lasting performance • Coaxial optics produce a shadow-free spot, easier entry into un-dilated pupils, and a larger field of view versus standard ophthalmoscopes • Sealed optics keep out dust and dirt for years of maintenance-free operation • Detect corneal abrasions with cobalt blue filter • Polarizing filter virtually eliminates corneal reflection • Unique aperture/filter combinations for greater versatility • Red-free filter may be used with any aperture • Focusing lenses with a range of -25 to +40 diopter• Micro-Spot Aperture allows quick entry into small, undiluted pupils. • Red-Free Filter excludes red rays from examination field for easy identification of veins, arteries and nerve fibers. • Fixation Aperture has graduated crosshairs for measuring eccentric fixation or locating lesions. • Small Aperture provides excellent view of fundus through an un dilated pupil • Cobalt Filter used with fluorescein dye to view small lesions, abrasions and foreign objects on the cornea. • Slit used to determine levels of lesions and tumors • Large Aperture standard aperture for a dilated pupil and general examination of the eye. Le <p>RETINOSCOPE</p> <ul style="list-style-type: none"> • Control for steak width, rotation & 360 degree revolves. • External focusing sleeve improves comfort and maneuverability • Sealed optics keep the lenses cleaner for more effective exams <p>ACCESSORIES</p> <ul style="list-style-type: none"> • Ophthalmoscope head with rechargeable battery handle • Retinoscope head with rechargeable battery handle • Desk type charger <p>Country of Manufacture Europe/ USA/ Japan/ UK/ Korea/ Equivalent FDA/ CE approved.</p>	13		Heine Germany	N/Q	N/Q	Neitz, Japan	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q
36	<p>LENSOMETER / PHECOMETER</p> <p>Specifications:</p> <ul style="list-style-type: none"> Ø Complete analysis of lenses • Determination of sphere power Range of measurement of vertex power 0 to +/- 25.00D Up to +/- 3.00D in 0.125D & over +/- 3.00D in 0.25D steps • Determination of Cylinder power • Determination of Cylinder Axis 0° to 180° in 1° step • Determination of Prism power 6Δ in 1Δ step Ø Instrument tilting angle; Freely adjustable between 30° to 90° Ø Measureable lens diameter 30mm to 90mm Ø Accurate centering and marking of lens Ø Bulb 240V-15W Ø Power supply 220- 240 v / 50- 60 Hz <p>Standard Accessories</p> <ul style="list-style-type: none"> • Dust cover • Spare Bulb • Marking ink cartridge • Instruction manual <p>Country of Manufacture: Europe/ USA/ Japan/ UK/ Korea/ Equivalent FDA/ CE approved.</p>	1		Topcon Japan / Unicos Korea	N/Q	N/Q	Shin-Nippon, Japan	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q

[Handwritten signature]

Deputy Medical Superintendent
 ABASI SHAHEED HOSPITAL
 Karachi Metropolitan Corporation

Prof. Saleemullah
 M.B.B.S (Dow) M.R.C.P (UK)
 Professor of Medicine
 Incharge Medical Unit-I
 Abbasi Shaheed Hospital

DR. S. ASADULLAH HUSSAINI
 M.B.B.S (Dow) F.R.C.S (IREL) F.R.C.S (EDIN)
 ASSOCIATE PROF. CARDIAC SURGERY
 KARACHI INSTITUTE OF HEART DISEASES
 Medical Superintendent
 Abbasi Shaheed Hospital
 Karachi Metropolitan Corporation

Item NO.	DESCRIPTION	TOTAL QTY.	A/U	M/s. Ameer Din Instrument	M/s. Oasis Medical System	M/s. Popular International	M/s. Khalid Corp.	M/s. Noor International	M/s. Hospital Supply Corp.	M/s. Mediquip (SMC)	M/s. BIOS	M/s. Shamim & CO.	M/s. Hadi Enterprises	M/s. S. Ejazuddin Co.	M/s. DWP Tech. Pvt. Ltd.	M/s. Bio Medical Tech.	M/s. Med. Elec. Corp.	M/s. Seico Scientific Traders	M/s. Optisurg	M/s. Universal Enterprises
37	OPTICAL CHORANCE TOMOGRAPHY(OCT) WITH SCANNING LASERTOMOGRAPHIC IMAGING Purpose: Cross sectional imaging of ocular structures including the fundus Signal Type: Optical scattering from tissue Signal Source: Super Luminescent Diode (SLD) 830 nm Optical Power: <750 microwatts at cornea Typical Axial Resolution: Digital on-screen <6 micron Transverse Resolution: 20 micron (in tissue) OCT Scan Patterns: Line Scan (B-Scan), Raster B-Scan, 3D Retina Topography, 3D Optic Disk Topography and RNFL program Scanning Rate Variable: 8, 16, 32 frames/second Scan Range: 2.0 mm longitudinal & Corneal (Depth) FUNDUS IMAGING Purpose: Confocal SLO fundus image for alignment, orientation and registration of the OCT image, for further observation Field of View: 29 degrees Viewing Method: 19" LCD color display monitor ELECTRICAL Imaging system only Single phase: 230/240V ~ systems: (+/-10%), 1.3A Total power requirements and power consumption for Imaging system, PC computer, LCD monitor and motorized table 230/240V ~ (+/-10%), 5.3A 1KVA Frequency: 50/60Hz Main fuses for 115/120V (10.0A. for 230/240 V (5.0A)) CONTROL UNIT CPU: 2.6GHz Quad core, 1GB DDR RAM Monitor: 19" Color LCD Monitor Control Input Devices: Keyboard, mouse, and joystick Storage: 500 GB hard disk Country of Manufacture: Europe/ USA/ Japan/ UK/ Korea/	2		Topcon Japan	N/Q	N/Q	Carl Zeiss Meditec, USA	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	Optopol Poland	N/Q
38	PHACOEMULSIFICATION SYSTEM SPECIFICATION:- • Continuous ultrasound • Pulse mode • Short Pulse • Long pulse • Low power pulse • High power pulse • Single Burst • multi Burst • Continuous white star™ • Pulse white star™ • Cool Phaco technology • Foot switch with dual linear control • White star ICE CASE™ technology (Chamber stabilization Environment) a Real-time vacuum sensor and air free aspiration line for maximum anterior chamber stability. ASPIRATION:- • FLOW RATE: 1-50ml • VACUUM: 1-500 mmHg • FLOW RATE PULSATION: 7Hz • EXCESSIVE ASPIRATION: 0-100% +/- 10ml • VACUUM RISE WITH VENTURI EFFECT: 5-0.5 sec VITRECTOMY:- Hand pieces are designed for cutting vitreous during anterior segment surgery and operate in conjunction with the Irrigation/Aspiration modes. The cutting speed can be varied using the front panel adjustments. There are 6 adjustments related to the Vitrectomy Mode: • Max Asp Rate • Max Vacuum • Cut Rate • Vacuum Mode • Flow Mode • Foot Pedal Mode • FUNCTIONAL PRINCIPAL: ELECTRIC • STROKE: 10-600 cuts/min PHACO:- Phaco power is separately adjustable from 0 to 100% for both OCCLUDED and UNOCCLUDED Phaco tips	5		Lightmed USA	N/Q	N/Q	Carl Zeiss, Germany	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	Oertli Instruments AG, Switzerland	N/Q

[Handwritten signature]

Deputy Medical Superintendent
Stores
ABBASI SHAHEED HOSPITAL
Karachi Metropolitan Corporation

Prof. Saleemullah
M.B.B.S (D.O), M.R.C.P (UK)
Professor of Medicine
Incharge Medical Unit-I
Abbasi Shaheed Hospital

DR. S. A. HUSSAIN
M.B.B.S, (D.O), (M.R.C.P), (F.R.C.S) (EDIN)
ASSOCIATE PROF. CARDIAC SURGERY
(KARACHI INSTITUTE OF HEART DISEASES)

Medical Superintendent
Abbasi Shaheed Hospital
Karachi Metropolitan Corporation

Item NO.	DESCRIPTION	TOTAL QTY.	A/U	M/s. Ameer Din Instrument	M/s. Oasis Medical System	M/s. Popular International	M/s. Khalid Corp.	M/s. Noor International	M/s. Hospital Supply Corp.	M/s. Mediquip s (SMC)	M/s. BIOS	M/s. Shamim & CO.	M/s. Hadi Enterprises	M/s. S. Ejazuddin Co.	M/s. DWP Tech. Pvt. Ltd.	M/s. Bio Medical Tech.	M/s. Med. Elec. Corp.	M/s. Seico Scientific Traders	M/s. Optisurg	M/s. Universal Enterprises	
39	<p>YAG LASER</p> <p>Features</p> <ul style="list-style-type: none"> • Tri-spot focus • Tiltable display • A range of optional accessories may be added to the system • Control the laser at a finger tip: optional laser trigger for the base <p>TECHNICAL SPECIFICATIONS:</p> <p>Laser system: Nd: YAG 1064nm, Q-switched Mode structure: quasi gauss Focus spot in air: < 8 microns Cone angle: 16° Repetition rates: ~2.5 Hz Pulse length: < 4 ns Plasma formation in air: < 4 mJ Q-switch mode: passive Cooling: Air Output energy: 32 mJ max. at 3 pulses Energy adjustable: 0.5 to max, continuously in 0.1 mJ increment Burst mode adjustable: x1, x2, or x3 Aiming beam: tri spot focus, 635 nm Micro-offset posterior: 0/150/300 μm Voltage requirements: 85-260V, 50/60 Hz, 250VA System Consisted of: 1 x Q-Switch Nd: YAG Laser 1064nm 1 x Slitlamp PCL-51 x Safety Goggles 1 x Power Supply</p> <p>Country of Manufacture: Europe/ USA/ Japan/ UK/ Korea/ Equivalent FDA/ CE approved.</p>	3		Lightmed USA	N/Q	N/Q	Quantel Medical, France	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	
	<p>DR SYSTEM X-RAY</p> <ul style="list-style-type: none"> - Digital Radiography with flat panel detector complete with work station, printer unit - 40 kW or more High frequency X-Ray Generator - 4 ways floating top table with fixed height - floor mounted tube stand - manual collimator - 140KHU X-ray tube or more - wall bucky stand - pair of HT cables 10m or more - Flat Panel Detector (14 x 17") or more - Generator - Radiographic kVP 40-125kV or more in one kV step - Radiographic mA 10-500mA or more - mAs range: 0.4 to 500mAs or more - Exposure time: 1 ms to 10s - 2-point kVp and mAs selection. 3-point kVp, mA & time selection 																				
40	<ul style="list-style-type: none"> - 500 or more Anatomical program - Electromagnetic brakes Longitudinal and lateral travel movement for table bucky, - Longitudinal bucky travel - Cassette size: 18 x 24 to 35 x 43cm - Moving grid 10:1 or more - Foot switch for electro magnetic brake control - Tube support balancing system with counterweights and Electromagnetic brakes - Control panel with push button to control vertical, longitudinal and transverse travel - Column rotation +/-90deg or better - Manual collimator - Halogen/ LED light indicator for alignment with bucky - Chest bucky stand - Moving Potter Bucky super speed. Vertical travel of bucky not less than 150cm - Moving grid. 10:1 ratio or more - Dual Focal X-ray tube: Small focus 1.0mm and Large focus 2.0mm - Maximum Tube voltage 125KVp and Anode Heat capacity 140 KHU or more - 14 x 17" or more Flat Panel Detector with imaging software - 2428x2428 pixel resolution - Detector should give atleast 185 images with a fully charged battery 	1		N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	Konica Minolta Japan	Stephanix France	AGFA	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	

[Handwritten signature]

Deputy Medical Superintendent
Stores
ABBASI SHAHEED HOSPITAL
Karachi Metropolitan Corporation

Prof. Saleemullah
M.B.B.S. D.M.R.C.P (UK)
Professor of Medicine
Incharge Medical Unit-I
Abbasi Shaheed Hospital

Separately
Quoted X-ray
System &
DRS.

DR. SAAD HUSSAINI
M.B.B.S. D.M.R.C.S. (RELI) FRCS (EDIN)
ASSOCIATE PROF. CARDIAC SURGERY
Karachi Institute of Heart Diseases

Medical Superintendent
Abbasi Shaheed Hospital
Karachi Metropolitan Corporation

Item NO.	DESCRIPTION	TOTAL QTY.	A/U	M/s. Amcer Din Instrument	M/s. Oasis Medical System	M/s. Popular International	M/s. Khalid Corp.	M/s. Noor International	M/s. Hospital Supply Corp.	M/s. Mediquip s (SMC)	M/s. BIOS	M/s. Shamim & CO.	M/s. Hadi Enterprises	M/s. S. Ejazuddin Co.	M/s. DWP Tech. Pvt. Ltd.	M/s. Bio Medical Tech.	M/s. Med. Elec. Corp.	M/s. Seico Scientific Traders	M/s. Optisurg	M/ Univer Enterprises	
41	<p>X-RAY MACHINE</p> <p>General Radiography 500mA- 40 KW or more High frequency X-ray Generator- 4 ways floating top table with fixed height- Floor mounted tube stand- Manual collimator- 140KHU X-ray tube- Wall bucky stand- Pair of HT cables 10m or more - Generator - Radiographic KV 40 to 150KV or more in one kV step- Radiographic mA 10-500mA or more- mAs Range 0.4-500mAs or more- Exposure time. 1ms to 3secs or more - 2 point kVP and mAs selection. 3 point kVP, mA & time selection - 450 or more Anatomical program- Electromagnetic brakes longitudinal and lateral travel movement for table bucky - Longitudinal bucky travel- Cassette size 18X24 to 35x43cm- Moving grid 10:1 or more - Foot switch for electro magnetic brake control - Tube support balancing system with counterweights and Electromagnetic brakes - Control panel with push button to control vertical, longitudinal and transverse travel - Column rotation +/- 90deg or better - Manual collimator- Halogen/ LED Light indicator for alignment with bucky Chest bucky stand with the cassettes formats from 18X24 to 35X43 on either - Moving potter Bucky - Vertical travel of bucky not less than 150cm - Moving grid 10:1 ratio- Dual Focal X-ray tube : small focus 1.0 mm and large focus 2.0mm - Maximum Tube voltage 125KVP- Anode Heat Capacity 140KHU.</p> <p>Country of Manufacture Europe/ USA/ Japan/ UK/ Korea/ EquivalentFDA/ CE approved.</p>	1		N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	Toshiba Japan	Stephanix France	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	
	<p>PORTABLE X-RAY MACHINE 300MA</p> <ul style="list-style-type: none"> High frequency x-ray generator 10 - 300mA / 50-120kV Microprocessor controlled Autodiagnostic System Overload protection Output power 18kW or better KVp Range from 40KVp to 125Kp or better mA range from 10 to 300mA: 10, 12.5, 16, 20, 25, 32, 40, 50, 63, 80, 100, 125, 160, 200, 250, 300mA or better Automatic selection of mAs mAs Range 0.1 to 500mAs or better Two steps hand switch Automatic line power detection system 									X	X										
42	<p>PORTABLE X-RAY MACHINE 100MA</p> <ul style="list-style-type: none"> X-Ray Tube Maximum Tensin, 150 KVp or more. Focus size: Small focus 0.6mm. Large focus 1.3mm. Anode heat capacity 140 KHU Manual collimator with 6 pair of leaves Electronic time and meter Halogen/ LED field light lamp Tube stand column mobile unit Vertical Range of X-ray Tube Unit 50cm to 200cm Horizontal Movement from Column to Focus 115cm or more. Lateral Pivoting of X-ray Tube Unit Emergency Stop push button Electromagnetic breaks <p>Country of Manufacture: Europe/ USA/ Japan/ UK/ Korea/ Equivalent FDA/ CE approved</p>	2		N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	Toshiba Japan	Stephanix France	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q
43	<p>PORTABLE X-RAY MACHINE 100MA</p> <p>High frequency X-Ray inverter type Generator- Having output power of 4kW or more- X-ray tube protection, KVP range: 40-110kV or more- MA Range: 10-100mA or better, mAS range: 1.0-200mAs or better- Centering light indicator- Standard power supply cable- X-Ray exposure switch cable.- Vertical movement of the Arm to lower or raise the tube collimator assembly- Rotation of the Collimator with reference to the power module (+/-90deg) or better Country of Manufacture: Europe/ USA/ Japan/ UK/ Korea/ EquivalentFDA/ CE approved.</p>	8		N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	Toshiba Japan	Stephanix France	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q

Handwritten notes:
 Toshiba Japan
 Stephanix France
 N/Q
 N/Q
 N/Q
 N/Q
 N/Q
 N/Q
 N/Q
 N/Q
 N/Q
 N/Q
 N/Q
 N/Q
 N/Q
 N/Q
 N/Q
 N/Q
 N/Q
 N/Q
 N/Q

Handwritten notes:
 X
 X
 MAS 100

Handwritten notes:
 Specs details not available
 MAS Range 0.1 to 320

Handwritten notes:
 Prof. Saleemullah
 M.B.B.S (Dow) M.R.C.P (UK)
 Deputy Medical Superintendent
 Professor of Medicine
 Incharge Medical Unit-I
 Abbas Shaheed Hospital
 Karachi Metropolitan Corporation

Handwritten notes:
 DR. S. ASADULLAH HUSAINI
 M.B.B.S (Dow) M.R.C.S. (Ed) M.R.C.P (UK)
 Associate Professor of Radiology
 Head of Diagnostic Radiology
 Karachi Institute of Heart Disease
 Karachi Metropolitan Corporation

Handwritten signature:

Item NO.	DESCRIPTION	TOTAL QTY.	A/U	M/s. Ameer Din Instrument	M/s. Oasis Medical System	M/s. Popular International	M/s. Khalid Corp.	M/s. Noor International	M/s. Hospital Supply Corp.	M/s. Mediquip (SMC)	M/s. BIOS	M/s. Shamim & CO.	M/s. Hadi Enterprises	M/s. S. Ejazuddin Co.	M/s. DWP Tech. Pvt. Ltd.	M/s. Bio Medical Tech.	M/s. Med. Elec. Corp.	M/s. Seico Scientific Traders	M/s. Optisurg	M/ Univer Enterprises	
44	<p>PORTABLE ULTRASOUND MACHINE</p> <ul style="list-style-type: none"> - Should be of 12-15" with LCD screen. ✓ - Applications OB, Abdomen, Urology =, small parts, Vascular Anesthesia, Emergency, ICU etc - Modes B, 2B, M ✓ - Should have various examination mode with alterable preset settings and single button image optimization - Should be compatible with multiple regions transducers - Data storage capability with multiple file formats storage system - Should have USB port for image and reports transportation should be capable of recording cinematic view of image with clipboard - Tissue harmonic imaging - Shortcut buttons for calculation - Should be with battery and built-in UPS to provide continuous scanning without electrical supply - Should be compatible with: <ul style="list-style-type: none"> - Convex probe Multi frequency 3.5MHz-7.5MHz - Linear Probe Multi frequency 7.5MHz-12.0MHz - Endo-vaginal Multi frequency - Thermal printer with 5nos. paper roll. - Trolley (Local) Country of Manufacture: Europe/ USA/ Japan/ UK/ Korea/ Equivalent FDA/ CE approved. 	3		N/Q	N/Q	N/Q	Honda Electronics, Japan	N/Q	N/Q	N/Q	Sono Scope China X	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q
	<p>DENTAL UNIT DOCTOR'S TRAY</p> <ul style="list-style-type: none"> • One-piece handpieces console easy to wipe and clean. • Soft Touch Control Panel for chair positions, cupfiller, Bowiflush, water heater, X-Ray Illuminator & Dental Light. • Swing out Swivel Balance arm with air operated tray locking system • Handle for easy tray movement • 3Hand pieces automatic our patient delivery system. • Spare holder for built-in curing light & camera. • All internal tubing are durable & long lasting (USA made). • Swing in/out flexible balance arm. • Large instrument tray. • Rectangular air pressure gauge. • Water flow control. • Individual air pressure controls. • One 3 way syringe for doctor with quick disconnect tip for autoclave. • 3-Aseptic easy clean, tubing's and fitting for the hand piece straight. • Multi function Air operated foot switch • X-Ray Viewer DC type non flicking articulating. 																				
45	<p>DENTAL CHAIR</p> <ul style="list-style-type: none"> • Fully computer control motorized chair. • Comfortable arm rests. Right arm swings for patient use. • Double articulating Head rest adjustable for neck positioning & pediatric use also. • Multi Preset Positions • One touch pre-set position programmable by user. • One touch last position/ gargling position • One touch zero return system • Emergency stoppage by single touch of switch • Foot control for chair Up/Down and Back/forward movement. • Smooth seamless upholstery in a large selection of colors. • No chair movement when any hand piece in use. • Transparent protective foot rest cover <p>DENTAL LIGHT</p> <ul style="list-style-type: none"> • LED Light • Large Round reflector, • 12V, 50w, 4500K, day light for perfect matching of colors. 	13		N/Q	N/Q	N/Q	Fona Dental, Slovak Republic	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q

Probe range don't match

?
No Clear Specifications

Deputy Medical Superintendent
Stores
ABBASI SHAHEED HOSPITAL
Karachi Metropolitan Corporation

Prof. S. Asadullah
M.B.B.S. (DOW) M.R.C.S. (Edin)
Professor of Medicine
Incharge Medical Unit-I
Abbasi Shaheed Hospital

DR. S. ASADULLAH HUSSAINI
M.B.B.S. (DOW) F.R.C.S. (IREL) F.R.C.S. (Edin)
ASSOCIATE PROFESSOR OF ORAL & MAXILLOFACIAL SURGERY
Karachi Institute of Heart Diseases
Associate Professor of Oral & Maxillofacial Surgery
Abbasi Shaheed Hospital
Karachi Metropolitan Corporation

Item NO.	DESCRIPTION	TOTAL QTY.	A/U	M/s. Ameer Din Instrument	M/s. Oasis Medical System	M/s. Popular International	M/s. Khalid Corp.	M/s. Noor International	M/s. Hospital Supply Corp.	M/s. Mediquip (SMC)	M/s. BIOS	M/s. Shamim & CO.	M/s. Hadi Enterprises	M/s. S. Ejazuddin Co.	M/s. DWP Tech. Pvt. Ltd.	M/s. Bio Medical Tech.	M/s. Med. Elec. Corp.	M/s. Seico Scientific Traders	M/s. Optisurg	M/Universities Enterprises	
46	CUSPIDOR UNIT • Touch Panel for Assistant Side • Single Unit ceramic spittoon • 90o rotatable Assistant Arm • Interruptible time controlled automatic cup filler (adjustable) • Interruptible time controlled automatic Bowl flush (adjustable) • Strainer Basket for Bowl+ Solid collector / Filter for SE & HVE • One 3 way syringe with quick disconnect tip for autoclave • High volume evacuator (air operated) with flow control hand piece. • Saliva Ejector (Water operated) with flow control hand piece • Water heater. • Built-out injection purified water system. • Touchpad installed on the top of the assistant table, offering the convenient control of operating light, chair positioning, and cuspidor rising JUNCTION BOX • Air Filter & Regulator+ Water Filter • Air & Water supply lines • Safe electrical compartment with Transformer, fuse, mainSwitch etc. to give output. 24 VAC for safety. • Main 220/240V. Complete Standard Set. Country of Manufacture Europe/ USA/ Japan/ UK/ Korea/ Equivalent FDA/ CE approved.	1		N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q
47	AUTOCLAVE B-CLASS 23 LITER Technical Specification Power : 220V/1850W Vessel Dimension : 245 x 450 Packing Size : 670 x 550 x 480 Weight : 45Kg Country of Manufacture. Europe/ USA/ Japan/ UK/ Korea/ Equivalent FDA/ CE approved.	17		N/Q	N/Q	N/Q	Fona Dental, Slovak Republic	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q
48	Dental X-Ray Mobile With complete imported stand Specification Rated electric power : 0,800KW High frequency technology : 100 KHz Absorption : 6A Tube : DG 073B DC Focal spot : 0,7 mm IEC 336 0 of long cone at the end of spacer : 6cm Total filtration : 2mm Al Selectable anodic current : 4-7 mA Selectable voltage to x-ray tube : 60-70Kvp Dispersed redaction : ≤0,25mG/h a 1 meter from focus 1 Exposure time : 0.020-1.000ms SCALA R10 Power supply : 190-240V 50Hz Intermitted operation : 1/30 1s espouser 30s resg. max Distance : F F 20cm Fuse : F6, 3AT Dead man logic control Digital radiation key Country of Manufacture. Europe/ USA/ Japan/ UK/ Korea/ Equivalent FDA/ CE approved.	5		N/Q	N/Q	N/Q	Fona Dental, Slovak Republic	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q
49	R.O PLANT R.O. Plant 200 Gallon per hour	1		N/Q	N/Q	N/Q	Alkaram	N/Q	Enviromental Products, USA	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q
50	Diathermy Machine (Monopolar)	1		N/Q	N/Q	N/Q	Diameda, Germany	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q

NO Brochure

NO Brochure

Model not specified

Working Capacity? not specified

Deputy Medical Superintendent

*ABBASI SHAIKH HOSPITAL
Karachi Metropolitan Corporation*

3 photo taken

NO brochure

*Prof. Saleemullah
M.B.B.S (Dow) M.R.C.P (UK)
Professor of Medicine
Incharge Medical Unit-I
Abbasi Shaheed Hospital*

MGB Germany

*DR. S. ASADULLAH HUSSAINI
M.B.B.S (DOW) F.R.C.S. (IREL) FRCS (EDIN)
ASSOCIATE PROF. CARDIAC SURGERY
KARACHI INSTITUTE OF HEART DISEASES*

Item NO.	DESCRIPTION	TOTAL QTY.	A/U	M/s. Ameer Din Instrument	M/s. Oasis Medical System	M/s. Popular International	M/s. Khalid Corp.	M/s. Noor International	M/s. Hospital Supply Corp.	M/s. Mediquip (SMC)	M/s. BIOS	M/s. Shamim & CO.	M/s. Hadi Enterprises	M/s. S. Ejazuddin Co.	M/s. DWP Tech. Pvt. Ltd.	M/s. Bio Medical Tech.	M/s. Med. Elec. Corp.	M/s. Seico Scientific Traders	M/s. Optisurg	M/s. Universal Enterprises	
51	Sonicaid	9		N/Q	N/Q	N/Q	Huntleigh, UK <i>no brochure</i>	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	Huntleigh UK	N/Q	N/Q	N/Q	N/Q	N/Q
52	Electric POP Cutter	4		N/Q	N/Q	N/Q	Diameda, Germany	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q
53	Pnuematic Bone Saw	2		N/Q	N/Q	N/Q	Diameda, Germany	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q
54	Pnuematic Power Drill	4		N/Q	N/Q	N/Q	Diameda, Germany	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q
55	Power Drill Pneumatic	1		N/Q	N/Q	N/Q	Diameda, Germany	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q
56	Endtidal CO2 Monitor	2		N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	<i>not available</i>	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q
57	Laryngoscope all size with complete Blade Set	19		Heine Germany	N/Q	N/Q	Hilbro, Pakistan	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q
58	Laryngoscope Complete Set (Paeds/Infant)	8		Heine Germany	N/Q	N/Q	Hilbro, Pakistan	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q
59	Infantometer	8		N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q
60	Phototherapy Unit	11		N/Q	Novous Medical System, Turkey	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q
61	Black Matalic Endoscope for Laser Surgery (6 Dif. Sizes)	6		N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q
62	Black Matalic Forceps/Accesseries for Laser Surgery (6 Dif. Sizes)	6		N/Q	N/Q	N/Q	Hilbro, Pakistan	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q
63	Electric Drill Burrs for Ear Surgery	25		N/Q	N/Q	N/Q	Diameda, Germany	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q
64	Electric Drill for Ear Surgery	2		N/Q	N/Q	N/Q	Diameda, Germany	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q
65	Head Light for ENT	9		Heine Germany	N/Q	N/Q	Zumex, UK / Welch Allyn, USA	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	Tekno, Germany

[Handwritten signature]

Medical Superintendent
Abbasi Shaheed Hospital
 Karachi Metropolitan Corporation
 Stores
ABBASI SHAHEED HOSPITAL
 Karachi Metropolitan Corporation

no brochure

Prof. Saadullah Hussaini
 M.B.S.S (Dow Medical College)
 Professor of Medicine
 Incharge Medical Unit-I
 Abbasi Shaheed Hospital

DR. SASADULLAH HUSSAINI
 M.B.S.S (DOW MEDICAL COLLEGE)
 ASSOCIATE PROFESSOR OF SURGERY
 KARACHI INSTITUTE OF HEART DISEASES

[Handwritten signature]

Item NO.	DESCRIPTION	TOTAL QTY.	A/U	M/s. Ameer Din Instrument	M/s. Oasis Medical System	M/s. Popular International	M/s. Khalid Corp.	M/s. Noor International	M/s. Hospital Supply Corp.	M/s. Mediquip (SMC)	M/s. BIOS	M/s. Shamim & CO.	M/s. Hadi Enterprises	M/s. S. Ejazuddin Co.	M/s. DWP Tech. Pvt. Ltd.	M/s. Bio Medical Tech.	M/s. Med. Elec. Corp.	M/s. Seico Scientific Traders	M/s. Optisurg	M/s. Universal Enterprises	
66	Pneumatic Drill for Head & Neck Surgery	1		N/Q	N/Q	N/Q	Diameda Germany / W&H Austria	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q
67	Tympanometry	1		N/Q	N/Q	N/Q	MAICO, Europe	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q
68	Auto Processing Plant	3		N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q
69	High Speed Hand Piece	8		N/Q	N/Q	N/Q	MK Dent Germany	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q
70	Scaler Ultrasonic	2		N/Q	N/Q	N/Q	Aceton Satelec France	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q
71	Scaler with Tips	4		N/Q	N/Q	N/Q	Aceton Satelec France	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q
72		4		N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q
73	Bone Cutting Surgical Motorized Drill	2		N/Q	N/Q	N/Q	Diameda Germany	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q
74	Electric Nerve Tester	10		N/Q	N/Q	N/Q	USA / UK	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q
75	Pizzo Electric Bone Cutting Unit	1		N/Q	N/Q	N/Q	W&H Austria	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q
76	Rechargeable Oscitatory Saw	2		N/Q	N/Q	N/Q	Diameda Germany	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q
77	90 D Lens	4		N/Q	N/Q	N/Q	Volk USA	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q
78	Bipolar Cautery	1		N/Q	N/Q	N/Q	Carlo De Grogri, Italy	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	Tekno, Germany
79	Electro Cautery Machine	1		N/Q	N/Q	N/Q	Carlo De Grogri, Italy	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	Tekno, Germany
80	Electrolysis Machine	1		N/Q	N/Q	Human Germany	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q

Medical Superintendent
 Deputy Medical Superintendent
 Abbasi Shaheed Hospital
 Karachi Metropolitan Corporation
 ABBASI SHAHEED HOSPITAL
 Karachi Metropolitan Corporation

Electrolysis machine
 gusul

Prof. Saleemullah
 M.B.B.S (DOW) F.R.C.P (UK)
 Professor of Medicine
 Incharge Medical Unit-I
 Abbasi Shaheed Hospital

DR. S. ASAD HUSSAINI
 M.B.B.S (DOW) F.R.C.S. (IREL) FRCS (EDIN)
 ASSOCIATE PROF. CARDIAC SURGERY
 KARACHI INSTITUTE OF HEART DISEASES

7
 7

Item NO.	DESCRIPTION	TOTAL QTY.	A/U	M/s. Ameer Din Instrument	M/s. Basis Medical System	M/s. Popular International	M/s. Khalid Corp.	M/s. Noor International	M/s. Hospital Supply Corp.	M/s. Mediquip S (SMC)	M/s. BIOS	M/s. Shamim & CO.	M/s. Hadi Enterprises	M/s. S. Ejazuddin Co.	M/s. DWP Tech. Pvt. Ltd.	M/s. Bio Medical Tech.	M/s. Med. Elec. Corp.	M/s. Seico Scientific Traders	M/s. Optisurg	M/s. Univerpris es
81	Field Analyzer	1		Haag Streit Switzerland	N/Q	N/Q	Carl Zeiss Meditaed USA	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q
82	Fundus Camera	2		Topcon Japan	N/Q	N/Q	Cannon Japan	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q
83	Humphery Visual Field	1		N/Q	N/Q	N/Q	Carl Zeiss Meditaed USA	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q
84	Hydraulic O.T. Chair	1		N/Q	N/Q	N/Q	Hilbro, Pakistan	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q
85	Indirect Ophthalmoscope	4		Heine Germany	N/Q	N/Q	Neitz Japan	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q
86	Lensometer	4		Topcon Japan / Unicos Korea	N/Q	N/Q	Shin Nippon Japan	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q
87	Auto Clave for Lab.	2		N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	Not Quoted	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q
88	Centrifuge Machine (12 Tubes)	20		N/Q	N/Q	Human Germany	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q
89	Digital Balance 1 mg to 1Kg	3		N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	Not Quoted	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q
90	Hematology (Manual Control)	3		N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	Not Quoted	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q
91	Hematology Analyzer (3 Part)	6		N/Q	N/Q	Human Germany	Swelab Sweden	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	Sysmex Corp Japan	N/Q	N/Q	N/Q	N/Q	Hungary	N/Q
92	Hot Air Oven	7		N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	Not Quoted	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q
93	Lab. Incubator	1		N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	Not Quoted	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q
94	Microscope (Binocular)	12		N/Q	N/Q	Human Germany	Olympus, Japan	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q
95	Microscope (Detached for Teaching with Camera & Monitor)	1		N/Q	N/Q	N/Q	Olympus, Japan	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q
96	Microscope (Double Head)	2		N/Q	N/Q	N/Q	Olympus, Japan	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q
97	Sample Mixer	3		N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	Not Quoted	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q

Medical Superintendent
Abbasi Shaheed Hospital
Karachi Metropolitan Corporation

Deputy Medical Superintendent
Stores
ABU SHAHEED HOSPITAL
Karachi Metropolitan Corporation

Prof. Saleemullah
M.B.S (DOW) M.P. (UK)
Professor of Medicine
Incharge Medical Unit-I
Abbasi Shaheed Hospital

DR. S. ASADULLAH HUSSAINI
M.B.S (DOW) F.R.C.S. (REL) F.R.C.S. (EDIN)
ASSOCIATE PROFESSOR OF SURGERY
KARACHI INSTITUTE OF HEART DISEASES

Item NO.	DESCRIPTION	TOTAL QTY.	A/U	M/s. Ameer Din Instrument	M/s. S. Pasis Medical System	M/s. Popular International	M/s. Khalid Corp.	M/s. Noor International	M/s. Hospital Supply Corp.	M/s. Mediquip (SMC)	M/s. BIOS	M/s. Shamim & CO.	M/s. Hadi Enterprises	M/s. S. Ejazuddin Co. Pvt. Ltd.	M/s. DWP Tech.	M/s. Bio Medical Tech.	M/s. Med. Elec. Corp.	M/s. Seico Scientific Traders	M/s. Optisurg	M/s. Universal Enterprises
98	Ultra Centrifuge (1800 rpm)	1		N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q <i>Not Available</i>	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q
99	Water Bath	9		N/Q	N/Q	Human Germany	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q
100	(-80) Freezer	1		N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q <i>Not Available</i>	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q
101	Ambo Bags (Adult)	30		N/Q	N/Q	N/Q	Tiawan Basmad	N/Q <i>No</i>	N/Q <i>Not Available</i>	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q
102	Ambo Bags (New Born)	30		N/Q	N/Q	N/Q	Tiawan Basmad	N/Q <i>No</i>	N/Q <i>Not Available</i>	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q
103	Auto Clave	17		N/Q	N/Q	N/Q	Hilbro, Pakistan	N/Q <i>No</i>	N/Q <i>Not Available</i>	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q
104	Baby Weighing Machine	12		N/Q	N/Q	N/Q	Tanita Japan	N/Q	N/Q <i>No</i>	N/Q <i>Not Available</i>	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q
105	Bipolar Diathermy Cable	6		N/Q	N/Q	N/Q	Diameda Germany	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q
106	BP Apparatus (Andriod)	440		Heine Germany	N/Q	N/Q	Yamasu Japan	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q
107	Dianamap Monitor Cable compatible with Dianamap	44		N/Q	N/Q	N/Q	N/Q	N/Q	N/Q <i>Not Available</i>	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q
108	Dry Sterilizer	10		N/Q	N/Q	N/Q	Italy	N/Q	N/Q <i>No</i>	N/Q <i>Not Available</i>	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q
109	Examination Light for Labor Room with LED	17		Heine Germany	N/Q	N/Q	Luvis Korea	N/Q	N/Q <i>No</i>	N/Q <i>Not Available</i>	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q
110	Fundoscope (Paeds)	4		Heine Germany	N/Q	N/Q	Keeler, UK / Walch Allyan, USA	N/Q	N/Q <i>No</i>	N/Q <i>Not Available</i>	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q
111	Gluco Meter	70		N/Q	N/Q	Acon, USA	USA	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	Arkary Japan	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q
112	Monopolar Diathermy Cable	24		N/Q	N/Q	N/Q	Diameda Germany	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q
113	Multipara Monitor Cables compatible with Multipara Monitors (Adult)	60		N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q <i>Not Available</i>	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q
114	Multipara Monitor Cables compatible with Multipara Monitors (Paeds)	50		N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q
115	Nebulizer Machine	50		N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q

Medical Superintendent
 Abul Kalam Hospital
 Karachi Metropolitan Corporation

Deputy Superintendent
 Abul Kalam Hospital
 Karachi Metropolitan Corporation


Prof. Saleemullah
 Professor of Medicine
 Incharge Medical Unit-I
 Abul Kalam Hospital
 Karachi Metropolitan Corporation

Dr. Asadullah Hussain
 M.B.B.S. (FRCGS) (FRCR) (FRCR) (FRCR) (FRCR)
 KARACHI INSTITUTION FOR SPECIAL SURGERY


Item NO.	DESCRIPTION	TOTAL QTY.	A/U	M/s. Ameer Din Instrument	M/s. Basis Medical System	M/s. Popular International	M/s. Khalid Corp.	M/s. Noor International	M/s. Hospital Supply Corp.	M/s. Mediquip (SMC)	M/s. BIOS	M/s. Shamim & CO.	M/s. Hadi Enterprises	M/s. S. Ejazuddin Co.	M/s. DWP Tech. Pvt. Ltd.	M/s. Bio Medical Tech.	M/s. Med. Elec. Corp.	M/s. Seico Scientific Traders	M/s. Optisurg	M/s. Univer Enterprises
116	Otoscope (Adult)	12		Heine Germany	N/Q	N/Q	Keeler, UK / Walch Allyn, USA	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q
117	Otoscope (Paeds)	7		Heine Germany	N/Q	N/Q	Keeler, UK / Walch Allyn, USA	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q
118	Oxygen Concentrator	3		N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	Olive China	N/Q	N/Q	N/Q	N/Q
119	Oxygen Cylinder Large	27		N/Q	N/Q	N/Q	BOC	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q
120	Oxygen Cylinder Medium	48		N/Q	N/Q	N/Q	BOC	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q
121	Oxygen Flowmeter	390		N/Q	Megasan, Turkey	N/Q	Penlon, UK	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	Pneumatic Medical Solution	N/Q	N/Q	N/Q	N/Q
122	Pulse Oximeter Cordless (Adult)	43		N/Q	N/Q	N/Q	Choicemad, USA	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	Pneumatic Medical Solution	N/Q	N/Q	N/Q	N/Q
123	Pulse Oximeter Cordless (Paeds)	25		N/Q	N/Q	N/Q	Choicemad, USA	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	Bio Light	N/Q	N/Q	N/Q	N/Q
124	Pulse Oximeter with Probe	29		N/Q	N/Q	N/Q	Mad Lab Germany	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	Care Vision	N/Q	N/Q	N/Q	N/Q
125	Stethoscope	440		Heine Germany	N/Q	N/Q	Yamasu Japan	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q
126	UPS for Fluoroscopy Machine	1		N/Q	N/Q	N/Q	Italy / Europe	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q
127	Weighing Machine (Adult)	28		N/Q	N/Q	N/Q	China	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q



Medical Superintendent
Abbasi Shaheed Hospital
Karachi Metropolitan Corporation



Deputy Medical Superintendent
Stores
ABBASI SHAHEED HOSPITAL
Karachi Metropolitan Corporation



Prof. Saleemullah
M.B.B.S (Dow) M.R.C.P (UK)
Professor of Medicine
Incharge Medical Unit-I
Abbasi Shaheed Hospital



DR. S. ASADULLAH HUSSAINI
M.B.B.S. (DOW) F.R.C.S. (REL) FRCS (EDIN)
ASSOCIATE PROF. CARDIAC SURGERY
KARACHI INSTITUTE OF HEART DISEASES

COMPARATIVE STATEMENT (TECHNICAL PROPOSAL)
TENDER SR. NO. 8 (H) PURCHASE OF ELECTRO MEDICAL EQUIPMENTS / INSTRUMENTS / MACHINERY / LABORATORY SURGICAL DISPOSABLES /
FURNITURE & FIXTURE & MISCELLANEOUS ITEMS FOR KMC HOSPITALS
UNDER ADP SCHEMES FOR THE YEAR 2016 - 2017

Item NO.	DESCRIPTION	TOTAL QTY.	A/U	M/s. Amecr Din Instrument	M/s. Oasis Medical System	M/s. Faraz Associates	M/s. Popular International	M/s. Elate C.C. Pvt Ltd.	M/s. Gulf Marketing Instrument	M/s. Khalid Corp.	M/s. Noor International	M/s. Jafco International	M/s. Mediquips (SMC)	M/s. FAS Traders	M/s. Shamim & CO.	M/s. S. Ejazuddin & Co.	M/s. Bio Medical Tech.	M/s. Universal Enterprises	M/s. Med. Elec. Corp.
----------	-------------	------------	-----	---------------------------	---------------------------	-----------------------	----------------------------	--------------------------	--------------------------------	-------------------	-------------------------	--------------------------	----------------------	------------------	-------------------	-------------------------	------------------------	----------------------------	-----------------------

ELECTRO MEDICAL EQUIPMENTS: -

1	<p>VENTILATOR FOR ADULT & PEADS. -</p> <p>1. Ventilation Modes (SICMV+/APVcmv, PCV+ (biphasic), SIMV+/APVsimv, SPONT, ASV, P- SIMV+, NIV, NIV-ST, DuoPAP and APRV</p> <p>2. Tidal volume starting from 20 ml up to at least 2000 ml PEEP and CPAP ranges from 0 cm H2O not less than 35 cm H2O</p> <p>3. Ventilation Cockpit: Dynamic Lung Should show real time visualization of the lungs with representations of tidal volume, lung compliance, resistance and patient activity Vent Status: Visual representation of the ventilator dependency. Adaptive Support Ventilation target graphics. Not less than 41 monitoring parameters. Real time waveforms: simultaneous display of Paw, Flow, Volume, P-trachea, CO2 Loops: Display of P-V, V-Flow, V-FCO2, V-PCO2 Trending: Simultaneous display of 4 parameter trends for 1.6, 12, 24, or 72 hours.</p> <p>4. Power Supplies Up to 240 V AC at 50/60Hz Should have back up batteries with at least 2 hours functionally including compressor.</p> <p>5. Physical Dimensions Should have display of 10" or more, TFT color, WXGA, backlit with touch screen</p> <p>6. To be supplied with disposable patient breathing circuits for Adult, supporting arm and original trolley.</p> <p>Country of Manufacture: Europe/ USA/ Japan/ UK/ Korea/ Equivalent FDA/ CE approved.</p>	1		N/Q	N/Q	N/Q	N/Q	ICU-4000 Stare. Italy	N/Q	N/Q	Hamilton C-2, Switzerland	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q
	<p>COLOR DOPPLER ULTRASOUND SCANNER</p> <p>System Standard features:</p> <ul style="list-style-type: none"> 19" TFT LCD or more Color Monitor Operational Modes: B Mode, M Mode, Doppler Mode, Color Flow Mapping Color Flow Mapping in M Mode, HPRF, Duplex/Triplex modes. Power Doppler, Doppler, Directional Power Doppler • Frame Rate 500 FPS or more. Digital Channel 60,000 more Scanning Dept. 30 cm or more. 																		
2	<ul style="list-style-type: none"> Max. Dynamic Range 250db or more Clinical Application: Radiology, General imaging, OB/Gynaec, vascular with complete measurement package. System Advance Application Software. Intelligent scan 2D optimization or equivalent. Edge enhancement software or equivalent Tissue Harmonic imaging with 2THI or more frequencies • CW Software. TSI (Tissues Spectral Imaging) Software or equivalent • Anatomical M Mode or equivalent. Tissues Doppler Imaging or Power Doppler Probes 2-6MHz MULTI-FREQUENCY CONVEX PROBE 5-1MHz MULTI-FREQUENCY LINEAR PROBE 4-9 TVS PROBE Probe Connector-4 Active Probe Connector to be quoted as standard Probe to be quoted- 4D Imaging Software. 4D convex probe 4D TVS probe Connectivity & Peripherals 2 USB Ports in standard or more. System should be upgradable to Elastography. <p>Country of Manufacture Europe/ USA/ Japan/ UK/ Korea/ Equivalent FDA/ CE approved.</p>	3		N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	My Lab Seven	N/Q	N/Q	Toshiba, Japan	N/Q	N/Q	N/Q	N/Q	Q-40 SG Health Care, Korea	N/Q

[Signature]
 Deputy Medical Superintendent
 Stores
ABBASI SHAHEED HOSPITAL
 Karachi Metropolitan Corporation

[Signature]
Prof. Saleem Ullah
 M.B.B.S (DOW) M.R.C.P (UK)
 Head of the Department of Medicine &
 Incharge Medical Unit-I
 Karachi Medical & Dental College
 Abbasi Shaheed Hospital

[Signature]
 Medical Superintendent
Abbasi Shaheed Hospital
 Karachi Metropolitan Corporation

Specific details??

Item NO.	DESCRIPTION	TOTAL QTY.	A/U	M/s. Ameer Din Instrument	M/s. Oasis Medical System	M/s. Faraz Associates	M/s. Popular International	M/s. Elate C.C. Pvt Ltd.	M/s. Gulf Marketing Instrument	M/s. Khalid Corp.	M/s. Noor International	M/s. Jafco International	M/s. Mediquips (SMC)	M/s. FAS Traders	M/s. Shamim & CO.	M/s. S. Ejazuddin & Co.	M/s. Bio Medical Tech.	M/s. Universal Enterprises	M/s. Med. Elec. Corp.
3	<p>Specifications for Bed side portable monitors:</p> <ol style="list-style-type: none"> Please clearly specify OEM and model details. Should be ready for NBP, SPO2, ECG, RR, Temp with simultaneous display of all graphs supplied with all applicable accessories. SPO2 sensor should have masimo/nelcor technology. Display size of min 10" Should have defibrillation protection and auto pace maker detection. Battery backup of min 4 hours without NIBP use. Patient storage data for upto 24 hours. Should be ready of networking and connectable to central monitors. Should have real-time ST Analysis. Should have arrhythmia detection and alarm facility. Wall mount stand required. 5 lead ECG acquisition. Should be supplied with, Power cable, Operator manual hardcopy as well as soft copy in CD and 1 sets each of (ECG Acquisition cables, NIBP, SPO2 probe, Tem Probe) Should have auto base line correction. Patient leakage should be < 10µA. ECG frequency response range of min (0.05 to 75)Hz. CMRR of > 75db ADC = minimum 12 bits. Digital filter of minimum 0.5 - 40 Hz. Input impedance = minimum 5 M ohms. Sampling rate = minimum 400 samples/sec. ETCO2 and IBP monitoring upgrade decision to be taken during Pre-Bid meeting. Separate price should be quoted for software for multi-location Central Monitoring System (PC for central monitoring, Switches and cabling to be provided by the hospital). Bidder shall provide necessary data and knowledge for Cabling, and switches installation if hospital decides to get networking done at their level. Should be upgradeable for Invasive BP monitoring and price of which should be mentioned separately. Should have 5 years warranty and additional 5 years CMC plan along with Price list of all proprietary consumables required if any. <p>Country of Manufacture: Europe/ USA/ Japan/ UK/ Korea/ Equivalent FDA/ CE approved.</p>	14		N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	OM-12 Operon Germany BM-5 Bionet Korea Nihon Kohdens, Japan	N/Q	N/Q	N/Q	C-250 Care Vision, Korea	N/Q	N/Q	
4	<p>ROOF MOUNTED OPERATION THEATER LIGHT (TWO PRONG) FEATURES:</p> <ul style="list-style-type: none"> Unit should have Clarity of vision, optimum performance. Unit should have Concentrated light source. Unit should have Patented, proven reflector technology. <p>• Unit should have No color deterioration. • Unit should have Cool light. • Unit should have be User-friendly. • Unit should have Optimum hygiene. • Unit should have Ultra-reliable lighting. • Unit should have Safety glass for best possible clarity.</p> <p>SPECIFICATION</p> <ul style="list-style-type: none"> Should have light intensity of main light 160,000 lux or better. Should have light intensity of satellite 140,000 lux or better. Should have color temperature adjustment at 3500-5500 Kelvin or better. Should have Electric Field adjustment. Should have Focusable light field size d10 at 1m(mm) of main light should be 170-310 or better. Should have Focusable light field size d10 at 1m(mm) of satellite should be equal 170-300 or better. Should have temperature increase at head height <1°c. Should have field of illumination of main 3320cm² and 2360cm² of satellite or better. Should have color rendering index to 96Ra or better Should have light body power consumption must 65W or less. Should have life time of LED greater than 50,000. <p>Country of Manufacture: Europe/ USA/ Japan/ UK/ Korea/ Equivalent FDA/ CE approved.</p>	2		N/Q	N/Q	N/Q	N/Q	560 + 560 Emaled Germany	N/Q	Lavis, Korea	Sim LED 500 MC 700 MC, Siemon Medical, Germany	IGNIS-160 Famed, Poland	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	STX-55 Skytron International USA

Deputy Medical Superintendent
Abbasi Shaheed Hospital
Karachi Metropolitan Corporation

Prof. Saleem Ullah
M.B.B.S (DOW), M.R.C.P (UK)
Head of the Department of Medicine & Incharge Medical Unit-1
Karachi Medical & Dental College
Abbasi Shaheed Hospital

Medical Superintendent
Abbasi Shaheed Hospital
Karachi Metropolitan Corporation

Item NO.	DESCRIPTION	TOTAL QTY.	A/U	M/s. Ameer Din Instrument	M/s. Oasis Medical System	M/s. Faraz Associates	M/s. Popular International	M/s. Elate C.C. Pvt Ltd.	M/s. Gulf Marketing Instrument	M/s. Khalid Corp.	M/s. Noor International	M/s. Jafco International	M/s. Mediquips (SMC)	M/s. FAS Traders	M/s. Shamim & CO.	M/s. S. Ejazuddin & Co.	M/s. Bio Medical Tech.	M/s. Universal Enterprises	M/s. Med. Elec. Corp.	
5	MOBILE OT LIGHT Technical Specifications • Should have central illuminance EC (100 cm) [1x] =60,000 or better. • Should have Electrical dimming capability from /to [1x] 25,000-60,000. • Color Temperature [k] should be 4,500 or better. • Focusable size of light field d 10at a distance of 1m [mm] should be 170 or better. • Colour rendering index Ra in any color temperature configuration should be 96 or better. • Red Rendering index should be 96 or better. • Led Life Time must be at least > 40,000 [h]. Country of Manufacture: Europe/ USA/ Japan/ UK/ Korea/ Equivalent FDA/ CE approved.	2		N/Q	N/Q	N/Q	N/Q	X 200-F Emaled Germany <i>illumination 50,000 Lux</i>	N/Q	X Luis, Korea <i>NO brake</i>	X Sim LED 350 Simeon, Germany <i>7</i>	X IGNIS-160 Famed, Poland <i>NO brake</i>	N/Q	China <i>1 X China</i>	N/Q	N/Q	N/Q	N/Q	X AMAX- 30FMEL Brandon Medical, UK <i>7</i>	N/Q
6	SYRINGE PUMP Syringe Sizes (ml) 10, 20, 30, 50 Flow Rate Range 0.1-400 mL/h (10 ml syringe) or better 0.1-700 mL/h (20 ml syringe) or better 0.1-900 mL/h (30 ml syringe) or better 0.1-1500 mL/h (50 ml syringe) or better Features: • Maximum flow of up to 1500 ml/h • Expanded number of applications e.g supplementary feeding, blood transfusion, chemotherapy and infusion of therapeutic drugs • Compatible with a wide make of syringes • Plunger monitor • Pressure Alarm for detection of occlusion • Computer Integration System • Electromagnetic Compatibility • Safety mechanisms (Power switch) • Replaceable Battery • Up till 6 special function including operation reminder, auto power off, alarm repeat, data memorize, buzzer setting and power source switch alarm Should be able to control the administration of intravenous fluids in very small amounts and at a carefully regulated rate over long periods Country of Manufacture: Europe/ USA/ Japan/ UK/ Korea/ Equivalent FDA/ CE approved.	7		N/Q	N/Q	N/Q	N/Q	X S100 Medina, Poland <i>7</i>	N/Q	N/Q	X SYS-3011 Medi Captain, China <i>1 China</i>	X ST-6000 Samtronic, Brazil <i>NO brake</i>	N/Q	China <i>1 China</i>	N/Q	N/Q	N/Q	X DS-3000 Daiwaha, Korea <i>7</i>	X Teramou Corporation, Japan <i>Insufficient flow rate range.</i>	N/Q
7	DEFIBRILLATOR Display 6.5" inch or more color LCD TFT • Defibrillator with color monitor and recorder mains 220V/50Hz 1 phase • Built in rechargeable battery for minimum 100 shocks at maximum energy • Energy delivered 2-270 joules or more • Quick ECG waveform recovery after defibrillation, the ECG waveform recovers within 3 seconds • Defibrillator should have discharge button on both main unit and the paddle • Charging time should be less than 5 seconds for 270 joules • Self-test should be available to ensure reliable use of the defibrillator, whenever the power is turned on or the power cord is connected or disconnected. The self-test checks the battery expiration date and remaining voltage and the High-Voltage circuit • Self test result should be saved in internal memory for later review • Bi-Phasic waveform delivery system, ECG through paddles and patient cable • Trace Speed 25mm/sec • Contact Indicator to check for optimal skin contact via LED's on paddle, delivered energy level to be printed on the print out • Recorder speed 25mm/sec with standard paper, digital HR with low/high alarm and Adult & Pediatrics Paddles • Voice recording Surrounding sound, synchronized with the ECG waveform and should be recorded • AED Cable with pad • Should have upgradable capability to measure SPO2 & CO2 (Main Stream) for incubated patient & non-incubated patients • Country of Manufacture: • Europe/ USA/ Japan/ UK/ Korea/ Equivalent • FDA/ CE approved.	1		N/Q	N/Q	N/Q	N/Q	X Primedic, Germany <i>7</i>	N/Q	X US, Defib, USA <i>LCD Monitor 5.7"</i>	N/Q	X DG-5000 Schiller Switzerland <i>NO brake</i>	X Nihon Kohdens, Japan <i>NO brake</i>	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q

Deputy Medical Superintendent
Stores
ABBASI SULEMAN HOSPITAL
Karachi Metropolitan Corporation

Prof. Saleem Ullah
M.B.B.S (DOW) M.R.C.P (UK)
Head of the Department of Medicine &
Incharge Medical Unit-I
Karachi Medical & Dental College
Abbasi Suleman Hospital

Medical Superintendent
Abbasi Suleman Hospital
Karachi Metropolitan Corporation

Item NO.	DESCRIPTION	TOTAL QTY.	A/U	M/s. Ameer Din Instrument	M/s. Oasis Medical System	M/s. Faraz Associates	M/s. Popular International	M/s. Elate C.C. Pvt Ltd.	M/s. Gulf Marketing Instrument	M/s. Khalid Corp.	M/s. Noor International	M/s. Jafco International	M/s. Mediquips (SMC)	M/s. FAS Traders	M/s. Shamim & CO.	M/s. S. Ejazuddin & Co.	M/s. Bio Medical Tech.	M/s. Universal Enterprises	M/s. Med. Elec. Corp.	
8	<p>BLOOD GAS ANALYZER (ABG ANALYZER) Display: TFT 10" VGA color touch screen or better Input Parameters: The input parameters should at least include the following: Patient ID, Patient height, Patient department, T, Sample type, Patient note, Patient weight, Patient accession no, Patient age, Patient sex, Draw time, Date of birth, Sample site, Patient birth weight, Patient gestational age, Patient name, Physician, Operator, Operator department, p50(st), RQ, FO2(I), Qt, VO2, VCO, sO2(n-), pO2(n-), ctHb, FCOHb(1), and FCOHb(2) Technical Specification: Liquid Volume: 700ul or better Cycle time: <2min 40 sec or better Scanning time: <30sec with filled carousel or better Hardware: Intel Celeron Processor 128 MB RAM Hardisk 40 GB CD/RW/DVD drive Dedicated 80386 CPU for wet section operations Serial line RS232 Windows XP Embedded Sybase Type Parameter PH PH**, cH+ Blood Gas PCO2, PO2 Electrolytes cCa2+, ck+, cNa+ Glucose cGlu Hemocrit Hct Oximetry ctHb, sO2, FO2HB, FCOHb, FMetHb, HHb, FhbF Data Capacity: Should include the following results: Should be able to store 2000 Patients Records Country of Manufacture: Europe/ USA/ Japan/ UK/ Korea/ Equivalent FDA/ CE approved.</p>	1		N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	Radiometer ABL 80 Flex Denmark	N/Q	N/Q	N/Q	N/Q	Radiometer, Denmark	N/Q	N/Q	N/Q	
	<p>SUCTION MACHINE FOR EMERGENCY, ICU AND OT • The pump should have accurate vacuum setting with the membrane vacuum regulator • Should have piston / cylinder technology • The vacuum range should start from - 90 mbar / - 675 mm Hg or better • The flow rate should be up to 30 liter/min or better • Should have ISO and CE certification • Castors should have brake system • Should have on 100 - 200 VAC (150W) or 230 - 240 VAC (150 W) • Foot switch ON/OFF • Should have Set of 3 liter jar • Should have Local trolley Imported wheels • Should have Antibacterial filter Country of Manufacture Europe/ USA/ Japan/ UK/ Korea/ Equivalent FDA/ CE approved.</p>							X		X				X						
9	<p>SUCTION MACHINE FOR EMERGENCY, ICU AND OT • The pump should have accurate vacuum setting with the membrane vacuum regulator • Should have piston / cylinder technology • The vacuum range should start from - 90 mbar / - 675 mm Hg or better • The flow rate should be up to 30 liter/min or better • Should have ISO and CE certification • Castors should have brake system • Should have on 100 - 200 VAC (150W) or 230 - 240 VAC (150 W) • Foot switch ON/OFF • Should have Set of 3 liter jar • Should have Local trolley Imported wheels • Should have Antibacterial filter Country of Manufacture Europe/ USA/ Japan/ UK/ Korea/ Equivalent FDA/ CE approved.</p>	13		N/Q	CAMI Italy	N/Q	N/Q	Maxispeed 3A Health Care, Italy	N/Q	Medist Hammene, Slovakia	Madela Basic, Swiss	SU-305 Gemmy, Taiwan	N/Q	China	N/Q	N/Q	SAM-35 MG Medicals UK	Novela, Uzuncu Medical, Turkey	N/Q	

Should ensure supply is provided.

For control lever.

Do not meet specs.

No. Broch.

China

For switch

No for control

Deputy Medical Superintendent
 Stores
ABBASI SHAHEED HOSPITAL
 Karachi Metropolitan Corporation

Prof. Saleem Ullah
 M.B.B.S (DOW) M.R.C.P (UK)
 Head of the Department of Medicine &
 Incharge Medical Unit-I
 Karachi Medical & Dental College
 Abbasi Shaheed Hospital

Medical Superintendent
Abbasi Shaheed Hospital
 Karachi Metropolitan Corporation

Item NO.	DESCRIPTION	TOTAL QTY.	A/U	M/s. Ameer Din Instrument	M/s. Oasis Medical System	M/s. Faraz Associates	M/s. Popular International	M/s. Elate C.C. Pvt Ltd.	M/s. Gulf Marketing Instrument	M/s. Khalid Corp.	M/s. Noor International	M/s. Jafco International	M/s. Mediquips (SMC)	M/s. FAS Traders	M/s. Shamim & CO.	M/s. S. Ejazuddin & Co.	M/s. Bio Medical Tech.	M/s. Universal Enterprises	M/s. Med. Elec. Corp.	
10	<p>3 CHANNEL ECG MACHINE -</p> <ul style="list-style-type: none"> • 3-Channel interpretive Electrocardio graphs with LCD Screen, having the following 12-Lead ECG Simultaneous Display - An LCD Screen show 12 – lead ECG waveform at a glance for easy reviewing. It also helps save paper. You can confirm noiseless waveforms. Data Storage and transfer. 8 – Files X 10 seconds ECG can be stored and transferred to the serial port of PC printout can be turned off when data is transferred. • Manual ID Number Entry - A numerical ID can be entered with the panel keys for easier filing. • High Level 12-Lead ECG Analysis - Latest Interpretation program is integrated. It provides simultaneous 12-lead ECG acquisition and analysis with approximately 200 finding and 5 judgment categories. • 3-Channel Recording - Both roll and Z-Fold paper are available with various recording formats. A high resolution thermal print head provides clear printouts. • Unique Pen Sound Generation A Pen sound generation is built into the thermal array recorder so that the operator can evaluate the quality of the ECG recording even from a distance. This helps avoid mis-recording and save paper. • AC Battery operation - An ecological NiMH battery allows measurement and recording of approx. 60 patients. Country of Manufacture. Europe/ USA/ Japan/ UK/ Korea/ Equivalent FDA/ CE approved. 	1		N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q
	<p>PORTABLE ECHO MACHINE</p> <p>Portable Echo machine with fully Digital Beam Former Ultrasound System for Echocardiography Vascular and preoperative cardiac assessment Premium performance point of care Ultrasound</p> <p>SYSTEM COMPOSITION SHOULD HAVE</p> <ul style="list-style-type: none"> - Main Unit. - 15-Inches IPS type Monitor with touch screen - Customizable Pole Cart - Power Extension Unit - Three-Port Probe Unit - Color Doppler - PW Doppler - Power Doppler - Tissue Harmonic Imaging - Cable Hanger - Integrated battery approx one hour battery back up - Keyboard Kit 																			
11	<p>Needle Visualize Software</p> <ul style="list-style-type: none"> - Anti-Virus License - 4 – 18 MHz Multi frequency Ultra-Broadband Linear Probe - CW Kit (Hardware & Software) with 2 – 4 MHz Multi – frequency Phased Array Sector Probe - Compound scanning - Speckle reduction algorithm. - Trapezoid imaging - Auto image optimization should be able <p>-Portable Ultrasound system should have, easy to use interface and Efficient Workflow with seamless Connectivity.</p> <p>Should have linear Convex and Phased Array Technology Transducers available with the system</p> <p>-The standard configuration should include high resolution B mode with the innovative 3THI Harmonic Imaging, dedicated processing algorithms and complete Color Doppler functionality (Continuous Wave CW Doppler Should be available in standard for cardiac applications).</p> <p>-Ultrasound should have Lightweight, battery – equipped and ready to operate in less than 15 second</p>	2		N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q

Deputy Medical Superintendent
Sd/-
ABBASI SHAHEED HOSPITAL
Karachi Metropolitan Corporation

Prof. Saleem Ullah
M.B.S (DOW) M.R.C.P (UK)
Head of the Department of Medicine &
Incharge Medical Unit-I
Karachi Medical & Dental College
Abbasi Shaheed Hospital

Medical Superintendent
Abbasi Shaheed Hospital
Karachi Metropolitan Corporation

Item NO.	DESCRIPTION	TOTAL QTY.	A/U	M/s. Ameer Din Instrument	M/s. Oasis Medical System	M/s. Faraz Associates	M/s. Popular International	M/s. Elate C.C. Pvt Ltd.	M/s. Gulf Marketing Instrument	M/s. Khalid Corp.	M/s. Noor International	M/s. Jafco International	M/s. Mediquips (SMC)	M/s. FAS Traders	M/s. Shamim & CO.	M/s. S. Ejazuddin & Co.	M/s. Bio Medical Tech.	M/s. Universal Enterprises	M/s. Med. Elec. Corp.	
12	<p>MOBILE VENTILATOR MRI COMPATIBLE ADULT & PEADS</p> <p>General: Can be use in ICU special care areas. Cardiac surgery recovery rooms, sub acute care units, while transporting patient to the MRI Department. And provides the first ventilation during MRI Procedure Special Functions: Special function should include nebulizer, manual breath, 100% O2. Standby, sigh, apnea backup ventilation, serene - lock, screen shot, suctioning tool. Dimmable screen and inspiratory hold, start up over body height and IBW. Ventilation Dimensions: (S) CMV + / APV cmv, PCV + Spont, SIMV + / APV simv, ASV, P-SIMV + OPTIONAL NIV, NIV-ST, DUO PAP and APRV Physical Dimensions: Should have display of 8" or more. TFT color. LED backlit background dimmable Features: Ø Must be able to used at the magnetic field strength of 50mT. Ø Should have integrated gauss meter. Ø Should have alarm lamp at the top of the unit to ensure that the alarming ventilator is immediately identified without the need to look at the screen. Ø The turbine can deliver 210 L / MIN Ø Should have three color LED'S on the gauss meter which indicates the acceptable limits of the magnetic field Ø Real time visualization of the lung with representation of tidal volume, lung, compliance, resistance and patient spontaneous activity. Ø Visual representation of ventilator dependency with respect to time grouped in into oxygenation, CO2, elimination and patient activity. Ø Graphics disp of target and actual parameters for tidal volume frequency, pressure and minute ventilation. Ø Real time wave forms: simultaneous display of Paw, Flow, Volume, P-trachea, CO2 Ø Loops: Display of P-V, V-Flow, P-Flow Ø Trending: Simultaneous display of 4 parameter trends for 1,6,12,24 or 72 hours Technical Specification • (S) CMV + / APV cmv, PCV + 4 to 80b/min • SIMV+APVsimv, Duo PAP 1 to 80b/min • PSIMV +, NIV - ST, APRV • Tidal volume starting from 20 ml up to at least 2000ml • Oxygen from minimum range of 21% to 100% • The inspiratory to expiratory ration starting from 1:9 up to 4:1 • % minute volume in adaptive support ventilation from 25% up till 350%</p>	6		N/Q	N/Q	N/Q	N/Q	X Sirio Plus MRI Sarc, Italy	N/Q	N/Q	Hamilton MRI Switzerland	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q
13	<p>A&B SCAN WITH BIOMETER DYNAMIC DIGITAL VIDEO</p> <ul style="list-style-type: none"> Digital memory and image freezing. A&B modes with control vector and biometric ruler with computer to calculate IOL power. LCD monitor, display of overall gain. New field and dynamic settings Depth of examination 43mm & 58mm. In B mode scanning angle 35° or 55°. 10MHz B probe 13 MHz biometry probe Patient data base management system- Grey scale 256. With printer A-SCAN TECHNICAL SPECIFICATIONS: ProbeType: Solid probe, "Immersion" or "Contact" Frequency: 13 MHz Internal fixation light: Red Led Measurable Value: Axial length, Anterior chamber Depth, lens thickness, Vitreous length Axial length range: 14 - 40 mm Clinical Accuracy ± 0.1 mm User-selectable for each of Ultrasonic Velocity: Anterior chamber (1532 m/s), Lens (m/s for natural lens, prest for PMMA, Acrylic & Silicone IOLs) Vitreous cavity (1532 m/s) Natural vitreous, Silicone oil-filled eye (980 m/s or 1040 m/s) IOL CALCULATIONS IOL formulas: Holladay I, Hoffer-Q, SRK-II, SRK/T and Haigis Accuracy ± 0.01 D steps B-SCAN TECHNICAL SPECIFICATIONS: ProbeType: Motorized Sector B-Probe frequency: 10 MHz supplied (optional 20 MHz) Sector angle: Variable 35° or 55° DISPLAY Depth range: 43 or 58 mm from the probe tip Resolution: Axial direction 0.15 mm, lateral direction max. 0.2 mm live Zoom: 2X, user selectable location on the image Gain curves: logarithmic with user-selectable contrast and brightness control MEASUREMENTS Distance: Calipers on B-Scan display, gates on profile A-Scan display Dual Screen live Zoom with Calipers Measurement Gain: Adjustable 30 - 114 dB Dynamic range: Adjustable 0 - 85 dB Auto TGC Zone Depth: ± 100%, variable GENERAL TECHNICAL SPECIFICATIONS FILE EXPORT FEATURE: Export report as: PDF, RTF Export Snapshot as: TIF, PNG, JPG, AKOM Export Movie as: MoV (Quick-time), AVIDYNAMIC RECORDING Recording time: 50 or 100 seconds loop through, depends on available computer memory recording and Playback: loop, Play, Half-Speed Country of Manufacture: Europe/ USA/ Japan/ UK/ Korea/ Equivalent FDA/ CE approved. 	2		X Vupad. USA	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	X Quantel Medical, France	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q

Deputy Medical Superintendent

Stores

ABBASI SHAHEED HOSPITAL

Prof. Saleem Ullah
M.B.B.S (DOW) M.R.C.P (UK)

Head of the Department of Medicine
Incharge Medical Unit-I
Karachi Medical & Dental College
Abbasi Shaheed Hospital

Medical Superintendent
Abbasi Shaheed Hospital
Karachi Metropolitan Corporation

Item NO.	DESCRIPTION	TOTAL QTY.	A/U	M/s. Ameer Din Instrument	M/s. Oasis Medical System	M/s. Faraz Associates	M/s. Popular International	M/s. Elate C.C. Pvt Ltd.	M/s. Gulf Marketing Instrument	M/s. Khalid Corp.	M/s. Noor International	M/s. Jafco International	M/s. Mediquips (SMC)	M/s. FAS Traders	M/s. Shamim & CO.	M/s. S. Ejazuddin & Co.	M/s. Bio Medical Tech.	M/s. Universal Enterprises	M/s. Med. Elec. Corp.
14	<p>ARGON LASER:</p> <ul style="list-style-type: none"> Type: Photo coagulator Laser: 532 nm - (Diode pumped doubled frequency solid state Laser) Output at fiber end: 1.5 watts Pulse interval: single pulse, 1 to 5 Hz Aiming Beam: Tri Dot 635 nm, 2 Mw max. Laser: 50 TO 800 µm Spot size Parfocal Foot Print: 250 X 190 X 52 mm Weight: 3.3 Kg Power Supply: External 18V Fiber Attachments: 2 Fiber Ports, One for Slit lamp, SLIT LAMP PCL5 (Laser Delivery System): Type: Binocular Stereoscope Stereo angle full 100° Oculars + 7 Diopter Magnification 5 Step, (6.3X / 10X / 16X / 25X / 40X) Pupillary Distance 52 to 78 mm Slit width 0-16 mm continuous Slit length 1-16 mm continuous Slit diaphragm Ø: 1 mm Slit rotation + 90° (0-180°) Illumination unit swing Horizontal + 90° Filters Blue, Red free (Green), Grey (10%) UV and Heat Absorption filter are preinstalled Illumination Halogen 6 V, 20 W Eye protection filter Permanent Laser optic Par focal 50-500µm Power required 110 V - 240 V 50/60 Hz ACCESSORIES: Integrated coupling for laser delivery Original elevated motorized instrument stand Safety goggles Country of Manufacture Europe/ USA/ Japan/ UK/ Korea/ Equivalent FDA/ CE approved. 	2		Ligh Las 532, Lightmed, USA	N/Q	Alcon, USA	N/Q	N/Q	N/Q	Quintel Medical, France	N/Q	Novous Spectra Lumenis Germany	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q
15	<p>AUTOREFRACTOMETER WITH KERATOMETER REFRACTOMETRY</p> <p>Measurement Range: SPH: -20.00D to +23.00D (Auto / 0.12D / 0.25D increments)</p> <p>CYL: 0D or +12D (0.12D / 0.25D increments)</p> <p>Axis: 1-180° (1° increments)</p> <p>Minimum pupil diameter: Ø2.3mm</p> <p>Vertex Distance: 0 and 12, 13.5, 13.75, 15 or 16 mm</p> <p>PD Measurement: 1 to 83 mm</p> <p>Fixation Chart: Fire work & Road: high/mid/low intensity</p> <p>Pupil size reading range: 2.0 to 12.0 mm</p> <p>Keratometry</p> <p>Measurement range: Radius curvature: 5.00 to 11.00 mm</p> <p>Corneal astigmatism: 0.00D to 12.00D</p> <p>Axis: 0 to 180°</p> <p>Measurement area: Center: Ø3.2mm (R 8.0mm)</p> <p>Peripheral: 25° Ø6.8mm (R 8.0mm)</p>	1		URK-700 Unicos Korea KR-800 Topcon, Japan	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q
	<p>Corneal Size Measurement</p> <p>Range: 0 to 16.0mm</p> <p>General</p> <p>Data Storage: 50 persons (100 eyes)</p> <p>Display: 5.7-inch color LCD touch panel (tilt 0 to 45°)</p> <p>Interface: RS232C, USB, IR</p> <p>Dimension: 254(W) x 469(D) x 447 (H) mm</p> <p>Weight: Approx. 13kg</p> <p>Power Supply: AC100 - 240V 50/60Hz</p> <p>Power Supply: 40VA</p> <p>Country of Manufacture: Europe/ USA/ Japan/ UK/ Korea/ Equivalent FDA/ CE approved.</p>			Cylinder 0-10, (requiring) +12															

Deputy Medical Superintendent
 ABBASI SHAHEED HOSPITAL
 Karachi Metropolitan Corporation

Prof. Saleem Ullah
 M.B.B.S (DOW) M.R.C.P (UK)
 Head of the Department of Medicine &
 Incharge Medical Unit-I
 Karachi Medical & Dental College
 Abbasi Shaheed Hospital

Medical Superintendent
 Abbasi Shaheed Hospital
 Karachi Metropolitan Corporation

Item NO.	DESCRIPTION	TOTAL QTY.	A/U	M/s. Ameer Din Instrument	M/s. Oasis Medical System	M/s. Faraz Associates	M/s. Popular International	M/s. Elate C.C. Pvt Ltd.	M/s. Gulf Marketing Instrument	M/s. Khalid Corp.	M/s. Noor International	M/s. Jafco International	M/s. Mediquips (SMC)	M/s. FAS Traders	M/s. Shamim & CO.	M/s. S. Ejazuddin & Co.	M/s. Bio Medical Tech.	M/s. Universal Enterprises	M/s. Med. Elec. Corp.	
16	<p>PHACOEMULSIFICATION SYSTEM</p> <p>SPECIFICATION:-</p> <ul style="list-style-type: none"> • Continuous ultrasound • Pulse mode • Short Pulse • Long pulse • Low power pulse • High power pulse • Single Burst • multi Burst • Continuous white star™ • Pulse white star™ • Cool Phaco technology • Foot switch with dual linear control • White star ICE CASE™ technology (Chamber stabilization Environment) a Real-time vacuum sensor and air free aspiration line for maximum anterior chamber stability. <p>ASPIRATION:-</p> <ul style="list-style-type: none"> • FLOW RATE: 1-50ml • VACUUM: 1-500 mmHg • FLOW RATE PULSATION: 7Hz • EXCESSIVE ASPIRATION: 0-100% +/- 10ml • VACUUM RISE WITH VENTURI EFFECT: 5-0.5 sec <p>VITRECTOMY:-</p> <p>Hand pieces are designed for cutting vitreous during anterior segment surgery and operate in conjunction with the Irrigation/Aspiration modes. The cutting speed can be varied using the front panel adjustments. There are 6 adjustments related to the Vitrectomy Mode:</p> <ul style="list-style-type: none"> • Max Asp Rate • Max Vacuum • Cut Rate • Vacuum Mode • Flow Mode • Foot Pedal Mode <p>FUNCTIONAL PRINCIPAL: ELECTRIC</p> <p>STROKE: 10-600 cuts/min</p> <p>PHACO -</p> <p>Phaco power is separately adjustable from 0 to 100% for both OCCLUDED and UNOCCLUDED Phaco tips. The display screen indicates both the maximum power settings and the actual Phaco power being delivered. The Phaco power may be either LINEAR or PANEL.</p>	2		Light Sonic Pro Lightmed, USA	N/Q	Alcon, USA	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q
17	<p>YAG LASER</p> <p>Features</p> <ul style="list-style-type: none"> • Tri-spot focus • Tiltable display • A range of optional accessories may be added to the system • Control the laser at a finger tip: optional laser trigger for the base <p>TECHNICAL SPECIFICATIONS:-</p> <p>Laser system: Nd: YAG 1064nm, Q-switched Mode structure: quasi gauss Focus spot in air: < 8 microns Cone angle: 16° Repetition rates: ~2.5 Hz Pulse length: < 4 ns Plasma formation in air: < 4 mJ Q-switch mode: passive Cooling: Air Output energy: 32 mJ max. at 3 pulses Energy adjustable: 0.5 to max, continuously in 0.1 mJ increment Burst mode adjustable: x1, x2, or x3 Aiming beam: tri spot focus, 635 nm Micro-offset posterior: 0/150/300 μm Voltage requirements: 85-260V, 50/60 Hz, 250VA System Consisted of 1 x Q-Switch Nd: YAG Laser 1064nm 1 x Slitlamp PCL-51 x Safety Goggles 1 x Power Supply</p> <p>Country of Manufacture: Europe/ USA/ Japan/ UK/ Korea/ Equivalent FDA/ CE approved.</p>	2		Light Las Yag Lightmed, USA	N/Q	N/Q	N/Q	N/Q	N/Q	Quantel Medical, France	N/Q	Aura PT. Lumenis, Germany	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q

Deputy Medical Superintendent
Stores
ABBASI SHAHEED HOSPITAL
Karachi Metropolitan Corporation

Prof. Saleem Ullah
M.B.B.S (DOW) M.R.C.P (UK)
Head of the Department of Medicine &
Incharge Medical Unit-I
Karachi Medical & Dental College
Abbasi Shaheed Hospital

Medical Superintendent
Abbasi Shaheed Hospital
Karachi Metropolitan Corporation

Item NO.	DESCRIPTION	TOTAL QTY.	A/U	M/s. Ameer Din Instrument	M/s. Oasis Medical System	M/s. Faraz Associates	M/s. Popular International	M/s. Elate C.C. Pvt Ltd.	M/s. Gulf Marketing Instrument	M/s. Khalid Corp.	M/s. Noor International	M/s. Jafco International	M/s. Mediquips (SMC)	M/s. FAS Traders	M/s. Shamim & CO.	M/s. S. Ejazuddin & Co.	M/s. Bio Medical Tech.	M/s. Universal Enterprises	M/s. Med. Elec. Corp.	
18	<p>DR SYSTEM X-RAY</p> <ul style="list-style-type: none"> - Digital Radiography with flat panel detector complete with work station, printer unit - 40 kW or more High frequency X-Ray Generator - 4 ways floating top table with fixed height - floor mounted tube stand - manual collimator - 140KHU X-ray tube or more - wall bucky stand - pair of HT cables 10m or more - Flat Panel Detector (14 x 17") or more - Generator - Radiographic kVP 40-125kV or more in one kV step - Radiographic mA 10-500mA or more - mAs range: 0.4 to 500mAs or more - Exposure time: 1 ms to 10s - 2 point kVp and mAs selection, 3 point kVp, mA & time selection - 500 or more Anatomical program - Electromagnetic brakes Longitudinal and lateral travel movement for table bucky. - Longitudinal bucky travel - Cassette size 18 x 24 to 35 x 43cm - Moving grid 10:1 or more - Foot switch for electro magnetic brake control - Tube support balancing system with counterweights and Electromagnetic brakes - Control panel with push button to control vertical, longitudinal and transverse travel - Column rotation +/-90deg or better - Manual collimator - Halogen/ LED light indicator for alignment with bucky - Chest bucky stand - Moving Potter Bucky super speed. Vertical travel of bucky not less than 150cm. - Moving grid: 10:1 ratio or more - Dual Focal X-ray tube: Small focus 1.0mm and Large focus 2.0mm - Maximum Tube voltage 125KVp and Anode Heat capacity 140 KHU or more - 14 x 17" or more Flat Panel Detector with imaging software - 2428x2428 pixel resolution - Detector should give atleast 185 images with a fully charged battery. - Battery charging time from empty to full should not be more than 30 minutes. - Battery operating time should not be less than 10 hours. - Cesium iodide (CsI) 	1		N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	Polyrad-S Radiologia S.A., Spain	Toshiba, Japan / Konica Japan	N/Q	DR-600 AGFA	N/Q	N/Q	N/Q	N/Q	N/Q
19	<p>PORTABLE X-RAY MACHINE 100MA</p> <p>High frequency X-Ray inverter type Generator- Having output power of 4kW or more- X-ray tube protection, KVP range: 40-110kV or more- MA Range: 10-100mA or better, mAS range: 1.0-200mAs or better- Centering light indicator- Standard power supply cable- X-Ray exposure switch cable,- Vertical movement of the Arm to lower or raise the tube collimator assembly- Rotation of the Collimator with reference to the power module (+/-90deg) or better- Country of Manufacture: Europe/ USA/ Japan/ UK/ Korea/ Equivalent FDA/ CE approved.</p>	1		N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	Primax Cyber Plus-4 France	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q
20	<p>ETT MACHINE COMPLETE WITH SOFTWARE AND TREAD MILL</p> <ul style="list-style-type: none"> - ETT Machine with Automatic BP measurement support. - ST Setting for J-point position modification. - Stress Test Protocol Editor. - Single Freeze and review. - Trends of HR, ST, BP and Load. - Automatic & Manual Load Control. - Electrode Application indicator. - Complete with Tread Mill with max. load 200 Kg. - Speed Range: 0-20Km/h - Speed Increments: 0.1 Km/h - Incline Range 0-25% - Incline Increment 0.5% <p>Country of Manufacture: Europe/ USA/ Japan/ UK/ Korea/ Equivalent FDA/ CE approved.</p>	1		N/Q	Nassif Association in USA	N/Q	N/Q	N/Q	N/Q	Hungary	N/Q	AT-104 Schiller Switzerland	N/Q	N/Q	N/Q	N/Q	N/Q	B-612 Aspel Poland	N/Q	Norav Medical Inc. GMBH

X.

only Xray
no DR
Separate Xray
Separate DR

DR-600 AGFA

27

No backup

? Check Specs

no backup

No backup

Max load 150kg

Deputy Medical Superintendent
ABBASI SHAHEED HOSPITAL
Karachi Metropolitan Corporation

Prof. Saleem Ullah
M.B.B.S. (DOW) M.R.C.P. (UK)
Head of the Department of Medicine &
Incharge Medical Unit-I
Karachi Medical & Dental College
Abbasi Shaheed Hospital

Medical Superintendent
Abbasi Shaheed Hospital
Karachi Metropolitan Corporation

Item NO.	DESCRIPTION	TOTAL QTY.	A/U	M/s. Ameer Din Instrument	M/s. Oasis Medical System	M/s. Faraz Associates	M/s. Popular International	M/s. Elate C.C. Pvt Ltd.	M/s. Gulf Marketing Instrument	M/s. Khalid Corp.	M/s. Noor International	M/s. Jafco International	M/s. Mediquips (SMC)	M/s. FAS Traders	M/s. Shamim & CO.	M/s. S. Ejazuddin & Co.	M/s. Bio Medical Tech.	M/s. Universal Enterprises	M/s. Med. Elec. Corp.	
21	<p>ANGIOGRAPHY TUBE PHILIPS FOR ANGIOGRAPHY MACHINE</p> <p>The grid switched X-Ray Tube assembly with Cooling Unit CU-3101. Comprising:</p> <ul style="list-style-type: none"> • 0.40.7 Nominal Focal Spot Values, Maximal 30 Resp 67 KW Loading • Max Fluoro Power 10 Minutes 4500W 20 Minutes 3500W • Max Anode Cooling Rate 14.85 KHUS. • Max Heat dissipation of assembly heat 3500W • Anode heat storage capacity of 2.4 MHU. • Grid switched Dynamic Pulsed Fluoroscopy. • Dose Management with Spectra Beam Filtration 0.1mm to 1mm CU eq • Tube Housing ROT GS 1004 for Oil Cooling with builtin Thermal Safety Switch. Rotor Control Unit for continuous rotation of the anode disk. • Cooling unit CU 3000 Heat Exchanger for Direct and forced cooling with oil. • Country of Manufacture Europe/ USA/ Japan/ UK/ Korea/ Equivalent/FDA/ CE approved. 	1		N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q
22	<p>DENTAL UNIT</p> <p>DOCTOR'S TRAY</p> <ul style="list-style-type: none"> • One-piece handpieces console easy to wipe and clean. • Soft Touch Control Panel for chair positions, cupfiller, Bow/flush, water heater, X-Ray Illuminator & Dental Light. • Swing out Swivel Balance arm with air operated tray locking system • Handle for easy tray movement • 3Hand pieces automatic our patient delivery system. • Spare holder for built-in curing light & camera. • All internal tubing are durable & long lasting (USA made). • Swing in/out flexible balance arm • Large instrument tray. • Rectangular air pressure gauge • Water flow control. • Individual air pressure controls. • One 3 way syringe for doctor with quick disconnect tip for autoclave. • 3-Aseptic easy clean, tubing's and fitting for the hand piece straight. • Multi function Air operated foot switch • X-Ray Viewer DC type non flicking articulating. <p>DENTAL CHAIR</p> <ul style="list-style-type: none"> • Fully computer control motorized chair. • Comfortable arm rests. Right arm swings for patient use. • Double articulating Head rest adjustable for neck positioning & pediatric use also. • Multi Preset Positions. • One touch pre-set position programmable by user. • One touch last position/ gargling position. • One touch zero return system. • Emergency stoppage by single touch of switch. • Foot control for chair Up/Down and Back/forward movement. • Smooth seamless upholstery in a large selection of colors. • No chair movement when any hand piece in use. • Transparent protective foot rest cover. <p>DENTAL LIGHT</p> <ul style="list-style-type: none"> • LED Light • Large Round reflector. • 12V, 50w, 4500K day light for perfect matching of colors. • Up/Down, Back forward, and inverse Movement of the light head. 	32		N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	Fona Dental Solvaku	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q	N/Q

Not done

Fona Dental Solvaku

37

Deputy Medical Superintendent
Stores
ABBASI SHAHEED HOSPITAL
Karachi Metropolitan Corporation

37

Prof. Saleem Ullah
M.B.B.S (DOW) M.R.C.P (UK)
Head of the Department of Medicine &
Incharge Medical Unit-I
Karachi Medical & Dental College
Abbasi Shaheed Hospital

Medical Superintendent
Abbasi Shaheed Hospital
Karachi Metropolitan Corporation

Item NO	DESCRIPTION	TOTAL QTY	A/L	M/s. Ameri Dm Instrument	M/s. Oasis Medical System	M/s. Laraz Associates	M/s. Popular International	M/s. Elite C.C. Pvt Ltd.	M/s. Gulf Marketing Instrument	M/s. Khalid Corp.	M/s. Noor International	M/s. Jalco International	M/s. Medquip (SMC)	M/s. IAS Traders	M/s. Shamm & Co	M/s. S. Ejazuddin & Co.	M/s. Bio Medical Tech.	M/s. Universal Enterprises	M/s. Med Elec. Corp.	
23	SCAL N-RAY Mobile With complete imported stand Specification Rated electric power 2800W High frequency technology 100KHz Absorption 0A Tube DC07BDC Focal spot 2.7mm (EC 35) 0.7mm cone at the end of spacer 1cm Total filtration 2mm Al Schematic anode current 470mA Scheometric voltage 90KV tube 16070kVp Dispersed radiation 0.25mCh/a 1meter from focus Exposure time 0.020-1.000ms SCALAR II Power supply 190-240V 50Hz Intermitted operation 1/30 Is exposure 30s reset max Distance F-F 20cm Fuse F6 3A1 Dead man logic control Digital radiation key Country of Manufacture Europe / USA / Japan / UK / Korea / Equivalent FDA/CE approved	1		NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ
24	Chemistry Analyzer (Fully Automated)	2		NQ	NQ	NQ	Human Germany	Academy Alliance Italy	Genex Switzerland	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ
25	Diathermy Machine with Lead (Monopolar)	3		NQ	NQ	NQ	Covaden Ltd USA Germany	NQ	NQ	Domeda Germany	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ
26	Fiberoptic Laryngoscope	4		Fiber Optic Laryngoscope Home Germany	NQ	NQ	NQ	NQ	NQ	Hibro Pakistan	NQ	NQ	NQ	Local	NQ	NQ	NQ	NQ	NQ	NQ
27	Hematology Analyzer (Manual Counter)	2		NQ	NQ	NQ	NQ	NQ	Optice Germany	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ
28	Infusion Pump	7		NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ
29	Multimedia Projector Complete Set	4		NQ	NQ	NQ	NQ	NQ	NQ	Optoma USA	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ
LAB ITEMS:																				
1	ABS-Absorbance Test (12 Test / Box)	4 Boxes		NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ
2	AHDI-Calibrator (2 sets / 3 levels)	1 Box		NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ
3	Alamine amonotransferance (240 Tests)	50 Boxes		NQ	NQ	NQ	Human Germany	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ
4	ALB/TP-Calibrator (2 sets / 3 levels)	1 Box		NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ
5	Albumin (480 Tests)	13 Boxes		NQ	NQ	NQ	Human Germany	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ
6	Alkaline Phosphatase (360 Tests)	25 Boxes		NQ	NQ	NQ	Human Germany	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ
7	Amylase (240 Tests)	12 Boxes		NQ	NQ	NQ	Human Germany	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ
8	Assay Pump and Sample tubing (MELVA SP) Set	1 No		NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ
9	Automated HDL (240 Tests)	5 Boxes		NQ	NQ	NQ	Human Germany	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ
10	Calcium (480 Tests)	25 Boxes		NQ	NQ	NQ	Human Germany	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ
11	Chem 1 Calibrator (2 sets / 3 levels)	1 Box		NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ
12	Chol-Calibrator (2 sets / 3 levels)	1 Box		NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ

Deputy Medical Superintendent
Stores
ABBASI SHAHEED HOSPITAL
Karachi Metropolitan Corporation

Prof. Saleem Ullah
M.B.B.S (DOW) M.R.C.P (UK)
Head of the Department of Medicine &
Incharge Medical Unit-I
Karachi Medical & Dental College
Abbasi Shaheed Hospital

Medical Superintendent
ABBASI SHAHEED HOSPITAL
Karachi Metropolitan Corporation

Item NO	DESCRIPTION	TOTAL QTY	A/I	M/s. Amer Din Instrument	M/s. Class Medical System	M/s. Taraz Associates	M/s. Popular International	M/s. Elate C.C. Pvt Ltd.	M/s. Gulf Marketing Instrument	M/s. Khalid Corp	M/s. Noor International	M/s. Jafo International	M/s. Mediquips (SMC)	M/s. FAS Traders	M/s. Shamim & CO	M/s. S. Ejazuddin & Co.	M/s. Bio Medical Tech.	M/s. Universal Enterprises	M/s. Med. Elec. Corp.
13	Cholesterol (480 Tests)	20 Boxes		NQ	NQ	NQ	Human Germany	NQ	PZ Corina No expense	NQ	NQ	NQ	NQ	NQ	NQ	Finu Germany	NQ	NQ	NQ
14	Cleaning Solution 9180 (Closed System)	2 Boxes		NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ
15	Creatinine (480 Tests)	80 Boxes		NQ	NQ	NQ	Human Germany	NQ	PZ Corina No expense	NQ	NQ	NQ	NQ	NQ	NQ	Finu Germany	NQ	NQ	NQ
16	Cuvette Cartridge (12000 covette / cartridge)	30 roll		NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ
17	Direct Bilirubin (320 Tests)	25 Boxes		NQ	NQ	NQ	Human Germany	NQ	PZ Corina No expense	NQ	NQ	NQ	NQ	NQ	NQ	Finu Germany	NQ	NQ	NQ
18	Electrode Chloride 9180 (Closed System)	2 Boxes		NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ
19	Electrode ISe Reference 9180 (Closed System)	2 Nos		NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ
20	Electrode Potassium 9180 (Closed System)	2 Nos		NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ
21	Electrode Reference Housing 9180 (Closed System)	2 Nos		NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ
22	Electrode Sodium 9180 (Closed System)	2 Nos		NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ
23	Electrolyte Control 9180 (Closed System)	03 Boxes		NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ
24	Enzyme Verifier (2 sets / 3 levels)	1 Box		NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ
25	Gamma GT (288 Tests)	08 Boxes		NQ	NQ	NQ	Human Germany	NQ	PZ Corina No expense	NQ	NQ	NQ	NQ	NQ	NQ	Finu Germany	NQ	NQ	NQ
26	Glucose (1440 Tests)	20 Boxes		NQ	NQ	NQ	Human Germany	NQ	PZ Corina No expense	NQ	NQ	NQ	NQ	NQ	NQ	Finu Germany	NQ	NQ	NQ
27	IMT Probe (Set)	1 No		NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ
28	Phosphorus (480 Tests)	15 Boxes		NQ	NQ	NQ	Human Germany	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ
29	Probe Cleaner (1 x 500 ml)	3 Nos		NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ
30	Sample Cups with Lid (1.5 ml) 1000 /bag	20 Packs		NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ
31	Sample Probe Cleaner (1 x 1000 ml)	1 No		NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ
32	Snappaek 9180 (Closed System)	80 Packs		NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ
33	Sodium Electrode Conditioner 9180 (Closed System)	2 Nos		NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ
34	Source Lamp (Set)	2 Nos		NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ
35	I B I I / D B I I Calibrator (2 sets / 3 levels)	2 Boxes		NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	Finu Germany	NQ	NQ	NQ
36	Thermal Printer roll (4 Pcs)	100 Boxes		NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	Finu Germany	NQ	NQ	NQ
37	Top Seal Element (Set)	1 No		NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ
38	Total Bilirubin (480 Tests)	15 Boxes		NQ	NQ	NQ	Human Germany	NQ	PZ Corina	NQ	NQ	NQ	NQ	NQ	NQ	Finu Germany	NQ	NQ	NQ
39	Total Protein (480 Tests)	15 Boxes		NQ	NQ	NQ	Human Germany	NQ	PZ Corina	NQ	NQ	NQ	NQ	NQ	NQ	Finu Germany	NQ	NQ	NQ
40	Triglycerides (240 Tests)	20 Boxes		NQ	NQ	NQ	Human Germany	NQ	PZ Corina No expense	NQ	NQ	NQ	NQ	NQ	NQ	Finu Germany	NQ	NQ	NQ
41	Urea Nitrogen (480 Tests)	80 Boxes		NQ	NQ	NQ	Human Germany	NQ	PZ Corina	NQ	NQ	NQ	NQ	NQ	NQ	Finu Germany	NQ	NQ	NQ
42	Uric Acid (480 Tests)	10 Boxes		NQ	NQ	NQ	Human Germany	NQ	PZ Corina	NQ	NQ	NQ	NQ	NQ	NQ	Finu Germany	NQ	NQ	NQ
43	Actin Es (APIT) Siemen Sysmex (10 X 4)	12		NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	Finu Germany	NQ	NQ	NQ
44	Anti Sera A (10 ml)	45		NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ
45	Anti Sera B (10 ml)	45		NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ

Responsible about no expense

[Handwritten signature]

[Handwritten signature]

Prof. Saleem Ullah
M.B.B.S (DOW) M.R.C.P (UK)
Head of the Department of Medicine &
Incharge Medical Unit-I
Karachi Medical & Dental College
Abbasi Shaheed Hospital

Medical Superintendent
Abbasi Shaheed Hospital
Karachi Metropolitan Corporation

Item NO.	DESCRIPTION	TOTAL QTY	A/U	M/s. Ameer Din Instrument	M/s. Oasis Medical System	M/s. Faraz Associates	M/s. Popular International	M/s. Elite C.C. Pvt Ltd	M/s. Gulf Marketing Instrument	M/s. Khalid Corp	M/s. Noor International	M/s. Jafer International	M/s. Mediquips (SMC)	M/s. IAS Traders	M/s. Shamim & Co.	M/s. S. Ejazuddin & Co.	M/s. Bio Medical Tech.	M/s. Universal Enterprises	M/s. Med. Elec. Corp.
46	Anti Sera D (10 ml)	45		NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO
47	Calcium Chloride (APTT) Siemen Sysmex (10 x 50)	6		NO	NO	NO	NO	NO	Mediok	NO	NO	NO	NO	NO	NO	Siemens Germany	NO	NO	NO
48	Cell Pack Sysmex (20 Lit)	108		NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	Siemens Japan	NO	NO	NO
49	Citrol 2 Siemen Sysmex (10 x 1)	3		NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	Siemens Germany	NO	NO	NO
50	Coombs Anti Sera (10 ml)	5		NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO
51	Disposable Tubes Plastic with Purple Cork (500 / Pack)	200		NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO
52	Field Strain A	20		NO	NO	NO	NO	NO	Mediok	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO
53	Field Strain B	20		NO	NO	NO	NO	NO	Mediok	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO
54	Hematology Eight Check Control Sysmex Set (105 ml / 2 vial Set)	12		NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	Siemens Japan	NO	NO	NO
55	Methanol (Merek 205 Lit)	12		NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO
56	MP (ICT) (1 X 40 Combo)	18		NO	NO	NO	NO	NO	Diagnost	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO
57	Paraffin Oil (2.5 Lit)	2		NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO
58	PT, APTT Control Cirrol 1 E Siemen Sysmex (10 x 1)	3		NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	Siemens Germany	NO	NO	NO
59	Reaction Tubes SU - 40 Sysmex (3000 per Box)	5		NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	Siemens Germany	NO	NO	NO
60	Retic Solution (Liquid 1 Lit)	3		NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO
61	Stromatolyzer WH Sysmex KX - 20 (500ml)	145		NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	Siemens Japan	NO	NO	NO
62	Thermoborel S (PT) Siemens Sysmex (10 x 2)	12		NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	Siemens Germany	NO	NO	NO
63	Vacutainer (EDTA) (1000 / Box)	75		NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	Greiner Austria	NO	NO	NO
64	Vacutainer (LSR) (1000 / Box)	30		NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	Greiner Austria	NO	NO	NO
65	Vacutainer (PT & APTT) (1000 / Box)	20		NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	Greiner Austria	NO	NO	NO
66	Xcelene (2.5 Lit Bot)	1		NO	NO	NO	NO	NO	Mediok	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO
67	Adult Crisis Manikin Complete Resuscitation System to perform CPR, IV, Blood Pressure Defibrillation, Arrhythmia and ECG 113954	1		NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO
68	Adult Venipuncture and Injection Training Arm	1		NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO
69	Advanced Childbirth Simulator SB22438U	1		NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO
70	Blood Pressure Simulator LF01129U	1		NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO
71	Breast Examination Simulators LF00984U	1		NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO
72	Catheterization Simulators (Female)	1		NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO
73	Catheterization Simulators (Male) LF00855U	1		NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO
74	Cervical Dilatation / Effacement Simulator LF01096U	1		NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO
75	Eye Refractometry Trainers SB38895	1		NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO
76	Fetal monitoring and Labor Progress Model SB23508U	1		NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO
77	Forceps Vacuum Delivery OB Manikin SB32252U	1		NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO
78	Gynecologic Simulator SB28796U	1		NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO
79	Humanicular Injection Simulators LF00996U	1		NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO
80	Local Anesthesia For Minor Surgery SB32742U	1		NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO

Deputy Medical Superintendent
ABBASI SHAHEED HOSPITAL
Karachi Metropolitan Corporation

[Handwritten Signature]

Prof. Saleem Ullah
M.B.B.S (DOW) M.R.C.P (LOND)
Head of the Department of Medicine &
Incharge Medical Unit
Karachi Medical & Dental College
Abbasi Shaheed Hospital

Medical Superintendent
Abbasi Shaheed Hospital
Karachi Metropolitan Corporation

[Handwritten Signature]

Item NO.	DESCRIPTION	TOTAL QTY.	A/U	M/s. Amer Dim Instrument	M/s. Oasis Medical System	M/s. Faraz Associates	M/s. Popular International	M/s. Elate C.C. Pvt Ltd.	M/s. Gulf Marketing Instrument	M/s. Khalid Corp	M/s. Noor International	M/s. Jafco International	M/s. Mediquips (SMC)	M/s. FAS Traders	M/s. Shamum & Co.	M/s. S. Ejazuddin & Co.	M/s. Bio Medical Tech.	M/s. Universal Enterprises	M/s. Med. Elec. Corp
81	Minor Skin Procedures SB32743U	1		NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO
82	Model for Intrauterine Contraceptive Device Insertion	1		NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO
83	NG Tube & Trach Cre Simulator LG02083U	1		NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO
84	Nose Bleed Trainer SB38892	1		NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO
85	Pediatric Multivenous IV Training Arm	1		NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO
86	Set of 30 Videos (Latest) in Obstetric & Gynaecology (American Hi-Tech)	1		NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO
87	Suture Practice Trainers (Arm) LF01028U	1		NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO
88	Suture Practice Trainers (Leg) LF01034U	1		NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO
89	Suture Tutor SB32741U	1		NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO
90	Testicular Examination Simulators LF01143U	1		NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO
91	Toenail Tutor SB32744U	1		NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO

SURGICAL DISPOSABLES: -

1	Chromic 2/0	15 Dozen		NO	NO	Imported	NO	NO	NO	NO	NO	NO	NO	China	NO	NO	NO	NO	NO
2	Chromic No 0	15 Dozen		NO	NO	Imported	NO	NO	NO	NO	NO	NO	NO	China	NO	NO	NO	NO	NO
3	Chromic No 1	15 Dozen		NO	NO	Imported	NO	NO	NO	NO	NO	NO	NO	China	NO	NO	NO	NO	NO
4	Cotton Bandage 4"	400 Doz		NO	NO	Local	NO	NO	NO	NO	NO	NO	NO	Local	NO	NO	NO	NO	NO
5	Cotton Roll 400g	280 Rolls		NO	NO	Local	NO	NO	NO	NO	NO	NO	NO	Local	NO	NO	NO	NO	NO
6	Crape Bandage 4"	280 Doz		NO	NO	Local	NO	NO	NO	NO	NO	NO	NO	Local	NO	NO	NO	NO	NO
7	Crape Bandage 6"	380 Doz		NO	NO	Local	NO	NO	NO	NO	NO	NO	NO	Local	NO	NO	NO	NO	NO
8	Proline 0	05 Doz		NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	China	NO	NO	NO	NO	NO
9	Proline 1	10 Doz		NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	China	NO	NO	NO	NO	NO
10	Proline 2/0 Round Body Needle	04 Doz		NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	China	NO	NO	NO	NO	NO
11	Proline 2/0 Straight Needle	08 Doz		NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	China	NO	NO	NO	NO	NO
12	Proline 5/0	02 Doz		NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	China	NO	NO	NO	NO	NO
13	Proline 6/0	02 Doz		NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	China	NO	NO	NO	NO	NO
14	Pvodine Scrub 450ml	80 Bottles		NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	Local	NO	NO	NO	NO	NO
15	Rectal Catheter No 20 & 22	700 Nos		NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	Local	NO	NO	NO	NO	NO
16	Silk 2/0	12 Doz		NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	China	NO	NO	NO	NO	NO
17	Silk 4/0	08 Doz		NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	China	NO	NO	NO	NO	NO
18	Silk No 0	15 Dozen		NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	China	NO	NO	NO	NO	NO
19	Silk No 1	15 Dozen		NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	China	NO	NO	NO	NO	NO
20	Silk No 2/0	07 Doz		NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	China	NO	NO	NO	NO	NO
21	Spinal Needle No 25	50		NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	Germany	NO	NO	NO	NO	NO
22	Sponge Stone	50		NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	France	NO	NO	NO	NO	NO
23	Sticking Plaster Roll 4"	80		NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	Local	NO	NO	NO	NO	NO
24	Suction Catheter No 12 & 16	1200 Nos		NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	China	NO	NO	NO	NO	NO

Deputy Medical Superintendent
 Sd/-
 ABBASI SHAHEED HOSPITAL
 Karachi Metropolitan Corporation

Prof. Saleem Ullah
 M.B.B.S (DOW) M.R.C.P (UK)
 Head of the Department of Medicine
 Incharge Medical Unit-I
 Karachi Medical & Dental College
 Abbasi Shaheed Hospital

Medical Superintendent
 Sd/-
 ABBASI SHAHEED HOSPITAL
 Karachi Metropolitan Corporation

03

Item NO	DESCRIPTION	TOTAL QTY.	A/I	M/s. Ameer Din Instrument	M/s. Oasis Medical System	M/s. Faraz Associates	M/s. Popular International	M/s. Flare C.C. Pvt. Ltd.	M/s. Gull Marketing Instrument	M/s. Khalid Corp.	M/s. Noor International	M/s. Jafar International	M/s. MediQuips (SMC)	M/s. FAS Traders	M/s. Shanm & CO	M/s. S. Ejazuddin & Co.	M/s. Bio Medical Tech.	M/s. Universal Enterprises	M/s. Med. Elec. Corp.
25	Surgical Blade No 24	800 Nos		NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	China	NQ	NQ	NQ	NQ	NQ
26	Surgical Gloves No 6.5	1000 Pairs		NQ	NQ	King Malaysia	NQ	NQ	NQ	NQ	NQ	NQ	NQ	China	NQ	NQ	NQ	NQ	NQ
27	Surgical Gloves No 7	1500 Pairs		NQ	NQ	Imported	NQ	NQ	NQ	NQ	NQ	NQ	NQ	China	NQ	NQ	NQ	NQ	NQ
28	Surgical Gloves No 7.5	1500 Pairs		NQ	NQ	Imported	NQ	NQ	NQ	NQ	NQ	NQ	NQ	China	NQ	NQ	NQ	NQ	NQ
29	Surgical Gloves No 7.5 & 7	1600 Nos		NQ	NQ	Imported	NQ	NQ	NQ	NQ	NQ	NQ	NQ	China	NQ	NQ	NQ	NQ	NQ
30	Urine Bag	2000		NQ	NQ	Imported	NQ	NQ	NQ	NQ	NQ	NQ	NQ	China	NQ	NQ	NQ	NQ	NQ
31	Vicryl No 0	07 Doz		NQ	NQ	Imported	NQ	NQ	NQ	NQ	NQ	NQ	NQ	China	NQ	NQ	NQ	NQ	NQ
32	Vicryl No 1	15 Dozen		NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	China	NQ	NQ	NQ	NQ	NQ
33	Vicryl No 2/0	30 Doz		NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	China	NQ	NQ	NQ	NQ	NQ
34	Vicryl No 3/0	10 Doz		NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	China	NQ	NQ	NQ	NQ	NQ
35	Vicryl No 4/0	10 Doz		NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	China	NQ	NQ	NQ	NQ	NQ
36	Xylocan Gel	400 Nos		NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ
37	Air Way Adult	200 Nos		NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	Local	NQ	NQ	NQ	NQ	NQ
38	Air Way Small	100 Nos		NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	Local	NQ	NQ	NQ	NQ	NQ
39	Ambo Bag Disposable (Large & Small)	05 Each		NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	China	NQ	NQ	NQ	NQ	NQ
40	Disposable Ventilator Circuit Double Tubing	1000 Nos		NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ
41	HME Filter for Ventilator	1000 Nos		NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ
42	CVP Lines adult size	1000 Nos		NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	China	NQ	NQ	NQ	NQ	NQ
43	Pre-cutaneous Tracheotomy Kit	50 Nos		NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ
44	Temporary Pace Maker	2		NQ	Pak Star Galx Bio Medical USA	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ
45	Sterile Surgical Procedure Drapes Packs. Laprotomy, Craniotomy for HCV, HBV, HIV, etc	1000		NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ
MACHINERY:-																			
1	Power Generator, 250 KV	2		NQ	NQ	NQ	NQ	NQ	NQ	UK	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ
2	Power Generator Diesel / Gas 50 KV	1		NQ	NQ	NQ	NQ	NQ	NQ	UK	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ
3	Power Generator Diesel / Gas 10 KV	1		NQ	NQ	NQ	NQ	NQ	NQ	UK	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ
4	UPS with Battery	26		NQ	NQ	NQ	NQ	NQ	NQ	UK	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ
5	Photocopy	4		NQ	NQ	NQ	NQ	NQ	NQ	UK	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ
6	Computer (With accessories, LCD monitor, Laser Printer & UPS)	21		NQ	NQ	NQ	NQ	NQ	NQ	UK	NQ	NQ	NQ	China	NQ	NQ	NQ	NQ	NQ
7	Refrigerator (Large)	18 Nos		NQ	NQ	NQ	NQ	NQ	NQ	UK	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ

Deputy Medical Superintendent
Stages
ABBASI SHAHEED HOSPITAL
Karachi Metropolitan Corporation

Prof. Saleem Ullah
M.B.B.S (DOW) M.R.C.P (UK)
Head of the Department of Medicine &
Incharge Medical Unit-I
Karachi Medical & Dental College
Abbasi Shaheed Hospital

Medical Superintendent
Abbasi Shaheed Hospital
Karachi Metropolitan Corporation

Item NO.	DESCRIPTION	TOTAL QTY	A/U	M/s. Ameer Din Instrument	M/s. Oasis Medical System	M/s. Faraz Associates	M/s. Popular International	M/s. Elate C.C. Pvt. Ltd.	M/s. Gulf Marketing Instrument	M/s. Khalid Corp	M/s. Noor International	M/s. Jafco International	M/s. Mediquip (SMC)	M/s. FAS Traders	M/s. Shamim & Co.	M/s. S. Ejazuddin & Co.	M/s. Bio-Medical Tech	M/s. Universal Enterprises	M/s. Elec. Corp.
8	Lift for Patients	1		NQ	NQ	NQ	NQ	NQ	NQ	Motor Jabs, S.S. Cabin Turkey Korea	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ
9	Split A/C 2 Ton (DC Inverter)	10		NQ	NQ	NQ	NQ	NQ	NQ	Good Condition	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ
10	Installation of Central Oxygen System	1		NQ	Megason Turkey	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	London UK	NQ	NQ
FURNITURE & FIXTURES: -																			
1	Air Mattress for ICU Beds	20 Nos		NQ	NQ	NQ	NQ	NQ	NQ	China	NQ	NQ	NQ	China	NQ	NQ	NQ	NQ	NQ
2	Patient Beds Double Crank	200 Nos		NQ	NQ	Modern Furniture	NQ	NQ	NQ	Hilbro Pakistan	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ
3	Mattress with Rexene Cover	400 Nos		NQ	NQ	Modern Furniture	NQ	NQ	NQ	Master Multi Foam	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ
4	Chairs for Auditorium	100		NQ	NQ	Modern Furniture	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ
5	Bed side Lockers (100% Stainless Steel)	50		NQ	NQ	Modern Furniture	NQ	NQ	NQ	Hilbro Pakistan	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ
6	Stretchers for Patient	6		NQ	NQ	NQ	NQ	NQ	NQ	Hilbro Pakistan	NQ	NQ	NQ	Local	NQ	NQ	NQ	NQ	NQ
7	Wheel Chairs	4		NQ	NQ	NQ	NQ	NQ	NQ	China	NQ	NQ	NQ	China	NQ	NQ	NQ	NQ	NQ
SURGICAL INSTRUMENTS: -																			
1	Laryngoscope (Complete Set)	11		LED Fiber Optic Laryngoscope Beme Germany	NQ	NQ	NQ	NQ	NQ	Hilbro Pakistan	NQ	NQ	NQ	Local	NQ	NQ	NQ	NQ	NQ
2	General Surgical Sets	9		NQ	NQ	NQ	NQ	NQ	NQ	Hilbro Pakistan	NQ	NQ	NQ	Local	NQ	NQ	NQ	NQ	NQ
3	Cataract Surgery Instruments Set	10 Nos		NQ	NQ	NQ	NQ	NQ	NQ	Zenar Instrument	NQ	NQ	NQ	Local	NQ	NQ	NQ	NQ	NQ
MEDICINE: -																			
1	25% D/Water	2000 Nos		NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	NQ	China	NQ	NQ	NQ	NQ	NQ


 Deputy Medical Superintendent
 Stores
ABBASI SHAHEED HOSPITAL
 Karachi Metropolitan Corporation

Prof. Saleem Ullah
 M.B.B.S (DOW) M.R.C.P (UK)
 Head of the Department of Medicine &
 Incharge Medical Unit-I
 Karachi Medical & Dental College
 Abbasi Shaheed Hospital


 Medical Superintendent
Abbasi Shaheed Hospital
 Karachi Metropolitan Corporation