### OFFICE OF THE EXECUTIVE ENGINEER & FOCAL PERSON JAMSHED ZONE, DMC (EAST)

No. E.E/JZ/DMC/E/441/2016

Dated: 16-FEB-2016

### **Bid Evaluation Report**

(In compliance of Clauss 45 SPPRA 2010)

1. Name of Procuring Agency

Method of Procurement

Jamshed Zone, DMC (East)

2. Tender Reference No.

PS/SE/DMC/East/05/16 Dated 25-01-2016

(Sr. #01)

3. Tender Description / Name of Work

Improvement of Library at Nishter Park UC-12,

Jamshed Zone, DMC (East) (Re-Invited)

Single Stage – One Envelope Procedure

5. Tender Published

4

SPPRA Web Site & Notice Board

6. Total Bid documents Sold:

03 Nos.

7. Total Bids Received

03 Nos.

8. Technical Bid Opening date (If applicable)

Not Applicable

9. No. of Bid Technically qualified (if applicable)

Not Applicable

10. Bid (s) Rejected:

Nil

11. Financial Bid Opening Date

16-FEB-2016

12. Bid Evaluation Report:

S. #	Name of Firms or Bidder	Cost Offer by Bidder	Ranking in terms of cost	Comparision with Estimated Cost	Total Amount Quoted by Contractor	Reason for acceptance / Rejection	Remarks.
1.	S. M. Builders	04.00% Below for S/R (+) Rs. 315,970	1 <sup>st</sup> Lowest	Estimated cost of Rs. 6,36,500/= (+) Open Rate	Rs. 9,25,010	Qualified as per evaluation criteria	Recommended for award of work
2.	Balaji Enterprises	AT PAR for S/R (+) Rs. 363,040	2 <sup>nd</sup> Lowest	Estimated cost of Rs. 6,36,500/= (+) Open Rate	Rs. 9,99,540	Qualified as per evaluation criteria	Responsive
3.	Asif Enterprises	0.25% Above for S/R (+) Rs. 361,838	3 <sup>rd</sup> Lowest	Estimated cost of Rs. 6,36,500/= (+) Open Rate	Rs. 9,99,929	Qualified as per evaluation criteria	Not Responsive

This issue with the approval of the memebrs of the procurement committee:

SABIH UL HASSAN Member / XEN DMC (WEST)

SHAHID ASHRAF CHOUDHRY Member / XEN

Jamshed Zone

. . . <u>. (Sast)</u>

PREM CHAND Chairmain /S.E DMC (East)

\_\_\_\_\_\_

**Director (CB) SPPRA** 

With a request to upload on SPPRA Website



SUBJECT:

# IMPROVEMENT OF LIBRARY AT NASHTER PARK UC-12, JAMSHED ZONE, DMC (EAST) (RE-INVITED)

4.	့သ	2.		<i>y.</i> #	)
Providing & Fixing in Position Reinforced Cement Concrete Precast Beams / Garder as per approved quality and shape size upto (10" to 7") x (6" to 4") x (4" to 3") i/c loading unloading, stacking as site requirement all charges of Labour and transportation as per direction of Engineer Incahrge	Providing L& fixing on position reinforced Cement Concrete Pre-Cast Roof Slab Size (3'-0" × 2'-0 × 0.16) as per approved quality i/c loading, unloading all charges of transportation as per direction of Engineer Incahrge etc complete	Dismantling, Cement Concrete Reinforced Seperating, reinforcement from concrete cleaning and straightening the same	Dismantling Cement Concrete Plain (1:2:4)	Description Of Work	
104 Rft	244 Sft	122 Cft	446 Cft	Quantity	
O/R 180.00P/Rft	O/R 255.00 P/Sft	5445.00%Cft	3327.50%Cft	Rate	S. M. Builders
18,720	62,220	6,643.00	14,840.00	Amount	iilders
O/R 180.50 P/Rft	O/R 312.00 P/Sft	5445.00%Cft	3327.50%Cft	Rate	Balaji Enterprises
18,772	76,128	6,643.00	14,840.00	Amount	terprises
O/R 180.00 P/Rft	O/R 312.00 P/Sft	5445.00%Cft	3327.50%Cft	Rate	Asif Enterprise
18,720.00	76,128.00	6,643.00	14,840.00	Amount	erprise

13.	12.	<b>=</b>	10.	9.	<b>%</b>	7.	6.	Ş.
Distempering three Coats	P/F in position Door, Window and Ventilators of 1st Class deodar wood frames and 1 3/4" thick commercial ply veener shutters of 1st class deodar skelatian (Hollow) and commercial plywood (3ply) on both sides	Cement Plaster 1:4 upto 20' height (b) ½" thick	S/F in position Aluminium Channels farming for sliding window and ventilators of Alcop or equelent made with 5mm thick tested glass glazing (Belgium) etc complete Deluxe (Broonze)	Supplying and Fixing in position aluminium Channel Framing for hinged doors or alcopmade with 5mm thick tinted glass glazing (Belgium) and Alpha (Japan) locks including handle, Stoppers etc (Deluxe mode (Broonze)	Cement Concrete Brick or Stone Ballast 1 $\frac{1}{2}$ " to 2" gauge 1:4:8	Providing and Laying 1:3:6 Cement Concrete Solid Block Masonry Set in 1:6 Cement Sand Mortar in Ground Floor Superstructure including raking out joints and curing etc complete	Fabrication of Mild Steel Reinforcement for cement concrete i/c cutting, bending laying in position making joints and fastenings i/c cost of binding wire (also includes removal of using tor bars	Dismantling Cement or Lime Plaster
848 Sft	18 Sft	620 Sft	67 Sft	21 Sft	114 Cft	244 Cft	0.40 Cwt	57 Cft
1079.65%Sft	1227.36 P/Sft	2283.93%Sft	1647.69 P/Sft	1507.66 P/Sft	9416.28%Cft	14268.53%Cft	5001.70 P/Cwt	121.00%Cft
9,155.00	22,092.00	14,160.00	1,10,395.00	31,661.00	10,734.00	34,815.00	2,000.00	658.00
1079.65%Sft	1227.36 P/Sft	2283.93%Sft	1647.69 P/Sft	1507.66 P/Sft	9416.28%Cft	14268.53%Cft	5001.70 P/Cwt	121.00%Cft
9,155.00	22,092.00	14,160.00	1,10,395.00	31,661.00	10,734.00	34,815.00	2,000.00	658.00
1079.65%Sft	1227.36 P/Sft	2283.93%Sft	1647.69 P/Sft	1507.66 P/Sft	9416.28%Cft	14268.53%Cft	5001.70 P/Cwt	121.00%Cft
9,155.00	22,092.00	14,160.00	1,10,395.00	31,661.00	10,734.00	34,815.00	2,000.00	658.00

**5** 

Color of the state of the state

21.	20.	19.	18.	17.	16.	15.	14.
Providing and Fixing Iron Steel Grill Door with angle Iron frame of 1 ½" x 1½" x ¼" and flat Iron of ¾" x ¼" with approved design and locking arrangements embedded in masonry as per instruction of Engineer Incharge	Supplying & Fixing Long Bib Cock of superior quality with CP head ½" dia	Providing ^ Laying 1 ½" thick topping C/C 1:2:4 i/c surface finished and dividing into panel etc complete 2" thick	P/Laying UPVC pressure pipe class "D" (Equivalent) fixing in trench i/c cutting, fitting with "Z" joint with in R/R i/c Testing with water to a lead 122 Miter of 400 Ft 1" Dia	P/F Squatting Type WC with internal Fitting not less then 19" clear opening etc	P/Fixing False Ceiling of thermopole in panels of required design and Size i/c frame work of Aluminium T.Section hanged with nail wire to ceiling etc complete	Providing & Laying "Porsiling Tiles" as per approved made (24" x 24" x ¾") of STILE specification jointed with white cement pigment over a base of 1:2 grey cement moter ¾" thick or pigment of commercial solution i/c washing and filling of joints with slurry of white cement and pigment in desired shape with finishing cleaning etc complete i/c cutting tiles to proper profile as per direction of E/N	P/L tilez Glazed 6" x 6" x 1/4" on floor or wall facing in required Colour & pattern of Site specification jointed in white cement and pigment one base of 1:2 grey CM 3/4" thick i/c washing and filling of joints with slaurry of W/Cement etc
19 Sft	02 Nos.	244 Sft 186 Sft	40 Rft	01 No.	228 Sft	476 Sft	192 Sft
231.60 P/Sft	1,109.46 Each	2548.29%Sft 3275.50%Sft	28.00 P/Rft	4846.60 Each	91.50 P/Sft	O/R 480.00 P/Sft	30509.77%Sft
4,400.00	2,219.00	6,218.00 6,092.00	1,120.00	4,846.00	20,862.00	2,28,480	58,579.00
231.60 P/Sft	1,109.46 Each	2548.29%Sft 3275.50%Sft	28.00 P/Rft	4846.60 Each	91.50 P/Sft	O/R 540.00 P/Sft	30509.77%Sft
4,400.00	2,219.00	6,218.00 6,092.00	1,120.00	4,846.00	20,862.00	2,57,040	58,579.00
231.60 P/Sft	1,109.46 Each	2548.29%Sft 3275.50%Sft	28.00 P/Rft	4846.60 Each	91.50 P/Sft	O/R 540.00 P/Sft	30509.77%Sft
4,400.00	2,219.00	6,218.00 6,092.00	1,120.00	4,846.00	20,862.00	2,57,040.00	58,579.00

Rower

28.	27.	26.	25.	24.	23.	22.
Preparing surface and painting guards bars, gates of Iron Bars, gratting, railing i/c similar o/W etc complete	Scraping Distempering Oil Bound Distemper or paints walls	Providing & fixing cement paving blocks flooring having size of 197x 97x80 (mm) of city /quddra /cobble shape with pigmented having b/w 5000 psi to 8500psi i/c filling the joints with hill sand and layhing in specified manner / patter and design etc complete	P/F 22" x 16" laavotory Basin etc complete	Providing Anti-Treatment by spraying / sprinkling / spreading Neptachler 0.5% Emulsion as an overall pre construction treatment in slab type construction along external foundation trenches of the building over complete parimter of the foundation trench etc, as per direction of Engineer Incharge	Cartage of all kind of material lead upto 15 miles	P/Fixing Colour Crete Wall Surface to provide deranth Crust and nesthe tiles having thickness upto ¾" with specified colour having water fire and tonite resistance upto 20' height
19 Sft	59 Sft	277 Sft	01 No.	528 Sft	6268 Cft	1140 Sft
521.95 %Sft 374.44 %Sft 896.39 %Sft	226.88%Sft	248.17 Sft	6237 Each	40.10 P/Sft	1065% Cft	6319.50%Sft
170.00	134	68,743.00	6,237.00	21,173.00	66,754.00	72,042.00
521.95 %Sft 374.44 %Sft 896.39 %Sft	226.88%Sft	248.17 Sft	6237 Each	40.10 P/Sft	1065% Cft	6319.50%Sft
170.00	134	68,743.00	6,237.00	21,173.00	66,754.00	72,042.00
521.95 %Sft 374.44 %Sft 896.39 %Sft	226.88%Sft	248.17 Sft	6237 Each	40.10 P/Sft	1065% Cft	6319.50%Sft
170.00	134	68,743.00	6,237.00	21,173.00	66,754.00	72,042.00

,

factures

ELECT	ELECTRICAL WORKS							
29.	Providing & Fixing on position 24 Watt Energy Waver approved quality	10 Nos.	O/R 250.00 Each	2,500	O/R 260.00 Each	2,600	O/R 245.00 Each	2,450.0
30.	P/F on Position approved quality 30 Watt energy Saver	10 Nos	O/R 350.00Each	3,500	O/R 300.00 Each	3,000	O/R 300.00 Each	3,000.00
31.	P/F Fancy Bulb holder as per approved by Engineer Incahrge	10 Nos.	O/R 55.00 Each	550	O/R 550.00 Each	5,500	O/R 450.00 Each	4,500.00
32.	P /L (Main or Sub Main) PVC Insulated with size 2-7/044 copper conducter in 3/4" Dia PVC conduct on surface	40 Mtr	171.00 P/Mtr	6,840.00	171.00 P/Mtr	6,840.00	171.00 P/Mtr	6,840.00
33.	P /L (Main or Sub Main) PVC Insulated with size 2-7/044 copper conducter in 1" Dia PVC conduct on surface	20 Mtr	305.00 P/Mtr	6,100.00	305.00 Р/М <del>н</del>	6,100.00	305.00 Р/Мѣ	6,100.00
34.	Wiring for light or fan point with 3/.029 PVC insulated wire in 20mm (3/4" Dia) PVC conduct receassed in the wall or column as required	20 Nos.	1130 P/Point	22,600.00	1130 P/Point	22,600.00	1130 P/Point	22,600.00
35.	P/F Brass pendant lamp holder	10 Nos.	74.00 Each	740.00	74.00 Each	740.00	74.00 Each	740.00
36.	P/f Two Pin 5 Amp Plug & Socket flush Type	04 Nos.	83.00 Each	332.00	83.00 Each	332.00	83.00 Each	332.00
37.	P/F Two way SP 5 Amps switch flush type	10 Nos.	55.00 Each	550.00	55.00 Each	550.00	55.00 Each	550.00

Ladwer

					38.
			Rate Quoted for Schedule Rate Items	То	P/F Brass ceiling Fan 56" (Good Quality)
7	1	Total Sched	lule Rate Items	tal Amount of Sch	01 No.
Total Amount Quoted	Add Open Rate Items	Total Schedule Rate Amount Rs.	04.00% Below	Total Amount of Schedule Rate Items, Rs.	3185 Each
9,25,010	3,15,970	6,11,040	25,460	6,36,500	3,185.00
			AT PAR		3185 Each
9,99,540	3,63,040	6,36,500	1	6,36,500	3,185.00
			0.25% Above		3185 Each
9,99,929	3,61,838	6,38,091	1,591.00	6,36,500	3,185.00

SHAHID AHSRAF CHOUDHRY EXECUTIVE ENGINEER JAMSHED ZONE, DMC (EAST)

1 2000年の一次の

SHABBIH OL HASSAN
EXECUTIVE ENGINEER
JAMSHED ZONE, DMC (WEST)

PREM CHAND
PREM CHAND
BUPERINTENDING ENGINEER
DMC (EAST)

### **BIDDERS QUALIFICATION REPORT**

Rule-46(i) (a) Single Stage One Envelope Procedure

SUBJECT: IMPROVEMENT OF LIBRARY AT NISHTER PARK UC-12, JAMSHED ZONE, DMC (EAST) (RE-INVITED)

Date of Opening: 16-FEBRUARY-2016

_	_						
Sr.#	Fligibility	S. M. Builders	ilders	Balaji En	Balaji Enterprises	Asif Enterprises	ises
	C	YES	NO	YES	NO	YES	NO
<u>.</u>	Relevant Experience	<b>√</b>		< <u> </u>		<	
2.	Turn Over Statement	✓		<		<	
ω	Registration With Income Tax, Sindh Revenue Board	<		<b>√</b>		<	
4.	Registration with Pakistan Engineering Council (Where Applicable)	√		<		<	

SHAHID ASHRAF CHOUDHRY EXECUTIVE ENGINEER JAMSHED ZONE, DMC (EAST)

SHABBHY UL HASSAN
EXECUTIVE ENGINEER
DMC (WEST)

PREM CHAND
SUPERINTENDING ENGINEER
DMC (EAST)

7

### OFFICE OF THE EXECUTIVE ENGINEER & FOCAL PERSON JAMSHED ZONE, DMC (EAST)

No. E.E/JZ/DMC/E/442 /2016

Dated: 16-FEB-2016

### **Bid Evaluation Report**

(In compliance of Clauss 45 SPPRA 2010)

1. Name of Procuring Agency

Jamshed Zone, DMC (East)

2. Tender Reference No.

PS/SE/DMC/East/05/16 Dated 25-01-2016

( Sr. # 02)

3. Tender Description / Name of Work Construction of RCC Store Room at Departmental

Building UC-06, Jamshed Zone, DMC (East)

Single Stage - One Envelope Procedure

4. Method of Procurement Tender Published

5.

SPPRA Web Site & Notice Board

6. Total Bid documents Sold:

03 Nos.

7. Total Bids Received 03 Nos.

8. Technical Bid Opening date (If applicable) Not Applicable

9. No. of Bid Technically qualified (if applicable) Not Applicable

10. Bid (s) Rejected:

Nil

11. Financial Bid Opening Date

16-FEB-2016

12. Bid Evaluation Report:

S. #	Name of Firms or Bidder	Cost Offer by Bidder	Ranking in terms of cost	Comparision with Estimated Cost	Total Amount Quoted by Contractor	Reason for acceptance / Rejection	Remarks.
1.	S. M. Builders	AT PAR for Schedule Rate	1 <sup>st</sup> Lowest	Estimated cost of Rs. 9,82,383/=	Rs. 9,82,383	Qualified as per evaluation criteria	Recommended for award of work
2.	Precision Engineering Services	01.00% Above for Schedule Rate	2 <sup>nd</sup> Lowest	Estimated cost of Rs. 9,82,383/=	Rs. 9,92,207	Qualified as per evaluation criteria	Responsive
3.	S. M. Salman Brothers	1.75% Above for Schedule Rate	3 <sup>rd</sup> Lowest	Estimated cost of Rs. 9,82,383/=	Rs. 9,99,575	Qualified as per evaluation criteria	Not Responsive

This issue with the approval of the memebrs of the procurement committee:

SABIH-UL HASSA Member / XEN DMC (WEST

SHAHID ASHRAF CHOUDHRY

Member / XEN Jamshed Zone

REM CHAND Chairmain /S.E

DMC (East)

Director (CB) SPPRA

With a request to upload on SPPRA Website



SUBJECT:

CONSTRUCTION OF RCC STORE ROOM AT DEPARTMENTAL BUILDING UC-06, JAMSHED ZONE, DMC

ίν.	4.	ယ	2.	-	Č	<b>%</b>
Reinforced Cement roof, slab, beams columns rafts, lintels and other other structural members laid in situ or precast laid in position complete in all respect 1:2:4	Cement Concrete Brick or Stone Ballast 1 1/2" to 2" gauge 1:4:8	Excavation in foundation of building bridges & other structure i/c dagbelling dressing refilling around structure with excavated earth watering and ramming lead upto 5 feet.	Dismantling Cement Concrete Plain 1:3:6	Dismantling Cement Block Masonry	Description Of Work	Description Of Work
697 Cft	257 Cft	575 Cft	115 Cft	478 Cft	Quantity	
258.00 P/Cft	9416.28%Cft	3176.25 %0Cft	1306.80%Cft	1134.38%Cft	Rate	S. M. Bu
1,79,826	24,200.00	4,574.00	1,503.00	5,422.00	Amount	Builders
258.00 P/Cft	9416.28%Cft	3176.25 %0Cft	1306.80%Cft	1134.38%Cft	Rate	Precision Engineering Services
1,79,826	24,200.00	4,574.00	1,503.00	5,422.00	Amount	ngineering ices
258.00 P/Cft	9416.28%Cft	3176.25 %0Cft	1306.80%Cft	1134.38%Cft	Rate	S. M. Salman Brothers
1,79,826	24,200.00	4,574.00	1,503.00	5,422.00	Amount	n Brothers

haira

	12.	5	11.	10.	9.	<b>.</b>	7.	6.
	dividing into panel etc complete 2" thick	Providing ^ Laying 1 ½" thick topping C/C 1:2:4 i/c surface finished and	Errecting and fixing in position precast cement Concrete or stone slab in roofs or lintels etc lift upto 20 feet including all charges	Precast reinforced cement concrete in columns, beams lintels stair cases, shelves, etc Ratio 1:2:4	Providing and fixing Iron Steel Grill using Solid Square bars of size ½" x ½" placed at 4" i/c circle shape at 1-0 apart equivalent fitted with screws are pins i/c painting 3 coats with 1st coats of red oxide paint etc	Cement Plaster 1:4 upto 12' height ½" thick	Providing and Laying 1:3:6 cement Concrete Solid Block Masonry Wall 6" and below in thickness set in 1:6 cement mortar in ground floor super structure including raking out joints & carring etc complete	Fabrication of Mild Steel Reinforcement for cement concrete i/c cutting, bending laying in position making joints and fastenings i/c cost of binding wire (also includes removal of using tor bars
٠	1296 Sft	504 Sft	122 Cft	122 Cft	179 Cft	1562 Sft	306 Cft	34.22 Cwt
·	3275.50%Sh	2548.29%Sft	41.77 P/Cft	230.78 P/Cft	194.16 Sft	2344.59%Sft	15771.01Cft	5001.70 P/Cwt
	42,450.00	12,843.00	5,096.00	28,155.00	34,754.00	36,622.00	48,259.00	1,95,066.00
	3275.50%Sft	2548.29%Sft	41.77 P/Cft	230.78 P/Cft	194.16 Sft	2344.59 %Sft	15771.01 Cft	5001.70 P/Cwt
	42,450.00	12,843.00	5,096.00	28,155.00	34,754.00	36,622.00	48,259.00	1,95,066.00
	3275.50%Sft	2548.29%Sft	41.77 P/Cft	230.78 P/Cft	194.16 Sft	2344.59 %Sft	15771.01 Cft	5001.70 P/Cwt
	42,450.00	12,843.00	5,096.00	28,155.00	34,754.00	36,622.00	48,259.00	1,95,066.00

fleative

20.	19.	18.	17.	ELEC1	16.	15.	14.	13.
P/F Two Pin 5 Amp Plug & Socket	P/F Two way SP 5 Amps switch flush type	P /L (Main or Sub Main) PVC Insulated with size 2-7/044 copper conduct in 1" Dia PVC conduct on surface	Providing & Laying (Main or Sub Main) PVC Insulated with size 2-3/.029 copper conductor in 3/4" dia PVC conduit on surface	ELECTRICAL WORKS	Cartage of all kind of material lead upto 15 miles	Distempering three Coats	Preparing surface and painting guards bars, gates of Iron Bars, gratting, railing i/c similar o/W etc complete	Galvanized wire gauge 144 mesh per square inch of 22 SWG fixed to choekats without deodar patti
05 Nos.	10 Nos.	100 Mtr	150 Mtr		26746 Cft	1562 Sft	179 Sft	179 Sft
80.00 Each	55.00 Each	305.00 P/Mtr	121.00 P/Mtr		1065% Cft	1079.65%Sft	521.95 %Sft 374.44 %Sft 896.39 %Sft	104.15 Sft
400.00	550.00	30,500	18,150.00		2,84,845.00	16,864.00	1,604.00	18,643.00
80.00 Each	55.00 Each	305.00 P/Mtr	121.00 P/Mtr		1065% Cft	1079.65%Sf t	521.95 %Sft 374.44 %Sft 896.39 %Sft	104.15 Sft
400.00	550.00	30,500	18,150.00		2,84,845.00	16,864.00	1,604.00	18,643.00
80.00 Each	55.00 Each	305.00 P/Mtr	121.00 P/Mtr		1065% Cft	1079.65%Sf t	521.95 %Sft 374.44 %Sft 896.39 %Sft	104.15 Sft
400.00	550.00	30,500	18,150.00		2,84,845.00	16,864.00	1,604.00	18,643.00

of the

9,99,575		9,92,207		9,82,383	Total Amount Quoted by Contractor	al Amount Qu	Tot	
17,192	01.75% Above	9,824	01.00% Above	1	AT PAR	y Contractor	Rate Quoted by Contractor	
9,82,383.00		9,82,383.00		9,82,383.00	Total			
50,032.00		50,032.00		50,032.00	Electrical Works			
9,32,351.00		9,32,351.00		9,32,351.00				
18,281.00		18,281.00		18,281.00	02.00% Contingencies	02.(		
9,14,070		9,14,070		9,14,070	Total Amount of (CIVIL WORKS) Items, Rs.	l Amount of (CIV.	Tota	
432.00	72.00 Each	432.00	72.00 Each	432.00	72.00 Each	06 Nos.	Providing & Fixing Brass Braket lamp holder suitable for 15mm (5/8') dia bracket	21.

SHAHID AHSRAF CHOUDHRY EXECUTIVE ENGINEER JAMSHED ZONE, DMC (EAST)

SHABBIH OL HASSAN EXECUTIVE ENGINEER JAMSHED ZONE, DMC (WEST)

PREM CHAND
PREM CHAND
SUPERINTENDING ENGINEER
DMC (EAST)

### BIDDERS QUALIFICATION REPORT

Rule-46(i) (a) Single Stage One Envelope Procedure

SUBJECT: CONSTRUCTION OF RCC STORE ROOM AT DEPARTMENTAL BUILDING UC-06, JAMSHED ZONE, DMC (EAST)

Date of Opening: 16-FEBRUARY-2016

±		S. M. Builders	lders	Precision Engineering Services	ngineering ices	S. M. Salman Brothers	others
Sr. #	Engionity	YES	NO	YES	NO	YES	NO
1.	Relevant Experience	<		<		<b>√</b>	
2.	Turn Over Statement	<b>√</b>		<b>√</b>		<	
μ	Registration With Income Tax, Sindh Revenue Board	<		V		<b>√</b>	
.4	Registration with Pakistan Engineering Council (Where Applicable)	<		<			<

SHAMID ASHRAF CHOUDHRY EXECUTIVE ENGINEER JAMSHED ZONE, DMC (EAST)

SHABBIH-OL HASSAN EXECUTIVE ENGINEER DMC (WEST)

SUPERINTENDING ENGINEER
DMC (EAST)

4

### OFFICE OF THE EXECUTIVE ENGINEER & FOCAL PERSON JAMSHED ZONE, DMC (EAST)

No. E.E/JZ/DMC/E/443 /2016

### 3 /2016 Dated: 16-FEB-2016 **Bid Evaluation Report**

(In compliance of Clauss 45 SPPRA 2010)

1. Name of Procuring Agency

Method of Procurement

Jamshed Zone, DMC (East)

2. Tender Reference No.

PS/SE/DMC/East/05/16 Dated 25-01-2016

(Sr. # 03)

3. Tender Description / Name of Work

Repair / Maintenance of Library At Akhter

Colony, Jamshed Zone, DMC (East)

Single Stage – One Envelope Procedure

5. Tender Published

4.

SPPRA Web Site & Notice Board

6. Total Bid documents Sold:

03 Nos.

7. Total Bids Received

03 Nos.

8. Technical Bid Opening date (If applicable)

Not Applicable

9. No. of Bid Technically qualified (if applicable)

Not Applicable

10. Bid (s) Rejected:

Nil

11. Financial Bid Opening Date

16-FEB-2016

12. Bid Evaluation Report:

S. #	Name of Firms or Bidder	Cost Offer by Bidder	Ranking in terms of cost	Comparision with Estimated Cost	Total Amount Quoted by Contractor	Reason for acceptance / Rejection	Remarks.
1.	K. Khan & Co.	04.00% Below for S/R (+) Rs. 6,27,525	1 <sup>st</sup> Lowest	Estimated cost of Rs. 3,71,519/= (+) Open Rate	Rs. 9,84,183	Qualified as per evaluation criteria	Recommended for award of work
2.	Asif Enterprises	AT PAR for S/R (+) Rs. 6,24,932	2 <sup>nd</sup> Lowest	Estimated cost of Rs. 3,71,519/= (+) Open Rate	Rs. 9,96,451	Qualified as per evaluation criteria	Responsive
3.	Kanaya Lal	3.00% Above for S/R (+) Rs. 6,16,725	3 <sup>rd</sup> Lowest	Estimated cost of Rs. 3,71,519/= (+) Open Rate	Rs. 9,99,390	Qualified as per evaluation criteria	Not Responsive

This issue with the approval of the memebrs of the procurement committee:

SABIH UL HASSAN Member / XEN DMC (WEST)

SHAHID ASHRAF CHOUDHRY Member / XEN

Jamshed Zone

HEUR

PREM CHAND
Chairmain /S.E
DMC (East)

द्भुक्क

Director (CB) SPPRA

With a request to upload on SPPRA Website



SUBJECT:

## REPAIR / MAINTENANCE OF LIBRARY AT AKHTER COLONY, JAMSHED ZONE, DMC (EAST)

<b>.</b>	7.	6.	Ş.	4.	3	2.	1.		S.#
Providing / Fixing of Pre cast Beams on top of the walls placed at proper space complete in all respect. (Made by Randhawa)	Fabrication of Mild Steel Reinforcemen for cement concrete including cutting, bending laying in position making joints and fastenings including cost of binding wire (also includes removal of using tor bars	Cement Concrete Brick or Stone Ballast 1 ½" to 2" gauge (1:4:8)	Dismantling Cement Concrete Plaint (1:2:4)	Removing Windows and Sky light with chowket	Removing Door with Chowkhet	Dismantling from any height asbestos sheets and ridge coping	Dismantling Cement Block Masonry		Description Of Work
157.00 Rft	1.07 Cwt	206 Cft	168 Cft	03 Nos.	02 Nos.	13 Cft	103 Sft		Quantity
O/R 250.00(P/Rft	50001.7 P/Cwt	9416.28%Cft	3327.50%Cft	102.85Each	142.18Each	272.25%Cft	1134.38%ft	Rate	K. Khan
39,250	5,352.00	19,398	5,590.00	308.00	284.00	35.00	1,168.00	Amount	an & Co.
O/R 305.00 P/Rft	50001.7 P/Cwt	9416.28%Cft	3327.50%Cft	102.85Each	142.18Each	272.25%Cft	1134.38%ft	Rate	Asif Enterprises
47,885	5,352.00	19,398	5,590.00	308.00	284.00	35.00	1,168.00	Amount	rprises
O/R 310.00 P/Rft	50001.7 P/Cwt	9416.28%Cft	3327.50%Cft	102.85Each	142.18Each	272.25%Cft	1134.38%ft	Rate	Kanaya Lal
48,670	5,352.00	19,398	5,590.00	308.00	284.00	35.00	1,168.00	Amount	a Lal

	17.	16.	15.	14.	13.	12.	<b>!</b>	10.	9.
proper profile.	Providing & Laying PorcelainTilles 12"x10"x 1/4" on floor or wall facing in required colour & patteren of STILE specification jointed in white cement and pigment over a base of 1:2 gray cement mortar 3/4" thick including washing and filling of joints with slaurry of white cement and pigment in desired shape with finishing, clearing and cost of wax polish etc.complete including cutting tiles to	Providing And Fixing iron steel grill using solid square bars of size 1/2"x1/2" placed at 4" i/c and frame of flat iron patti of 3/4"x3/4" i/c circle shape at 1-0 apart equivalent fitted with screws are pins i/c painting 3 coats with 1st coat of Red Oxide	Supplying & fixing inposition Aluminium channels framing for slidding windows & ventilators of Alcop made with 5 mm thick tinted glass glazzing (Belgium) et complete (a) Delux Model (White)	1" thick battend doors and windows fitted in position complete with iron fitting without chowkhts	Providing and fixing in G.I frames /chooukhats of size7'x2" or 4 1/2 x 3" for door using 20 gauge G.I sheet i/c welded hings and fixing at sites with necessary hold fast, filling with cement and slurry of ratio 1:6 and repairing the jambs. The cost also i/c all carriage, tools and plants used in making and fixing.	Cement Plaster 1:4 upto 12' height ½" thick	Providing & Laying 1:3:6 cement concrete solid block masonary wall 6" and below in thickness set in 1:6 cement mortar in ground floor super structure including raking out joints & curring etc.	Providing and Laying topping Cement Concrete 1:2:4 over Roof	Providing Pre-cast roofing complete with 2"thick precast RCC slab of size 3'x2' fixed on pre-cast RCC beams completing in all respect.
	625 Sft	35 Sft	24	21 Sft	17.00 Rft	1116	262	625 Sft	2625.00 Sft
1000	O/R 400.00 P/Sft	194.16P/Sft	1394.69 P/Sft	583.67P/Sft	228.8P/Rft	2283.93%Sft	1421.44%Cft	2548.29%Sft	O/R 115.00 P/Rft
	2,50,000	6,796.00	33473	12,257.00	3,891.00	25,489.00	38,208.00	15,927.00	3,01,875
	O/R 40000 %Sft	194.16P/Sft	1394.69 P/Sft	583.67P/Sft	228.8P/Rft	2283.93%Sft	1421.44%Cft	2548.29%Sft	O/R 110.00 P/Rft
	2,50,000	6,796.00	33473	12,257.00	3,891.00	25,489.00	38,208.00	15,927.00	2,88,750.00
	O/R 40000 %Sft	194.16P/Sft	1394.69 P/Sft	583.67P/Sft	228.8P/Rft	2283.93%Sft	1421.44%Cft	2548.29%Sft	O/R 107.00 P/Rft
	2,50,000.00	6,796.00	33473	12,257.00	3,891.00	25,489.00	38,208.00	15,927.00	2,80,875

	24.	23.	22.	21.	20.	19.	18.
1" Dia	Providing Laying UPVC pipes of class "D" fixing in trenches i/c cutting, fitting and jointing with solvent cement i/c testing with water to a head of 122 meter or 400 ft	Supplying & fixing fiber glass tank of approved quality and design and wall thickness as specified i/c cost of nuts, bolts and fixing in plateform of cement concrete 1:3:6 and make in connections for inlet & outlet & over flow pipes etc complete.(a) 250 gallons wall thickness 3.5 mm.	Painting new surfaces ( C ) Preparing surface and painting of Doors and Windows any type.(including edges) (II) Each Subsequent coat of Paint	Prepapring the surface and painting with matt finish paint of approved make to old matt finish surface) "B" 2nd & subsequent coat	Preparing the surface and painting with matt finish i/c rubbing the surface with bathy (silicon carbide rubbing brick) filling the voids with zink /chalk / plaster of paris mixture,applying first coat premix making the surface smooth and then painting 3 coats with matt finish of approved make etc complete (New Surface) "B" 2nd & subsequent	SCRAPING Ordinary Distemper,Oil Bound Distemper or Paint on walls.	Providing & Laying Tilles glazed 6"x6"x 1/4" on floor or wall facing in required colour & patteren of STILE specification jointed in white cement and pigment over a base of 1:2 gray cement mortar 3/4" thick including washing and filling of joints with slaurry of white cement and pigment in desired shape with finishing clearing and cost of wax polish etc.complete including cutting tiles to proper profile.
200 Rft	£0 D£+	01 No	42 Sft	2400 Sft	920 Sft	2400 Sft	95 Sft
27.00 P/rft	12 00 P/Rf+	21929.61Each	868.95 626.73 1489.68%Sft	1045 % Sft 727.38%Sft 17788.38% Sft	1989.62 %Sft 727.38% Sft 1772.38% Sft	226.8 % Sft	30509.77%Sft
5,400.00	600.00	21,990.00	626.00	42,537.00	24,996.00	5,445.00	28,984.00
27.00 P/rft	12.00 P/Rft	21929.61Each	868.95 626.73 1489.68%Sft	1045 % Sft 727.38%Sft 17788.38% Sft	1989.62 %Sft 727.38% Sft 1772.38% Sft	226.8 % Sft	30509.77%Sft
5,400.00	600.00	21,990.00	626.00	42,537.00	24,996.00	5,445.00	28,984.00
27.00 P/rft	12.00 P/Rft	21929.61Each	868.95 626.73 1489.68%Sft	1045 % Sft 727.38%Sft 17788.38% Sft	1989.62 %Sft 727.38% Sft 1772.38% Sft	226.8 % Sft	30509.77%Sft
5,400.00	600.00	21,990.00	626.00	42,537.00	24,996.00	5,445.00	28,984.00

33.	32.	31.	30.	29.	28.	27.	26.	25.
Wiring for Plug Point with 3/.029 PVC insulated wire in 20 mm (3/4") PVC conduit recessed in the wall or column as required.	Wiring for light or Fan point with 3/.029 PVC insulated wire in 20 mm (3/4") PVC conduit recessed in the wall or column as required.	Providing & Laying (Main or Sub Main) PVC insulated with size 2-3/.029 copper conductor in 3/4" dia PVC conduit recessed in the wall or column as required.	Providing & Laying (Main or Sub Main) PVC insulated with size 2-7/.029 copper conductor in 3/4" dia PVC conduit on surface.	P/Fixing Dunky Pump 1 H.P fixing in position I/C C.C foundation suitable diameter suction & delivery upvc pipe 1/2" and 1" dia and foot valve / strainer unit with all accessories electric wiring etc	supplying in fixing inposition Brass Bib Cock (I) (b) 1/2" dia Brass Bib cock, standard patteren	Add extra for labour for providing & fixing of earthen ware pedestal white or coloured glazed (Forigen or Equivalent)	Providing & fixing 24"x18" lavatory basin in white glazed earthen ware complete with & i/c the cost of W.I or C.I cantiliver brackets 6 inches built into wall, painted with in Two coats after a primary coat of red lead paint, a pair of 1/2" dia rubber plug & chrome plate brass chain 1 1/4" dia malloable iron or C.P brass traps malloable iron or brass union and making requisite numbers of holes in walls, plinth & floor for pipe connection and making good in cement concrete 1:2:4 (standard Patteren).	Providing and fixing squating type white glazed earthen ware W.C pan with including the cost of flipe connections & making good in cement concrete 1:2:4 (A) W.C pan of not less than 23" clear opning between flushing rims and 3 gallons flushing tank with 4" dia C.I trap
02 Point	22 Point	50 Mtr	30 Mtr	01 No	03 Nos.	01 No.	01 No.	01 No.
985.00 P/Point	1130.00 P/Point	173.00 P/Mtr	171.00 P/Mtr	O/R 30,000 Each	337.92 Each	938.47 Each	4253.70 Each	5044.60 Each
1,970.00	24,860.00	8,650.00	5,130.00	30,000	1,014.00	938.00	4,254.00	5,045.00
985.00 P/Point	1130.00 P/Point	173.00 P/Mtr	171.00 P/Mtr	O/R 31,500 Each	337.92 Each	938.47 Each	4253.70 Each	5044.60 Each
1,970.00	24,860.00	8,650.00	5,130.00	31,500	1,014.00	938.00	4,254.00	5,045.00
985.00 P/Point	1130.00 P/Point	173.00 P/Mtr	171.00 P/Mtr	O/R 30,030 Each	337.92 Each	938.47 Each	4253.70 Each	5044.60 Each
1,970.00	24,860.00	8,650.00	5,130.00	30,300.00	1,014.00	938.00	4,254.00	5,045.00

-

					37.	36.	35.	34.
			Rate Qu	To	Providing & Fixing Energy Saver 85 Watt, Philips, Sogo, or ant Equivlant Brand.	Providing & Fixing Brass Ceiling Fan 56" (good quality	Providing & Fixing Three Pin 10/15 amp plug & socket	Providing & Fixing one way SP 10/15 amp switch surface type
To	Α	Total Schedu	Rate Quoted by Contractor	Total Amount of Schedule Rate Items, Rs.	16 Nos.	06 Nos	02 Nos.	24 Nos.
Total Amount Quoted	Add Open Rate Items	Total Schedule Rate Amount Rs.	04.00% Below	lule Rate Items, Rs.	O/R 400 Each	3,185.00 Each	151.00 Each	58.00 Each
9,84,183	6,27,525	3,56,658	14,861.00	3,71,519.00	6,400	19,110.00	302.00	1,392.00
			AT PAR		O/R 425.00 Each	3,185.00 Each	151.00 Each	58.00 Each
9,96,451	6,24,932	3,71,519	1	3,71,519.00	6,800	19,110.00	302.00	1,392.00
			3.00% Above		O/R 430.00 Each	3,185.00 Each	151.00 Each	58.00 Each
9,99,390	6,16,725	3,82,665	11,146	3,71,519.00	6,880	19,110.00	302.00	1,392.00

SHAHID AHSRAF CHOUDHRY
EXECUTIVE ENGINEER
JAMSHED ZONE, DMC (EAST)

SHABBIH-UL HASSAN
EXECUTIVE ENGINEER
JAMSHED ZONE, DMC (WEST)



### BIDDERS QUALIFICATION REPORT

Rule-46(i) (a) Single Stage One Envelope Procedure

SUBJECT: REPAIR / MAINTENANCE OF LIBRARY AT AKHTER COLONY, JAMSHED ZONE, DMC (EAST)

Date of Opening:

16-FEBRUARY-2016

4.	3. 2.		Sr. #	
Registration with random Engineering Council (Where Applicable)	15 1 8	Relevant Experience	Eligibility	
~	~		YES NO	K. Khan & Co.
	~ ~		YES NO	Asif Enterprises
	√	~ ~	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	Kanaya Lal YES NO

SHAHID ASHRAF CHOUDHRY JAMSHED ZONE, DMC (EAST) EXECUTIVE ENGINEER

EXECUTIVE ENGINEER SHABBIH WETHAS AN DMC (WEST)

DMC (EAST)

### OFFICE OF THE EXECUTIVE ENGINEER & FOCAL PERSON JAMSHED ZONE, DMC (EAST)

No. E.E/JZ/DMC/E/ 444/2016

Dated: 16-FEB-2016

### **Bid Evaluation Report**

(In compliance of Clauss 45 SPPRA 2010)

1. Name of Procuring Agency Jamshed Zone, DMC (East)

2. Tender Reference No. PS/SE/DMC/East/05/16 Dated 25-01-2016

( Sr. # 04)

Tender Description / Name of Work 3.

Supplying / Providing / Fixiing RCC Ring Slab

and Jersey Barriers at Various Places of Lines

Area, Jamshed Zone, DMC (East)

4. Method of Procurement Single Stage – One Envelope Procedure

5. Tender Published SPPRA Web Site & Notice Board

6. Total Bid documents Sold: 03 Nos.

7. Total Bids Received 03 Nos.

8. Technical Bid Opening date (If applicable) Not Applicable

9. No. of Bid Technically qualified (if applicable) Not Applicable

10. Bid (s) Rejected:

Nil

11. Financial Bid Opening Date

16-FEB-2016

12. Bid Evaluation Report:

S. #	Name of Firms or Bidder	Cost Offer by Bidder	Ranking in terms of cost	Comparision with Estimated Cost	Total Amount Quoted by Contractor	Reason for acceptance / Rejection	Remarks.
1.	Sarrim Construction Co.	AT PAR for Schedule Rate	1 <sup>st</sup> Lowest	Estimated cost of Rs. 9,77,064/=	Rs. 9,77,064	Qualified as per evaluation criteria	Recommended for award of work
2.	Haji Muhammad Iqbal Memon	1.00% Above for Schedule Rate	2 <sup>nd</sup> Lowest	Estimated cost of Rs. 9,77,064/=	Rs. 9,86,835	Qualified as per evaluation criteria	Responsive
3.	K. N. Builders	2.15% Above for Schedule Rate	3 <sup>rd</sup> Lowest	Estimated cost of Rs. 9,77,064/=	Rs. 9,98,071	Qualified as per evaluation criteria	Not Responsive

This issue with the approval of the memebrs of the procurement committee:

SABIH-UL H. Member / XEN DMC (WEST)

SHÁHID ASHRAF CHOUDHRY Member / XEN Jamshed Zone

ije.

EM CHAND airmain /S.E DMC (East)

**Director (CB) SPPRA** 

With a request to upload on SPPRA Website



SUBJECT:

SUPPLYING / PROVIDING / FIXING RCC RING SLAB AND JERSERY BARRIERS AT VARIOUS PLACES OF LINES


AREA, JAMSHED ZONE, DMC (EAST)

	N	-	s.#	
l	2.		#	
	ng & Supplying of R.C Covers Cast in 1:2:4 concret at center reinforced with 3/rs at 4" C/C welded to 1/sch deep M.S Plate i/c curinsportation within Miles	Manufacturing & supplying of R.C.C ring slab of 21" dia inside 36" dia outside 7.5 width and 6" thick I/C 3/8" dia tor steel bars two concentric rings with 3/8" dia 8 Nos cross linked bars welded and Two sunk type hooks casted in a 1:1 ½:3 concrete with embedded 15 Kg C.I frame in perfect position i/c transportation charges for coverage lead of 20 Km Per trip from casting yard to Town Office. (A Minimum of 25 Nos Slabs per trip will be transported).	Description Of Work	
Jane 1	.C ste 8" 250 Nos ng ng	200 Nos	Qualitity	
	913.63 Each	1906.60 Each	Rate	Sarrim Const. Co.
	2,28,407.00	3,81,320.00	Amount	nst. Co.
	913.63 Each	1906.60 Each	Rate	Haji Muhammad Iqbal Memon
	2,28,407.00	3,81,320.00	Amount	mad Iqbal on
	2,28,407.00 913.63 Each	1906.60 Each	Rate	K. N. Builders
	2,28,407.00	3,81,320.00	Amount	ilders

					.4	ယ
	Rate Q			(Excluding the cost steel reinforcement).	Providing and Laying fairfaced reinforced Providing and Laying fairfaced reinforced cement concrete New Jersey Barriiers having 3000 PSI compressive cylindrical strength Concrete (ready mixed concrete) (area 3.50sft) as per drawing including the cost of excavation, formwork, lean concrete 1450 PSI compressive cylindrical strength etc complete in all respect	Shifting to the site and fixing of 36" dia Ring Slab in perfect position on damaged manholes including cutting of damage portion of manhole in proper shape and laying o cement mortar of 2" thick and disposal of debries.
	Rate Quoted by Collination	L. J. L. Contractor	otal Amount of Sche		208 Rft	200 Nos.
Total Amount Quoted		AT PAR	Total Amount of Schedule Rate Items, Rs.		1224.61 P/Rft	563.09 Each
9,77,064		1	9,77,064.00		2,54,719.00	1,12,618.00
		1.00% Above			1224.61 P/Rft	563.09 Each
9,86,835		9,771.00	9,77,064.00		2,54,719.00	1,12,618.00
		2.15% Above			1224.61 P/Rft	563.09 Each
7,70,0/1	0 08 071	21,007	21 007	9.77.064.00	2,54,719.00	1,12,618.00

SHAHID AHSRAF CHOUDHRY EXECUTIVE ENGINEER JAMSHED ZONE, DMC (EAST)

SHABBIH OL HASSAN
EXECUTIVE ENGINEER
JAMSHED ZONE, DMC (WEST)



### BIDDERS QUALIFICATION REPORT

Rule-46(i) (a) Single Stage One Envelope Procedure

### SUBJECT: SUPPLYING / PROVIDING / FIXIING RCC RING SLAB AND JERSEY BARRIERS AT VARIOUS PLACES OF LINES AREA, JAMSHED ZONE, DMC (EAST)

Date of Opening: 16-FEBRUARY-2016

			,   )	Haji Muhammad Iqbal	nad Iqbal	K. N. Builders	SLS
		Sarrim Construction Co.	uction co.	Memon	on		}
Sr. #	Eligibility	VEC	OO	YES	NO	YES	NO
		YES	140				
		<i>^</i>		<		<	
<u>-</u>	Relevant Experience						<u>.</u>
		<u> </u>		<			
2.	Turn Over Statement	•		1		<u> </u>	
S	Registration With Income Tax,	<		<			
·.	Sindh Revenue Board					•	
	Registration with Pakistan	<b>3</b> /		< <u> </u>		<	
4.	-	<					
	Applicable)						

SHAHID ASHRAF CHOUDHRY EXECUTIVE ENGINEER JAMSHED ZONE, DMC (EAST)

> SHABBHH UL HASSAN EXECUTIVE ENGINEER DMC (WEST)

PREM CHAND
PREM CHAND
SUPERINTENDING ENGINEER
DMC (EAST)

II. C

### OFFICE OF THE EXECUTIVE ENGINEER & FOCAL PERSON JAMSHED ZONE, DMC (EAST)

No. E.E/JZ/DMC/E/445/2016

Dated: 16-FEB-2016

### **Bid Evaluation Report**

(In compliance of Clauss 45 SPPRA 2010)

1. Name of Procuring Agency Jamshed Zone, DMC (East)

2. Tender Reference No.

PS/SE/DMC/East/05/16 Dated 25-01-2016

(Sr. # 05)

3. Tender Description / Name of Work

Covering the Nallah Roof by RCC Slab at Akhter

4. Method of Procurement Colony, Double road, Jamshed Zone, DMC(East) Single Stage – One Envelope Procedure

5. Tender Published

SPPRA Web Site & Notice Board

Total Bid documents Sold: 6.

03 Nos.

7. Total Bids Received

03 Nos.

8. Technical Bid Opening date (If applicable) Not Applicable

9. No. of Bid Technically qualified (if applicable)

Not Applicable

10. Bid (s) Rejected:

Nil

Financial Bid Opening Date

16-FEB-2016

12. Bid Evaluation Report:

S. #	Name of Firms or Bidder	Cost Offer by Bidder	Ranking in terms of cost	Comparision with Estimated Cost	Total Amount Quoted by Contractor	Reason for acceptance / Rejection	Remarks.
1.	K. Khan & Co.	AT PAR for Schedule Rate	1 <sup>st</sup> Lowest	Estimated cost of Rs. 9,62,360/=	Rs. 9,62,360	Qualified as per evaluation criteria	Recommended for award of work
2.	B. B. Enterprises	02.50% Above for Schedule Rate	2 <sup>nd</sup> Lowest	Estimated cost of Rs. 9,62,360/=	Rs. 9,86,419	Qualified as per evaluation criteria	Responsive
3.	K. K. B.	03.70% Above for Schedule Rate	3 <sup>rd</sup> Lowest	Estimated cost of Rs. 9,62,360/=	Rs. 9,97,967	Qualified as per evaluation criteria	Not Responsive

This issue with the approval of the memebrs of the procurement committee:

SABHT UI Member / XEN DMC (WEST)

SHATHID ASHRAF CHOUDHRY Member / XEN Jamshed Zone

EM CHAND Chairmain /S.E DMC (East)

Director (CB) SPPRA

With a request to upload on SPPRA Website



SUBJECT:

COVERING THE NALLAH ROOF BY RCC SLAB AT AKHTER COLONY DOUBLE ROAD, JAMSHED ZONE, DMC (EAST)

			6.	٠	).		4	٠	<b>.</b>		2.	-		1.		S.#
		mail I:2:4	ncrete plain	Wood (2nd Class) ii) Vertical	Erection and removal of centering Dordal	Dismantling cement concrete reinforced		Dismantling Cement Concrete plain (1:2:4)	D. Miles.	Mechanical moon is and unloading by	material outside the Jamshed Town limit	Disposal of unsuitable / sumpling	or silt clearance undressed lead unto so a	Earth work excavation in ashes sand san	TOTAL STORY	Description Of World
1		1840 CA	2080 SIT	3600 00	17401	15/1 04	100 CIL	185 04		29222 Cft		110 60000	38963 C#		Quantity	
SE SE	14429.25 %Cft		3127.41 %Sft		5445.00 %Cft		3327.50 %Cft		.000 /001	1065 % 04		1663.75%0Cft		Rate	K. Kh	
	2,65,498.00		1,15,089.00		8,385.00		6,156.00		3,11,214.00			64,825.00	HIBOHIX	Amount	Khan & Co.	
	14429.25 %Cft		3127.41 %Sft		5445.00 %Cft		3327.50 %Cft		1065 %Cft		11000/2/2001	1663 750/004	Rate	1	B. B. En	
	2,65,498.00		1,15,089.00		8,385.00		6,156.00		3,11,214.00		64,825.00		Amount		B. B. Enterprises	
	<sup>14429</sup> .25 %Cft		3127.41 %S#	11.79/ 90/11	5445 00 %/C4	1170 /0C/I	3377 50 0/04		1065 %Cft		1663.75%0Cft		Rate	?	7	
	2,65,498.00	1,10,009.00	1 15 000 00	8,385.00		6,156.00			3.11.214.00		64,825.00	HINOMES	Amount	7. D.	K K D	

		ļ		T				-	_
									7.
2			Zaoka by Contractor	Rate Onoted by	Total Amou	binding which will be paid seprately, this rate also includes all kinds of forms moulds lifting exposed surface (i/c screening and mashing of coumns rafts, lintels and other structureal complete in all respects.	and Material except the cost of start		laying in position making cutting, bending
		Tota	ontractor		unt of Sched	487 Cft		13.0446 Cwt	
	7.0000	Total Amount Ounted	AT PAR	Tombo, NS.	Total Amount of Schedule Rate Items Po	258.62 P/Cft		5001.70 P/Cwt	
	7,02,360		,	9,62,360.00		1,25,948.00		65,245.00	
		2.30% Above				258.62 P/Cft		5001.70 P/Cwt	
	9,86,419	24,059.00		9,62,360.00		1,25,948.00		65,245.00	
		3.70% Above				258.62 P/Cft		5001.70 P/Cwt	
9,9/,90/	0 07 077	35,607.00	9,02,360.00			1,25,948.00		65,245.00	

Fabrication of Mild Steel Reinforcemen for

SHAHID AHSRAF CHOUDHRY EXECUTIVE ENGINEER JAMSHED ZONE, DMC (EAST)

SHABBIH UL HASSAN EXECUTIVE ENGINEER JAMSHED ZONE, DMC (WEST)



### BIDDERS QUALIFICATION REPORT

Rule-46(i) (a) Single Stage One Envelope Procedure

SUBJECT: COVERING THE NALLAH ROOF BY RCC SLAB AT AKHTER COLONY, DOUBLE ROAD, JAMSHED ZONE,

Date of Opening: 16-FEBRUARY-2016

4,	'nį	2 1.	Sr. #
Registration with Pakistan Engineering Council (Where Applicable)	Registration With Income Tax,	Relevant Experience	Eligibility
< <		√ NO	K. Khan & Co.
\ \ \	<	YES NO	B. B. Enterprises
		YES NO	K. K. B.

JAMSHED ZONE, DMC (EAST) SHAHID ASHRAF CHOUDHRY EXECUTIVE ENGINEER

EXECUTIVE ENGINEER SHABBIH TIL HASSAN DMC (WEST)

SUPPKINTENDING ENGINEER FREM CHAND DMC (EAST)

### OFFICE OF THE EXECUTIVE ENGINEER & FOCAL PERSON JAMSHED ZONE, DMC (EAST)

No. E.E/JZ/DMC/E/ 447 /2016

Dated: 16-FEB-20

### **Bid Evaluation Report**

(In compliance of Clauss 45 SPPRA 2010)

1. Name of Procuring Agency

Method of Procurement

Jamshed Zone, DMC (East)

2. Tender Reference No.

PS/SE/DMC/East/05/16 Dated 25-01-2016

(Sr. # 07)

3. Tender Description / Name of Work

Construction of Dust Bin at Chanesar Goth,

Jamshed Zone, DMC (East)

Single Stage - One Envelope Procedure

5. Tender Published

4.

SPPRA Web Site & Notice Board

6. Total Bid documents Sold:

03 Nos.

7. Total Bids Received

03 Nos.

8. Technical Bid Opening date (If applicable)

Not Applicable

9. No. of Bid Technically qualified (if applicable)

Not Applicable

10. Bid (s) Rejected:

Nil

11. Financial Bid Opening Date

16-FEB-2016

12. Bid Evaluation Report:

S. #	Name of Firms or Bidder	Cost Offer by Bidder	Ranking in terms of cost	Comparision with Estimated Cost	Total Amount Quoted by Contractor	Reason for acceptance / Rejection	Remarks.
1.	Balaji Enterprises	AT PAR for Schedule Rate	1 <sup>st</sup> Lowest	Estimated cost of Rs. 9,77,026/=	Rs. 9,77,026	Qualified as per evaluation criteria	Recommended for award of work
2.	Precision Engineering Services	2.00% Above for Schedule Rate	2 <sup>nd</sup> Lowest	Estimated cost of Rs. 9,77,026/=	Rs. 9,96,567	Qualified as per evaluation criteria	Responsive
3.	B. B. Enterprises	2.15% Above for Schedule Rate	3 <sup>rd</sup> Lowest	Estimated cost of Rs. 9,77,026/=	Rs. 9,98,032	Qualified as per evaluation criteria	Not Responsive

This issue with the approval of the memebrs of the procurement committee:

SABIH-UIL HASSAN Member / XEN DMC (WEST)

SHAMID ASHRAF CHOUDHRY Member / XEN

Jamshed Zone

District

on (Establish

PREM CHAND Chairmain /S.E

DMC (East)

**Director (CB) SPPRA** 

With a request to upload on SPPRA Website



SUBJECT:

## CONSTRUCTION OF DUST BIN AT CHANESAR GOTH, JAMSHED ZONE, DMC (EAST)

iv	4.	ယ့	2.	1.		S.#
concrete including cutting, bending laying in position making joints and fastenings including cost of binding wire (also includes removal of using tor bars	Stone Pitching including Sub Base with hammer dressed stone on surface laid in courses including carriage of materials chain	Earth work excavation undressed lead upto a single throw of Kassi Phawrah or Shovel (b) in ordinary soil	excavation in foundation of Building Bridges and other structures including degbeling dressing refiling around structure with excavated earth watering and rammining lead upto 5 ft. (b) in ordinary soil	Dismantling Cement Block Masonary		Description Of Work
10.084 Cwt	1864 Cft	805 Cft	508 Cft	36 Cft		Quantity
5001.70 P/Cwt	5377.63 %Cft	1361.25 %0Cft	3176.25 %0Cft	1134.38%Cft	Rate	Balaji En
50,437.00	1,00,239.00	1,096.00	1,613.00	408.00	Amount	Enterprises
5001.70 P/Cwt	5377.63 %Cft	1361.25 %0Cft	3176.25 %0Cft	1134.38%Сft	Rate	Precision Engineering Services
50,437.00	1,00,239.00	1,096.00	1,613.00	408.00	Amount	ngineering ices
5001.70 P/Cwt	5377.63 %Cft	1361.25 %0Cft	3176.25 %0Cft	1134.38%Cft	Rate	B. B. Enterprises
50,437.00	1,00,239.00	1,096.00	1,613.00	408.00	Amount	terprises

12.	11.	10.	9.	<b>.</b>	7.	6.
Providing and Laying fairfaced reinforced cement concrete New Jersey Barriiers having 3000 PSI compressive cylindrical strength Concrete (ready mixed concrete) (area 3.50sft) as per drawing including the cost of excavation, formwork, lean concrete 1450 PSI compressive cylindrical strength etc complete in all respect (Excluding the cost steel reinforcement).	Distempering Three Coat	Cement plaster 1:4 upto 12' height 1/2" thick	Providing & Laying 1:3:6 cement concrete solid block masonary wall 6" and below in thickness set in 1:6 cement mortar in ground floor super structure including raking out joints & curring etc.	Cement concret brick or stone ballast 1 1/2" to 2" gauge	Providing and Lying topping cement conrete (1:2:4) incluiding surface finishing and divinding into panels. (2" thick)	Reinforced cement concrete work I/c all labour and Material except the cost of steel Reinforcement and its labour for bending and binding which will be paid seprately,this rate also includes all kinds of forms moulds lifting shuttering curing rendering and finishing the exposed surface (i/c screening and washing of shingle) R.C.C work in roof slab beams coumns rafts ,lintels and other structureal members laid in situ or precast laid in position complete in all respects.
364 Rft	1270 Sft	1270 Sft	317 Cft	531 Cft	1610 Sft	251 Cft
1224.91 P / Rft	1079.65 %Sft	2285.93 % Sft	15771.01 %Cft	9416.28 %Cft	3275.50 %Sft	258.00 P/Cft
4,45,758	13,711.00	29,031.00	49,994	50,000	52,735.00	64,758.00
1224.91 P / Rft	1079.65 %Sft	2285.93 % Sft	15771.01 %Cft	9416.28 %Cft	3275.50 %Sft	258.00 P/Cft
4,45,758	13,711.00	29,031.00	49,994	50,000	52,735.00	64,758.00
1224.91 P / Rft	1079.65 %Sft	2285.93 % Sft	15771.01 %Cft	9416.28 %Cft	3275.50 %Sft	258.00 P/Cft
4,45,758	13,711.00	29,031.00	49,994	50,000	52,735.00	64,758.00

Locus

_			
			13.
	Rate Quoted by Contractor	Total Ar	Carriage of 100 Cft/ 5 Tons of all material like stone, aggregate, spawl, coal lime, surkhi etc B.G Rail fastening points and crossing bridge, girders, pipes, sheets Rail M.S Bars etc or 1000 nos: bricks 10" X 5" X 3" or 1000 Nos: tiles 12" X 6" X 2" or 150 Cft of timber or 100 Maunds of fuel wood by trucks or any other means owned by contractors. 15 Miles.
То	/ Contractor	ount of Schec	11009 Cft
Total Amount Quoted	ATPAR	Total Amount of Schedule Rate Items, Rs.	1065.00 %Cft
9,77,026			1,17,246.00
	2.00% Above		1065.00 %Cft
9,96,567	19,541	9,77,026.00	1,17,246.00
	2.15% Above		1065.00 %Cft
9,98,032	21,006	9,77,026.00	1,17,246.00

SHAHID AHSRAF CHOUDHRY EXECUTIVE ENGINEER JAMSHED ZONE, DMC (EAST)

SHABBIH UL HASSAN EXECUTIVE ENGINEER JAMSHED ZONE, DMC (WEST)

PREM CHAND
PREM CHAND
DMC (EAST)

### BIDDERS QUALIFICATION REPORT

Rule-46(i) (a) Single Stage One Envelope Procedure

SUBJECT: CONSTRUCTION OF DUST BIN AT CHANESAR GOTH, JAMSHED ZONE, DMC (EAST)

Date of Opening: 16-FEBRUARY-2016

Sr. #	Eligibility	Balaji Enterprises	erprises	Precision F Serv	ion Engineering Services	B. B. Enterprises	ises
		YES	NO	YES	ON	YES	NO
<u>,                                    </u>	Relevant Experience	<b>√</b>		1			
	were valit Experience	<		<		<	
2.	Turn Over Statement	<		<			<
υ 	Registration With Income Tax,	,		,			
Ċ	Sindh Revenue Board	<		<		<	
2	Registration with Pakistan	•					
4.	Engineering Council (Where Applicable)	<		<			<

SHAHID ASHRAF CHOUDHRY EXECUTIVE ENGINEER JAMSHED ZONE, DMC (EAST)

SHABBIH UL HASSAN EXECUTIVH ENGINEER DMC (WEST)

PREM CHAND
SUPERINTENDING ENGINEER
DMC (EAST)



SUBJECT:

# <u>IMPROVEMENT OF ROAD MUSLIMABAD WATER BOARD COLONY, JAMSHED ZONE, DMC (EAST)</u>

	4.						
each lay (Rate i/c 3 chains.	com gradd etc)	tru 15 Pro	3. Pi.	00	2.		; ;
er shall 100 percent to the max dry density all cost of material T&P and carriage upto	- 7 5	N F .	stone, aggregate, spawl, coal lime, surkhi etc B.G pipes, sheets Rail M.S Bars etc or 1000 pires, sireders, 10" X 5" X 3" or 1000 pipes, sheets Rail M.S Bars etc or 1000 pipes Rail M.S Bars	embankment as directed clod breaking dressing etc.	Earth work excavation of road side ::	Dismantling Cement C.	Description Of Work
1,910 Cft 5		12140 Cft		3500 Cft	8,640 Cft	Quantity	
5542.24 %Cft		1065.00 %Cft	%0Cft	1437.00	3327.50 %Cft	Asif E	
1,05,857.00		1,29,291.00	5,030.00	-,0/,490.00		Asif Enterprises	
5542.24 %Cft		1065.00 %Cft	1437.00 %0Cft	%Cft	-	K. F	
1,05,857.00		1,29,291.00	5,030.00	2,87,496.00	Amount	K. Khan & Co.	
5542.24 %Cft	%CII	1065.00	1437.00 %0Cft	3327.50 %Cft	Rate	S A S	EONE, DMC (EAST)
1,05,857.00	1,29,291.00		5,030.00	2,87,496.00	Rate Amount		IST)
					1	1	

			'n
	Rate Quot	Tota	1 ½" thick asphalt concrete wearing course plant mix laying mechanically to proper line and grade plant mixed asphalt concrete specified formula according to job mixed formula approved by the engineer incharge rolling and finishing to design proper grade line level and comber etc (Machinery with POLs cost of material carriage).
To	Rate Quoted by Contractor 04.00% Below	ıl Amount of Schee	6832 Sft
Total Amount Quoted	04.00% Below	Total Amount of Schedule Rate Items, Rs. 9,97,291.00	6873.79 %Sft
9,57,399	39,892	9,97,291.00	%Sft 4,69,617.00
	0.15% Below		6873.79 %Sft
9,95,795	1,496.00	9,97,291.00	4,69,617.00
	AT PAR		6873.79 %Sft
9,97,291	•	9,97,291.00	4,69,617.00

SHAHID AHSRAF CHOUDHRY EXECUTIVE ENGINEER JAMSHED ZONE, DMC (EAST)

> SHABBIH UL HASSAN EXECUTIVE ENGINEER JAMSHED ZONE, DMC (WEST)



# BIDDERS QUALIFICATION REPORT

Rule-46(i) (a) Single Stage One Envelope Procedure

SUBJECT: IMPROVEMENT OF ROAD MUSLIMABAD WATER BOARD COLONY, JAMSHED ZONE, DMC (EAST)

4. 3. 2. 1. 8
H #
Relevant Experience Turn Over Statement Registration With I Sindh Revenue Board Registration with Engineering Counci Applicable
Experience  Experience  r Statement on With I enue Board on with lg Counci
Perience tatement With Income Tax, se Board with Pakistan Council (Where
Relevant Experience Turn Over Statement Registration With Income Tax, Sindh Revenue Board Registration with Pakistan Engineering Council (Where
Asif Em  YES  V
Asif Enterprises 'ES N
NO Sis
YES
NO
S. M. S.
M. Salman YES
S. M. Salman Brothers YES NO  V  V

JAMSHED ZONE, DMC (EAST) SHAHIÓ ASHRAF CHOUDHRY EXECUTIVE ENGINEER

Hickory

EXECUTIVH ENĞINEER SHABBIH ФL HASSAN DMC (WEST)

SUPERINTENDING ENGINE R PREM CHAND DMC (EAST)

# OFFICE OF THE EXECUTIVE ENGINEER & FOCAL PERSON JAMSHED ZONE, DMC (EAST)

Dated: 16-FEB-2016

# **Bid Evaluation Report**

(In compliance of Clauss 45 SPPRA 2010)

1. Name of Procuring Agency Jamshed Zone, DMC (East)

2. Tender Reference No. PS/SE/DMC/East/05/16 Dated 25-01-2016

(Sr. # 08)

3. Tender Description / Name of Work Improvement of Road Muslimabad Water Board

Colony, Jamshed Zone, DMC (East)

Single Stage – One Envelope Procedure

4. Method of Procurement

5. Tender Published SPPRA Web Site & Notice Board

6. Total Bid documents Sold: 03 Nos.

7. Total Bids Received

03 Nos.

8. Technical Bid Opening date (If applicable) Not Applicable

9. No. of Bid Technically qualified (if applicable) Not Applicable

10. Bid (s) Rejected:

Nil

11. Financial Bid Opening Date

16-FEB-2016

12. Bid Evaluation Report:

S. #	Name of Firms or Bidder	Cost Offer by Bidder	Ranking in terms of cost	Comparision with Estimated Cost	Total Amount Quoted by Contractor	Reason for acceptance / Rejection	Remarks.
1.	Asif Enterprises	04.00% Below for Schedule Rate	1 <sup>st</sup> Lowest	Estimated cost of Rs. 9,97,291/=	Rs. 9,57,399	Qualified as per evaluation criteria	Recommended for award of work
2.	K. Khan & Co.	0.15% Below for Schedule Rate	2 <sup>nd</sup> Lowest	Estimated cost of Rs. 9,97,291/=	Rs. 9,95,795	Qualified as per evaluation criteria	Responsive
3.	S. M. Salman Brothers	AT PAR for Schedule Rate	3 <sup>rd</sup> Lowest	Estimated cost of Rs. 9,97,291/=	Rs. 9,97,291	Qualified as per evaluation criteria	Not Responsive

This issue with the approval of the memebrs of the procurement committee:

SABIH UL HA Member / XEN DMC (WEST)

SHAHID ASHRAF CHOUDHRY Member / XEN

(Matriol Land

Jamshed Zone

EM CHAND hairmain /S.E

DMC (East)

OISTREATE :

**Director (CB) SPPRA** 

With a request to upload on SPPRA Website

# OFFICE OF THE EXECUTIVE ENGINEER & FOCAL PERSON JAMSHED ZONE, DMC (EAST)

No. E.E/JZ/DMC/E/449/2016

Dated: 16-FEB-2016

# **Bid Evaluation Report**

(In compliance of Clauss 45 SPPRA 2010)

1. Name of Procuring Agency Jamshed Zone, DMC (East)

2. Tender Reference No.

PS/SE/DMC/East/05/16 Dated 25-01-2016

(Sr. # 09)

3. Tender Description / Name of Work Construction of Mir Ajmal Khan Road, Jamshed

Road No. 01, Jamshed Zone, DMC (East)

Single Stage – One Envelope Procedure

4. Method of Procurement Tender Published

5.

SPPRA Web Site & Notice Board

6. Total Bid documents Sold: 03 Nos.

7. Total Bids Received 03 Nos.

8. Technical Bid Opening date (If applicable) Not Applicable

No. of Bid Technically qualified (if applicable)

Not Applicable

10. Bid (s) Rejected:

Nil

11. Financial Bid Opening Date

16-FEB-2016

12. Bid Evaluation Report:

S.#	Name of Firms or Bidder	Cost Offer by Bidder	Ranking in terms of cost	Comparision with Estimated Cost	Total Amount Quoted by Contractor	Reason for acceptance / Rejection	Remarks.
1.	Akhter Shah Brothers & Const. Co.	04.00% Below for Schedule Rate	1 <sup>st</sup> Lowest	Estimated cost of Rs. 9,96,836/=	Rs. 9,56,963	Qualified as per evaluation criteria	Recommended for award of work
2.	Kanaya Lal	AT PAR for Schedule Rate	2 <sup>nd</sup> Lowest	Estimated cost of Rs. 9,96,836/=	Rs. 9,96,836	Qualified as per evaluation criteria	Responsive
3.	Balaji Enterprises	0.15% Above for Schedule Rate	3 <sup>rd</sup> Lowest	Estimated cost of Rs. 9,96,836/=	Rs. 9,98,331	Qualified as per evaluation criteria	Not Responsive

This issue with the approval of the memebrs of the procurement committee:

SABHI U Member / XEN DMC (WEST)

SHÁHID ASHRAF CHOUDHRY Member / XEN Jamshed Zone

GSANT.

airmain /S.E )MC (East)

**Director (CB) SPPRA** 

With a request to upload on SPPRA Website



# OFFICE OF THE EXECUTIVE ENGINEER JAMSHED ZONE, DMC (EAST)

SUBJECT:

# CONSTRUCTION OF MIR AJMAL KHAN ROAD, JAMSHED ROAD NO. 01, JAMSHED ZONE, DMC (EAST)

	4	ယ	2.	-		S.#
	proper grade and camber having CBR 80% as per AASHTO standard specification i/c spreading and compacting by approved mechanical means (Motor grader, vibratory roller and smooth wheel roller etc) waover compacted granular sub-tering to maintain the moisture content the compaction of each layer shall 100 percent to the max dry density (Rate i/c all cost of material T&P and carriage upto 3 chains.	stone, aggregate, spawl, coal lime, surkhi etc B.G Rail fastening points and crossing bridge, girders, pipes, sheets Rail M.S Bars etc or 1000 nos: bricks 10" X 5" X 3" or 1000 Nos: tiles 12" X 6" X 2" or 150 Cft of timber or 100 Maunds of fuel wood by trucks or any other means owned by contractors. 15 Miles.	forming its bank are putting the same on embankment as directed clod breaking dressing etc. complete through work in ordinary soil	Dismantling Cement Concrete plain (1:2:4)		Description Of Work
	1,910 Cft	12,000 Cft	3,360 Cft	8,640 Cft		Quantity
Desc.	5542.24 %Cft	1065.00 %Cft	1437.00 %0Cft	3327.50 %Cft	Rate	Akhter Shah Brothers & Construction Co
	1,05,857.00	1,27,800.00	4,828.00	2,87,496.00	Amount	Brothers & ction Co
	5542.24 %Cft	1065.00 %Cft	1437.00 %0Cft	3327.50 %Cft	Rate	Kana
	1,05,857.00	1,27,800.00	4,828.00	2,87,496.00	Amount	Kanaya Lal
	5542.24 %Cft	1065.00 %Cft	1437.00 %0Cft	3327.50 %Cft	Rate	Balaji E
	1,05,857.00	1,27,800.00	4,828.00	2,87,496.00	Amount	Balaji Enterprises

			'n
	Rate Q		1 ½" thick asphalt concrete wearing course plant mix laying mechanically to proper line and grade plant mixed asphalt concrete specified formula according to job mixed formula approved by the engineer incharge rolling and finishing to design proper grade line level and comber etc (Machinery with POLs cost of material carriage).
T	Rate Quoted by Contractor	Total Amount of Schedule Rate Items, Rs.	6,850 Sft
Total Amount Quoted	04.00% Below	dule Rate Items, Rs.	6873.79 %Sft
9,56,963	39,873	9,96,836	4,70,855
	AT PAR		6873.79 %Sft
9,96,836	1	9,96,836	4,70,855
	0.15% Above		6873.79 %Sft
9,98,331	1,495.00	9,96,836	4,70,855

SHAHAD AHSRAF CHOUDHRY EXECUTIVE ENGINEER JAMSHED ZONE, DMC (EAST)

SHABBIH UL HASSAN EXECUTIVE ENGINEER JAMSHED ZONE, DMC (WEST)

PREM CHAND
PREM CHAND
DER NTENDING ENGINEER
DMC (EAST)

# BIDDERS QUALIFICATION REPORT

Rule-46(i) (a) Single Stage One Envelope Procedure

SUBJECT: CONSTRUCTION OF MIR AJMAL KHAN ROAD, JAMSHED ROAD NO. 01, JAMSHED ZONE, DMC

Date of Opening: 16-FEBRUARY-2016

Sr. # Eligibility  1. Relevant Experience 2. Turn Over Statement		3. Registration With Income Tax, Sindh Revenue Board	Docide
Akhter Shah Brothers & Construction Co.  YES NO	_	*	< .
Kanaya Lal  YES NO		,	
Balaji Enterprises  YES NO			<

SHAHID ASHRAF CHOUDHRY
EXECUTIVE ENGINEER
JAMSHED ZONE, DMC (EAST)

SHABBIH UL HASSAN EXECUTIVE ENGINEER DMC (WEST)

PREM CHAND
PREM CHAND
DMC (EAST)

# OFFICE OF THE EXECUTIVE ENGINEER & FOCAL PERSON JAMSHED ZONE, DMC (EAST)

No. E.E/JZ/DMC/E/450/2016

Dated: 16-FEB-2016

# **Bid Evaluation Report**

(In compliance of Clauss 45 SPPRA 2010)

1. Name of Procuring Agency Jamshed Zone, DMC (East)

2. Tender Reference No. PS/SE/DMC/East/05/16 Dated 25-01-2016

( Sr. # 10)

3. Tender Description / Name of Work Improvement of Road Near Blue Cross

Laboratory, Jamshed Road No. 01, Jamshed Zone,

DMC (East)

03 Nos.

4. Method of Procurement Single Stage – One Envelope Procedure

5. Tender Published SPPRA Web Site & Notice Board

6. Total Bid documents Sold:

7. Total Bids Received 03 Nos.

8. Technical Bid Opening date (If applicable) Not Applicable

9. No. of Bid Technically qualified (if applicable) Not Applicable

10. Bid (s) Rejected: Nil

11. Financial Bid Opening Date 16-FEB-2016

12. Bid Evaluation Report:

S. #	Name of Firms or Bidder	Cost Offer by Bidder	Ranking in terms of cost	Comparision with Estimated Cost	Total Amount Quoted by Contractor	Reason for acceptance / Rejection	Remarks.
1.	Akhter Shah Brothers & Const. Co.	04.00% Below for Schedule Rate	1 <sup>st</sup> Lowest	Estimated cost of Rs. 9,99,452/=	Rs. 9,59,474	Qualified as per evaluation criteria	Recommended for award of work
2.	K. Khan & Co.	0.35% Below for Schedule Rate	2 <sup>nd</sup> Lowest	Estimated cost of Rs. 9,99,452/=	Rs. 9,95,954	Qualified as per evaluation criteria	Responsive
3.	Kanaya Lal	AT PAR for Schedule Rate	3 <sup>rd</sup> Lowest	Estimated cost of Rs. 9,99,452/=	Rs. 9,99,452	Qualified as per evaluation criteria	Not Responsive

This issue with the approval of the memebrs of the procurement committee:

SABIH UL HASBA Member / XEN DMC (WEST) SHAHID ASHRAF CHOUDHRY
Member / XEN
Jamshed Zone

PREM CHAND Chairmain /S.E VDMC (East)

HEAST) KARACHI

**Director (CB) SPPRA** 

With a request to upload on SPPRA Website



# OFFICE OF THE EXECUTIVE ENGINEER JAMSHED ZONE, DMC (EAST)

SUBJECT:

# IMPROVEMENT OF ROAD NEAR BLUE CROSS LABORATORY JAMSHED ROAD NO. 01, JAMSHED ZONE, DMC (EAST)

	4.	ယ့	2.	1.		S.#
	Providing and Laying Aggregate base course in proper grade and camber having CBR 80% as per AASHTO standard specification i/c spreading and compacting by approved mechanical means (Motor grader, vibratory roller and smooth wheel roller etc) waover compacted granular sub-tering to maintain the moisture content the compaction of each layer shall 100 percent to the max dry density (Rate i/c all cost of material T&P and carriage upto 3 chains.	Stone, aggregate, spawl, coal lime, surkhi etc B.G. Rail fastening points and crossing bridge, girders, pipes, sheets Rail M.S. Bars etc or 1000 nos: bricks 10" X 5" X 3" or 1000 Nos: tiles 12" X 6" X 2" or 150 Cft of timber or 100 Maunds of fuel wood by trucks or any other means owned by contractors. 15 Miles.	Earth work excavation of road side nalies i/c forming its bank are putting the same on embankment as directed clod breaking dressing etc. complete through work in ordinary soil	Dismantling Cement Concrete plain (1:2:4)		Description Of Work
	1,920 Cft	12,000 Cft	3,360 Cft	8,640 Cft		Quantity
2	5542.24 %Cft	1065.00 %Cft	1437.00 %0Cft	3327.50 %Cft	Rate	Akhter Shah Brothe Construction Co
	1,06,411.00	1,27,800.00	4,828.00	2,87,496.00	Amount	ah Brothers & ruction Co
	5542.24 %Cft	1065.00 %Cft	1437.00 %0Cft	3327.50 %Cft	Rate	K. Kha
	1,06,411.00	1,27,800.00	4,828.00	2,87,496.00	Amount	K. Khan & Co.
	5542.24 %Cft	1065.00 %Cft	1437.00 %0Cft	3327.50 %Cft	Rate	Kana
	1,06,411.00	1,27,800.00	4,828.00	2,87,496.00	Amount	Kanaya Lal

	г										
							. <b>5</b> .				
4	To		ικαικ ζυσικ	Rata Oilata	IOIA	Total	I ½" thick asphalt concrete wearing course plant mix laying mechanically to proper line and grade plant mixed asphalt concrete specified formula according to job mixed formula approved by the engineer incharge rolling and finishing to design proper grade line level and comber etc (Machinery with POLs cost of material carriage).				
			ted by Contractor To		Rate Quoted by Contractor 04.00% Be		Alhount of Sched	^	6,880 Sft		
	I otal Amount Quoted		04.00% Below		Total Amount of Schedule Rate Items, Rs. 9,99,452.00		6873.79 %Sft				
	9,59,474		39,978		9,99,452.00		%Sft 4,72,917.00				
			0.35% Below				6873.79 %Sft				
	3,498.00 9,95,954		9,99,452.00	4,72,917.00							
			AT PAR				6873.79 %Sft				
77.7	9.99.452			/9//940200	9 99 457 00		4,72,917.00				

SHAHID AHSRAF CHOUDHRY EXECUTIVE ENGINEER JAMSHED ZONE, DMC (EAST)

SHABBIH ULMASSAN EXECUTIVE ENGINEER JAMSHED ZONE, DMC (WEST)

PREM CHAND
PREM CHAND
DMC (EAST)

# BIDDERS QUALIFICATION REPORT

Rule-46(i) (a) Single Stage One Envelope Procedure

SUBJECT: IMPROVEMENT OF ROAD NEAR BLUE CROSS LABORATORY, JAMSHED ROAD NO. 01, JAMSHED ZONE, DMC (EAST)

Date of Opening: 16-FEBRUARY-2016

		Τ			_				
4.		ب	ى إ	2.	٠ 	Ļ		¥ 1	<b>C1</b> #
Engineering Council (Where Applicable)	Registration with policy	Sindh Revenue Board	Registration With Income	Turn Over Statement		Relevant Experience		Eligibility	
<		<	•	<b>√</b>	_	<b>1</b>	YES	Construction Co.	Akhter Shah Brothers &
							NO	ion Co.	Brothers &
<b>√</b>	<	,	<		<		YES	K. Kh	
						100	NO	an & Co.	
	<		<u> </u>			YES		Kanaya Lal	
<						NO		,al	

SHAHID ASHRAF CHOUDHRY JAMSHED ZONE, DMC (EAST) EXECUTIVE ENGINEER

EXECUTIVE ENGINEER SHABBIH UL HASSAN DMC|(WEST)

SUPEKINTENDING ENGINEEK PREM CHAND DMC (EAST)

## ATTENDNACE FOR NIT # 05 OPEN ON (16-FEBRUARY-2016)

Sr.	Name of Officer	Designation	<b>√</b> Signature
1	Prem Chand	Superintending Engineer	
2	Shahid Ashraf Choudhry	XEN / Member	flalies
3	Sabih Ul Hassan	XEN / Member	The l

			·
Sr.	Name of Firm	Name of Contractor	Signature
1	K. Khan & Co	M. Asif Khen	Asiff
2	ASIK ENTP	DAIXIS4	Double
3	s'in d'5 15	Wasi	Mei
4	Akhtar Shah Britter Co.	Akhtar Shah	Shoh.
5		S Janua Hadush	
6	K N. Builder	DANYAL	Deviser
7	Dura July and cont	Syed Shapique An	dici
8	Raheem Daad	Raheem Saad	ر کا دار
9	K.K.B	Zai un Relinin	Zan
10	Kanaya Lal	i	Lanala La
11	B.B. Enterprises		Suns
12	5.01 Subra!	Salar	Salman
13	SM Bulder	Shaked	& lul
14	BALATI ENTERPR	ISES RIRNHAPILAL	9.45
15	Precision Eng. Services	Pehlaj Rai	MIN
16	HAJI M. Ighal Memon	Haji IRbal	Har Mush

17 Sarrin Const. Co JARAR SHAH



NO: E.E/JZ/DMC(E)/ 451 /16

DATED: 16 /02 /16

## SUBJECT: MINUTES OF TENDERS OPENING COMMITTEE.

A meeting was held at 2.00 O' Clock on 16-FEB-2015 for opening of Tenders invited through NIT No. PS / SE / DMC/ E / 05 / 2016 Dated 25-01-2016

The Secretary of the Committee was announced the results of Tenders loudly tern by tern each Tenders

The following Officers and participated Contractor or their representative were present in the meeting.

1	Mr. Prem Chand	Superintending Engineer / Chairman
2	Mr.Shahid Ashraf Choudhry	Executive Engineer / Member
3	Mr. Sabi ul Hassan	Executive Engineer / Member
4	Mr. Muhammad Yasir Gill	Accountant / Secretary

## **CONTRACTORS**

5 The proprietors / Representative of firms who have submitted their offers (list attached).

The meeting was commenced that Tender Box (sealed) was opened in the presence of all members and contractors and their representative who wish have presented. In the meeting. All Tenders and Offers received were scrutinized and result was placed before the member present in the meeting for which detail is as under.

### Work No. 01

# IMPROVEMENT OF LIBRARY AT NISHTER PARK UC-12, JAMSHED ZONE, DMC (EAST) (RE-INVITED)

Sr. #	Name of Firm	Rate Quoted	Remarks
1	S. M. Builders	04.00% Below for S/R (+) Rs. 362,900 for O/R	1 <sup>st</sup> Lowest
2	Balaji Enterprises	AT PAR for S/R (+) Rs. 363,040 for O/R	2 <sup>nd</sup> Lowest
3	Asif Enterprises	0.25% Above for S/R (+) Rs. 3,61,838 for O/R	3 <sup>rd</sup> Lowest

### WORK NO. 02

# CONSTRUCTION OF RCC STORE ROOM AT DEPARTMENTAL BUILDING UC-06, JAMSHED ZONE, DMC (EAST)

Sr. #	Name of Firm	Rate Quoted	Remarks
1	M/s S. M. Builders	AT PAR for Schedule Rate Items	1 <sup>st</sup> Lowest
2	M/s Precision Engineering Services	01.00% Above for Schedule Rate Items	2 <sup>nd</sup> Lowest
3	M/s S. M. Salman Brothers	01.75% Above for Schedule Rate Items	3 <sup>rd</sup> Lowest

### Work No. 03

# REPAIR / MAINTENANCE OF LIBRARY AT AKHTER COLONY, JAMSHED ZONE, DMC (EAST)

Sr. #	Name of Firm	Rate Quoted	Remarks
1	K. Khan & Co.	04.00% Below for Schedule Rate Items & Rs. 6,27,525 for Open Rate	1 <sup>st</sup> Lowest
2	Asif Enterprises	AT PAR for Schedule Rate Items & Rs. 6,24,932 for Open Rate	2 <sup>nd</sup> Lowest
3	Kanaya Lal	3.00% Above for Schedule Rate Items & Rs. 6,16,725 for Open Rate	3 <sup>rd</sup> Lowest

### Work No. 04

# SUPPLYING / PROVIDING / FIXING RCC RING SLAB AND JERSEY BARRIERS AT VARIOUS PLACES OF LINES AREA, JAMSHED ZONE, DMC (EAST)

Sr. #	Name of Firm	Rate Quoted	Remarks
1	Sarrim Construction Co.	AT PAR for S/R	1 <sup>st</sup> Lowest
2	Haji Muhammad Iqbal Memon	1.00% Above for S/R	2 <sup>nd</sup> Lowest
3	K. N. Builders	2.15% Above for S/R	3 <sup>rd</sup> Lowest

### Work No. 05

# COVERING THE NALLAH ROOF BY RCC SLAB AT AKHTER COLONY, DOUBLE ROAD, JAMSHED ZONE, DMC(EAST)

Sr. #	Name of Firm	Rate Quoted	Remarks
1	K. Khan & Co.	AT PAR for Schedule Rate	1 <sup>st</sup> Lowest
2	B. B. Enterprises	2.50% Above for Schedule Rate	2 <sup>nd</sup> Lowest
3	K. K. B	3.70% Above for Schedule Rate	3 <sup>rd</sup> Lowest

### Work No. 06

# REMOVING WALL CHALKING / SLOGANS FROM KASHMIR ROAD, SHAHRAH-E-QUAIDEEN, NISHTER PARK AND SURROUNDING AREAS AND DIFFERENT PLACES OF JAMSHED ZONE, DMC (EAST)

Sr. #	Name of Firm	Rate Quoted	Remarks		
THE WORK HAS BEEN CANCELLED AS DESIRED BY THE					
ADMINISTRATOR					

### Work No. 07

### CONSTRUCTION OF DUST BIN AT CHANESAR GOTH, JAMSHED ZONE, DMC (EAST)

Sr. #	Name of Firm	Rate Quoted	Remarks
1	Balaji Enterprises	AT PAR for Schedule Rate	1 <sup>st</sup> Lowest
2	Precision Engineering Services	2.00% Above for Schedule Rate	2 <sup>nd</sup> Lowest
3	B. B. Enterprises	2.15% Above for Schedule Rate	3 <sup>rd</sup> Lowest

### Work No. 08

# IMPROVEMENT OF ROAD MUSLIMABAD WATER BOARD COLONY, JAMSHED ZONE, DMC (EAST)

Sr. #	Name of Firm	Rate Quoted	Remarks
1	Asif Enterprises	04.00% Below for S/R	1 <sup>st</sup> Lowest
2	K. Khan & Co.	0.15% Below for S/R	2 <sup>nd</sup> Lowest
3	S. M. Salman Brothers	AT PAR for S/R	3 <sup>rd</sup> Lowest

### Work No. 09

## CONSTRUCTION OF MIR AJMAL KHAN ROAD, JAMSHED ROAD NO. 01, JAMSHED ZONE, **DMC (EAST)**

Sr. #	Name of Firm	Rate Quoted	Remarks
1	Akhter Shah Brothers & Construction Co.	04.00% Below for Schedule Rate	1 <sup>st</sup> Lowest
2	Kanaya Lal	AT PAR for Schedule Rate	2 <sup>nd</sup> Lowest
3	Balaji Enterprises	0.15% Above for Schedule Rate	3 <sup>rd</sup> Lowest

### Work No. 10

## IMPROVEMENT OF ROAD NEAR BLUE CROSS LABORATORY, JAMSHED ROAD NO. 01, JAMSHED ZONE, DMC (EAST)

Sr. #	Name of Firm	Rate Quoted	Remarks
1	Akhter Shah Brothers & Construction Co.	04.00% Below for Schedule Rate	1 <sup>st</sup> Lowest
2	K. Khan L& Co.	0.35% Below for Schedule Rate	2 <sup>nd</sup> Lowest
3	Kanaya Lal	AT PAR for Schedule Rate	3 <sup>rd</sup> Lowest

The meeting was ended peacefully and smooth way

SABHT UL HASSAN Member / XEN

DMC (WEST)

SHAMID ASHRAF CHOUDHRY

Member / XEN Jamshed Zone

Chairman /S.E

REM CHAND

DMC (East)

**ISSUED BY**