

KARACHI WATER AND SEWERAGE BOARD
OFFICE OF THE EXECUTIVE ENGINEER (SEW)-II, JAMSHED TOWN
BLOCK-1, KMC MARKET, SINDHI MUSLIM SOCIETY.


NOTICE FOR INVITING TENDER
THROUGH AUTHORITY'S WEBSITE


KW&SB invites Sealed Tenders on composite Schedule of Rates (CSR) / Item Rates Basis from interested contractors / firms.

S.No.	Name of Work	Estimated Cost (In Rupees)	Bid Security + 2% of Item Rates.	Tender Fee	Time for Completion
1.	Replacement of 06" dia silted sunk down and broken sewerage line by P/L 08" dia and 12" dia sewerage line at Malana Muhammad Ali Road, Amil Colony UC-10, Jamshed Town (Sewerage)-II.	Rs.9,64,648/=	Rs.19,293/=	Rs.1,000/=	30 Days

2. Eligibility : (i) Having National Tax Number.
(ii) One year similar work experience.
3. Method of Procurement. Single Stage, Single Envelope Basis.
4. Bidding / Tender Documents:
(i) Issuance : Documents will be issued from the date of Hoisting on SPPRA Website / Publication to 27-01-2014 on attached Bid Security / Payment of tender fee (Non refundable).
(ii) Submission : Last date will be 28-01-2014, time 2.00 P.M.
(iii) Opening : Will be opened on 28-01-2014, time 3.00 P.M.
(iv) Place of issuance : Office of the Accounts Officer (Revenue), KW&SB at KW&SB Head Office, at 1st Floor Old KBCA Annex Building, Behind Civic Centre, Gulshan-e-Iqbal, Karachi from 9.00 A.M. to 12.00 A.M. on all working days except date of Opening / downloaded from Authority's Website.
- Place of Submission : Office of the Chief Engineer (IP&D), KW&SB at 9th Mile Karsaz, Shahrah-e-Faisal, Karachi.
- Telephone # (XEN (Sew)-II 0345-2088957) / C.E.(IPD), KW&SB).
- (v) Un-responded tenders will be again issued / submitted / opened on following dates.
2nd Attempt : (a) Issuance upto 03-02-2014 at 2.00 P.M.(b) Submission & opening date : 04-02-2014 3.00 P.M.
5. Terms & Conditions:
(a) Under following conditions bids / tenders will be rejected:
(i) Conditional and telegraphic bids / tenders.
(ii) Bids not accompanied by bid security of required amount and form;
(iii) Bids received after specified date and time.
(iv) Black listed firms.
- (b) Bid validity Period : (180 Days)
- (c) Procuring Agency reserves the rights to reject all or any bids subject to the relevant provision of Sindh Public Procurement Rules-2010.

KARACHI WATER & SEWERAGE BOARD


MIRZA FARHAN ALI
Executive Engineer (Sew)-II
Jamshed Town, KW&SB.



KARACHI WATER & SEWERAGE BOARD


OFFICE OF THE CHIEF ENGINEER (I.E. & D)

BID EVALUATION REPORT


1	Name of Procuring Agency	KARACHI WATER & SEWERAGE BOARD
2	Tender Reference No	SPPRA Serial No 18556 I.D No. /2013
3	Tender Description/Name of Work/Item	REPLACEMENT OF 06" DIA SILTED SUNK DOWN AND BROKEN SWEWRAGE LINE BY P/L 8" DIA & 12" DIA SEWERAGE LINE AT MULANA MUHAMMAD ALI ROAD AMIL COLONY UC-10, JAMSHED TOWN (SEWERAGE-II)
4	Method of Procurement	Single Stage (One Envelop)
5	Tender Published	Through Web Site
6	Total Bid Documents Sold	2 Nos
7	Total Bid Received	2 Nos
8	Technical Bid Opening Date (if applicable)	N/A
9	No. of Bid Technically Qualified (if applicable)	N/A
10	Bid (s) rejected	Nil
11	Financial Bid Opening Date	28/01/2014


S#	NAME OF FIRM OR BIDDER	COST OFFERED BY THE BIDDERS	RANKING IN TERMS OF COST	COMPARISON WITH ESTIMATED COST	REASON FOR ACCEPTANCE/ REJECTION	REMARKS
1	M/s. Trust Construction Co	Rs. 963,376/-	1st Lowest	@ 0.20% Below	Substantially Responsive	P.O # AAA11276779 Dt: 28/01/2014 Rs 20,000/- Atad Bank Floor Market Karachi. Gf
2	M/s. Unity Associates	Rs. 979,054/-	2nd Lowest	@ 1.42% Above	Substantially Responsive	P.O # 9993742 Dt: 24/02/2013 Rs 12,000/- HBL Firdous Colony Gf P.O # 6643915 Dt: 28/01/2014 Rs. 9,000/- HBL Firdous Colony Gf


The E.E Concerned for compliance of rule 45 of SPPRA 2010 M/s. Trust Construction Co declared as the lowest responsive bidder by the Committee and recommended for Sanction from Competent Authority.


(Muhammad Nawaz Khan)
Accounts Officer (South)
Member/Secretary


(Saif-ul-Haque)
Additional Director Internal
Audit - KMC Member


(Maqsood Ahmed Shaikh)
Superintending Engineer (KMC)
Member


(Muhammad Arif)
Chief Engineer (South)
Member


(Abdul Kalam Khattai)
Chief Engineer (IPD),
(Convener)

SINDH PUBLIC PROCUREMENT REGULATORY AUTHORITY

CONTRACT EVALUATION FORM

TO BE FILLED IN BY ALL PROCURING AGENCIES FOR PUBLIC CONTRACTS OF WORKS, SERVICES & GOODS

- 1) NAME OF THE ORGANIZATION / DEPTT. Karachi Water and Sewerage Board
- 2) PROVINCIAL / LOCAL GOVT./ OTHER Local Government
Repl: of 6" dia silted sunk down & broken sewerage line by P/L 8" dia & 12" dia sewerage line at Mulana Muhammad Ali Road, Amil Colony UC-10, Jamshed Town (Sewerage)-II.
- 3) TITLE OF CONTRACT
- 4) TENDER NUMBER S.No.18556
- 5) BRIEF DESCRIPTION OF CONTRACT For improvement of Sewerage system.
- 6) FORUM THAT APPROVED THE SCHEME Managing Director, KW&SB
- 7) TENDER ESTIMATED VALUE Less than 1.00 Million
- 8) ENGINEER'S ESTIMATE Rs.9,64,648/=
(For civil works only)
- 9) ESTIMATED COMPLETION PERIOD (AS PER CONTRACT) 15 Days
- 10) TENDER OPENED ON (DATE & TIME) 28-01-2014 at 3.00 P.M.
- NUMBER OF TENDER DOCUMENTS SOLD 02 Nos.
(Attach list of buyers)
- 12) NUMBER OF BIDS RECEIVED 02 Nos.
- 13) NUMBER OF BIDDERS RESENT AT THE TIME OF OPENING OF BIDS 02 Nos.
- 14) BID EVALUATION REPORT Attached
(Enclose a copy)
- M/s.Trust Construction Co.
Address : A-231, Block-H, North Nazimabad,
- 15) NAME AND ADDRESS OF THE SUCCESSFUL BIDDER Karachi,
- 16) CONTRACT AWARD PRICE Rs.9,63,376/=
- 17) RANKING OF SUCCESSFUL BIDDER IN EVALUATION REPORT
(i.e. 1st, 2nd, 3rd EVALUATION BID). 1st Lowest
- 18) METHOD OF PROCUREMENT USED : - (Tick one)
- | | |
|--|--|
| a) SINGLE STAGE -ONE ENVELOPE PROCEDURE _____ | <input type="checkbox"/> Domestic/ Local |
| b) SINGLE STAGE -TWO ENVELOPE PROCEDURE _____ | <input checked="" type="checkbox"/> NIL |
| c) TWO STAGE BIDDING PROCEDURE _____ | <input type="checkbox"/> NIL |
| d) TWO STAGE -TWO ENVELOPE BIDDING PROCEDURE _____ | <input type="checkbox"/> NIL |

PLEASE SPECIFY IF ANY OTHER METHOD OF PROCUREMENT WAS ADOPTED i.e. EMERGENCY, DIRECT CONTRACTING ETC. WITH BRIEF REASONS:

19) APPROVING AUTHORITY FOR AWARD OF CONTRACT Managing Director, KW&SB

20) WHETHER THE PROCUREMENT WAS INCLUDED IN ANNUAL PROCUREMENT PLAN?

Yes		No	✓
-----	--	----	---

21) ADVERTISEMENT :

i) SPPRA Website
(If yes, give date and SPPRA Identification No.)

Yes	28-01-14 S.No. 18556
No	

ii) News Papers
(If yes, give names of newspapers and dates)

Yes	
No	

22) NATURE OF CONTRACT

Domestic/ Local	✓	Int.	
--------------------	---	------	--

23) WHETHER QUALIFICATION CRITERIA
WAS INCLUDED IN BIDDING / TENDER DOCUMENTS?
(If yes, enclose a copy)

Yes		No	✓
-----	--	----	---

24) WHETHER BID EVALUATION CRITERIA
WAS INCLUDED IN BIDDING / TENDER DOCUMENTS?
(If yes, enclose a copy)

Yes		No	✓
-----	--	----	---

25) WHETHER APPROVAL OF COMPETENT AUTHORITY WOB
METHOD OTHER THAN OPEN COMPETITIVE BIDDING?

INED FOR USING A			
Yes		No	✓

SPPRA
26) WAS BID SECURITY OBTAINED FROM ALL THE BIDDERS?

Yes	✓	No	
-----	---	----	--

27) WHETHER THE SUCCESSFUL BID WAS LOWEST EVALUATED
BID / BEST EVALUATED BID (in case of Consultancies)

Yes	✓	No	
-----	---	----	--

28) WHETHER THE SUCCESSFUL BIDDER WAS TECHNICALLY
COMPLIANT?

Yes		No	✓
-----	--	----	---

29) WHETHER NAMES OF THE BIDDERS AND THEIR QUOTED PRICES WERE READ OUT AT
THE TIME OF OPENING OF BIDS?

Yes	✓	No	
-----	---	----	--

30) WHETHER EVALUATION REPORT GIVEN TO BIDDERS BEFORE THE AWARD OF CONTRACT?
(Attach copy of the bid evaluation report)

Yes	✓	No	
-----	---	----	--

31) ANY COMPLAINTS RECEIVED
(If yes, result thereof)

Yes	
No	✓

32) ANY DEVIATION FROM SPECIFICATIONS GIVEN IN THE TENDER NOTICE / DOCUMENTS (If yes, give details)

Yes	
No	✓

33) WAS THE EXTENSION MADE IN RESPONSE TIME?
(If yes, give reasons)

Yes	
No	✓

34) DEVIATION FROM QUALIFICATION CRITERIA
(If yes, give detailed reasons.)

Yes	
No	✓

35) WAS IT ASSURED BY THE PROCURING AGENCY THAT THE SELECTED FIRM IS NOT BLACK LISTED?

Yes	✓	No	
-----	---	----	--

36) WAS A VISIT MADE BY ANY OFFICER/OFFICIAL OF THE PROCURING AGENCY TO THE SUPPLIER'S PREMISES IN CONNECTION WITH THE PROCUREMENT? IF SO, DETAILS TO BE ASCERTAINED REGARDING FINANCING OF VISIT, IF BRO D:
(If yes, enclose a copy)

Yes		No	✓
-----	--	----	---

37) WERE PROPER SAFEGUARDS PROVIDED ON MOBILIZATION ADVANCE PAYMENT IN THE CONTRACT (BANK GUARANTEE ETC.)?

Yes		No	✓
-----	--	----	---

SPPRA
38) SPECIAL CONDITIONS, IF ANY
(If yes, give Brief Description)

Yes	
No	✓


MIRZA IRTIZA ALI
Executive Engineer (SEW)-II
Jamshed Town, KW & SB.

Signature & Official Stamp of
Authorized Officer

FOR OFFICE USE ONLY

SPPRA, Block. No.8, Sindh Secretariat No.4-A, Court Road, Karachi
Tele: 021-9205356; 021-9205369 & Fax: 021-9206291

Print

Save

Reset

KARACHI WATER AND SEWERAGE BOARD
OFFICE OF THE EXECUTIVE ENGINEER (SEW)-II (JAMSHED TOWN)
BLOCK-B, KMC MARKET, SINDHI MUSLIM SOCIETY

NO.EE/SEW-II/JT/KW&SB/2014/45

DATED :10-03-2014


M/s.Trust Construction Co.,
A-231, Block-H,
North Nazimabad,
KARACHI.

WORK ORDER / L.O.C

SUBJECT :- REPL: OF 6"DIA SILTED SUNK DOWN & BROKEN SEWERAGE LINE BY P/L 8"DIA & 12"DIA SEWERAGE LINE AT MULANA MUHAMMAD ALI ROAD, AMIL COLONY UC-10, JAMSHED TOWN (SEWERAGE)-II.

Your Tender dated **28-01-2014** has been approved by the competent authority, KW&SB, for amounting to **Rs.9,63,376/= (Rupees nine lacs sixty three thousand three hundred seventy six only)** has accepted by the C.E. (South), KW&SB.


You are therefore, directed to start and complete the work within **15 days**. Please note that the penalty of **Rs.1,000/=** per day shall be imposed upon you in case of delay in-completing of the work.


EXECUTIVE ENGINEER (SEW)-II
JAMSHED TOWN, KW&SB


Copy to :-

1. The Chief Engineer (South), KW&SB.
2. The Superintending Engineer, Jamshed Town.
3. Budget Office, KW&SB.
4. Asstt. Director (LFA), KW&SB.
5. Office Copy.

1000/2



100



YOUNUS KHAN STAMP VENDOR

19 FEB 2014

L.No. 6, Section 3-D, Compound, District East, Karachi

CONTRACT AGREEMENT

S.No. 46980 Dated: 20 FEB 2014

Issued to with order

Through with order This **CONTRACT AGREEMENT** made the 10th day of March 2014,

Purposed between the **Karachi Water & Sewerage Board (KW&SB)**, Government of

Valued Rs. Sindh, Represented by its Chief Engineer, District South, KW&SB,

Stamp Vendor (hereinafter called the "Employer" which expression shall wherever the

context so admits or required to be deemed to include their successor) on the

one part as first Party **M/S. TRUST CONSTRUCTION CO.**, having their

office at **A-231, Block-H, North Nazimabad, Karachi**, Represented by

the **MR. ALEEM AHMED KHAN** hereinafter called the "Contractor" (which

expression shall wherever the context so admit or required be deemed to

include their Executors. Administrators. Successors and permitted Assignees)

on other part as second party.

WHEREAS the Employer is desirous to execute the work By

"REPLACEMENT OF 6" DIA SILTED SUNK DOWN AND

BROKEN SEWERAGE LINE BY P/L 8" DIA & 12" DIA

SEWERAGE LINE AT MULANA MUHAMMAD ALI ROAD AMIL

COLONY UC-10, JAMSHED TOWN (SEW-II)." Under KW&SB'S

OWN FUNDED PROGRAMME and has accepted the Tender of the

CONTRACTOR for **RS.9,63,376/= (RUPEES NINE LACS SIXTY THREE**

THOUSAND THREE HUNDRED SEVENTY SIX ONLY) for the

construction and completion of such WORKS and the remedying of all defects

therein.

AND WHEREAS THE CONTRACTOR has already deposited 2% Pay Order for

amounting to **Rs.20,000/=** vide Pay Order No. **AAA-11276779**, dated:

28-01-2014, issued from **Allied Bank Limited, Hoor Market Branch,**



Karachi, deposited by the contractor and remaining amount **Rs.76,338/=**

will be deducted from his bill, the same will be kept with the EMPLOYER till

the maintenance period of the work for the due fulfillment of the

CONTRACTOR. Further 1% Water Charges will also be deducted from his bill

as per Standard Operating Procedure (SOP).



ARIF
Licence No. 10/2014
Karn Plaza, Colaba

S.N.O. 75874
DATE 26 FEB 2014

Handwritten signature and stamp over the banknote.

NOW this Agreement witnesses as follows:-



1. In this Agreement words and expression shall have the same meanings as are respectively assigned to them in the conditions of Contract hereinafter referred to.
2. The following documents which for the purpose of identification have been signed by MR. ALEEM AHMED KHAN on behalf of the contractor and by MR. MUHAMMAD ARIF, DISTRICT SOUTH, KW&SB, on behalf the EMPLOYER all of which shall be deemed to form and be read and construed as part of this Agreement.
 - a). This Form of Agreement.
 - b). Employer letter of Acceptance No.CE/DS/W&S/KW&SB/2014/ 43 dated: 10-03-2014.
 - d). The Tender.
 - e). The conditions of the Particular Application - Part-II-A & II B.
 - f). The General Conditions - Part-1.
 - g). The Drawings.
 - h). The specifications and
 - i). The Priced Bill of Quantities.

3. In consideration of the payments to be made by the EMPLOYER to the CONTRACTOR has hereinafter mentioned, the CONTRACTOR hereby covenants with the EMPLOYER to execute and complete the WORK and to remedy any defects therein and maintaining the same in conformity in all respects with the provisions of the CONTRACT.

4. THE EMPLOYER hereby covenants to pay to the CONTRACTOR in the manner prescribed by the CONTRACT.

Handwritten signature of Aleem Ahmed Khan.

Handwritten signature and stamp.



AND M/S. TRUST CONSTRUCTION CO. (VENDOR)
A. Jinnah Road, Shop No 18, Block-14,
Jamshed Town, District South, Karachi

DATE 01 and 2008, the parties hereto have set their respective hands
ISSUED TO THE CONTRACTOR THROUGH THE OFFICE OF THE
PURPOSE: For and on behalf of the
VALUE RS. 20000000

Signed, Sealed and Delivered by the
For and on behalf of
EMPLOYER

For and on behalf of
CONTRACTOR

[Signature]
MUHAMMAD ARIF
CHIEF ENGINEER, DISTRICT SOUTH
K.W.&S.B.

[Signature]
ALEEM AHMED KHAN
MANAGING PARTNER
M/S. TRUST CONSTRUCTION CO.

WITNESS OF EMPLOYER

WITNESS OF CONTRACTOR

[Signature]
AFTAB ALAM
SUPERINTENDING ENGINEER
JAMSHED TOWN, DISTRICT SOUTH
K.W.&S.B.

[Signature]
PROJECT COORDINATOR

[Signature]
MIRZA IRTIZA ALI
EXECUTIVE ENGINEER (SEW-II)
JAMSHED TOWN, DISTRICT SOUTH
K.W.&S.B.

KARACHI WATER & SEWERAGE BOARD

OFFICE OF THE EXECUTIVE ENGINEER (SEW-II)

JAMSHED TOWN, DISTRICT SOUTH

**REPLACEMENT OF 6" DIA SILTED SUNK DOWN AND
BROKEN SEWERAGE LINE BY P/L 8" DIA & 12" DIA
SEWERAGE LINE AT MULANA MUHAMMAD ALI ROAD,
AMIL COLONY UC-10, JAMSHED TOWN (SEW-II).**

Estimated Cost
Tender Cost.
Time Limit.
Penalty

On Item Rate Basis

Rs. 1000/-

Rs. 500/-

Issued to M/s. *Best Construction Co*

Pay Order No. 91

Dated: 27-01-2021

TENDER CLERK

K. W. & S. B.

ISSUING AUTHORITY

Q.	DESCRIPTION	QTY.	RATE		PER UNIT / ITEM	AMOUNT IN RUPEES
			Rupees in Figures.	Rupees in Words.		
	Dismantling and removing road metaling.	2550 Cft	(608-00)	Six hundred Eighty	% Cft	15504-00
	Excavation for pipe lay in trenches and pits in all kinds of soils of bottom i/c trimming and dressing upto true alignment and shape level of both of trenches to correct level and grade, cutting joint holes and disposal of surplus earth within a one chain as directed by Engineer Incharge. Providing fence guards, lights, flags and temporary crossings for non vehicular traffic where ever required. Lift upto 5ft (1.52 m) and lead upto one chain (30.5m).					
	Lift upto 0' to 5'	10200 Cft	(4850-00)	four thousand eight hundred	% Cft	49470-00
	Lift upto 5' to 8'	5850 Cft	(5450-00)	five thousand four hundred fifty	% Cft	31882-00
	Providing Manhole 4ft inside with C.I frame (15 Kg) and 5 feet clear depth 1:2:4 cast in situ in 9" inch thick wall 1:4:8 cement concrete in 3 ft dia and 4" inch thick in foundation 1:2:4 c/c in bedding 1:2 cement concrete on inside wall and surface of channel / bedding i/c making required Nos. of main and branch channel 3/4" dia bar footrest at 12" c/c i/c cost of excavation of all kinds of soil, backfilling and disposal of excavated of all kinds of soils, backfilling and disposal of excavated stuff etc complete as per design and instruction of the Engineer Incharge.	18 Nos.	(11850-00)	eleven thousand eight hundred	Each	261000-00
	Ad / deduct per ft depth	(+) 41.32 Ft	(2440-00)	two thousand four hundred	P/Ft	100820-00

M/L 28/07

*for legs
measured
five hundred
two thousand
four hundred
fifty*

SUBJECT:- REPLACEMENT OF 6" DIA SILTED SUNK DOWN AND BROKEN SEWERAGE LINE BY P/L 3" DIA & 12" DIA SEWERAGE LINE AT MULANA MUHAMMAD ALI ROAD, AMUL COLONY UC-10, JAMSHED TOWN (SEW-II).

DESCRIPTION	QTY.	RATE		PER UNIT / ITEM	AMOUNT IN RUPEES
		Rupees in Figures.	Rupees in Words.		
<p>(a) Hire charges of pumping set upto 10 ft for pumping out water from 10 ft deep trenches.</p> <p>Providing Laying RCC Pipes with (Pipes, Blue joints and fitting in trench 1/c cutting, fitting and joining with proper ring 1/c fitting with water as specified</p>	31 Days	1490-00	One hundred four hundred ninety 00/Day	P/Day	46190-00
<p>12" dia Manufacturing and Supplying of 21" dia diameter RCC Manhole Cov is cast in 1:2:4 cement concrete ratio 2" deep at centre rain-forced with 1/2" M.S. tor bars with 4" c/c welded to a 3/16" thick 2" wide M.S. Flat and eye hook of 3/4" dia for bars including compacting, curing and pres. solution within 10 miles etc.</p>	250 Pcs	368-00	Three hundred sixty eight 00	P/Pc	312800-00
<p>21" dia Making connection with the existing manhole 1/2 the cost of cutting hole in wall, making trench in C.C. 1:2:4 and making connection of 1" complete</p>	25 Nos.	910-00	Nine hundred ten 00 Each	Each	22750-00
<p>10 Nos. 10 Nos. 10 Nos. of all materials like aggregate, gravel, coal, lime, etc. etc. 10 Nos. of all materials like aggregate, gravel, coal, lime, etc. etc. 10 Nos. of all materials like aggregate, gravel, coal, lime, etc. etc.</p>	10 Nos.	170-00	One hundred seventy 00 Each	Each	1700-00
<p>Upto 5th Mile.</p>	3587 Cft	710-00	Seven hundred ten 00	%Cft	25468-00

m/s 28/07

SUBJECT:- REPLACEMENT OF 6" DIA SILTED SUNK DOWN AND BROKEN SEWERAGE LINE BY P/L 8" DIA & 12" DIA SEWERAGE LINE AT MULANA MUHAMMAD ALI ROAD, AMIL COLONY U-10, JAMSHED TOWN (SEW-II).

DESCRIPTION	QTY.	RATE		PER UNIT / ITEM	AMOUNT IN RUPEES
		Rupees in Figures.	Rupees in Words.		
Refilling the excavated stuff in trenches 6" thick by 1:1:6 watering ramming to full compaction etc complete.	2410 cu	2410-00	Two thousand Four hundred ten only	% cft	61455-00
TOTAL	12463 Cu	2755-00	Two thousand Seven hundred fifty five only	% cft	34335-00
					963374-00

EXECUTIVE ENGINEER (SEW-II)
JAMSHED TOWN, DISTRICT SOUTH
K.W.&S.B.

963374=

Amount quoted for amount to Rs. 963374/- (In words) Nine Lacs Sixty Three Thousand Three hundred Seventy Four Rs.

Note :- All existing SPPRA Rules will be abide by me.

Signature of the Contractor

Address A-221 B.H. 10, Muzimabad, Kowli.

1. To be kept in a safe place / IN SEALED COVER
2. To be kept in a safe place / IN SEALED COVER
3. Copying or other Writing is not allowed / Found

4. Pay Order Attached / Not Attached

S.O. No. 112-767 DT. 28/1/1990 Rs. 20000/-

ADDL. S.E. (KMC) C.E. (KMC)

KARACHI WATER & SEWERAGE BOARD

OFFICE OF THE CHIEF ENGINEER (IP&D)

BID EVALUATION REPORT

1	Name of Procuring Agency	KARACHI WATER & SEWERAGE BOARD
2	Tender Reference No	SPPRA Serial No 18556 I D No /2013
3	Tender Description/Name of Work/Item	REPLACEMENT OF 06" DIA SILTED SUNK DOWN AND BROKEN SEWERAGE LINE BY P/L 8" DIA & 12" DIA SEWERAGE LINE AT MUI ANA MUHAMMAD ALI ROAD AMIL COLONY UC-10, JAMSHED TOWN (SEWERAGE)-II
4	Method of Procurement	Single Stage (One Envelope)
5	Tender Published	Through Web Site
6	Total Bid Documents Sold	2 Nos
7	Total Bid Received	2 Nos
8	Technical Bid Opening Date (if applicable)	N/A
9	No of Bid Technically Qualified (if applicable)	N/A
10	Bid (s) rejected	Nil
11	Financial Bid Opening Date	28/01/2014

12 Bid Evaluation Report

S #	NAME OF FIRM OR BIDDER	COST OFFERED BY THE BIDDERS	RANKING IN TERMS OF COST	COMPARISON WITH ESTIMATED COST	REASON FOR ACCEPTANCE/ REJECTION	REMARKS
1	M/s Trust Construction Co	Rs. 883 376/-	1st Lowest	@ 0.20% Below	Substantially Responsive	P.O # AAA11278779 D: 28/01/2014 Rs 23 000/- Ated Back Door Market Karachi Br
2	M/s Unity Associates	Rs. 979 054/-	2nd Lowest	@ 1.42% Above	Substantially Responsive	P.O # 9993742 D: 24/12/2013 Rs 12,333/- HBL Feroous Colony Br P.O # 9983915 D: 28/01/2014 Rs 8,000/- HBL Feroous Colony Br

The E.E. Concerned for compliance of rule 45 of SPPRA 2010 M/s Trust Construction Co. declared as the lowest responsive bidder by the Committee and recommended for Sanction from Competent Authority

(Signature)
29/01

(Muhammad Nawaz Khan)
Accounts Officer (South)
Member/Secretary

(Signature)

(Saif-ul-Haque)
Additional Director Internal
Audit - KMC Member

(Signature)

(Maqsood Ahmed Shaikh)
Superintending Engineer (KMC)
Member

(Signature)

(Muhammad Arif)
Chief Engineer (South)
Member

(Signature)

(Abdul Rahim Khattai)
Chief Engineer (IPD),
(Convener)

COMPARATIVE STATEMENT

NAME OF WORK: REPLACEMENT OF 06" DIA SILETED SUNK DOWN AND BROKEN SEWERAGE LINE BY P/L 8" DIA & 12" DIA SEWERAGE LINE AT MULANA MUHAMMAD ALI ROAD AMIL COLONY UC-10, JAMSHED TOWN (SEWERAGE)-II

S.No	Description of Work	Engineer's Estimate			M/s. Trust Construction Co		M/s. Unity Associates		
		Quantity	Rate	Unit	Amount	Rate	Amount	Rate	Amount
1	Dismantling and removing road manholes and pits in all kind of soils of murrum etc. Excavation for pipe line in trenches, and trimming and dressing sides to true alignment and shape leveling of beds of trenches to correct level and grade. cutting joint holes and disposal of surplus earth within a one chain as directed by Engineer incharge. Providing fence guards, lights, flags and temporary crossings for non-vehicular traffic where ever required lift upto 5 ft. (1.52m) and lead upto one chain (30.5m).	2550.00	605.00	% Cft	15,427.50	608.00	15,504.00	605.00	15,427.50
2	Providing W/H 4ft inside with CI frame (15 kg) and 5 feet clear depth 1:2:4 cast in situ in 9 inch thick wall 1:4:8 cement concrete in 6ft dia and 6" inch thick in foundation 1:2:4 c/c in bedding. W/ thick cement plastering with 1:3 cement mortar on inside wall and surface of channel/benching w/c marking required Nos of main and branch channels. 1/4" dia bar footrest at 12" C/C w/c cost of excavation of all kinds of soil, backfilling and disposal of excavated stuff etc complete as per design and instruction of the Engineer incharge.	10200.00	4,650.00	% 0 Cft	47,430.00	4,850.00	49,470.00	4,750.00	48,450.00
3	18.00 Nos	14,529.29	Each	261,527.22	14,500.00	261,000.00	15,500.00	279,000.00	
4	Add deduct per ft depth	41.32	ft	2,538.62	104,895.78	2,440.00	100,826.88	2,450.00	101,234.00

Recd. By
28/10

Ms

MUHAMMAD ALI
CHIEF ENGINEER
AMIL COLONY

MUHAMMAD AZHAR KHAN
Accountant (Civil & Earthwork)

COMPARATIVE STATEMENT

NAME OF WORK: REPLACEMENT OF 06" DIA SILTED SUNK DOWN AND BROKEN SEWERAGE LINE BY P/L 8" DIA & 12" DIA SEWERAGE LINE AT MULANA MUHAMMAD ALI ROAD AMIL COLONY UC-10, JAMSHED TOWN (SEWERAGE)-II

S.No	Description of Work	Engineer's Estimate			M/s. Trust Construction Co		M/s. Unity Associates		
		Quantity	Rate	Unit	Amount	Rate	Amount	Rate	Amount
5	Full hire charges of the pumping set per day i/c of wages of driver and Assistant fuel or electric energy plate forms required for placing pumps etc at lower depth with suction and delivery pipe for pumping out water found at various depth from trenches i/c the cost of erection and dismantling after completion of the job. Hire charges of pumping set upto 10 HP pumping out water from 10 ft deep trench.	31.00 Day	1,500.00	P/Day	46,500.00	1,490.00	46,190.00	1,500.00	46,500.00
6	Providing, laying RCC pipes with (Rubber Ring Joint and fitting in trench i/c cutting firing and jointing with rubber ring i/c testing with water to specified pressure 360 mm (12" dia).	850.00 Rft	367.00	P/Rft	311,950.00	368.00	312,800.00	366.00	311,100.00
7	Manufacturing and supplying of 21 inch diameter RCC Manhole Covers cast in 1:2:4 cement concrete ratio (50% graded bairi and 50% crush) 3"inch deep at centre (arm forced with 1/2" dia M.S. for bars with 4" c/c welded to 23/16" thick 2" wide M.S. flat and low hook of 3/8" dia for bars including compacting, curing and transportation within 10 miles etc 21" dia	25.00 Nos	913.63	Each	22,840.75	910.00	22,750.00	915.00	22,875.00
8	Making connection with the existing manhole i/c the cost of cutting hole in wall making them good in C.C 1:2:4 and making required channel etc Complete	10.00 Nos	180.00	Each	1,800.00	170.00	1,700.00	180.00	1,800.00

Muhammad Nawaz Khan
25/1/21

Wht

M/s. Trust Construction Co
M/s. Unity Associates

MUHAMMAD NAWAZ KHAN
Accounts Officer (South)

W & S

COMPARATIVE STATEMENT

NAME OF WORK: REPLACEMENT OF 06" DIA SILTED SUNK DOWN AND BROKEN SEWERAGE LINE BY P/L 8" DIA & 12" DIA SEWERAGE LINE AT MULANA MUHAMMAD ALI ROAD AMIL COLONY UC-10, JAMSHED TOWN (SEWERAGE)-II

S.No	Description of Work	Engineer's Estimate			M/s. Trust Construction Co		M/s. Unity Associates		
		Quantity	Rate	Unit	Amount	Rate	Amount	Rate	Amount
9	Carriage of 1 00 Cft/ 5 Tons of all materials like stone aggregate, spawal coal, lime, surkni etc B.G. Rail fastening points and crossing bridge, Girders, Pipes, Sheets, Rail, I.S. Bars etc or 1000 Nos. ricks, 10"x6"x2" or 150 Cft or timber or 1 00 Maunds of fuel wood by trucks or any other eans owned B264-by the contractors upto 5th Mile	3687 00 Cft	714 29	% Cft	25,621.56	710.00	25,467.70	715.00	25,647.05
10	Sand Haro or any other source and of the same modulus of the Fineness (Hill Sand)	2556 00 Cft	2,452 00	% Cft	62,526.00	2,410.00	61,455.00	2,400.00	61,200.00
11	Refilling the excavated stuff in trench 6" thick layer etc water ramming to full Compaction etc. complete	12463 00 Cft	2,760 00	% Cft	34,397.88	2,755.00	34,335.57	2,770.00	34,522.51
	Total Quoted / Corrected Cost				965,336.71		963,375.57		979,053.56
	Say				965,337		963,376		979,054

(Signature)
 (Muhammad Nawaz Khan)
 Accounts Officer (South)
 Member/Secretary

(Signature)
 (Mubhammad Arif)
 Chief Engineer (South)

(Signature)
 (Saif-ul-Haque)
 Additional Director Internal
 Audit - KMC Member

(Signature)
 (Abdul Rahim Khatt)
 Chief Engineer (KMC)

(Signature)
 (Magsood Ahmed Shaikh)
 Superintending Engineer (KMC)
 Member