

OFFICE OF THE EXECUTIVE ENGINEER (WATER) SITE TOWN KARACHI WATER & SEWERAGE BOARD

No.KW&SB/E.E/WATER/SITE/2018/

Dated: 27/06/18

The Director (CB), SPPRA Barrack No.8 Sindh Secretariat No.4-A Court Road Karachi.

SUBJECT: REPLACEMENT OF 6" DIA & 4" DIA AC WATER LINE BY 160MM

THICK & 110MM THICK PE PIPE LINE AT MADINA HOTEL TO

MUSLIMABAD NO. 1 UC-10 SITE TOWN.

Reference: SPPRA Website Serial No. 37646 I.D .

Enclosed Please find herewith the following information regarding above NIT here by forwarded for uploading on SPPRA Website Please.

1. Bid Evaluation Report.

2. Minutes of Bid Opening Meeting.

3. Bidders Eligibility / Qualification Report.

4. Comparative Statement.

5. Attendance Sheet.

Executive Engineer (WATER) SITE Town, KW&SB

Copy to:-

1-Director Design, KW&SB.

2-SE (West), KW&SB.

3-Office Copy.

SPPRA INWARD DIARY
NO: LODSS
DATED: 29-06-2018



KARACHI WATER & SEWERAGE BOARD

OFFICE OF THE CHIEF ENGINEER (IPD)

BID EVALUATION REPORT

1	Name of Procuring Agency:	KARACHI WATER & SEWERAGE BOARD
2	Tender Reference No:	SPPRA Serial No.37646 I.D No
3	Tender Description/Name of Work/Item:	REPLACEMENT OF 6" DIA & 4" DIA AC WATER LINE BY 160MM THICK & 110MM THICK PE PIPE LINE AT MADINA HOTEL TO MUSLIMABAD NO.1 UC-10 SITE TOWN
4	Method of Procurement:	Single Stage (One Envelop)
5	Tender Published:	Through SPPRA Web Site
6	Total Bid Documents Sold:	2 Nos
7	Total Bid Received:	2 Nos
8	Technical Bid Opening Date (if applicable):	<u>N/A</u>
9	No. of Bid Technically Qualified (if applicable)	N/A
10	Bid (s) Rejected:	NIL
11	Financial Bid Opening Date:	29-05-2018

12 <u>BID EVALUATION REPORT</u>

S #	Name of Firm / Bidder	COST OFFERED BY THE BIDDER	RANKING IN TERMS OF COST	COMPARISON WITH ESTIMATED COST	REASON FOR ACCEPTANCE / REJECTION	REMARKS
1	M/s. B.K Builders	Rs.9,98,840/-	1 st Lowest	@0.0001% Below	Pay Order and required documents are attached. P.O # AAA 14658438 dt:21-05-2018 Rs.20,000/-from ABL Paposh Nagar Branch Karachi	Substantially Responsive
2	M/s.M.A.Khan's Group of Const.	Rs.9,98,955/-	2 nd Lowest	@0.011% Above	Pay Order and required documents are attached. P.O # 19636533 dt:07-02-2018 Rs.20,000/-from HBL Metroville 1 Site Branch Karachi	Substantially Responsive

The all concerned bidders are being informed accordingly.

The E.E Concerned for compliance of Rule-45 of SPPRA 2010 M/s.B.K Builders declared as the lowest responsive bidder by the Committee and recommended for sanction from Competent Authority.

(Muhammad Khalid Khan) Accounts Officer (Dist. West) Member / Secretary

(Saif-ul-Haque)
Additional Director Internal
Audit – KMC Member

(Maqsood Ahmed Shaikh)
Superintending Engineer (KMC)
Member

(Ghulam Muhammad Hub) S.E (District West-A) Member (Saleem Alfined)
Chief Engineer (IPD)

Convener

NIT Sr. No. SPPRA Serial No.37646

Method and procedure of procurement: Open Competitive Bidding (National/ International Competitive Bidding) (Single Stage-One Envelope)

Description of work:

REPLACEMENT OF 6" DIA & 4" DIA AC WATER LINE BY 160MM

THICK & 110MM THICK PE PIPE LINE AT MADINA HOTEL TO

MUSLIMABAD NO.1 UC-10 SITE TOWN

Date of Opening:

29-05-2018

BIDDERS' ELIGIBILITY/ QUALIFICATION REPORT

Eligibility/ Qualification Criteria:

S.		Bidders' Names			
No.	Eligibility / Qualification Criteria	M/s.B.K Builders	M/s.M.A.Khan's Group of Const.		
1.	Registration with PEC (if applicable)	N/A	N/A		
2.	NTN	Yes	Yes		
3.	Sales Tax Registration (FBR)	N/A	N/A		
4.	Registration with Sindh Revenue Board (SRB)	Yes	Yes		
	Qualification Criteria:				
5.	Minimum three years' experience of relevant field.	Yes	Yes		
6.	Turnover of at least last three years	Yes	Yes		
7.	Required Bid Security is attached.	Yes	Yes		
8.	Bid is signed, named and stamped by the authorized person of the firm along with Authorization letter.	Yes	Yes		
9.	Any other factor deemed to be relevant by the procuring agency subject to provision of Rule-44	N/A	N/A		
10.	Qualified/ disqualified	Qualified	Qualified		

(Muhammad Khalid Khan) Accounts Officer (Dist. West) Member / Secretary

(Saif-ul-Maque) Additional Director Internal Audit - KMC Member

(Maqsood Ahmed Shaikh) Superintending Engineer (KMC) Member

(Ghulam Muhammad Hub) S.E (District West-A)

Member

(Saleem Ahmed) Chief Engineer (IPD) Convener

NIT Sr. No. SPPRA Serial No.37646

Method of Procurement: Single Stage Single Envelope.

Name of Work:

REPLACEMENT OF 6" DIA & 4" DIA AC WATER LINE BY 160MM THICK & 110MM THICK PE PIPE LINE AT MADINA HOTEL TO MUSLIMABAD NO.1 UC-10 SITE TOWN

MINUTES OF BID OPENING MEETING.

A meeting of the procurement committee of this department was held on 29-05-2018 for opening the bids received in respect of subject NIT till deadlines of submission. The meeting was attended by all / following members of the procurement committee and the representative of bidders.

(Attendance sheet is enclosed).

- 2. Two bidders submitted their bids till the deadline of submission.
 - M/s. B.K Builders
 - ii. M/s. M.A.Khan's Group of Construction
- The bids were opened at 11:30 A.M in the presence of the above mentioned participants and the rates quoted by bidders were read aloud and encircled by Chairman of the Procurement Committee.

S. No	Name of Firm	Quoted Price	Amount of Bid Security	Pay Order No. / Date
01	M/s. B.K Builders	Rs.9,98,838/-	Rs.20,000/-	P.O # AAA 14658438 dt:21-05-2018 from ABL Paposh Nagar Branch Karachi
02	M/s.M.A.Khan's Group of Const.	Rs.9,98,953/-	Rs.20,000/-	P.O # 19636533 dt:07-02-2018 from HBL Metroville 1 Site Branch Karachi

- The bids do not contain any cutting or over-writing.
- The committee shall examine all the bids as per the qualification / eligibility criteria 5. provided in the bidding document and verify the documents and bid security submitted by the bidders (if required).

The meeting ended with the vote of thanks to and from the chair.

(Muhammad Khalid Khan) Accounts Officer (Dist. West)

Member / Secretary

(Saif-ul-Haque) Additional Director Internal Audit - KMC Member

(Magsood Ahmed Shaikh) Superintending Engineer (KMC)

Member

(Ghulam Muhammad Hub) S.E (District West-A) Member

Chief Engineer (IPD)

Convener

COMPARATIVE STATEMENT

Name of Work: REPLACEMENT OF 6" DIA & 4" DIA AC WATER LINE BY 160MM THICK & 110MM THICK PE PIPE LINE AT MADINA HOTEL TO MUSLIMABAD NO.1 UC-10 SITE TOWN

cost of fabrication and welding to the split collar tee. Wt. 6.66 Kg. 4" 8 Providing C.I Sluice Valve heavy pattern (Test Pressure 21.0 Kg/sq.com or 300 lb/sq.inch) (Imported) 6" Dia	0.1	5, 5,		9 P C & P D X D D C C D	9 P C to P H X P P C to H H	9 P C & P R X R R O C R R	9 P C & P D X B B C C C B
cost of fabrication and	(Wt. 8.410 Kg) 6" dia P/F split collar 9" wiplate, weighting as men Nos 1/4" thick flanges, material etc complete. (P/F 0-9" long 3/8" thick tee having a total weight cost of fabrication and Providing C I Shrice V.	P/F M.S tail piece (D plate having dimension the cost of sealing mate (Wt. 8.410 Kg) 6" dia P/F split collar 9" wi plate, weighting as men Nos 1/4" thick flanges, material etc complete. P/F 0-9" long 3/8" thick tee having a total weighting and Providing C I Shrice V.	testing etc. complete pipes (HDPE-100) for 3580 & PSI 3051 (PN 3580 & PSI 3051 (PN P)F M.S tail piece (D plate having dimension the cost of sealing mate (Wt. 8.410 Kg) 6" dia P/F split collar 9" wiplate, weighting as men plate, weighting as men Nos 1/4" thick flanges, material etc complete. P/F 0-9" long 3/8" thick tee having a total weighting as fabrication and Providing C I Shrice V.	Add for additional lift excavation for pipe line P/L & Fixing of Pol testing etc. complete pipes (HDPE-100) for 3580 & PSI 3051 (PN 3580 & PSI 3051 (PN 4580 & PSI 3051) plate having dimension the cost of sealing mate (Wt. 8.410 Kg) 6" dia P/F split collar 9" wiplate, weighting as men Nos 1/4" thick flanges, material etc complete. Nos 1/4" thick flanges, material etc complete. P/F 0-9" long 3/8" thick tee having a total weighting and Providing C I Shrice V.	trimming and dressing trenches to correct le surplus earth within on fence, lights, flags wherever required lift and for additional lift excavation for pipe line P/L & Fixing of Pol testing etc. complete pipes (HDPE-100) for 3580 & PSI 3051 (PN and political politic	Excavation for pipe lir trimming and dressing trenches to correct le surplus earth within ou fence, lights, flags wherever required lift and for additional lift excavation for pipe line P/L & Fixing of Pol testing etc. complete pipes (HDPE-100) for 3580 & PSI 3051 (PN plate having dimension the cost of sealing mat (Wt. 8.410 Kg) 6" dia P/F split collar 9" wiplate, weighting as men Nos 1/4" thick flanges, material etc complete. P/F 0-9" long 3/8" thick tee having a total weig cost of fabrication and Providing C I Shrice V.	Dismantling and remal Excavation for pipe lint trimming and dressing trenches to correct le surplus earth within or fence, lights, flags wherever required lift excavation for pipe lint P/L & Fixing of Pol testing etc. complete pipes (HDPE-100) for 3580 & PSI 3051 (PN as 3580 & PSI 3051 (PN excavation glimension the cost of sealing mate (Wt. 8.410 Kg) 6" dia excavation gas men late, weighting as men Nos 1/4" thick flanges, material etc complete. P/F 0-9" long 3/8" thick tee having a total weig cost of fabrication and Providing C I Shrice V.
fabrication and walk	Allo Kg) 6" dia lit collar 9" wide or weighting as mentione 4" thick flanges, nuts al etc complete. (Wt. 9" long 3/8" thick M.) ling a total weight as fabrication and walk	I.S tail piece (DHOL naving dimension and st of sealing material (410 Kg) 6" dia lit collar 9" wide or weighting as mentione 4" thick flanges, nuts al etc complete. (Wt. 9" long 3/8" thick M.)	g etc. complete in al (HDPE-100) for W/S & PSI 3051 (PN-10) 1.S tail piece (DHOL naving dimension and st of sealing material (410 Kg) 6" dia bilt collar 9" wide or weighting as mention 4" thick flanges, nuts al etc complete. (Wt. 9" long 3/8" thick M. ving a total weight as fabrication and weight as	or additional lift of thr ation for pipe line and & Fixing of Polyethy g etc. complete in al (HDPE-100) for W/S & PSI 3051 (PN-10) 1.S tail piece (DHOL having dimension and st of sealing material of the collar 9" wide on weighting as mention weighting as mention weighting as mention all etc complete. (Wt. 9" long 3/8" thick M.	ning and dressing sides hes to correct level and is earth within one change in a sure required lift upto 5 for additional lift of threshold for pipe line and the fixing of Polyethy getc. complete in all (HDPE-100) for W/S & PSI 3051 (PN-10) 1. Stail piece (DHOL) having dimension and st of sealing material of the fixing as mention weighting as mention weighting as mention and traction of the fabrication and weight as fabrication and weight as fabrication and traction of the fabrication	vation for pipe line in the ning and dressing sides hes to correct level as us earth within one change in the pipe line and a syer required lift upto 5 for additional lift of the ation for pipe line and a feet complete in all (HDPE-100) for W/S & PSI 3051 (PN-10) 4. Stail piece (DHOL having dimension and st of sealing material and the standard st of sealing material and the standard st of sealing as mentions and st of sealing as mentions and st of sealing as mentions and the standard st of sealing as mentions and the standard st of sealing as mentions and the standard sta	vation for pipe line in the ning and dressing sides hes to correct level at us earth within one chat ights, flags and a swer required lift upto 5 for additional lift of threating for pipe line and the fixing of Polyethy getc. complete in all (HDPE-100) for W/s & PSI 3051 (PN-10) 1.S tail piece (DHOL having dimension and st of sealing material and the st of sealing material and the st of sealing as mentions weighting as mentions all etc complete. (Wt. 9" long 3/8" thick M. Ving a total weight as fabrication and water and walks of the seal o
Weight as mention	"dia 9" wide on A.C p as mentioned again langes, nuts & bolts plete. (Wt. 10.49 K 8" thick M.S Neck	ece (DHOLKI) on rension and weight ag material (Wt. 6.2 " dia") wide on A.C. as mentioned again langes, nuts & bolts plete. (Wt. 10.49 K") thick M.S. Neck	plete in all respect to for W/S confor 1 (PN-10) 160 110 110 160 110 110 110 110 110 110	nal lift of three ft or ipe line and storage to of Polyethylene pin plete in all respective (00) for W/S confor (1 (PN-10) 160 111 ecc (DHOLKI) on nension and weight nemsion and weight	rect level and grade thin one chain as di flags and temporared lift upto 5'-0' ft (1 al lift of three ft or ipe line and storage to f Polyethylene pi of Polyethylene	pipe line in trenches essing sides to true rect level and gradithin one chain as di flags and temporared lift upto 5'-0' ft (1 al lift of three ft or ipe line and storage of Polyethylene pinplete in all respection for W/S confort (PN-10) 160 111 ece (DHOLKI) on nension and weight 1 gmaterial (Wt. 6.2 diagram) wide on A.C. as mentioned again langes, nuts & bolt: plete. (Wt. 10.49 K.8" thick M.S. Neck.	d removing road morphe line in trenches ressing sides to true rect level and gradithin one chain as diffags and temporated lift upto 5'-0' ft (1 al lift of three ft or pelline and storage to for W/S conformation of Polyethylene pinplete in all respector (1 (PN-10) 160 11) (PN-10) 160 110 160 110 160 110 160 110 160 110 160 110 160 110 160 110 160 110 160 110 160 110 160 110 160 110 160 110 160 110 160 110 160 110 160 110 160 110 160 110 160 110 160 110 160 16
Neck to existing N	A.C pipe fabricat against each item bolts, rubber pac .49 Kg) 4" dia	I 10mm I) on A.C fabrica reight as mentione vt. 6.290 Kg) 4" d A.C pipe fabricat against each item bolts, rubber pac .49 Kg) 4" dia	respect the high of conforming ISO 4 160 mm 110mm 1) on A.C fabricate wight as mentione with 6.290 Kg) 4" day. A.C pipe fabricate against each item could bolts, rubber paces.	orage tank trenches in pipe in trenches in pipe in trenches respect the high conforming ISO 4 160 mm 110mm 110mm 1) on A.C fabrica reight as mentione vight as mentione vit. 6.290 Kg) 4" d A.C pipe fabricat against each item could bolts, rubber paces.	o true alignment an l grade cutting joi n as directed by En mporary crossing of ft (1.52m) and let ft or part thereof i orage tank trenches rie pipe in trenches riespect the high conforming ISO 4 160 mm 110mm 110mm 1) on A.C fabrica reight as mentione reight as mentione reight as mentione of the fabricat against each item against each item the fabricat rubber pacents.	nches and pits in a true alignment and grade cutting join as directed by En in the property of fit (1.52m) and lead of the part thereof in the pipe in the pipe in the high conforming ISO 4 160 mm 110mm 110mm 110mm 110mm 110mm 110mm 110mm 110mm 10 on A.C fabricate with the property of the pipe in the high conforming ISO 4 100 mm 110mm 110mm	pad matelling. nches and pits in a pure alignment an grade cutting joi nas directed by En mporary crossing of (1.52m) and le for part thereof i porage tank trenches ne pipe in trencl respect the high of conforming ISO 4 160 mm 110mm 110mm 1) on A.C fabrica reight as mentione reight as mentione reight as mentione reight as chitem look bolts, rubber pac solution.
g M.S Pipe to a	cated with 1/4" em. It includes th packing, labour e	icated with 1/2" oned against each dia dia cated with 1/4" em. It includes th packing, labour z	icated with 1/2" cated with 1/2" dia cated with 1/4" em. It includes the packing, labour a	of in Item No.1-1: hes and pits 5'-8' nch i/c fitting ji h density Polyet O 4427/DIN-807 icated with 1/2" oned against each oned against each dia cated with 1/4" em. It includes th packing, labour a	and shape leveling joints holes and Engineer Incharging for non-vehical lead upto one choof in Item No.1-1. hes and pits 5'-8' nch i/c fitting jointh density Polyeth density	n all kind of soil and shape leveling and shape leveling joints holes and Engineer Incharging for non-vehilated upto one chapted in Item No.1-1. hes and pits 5'-8' nch i/c fitting jah density Polyet A427/DIN-807. icated with 1/2" oned against each idea with 1/4" cated with 1/4" cated with 1/4" cated with 1/4" includes the packing, labour a	n all kind of soil and shape leveling and shape leveling joints holes and Engineer Incharging for non-vehing lead upto one choof in Item No.1-1: hes and pits 5'-8' nch i/c fitting jointh density Polyet hes and against each of incated with 1/2" icated with 1/2" oned against each of item of the cated with 1/4" cated wi
o a split collar	/4" thick M.S % the cost of 4	1/2" thick M.S each item it i/c each item it i/c 4" thick M.S s the cost of 4 s the cost of 4	g Jointing and lyethylene P.E. 8074/8075 B.S. 8074/8075 B.S. 2012 thick M.S. 2014 thick M.S. 2014 thick M.S. 2015 the cost of 4 2017 and sealing and s	I-15 (A&B) for '-8' g jointing and lyethylene P.E 8074/8075 B.S 8074/8075 itck M.S each item it i/c each item it i/c st the cost of 4	veling of beds of and disposal of harge. Providing vehicular traffice e chain (30.5m). 1-15 (A&B) for 1-15 (A&	oil of murum i/c veling of beds of and disposal of harge. Providing vehicular traffic e chain (30.5m). 1-15 (A&B) for '-8' g jointing and dyethylene P.E 8074/8075 B.S 8074/8075 B.S 22" thick M.S each item it i/c s the cost of 4 /4" thick M.S	oil of murum i/c veling of beds of and disposal of harge. Providing vehicular traffic e chain (30.5m). 1-15 (A&B) for '-8' g jointing and lyethylene P.E. 8074/8075 B.S. 8074/8075 B.S. 81/2" thick M.S. 22 thick M.S. 23 the cost of 4 24 thick M.S. 25 the cost of 4 26 veling of beds or
3.00		400	110	for 5205.00 and .E .S 1100.00 400.00 .S	of of of fing fing fing fing fing fing fing for 5205.00 for 5205.00 for 400.00 for 5205.00	3550.00 i/c of of of of fing fing find 7205.00 A00.00 400.00 S 4.00 S 2.00 S	355 //c /c
Nos	1 1						
	1422.00	268.00 268.00 1098.00 1422.00	530.00 268.00 1098.00 1422.00	5200.00 5200.00 530.00 268.00 1098.00 1422.00	4650.00 5200.00 530.00 268.00 1098.00	605.00 4650.00 5200.00 530.00 268.00 1098.00	Rate 605.00 4650.00 5200.00 5200.00 268.00 1098.00 11422.00
Each		P/Rft P/Rft Each Each	P/Rft P/Rft Each	9%0Cft P/Rft P/Rft Each Each	9%0Cft 9%0Cft P/Rft P/Rft Each Each	%Cft) %0Cft) %0Cft P/Rft P/Rft Each	Per %Cft %OCft %OCft P/Rft P/Rft Each Each
2,011.00	4,392.00 2.844.00	583,000.00 107,200.00 4,392.00 2,844.00	583,000.00 107,200.00 4,392.00 2,844.00	78,363.89 27,066.00 27,066.00 583,000.00 107,200.00 4,392.00 2,844.00	78,563.89 27,066.00 27,060.00 107,200.00 4,392.00 2,844.00	21,477.50 78,563.89 27,066.00 27,066.00 107,200.00 107,200.00 4,392.00 2,844.00	Amount 21,477.50 21,477.50 78,563.89 27,066.00 27,066.00 107,200.00 107,200.00 1,392.00 2,844.00
1422.00	1098.00	530.00 268.00 1098.00	530.00 268.00 1098.00	5200.00 5200.00 530.00 268.00 1098.00	4650.00 5200.00 530.00 268.00		0
2,844.00		10	- 5		58	- 5	58
1835.00	1098.00 1422.00			5 4	5 4	5 4	5 4
5,505.00) 583,0) 107,2) 4,3) 2,8	- to	- 5	10 58	10.58	Rate Amount 605.00 21,477.50 4650.00 78,563.89 4650.00 27,066.00 5200.00 27,066.00 530.00 583,000.00 268.00 107,200.00 268.00 107,200.00 2,844.00



A Man

110MM THICK PE PIPE LINE AT MADINA HOTEL TO MUSLIMABAD NO.1 UC-10 SITE TOWN Name of Work: REPLACEMENT OF 6" DIA & 4" DIA AC WATER LINE BY 160MM THICK &

ne end flanged & acking, labour et acking, labour et ges of driver an g the pump etc aumping out wate ost of erection an es of pumping s	Fixing of sluice valve with 2 cast iron tail pieces one end flanged & other with socket i/c the cost of nut, bolts & rubber packing, labour etc complete. 6" Dia. 4" dia Full hire charges of pumping set per day i/c of wages of driver and assistant fuel or electric energy platform for placing the pump etc at lower depth with suction and delivery pipes for pumping out water found at various depth from trenches including the cost of erection and dismantling after completion of the job. Hire charges of pumping set upto 10 HP pumping out water from 10 ft deep trench	3 1	Quantity 1.00 No 3.00 Nos	Quantity Rate 1.00 No 1886.00 3.00 Nos 1532.00 10.00 Days 1500.00 F	Quantity Rate Per 1.00 No 1886.00 Each 3.00 Nos 1532.00 Each 10.00 Days 1500.00 P/Day	Quantity Rate Per Amount 1.00 No 1886.00 Each 1,886.00 3.00 Nos 1532.00 Each 4,596.00
an atte	etc etc and and atter and and set		1.00 No 3.00 Nos	1.00 No 1886.00 3.00 Nos 1532.00 10.00 Days 1500.00 F	1.00 No 1886.00 Each 3.00 Nos 1532.00 Each 10.00 Days 1500.00 P/Day	1.00 No 1886.00 Each 1,886.00 3.00 Nos 1532.00 Each 4,596.00
r and	r and etc at etc at water water n and ig set		3.00 Nos	3.00 Nos 1532.00 10.00 Days 1500.00 F	3.00 Nos 1532.00 Each	3.00 Nos 1532.00 Each 4,596.00
an c c rate an an	and c at c at vater and and	The state of the s	10.00 Days	10.00 Days	10.00 Days 1500.00 P/Day	10.00 Days 1500.00 P/Day 15.000.00
ă:	side	sine	side	side	side	10.00 Days 1500.00 17 Day 15,000.00
е	Construction of C.C. block masonry chamber of size 4'x4'x4' (inside dimension) with 24" x 24" C.I cover frame weighting 65 kg fixed in					
	10:00		2000	2000	Can 1000000 1100	Davs Dav Dav

(Muhammad Khalid Khan) Accounts Officer (Dist. West) Member / Secretary

(Saif-ul-Haque) Addl. Director Internal Audit KMC - Member

(Maqsopd Ahmed Shaikh)
Superintending Engineer (K.M.C)
Member

(Ghulam Muhammad Hub) S.E (District West-A) Member

(Saleeth Ahmyddorf Chief Engineer (IPD)
Convener

ATTENDANCE OF PARTICIPATE CONTRACTOR

Name of Work: -

REPLACEMENT OF 6" DIA & 4" DIA AC WATER LINE BY 160MM THICK & 110MM THICK PE PIPE LINE AT MADINA HOTEL TO MUSLIMABAD NO. 1 UC-10

SITE TOWN

Date of Opening & Time:

Estimated Cost:

S.NO	NAME OF FIRM	NAME OF PERSON &	SIGNATURE
		DESIGNATION	Par !
1	M/s. M. A. Ehoms gray	Propriety	3 human
2	M/s. B. Khuilder	is Bod Shael	A E
3	M/s.		
4	*		
5			
6			
7			
8			
9			
10			