# SINDH PUBLIC PROCUREMENT REGULATORY AUTHORITY CONTRACT EVALUATION FORM TO BE FAILED BY ALL PROCURING AGENCIES FOR PUBLIC CONTRACTS OF WORKS SERVICES & GOODS

1	NAME OF THE ORGANIZATION/ DEPTT	KARACHI WATER & SEWERAGE BOARD
2	PROVINCIAL / LOCAL GOVT/OTHER	
3	TITLE OF CONTRACT	EMERGENT REPLACEMENT OF 12' DVA SUNK DOWN PORTION IN FRONT OF FIRDOUS MASUID, CULZAR SHAH ROAD AND NOOR MASUID KUMHARWARA BALDIA TOWN
4	TENDER NUMBER	SPPRA SR. MO.34302
5.	BREIF DESCRIPTION OF CONTRACT	Improvement of Sew System at Baldia Town
6.	FORUM THAT APPROVED THE SCHEME	MD, KW&SB
7.	TENDER ESTIMATED VALUE	Rs.966324/-
8.	ENGINEER'S ESTIMATE (Attach list of buyers)	Rs.966324/-
9.	ESTIMATED COMPLETION PERIOD (As Per Contract)	25 Days
10	TENDER OPENED ON (DATE & TIME)	20-09-2017
11	NUMBER OF TENDER DOCUMENT SOLD (Attach list of Buyers)	Nos.
12	NUMBER OF BIDS RECEIVED	Nos.
13	NUMBER OF BIDDERS PRESENT AT THE TIME OF OPENING OF BIDS	Nos.
14	BID EVALUATION REPORT (enclose copy)	Attached
15	NAME AND ADDRESS OF THE SUCCESFUL BIDDER	M/S. YOUSUF KHAN & BROTHERS KARACHI
16	CONTRACT AWARD PRICE	Rs.966324/-

17 RANKING OF SUCCESFUL BIDDER IN EVALUATION REPORT (i>e. 1 <sup>st</sup> , 2 <sup>nd</sup> , 3 <sup>rd</sup> Evaluation bid)	2 <sup>nd</sup> Lowest 3 <sup>RD</sup> Lowest
	<del></del>
18 METHOD OF PROCUREMENT USED (Tick one)	
Single Stage one Envelope Procedure	✓ Domestic /Local
b) Single Stage Two Envelope Procedure	
c) Two Stage Bidding Procedure	
d) Two Stage Two Envelope Bidding Procedure	
19 APPROVING AUTHORITY FOR AWARD OF CONTRACT	
20 WHETHER THE PROCUREMENT WAS INCLUDID I	N ANNUAL PROCUREMENT PLAN?
21 ADVERTISEMENT:	YES V NO
i) SPPRS Website (if yes, give date and SPPRA's tender number)	
News Papers ii) Yes give names of newspapers and dates)	
<u> </u>	ES THROUGH WEBSITE  o  ✓
22 NATURE OF CONTRACT	LOCAL ✓ INT.
23 WHETHER QUALIFICATION CRITERIA WAS INCLUDED IN BIDDING TENDER DOCUMENT?	
(if yes, enclose of copy)	YES NO 🗸
24. WHETHER EVALUATION CRITERIA BID WAS INCLUDED IN BIDDING TENDER DOCUMENT? (if yes, enclose of copy)	YES NO ✓

1<sup>st</sup> Lowest M/S. YOUSUF KHAN & BROTHERS


25.	WHETHER APPROVAL OF COMPETENT AUTHORITY WAS OBTAINED FOR USING A METHOD OTHER THAN OPEN COMPETITIVE BIDDING?
	YES ✓ NO
26.	WAS BID SECURITY OBTAINED FROM ALL THE BIDDERS?
	YES V NO
27	WHETHER THE SUCCESFUL BID WAS LOWEST EVALUATED BID /BEST EVALUATED BID (in case of Consultancies)
	YES V NO
28	WHETHER THE SUCCESFUL BIDDER WAS TECHNICALLY COMPLAINT
29	WHETHER NAME OF HE BIDDERS AND THEIR QUOTED PRICE WERE REAS OUT AT THE TIME OF OPENING OF BIDS?
	YES V NO
30	WHETHER COPY OF EVALUATION REPORT GIVEN TO ALL BIDDERS?
	YES V NO
31	ANY COMPLAINTS RECEIVED (if yes , result thereof)
32	ANY DEVIATION FROM SPECIFICATION GIVEN IN THE TNEDER NOTICE / DOCUMENT (if yes, give details)
	No ✓
33	WAS THE EXTENTION MADE IN RESPONSE TIME?  (if yes, give details reasons).  YES  No ✓
•	
34	DEVIATION FROM QUALIFICATION CRITERIA (if yes , give detailed reasons)  YES  No
35	WAS IT ASSURED BY THE PROCURING AGENCY THAT THE SELECTED FIRM IS NOT BLACK LISTED?
	YES ✓ NO


WAS A VISIT MADE BY ANY OFFICER/OFFICIAL OF THE PROCURING AGENCY TO THE SUPPLIER PREMISES IN CONNECTION WITH THE PROCUREMENT? IF SO. DETAILED TO BE ASCERTAINED REGARDING FINANCING OF VISIT, OF ABROAD. (if yes, enclose a copy)

YES	NO	1

37	WERE PROPER SAFEGAURDS PROVIDED ON M CONTRACT (BANK GUARANTEE ETC).	OBILIZATION ADVANCE PAYMENT IN THE
		YES   NO
38	SPECIAL CONDITION IF ANY. (if yes. give brief description)	YES
	(w yeer give arred accorption)	No X
Sign	nature of Official Stamp of	
	Sued Zaffar Hussain Quui	1
Auth	thorized Officer Executive Engineer	
	Baldia Town (Wys)	
FOR	R OFFICE USE ONLY	
	// //	//

SPPRA Block- No. 8, Sinch Secretariat no. 4-A, Court Road, Karachi Tele: 0219205356,021-9205369 & Fax 021-9206291





EESHAN STAMP VENDOR Licence No. 144, Shop No.A-6, Block-17, Rufi Heights Phase-I, Gulistan-e-Johar, Karachi

Mercheller Hillsanden Y

0 2 OCT 2017 CONTRACT AGREEMENT

Sanction Amount Rs.9,66,3241-C. Karachi.

THIS CONTRACT AGREEMENT (hereinafter called the "Agreement") made on the Oce. 2017 between The Karachi Water & Sewerage Board represented by it's The Deputy Managing Director (T/S), KW&SB (hereinafter called the "Employer") of the one part and M/S. YOUSUF KHAN & BROTHERS (hereinafter called the "Contractor") of the other part.

WHEREAS the Employer is desirous that certain Works, viz "EMERGENT REPLACEMENT OF 12" DIA SUNK DOWN PORTION IN FRONT OF FIRDOUS MASJID, GULZAR SHAH ROAD AND NOOR MASJID KUMHARWARA BALDIA TOWN" Should be executed by the Contractor and has accepted a Bid by the Contractor for the execution and completion of such Works and the remedying of any defects therein.

NOW This Agreement witnessed as follows:-

- 1. In this Agreement words and expressions shall have the same meanings as are respectively assigned to them in the Conditions of Contract hereinafter referred to.
- 2. The following documents after incorporating addenda, if any except those parts relating to Instructions to Bidders, shall be deemed to form and be read and construed as part of this Agreement, viz:
  - The Letter of Sanction (a)
  - The completed Form of Bid along with Schedules to Bid: (b)
  - Conditions of Contract & Contract Data: (c)
  - The priced Schedule of Prices. (d)
  - The Specification: and (e)
  - The Drawings (f)



ZEESHAN STAMP VENDOR Licence No. 144, Shop No.A-6, Block-17, Rufi Heights

Phase-I, Gulistan-e-Johar, Karachi

1.6 OCT 2017

Page-2

SUBJECT:

EMÉRGENT REPLACEMENT OF 12" DIA SUNK DOWN PORTION IN FRONT
OF FIRDOUS MASJID, GULZAR SHAH ROAD AND NOOR MASJIDAN
KUMHARWARA BALDIA TOWN

- 3. In consideration of the payments to be made by the Employer to the Contractor as hereinafter mentioned, the Contractor hereby covenants with the Employer to execute and complete the Works and remedy defects therein in conformity and in all respects within the provisions of the Contract.
- 4. The Employer hereby covenants to pay to the Contractor, in consideration of the execution and completion of the Works as per provision of the Contract, the Contract Price or such other sum as may become payable under provisions of the Contract at the times and in the manner prescribed by the Contract.

IN WITNESS WHEREOF, the parties hereto have caused this Contract Agreement to be executed on the day, month and year first before written in accordance with their respective laws.

Signature of the Contractor

Signature of Employer

**DEPUTY MANAGING DIRECTOR (T/S)** 

Proprietor

M/S. YOUSUF KHAN & BROTHERS.

KARACHI

WITNESS

KW&SB

WITNESS:

SUPERINTENDING ENGINEER (WEST)

KW&SB

EXECUTIVE ENGINEER (SEW) BALDIA TOWN, KW&SB



# OFFICE OF THE CHIEF ENGINEER (W&S) DISTRICT WEST KARACHI WATER & SEWERAGE BOARD

Room No270, 2<sup>nd</sup> Floor, Old KBCA Building Behind Civic Centre, Gulshan-e-Iqbal, Karachi.

No. KW&SB/CE(W/S)/AO/WEST/2017/63

Dated: 1 /2017

M/S. YOUSUF KHAN & BROTHERS Karachi.

#### LETTER OF ACCEPTANCE / SANCTION LETTER

SUBJECT:-

EMERGENT REPLACEMENT OF 12" DIA SUNK DOWN PORTION IN FRONT

OF FIRDOUS MASJID, GULZAR SHAH ROAD AND NOOR MASJID

**KUMHARWARA BALDIA TOWN** 

REF:-

Your Tender Opened on 20-09-2017.

The under signed is pleased to convey sanction for an amount to Rs.9,66,324/-(Rupees Nine Lac Sixty Six Thousand Three Hundred Twenty Four Only) for the subjected work under Rule SPPRA-2010, on item rate basis duly assessed by the Procurement/ Evaluation Committee-I KW&SB vide Para-17/N, financially concurred-in by finance department, KW&SB vide Para-20/N to 29/N and approved by MD, KW&SB vide Para-31/N The expenditure is chargeable to BG No.C-023-18 for the financial year-2017-2018. You shall be bound to abide time to time instruction issued by KW&SB.

You are therefore directed to furnish the Earnest Money amounting to Rs.19,326/- being amount of 2% of sanction cost of the contract. You are further directed to contact concern Executive Engineer Office for execution of agreement, the value of stamp paper will be Rs.3,382/- @ 0.35% sanctioned cost which should be produced by you. In case of failure, the sanction shall be stand cancelled and action as per Contractual rules shall be taken against you.

All correspondence onward shall be carried out through Deputy Managing Director (T/S), KW&SB.

DEPUTY MANAGING DIRECTOR (T/S)

Copy to:-

1-DIRECTOR ACCOUNTS, KW&SB.

2-ADLFA, KW&SB.

3-EE (Sew) (BALDIA TOWN), KW&SB.

4-OFFICE COPY.

C.C to:-

1. MD, KW&SB.



# OFFICE OF THE EXECUTIVE ENGINEER (SEW) BALDIA TOWN KARACHI WATER & SEWERAGE BOARD

No. KW&SB/E.E/2017/

Dated: 30-10-1)

M/S. YOUSUF KHAN & BROTHERS, Karachi.

### WORK ORDER

Subject:-

EMERGENT REPLACEMENT OF 12" DIA SUNK DOWN PORTION IN FRONT OF FIRDOUS MASJID, GULZAR SHAH ROAD AND NOOR MASJID KUMHARWARA BALDIA TOWN.

The competent authority KW&SB has been approved amounting to Rs.966324/- (Rupees Nine Lac Sixty Six Thousand Three Hundred Twenty Four Only) on item rate basis and convey the sanction by Superintending Engineer (WOST), KW&SB No. KW&SB/CE(W/S)/AO/WEST/2017/ O 3 Dated: 30/6-/2017 under Budget code No.C-023-18

You are hereby directed to start the work immediately and **complete the** same within 25 days time commencing from the date of issue of this letter in case the work is delayed or left in-complete within the stipulated time, **penalty of Rs.1000/- per** day shall be imposed as per work rules.

EXECUTIVE ENGINEER (SEW) BALDIA TOWN, KW&SB

Copy to:-

1-S.E (West), KW&SB. 2-Office Copy

### TT Sr. No. SPPRA Serial No.34302

Method and procedure of procurement: <u>Open Competitive Bidding (National/ International Competitive Bidding) (Single Stage-One Envelope)</u>

Description of work:

EMERGENT REPLACEMENT OF 12" DIA SUNK DOWN PORTION IN FRONT OF FIRDOUS MASJID, GULZAR SHAH ROAD AND NOOR MASJID KUMHARWARA BALDIA TOWN

Date of Opening:

20-09-2017

#### BIDDERS' ELIGIBILITY/ QUALIFICATION REPORT

Eligibility/ Qualification Criteria:

S.		Bidders' Name						
No.	Eligibility / Qualification Criteria	M/s.Yousuf Khan & Brothers	M/s.Sawab Noor Khan & Bros.	M/s.Pervaiz Khan & Bros.				
1.	Registration with PEC (if applicable)	N/A	N/A	N/A				
2.	NTN	Yes	Yes	Yes				
3.	Sales Tax Registration (FBR)	N/A	N/A	N/A				
4.	Registration with Sindh Revenue Board (SRB)	Yes	Yes	Yes				
	Qualification Criteria:							
5.	Minimum three years' experience of relevant field.	Yes	Yes	Yes				
6.	Turnover of at least last three years	Yes	Yes	Yes				
7.	Required Bid Security is attached.	Yes	Yes	No				
8.	Bid is signed, named and stamped by the authorized person of the firm along with Authorization letter.	Yes	Yes	Yes				
9.	Any other factor deemed to be relevant by the procuring agency subject to provision of Rule-	N/A	N/A	N/A				
10.	Qualified/ disqualified	Qualified	Qualified	Disqualified				

(Muhammad Khalid Khan) Accounts Officer (Dist. West) Member / Secretary (Saif-ul-Haque)
Additional Director Internal
Audit – KMC Member

(Maqsood Ahmed Shaikh) Superintending Engineer (KMC) Member

(Muhammad Wi Shaik) S.E (District West-B)

Member

(Saleem Ahmed)

Director (Design & Estimate)

Convener

#### NIT Sr. No. SPPRA Serial No.34302

Method of Procurement: Single Stage Single Envelope.

Name of Work: EMERGENT REPLACEMENT OF 12" DIA SUNK DOWN PORTION IN FRONT OF FIRDOUS MASJID, GULZAR SHAH ROAD AND NOOR

MASJID KUMHARWARA BALDIA TOWN

#### MINUTES OF BID OPENING MEETING.

A meeting of the procurement committee of this department was held on 20-09-2017 for opening the bids received in respect of subject NIT till deadlines of submission. The meeting was attended by all / following members of the procurement committee and the representative of

#### (Attendance sheet is enclosed).

- Three bidders submitted their bids till the deadline of submission.
  - i. M/s. Yousuf Khan & Brothers
  - ii. M/s. Sawab Noor Khan & Brothers
  - iii. M/s.Pervaiz Khan & Brothers
- The bids were opened at 2:30 P.M in the presence of the above mentioned participants and the rates quoted by bidders were read aloud and encircled by Chairman of the Procurement Committee.

S. No	Name of Firm	Quoted Price	Amount of Bid Security	Pay Order No. / Date
01	M/s.Yousuf Khan & Bros	Rs.9,66,272/-	Rs.20,000/-	P.O # 17907958 dt:19-09-2017 from HBL Taimuria Market Branch Karachi
02	M/s.Sawab Noor Khan & Bros.	Rs.9,67,086/-	Rs.19,500/-	P.O # 17907923 dt:18-09-2017 from HBL Taimuria Market Branch Karachi
03	M/s.Pervaiz Khan & Bros.	Not Quoted	-	Pay order not attached.

- The bids do not contain any cutting or over-writing. 4.
- The committee shall examine all the bids as per the qualification / eligibility criteria provided in the bidding document and verify the documents and bid security submitted by the bidders (if required).

The meeting ended with the vote of thanks to and from the chair.

(Muhammad Khalid Khan) Accounts Officer (Dist. West) Member / Secretary

(Saif-ul-Haque) Additional Director Internal Audit - KMC Member

(Magsodd Ahmed Shaikh) Superintending Engineer (KMC) Member

S.E (District) West-B) Member

Director (Design & Estimate)

Convener



### KARACHI WATER & SEWERAGE BOARD

#### OFFICE OF THE DIRECTOR (DESIGN & ESTIMATE)

#### **BID EVALUATION REPORT**

1	Name of Procuring Agency:	KARACHI WATER & SEWERAGE BOARD
2	Tender Reference No:	SPPRA Serial No.34302 I.D No
3	Tender Description/Name of Work/Item:	EMERGENT REPLACEMENT OF 12" DIA SUNK DOWN PORTION IN FRONT OF FIRDOUS MASJID, GULZAR SHAH ROAD AND NOOR MASJID KUMHARWARA BALDIA TOWN
4	Method of Procurement:	Single Stage (One Envelop)
5	Tender Published:	Through SPPRA Web Site
6	Total Bid Documents Sold:	3 Nos
7	Total Bid Received:	3 Nos
8	Technical Bid Opening Date (if applicable):	N/A
9	No. of Bid Technically Qualified (if applicable)	N/A
10	Bid (s) Rejected:	<u>01 No</u>
11	Financial Bid Opening Date:	20-09-2017

#### 12 BID EVALUATION REPORT

S#	Name of Firm / Bidder	COST OFFERED BY THE BIDDER	RANKING IN TERMS OF COST	COMPARISON WITH ESTIMATED COST	REASON FOR ACCEPTANCE / REJECTION	REMARKS
1	M/s.Yousuf Khan & Bros	Rs.9,66,324/-	l <sup>st</sup> Lowest	@0.007% Below	Pay Order and required documents are available. P.O # 17907958 dt: 19-09-2017 Rs.20,000/-from HBL Taimuria Market Branch Karachi	Substantially Responsive
2	M/s.Sawab Noor Khan & Bros.	Rs.9,67,138/-	2 <sup>nd</sup> Lowest	@0.078% Above	Pay Order and required documents are available. P.O # 17907923 dt: 18-09-2017 Rs.19,500/-from HBL Taimuria Market Branch Karachi	Substantially Responsive
3	M/s.Pervaiz Khan & Bros.	Not Quoted	-	-	Pay Order not attached, required documents are available.	Un- Responsive

The all concerned bidders are being informed accordingly.

The E.E Concerned for compliance of Rule-45 of SPPRA 2010 M/s. Yousuf Khan & Brothers declared as the lowest responsive bidder by the Committee and recommended for sanction from Competent Authority.

(Muhammad Khalid Khan) Accounts Officer (Dist. West) Member / Secretary

(Saif-ul-Haque) Additional Director Internal Audit - KMC Member

(Maqsood Ahmed Shaikh) Superintending Engineer (KMC) Member

(Muhammad MYSHaik) S.E (District) Member

(Saleen Ahmed) Director (Design & Estimate)

Convener

#### **COMPARATIVE STATEMENT**

# Name of Work: EMERGENT REPLACEMENT OF 12" DIA SUNK DOWN PORTION IN FRONT OF FIRDOUS MASJID, GULZAR SHAH ROAD AND NOOR MASJID KUMHARWARA BALDIA TOWN

Item	Description of Work			Estimated	Cost		2007/2007/2007/2007	usuf Khan rothers		wab Noor & Bros.
No		Quant	ity	Rate	Per	Amount	Rate	Amount	Rate	Amount
1	Dismantling and removal of road metalling	3450.00	Cft	605.00	%Cft	20,872.50	605.00	20,872.50	605.00	20,872.50
	Excavation for pipe line in trenches and pits in all kind of soil of murum i/c trimming and dressing sides to true alignment and shape leveling of beds of trenches to correct level and grade cutting joints holes and disposal of surplus earth within one chain as directed by Engineer Incharge providing fence guards, lights, flags sand temporary crossing for non-vehicular traffic wherever required lift upto 5 ft (1.52 m) and lead upto one chain (30.5m). 0' - 5' Depth							20.010.50	4650.00	
		17250.00	Cft	4650.00		80,212.50	4650.00	80,212.50	4650.00	80,212.50 43,056.00
	5' - 8' Depth 8' - 11' Depth	8280.00 6210.00	Cft Cft	5200.00 5750.00		43,056.00 35,707.50	5200.00 5750.00	43,056.00 35,707.50	5200.00 5750.00	35,707.50
3	Providing, & Laying of RCC Pipes with Rubber Ring Joint and fitting in trench including cutting, fitting, jointing with rubber ring i/c testing with water to specified pressure. 12" Dia		Rft	367.00		253,230.00	367.00	253,230.00	367.00	253,230.00
	Providing manhole 4' feet inside with C.I Frame 15 Kg and 5 feet clear depth cast in situ with 1:2:4 CC in 9" thick wall, 1:4:8: C.C in 6ft dia and 6" inch thick in foundation 1:2:4 C.C in benching 12" thick cement plastering with 1:3 C.M on all inside wall surfaces, channel and benching i/c making required nos of main and branch channels, 3/4" dia m.s foot rest @12" c/c i/c cost of excavation in all kinds of soil, backfilling and disposal of excavated stuff etc complete as per design and instruction of Engineer Incharge.		Nos	14529.29		203,410.06	14529.00	. 3		203,406.00
5	Add/Deduct per ft depth	84.00	(+)Ft	2538.62	P/ft	213,244.08	2538.00	213,192.00	2538.00	. 213,192.00

The lib

Lock

My

#### Name of Work: EMERGENT REPLACEMENT OF 12" DIA SUNK DOWN PORTION IN FRONT OF FIRDOUS MASJID, , GULZAR SHAH ROAD AND NOOR MASJID KUMHARWARA BALDIA TOWN

Item	Description of Work			Estimated	Cost			usuf Khan rothers	200000000000000000000000000000000000000	wab Noor & Bros.
No		Quan	tity	Rate	Per	Amount	Rate	Amount	Rate	Amount
6	Making connection with the existing manhole including the cost of cutting hole in wall, making them good in C.C 1:2:4 and making the required channel etc. complete	1	Nos	180.00	Each	3,600.00	180.00	3,600.00	180.00	3,600.00
7	Refilling the excavated stuff in trenches 6" thick layer i/c watering ramming to full compaction etc complete.	30893.13	Cft	2760.00	%0Cft	85,265.04	2760.00	85,265.04	2760.00	85,265.04
8	Full hire charges of pumping set per day i/c of wages of driver and assistant fuel or electric energy platform for placing the pump etc at lower depth with suction and delivery pipes for pumping out water found at various depth from trenches including the cost of erection and dismantling after completion of the job. Hire charges of pumping set upto 10 HP pumping out water from 10 ft deep trench		Days	1500.00	P/Day	15,000.00	1500.00	15,000.00	1580.00	15,800.00
	Manufacturing and supplying of 21" dia RCC Manhole covers cast in situ 1:2:4 concrete ratio 3" deep at centre, reinforced with 1/2" dia tor steel bars at 4" C/C welded to a 3/16" thick 2" wide M.S plate two hook of 3/8" dia tor bar including compacting i/c cutting and transportation with in 10 miles. 21" dia cover.		Nos	913.63	Each	12,790.82	913.00	12,782.00	914.00	12,796.00
	TOTAL QUOTED / CORRECTED COST					966,389		966,324		967,138

(Muhammad Khalid Khan) Accounts Officer (Dist. West-A) Member / Secretary

(Saif-ul-Haque) Addl. Director Internal Audit KMC - Member

(Magsood Ahmed Shaikh) Superintending Engineer (K.M.C) Member

(Muhamida Avi Shqikh) S.E (District West-A)

Member

Director (Design & Estimate)

Convener

## OFFICE OF THE EXECUTIVE ENGINEER BALDIA TOWN SEWERAGE KARACHI WATER & SEWERAGE BOARD

Estimate amount :- Item Rate basis to

Time Limit

25 days

Penalty for delay

1,000 /- Per day

Tender Cost

1,000/-

Date of Opening

20-09-2017

Name of work:- Emergent Replacement of 12" dia sunk down protion in front of Firdous Gulzar shah Road and Noor Masjid Kumharwara, Baldia Town KW&SB

10. Dismantling and removing road metaling. 13.15.1 23.15.2 23.15.2 25.25 Soils of murum I/C trimming and dressing side to true 0'5' Depth 5' to 8' Depth 8' to 11' Depth 17.25.0 CFT CBDD The Search of Searc	e in Words	Per Unit item	Amount In Rupee
3450 CFT	· · · · · · · · · · · · · · · · · · ·	item	Amount in Ropee
28.53 Excavattion for pipe line in trenches & pils in all kind of soils of murum I/c trimming and dressing side to true of 50 porth 5' to 8' bepth 5' to 8' bepth 8280 CFT 500 2 Fac Thumber 12' dia 11' Depth 6210 CF 5' to 8' bepth 8280 CFT 500 2 Fac Thumber 12' dia 11' Depth 6210 CF 5' to 8' bepth 8280 CFT 500 2 Fac Thumber 12' dia 11' Depth 6210 CF 5' to 8' bepth 8280 CFT 500 2 Fac Thumber 12' dia 11' Depth 6210 CF 5' to 8' bepth 8280 CFT 500 2 Fac Thumber 12' dia 11' Depth 6210 CF 5' to 8' bepth 8280 CFT 500 2 Fac Thumber 12' dia 11' Depth 6210 CF 5' to 8' bepth 8280 CFT 500 2 Fac Thumber 12' dia 11' Depth 6210 CF 5' to 8' bepth 8280 CFT 500 2 Fac Thumber 12' dia 11' Depth 6210 CF 5' to 8' bepth 8280 CFT 500 2 Fac Thumber 12' dia 11' Depth 6210 CF 5' to 8' bepth 8280 CFT 500 2 Fac Thumber 12' dia 11' Depth 6210 CF 5' to 8' bepth 8280 CFT 500 2 Fac Thumber 12' dia 11' Depth 6210 CF 5' to 8' bepth 8280 CFT 500 2 Fac Thumber 12' dia 11' Depth 6210 CF 5' to 8' bepth 8280 CFT 500 2 Fac Thumber 12' dia 11' Depth 6210 CF 5' to 8' bepth 8280 CFT 500 2 Fac Thumber 12' dia 11' Depth 6210 CF 5' to 8' bepth 8280 CFT 500 2 Fac Thumber 12' dia 11' Depth 6210 CF 5' to 8' bepth 8280 CFT 500 2 Fac Thumber 12' dia 11' Depth 6210 CF 5' to 8' bepth 8280 CFT 500 2 Fac Thumber 12' dia 11' Depth 12' dia 11' D	tride of	-	20R721
solls of murum I/c trimming and dressing side to true 0'5' Depth 5' to 8' Depth 8' to 11' Depth 12" dia 12" thick Cr. P 1:3 mortor or in side walls & surface of channel / benching 1/2" thick Cr. P 1:3 mortor or in side walls & surface of channel / benching 1/2" thick Cr. P 1:3 mortor or in side walls & surface of channel / benching 1/2 making required nose of main and branch channels,3/4" dia bar M.5 foot rest at 12:/ c/c including cost of excavation of all kinds of soil, back filling and disposal of excavated staff etc complete as per as per design and intruction of the engineer in-charge.  14 Nos 14 Nos 14 Nos 15 291  14 Nos 15 291  16 Sending Republication of the engineer in-charge.  16 Sending Republication of the engineer in-charge.  17 Refilling the excavated staff in trenches 6" thick layer I/c watering removing to full compaction etc Complete. 18,53 17 Refilling the excavated staff in trenches 6" thick layer I/c watering removing to full compaction etc Complete. 18,53 17 Refilling the excavated staff in trenches 6" thick layer I/c watering removing to full compaction etc Complete. 18,53 17 Refilling the excavated staff in trenches 6" thick layer I/c watering removing to full compaction etc Complete. 18,53 17 Refilling the excavated staff in trenches 6" thick layer I/c watering removing to full compaction etc Complete. 18,53 17 Refilling the excavated staff in trenches 6" thick layer I/c watering removing to full compaction etc Complete. 18,53 18 Refilling the excavated staff in trenches 6" thick layer I/c watering removing to full compaction etc Complete. 18,53 19 Refilling the excavated staff in trenches 6" thick layer I/c watering removing to full compaction etc Complete. 18,50 18,50 18 Refilling the excavated staff in trenches 6" thick layer I/c watering removing to full to the province of the pumping se	' //	% CFT	1
0/5' Depth 5' to 8' Depth 8' to 11' Depth 8' to 11' Depth 8' to 11' Depth 8' to 11' Depth 12" dia 8-09 RFT 12" dia 8-00 RFT 14 Representation of the depth in the chining l/c making required nose of main and branch channels,3/4" dia bar M.5 foot rest at 12:/ c/c including cost of excavation of all kinds of soil, back filling and disposal of excavation of all kinds of soil, back filling and disposal of excavated staff etc complete as per as per design and intruction of the engineer in-charge.  84 Nos 14 Nos 14 Nos 14 Nos 14 Nos 14 Nos 15 Nos 16		Do .	
B,53 Providing laying RCC pipes with (Rubber ring joint and fitting in trench I/c cutting, fitting and jointing with rubber ring I/c testing with water to specified pressur.  12" dia Schd providing main hole 4' inside with C.I frame (15 kg) 5 ft clear depth 1:2:4 cast in situ in 9" thick wall 1:4:8: c/c in 6ft dia and 6" thick in thik in foundation 1:2:4: in benching 1/2" thick C.P 1:3 mortor or in side walls & surface of channel / benching I/c making required nose of main and branch channels,3/4" dia bar M.S foot rest at 12:/ c/c including cost of excavation of all kinds of soil, back filling and disposal of excavation of all kinds of soil, back filling and disposal of excavation of the engineer in-charge.  Add/Deduct per ft depth  Add/Deduct per ft depth  Add/Deduct per ft depth  B,53 Add/Deduct per ft depth  Complete: 1:2:4 and making ther good in cement concrete 1:2:4 and making the required channel etc.complete.  B,53 Full hire Charges of the pumping set per day inclusiv of wage of driver and Assistant fuel or electric energy plate forms required for placing pumps etc. at lower depth with suction and delivery pipes for pumping out water found at various depths from trenches I/c the cost of reection and dismantling after completion of the job. (i) Hire charges of pumping set of upto 10 H.P pumping out water from 10ft.Deep trench.	7814	Lelia	
8 to 11' Depth  8,53  Providing laying RCC pipes with (Rubber ring joint and fitting in trench I/c cutting, fitting and jointing with rubber ring I/c testing with water to specified pressur.  12" dia  Schd providing main hole 4' inside with C.I frame (15 kg) 5 ft clear depth 1:24 cast in situ in 9" thick wall 1:48: c/c in 6ft dia and 6" thick in thik in foundation 1:2:4: in benching 1/2" thick C.P 1:3 mortor or in side walls & surface of channel / benching I/c making required nose of main and branch channels,3/4" dia bar M.S foot rest at 12:/ c/c including cost of excavation of all kinds of soil, back filling and disposal of excavated staff etc complete as per as per design and intruction of the engineer in-charge.  14 Nos  Add/Deduct per ft depth  35.3  Add/Deduct per ft depth  48 Nos  Add/Deduct per ft depth  57.7  Refilling the exacavted staff in trenches 6" thick layer I/c watering removing to full compaction etc Complete.  85.3  Full hire Charges of the pumping set per day inclusiv of wage of driver and Assistant fuel or electric energy plate forms required for placing pumps etc. at lower depth with suction and delivery pipes for pumping out water found at various depths from trenches I/c the cost of erection and dismantling after completion of the job. (i) Hire charges of pumping set of upto 10 H.P pumping out water from 10ft.Deep trench.	- OU 01-0-	%pcET	802121
8,53 Providing laying RCC pipes with (Rubber ring joint and fitting in trench i/c cutting, fitting and jointing with rubber ring I/c testing with water to specified pressur.  12" dia  Schd providing main hole 4" inside with C.I frame (15 kg) 5 ft clear depth 1:24 cast in situ in 9" thick wall 1:4:8: c/c in 6ft dia and 6" thick in thik in foundation 1:24: in benching 1/2" thick C.P 1:3 mortor or in side walls & surface of channel / benching I/c making required nose of main and branch channels,3/4" dia bar M.S foot rest at 12:/c c/c including cost of excavation of all kinds of soil,back filling and disposal of excavated staff etc complete as per as per design and intruction of the engineer in-charge.  Particularly the complete in the complete in the control of the engineer in-charge.  Particularly the complete in the control of the engineer in-charge.  84 Nos  84 Nos  84 Nos  85 Add/Deduct per ft depth  14 Nos  15 2 11 2 2 5 11	uf to the	1980 CFT	430JE1
fitting in trench i/c cutting, fitting and jointing with rubber ring l/c testing with water to specified pressur.  12" dia  Schd providing main hole 4" inside with C.I frame (15 kg) 5 ft clear depth 1:2:4 cast in situ in 9" thick wall 1:4:8: c/c in 6ft dia and 6" thick in thik in foundation 1:2:4: in benching 1/2" thick C.P 1:3 mortor or in side walls & surface of channel / benching l/c making required nose of main and branch channels,3/4" dia bar M.S foot rest at 12:/ c/c including cost of excavation of all kinds of soil,back filling and disposal of excavated staff etc complete as per as per design and intruction of the engineer in-charge.  5.3  Add/Deduct per ft depth  5.3  Add/Deduct per ft depth  6.5  Add/Deduct per ft depth  6.5  Add/Deduct per ft depth  6.5  Add/Deduct per ft depth  7.7  Refilling the exacavted staff in trenches 6" thick layer l/c watering removing to full compaction etc Complete.  7.7  Refilling the exacavted staff in trenches 6" thick layer l/c watering removing to full compaction etc Complete.  7.7  Refilling the exacavted staff in trenches 6" thick layer l/c watering removing to full compaction etc Complete.  7.7  8.7  Refilling the exacavted staff in trenches 6" thick layer l/c watering removing to full compaction etc Complete.  8.7  Refilling the exacavted staff in trenches 6" thick layer l/c watering removing to full compaction etc Complete.  7.  8.  8.  8.  8.  8.  8.  8.  8.  8	est on the	9-0-9-ET,	35707
fitting in trench i/c cutting, fitting and jointing with rubber ring l/c testing with water to specified pressur.  12" dia  Schd providing main hole 4" inside with C.I frame (15 kg) 5 ft clear depth 1:2:4 cast in situ in 9" thick wall 1:4:8: c/c in 6ft dia and 6" thick in thik in foundation 1:2:4: in benching 1/2" thick C.P 1:3 mortor or in side walls & surface of channel / benching 1/c making required nose of main and branch channels,3/4" dia bar M.S foot rest at 12:/ c/c including cost of excavation of all kinds of soil,back filling and disposal of excavated staff etc complete as per as per design and intruction of the engineer in-charge.  5.53  Add/Deduct per ft depth  6.54  Making connection with the existing M/hole l/c the cost of cutting holes in walls making them good in cement concrete 1:2:4 and making the required channel etc,complete.  8.53  Refilling the exacavted staff in trenches 6" thick layer l/c watering removing to full compaction etc Complete.  9.53  Full hire Charges of the pumping set per day inclusiv of few geo of driver and Assistant fuel or electric energy plate forms required for placing pumps etc. at lower depth with suction and delivery pipes for pumping out water found at various depths from trenches l/c the cost of erection and dismanting after completion of the job. (i) Hire charges of pumping set of upto 10 H.P pumping out water from 10ft.Deep trench.	*	9	1
ring I/c testing with water to specified pressur.  12" dia  Schd providing main hole 4' inside with C.I frame (15 kg) 5 ft clear depth 1:2:4 cast in situ in 9" thick wall 1:4:8: c/c in 6ft dia and 6" thick in thik in foundation 1:2:4: in benching 1/2" thick C.P 1:3 mortor or in side walls & surface of channel / benching I/c making required nose of main and branch channels,3/4" dia bar M.S foot rest at 12:/ c/c including cost of excavation of all kinds of soil,back filling and disposal of excavated staff etc complete as per as per design and intruction of the engineer in-charge.  Add/Deduct per ft depth  Add/Deduct per ft depth  Making connection with the existing M/hole I/c the cost of cutting holes in walls making them good in cement concrete 1:2:4 and making the required channel etc.complete.  B,53  Refilling the exacavted staff in trenches 6" thick layer I/c watering removing to full compaction etc Complete.  B,53  Refilling the exacavted staff in trenches 6" thick layer I/c watering removing to full compaction etc Complete.  B,53  Refilling the exacavted staff in trenches 6" thick layer I/c watering removing to full compaction etc Complete.  B,53  Refilling the exacavted staff in trenches 6" thick layer I/c watering removing to full compaction etc Complete.  B,53  Refilling the exacavted staff in trenches 6" thick layer I/c watering removing to full compaction etc Complete.  B,53  Refilling the exacavted staff in trenches 6" thick layer I/c watering removing to full compaction etc Complete.  B,54  Refilling the exacavted staff in trenches 6" thick layer I/c watering removing to full compaction etc Complete.  B,55  Refilling the exacavted staff in trenches 6" thick layer I/c watering removing to full compaction etc Complete.  B,56  Refilling the exacavted staff in trenches 6" thick layer I/c watering removing to full compaction etc complete.  B,57  Refilling the exacavted staff in trenches 6" thick layer I/c watering removing to full compaction etc Complete.  B,58  Refilling the exacavted staff in trenches 6			·
25th providing main hole 4' inside with C.I frame (15 kg) 5 ft clear depth 1:2:4 cast in situ in 9" thick wall 1:4:8: c/c in 6ft dia and 6" thick in thik in foundation 1:2:4: in benching 1/2" thick C.P. 1:3 mortor or in side walls & surface of channel / benching 1/c making required nose of main and branch channels, 3/4" dia bar M.S foot rest at 12:/ c/c including cost of excavation of all kinds of soil, back filling and disposal of excavated staff etc complete as per as per design and intruction of the engineer in-charge.  Display a surface of the pumping set per day inclusiv of wage of driver and Assistant fuel or electric energy plate forms required for placing pumps etc. at lower depth with suction and delivery pipes for pumping out water found at various depths from trenches i/c the cost of erection and dismantling after completion of the job. (i) Hire charges of pumping set of upto 10 H.P pumping out water from 10ft.Deep trench.			
Schd providing main hole 4' inside with C.I frame (15 kg) 5 ft clear depth 1:2:4 cast in situ in 9" thick wall 1:4:8: c/c in 6ft dia and 6" thick in thik in foundation 1:2:4: in benching 1/2" thick C.P 1:3 mortor or in side walls & surface of channel / benching I/c making required nose of main and branch channels,3/4" dia bar M.S foot rest at 12:/c/c including cost of excavation of all kinds of soil,back filling and disposal of excavated staff etc complete as per as per design and intruction of the engineer in-charge.  35.4 Making connection with the existing M/hole I/c the cost of cutting holes in walls making them good in cement concrete 1:2:4 and making the required channel etc,complete.  35.3 Full hire Charges of the pumping set per day inclusiv of wage of driver and Assistant fuel or electric energy plate forms required for placing pumps etc. at lower depth with suction and delivery pipes for pumping out water found at various depths from trenches i/c the cost of erection and dismantling after completion of the job. (i) Hire charges of pumping set of upto 10 H.P pumping out water from 10ft.Deep trench.			2.
Schd providing main hole 4' inside with C.I frame (15 kg) 5 ft clear depth 1:2:4 cast in situ in 9" thick wall 1:4:8: c/c in 6ft dia and 6" thick in thik in foundation 1:2:4: in benching 1/2" thick C.P 1:3 mortor or in side walls & surface of channel / benching 1/c making required nose of main and branch channels,3/4" dia bar M.S foot rest at 12:/ c/c including cost of excavation of all kinds of soil,back filling and disposal of excavated staff etc complete as per as per design and intruction of the engineer in-charge.  353  Add/Deduct per ft depth  353  Add/Deduct per ft depth  364  Making connection with the existing M/hole I/c the cost of cutting holes in walls making them good in cement concrete 1:2:4 and making the required channel etc,complete.  353  Full hire Charges of the pumping set per day inclusiv of wage of driver and Assistant fuel or electric energy plate forms required for placing pumps etc. at lower depth with suction and delivery pipes for pumping out water found at various depths from trenches I/c the cost of erection and dismantling after completion of the job. (i) Hire charges of pumping set of upto 10 H.P pumping out water from 10ft.Deep trench.	0	1	
Schd providing main hole 4' inside with C.I frame (15 kg) 5 ft clear depth 1:2:4 cast in situ in 9" thick wall 1:4:8: c/c in 6ft dia and 6" thick in thik in foundation 1:2:4: in benching 1/2" thick C.P 1:3 mortor or in side walls & surface of channel / benching I/c making required nose of main and branch channels,3/4" dia bar M.5 foot rest at 12:/ c/c including cost of excavation of all kinds of soil,back filling and disposal of excavated staff etc complete as per as per design and intruction of the engineer in-charge.  Add/Deduct per ft depth  Complete in walls making them good in cement concrete 1:2:4 and making the required channel etc,complete.  Best watering removing to full compaction etc Complete.  Add/Deduct per ft depth  Add/De	Guden	n Info	25000
clear depth 1:2:4 cast in situ in 9" thick wall 1:4:8: c/c in 6ft dia and 6" thick in thik in foundation 1:2:4: in benching 1/2" thick C.P. 1:3 mortor or in side walls & surface of channel / benching I/c making required nose of main and branch channels,3/4" dia bar M.S foot rest at 12:/ c/c including cost of excavation of all kinds of soil,back filling and disposal of excavated staff etc complete as per as per design and intruction of the engineer in-charge.  Add/Deduct per ft depth  Add/Deduct per ft depth  Add/Deduct per ft depth  Making connection with the existing M/hole I/c the cost of cutting holes in walls making them good in cement concrete 1:2:4 and making the required channel etc,complete.  Refilling the exacavted staff in trenches 6" thick layer I/c watering removing to full compaction etc Complete.  Refilling the exacavted Assistant fuel or electric energy plate forms required for placing pumps etc. at lower depth with suction and delivery pipes for pumping out water found at various depths from trenches i/c the cost of erection and dismantling after completion of the job. (i) Hire charges of pumping set of upto 10 H.P pumping out water from 10ft.Deep trench.	bur-	P/Rft	253230
6ft dia and 6" thick in thik in foundation 1:2:4: in benching 1/2" thick C.P 1:3 mortor or in side walls & surface of channel / benching 1/c making required nose of main and branch channels,3/4" dia bar M.S foot rest at 12:/ c/c including cost of excavation of all kinds of soil,back filling and disposal of excavated staff etc complete as per as per design and intruction of the engineer in-charge.  35 Add/Deduct per ft depth  36 Add/Deduct per ft depth  37 Add/Deduct per ft depth  38 Anos  38 A			
1/2" thick C.P 1:3 mortor or in side walls & surface of channel / benching I/c making required nose of main and branch channels, 3/4" dia bar M.S foot rest at 12:1 c/c including cost of excavation of all kinds of soil, back filling and disposal of excavated staff etc complete as per as per design and intruction of the engineer in-charge.  35 Add/Deduct per ft depth  36 Add/Deduct per ft depth  37 Add/Deduct per ft depth  38 A Nos  3			
channel / benching I/c making required nose of main and branch channels,3/4" dia bar M.S foot rest at 12:/ c/c including cost of excavation of all kinds of soil,back filling and disposal of excavated staff etc complete as per as per design and intruction of the engineer in-charge.    Procedure   Procedure		1	
branch channels,3/4" dia bar M.S foot rest at 12:/ c/c including cost of excavation of all kinds of soil,back filling and disposal of excavated staff etc complete as per as per design and intruction of the engineer in-charge.  Particular  Add/Deduct per ft depth  Add/Deduct per ft depth  Making connection with the existing M/hole I/c the cost of cutting holes in walls making them good in cement concrete 1:2:4 and making the required channel etc,complete.  B,53  Reflling the exacavted staff in trenches 6" thick layer I/c watering removing to full compaction etc Complete.  Full hire Charges of the pumping set per day inclusiv of for- wage of driver and Assistant fuel or electric energy plate forms required for placing pumps etc. at lower depth with suction and delivery pipes for pumping out water found at various depths from trenches i/c the cost of erection and dismantling after completion of the job. (i) Hire charges of pumping set of upto 10 H.P pumping out water from 10ft.Deep trench.			* *
including cost of excavation of all kinds of soil, back filling and disposal of excavated staff etc complete as per as per design and intruction of the engineer in-charge.    Add/Deduct per ft depth			
and disposal of excavated staff etc complete as per as per design and intruction of the engineer in-charge.    14 Nos   1			
design and intruction of the engineer in-charge.    Add/Deduct per ft depth	3.0		*
Add/Deduct per ft depth  14 Nos 14 3 2 9 12  Add/Deduct per ft depth  84 Nos 23 8 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	EF E	'.	W
Add/Deduct per ft depth  84 Nos  84 Nos  84 Nos  85 25 8 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	~ 11. T		
Add/Deduct per ft depth  84 Nos  84 Nos  84 Nos  85 25 8 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	ic wirow	1.	
Add/Deduct per ft depth  84 Nos  84 Nos  84 Nos  85 Part 14 Nos  85 Part 15 Part 16 Pa	louded for	lý	327
Add/Deduct per ft depth  84 Nos  84 No	ore,	EACH	2034061
84 Nos  84 Nos  84 Nos  84 Nos  84 Nos  85 2 11111  85 2 11111  86 2 11111  87 20 Nos  88 Nos  88 Nos  88 Nos  89 2 11111  90 2 2 2 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3		EACH	203 400/
84 Nos 233 8 2 Hully  85 Making connection with the existing M/hole I/c the cost of cutting holes in walls making them good in cement concrete 1:2:4 and making the required channel etc, complete.  8,53  Reflling the exacavted staff in trenches 6" thick layer I/c watering removing to full compaction etc Complete.  3,53-  Full hire Charges of the pumping set per day inclusiv of wage of driver and Assistant fuel or electric energy plate forms required for placing pumps etc. at lower depth with suction and delivery pipes for pumping out water found at various depths from trenches i/c the cost of erection and dismantling after completion of the job. (i) Hire charges of pumping set of upto 10 H.P pumping out water from 10ft.Deep trench.	~,, ,,	117	
B.54 Making connection with the existing M/hole I/c the cost of cutting holes in walls making them good in cement concrete 1:2:4 and making the required channel etc., complete.  B.53 Reflling the exacavted staff in trenches 6" thick layer I/c watering removing to full compaction etc Complete.  B.53-Full hire Charges of the pumping set per day inclusiv of wage of driver and Assistant fuel or electric energy plate forms required for placing pumps etc. at lower depth with suction and delivery pipes for pumping out water found at various depths from trenches i/c the cost of erection and dismantling after completion of the job. (i) Hire charges of pumping set of upto 10 H.P pumping out water from 10ft.Deep trench.	and y to	P/Rft	213191
cutting holes in walls making them good in cement concrete 1:2:4 and making the required channel etc,complete.  8,53 Reflling the exacavted staff in trenches 6" thick layer I/c watering removing to full compaction etc Complete.  3,53- Full hire Charges of the pumping set per day inclusiv of wage of driver and Assistant fuel or electric energy plate forms required for placing pumps etc. at lower depth with suction and delivery pipes for pumping out water found at various depths from trenches i/c the cost of erection and dismantling after completion of the job. (i) Hire charges of pumping set of upto 10 H.P pumping out water from 10ft.Deep trench.	R961	Time	713112
concrete 1:2:4 and making the required channel etc,complete.  8,53  Reflling the exacavted staff in trenches 6" thick layer I/c watering removing to full compaction etc Complete.  3,53-  Full hire Charges of the pumping set per day inclusiv of wage of driver and Assistant fuel or electric energy plate forms required for placing pumps etc. at lower depth with suction and delivery pipes for pumping out water found at various depths from trenches i/c the cost of erection and dismantling after completion of the job. (i) Hire charges of pumping set of upto 10 H.P pumping out water from 10ft.Deep trench.			
etc,complete.  8,53 Reflling the exacavted staff in trenches 6" thick layer I/c watering removing to full compaction etc Complete.  3,53- Full hire Charges of the pumping set per day inclusiv of wage of driver and Assistant fuel or electric energy plate forms required for placing pumps etc. at lower depth with suction and delivery pipes for pumping out water found at various depths from trenches i/c the cost of erection and dismantling after completion of the job. (i) Hire charges of pumping set of upto 10 H.P pumping out water from 10ft.Deep trench.	113		
8,53 Reflling the exacavted staff in trenches 6" thick layer I/c watering removing to full compaction etc Complete. 3,53- Full hire Charges of the pumping set per day inclusiv of wage of driver and Assistant fuel or electric energy plate forms required for placing pumps etc. at lower depth with suction and delivery pipes for pumping out water found at various depths from trenches i/c the cost of erection and dismantling after completion of the job. (i) Hire charges of pumping set of upto 10 H.P pumping out water from 10ft.Deep trench.	that	EACH	3600/
Reflling the exacavted staff in trenches 6" thick layer I/c watering removing to full compaction etc Complete.  3,53- Full hire Charges of the pumping set per day inclusiv of wage of driver and Assistant fuel or electric energy plate forms required for placing pumps etc. at lower depth with suction and delivery pipes for pumping out water found at various depths from trenches i/c the cost of erection and dismantling after completion of the job. (i) Hire charges of pumping set of upto 10 H.P pumping out water from 10ft.Deep trench.	1	LACA	1
watering removing to full compaction etc Complete.  3,53- Full hire Charges of the pumping set per day inclusiv of wage of driver and Assistant fuel or electric energy plate forms required for placing pumps etc. at lower depth with suction and delivery pipes for pumping out water found at various depths from trenches i/c the cost of erection and dismantling after completion of the job. (i) Hire charges of pumping set of upto 10 H.P pumping out water from 10ft.Deep trench.	16		1 2
5,53- Full hire Charges of the pumping set per day inclusiv of wage of driver and Assistant fuel or electric energy plate forms required for placing pumps etc. at lower depth with suction and delivery pipes for pumping out water found at various depths from trenches i/c the cost of erection and dismantling after completion of the job. (i) Hire charges of pumping set of upto 10 H.P pumping out water from 10ft.Deep trench.	10 d Cale	% O CFT	85265
wage of driver and Assistant fuel or electric energy plate forms required for placing pumps etc. at lower depth with suction and delivery pipes for pumping out water found at various depths from trenches i/c the cost of erection and dismantling after completion of the job. (i) Hire charges of pumping set of upto 10 H.P pumping out water from 10ft.Deep trench.	that son		
forms required for placing pumps etc. at lower depth with suction and delivery pipes for pumping out water found at various depths from trenches i/c the cost of erection and dismantling after completion of the job. (i) Hire charges of pumping set of upto 10 H.P pumping out water from 10ft.Deep trench.			2 10
suction and delivery pipes for pumping out water found at various depths from trenches i/c the cost of erection and dismantling after completion of the job. (i) Hire charges of pumping set of upto 10 H.P pumping out water from 10ft.Deep trench.			
various depths from trenches i/c the cost of erection and dismantling after completion of the job. (i) Hire charges of pumping set of upto 10 H.P pumping out water from 10ft.Deep trench.			
pumping set of upto 10 H.P pumping out water from 10ft.Deep trench.			
10ft.Deep trench.			
0~11		1	
	7-		
	bund		150001
10 Day   500  2 Hu (0	1,000		13000
	und in	P.Day	
	/ 17		1
190	Stront	7.50	
1(24)	~yeu	Zaffar xecutive	ingson worder
	E)	xecutivd Ildia To	Engineer -

	9,P- 31/01 Covers cast in 1;2:4 concrets ratio 3" deep at center, reinforced with 12" dia MS bar with 4" c/c welded to 3/10" thick 2" wide MS Plate and two hook of 3/8" dia for bars including compacting i/c cutting and transportation 10 miles. 21" dia
	14 NOS 0 9/3 D2 / Hules des FACH /27 82/2
l	14 Nos 773 / LUCCCE TO EACH
	Total N (1662) 2/1
	Say
100	124
	96652 \ Zagor
	Evacution Engineer (Sam)
	Executive Engineer (Sew) in Ondri
	Baldia Town, KW&SB gineer  Baldia Town (W&S)  Not:- Contractor will abide all existing rules / term & condition of Pakistan Engineering council.
Service	Not:- Contractor will abide all existing rules / term & condition of Pakistan Engineering council  2 (W. & S. B.
	as well as Karachi Water & Sewerage Bard.
	I/We hereby Quoted an Amount of Rest. 966272 Pon item rate basis.
	In word.
Section of	I/We hereby Quoted an Amount of Rest. 100 1/200 nitem rate basis.  In word. Attack and Stray Six II at the Head Suley to only.  Signature of Contractor.
1	Address
	Cell No.
1	
	لع سوخات اسرا در ار
10000	
1000	<i>(</i> ))) ·
STATE OF	
Ser.	Tender Received in Sealed Cover & Opened By Procurement Committee-I
1	P.O of the Bid Security Amount Rs. 20,000/2P.O No/7907958te. 19/9//7
10000	Rs. PO No Date.  P.O No Date.
10.444	Rs. PO No. Date.
A. Carlo	Bank Name + BL Tamyxi Market Block-BBr. Bin Quoted Rs. 966272 (Rupees) Wine Lac Sixty Six Thousand In a Hundred Seventy Two Only) No Curino or Overwijing Appears.
Total Control	Bin Quoted Rs. 966272 (Rupees) - Wine Cac Sixty Six /hous and
-	NO Octoring of Contracting a department
1	Above/Belson Rais Basis Ansis
-	7 960
-	AO (D- West) KW&SB SE(T/S), KMC AD (IA), KMC Member Member
-	Member Member Member
	Salvedin
	Director (Design & Estimate) WW/SB
	SE ID-Well (WaSB)  Meintar
1	
1	
-	