KARACHI WATER & SEWERAGE BOARD

OFFICE OF THE CHIEF ENGINEER (IP&D)

BID EVALUATION REPORT

.*	4		1
1	Name of Procuring Agency:	KARACHI WATER & SEWERAGE BOARD	
2	Tender Reference No:	SPPRA Serial No.26310 I.D#	
3	Tender Description/Name of Work/Item:	PROVIDING & LAYING 90 MM & 200 N PIPE FOR THE IMPROVEMENT OF WAT IN III-C, III-B NAZIMABAD NO-3 LIA ZONE	ER SUPPLY
4	Method of Procurement:	Single Stage (One Envelop)	·
5	Tender Published:	SPPRA Web Site	
6	Total Bid Documents Sold:	<u>2 Nos</u>	
7	Total Bid Received:	2 Nos	
8	Technical Bid Opening Date (if applicable):	<u>N/A</u>	
9	No. of Bid Technically Qualified (if applicable)	<u>N/A</u>	
10	Bid (s) Rejected:	<u>01 No</u>	
11	Financial Bid Opening Date:	18-02-2016	

12 BID EVALUATION REPORT

S#	Name of Firm / Bidder	COST OFFERED BY THE BIDDER	RANKING IN TERMS OF COST	COMPARISON WITH ESTIMATED COST	REASON FOR ACCEPTANCE / REJECTION	REMARKS
1	M.s.Honest Associates	Rs.9,60,981/-	1 st Lowest	@0.132% Below	Pay Order and other required documents are available. P.O # 13528283 dt: 17-02-2016 Rs.20,000/- from HBL Sindh Secretariat Branch Karachi	Substantially Responsive
2	M/s.Tooba Enterprises	Rs.9.71.950/-	-	@1.008% Above	Pay Order attached required documents are not available. P.O # 12587094 dt: 24-08-2015 Rs.17,000/- & P.O # 13528284 d 17-02-2016 Rs.3.000/- Total Rs.20,000/- from HBL Sindh Secretariat Branch Karachi	1 11

The all concerned bidders are being informed accordingly.

The E.E Concerned for compliance of Rule-45 of SPPRA 2010 M/s. Honest Associates declared as the lowest responsive bidder by the Committee and recommended for sanction from Competent Authority.

(Arshad Ali)

D.A.O (District Cantral) Member / Secretary

(Saif-ul-Haque) Additional Director Internal Audit - KMC Member

(Magsood Ahmed Shaikh) Superintending Engineer (KMC)

Member

(Syed Muhammad/Jamil Akhter) Chief Engineer (W&S)

Member

(Syed Mask cor-ul-Hasnain) Chief Engineer (IPD)

Convener Convener

ATTENDANCE REPORT

NAME OF WORK:

PROVIDING & LAYING 90 MM & 200 MM DIA P.E PIPE FOR THE IMPROVEMENT OF WATER SUPPLY IN III-C, III-B NAZIMABAD NO-3 LIAQUATABAD ZONE

Date of Opening & Time: 18-2-2016 at 2:30 p.m. Estimate Cost 975869/2
SPPRA Sr No. 26310

S.No.	Name of Firm	Name of Person	Signature	
01.	M/s Honest Associates	Najem		
02.	M/s Honest Association M/s TOOBA Ent.	Gain	fai	
	,			
				and the time that the time to
i				
<u> </u>	i	<u> </u>		

NIT No. SPPRA Serial No. 26310

Method and procedure of procurement: Open Competitive Bidding (National/ International Competitive Bidding) (Single Stage—One Envelope)

Description of work: PROVIDING & LAYING 90 MM & 200 MM DIA P.E PIPE FOR

THE IMPROVEMENT OF WATER SUPPLY IN III-C, III-B

NAZIMABAD NO-3 LIAQUATABAD ZONE

Date of Opening:

18-02-2016

BIDDERS' ELIGIBILITY/ QUALIFICATION REPORT

Eligibility/ Qualification Criteria:

s.		Bidders' Name					
S. No.	Eligibility / Qualification Criteria	M/s.Honest Associates	M/s.Tooba Enterprises				
1.	Registration with PEC (if applicable)	N/A	N/A				
2.	NTN	Yes	No				
3.	Sales Tax Registration (FBR)	N/A	N/A				
4.	Registration with Sindh Revenue Board (SRB)	Yes	No				
	Qualification Criteria:						
5.	Minimum three years' experience of relevant field.	Yes	No				
6.	Turnover of at least last three years	Yes	No				
7.	Required Bid Security is attached.	Yes	Yes				
8.	Bid is signed, named and stamped by the authorized person of the firm along with Authorization letter.	Yes	Yes				
9.	Any other factor deemed to be relevant by the procuring agency subject to provision of Rule-44	N/A	N/A				
10.	Qualified/ disqualified	Qualified	Disqualified				

(Arshad Ali) D.A.O (District Central) Member / Secretary (Saif-ul-Haque)
Additional Director Internal
Audit – KMC Member

(Maqsood Ahmed Shaikh)
Superintending Engineer (KMC)
Member

(Syed Muhammad Amil Akhter) Chief Engineer (W&S) Member (Syed Mashkoor-ul-Hasnain) Chief Engineer (IPD) A Convener

NIT No.SPPRA Serial No.26310

Method of Procurement: Single Stage Single Envelope.

Name of Work: PROVIDING & LAYING 90 MM & 200 MM DIA P.E PIPE FOR

THE IMPROVEMENT OF WATER SUPPLY IN III-C, III-B

NAZIMABAD NO-3 LIAQUATABAD ZONE

MINUTES OF BID OPENING MEETING.

A meeting of the procurement committee of this department was held on 18-02-2016 for opening the bids received in respect of subject NIT till deadlines of submission. The meeting was attended by all / following members of the procurement committee and the representative of bidders. (Attendance sheet is enclosed).

- 2. Two bidders submitted their bids till the deadline of submission.
 - i. M/s. Honest Associates
 - ii. M/s. Tooba Enterprises
- 3. The bids were opened at 2:30 P.M in the presence of the above mentioned participants and the rates quoted by bidders were read aloud and encircled by Chairman of the Procurement Committee.

S. No	Name of Firm	Quoted Price	Amount of Bid Security	Pay Order No. / Date
01	M/s.Honest Associates	Rs.9.60,975/-	Rs.20,000/-	P.O # 13528283 dt: 17-02-2016 from HBL Sindh Secretariat Branch Karachi
02	M/s.Tooba Enterprises	Rs.9,71,950/-	Rs.20,000/-	P.O # 12587094 dt: 24-08-2015 Rs.17,000/- & P.O # 13528284 dt: 17- 02-2016 Rs.3,000/- from HBL Sindh Secretariat Branch Karachi

- 4. The bids do not contain any over-writing or cutting.
- 5. The committee shall examine all the bids as per the qualification / eligibility criteria provided in the bidding document and verify the documents and bid security submitted by the bidders (if required).

The meeting ended with the vote of thanks to and from the chair.

D.A.O (District Ceptral

(Saif-ul-Haque)
Additional Director Internal
Audit – KMC Member

(Maqsood Ahmed Shaikh)
Superintending Engineer (KMC)
Member

(Syed Muhammad/Jamil Akhter) Chief Engineer (W&S)

Member

(Syed Mashkoor-ull-Hashain) Chief Engineer (IPD)

. Convener

COMPARATIVE STATEMENT

Name of Work: PROVIDING & LAYING 90 MM & 200 MM DIA P.E PIPE FOR THE IMPROVEMENT OF WATER SUPPLY IN III-C, III-B NAZIMABAD NO-3 LIAQUATABAD ZONE

						Y/s. I	lonest	VI/S.	VI/S. 1 0002
		Est	timated C	ost		Assoc	iates	Enter	prises
	Onantity		Rate	Per	Amount	Rate	Amount	Rate	Amount
		⇒}	ŏ[ر ا ا	17,393.75	605.00	17.393.75	606	17.422.50
		- ;							
Excavation for pipe line in trenches and pits in all kind of soils of		 -							
murum 1/c trimming and diessing sides to nice diesimes.						<u></u>			
shape leveling of beds of trenches to correct level and grade					_				
cutting joints holes and disposal of surplus earth whill one chain								_	
as directed by Engineer Incharge providing tence guards, lights,		_					_	_	
flags sand temporary crossing for non-vehicular traffic wherever								_	
	250000	<u>-</u>		200ft	62 775 00	4650.00	62,775.00	4.660	62,910.00
╄	15500.00		5000.00) 0 C 1	00.087	00.0005	650.00	5.300	662.50
- 08'ft	125.00	=		1000		,			
Providing Laying & Fixing in trenches i/c fitting jointing and									
testing etc. complete in all respect the high density rolyculy respectively.									
F.E. pipes (110: E-100) for 1::00 mm	200.00	Rfi	178.00	P/Rft	35,000.00	178	35,600.00	180	30,000.00
200 mm	800.00	Rft	833.00	P/Rtt	666.200.00	208	003,000.00	7 0	01,000,00
160 mm	150.00	Rfi	530.00	P/Rft	79.500.00	250	79,500.00	0+0	01,000.00
P/F M.S split collar tee for PRCC pipe of different dia sizes									
having with as mentioned against each item to suit. The size of connection fabricated with 3/8" thick M.S plate excluding the									
cost of neck, it includes the cost of 3.4" M.S square bard on both									
lends, 4 Nos 5/4 utick ivide the cost of nuts & bolt.					-				
rubber packing, labour and sealing materials and all the tools and									
plants. 12" x 12" dia (Width 2'-0") Weight = 104.860 Kg	1.00	No	19037.00	Each	19,037.00	19000.00	19,000.00	000,41	13,000.00
						<u>.,</u>			
thick M.S plate weighting mentioned against each tieff we me least of 4 Nos 1/4" thick flarge nuts, bolts, rubber packing labour					. 207 00		6,000,00	၁ 100	6.300.00
and sealing material etc complete. (Wt. 10.49 kg) 6" Dia.		Nos	2129.00	Ţ	6.187.00	2.000	2 500 00	2 600	2 600 00
(Wt. 12.31 kg) 8" Dia.	1.00	No	2510.00		2,510.00	7.500		1.000	
	J								
No No	Dismantling and removing road matting Execavation for pipe line in trenches and pits in all kind of soils of murum i/e trimming and dressing sides to true alignment and shape leveling of beds of trenches to correct level and grade cutting joints holes and disposal of surplus earth within one chain as directed by Engineer Incharge providing fence guards. lights, flags sand temporary crossing for non-vehicular traffic wherever required lift upto 5 ft (1.52 m) and lead upto one chain (30.5m). i. Lift 00'-05'ft iii. Lift 05'-08'ft iii. Lift 05'-08'ft iii. Lift 05'-08'ft 200 mm 160 mm 160 mm 160 mm 160 mm P/F M.S split collar tee for PRCC pipe of different dia sizes having with as mentioned against each item to suit. The size of connection fabricated with 3/8" thick M.S plate excluding the cost of 3'4" M.S square bard on both rubber packing, labour and sealing materials and all the tools and plants. 12" x 12" dia (Width 2'-0") Weight =104.860 Kg PF M.S split collar 9" wide on A.C Pipe fabricated with 1/4" thick M.S plate weighting mentioned against each item i/c the cost of 4 Nos 1/4" thick flarge nuts, bolts, rubber packing labour and sealing material etc complete (Wt. 10.49 kg) 6" Dia. (Wt. 12.31 kg) 8" Dia (Wt. 12.31 kg) 8"	Dismantling and removing road matthig Excavation for pipe line in trenches and pits in all kind of soils of murum i're trimming and dressing sides to true alignment and shape leveling of beds of trenches to correct level and grade cutting joints holes and disposal of surplus earth within one chain as directed by Engineer Incharge providing tence guards, lights, lings and temporary crossing for non-vehicular traffic wherever required lift upto 5 ft (1.52 m) and lead upto one chain (30.5m). i. Lift 00°-08'ft iii. Lift 00°-08'ft iii. Lift 00°-08'ft providing Laying & Fixing in trenches i're fitting jointing and testing etc. complete in all respect the high density Polyethylene P.E. pipes (HDPE-100) for W.S. conforming ISO 4427 DIN-8074-200.00 mm 200 mm 160 mm 200 mm 200 mm 160 mm 200 mm 160 mm 200 mm 160 mm PPE M.S. split collar tee for PRCC pipe of different dia sizes having with as mentioned against each item to suit. The size of connection fabricated with 38" thick M.S. plate excluding the cost of neck, it includes the cost of 3°4" M.S. square bard on both cost. 4 Nos 3/4" thick M.S. thages with a total weight as mentioned against each item it includes the cost of nuts & both, rubber packing, labour and sealing materials and all the tools and plants. 12" x 12" dia (Width 2-0") Weight = 104.860 Kg P/F M.S. split collar 9" wide on A.C. Pipe fabricated with 1/4" thick flarge nuts. bolts, rubber packing labour and sealing material etc complete (Wt. 10.49 kg) 6" Dia. 1.00 P/F M.S. split collar 9" wide on A.C. Pipe fabricated with 1/4" thick flarge nuts. bolts, rubber packing labour 3.00 and sealing material etc complete (Wt. 10.49 kg) 6" Dia. 1.00	Dismantling and removing road malling Excavation for pipe line in trenches and pits in all kind of soils of murum i'c trimming and dressing sides to true alignment and shape leveling of beds of trenches to correct level and grade cutting joints holes and disposal of surplus earth within one chain as directed by Engineer Incharge providing fence guards, lights, as directed by Engineer Incharge providing fence guards, lights, as directed by Engineer Incharge providing fence guards, lights, as directed by Engineer Incharge providing fence guards, lights, and temporary crossing for non-vehicular traffic wherever required lift upto 5 ft (1.52 m) and lead upto one chain (30.5m). 1. Lift 00' - 05'ft 11. Lift 05' - 08'ft 125.00 Cft 125.00	Dismantling and removing road matting Exercition for pipe line in trenches and pits in all kind of soils of murum ive trimming and dressing sides to true alignment and shape leveling of beds of trenches to correct level and grade cutting joints holes and disposal of sunptus earth within one chain as directed by Engineer Incharge providing fence guards. lights. flags sand temporary crossing for non-vehicular traffic wherever required lift upto 5 ft (1.52 m) and lead upto one chain (30.5m). 13500.00 Cft 4650.00 ii. Lift 00°-05°ft iii. Lift 0	Dismantling and removing road matting Exervation for pipe line in trenches and pits in all kind of soils of marum ic trimming and dressing sides to true alignment and shape leveling of beds of trenches, to correct level and grade cutting joints holes and disposal of surplus earth within one chain as directed by Engineer Incharge providing fence guards, lights, flags sand temporary crossing for non-vehicular traffic wherever required lift upto 5 ft (1.52 m) and lead upto one chain (30.5m). 1. Lift 00°-08°ft Providing Laying & Fixing in trenches ic fitting jointing and leading tect, complete in all respect the high density Polyethylene pet providing Laying set. Complete in all respect the high density Polyethylene pet providing text, complete in all respect the high density Polyethylene pet providing Laying with as mentioned against each item to sunt. The size of connection fabricated with 3/8" thick M.S. plate excluding the cost of neck, it includes the cost of 3.4" M.S. split collar tee for PRCC pipe of different dia sizes having with as mentioned against each item in includes the cost of nuts & bold, rubber packing, labour and sealing materials and all the tools and plants, 12" x 12" dia (Width 2-0") Weight = 104.860 Kg PPF M.S. split collar 9" wide on A.C Pipe fabricated with 1/4" thick flarge nuts bolds, rubber packing labour and sealing material et complete (Wt. 10.49 kg) 6" Dia. 100 No. 2510.00 Extrination for pipe in trenches and providing and removed against each item bic the cost of 4 Nos 1/4" thick flarge nuts bolds, rubber packing labour and sealing material et complete (Wt. 10.49 kg) 6" Dia. 100 No. 2510.00	Dismanting and removing road matting Dismanting and removing road matting Excavation for pipe line in trenches and pits in all kind of soils of fexcavation for pipe line in trenches and pits in all kind of soils of fexcavation for pipe line in trenches and pits in all kind of soils of tenching and dressing sides to trenches and grade and grade shape leveling of beds of trenches to cornect level and grade for grades. Pipeline in trenches in cornect level and grade grades in grades and temporary crossing for non-vehicular traffic wherever required lift upto 5 ft (1.52 m) and lead upto one chain (30.5m). Lift 00°-05ft Fit Lift 00°-	Description of Work Description of Work Description of Work Description of Work Description of Work Description of Work Description of Work Description of Work Description of Work Description of Work Description of Work Description of Work Description of Work Description of Work Description of Work Description of Description of Soils of Excavation for pipel line in renches and pik in all kind of soils of Excavation for pipel line in renches and pik in all kind of soils of Cit Go5.00° w.C.ft Go	Description of Work Exacation for pipe line in trenches and pits in all kind of sols of the description of the	Distriction of Work

Name of Work: PROVIDING & LAYING 90 MM & 200 MM DIA P.E PIPE FOR THE IMPROVEMENT OF WATER SUPPLY IN HI-C, HI-B NAZIMABAD NO-3 LIAQUATABAD ZONE

	9	~			7				6	2	Item
TOTAL QUOTED / CORRECTED COST	Refilling the excavated stuff in trenches 6" thick layer i/c watering ramming to full compaction etc complete.	Full hire charges of pumping set per day i/c of wages of driver and assistant fuel or electric energy platform for placing the pump etc at lower depth with suction and delivery pipes for pumping out water found at various depth from trenches including the cost of erection and dismantling after completion of the job. Hire charges of pumping set upto 10 HP pumping out water from 10 ft deep trench	(Wt. 8.410 Kg) 6" Dia	(Wt. 12.570 Kg) 8" Dia	P/I: M.S tail piece (DHOLKI) on A.C fabricated with 1/2" thick M.S plate having dimension and weight as mentioned against each item it i/c the cost of sealing material (Wt. 5.230 Kg) 3" Dia	(Wt. 10.909 Kg) 6" Dia	(Wt. 15.757 Kg) 8" Dia	the split collar tee (Wt. 4.7773 Kg) 3" Dia	P/F 0-9" long 3/8" thick M.S "Neck" to existing M.S pipe or to a split collar tee. It included the cost of fabrication and welding to		Description of Work
	13298.27 Cft	12.00 Days	2.00 Nos	1.00 No	3.00 Nos	2.00 Nos	1.00 No	3.00 Nos		Quantity	
	2760.00		1422.00	2199.00	931.00	1984.00	2804.00	895.00		Rate	Estimated
 	2760.00 %0Cft	1500.00 P/Day) Each) Each	Each) Each) Each) Each		Per	d Cost
962,249	36,703.23	18,000.00	2,844.00	2,199.00	2,793.00	3.968.00	2,804.00	2,685.00		Amount	
 	2760.00	1500.00	1,420	2.199	930	1.980	2,800	890		Rate	Ass
960,981	36,703.23	18,000.00	2,840.00	2,199.00	2,790.00	3.960.00	2.800.00	2.670.00		Amount	M/s. Honest Associates
	2,800	1 ,600	2,000	2,900	940	1.500	2,200	900		Rate	Ente
971,950	37.235.16	19,200.00	4,000.00	2,900.00	2,820.00	3,000.00	2,200.00	2,700.00		Amount	M/s. Tooba Enterprises

(Arshad Ali),
D.A.O(Disty Edutal)
Member / Secretary

(Saif-ul-Haque)
Addl. Director Internal Audit
KMC - Member

(Maqsood Ahmed Shaikh)
Superintending Engineer (K.M.C)
Member

(Syed Muhammad Jamit Akhter) Chief Engineer (W&S) Member

(Syed Mashkoor-ul-Hasnain)
Chief Engineer (IPD)

Convener