

# OFFICE OF THE EXECUTIVE ENGINEER (SEW) ORANGI TOWN KARACHI WATER & SEWERAGE BOARD

No.KW&SB/E.E/SEW/ORANGI/2017/88

Dated: 28/12/17

The Director (CB), SPPRA Barrack No.8 Sindh Secretariat No.4-A Court Road Karachi.

SUBJECT: REPLACEMENT OF SUNK DOWN 12" DIA RCC RUBBER RING

SEWER LINE AT GULSHAN-E-ZIA STREET NO.09 & 10, UC-24

ORANGI TOWN

Reference: SPPRA Website Serial No. 35130 I.D

Enclosed Please find herewith the following information regarding above NIT here by forwarded for uploading on SPPRA Website Please.

1. Bid Evaluation Report.

2. Minutes of Bid Opening Meeting.

3. Bidders Eligibility / Qualification Report.

4. Comparative Statement.

5. Attendance Sheet.

Executive Engineer (Sew) Orang Town, KW&SB

Copy to:-

1-Director Design, KW&SB.

2-SE (West), KW&SB.

3-Office Copy.

SPPRA INWARD DIARY No: 3988 DATED: 28-12-17



## KARACHI WATER & SEWERAGE BOARD

## OFFICE OF THE DIRECTOR (DESIGN & ESTIMATE)

### BID EVALUATION REPORT

1	Name of Procuring Agency:	KARACHI WATER & SEWERAGE BOARD
2	Tender Reference No:	SPPRA Serial No.35130 I.D No
3	Tender Description/Name of Work/Item:	REPLACEMENT OF SUNK DOWN 12" DIA RCC RUBBER RING SEWER LINE AT GULSHAN-E- ZIA STREET NO.09 & 10, UC-24, ORANGI TOWN
4	Method of Procurement:	Single Stage (One Envelop)
5	Tender Published:	Through SPPRA Web Site
6	Total Bid Documents Sold:	2 Nos
7	Total Bid Received:	2 Nos
8	Technical Bid Opening Date (if applicable):	N/A
9	No. of Bid Technically Qualified (if applicable)	N/A
10	Bid (s) Rejected:	NIL
11	Financial Bid Opening Date:	24-11-2017

#### 12 BID EVALUATION REPORT

S#	Name of Firm / Bidder	COST OFFERED BY THE BIDDER	RANKING IN TERMS OF COST	******	REASON FOR ACCEPTANCE	REMARKS
- 1	M/s.Trust Construction Co.	Rs.9,73,817/-	Lowest	@0.068% Below	Pay Order and required documents are available. P.O # 18281888 dt:23-11-2017 Rs.20,000/-from HBL Nazimabad Branch Karachi	Substantially Responsive
2	M/s.S.O.H Construction Co.	Rs.10,02,755/-	2 <sup>nd</sup> Lowest	@2.901% Above	Pay Order and required documents are available. P.O # 18281889 / dt:23-11-2017 Rs.20,100/-from HBL Nazimabad Branch Karachi	Substantially Responsive

The all concerned bidders are being informed accordingly.

The E.E Concerned for compliance of Rule-45 of SPPRA 2010 M/s. Trust Construction Co. declared as the lowest responsive bidder by the Committee and recommended for sanction from Competent Authority.

(Muhammad Khalid Khan) Accounts Officer (Dist. West) Member / Secretary

(Muhammad Ali Shaikh) S.E (District West-B)

Member

(Saif-ul-Haque) Additional Director Internal Audit - KMC Member

(Magsood Ahmed Shaikh) Superintending Engineer (KMC) Member

(Saifuddin) 27.11.

Director (Design & Estimate)

Convener

## NIT Sr. No. SPPRA Serial No.35130

Method of Procurement: Single Stage Single Envelope.

Name of Work: REPLACEMENT OF SUNK DOWN 12" DIA RCC RUBBER RING SEWER LINE AT GULSHAN-E-ZIA STREET NO.09 & 10, UC-24, ORANGI TOWN

### MINUTES OF BID OPENING MEETING.

A meeting of the procurement committee of this department was held on 24-11-2017 for opening the bids received in respect of subject NIT till deadlines of submission. The meeting was attended by all / following members of the procurement committee and the representative of

## (Attendance sheet is enclosed).

- 2. Two bidders submitted their bids till the deadline of submission.
  - i. M/s. Trust Construction Co.
  - ii. M/s. S.O.H Construction.
- The bids were opened at 11:30 A.M in the presence of the above mentioned participants and the rates quoted by bidders were read aloud and encircled by Chairman of the Procurement Committee.

S. No	Name of Firm	Quoted Price	Amount of Bid Security		Pay Order No. / Date
01	M/s.Trust Construction Co.	Rs.9,73,816/-	Rs.20,000/-	0.000	# 18281888 dt:23-11-2017 from BL Nazimabad Branch Karachi
02	M/s.S.O.H Construction Co.	Rs.10,02,755/-	Rs.20,100/-		# 18281889 dt:23-11-2017 from BL Nazimabad Branch Karachi

- 4. The bids do not contain any cutting or over-writing.
- The committee shall examine all the bids as per the qualification / eligibility criteria provided in the bidding document and verify the documents and bid security submitted by the bidders (if required).

The meeting ended with the vote of thanks to and from the chair.

(Muhammad Khalid Khan) Accounts Officer (Dist. West)

Member / Secretary

(Muhammad Ali Shaikh) S.E (District West-B)

Member

Additional Director Internal Audit - KMC Member

(Magsood Ahmed Shaikh) Superintending Engineer (KMC) Member

Director (Design & Estimate)

Convener

## NIT Sr. No. SPPRA Serial No.35130

Method and procedure of procurement: Open Competitive Bidding (National/ International Competitive Bidding) (Single Stage-One Envelope)

Description of work:

REPLACEMENT OF SUNK DOWN 12" DIA RCC RUBBER RING SEWER LINE AT GULSHAN-E-ZIA STREET NO.09 & 10, UC-24, ORANGI TOWN

Date of Opening:

24-11-2017

## BIDDERS' ELIGIBILITY/ QUALIFICATION REPORT

Eligibility/ Qualification Criteria:

S.		Bidders' Name				
No.	Eligibility / Qualification Criteria	M/s.Trust Construction Co.	M/s.S.O.H Construction			
1.	Registration with PEC (if applicable)	N/A	N/A			
2.	NTN	Yes	Yes			
3.	Sales Tax Registration (FBR)	N/A	N/A			
4.	Registration with Sindh Revenue Board (SRB)	Yes	Yes			
	Qualification Criteria:					
5.	Minimum three years' experience of relevant field.	Yes	Yes			
6.	Turnover of at least last three years	Yes	Yes			
7.	Required Bid Security is attached.	Yes	Yes			
8.	Bid is signed, named and stamped by the authorized person of the firm along with Authorization letter.	Yes	Yes			
9.	Any other factor deemed to be relevant by the procuring agency subject to provision of Rule-44	N/A	N/A			
10.	Qualified/ disqualified	Qualified	Qualified			

(Muhammad Khalid Khan) Accounts Officer (Dist. West) Member / Secretary (Saif-ul-Haque) Additional Director Internal Audit – KMC Member (Maqsood Ahmed Shaikh) Superintending Engineer (KMC) Member

(Muhammad Mi Shaikh) S.E (District West-B) Member (Saifuddin)
Director (Design & Estimate)
Convener

## COMPARATIVE STATEMENT

# Name of Work: REPLACEMENT OF SUNK DOWN 12" DIA RCC RUBBER RING SEWER LINE AT GULSHAN-E-ZIA STREET NO.09 & 10, UC-24, ORANGI TOWN

Description of Work		Estimated Cost					M/s.Trust Construction Co.		M/s.S.O.H Construction Co.	
*	Quant	ity	Rate	Per	Amount	Rate	Amount	Rate	Amount	
leveling of beds of trenches to correct level and grade cutting joints holes and disposal of surplus earth within one chain as directed by Engineer Incharge providing fence guards, lights, flags sand		Cft	5400.00	%0Cft	97,200.00	5500.00	99,000.00	5600.00	100,800.00	
assistant fuel or electric energy platform for placing the pump etc at lower depth with suction and delivery pipes for pumping out water found at various depth from trenches including the cost of erection and dismantling after completion of the job. Hire charges		Days	1500.00	P/Day	12,000.00	1550.00	12,400.00	1600.00	12,800.00	
		Rft	367.00	P/Rft	440,400.00	368.00	441,600.00	365.00	438,000.00	
clear depth cast in situ with 1:2:4 CC in 9" thick wall, 1:4:8: C.C in 6ft dia and 6" inch thick in foundation 1:2:4 C.C in benching 12" thick cement plastering with 1:3 C.M on all inside wall surfaces, channel and benching i/c making required nos of main and branch channels, 3/4" dia m.s foot rest @12" c/c i/c cost of excavation in		Nos			348.702.96		/		373,200.00	
	Excavation for pipe line in trenches and pits in Wet Silt Clay or mud i/c trimming and dressing sides to true alignment and shape leveling of beds of trenches to correct level and grade cutting joints holes and disposal of surplus earth within one chain as directed by Engineer Incharge providing fence guards, lights, flags sand temporary crossing for non-vehicular traffic wherever required lift upto 5 ft (1.52 m) and lead upto one chain (30.5m). 0' - 5' Depth  Full hire charges of pumping set per day i/c of wages of driver and assistant fuel or electric energy platform for placing the pump etc at lower depth with suction and delivery pipes for pumping out water found at various depth from trenches including the cost of erection and dismantling after completion of the job. Hire charges of pumping set upto 10 HP pumping out water from 10 ft deep trench  Providing, & Laying of RCC Pipes with Rubber Ring Joint and fitting in trench including cutting, fitting, jointing with rubber ring i/c testing with water to specified pressure. 12" Dia  Providing manhole 4' feet inside with C.1 Frame 15 Kg and 5 feet clear depth cast in situ with 1:2:4 CC in 9" thick wall, 1:4:8: C.C in 6ft dia and 6" inch thick in foundation 1:2:4 C.C in benching 12" thick cement plastering with 1:3 C.M on all inside wall surfaces, channel and benching i/c making required nos of main and branch channels, 3/4" dia m.s foot rest @12" c/c i/c cost of excavation in all kinds of soil, backfilling and disposal of excavated stuff etc	Excavation for pipe line in trenches and pits in Wet Silt Clay or mud i/c trimming and dressing sides to true alignment and shape leveling of beds of trenches to correct level and grade cutting joints holes and disposal of surplus earth within one chain as directed by Engineer Incharge providing fence guards, lights, flags sand temporary crossing for non-vehicular traffic wherever required lift upto 5 ft (1.52 m) and lead upto one chain (30.5m). 0' - 5' Depth  Full hire charges of pumping set per day i/c of wages of driver and assistant fuel or electric energy platform for placing the pump etc at lower depth with suction and delivery pipes for pumping out water found at various depth from trenches including the cost of erection and dismantling after completion of the job. Hire charges of pumping set upto 10 HP pumping out water from 10 ft deep trench  Providing, & Laying of RCC Pipes with Rubber Ring Joint and fitting in trench including cutting, fitting, jointing with rubber ring i/c testing with water to specified pressure. 12" Dia  Providing manhole 4' feet inside with C.I Frame 15 Kg and 5 feet clear depth cast in situ with 1:2:4 CC in 9" thick wall, 1:4:8: C.C in 6ft dia and 6" inch thick in foundation 1:2:4 C.C in benching 12" thick cement plastering with 1:3 C.M on all inside wall surfaces, channel and benching i/c making required nos of main and branch channels, 3/4" dia m.s foot rest @12" c/c i/c cost of excavation in all kinds of soil, backfilling and disposal of excavated stuff etc	Excavation for pipe line in trenches and pits in Wet Silt Clay or mud i/c trimming and dressing sides to true alignment and shape leveling of beds of trenches to correct level and grade cutting joints holes and disposal of surplus earth within one chain as directed by Engineer Incharge providing fence guards, lights, flags sand temporary crossing for non-vehicular traffic wherever required lift upto 5 ft (1.52 m) and lead upto one chain (30.5m). 0' - 5' Depth  Full hire charges of pumping set per day i/c of wages of driver and assistant fuel or electric energy platform for placing the pump etc at lower depth with suction and delivery pipes for pumping out water found at various depth from trenches including the cost of erection and dismantling after completion of the job. Hire charges of pumping set upto 10 HP pumping out water from 10 ft deep trench  Providing, & Laying of RCC Pipes with Rubber Ring Joint and fitting in trench including cutting, fitting, jointing with rubber ring i/c testing with water to specified pressure. 12" Dia  Providing manhole 4' feet inside with C.I Frame 15 Kg and 5 feet clear depth cast in situ with 1:2:4 CC in 9" thick wall, 1:4:8: C.C in 6ft dia and 6" inch thick in foundation 1:2:4 C.C in benching 12" thick cement plastering with 1:3 C.M on all inside wall surfaces, channel and benching i/c making required nos of main and branch channels, 3/4" dia m.s foot rest @12" c/c i/c cost of excavation in all kinds of soil, backfilling and disposal of excavated stuff etc complete as per design and instruction of Engineer Incharge.	Excavation for pipe line in trenches and pits in Wet Silt Clay or mud i/c trimming and dressing sides to true alignment and shape leveling of beds of trenches to correct level and grade cutting joints holes and disposal of surplus earth within one chain as directed by Engineer Incharge providing fence guards, lights, flags sand temporary crossing for non-vehicular traffic wherever required lift upto 5 ft (1.52 m) and lead upto one chain (30.5m). 0' - 5' Depth  Full hire charges of pumping set per day i/c of wages of driver and assistant fuel or electric energy platform for placing the pump etc at lower depth with suction and delivery pipes for pumping out water found at various depth from trenches including the cost of erection and dismantling after completion of the job. Hire charges of pumping set upto 10 HP pumping out water from 10 ft deep trench  Providing, & Laying of RCC Pipes with Rubber Ring Joint and fitting in trench including cutting, fitting, jointing with rubber ring i/c testing with water to specified pressure. 12" Dia  Providing manhole 4' feet inside with C.I Frame 15 Kg and 5 feet clear depth cast in situ with 1:2:4 CC in 9" thick wall, 1:4:8: C.C in 6ft dia and 6" inch thick in foundation 1:2:4 C.C in benching 12" thick cement plastering with 1:3 C.M on all inside wall surfaces, channel and benching i/c making required nos of main and branch channels, 3/4" dia m.s foot rest @12" c/c i/c cost of excavation in all kinds of soil, backfilling and disposal of excavated stuff etc complete as per design and instruction of Engineer Incharge.	Excavation for pipe line in trenches and pits in Wet Silt Clay or mud i/c trimming and dressing sides to true alignment and shape leveling of beds of trenches to correct level and grade cutting joints holes and disposal of surplus earth within one chain as directed by Engineer Incharge providing fence guards, lights, flags sand temporary crossing for non-vehicular traffic wherever required lift upto 5 ft (1.52 m) and lead upto one chain (30.5m). 0' - 5' Depth  Full hire charges of pumping set per day i/c of wages of driver and assistant fuel or electric energy platform for placing the pump etc at lower depth with suction and delivery pipes for pumping out water found at various depth from trenches including the cost of erection and dismantling after completion of the job. Hire charges of pumping set upto 10 HP pumping out water from 10 ft deep trench  8.00 Days 1500.00 P/Day  Providing, & Laying of RCC Pipes with Rubber Ring Joint and fitting in trench including cutting, fitting, jointing with rubber ring i/c testing with water to specified pressure. 12" Dia  Providing manhole 4' feet inside with C.I Frame 15 Kg and 5 feet clear depth cast in situ with 1:2:4 CC in 9" thick wall, 1:4:8: C.C in 6ft dia and 6" inch thick in foundation 1:2:4 C.C in benching 12" thick cement plastering with 1:3 C.M on all inside wall surfaces, channel and benching i/c making required nos of main and branch channels, 3/4" dia m.s foot rest @12" c/c i/c cost of excavation in all kinds of soil, backfilling and disposal of excavated stuff etc complete as per design and instruction of Engineer Incharge.	Excavation for pipe line in trenches and pits in Wet Silt Clay or mud i/c trimming and dressing sides to true alignment and shape leveling of beds of trenches to correct level and grade cutting joints holes and disposal of surplus earth within one chain as directed by Engineer Incharge providing fence guards, lights, flags sand temporary crossing for non-vehicular traffic wherever required lift upto 5 ft (1.52 m) and lead upto one chain (30.5m). 0' - 5' Depth  Full hire charges of pumping set per day i/c of wages of driver and assistant fuel or electric energy platform for placing the pump etc at lower depth with suction and delivery pipes for pumping out water found at various depth from trenches including the cost of erection and dismantling after completion of the job. Hire charges of pumping set upto 10 HP pumping out water from 10 ft deep trench  8.00 Days 1500.00 P/Day 12,000.00  Providing, & Laying of RCC Pipes with Rubber Ring Joint and fitting in trench including cutting, fitting, jointing with rubber ring i/c testing with water to specified pressure. 12" Dia 1200.00 Rft 367.00 P/Rft 440,400.00  Providing manhole 4' feet inside with C.1 Frame 15 Kg and 5 feet clear depth cast in situ with 1:2:4 CC in 9" thick wall, 1:4:8: C.C in 6ft dia and 6" inch thick in foundation 1:2:4 C.C in benching 12" thick cement plastering with 1:3 C.M on all inside wall surfaces, channel and benching i/c making required nos of main and branch channels, 3/4" dia m.s foot rest @ 12" c/c i/c cost of excavation in all kinds of soil, backfilling and disposal of excavated stuff etc complete as per design and instruction of Engineer Incharge.	Excavation for pipe line in trenches and pits in Wet Silt Clay or mud ½ trimming and dressing sides to true alignment and shape leveling of beds of trenches to correct level and grade cutting joints holes and disposal of surplus earth within one chain as directed by Engineer Incharge providing fence guards, lights, flags sand temporary crossing for non-vehicular traffic wherever required lift upto 5 ft (1.52 m) and lead upto one chain (30.5m). 0' - 5' Depth  Full hire charges of pumping set per day ½ of wages of driver and assistant fuel or electric energy platform for placing the pump et at lower depth with suction and delivery pipes for pumping out water found at various depth from trenches including the cost of erection and dismantling after completion of the job. Hire charges of pumping set upto 10 HP pumping out water from 10 ft deep trench  Providing, & Laying of RCC Pipes with Rubber Ring Joint and fitting in trench including cutting, fitting, jointing with rubber ring i/c testing with water to specified pressure. 12" Dia  Providing manhole 4' feet inside with C.1 Frame 15 Kg and 5 feet clear depth cast in situ with 1:2:4 CC in 9" thick wall, 1:4:8: C.C in 6ft dia and 6" inch thick in foundation 1:2:4 C.C in benching 12" thick cement plastering with 1:3 C.M on all inside wall surfaces, channel and benching i/c making required nos of main and branch channels, 3/4" dia m.s. foot rest @ 12" c/c i/c cost of excavation in all kinds of soil, backfilling and disposal of excavated stuff etc complete as per design and instruction of Engineer Incharge.	Excavation for pipe line in trenches and pits in Wet Silt Clay or mud i/c trimming and dressing sides to true alignment and shape leveling of beds of trenches to correct level and grade cutting joints holes and disposal of surplus earth within one chain as directed by Engineer Incharge providing fence guards. lights, flags sand temporary crossing for non-vehicular traffic wherever required lift upto 5 ft (1.52 m) and lead upto one chain (30.5m). 0' - 5' Depth  Full hire charges of pumping set per day i/c of wages of driver and assistant fuel or electric energy platform for placing the pump etc at lower depth with suction and delivery pipes for pumping out water found at various depth from trenches including the cost of erection and dismantling after completion of the job. Hire charges of pumping set upto 10 HP pumping out water from 10 ft deep trench  Providing, & Laying of RCC Pipes with Rubber Ring Joint and fitting in trench including cutting, fitting, jointing with rubber ring i/c testing with water to specified pressure. 12" Dia  Providing manhole 4' feet inside with C.I Frame 15 Kg and 5 feet clear depth cast in situ with 1:2:4 CC in 9" thick wall, 1:4:8: CC in 6ft dia and 6" inch thick in foundation 1:2:4 CC in benching 12" thick cement plastering with 1:3 C.M on all inside wall surfaces, channel and benching i/c making required nos of main and branch channels, 3/4" dia m.s foot rest @12" c/c i/c cost of excavation in all kinds of soil, backfilling and disposal of excavated stuff etc complete as per design and instruction of Engineer Incharge.	Description of Work    Quantity   Rate   Per   Amount   Rate   Amount   Rate   Rate   Amount   Rate   Rate	







## Name of Work: REPLACEMENT OF SUNK DOWN 12" DIA RCC RUBBER RING SEWER LINE AT GULSHAN-E-ZIA STREET NO.09 & 10, UC-24, ORANGI TOWN

Item	Description of Work	Estimated Cost					M/s.Trust Construction Co.		M/s.S.O.H Construction Co.	
No		Quanti	ity	Rate	Per	Amount	Rate	Amount	Rate	Amount
5	Manufacturing and supplying of 21" dia RCC Manhole covers cast in situ 1:2:4 concrete ratio 3" deep at centre, reinforced with 1/2" dia tor steel bars at 4" C/C welded to a 3/16" thick 2" wide M.S plate two hook of 3/8" dia tor bar including compacting i/c cutting and transportation with in 10 miles. 21" dia cover.		Nos	913.63	Each	21,927.12	930.00	22,320.00	920.00	22,080.00
	Making connection with the existing manhole including the cost of cutting hole in wall, making them good in C.C 1:2:4 and making the required channel etc. complete		Nos	180.00	Each	8,640.00	150.00	7,200.00	200.00	9,600.00
7	Refilling the excavated stuff in trenches 6" thick layer i/c watering ramming to full compaction etc complete.	16526.79	Cft	2760.00	%0Cft	45,613.94	2765.00	45,696.57	2800.00	46,275.01
	TOTAL QUOTED / CORRECTED COST					974,484		973,817		1,002,755

(Muhammad Khalid Khan) Accounts Officer (Dist. West-A) Member / Secretary

(Saif-ul-Haque) Addl. Director Internal Audit KMC - Member

(Maqsood Ahmed Shaikh) Superintending Engineer (K.M.C) Member

(Muhammad Ali Shaikh) S.E (District West-A)

Member

(Saifuddin)

Director (Design & Estimate)

Convener

## ATTENDANCE OF PARTICIPATE CONTRACTOR

Name of Work: -

Replacement of sunk down 12" dia RCC Rubber ring sewer line at Gulshan-e-Zia street No.09 & 10, UC-24 Orangi Town

Date of Opening & Time : 1 974, 484/=

Estimated Cost: 24-11-17

S.NO	NAME OF FIRM	1 Name - Property 1 Louis - 1 of 1	PERSON & NATION	SIGNATURE
1	M/s. T Shut Comit les	Aleen H	line	A.h.
2	M/s.			06
3	M/s. S.A.A. Const C	M-Usages	us eschalics	mil
4				
5				
6				
7		1		
8				
9				
10				