, SINDH PUBLIC PROCUREMENT REGULATORY AUTHORITY

CONTRACT EVALUATION FORM

TO BE FILLED IN BY ALL PROCURING AGENCIES FOR PUBLIC CONTRACTS OF WORKS, SERVICES & GOODS

1)	NAME OF THE ORGANIZATION / DEPTT.	Works and Services Department			
2)	PROVINCIAL / LOCAL GOVT./ OTHER	CIAL / LOCAL GOVT./ OTHER Provincial.			
3)	TITLE OF CONTRACT				
4)	TENDER NUMBER	NUMBER N.I.T No.TC/G-55/2016-17/2199 Dated:			
5)	BRIEF DESCRIPTION OF CONTRACT	Repair / Renovation of Deputy Secretary	Flat No.31 Block-6 Cli		
6)	FORUM THAT APPROVED THE SCHEME				
7)	TENDER ESTIMATED VALUE	Rs.10,00,000/-			
8)	ENGINEER'S ESTIMATE (For civil works only)	Rs.10,71,900/-			
9)	ESTIMATED COMPLETION PERIOD (AS P	ER CONTRACT) Two Months			
	TENDER OPENED ON (DATE & TIME)	04-11-2016 @ (2:00 P.M)			
11)	NUMBER OF TENDER DOCUMENTS SOLI (Attach list of buyers)) ^{3. No's}			
12)	NUMBER OF BIDS RECEIVED	3. No's			
,	NUMBER OF BIDDERS PRESENT AT THE	S			
14)	BID EVALUATION REPORT (Enclose a copy)				
15)	NAME AND ADDRESS OF THE SUCCESSE	FUL BIDDER M/s. R. Irfan Builde	ers 		
16)	CONTRACT AWARD PRICE	Rs.9,97,363/-			
17)	RANKING OF SUCCESSFUL BIDDER IN E- (i.e. 1 st , 2 nd , 3 rd EVALUATION BID).	VALUATION REPORT (i) M/s. R. Irfan Builders	_ 		
		(ii) M/s. BMH Enterprises			
		(iii) M/S. A.R Enterprises			
18)	METHOD OF PROCUREMENT USED : - (Ti	ick one)			
	a) SINGLE STAGE ONE ENVELOPE	PROCEDURE Domestic	Domestic/ Local		
	b) SINGLE STAGE – TWO ENVELOPE	х			
	e) TWO STAGE BIDDING PROCEDU	х			
	d) TWO STAGE – TWO ENVELOPE B	SIDDING PROCEDURE	×		
	PLEASE SPECIFY IF ANY OTHER EMERGENCY, DIRECT CONTRACTIN		AS ADOPTED i.e.		


) WHE	THER THE PROCUREMENT WAS INCLUDED I	N ANN	NUAL PROCUREMENT PLAN?
			Yes / No
l) ADVI	ERTISEMENT:		
i)	SPPRA Website (If yes, give date and SPPRA Identification No.)	Yes	Sr. No.30190.
		No	
ii)	News Papers (If yes, give names of newspapers and dates)	Yes	x
		No	
2) NATU	JRE OF CONTRACT		Daticals/ Int.
WAS	THER QUALIFICATION CRITERIA INCLUDED IN BIDDING / TENDER DOCUMEN s, enclose a copy)	TS?	Yes No /
WAS	THER BID EVALUATION CRITERIA INCLUDED IN BIDDING / TENDER DOCUMEN s. enclose a copy)	TS?	Yes V No
	THER APPROVAL OF COMPETENT AUTHORITHOD OTHER THAN OPEN COMPETITIVE BIDD		AS OBTAINED FOR USING A Yes No No
6) WAS	BID SECURITY OBTAINED FROM ALL THE BI	IDDER	Yes V No
	THER THE SUCCESSFUL BID WAS LOWEST E BEST EVALUATED BID (in case of Consultancies		JATED Yes No
	THER THE SUCCESSFUL BIDDER WAS TECHN PLIANT?	NICAL	.I.Y Yes No 🗸
	THER NAMES OF THE BIDDERS AND THEIR TIME OF OPENING OF BIDS?	QUOT	TED PRICES WERE READ OUT AT
ov Wille	THER EVALUATION REPORT GIVEN TO	BIDD	DERS BEFORE THE AWARD OF

(If yes, give details)		Yes	DER NOTICE / DOCUMENTS X
	ON MADE IN RESPONSE TIM	IE? Yes	
(If yes, give reasons)		No	X
34) DEVIATION FROM Q (If yes, give detailed re	QUALIFICATION CRITERIA asons.)	Yes	×
		No	
35) WAS IT ASSURED BLACK LISTED?	BY THE PROCURING AGE	NCY THAT TI	HE SELECTED FIRM IS NOT
SUPPLIER'S PREMIS	SES IN CONNECTION WITH EGARDING FINANCING OF	THE PROCUR	OCURING AGENCY TO THE EMENT? IF SO, DETAILS TO OAD: Yes No No V
	EGUARDS PROVIDED ON ANK GUARANTEE ETC.)?	MOBILIZATIO	ON ADVANCE PAYMENT IN Yes No
38) SPECIAL CONDITION (If yes, give Brief Desc		Yes	х
		No	

<u>SPPRA, Block. No.8, Sindh Secretariat No.4-A, Court Road, Karachi</u> Tele: 021-9205356; 021-9205369 & Fax: 021-9206291

Print Save Reset

3490 20S



PAKISTAN

SPECIAL ADHESIVE

3300

SUPERINTENDEN UP Office City Coun Kerachi

FORM OF CONTRACT AGREEMENT

THIS CONTRACT AGREEMENT (hereinafter called the "Agreement") made on the 23rd day of Decemer-2016 between Executive Engineer, Provincial Buildings Division No.I, Karachi (hereinafter called the "Procuring Agency") of the one part and M/s. R. Irfan Builders (hereinafter called the "Contractor") of the other part.

WHEREAS the Procuring Agency is desirous that certain Works, viz Repair / Renovation of Deputy Secretary Flat No.31 Block-6 Clifton Karachi (Residence of Managed Ahmed Sheikh Deputy Secretary Budget SGA&CD), and amount of Rs. 33/-(Rupees= Nine Lac Ninety Seven Thousand Three Hundred & Sixty Three of the be executed by the Contractor and has accepted a Bid by the Contractor for the execution and completion of such Works and the remedying of any defects therein.

NOW this Agreement witnesseth as follows:

- 1. In this Agreement words and expressions shall have the same rheanings as are respectively assigned to them in the Conditions of Contract hereinafter referred to.
- 2. The following documents after incorporating addenda, if any except those parts relating to Instructions to Bidders, shall be deemed to form and be read and construed as part of this Agreement, viz:
 - (a) The Letter of Acceptance;
 - (b) The completed Form of Bid along with Schedules to Bid;
 - (c) Conditions of Contract & Contract Data;
 - (d) The priced Schedule of Prices/Bill of quantities (BOQ);
 - (e) The Specifications; and
 - (f) The Drawings
- 3. In consideration of the payments to be made by the Procuring Agency to the Contractor as hereinafter mentioned, the Contractor hereby covenants with the Procuring Agency to execute and complete the Works and remedy defects therein in conformity and in all respects within the provisions of the Contract.
- 4. The Procuring Agency hereby covenants to pay the Contractor, in consideration of the execution and completion of the Works as per provisions of the Contract. Price or such other sum as may become payable under the provisions of the Contract at the times and in the manner prescribed by the Contract.

IN WITNESS WHEREOF the parties hereto have caused this Contract Agreement to be executed on the day, month and year first before written in accordance with their respective laws.

Signature of the Contactor

(M/s. R. Irfan Builders) Government Contractor Signature of the Procuring Agency (SALEEM ALI KHOWAJA) (EXECUTIVE ENGINEER)
Province & Continue Contin

Signed, Sealed and Delivered in the presence of:

Witness:

(M/s. Hussain Mustafa & Co.)
Government Contractor

(M/s. Khalil Khan & Co.) Government Contractor



OFFICE OF THE EXECUTIVE ENGINEER, PROVINCIAL BUILDINGS DIVISION NO. I, KARACHI.

Barrack No.18, Block 4-A, Sindh Secretariat Saddar Karachi Ph: 021-99203183

No. TC/G-55/W.O/2861

Karachi dated: 23/12/2016

To,

M/s. R. Irfan Builders, Government Contractor,

Karachi.

Subject: -

WORK ORDER.

REPAIR / RENOVATION OF DEPUTY SECRETARY FLAT NO.31 BLOCK-6
CLIFTON KARACHI (RESIDENCE OF MR. SAEED AHMED SHEIKH DEPUTY

SECRETARY BUDGET SGA&CD).

Reference: -

This office "Letter of Acceptance" No.TC/G-55/PBD-1/2852 dated: 23-12-2016.

With reference to the above cited letter No, you are now requested to start to work within 07 days after the issuance of this letter.

The work will be started under the supervision of Assistant Engineer, Provincial Buildings Sub Division No.1, Karachi. The time for completion of this work is 02-Months from the date of start of work.

(SALEEM ALI KHOWAJA)

EXECUTIVE ENGINEER

Provincial Buildings Division No. 1,

Karachi.

Copy forwarded with compliments for information to:-

- The Superintending Engineer, Provincial Buildings Circle, Karachi with reference to this office letter No. Quoted above.
- ii) The Assistant Engineer, Provincial Buildings Sub-Division No.1, Karachi. He should ensure that no extra item and excess quantity over Schedule B is carried out unless specific permission is accorded from the competent authority. He is also required to report the actual date of start of the work and to submit physical progress in un-ambiguous manner with current financial consumption accordingly.

There should be no change in the specification/plan/design already approved of the work at later stage. The contractor's signature on the plan and design must be taken in their acceptance. Departure from this will make the Assistant Engineer responsible for the change made if any.

He should also ensure that the individual quantity of the items provided in the Estimate / Schedule-B do not exceed, failing which he shall be held responsible for violation.

D.A/as above
True copy of Schedule - B.

VEXECUTIVE ENGINEER

Provincial Buildings Division No. 1,

Karachi

SCHECULE B.

SCHECULE B.				
MAME OF WORK:- SIR to Deputy Secretary Flat No. 31, at GOR Bath	ı İsland Kara	chi		
DESCRAPTION OF ITEMS	QUTY	RATE		AMOUNT
Scraping ordinary distemper oil bound distemper on walls(S.I.NO.54-	5614.00	226/88 /	% Sx]12737 · (
/V13)	Sft /	<u> </u>	<u> </u>	
Distempering two coats (S.I.NO.24-b/P-54)	1632.95	1043/90 🗸	% Sft	17046/
Painting doors and windows any type any type(S.I.NO.4-C-I+II/68)	735.23 Sft.	1160/06	% Sft	8529
P/I: First class deodar wooden ward rob i/c boxing with back shaves	138 0 Sft	2364/63	P. Sft	319225
shotters drawers, and brass fitting such as handles locking	1,03,0 2 \			31771
arrangement hanger rod shoe rod and mirror measuring 2'x3'x1'	/	12/13	i "\	
complete as per approved design (S.I.NO 2<-p/61)			フィー	·
Total A	7 mm - 7	P/36	de	357537
PART C. N.S.I.		イイノ	7	
PIF wooden floor tiles water proof imported quality approved colour &	658.00	549.59	o sit	20121.21
design size 8"x30"x3/8" fixing on floor with special adhesive /glue	4	77.37	1 i	361242/=
after rubbing the existing floor with sand paper & cleaning the floor	-{ !	\ /7	F	/
from thirst 3 any kind of stain or oil in/c cutting in paper profile etc.	- 1			:
paraplete in all respect as directed by the E			: !	!
Hieraing oid surface & painting with	3981.0sft /	34/_	P Sft	135354/=
Mail finish i/c scrapping filling of joints and cracks with fine finishing	6	ルンフェ /	; I	10000
including all respect labor, as directed by the Engineer In charge eld	i ' /	X-X		
complete.		1	<u> </u>	
Pit English Commode i/c all kinds of flush tank making requisite No	1-Nos	22450	∤ Each ⊸	22450/=
or boils repairing cement mortar etc comple e (imported make).		k	<u>.</u>	/
Supplying & Fixing Water heater (Geyser 30-gallons) capacity best	1-No./	27000/=	∐(Each	27000/=
chality of singer make i/c cartage etc compl ≱te.	1Y	i / .		7-
Providing and fixing of fine quality exhaust fan royal make or equal	2-Nos	2750/=	i £ aun	monal.
equality 6" metal body etc including making frame and necessary	' '	~ :-/-	1/	: 550 0/±0 (*)
Stricting wiring and connection etc compete.		l	/ .	i 🖊 🗡 🕍
Supplying and fixing wall bracket fan 18" sweep best quality of pak	2-Nos	4480/4	Hach	8960/=
ന്നം Would or royal fan as approved including Hanging rod canopy etc	i (X	i	7-
%37 necessary electric wiring and connection etc complete.		1	, i	I
3 cancy type wall light with glass and fancy frame work as approved	9-Nos	5980/=	\ Hach	53820 <u>-</u>
Jesign and shape i/c reassembling and necessary electric wiring and	· ·	l		
connection etc complete.		.		
S/F ceiling (an 56" sweep heavy pattern make GFC or equivalent	2-Nos/	6450/	Each	:/2 <i>900/</i> _
quality itc fixing of existing position with electric connection and	, ch	4 - · /-	7	/-
an tage etc. as directed by the E.I.	1	- <u>-</u> ,- -	$I_{\rm constant}$:
Providing and fixing UPVC pipe 1/2 dia including cutting making and	150-Rft	\\ 84/=/	fjæ Ruc	12600/=
junting with switch pest with special approved quality including all		\mathbb{N} \mathbb{Z}		/
cost of labour as directed by the engineer in charge etc complete.				207200
Total B	‡	4	.:	997363/.
G Total Rs,	4			

TERMS AND CONDITION

- $\forall n_{7} \ \text{typographical errors}$ in the schedule B are subject to the correction with Waterence to the Schedule of rate General 2012 enforced from 12.07.2012 as resproved by the S.R.C., Sindh Karachi.
- 2) Arbitration clause stands deleted from the agreement.
- 3) Itto premium shall be paid on a Non schedule items.
- 1 30% WELL Graded crushed bajri shall be used in items of work without any extra payment
- 5) No Any items of exviceed then the Quantity Provided in the Schedule B without Prior of the Executive Engineer.

5. All sample of items should be got approved by the Executive/

ASSISTANT ENGINEER
PROVINCIAL BUILDINGS SUB DIVISION-I
KARACHI.

Executive Engineer, Provincial Buildings Division No. L. Karachi.

COMPRADION

SINDH PUBLIC PROCUREMENT REGULATORY AUTHORITY

CONTRACT EVALUATION FORM

TO BE FILLED IN BY ALL PROCURING AGENCIES FOR PUBLIC CONTRACTS OF WORKS, SERVICES & GOODS

1)	NAME OF THE ORGANIZATION / DEPTT.	Works and Services Department					
2)	PROVINCIAL / LOCAL GOVT./ OTHER	Provincial.					
3)) TITLE OF CONTRACT Provincial Buildings Division No.1, Karachi.						
4)	TENDER NUMBER N.I.T No TC/G-55/2016-17/2199 Dated 19-10-2016.						
5)	BRIEF DESCRIPTION OF CONTRACT Special Repair of Deputy Secretary Flat No.59 GOR-I Bath I						
6)	Competent Authority						
7)	Rs.7,47,000/-						
8)	ENGINEER'S ESTIMATE (For civil works only)	Rs.7,56,400/-					
9)	ESTIMATED COMPLETION PERIOD (AS P.	ER CONTRACT) Two Months					
	TENDER OPENED ON (DATE & TIME)	04-11-2016 @ (2:00 P.M)					
11)	NUMBER OF TENDER DOCUMENTS SOLI (Attach list of buyers)	3. No's					
12)	NUMBER OF BIDS RECEIVED	3. No's					
13)	3) NUMBER OF BIDDERS PRESENT AT THE TIME OF OPENING OF BIDS 3. No's						
14)	BID EVALUATION REPORT (Enclose a copy)	Attached					
15)	15) NAME AND ADDRESS OF THE SUCCESSFUL BIDDER M/s. Pearl Engineering & Trading Co.						
16)	CONTRACT AWARD PRICE	Rs.7,46.074/-					
17)	RANKING OF SUCCESSFUL BIDDER IN EV (i.e. 1st, 2nd, 3rd EVALUATION BID).	VALUATION REPORT (i) M/s. Pearl Engineering & Trading Co.					
		(ii) M/s. Khan Associates					
		(iii) M/s. Faiq Enterprises					
18)	METHOD OF PROCUREMENT USED: - (Ti	ck one)					
a) SINGLE STAGE – ONE ENVELOPE PROCEDURE Domestic							
b) SINGLE STAGE – TWO ENVELOPE PROCEDURE							
	c) TWO STAGE BIDDING PROCEDUR	RE x					
	d) TWO STAGE – TWO ENVELOPE B	IDDING PROCEDURE X					
	PLEASE SPECIFY IF ANY OTHER EMERGENCY, DIRECT CONTRACTING	METHOD OF PROCUREMENT WAS ADOPTED i.e. G ETC WITH BRIEF REASONS					

Ċ	WHETI	HER THE PROCUREMENT V	VAS INCLUDED IN	ANN	IUAL PR		MENT	1	N?	71
						Yes	[<u> </u>	No	<u> </u>	Ш
1)	ADVER	TISEMENT:	Г					_		
	i)	SPPRA Website (If yes, give date and SPPRA	Identification No.)	Yes	Sr. No.30	190				
				No						
	ii)	News Papers (If yes, give names of newspa	ipers and dates)	Yes		х				
				No						•
2)	NATUR	E OF CONTRACT				Domestic/ Lacaj	V	Int.		
	WAS IN	HER QUALIFICATION CRIT ICLUDED IN BIDDING / TE enclose a copy)		S?		Yes		No	I	1
ĺ	WAS IN	HER BID EVALUATION CRI ICLUDED IN BIDDING / TE enclose a copy)		S?		Yes	✓	No		
		HER APPROVAL OF COMPE DO OTHER THAN OPEN CO.			S OBTA	NED FO	R US	NG A		
6)	WAS B	ID SECURITY OBTAINED F	ROM ALL THE BID	DER	S?	Yes	✓	No		
		HER THE SUCCESSFUL BID EST EVALUATED BID (in ca		ALU,	ATED	Yes		No	\	
	WHET! COMPL	IER THE SUCCESSFUL BID IANT?	DER WAS TECHNIO	CALI	.Y	Yes		No	 ✓	
		HER NAMES OF THE BIDD ME OF OPENING OF BIDS?	ERS AND THEIR Q	UOT	ED PRIC	Yes	RE RE	AD O	UT /	AT

31) ANY COMPLAINTS RECEIVED (If yes, result thereof)	Yes	х
	No	
32) ANY DEVIATION FROM SPECIFICATIONS GIVEN	IN THE TENDER	NOTICE / DOCUMENTS
(If yes, give details)	Yes	х
	No	
33) WAS THE EXTENSION MADE IN RESPONSE TIME	l f	
(If yes, give reasons)	Yes	x
	No	
34) DEVIATION FROM QUALIFICATION CRITERIA		
(If yes, give detailed reasons.)	Yes	x
	No	
35) WAS IT ASSURED BY THE PROCURING AGENO BLACK LISTED?	CY THAT THE SI	Yes No No
36) WAS A VISIT MADE BY ANY OFFICER/OFFICIAL SUPPLIER'S PREMISES IN CONNECTION WITH T BE ASCERTAINED REGARDING FINANCING OF V (If yes, enclose a copy)	HE PROCUREME	NT? IF SO, DETAILS TO
37) WERE PROPER SAFEGUARDS PROVIDED ON M THE CONTRACT (BANK GUARANTEE ETC.)?	OBILIZATION A	DVANCE PAYMENT IN Yes No
38) SPECIAL CONDITIONS, IF ANY (If yes, give Brief Description)	Yes	х
	No	
Signature & Official Stamp of (SALEEM ALI KHOWA.	JA)	
Authorized Officer Executive Engineer.	•	
Provincial Buildings Division No	o. 1,	
OR OFFICE USE ONLY		
SDDD 4 Plock No 9 Sindh Se		

SPPRA, Block. No.8, Sindh Secretariat No.4-A, Court Road, Karachi Tele: 021-9205356; 021-9205369 & Fax: 021-9206291


Print

Save

Reset



res



FORM OF CONTRACT AGREEMENT

THIS CONTRACT AGREEMENT (hereinafter called the "Agreement") made on the 23rd day of Decemer-2016 between Executive Engineer, Provincial Buildings Division No.I, Karachi (hereinafter called the "Procuring Agency") of the one part and M/s. Pearl Engineering & Trading Co. (hereinafter called the "Contractor") of the other part.

WHEREAS the Procuring Agency is desirous that certain Works, viz Special Repair of Deputy Secretary Flat No.59 GOR-I Bath Island Karachi, and amount of Rs.7,46,074/-(Rupees= Seven Lac Forty Six Thousand & Seventy Four only) should be executed by the Contractor and has accepted a Bid by the Contractor for the execution and completion of such Works and the remedying of any defects therein.

NOW this Agreement witnesseth as follows:

١

- 1. In this Agreement words and expressions shall have the same meanings as are respectively assigned to them in the Conditions of Contract hereinafter referred to.
- 2. The following documents after incorporating addenda, if any except those parts relating to Instructions to Bidders, shall be deemed to form and be read and construed as part of this Agreement, viz:
 - (a) The Letter of Acceptance;
 - (b) The completed Form of Bid along with Schedules to Bid;
 - (c) Conditions of Contract & Contract Data;
 - (d) The priced Schedule of Prices/Bill of quantities (BOQ);
 - (e) The Specifications; and
 - (f) The Drawings
- 3. In consideration of the payments to be made by the Procuring Agency to the Contractor as hereinafter mentioned, the Contractor hereby covenants with the Procuring Agency to execute and complete the Works and remedy defects therein in conformity and in all respects within the provisions of the Contract.
- 4. The Procuring Agency hereby covenants to pay the Contractor, in consideration of the execution and completion of the Works as per provisions of the Contract. Price or such other sum as may become payable under the provisions of the Contract at the times and in the manner prescribed by the Contract.

IN WITNESS WHEREOF the parties hereto have caused this Contract Agreement to be executed on the day, month and year first before written in accordance with their respective laws.

Signature of the Contactor

(M/s. Pearl Engineering & Trading Co.) Government Contractor

Provintal billings Prision No.1, Karachi No. Karachi.

Signed, Sealed and Delivered in the presence of:

Witness:

(M/s. Khan Associates) Government Contractor

Witness:

(M/s. A.R Enterprises) Government Contractor



OFFICE OF THE EXECUTIVE ENGINEER, PROVINCIAL BUILDINGS DIVISION NO. I, KARACHI.

Barrack No.18, Block 4-A, Sindh Secretariat Saddar Karachi Ph: 021-99203183

No. TC/G-55/W.O/2862

Karachi dated: 23/12/2016

To.

M/s. Pearl Engineering & Trading Co.

Government Contractor,

Karachi.

Subject: -

WORK ORDER.

SPECIAL REPAIR OF DEPUTY SECRETARY FLAT NO.59 GOR-I BATH ISLAND

KARACHI.

Reference: -

This office "Letter of Acceptance" No.TC/G-55/PBD-I/2853 dated; 23-12-2016.

With reference to the above cited letter No, you are now requested to start to work within 07 days after the issuance of this letter.

The work will be started under the supervision of Assistant Engineer, Provincial Buildings Sub Division No.I, Karachi. The time for completion of this work is 02-Months from the date of start of work.

(SALEEM ALI KHOWAJA)

EXECUTIVE ENGINEER

Provincial Brildings Division No. I

Copy forwarded with compliments for information to:-

- The Superintending Engineer, Provincial Buildings Circle, Karachi with reference to this office letter No.
 Quoted above.
- ii) The Assistant Engineer, Provincial Buildings Sub-Division No.I, Karachi. He should ensure that no extra item and excess quantity over Schedule B is carried out unless specific permission is accorded from the competent authority. He is also required to report the actual date of start of the work and to submit physical progress in un-ambiguous manner with current financial consumption accordingly.

There should be no change in the specification/plan/design already approved of the work at later stage. The contractor's signature on the plan and design must be taken in their acceptance. Departure from this will make the Assistant Engineer responsible for the change made if any.

He should also ensure that the individual quantity of the items provided in the Estimate / Schedule-B do not exceed, failing which he shall be held responsible for violation.

D.A/as above

True copy of Schedule – B.

CEXECUTIVE ENGINEER
Provincial Buildings Division No. I,

Karachi

SCHEDULE B

RAME OF WORK:- S/R to Deputy Secretary Flat No. 59, at GOR Bath Is Land Karachi.

110

Pir First class deodar wooden ward rob id boxing with back shaves shutters drawers, and brass fitting such as handles locking arrangement hanger rod shee rod and mirror mussuring 2 x/3 xt 'complete as per approved design is I.NO 24-prof1) Fixing expanded metal with 1' deodar wooden strips and solvews(22-a/61) Providing and fixing with sunk fron screw wooden Architrave approved design / shape having with not less than 2-1/2 inches as directed by Engineer in charge(S.I.No 60 /66) Pir Aluminum sheet on doors pasted with glue as per requirement. (S.I.61/p-66). Sit (1786-13) Froviding and fixing approved quality mortise lock (s.i.No. 1-No. 1786-13) Froviding and fixing approved quality mortise lock (s.i.No. 1-No. 1786-13) First class deodar wood wrought joinery in doors and continuous etc fixed in position including chowkats hold fasts arges, iron tower botts chocks clasts handles and cords with hooks etc deodar paneled or paneled and glazed or fully plazed (b)1-3/4* fix(S.I.NO.7-b/58).(1273/76) (1) Frant C W/S & S/F Supplying and fixing fiber glass tank of approved quality and design and wall thickness as specified including cost of nut ubits and fixing in plate form of cement concrete 1 3.6, and wall and connections for in let outlet and over flow intel outlet dow pipes etc complete 1000 gallons capacity (S.I.NO. 3-b/21) Sir concealed tee stop cock of superior quality with cp head 1-No. 10946 Sir and bit block of superior quality with cp head 1-No. 10946 Sir and bit block of superior quality with cp head 1-No. 2862/y 5ach 247 John Sir					
### Pirist class deodar wooden ward not lic boxing with back shaves shutters drawers, and brass fitting such as handles locking arrangement hanger rod shee rod and mirror measuring 7x3 x1 complete as per approved design (STNO 24-p/61) ### wing expanded metal with 1' deodar wooden strips and surews(22-a/61) ### Providing and fixing with sunk iron screw wooden Architrave approved design / shape having with not less than 2-1/2 inches as directed by Engineer in charge. (S. I.No. 60 /66) ### Providing and fixing with sunk iron screw wooden Architrave approved design / shape having with not less than 2-1/2 inches as directed by Engineer in charge. (S. I.No. 60 /66) ### Providing and fixing with sunk iron screw wooden Architrave approved design / shape having with not less than 2-1/2 inches as directed by Engineer in charge. (S. I.No. 60 /66) ### Providing and fixing with sunk iron screw wooden Architrave approved design / shape having with not less than 2-1/2 inches as directed by Engineer in charge. (S. I.No. 60 /66) ### Providing and fixing approved quality mortise lock (s. I.No. 1-1/30. 1786-17 Elaca 1	DESCRAPTION OF ITEMS	OUTY	RATE	i ŪNIT	LAMOURT
locking arrangement hanger rod shoe rod and mirror measuring X3/X1 complete as per approved design (S LNO 24-p/61) Fixing expanded metal with 11 deodar wooden strips and sorews(22-a/61) Providing and fixing with sunk iron screw wooden Architrave approved design / shape having with not less than 2-1/2 inches as directed by Engineer in charge. (S.I.No. 60 /66) Pir Aluminum sheet on doors pasted with glue as per requirement. (S.I.61/p-66). Sitt (S.I.61/p-66). Froviding and fixing approved quality mortise lock (s.I.No. 1-No. 1786.12 Each 2-26) First class deodar wood wrought joinery in doors and cindows etc fixed in position including chowkats hold fasts for ges, iron lower bolts chocks clears handles and cords with pooks etc deodar paneled or paneled and glazed or fully glazed (b) 1-3/4* fixel(S.I.NO. 7-b/58).(12737/5) (c) 57: 53-902/93 (Only Shutter). Fant C W/S & S/F Supplying and fixing fiber glass tank of approved quality and bas gn and wall thickness as specified including cost of nut Latis and fixing in plate form of cement concrete 1-3.6, and six ground more clients for in the toutlet and over flow intel cudlet low pipes etc complete 1000 gallons capacity (S.I.NO. 3-b21). S/F concealed tes stop cock of superior quality with cp head 1-No 2882/y Each 24/51 (S.I.3-a/19). S/F concealed tes stop cock of superior quality with cp head 1-No 2882/y Each 24/51 (S.I.3-a/19). S/F concealed tes stop cock of superior quality with CP head 1-No 2882/y Each 24/51 (S.I.3-a/19). S/F concealed tes for cock of superior quality with CP head 1-No 2882/y Each 24/51 (S.I.13-a/19). S/F concealed tes for cock of superior quality with CP head 1-No 2882/y Each 24/51 (S.I.13-a/19). S/F concealed tes for cock of superior quality with CP head 1-No 812/40 Each 8:22 (S.I.14-a/19). S/F concealed tes for cock of superior quality with CP head 1-No 812/40 Each 8:22 (S.I.14-a/19).	P/IF First class deodar wooden ward rob i/c boxing with back shaves shutters drawers, and brass fitting such as handles	169.25 Sft			
### String 2**3**If complete as per approved design (\$ INO 24-p/61) Fixing expanded metal with 1" deodar wooden strips and sorews(22-a661) Providing and fixing with sunk iron screw wooden Architrave approved design / shape having with not less than 2-1/2 Str. anches as directed by Engineer in charge. (\$ I.No. 60 /66) Pit Aluminum sheet on doors pasted with glue as per retruirement. (\$ I.61/p-66). Froviding and fixing approved quality mortise lock (\$ I.No. 1-No. 1786.17 Each 2-1/20). Froviding and fixing approved quality mortise lock (\$ I.No. 1-No. 1786.17 Each 2-1/20). First class deodar wood wrought joinery in doors and control was to fixed in position including chowkats hold fasts for ges, iron tower bolts chocks clears handles and cords with books et deodar paneled or paneled and glazed or fully plazed (b)1-3/4" thick(\$ I.NO.7-b/58).(1273/76).(-) 27-65-902/93 (Only Shutter). First C W/S & S/F. Supplying and fixing fiber glass tank of approved quality and design and wall thickness as specified including cost of nut Lots and fixing in plate form of cement concrete 1-3.6, and diad in a connections for in let outlet and over flow intel outlet dow pipes etc complete 1000 gallons capacity (S.I.NO. 3-b21). Sife concealed tee stop cock of superior quality with cp head 3-Nos 843/82 Each 24/1 Fixe (S.I.12-4/18). Sife and bib cock of superior quality with cp head 3-Nos 109/48 Each 24/1 Fixe (S.I.12-4/19). Fixer concealed tee stop cock of superior quality with CP head 1-Nos 2882// Each 24/1 Fixer (S.I.12-4/19). Fixer and fixing in plate form of cement concrete in the superior quality with CP head 1-Nos 2882// Each 24/1 Fixer (S.I.12-4/19). Fixer and fixing in plate form of cement concrete in the superior quality with CP head 1-Nos 2882// Each 24/1 Fixer (S.I.12-4/19). Fixer and fixing fixing bath room accessories set(7 piece) I/C 1-Nos 8122/40 Each 8:22 Each 24/1 Fixer (S.I.12-4/19).	 locking arrangement hanger rod shoe rod and mirror 		/	1 7	'
First class deodar wood wrought joinery in doors and clinidows etc fixed in position including chowkats hold fasts briggs, front lower bots chocks clears handles and glazed or fully glazed (1)1-34* (1)1-35* (2)	measuring 2'x3'x1' complete as per approved design	ĺ	! :	;	1
Providing and fixing with sunk iron screw wooden Architrave approved design / shape having with not less than 2-1/2 St. st. screws (22-a/61). St. screws (22-a/61) St. screws (22-a/61). St. screws (2	; (SI.NO 24-p/61)		İ	}	
approved design / shape having with not less than 2-1/2 inches as directed by Engineer in charge(S.I.No.60/66) P/I Aluminum sheet on doors pasted with glue as per requirement. (S.I.61/p-66). Stroviding and fixing approved quality mortise lock (s.i.No. 1-No. 1786.12 Each 2-1/20) Total A Part B S. Item First class deodar wood wrought joinery in doors and wintdows etc fixed in position including chowkats hold fasts binges, fron tower bolts chocks cleats handles and cords with hooks etc deodar paneled or paneled and glazed or fully glazed (b)1-3/4" thick(S.I.NO.7-b/58).(1273/76) (-) 27-65-902/93 (Only Shutter). Fort C WIS & SIF Supplying and fixing fiber glass tank of approved quality and design and wall thickness as specified including cost of nut uotts and fixing in plate form of cernent concrete 1 3.6, and enabling connections for in let outlet and over flow inlet outlet dow pipes etc complete 1000 gallons capacity (S.I.NO.3-b/21) SiF concealed tee stop cock of superior quality with cp head 3-Nos 843/02 Each 24/31 SiF concealed the stop cock of superior quality with cp head 3-Nos 1109/43 Each 24/21 SiF concealed the stop cock of superior quality with cp head 3-Nos 1109/43 Each 24/21 SiF concealed the stop cock of superior quality with cp head 3-Nos 1109/43 Each 24/21 SiF concealed the stop cock of superior quality with cp head 3-Nos 24/20 Each 24/21 SiF concealed the stop cock of superior quality with cp head 3-Nos 24/20 Each 24/21 SiF concealed the stop cock of superior quality with cp head 3-Nos 24/20 Each 24/21 SiF concealed the stop cock of superior quality with cp head 3-Nos 24/20 Each 24/21 SiF concealed the stop cock of superior quality with cp head 3-Nos 24/20 Each 24/21 SiF concealed the stop cock of superior quality with cp head 3-Nos 24/20 Each 24/21 SiF concealed the stop cock of superior quality with cp head 3-Nos 24/20 Each 24/21 SiF cock of the stop cock of superior quality with cp head 3-Nos 24/20 Each 24/20 Each 24/20 Each 24/20 Each 24/20 Each 24/20 Each 24/20 Each 24/20	in xing expanded metal with 1" deodar wooden strips and screws(22-a/61)	40.50	296/05	ÎP. Sfi	11990
approved design / shape having with not less than 2-1/2 inches as directed by Engineer in charge. (S.I.No. 60 /66) P/I Aluminum sheet on doors pasted with glue as per requirement. (S.I.61/p-66). Stroviding and fixing approved quality mortise lock (s.i.No. 1-No. 1786-12 Each 2-1/50) Total A Part B S. Item First class deodar wood wrought joinery in doors and windows etc fixed in position including chowkats hold fasts binges, iron tower bolts chocks cleats handles and cords with hooks etc deodar paneled or paneled and glazed or fully glazed (b)1-3/4" thick(S.I.NO.7-b/58).(1273/76) (-) 27-65-902/93 (Only Shutter). Fart C WIS & S/F Supplying and fixing fiber glass tank of approved quality and design and wall thickness as specified including cost of nut botts and fixing in plate form of cernent concrete 1.3.6, and making connections for in let outlet and over flow inlet outlet flow pipes etc complete 1000 gallons capacity (S.I.NO. 3-b21). S/F concealed tee stop cock of superior quality with cp head 3-Nos 843/02 Each 24/51 (24.12/18). S/F cong bits cock of superior quality with cp head 4/5 (a. S.1.12-a/19). S/F wash basin mixture of superior quality with cp head 1-No 2882/ Each 2-62/1/1 (d.a.(S.1.14-a/19)). For vicing and fixing 15'x12' beveled edge mirror of Belgium disas complete with 1/8" thick hard board and C.P. screws based to wooden pleat (b) superior patern(S.I.NO.3-b Supplying & fixing bath room accessories set(7 piece) lic covid rod, brush holder, soap tray, shelf of approved to lic covid of screws, nuise to complete (j) master brand(25/16).			l 	.1	i
inches as directed by Engineer in charge. (S.I.No.60/66) Pit Aluminum sheet on doors pasted with glue as per requirement. (S.I.61/p-66). Providing and fixing approved quality mortise lock (s.i.No. 14No. 1786.13 Lach 20/21/00). Total A Part B S. Item First class deodar wood wrought joinery in doors and windows etc fixed in position including chowkats hold fasts farges, fron tower botts chocks cleats handles and cords with hooks etc deodar paneled or paneled and glazed or fully glazed (b)1-3/4 hick(S.I.NO.7-b/58).(1273/76) (-) 27-85=902/93 (Only Shutter). For C W/S & S/F Supplying and fixing fiber glass tank of approved quality and design and wall thickness as specified including cost of nut colts and fixing in plate form of cement concrete 1.3.6, and mah by connections for in let outlet and over flow inlet outlet slow pipes etc complete 1000 gallons capacity (S.I.NO. 3-b/21) Sif concealed tee stop cock of superior quality with cp head 3-Nos 843/92 Each 1109/ (S.I.13-a/19) Sif ong bib cock of superior quality with cp head 1-Nos 1109/48 Each 24.47 plass basin mixture of superior quality with CP head 1-No 2882/ Each 24.47 plass complete with 1/8" thick hard board and C.P. screws by the following brush holder, soap tray, shelf of approved design for approved design for cost of screws, must etc. complete (hnaster brand)(25/16)	Providing and fixing with sunk iron screw wooden Architrave	1	49/97	P Sft	5097
P/I Aluminum sheet on doors pasted with glue as per requirement. (S.I.61/p-66). Sit (S.I.7) Sit (S.I.	inches as directed by Engineer in above (\$1.No.60./66)	Sft /	/	1 / '	. /
Froviding and fixing approved quality mortise lock (s.i.No. 21/60) Total A Part B S. Item First class deodar wood wrought joinery in doors and windows etc fixed in position including chowkats hold fasts bringes, iron tower bolts chocks cleats handles and cords with hooks etc deodar paneled or paneled and glazed or fully glazed (b)1-3/4" thick(S.I.NO.7-b/58).(1273/76) (-) 27 **63=902/93 (Only Shutter) First C W/S & S/F Supplying and fixing fiber glass tank of approved quality and ses.gn and wall thickness as specified including cost of nut bolts and fixing in plate form of cement concrete 1.3.6, and making connections for in let outlet and over flow inlet outlet dow pipes etc complete 1000 gallons capacity (S.I.NO. 3-b/21) S/F concealed tee stop cock of superior quality with cp head 3-Nos 843/82 Each 20/31 S/F concealed tee stop cock of superior quality with cp head 3-Nos 1109/46 Each 1109/15 13-a/19) S/F wash basin mixture of superior quality with CP head 1-No 2882/7 Each 247/15 dia (S.1.12-a/18) Froughlying & fixing 15/3/12 beveled edge mirror of Belgium glass complete with 1/8" thick hard board and C.P. screws local to wooden pleat (b)superior pattern(S.I.NO.3-b Supplying & fixing bath room accessories set(7 piece) I/c coval rod, brush holder, soap tray , shelf of approved design for coval rod, brush holder, soap tray , shelf of approved design for coval rod, brush holder, soap tray , shelf of approved design for some coval rod, brush holder, soap tray , shelf of approved design for some some coval rod, brush holder, soap tray , shelf of approved design for some some coval rod, brush holder, soap tray , shelf of approved design for some coval rod, brush holder, soap tray , shelf of approved design for some coval rod, brush holder, soap tray , shelf of approved design for some coval rod, brush holder, soap tray , shelf of approved design for some coval rod, brush holder, soap tray , shelf of approved design for some coval rod, brush holder, soap tray shelf of approved design for some coval rod for the		'.			: :
Providing and fixing approved quality mortise lock (s.i.No. 21/60) Total A Part B S. Item First class deodar wood wrought joinery in doors and windows etc fixed in position including chowkats hold fasts bringes, iron lower bolts chocks cleats handles and cords with hooks etc deodar paneled or paneled and glazed or fully glazed (b)1-3/4" thick(S.I.NO.7-b/58).(1273/76) (-) 57-63=902/93 (Only Shutter). Fart C WIS & S/F Supplying and fixing fiber glass tank of approved quality and design and wall thickness as specified including cost of nut Lotts and fixing in plate form of cement concrete 1.3.6, and making in plate form of cement concrete 1.3.6, and making connections for in let outlet and over flow inlet outlet oby pipes etc complete 1000 gallons capacity (S.I.NO. 3-b/21) S/F concealed tee stop cock of superior quality with cp head 3-Nos 843/62 Each 2/31 S/F ong bib cock of superior quality with cp head 3-Nos 1109/45 Each 1109/151 (S.I.12-a/19) S/F wash basin mixture of superior quality with CP hear 1-No 2882// Each 2/47 John (S.I.12-a/19) Investigate of screws in the stop of pattern (S.I.NO.3-b/2) Supplying & fixing bath room accessories set(7 piece) I/c coval rod, brush holder, soap tray , shelf of approved design for cost of screws, nuts etc. complete (jmaster brand)(25/16)	P/I Aluminum sheet on doors pasted with glue as per		63/77	TP Sft	1 ar 83 🗸 💎
Part B S. Item First class deodar wood wrought joinery in doors and windows etc fixed in position including chowkats hold fasts bringes, iron tower bolts chocks cleats handles and cords with books etc deodar paneled or paneled and glazed or fully glazed (b)1-3/4" thick(S.I.NO.7-b/58).(1273/76) (-) 57 *63-902/93 (Only Shutter). Fart C W/S & S/F Supplying and fixing fiber glass tank of approved quality and design and wall thickness as specified including cost of nut bolts and fixing in plate form of cement concrete 1.3.6, and math right concealed tee stop cock of superior quality with cp head shall be concealed tee stop cock of superior quality with cp head shall be concealed tee stop cock of superior quality with cp head shall be cocked of superior quality with cp head shall be cocked for superior quality with cp head shall be cocked for superior quality with cp head shall be cocked for superior quality with cp head shall be cocked for superior quality with cp head shall be cocked for superior quality with cp head shall be cocked for superior quality with cp head shall be cocked for superior quality with cp head shall be complete with 1/8" thick hard board and C.P. screws shall be wooden pleat (b) superior pattern(S.I.NO.3-b). Supplying & fixing bath room accessories set(7 piece) l/c. 1.No. 1812/40 (Each 8122) 1.No. 1812/40 (Each 8122) 1.No. 1812/40 (Each 8122) 1.No. 1812/40 (Each 8122)	reduirement. (S.I.61/p-66).	Sit (1	
Part B S. Item First class deodar wood wrought joinery in doors and windows etc fixed in position including chowkats hold fasts bringes, iron tower bolts chocks cleats handles and cords with books etc deodar paneled or paneled and glazed or fully glazed (b)1-3/4" thick(S.I.NO.7-b/58).(1273/76) (-) 57 *63-902/93 (Only Shutter). Fart C W/S & S/F Supplying and fixing fiber glass tank of approved quality and design and wall thickness as specified including cost of nut bolts and fixing in plate form of cement concrete 1.3.6, and math right concealed tee stop cock of superior quality with cp head shall be concealed tee stop cock of superior quality with cp head shall be concealed tee stop cock of superior quality with cp head shall be cocked of superior quality with cp head shall be cocked for superior quality with cp head shall be cocked for superior quality with cp head shall be cocked for superior quality with cp head shall be cocked for superior quality with cp head shall be cocked for superior quality with cp head shall be cocked for superior quality with cp head shall be cocked for superior quality with cp head shall be complete with 1/8" thick hard board and C.P. screws shall be wooden pleat (b) superior pattern(S.I.NO.3-b). Supplying & fixing bath room accessories set(7 piece) l/c. 1.No. 1812/40 (Each 8122) 1.No. 1812/40 (Each 8122) 1.No. 1812/40 (Each 8122) 1.No. 1812/40 (Each 8122)	Providing and fixing approved quality moduse lock (s.i.No.	1-No.	. 1786/1322	Faire	[- 1.86 /
First class deodar wood wrought joinery in doors and windows etc fixed in position including chowkats hold fasts bringes, iron tower bolts chocks cleats handles and cords with rooks etc deodar paneled or paneled and glazed or fully glazed (b)1-3/4" thick(S.I.NO.7-b/58).(1273/76) (-) 37 "53=902/93 (Only Shutter). Fart C W/S & S/F Supplying and fixing fiber glass tank of approved quality and design and wall thickness as specified including cost of nut bolts and fixing in plate form of cement concrete 1.3.6, and enable ng connections for in let outlet and over flow inlet outlet dow pipes etc complete 1000 gallons capacity (S.I.NO. 3-b;21). S/F: concealed tee stop cock of superior quality with cp head 1-Nos 1109/46 Each 24/31 S/F: ong bib cock of superior quality with cp head 2"dia (S.I.12a/18). S/F: ong bib cock of superior quality with cp head 2"dia (S.I.14-a/19) In vicing and fixing 15"x12" beveled edge mirror of Belgium thas scomplete with 1/8" thick hard board and C.P. screws loxed to wooden pleat (b)superior pattern(S.I.NO.3-b Supplying 8. fixing bath room accessories set(7 piece) I/c sovel rod, brush holder, soap tray, shelf of approved design I/c cost of screws, nuts etc. complete (master brand)(25/16)	21/60)			1	1 1/4
First class deodar wood wrought joinery in doors and windows etc fixed in position including chowkats hold fasts fanges, fron tower bolts chocks cleats handles and cords with hooks etc deodar paneled or paneled and glazed or fully glazed (b)1-3/4" thick(S.I.NO.7-b/58).(1273/76) (-) 27-63=902/93 (Only Shutter). Forat C W/S & S/F Supplying and fixing fiber glass tank of approved quality and design and wall thickness as specified including cost of nut Lotts and fixing in plate form of cement concrete 1.3.6, and making on connections for in let outlet and over flow inlet outlet dow pipes etc complete 1000 gallons capacity (S.I.NO. 3-b/21) S/F concealed tee stop cock of superior quality with cp head 3-Nos 843/82 Each 24/51 S/F cong bilb cock of superior quality with cp head 4"dia (S.I.12a/18). S/F cong bilb cock of superior quality with CP head 1-No 2882/-/ Each 24/51 Lott (S.I.13-a/19) S/F wash basin mixture of superior quality with CP head 1-No 2882/-/ Each 24/7 glass complete with 1/8" thick hard board and C.P. screws based to wooden pleat (b)superior pattern(S.I.NO.3-b Supplying & fixing bath room accessories set(7 piece) l/c coval rod, brush holder, soap tray , shelf of approved design for cost of screws, nuts etc. complete ()master brand)(25/16)	Total A		1 (Park	422269//
First class deodar wood wrought joinery in doors and windows etc fixed in position including chowkats hold fasts fanges, fron tower bolts chocks cleats handles and cords with hooks etc deodar paneled or paneled and glazed or fully glazed (b)1-3/4" thick(S.I.NO.7-b/58).(1273/76) (-) 27-63=902/93 (Only Shutter). Forat C W/S & S/F Supplying and fixing fiber glass tank of approved quality and design and wall thickness as specified including cost of nut Lotts and fixing in plate form of cement concrete 1.3.6, and making on connections for in let outlet and over flow inlet outlet dow pipes etc complete 1000 gallons capacity (S.I.NO. 3-b/21) S/F concealed tee stop cock of superior quality with cp head 3-Nos 843/82 Each 24/51 S/F cong bilb cock of superior quality with cp head 4"dia (S.I.12a/18). S/F cong bilb cock of superior quality with CP head 1-No 2882/-/ Each 24/51 Lott (S.I.13-a/19) S/F wash basin mixture of superior quality with CP head 1-No 2882/-/ Each 24/7 glass complete with 1/8" thick hard board and C.P. screws based to wooden pleat (b)superior pattern(S.I.NO.3-b Supplying & fixing bath room accessories set(7 piece) l/c coval rod, brush holder, soap tray , shelf of approved design for cost of screws, nuts etc. complete ()master brand)(25/16)	Part RS Item		1.4/ -\ 1.	(ļ
Part C W/S & S/F Supplying and fixing fiber glass tank of approved quality and design and cords and six part of the fixed in position for in let outlet and over flow inlet outlet down pipes etc complete 1000 gallons capacity (S.I.NO. 3-b2/1) S/F concealed tee stop cock of superior quality with cp head (S.I.12a/18). S/F ong bib cock of superior quality with cp head (S.I.12a/18). S/F ong bib cock of superior quality with cp head (S.I.12a/18). S/F ong bib cock of superior quality with cp head (S.I.12a/18). S/F ong bib cock of superior quality with cp head (S.I.12a/18). S/F ong bib cock of superior quality with CP head (S.I.12a/18). S/F ong bib cock of superior quality with CP head (S.I.12a/18). S/F ong bib cock of superior quality with CP head (S.I.12a/18). S/F ong bib cock of superior quality with CP head (S.I.12a/18). S/F ong bib cock of superior quality with CP head (S.I.12a/18). S/F ong bib cock of superior quality with CP head (S.I.12a/18). S/F ong bib cock of superior quality with CP head (S.I.12a/18). S/F ong bib cock of superior quality with CP head (S.I.12a/18). S/F ong bib cock of superior quality with CP head (S.I.12a/18). S/F ong bib cock of superior quality with CP head (S.I.12a/18). S/F ong bib cock of superior quality with CP head (S.I.12a/18). S/F ong bib cock of superior quality with CP head (S.I.12a/18). S/F ong bib cock of superior quality with CP head (S.I.12a/18). S/F ong bib cock of superior quality with CP head (S.I.12a/18). S/F ong bib cock of superior quality with CP head (S.I.12a/18). S/F ong bib cock of superior quality with CP head (S.I.12a/18). S/F ong bib cock of superior quality with CP head (S.I.12a/18). S/F ong bib cock of superior quality with CP head (S.I.12a/18). S/F ong bib cock of superior quality with CP head (S.I.12a/18). S/F ong bib cock of superior quality with CP head (S.I.12a/18). S/F ong bib cock of superior quality with CP head (S.I.12a/18). S/F ong bib cock of superior quality with CP head (S.I.12a/18). S/F ong bib cock of superior quality		.	. /	. /	İ
windows etc fixed in position including chowkats hold fasts in ges, iron tower bolts chocks cleats handles and cords with hooks etc deodar paneled and glazed or fully glazed (b)1-3/4" thick(S.I.NO.7-b/58),(1273/76) (-) 57:*65=902/93 (Only Shutter). Fart C W/S & S/F Supplying and fixing fiber glass tank of approved quality and design and wall thickness as specified including cost of nut bolts and fixing in plate form of cement concrete 1.3.6, and making connections for in let outlet and over flow inlet outlet tiow pipes etc complete 1000 gallons capacity (S.I.NO. 3-b21). S/F concealed tee stop cock of superior quality with cp head 3-Nos 843/92 Each 25/31. S/F ong bib cock of superior quality with cp head ½"dia (S.I.12a/18). S/F ong bib cock of superior quality with CP head 1-Nos 1109/46 Each 1109/ (S.I.13-a/19). If vicing and fixing 15"x12" beveled edge mirror of Belgium glass complete with 1/8" thick hard board and C.P. screws bond to wooden pleat (b)superior pattern(S.I.NO.3-b). Supplying & fixing bath room accessories set(7 piece) I/c 1-No 8122/40 Each 8122. Sovel rod, brush holder, soap tray, shelf of approved design If cost of screws, nuts etc. complete ()master brand)(25/16).	First class deodar wood wrought joinery in doors and		902/93	্টিলি	Fig. (8057)
Fart C W/S & S/F Supplying and fixing fiber glass tank of approved quality and design and wall thickness as specified including cost of nut bots and fixing in plate form of cement concrete 1.3.6, and making connections for in let outlet and over flow inlet outlet dow pipes etc complete 1000 gallons capacity (S.I.NO. 3-b/21) S/F concealed tee stop cock of superior quality with cp head Widia (S.I.12a/18). S/F cong bib cock of superior quality with cp head Widia (S.I.14-a/19) Frequing and fixing 15"x12" beveled edge mirror of Belgium glass complete with 1/8" thick hard board and C.P. screws laxed to wooden pleat (b)superior pattern(S.I.NO.3-b/21) (S.I.14-a/19) Supplying & fixing bath room accessories set(7 piece) I/c loved rod, brush holder, soap tray , shelf of approved design if/c cost of screws, nuts etc. complete ()master brand)(25/16)	windows etc fixed in position including chowkats hold fasts	Sft		! /	i /
Fully glazed (b)1-3/4" thick(S.I.NO.7-b/58).(1273/76) (-) 571/65=902/93 (Only Shutter). FOTAL Part C W/S & S/F Supplying and fixing fiber glass tank of approved quality and design and wall thickness as specified including cost of nut Lotts and fixing in plate form of cement concrete 1.3.6, and making connections for in let outlet and over flow inlet outlet dow pipes etc complete 1000 gallons capacity (S.I.NO. 3-b/21) S/F concealed tee stop cock of superior quality with cp head 3-Nos 843/Ø2 Each 24/31		' _ '		:	I
Fart C W/S & S/F Supplying and fixing fiber glass tank of approved quality and design and wall thickness as specified including cost of nut botts and fixing in plate form of cement concrete 1.3.6, and enaling connections for in let outlet and over flow inlet outlet dow pipes etc complete 1000 gallons capacity (S.I.NO. 3-b/21) S/F concealed tee stop cock of superior quality with cp head 3-Nos 843/82 Each 24/31 S/F concealed tee stop cock of superior quality with cp head // dia (S.I.12a/18). S/F concealed tee stop cock of superior quality with cp head // dia (S.I.12a/18). S/F concealed tee stop cock of superior quality with cp head // dia (S.I.12a/18). S/F concealed tee stop cock of superior quality with cp head // dia (S.I.12a/18). S/F concealed tee stop cock of superior quality with cp head // dia (S.I.12a/18). S/F concealed tee stop cock of superior quality with cp head // dia (S.I.12a/18). S/F concealed tee stop cock of superior quality with cp head // dia (S.I.12a/18). S/F concealed tee stop cock of superior quality with cp head // dia (S.I.12a/18). S/F concealed tee stop cock of superior quality with cp head // dia (S.I.12a/18). S/F concealed tee stop cock of superior quality with cp head // dia (S.I.12a/18). S/F concealed tee stop cock of superior quality with cp head // dia (S.I.12a/18). S/F concealed tee stop cock of superior quality with cp head // dia (S.I.12a/18). S/F concealed tee stop cock of superior quality with cp head // dia (S.I.12a/18). S/F concealed tee stop cock of superior quality with cp head // dia (S.I.12a/18). S/F concealed tee stop cock of superior quality with cp head // dia (S.I.12a/18). S/F concealed tee stop cock of superior quality with cp head // dia (S.I.12a/18). S/F concealed tee stop cock of superior quality with cp head // dia (S.I.12a/18). S/F concealed tee stop cock of superior quality with cp head // dia (S.I.12a/18). S/F concealed tee stop cock of superior quality with cp head // dia (S.I.12a/18). S/F concealed tee stop cock of superior quality with		ļ	بر شدر	1	
Fart C W/S & S/F Supplying and fixing fiber glass tank of approved quality and design and wall thickness as specified including cost of nut botts and fixing in plate form of cement concrete 1.3.6, and making connections for in let outlet and over flow inlet outlet dow pipes etc complete 1000 gallons capacity (S.I.NO, 3-b/21) S/F concealed tee stop cock of superior quality with cp head 3-Nos 843/82 Each 24/31 S/F cong bib cock of superior quality with cp head ½ dia 1-Nos 1109/46 Each 24/31 S/F cong bib cock of superior quality with cp head ½ dia 1-Nos 1109/46 Each 24/31 S/F cong bib cock of superior quality with CP head 1-Nos 2882/- Each 24/31 S/F cong bib cock of superior quality with CP head 1-Nos 2882/- Each 24/31 S/F cong bib cock of superior quality with CP head 1-Nos 2882/- Each 24/31 S/F cong bib cock of superior quality with CP head 1-Nos 2882/- Each 24/31 S/F cong bib cock of superior quality with CP head 1-Nos 2882/- Each 24/31 S/F cong bib cock of superior quality with CP head 1-Nos 2882/- Each 24/31 S/F cong bib cock of superior quality with CP head 1-Nos 2882/- Each 24/31 S/F cong bib cock of superior quality with CP head 1-Nos 2882/- Each 24/31 S/F cong bib cock of superior quality with CP head 1-Nos 2882/- Each 24/31 S/F cong bib cock of superior quality with CP head 1-Nos 2882/- Each 24/31 S/F cong bib cock of superior quality with CP head 1-Nos 2882/- Each 24/31 S/F cong bib cock of superior quality with CP head 1-Nos 2882/- Each 24/31 S/F cong bib cock of superior quality with CP head 1-Nos 2882/- Each 24/31 S/F cong bib cock of superior quality with CP head 1-Nos 2882/- Each 24/31 S/F cong bib cock of superior quality with CP head 1-Nos 2882/- Each 24/31 S/F cong bib cock of superior quality with CP head 1-Nos 2882/- Each 24/31 S/F cong bib cock of superior quality with CP head 1-Nos			41		
Supplying and fixing fiber glass tank of approved quality and design and wall thickness as specified including cost of nut botts and fixing in plate form of cement concrete 1.3.6, and making connections for in let outlet and over flow inlet outlet dow pipes etc complete 1000 qallons capacity (S.I.NO, 3-bf21) S/if concealed tee stop cock of superior quality with cp head 1-Nos 843/82 Each 24/31 S/if concealed tee stop cock of superior quality with cp head 1-Nos 1109/45 Each 1109/ (S.I.12a/18). S/if cong bib cock of superior quality with cp head 1/2 dia (S.I.12a/18). S/if cong bib cock of superior quality with cp head 1/2 dia 1-Nos 1109/45 Each 1109/ (S.I.13-a/19) S/if cong bib cock of superior quality with CP head 1-Nos 12882/-/ Each 20/2 20/2 Each 1109/ (S.I.14-a/19) If ovicing and fixing 15"x12" beveled edge mirror of Belgium glass complete with 1/8" thick hard board and C.P. screws 1-Nos 20/47/76 Each 20/47/ Supplying & fixing bath room accessories set(7 piece) I/C 1-No 8122/40 Each 8122/40 Supplying & fixing bath room accessories set(7 piece) I/C 1-No 8122/40 Each 8122	FOTAL		7 6	/ MI	218057/
Supplying and fixing fiber glass tank of approved quality and design and wall thickness as specified including cost of nut botts and fixing in plate form of cement concrete 1.3.6, and making connections for in let outlet and over flow inlet outlet dow pipes etc complete 1000 qallons capacity (S.I.NO, 3-b/21) S/if concealed tee stop cock of superior quality with cp head 1-Nos 843/82 Each 24/31 S/if concealed tee stop cock of superior quality with cp head 1/2 dia (S.I.12a/18). S/if concealed tee stop cock of superior quality with cp head 1/2 dia (S.I.12a/18). S/if concealed tee stop cock of superior quality with cp head 1/2 dia (S.I.12a/18). S/if concealed tee stop cock of superior quality with cp head 1/2 dia (S.I.12a/18). S/if concealed tee stop cock of superior quality with cp head 1/2 dia (S.I.14a/19) S/if cost of superior quality with cp head 1/2 dia 1/2 dia (S.I.14a/19) If ovicing and fixing 15"x12" beveled edge mirror of Belgium glass complete with 1/8" thick hard board and C.P. screws lixed to wooden pleat (b) superior pattern(S.I.NO.3-b) Supplying & fixing bath room accessories set(7 piece) I/C lowel rod, brush holder, soap tray , shelf of approved design I/c cost of screws, nuts etc. complete ()master brand)(25/16)				ı <i></i> /	
Supplying and fixing fiber glass tank of approved quality and design and wall thickness as specified including cost of nut botts and fixing in plate form of cement concrete 1.3.6, and making connections for in let outlet and over flow inlet outlet dow pipes etc complete 1000 qallons capacity (S.I.NO, 3-b/21) S/if concealed tee stop cock of superior quality with cp head 1-Nos 843/82 Each 24/31 S/if concealed tee stop cock of superior quality with cp head 1/2 dia (S.I.12a/18). S/if concealed tee stop cock of superior quality with cp head 1/2 dia (S.I.12a/18). S/if concealed tee stop cock of superior quality with cp head 1/2 dia (S.I.12a/18). S/if concealed tee stop cock of superior quality with cp head 1/2 dia (S.I.12a/18). S/if concealed tee stop cock of superior quality with cp head 1/2 dia (S.I.14a/19) S/if cost of superior quality with cp head 1/2 dia 1/2 dia (S.I.14a/19) If ovicing and fixing 15"x12" beveled edge mirror of Belgium glass complete with 1/8" thick hard board and C.P. screws lixed to wooden pleat (b) superior pattern(S.I.NO.3-b) Supplying & fixing bath room accessories set(7 piece) I/C lowel rod, brush holder, soap tray , shelf of approved design I/c cost of screws, nuts etc. complete ()master brand)(25/16)	Pag C W/S & S/F	:			
design and wall thickness as specified including cost of nut botts and fixing in plate form of cement concrete 1.3.6, and making connections for in let outlet and over flow inlet outlet flow pipes etc complete 1000 gallons capacity (S.I.NO. 3-b/21). S/F concealed tee stop cock of superior quality with opinead 3-Nos 843/82 Each 2/31 1/3 dia (S.I.12a/18). S/F long bib cock of superior quality with opinead ½"dia (S.I.12a/18). S/F long bib cock of superior quality with opinead ½"dia (S.I.13-a/19) S/F wash basin mixture of superior quality with CP heat 1-No 2882/-/ Each 2/47 If dia (S.I.14-a/19) Invitaing and fixing 15"x12" beveled edge mirror of Belgium glass complete with 1/8" thick hard board and C.P. screws bixed to wooden pleat (b) superior pattern(S.I.NO.3-b Supplying & fixing bath room accessories set(7 piece) I/c towel rod, brush holder, soap tray , shelf of approved design I/c bost of screws, nuts etc. complete ()master brand)(25/16)	· · · · · · · · · · · · · · · · · · ·	1-No	58962/94	Each	58962,
tow pipes etc complete 1000 gallons capacity (S.I.NO. 3-b/21) S/ii concealed tee stop cock of superior quality with cp head 3-Nos 843/92 Each 201 S/ii concealed tee stop cock of superior quality with cp head 3-Nos 843/92 Each 201 S/ii concealed tee stop cock of superior quality with cp head 1-Nos 1109/46 Each 1109/46 S/ii concealed tee stop cock of superior quality with cp head 1-Nos 1109/46 Each 1109/46 S/ii concealed tee stop cock of superior quality with cp head 1-Nos 1109/46 Each 1109/46 S/ii concealed tee stop cock of superior quality with cp head 1-Nos 1109/46 Each 1109/46 S/ii concealed tee stop cock of superior quality with cp head 1-Nos 1109/46 Each 1109/46 S/ii concealed tee stop cock of superior quality with cp head 1-Nos 1109/46 Each 1109/46 S/ii concealed tee stop cock of superior quality with cp head 1-Nos 1109/46 Each 1109/46 S/ii concealed tee stop cock of superior quality with cp head 1-Nos 1109/46 Each 1109/46 S/ii concealed tee stop cock of superior quality with cp head 1-Nos 1109/46 Each 1109/46 S/ii concealed tee stop cock of superior quality with cp head 1-Nos 1109/46 Each 1109/46 S/ii concealed tee stop cock of superior quality with cp head 1-Nos 1109/46 S/ii concealed tee stop cock of superior quality with cp head 1-Nos 1109/46 S/ii concealed tee stop cock of superior quality with cp head 1-Nos 1109/46 S/ii concealed tee stop cock of superior quality with cp head 1-Nos 1109/46 S/ii concealed tee stop cock of superior quality with cp head 1-Nos 1109/46 S/ii concealed tee stop cock of superior quality with cp head 1-Nos 1109/46 S/ii concealed tee stop cock of superior quality with cp head 1-Nos 1109/46 S/ii concealed tee stop cock of superior quality with cp head 1-Nos 1109/46 S/ii concealed tee stop cock of superior quality with cp head 1-Nos 1109/46 S/ii concealed tee stop cock of superior quali	design and wall thickness as specified including cost of nut		7	. ,	1
blow pipes etc complete 1000 gallons capacity (S.I.NO. 3-b/21) S/if concealed tee stop cock of superior quality with cp head 3-Nos 843/92 Each 201 197dia (S.I.12a/18). S/if long bib cock of superior quality with cp head ½"dia (S.I.12a/19) S/if wash basin mixture of superior quality with CP head 1-Nos 1109/48 Each 2080 1109/68 (S.I.14-a/19) If vicing and fixing 15"x12" beveled edge mirror of Belgium alass complete with 1/8" thick hard board and C.P. screws loxed to wooden pleat (b) superior pattern(S.I.NO.3-b Supplying & fixing bath room accessories set(7 piece) I/c towel rod, brush holder, soap tray, shelf of approved design I/c cost of screws, nuts etc. complete ()master brand)(25/16)		7	-	. 2	•
b/21) S/if concealed tee stop cock of superior quality with cp head 3-Nos 843/82 Each 2531 Fidia (S.1.12a/18). S/if long bib cock of superior quality with cp head ½"dia 1-Nos 1109/46 Each 1109/ (S.1.13-a/19) S/if long bib cock of superior quality with cp head ½"dia 1-Nos 1109/46 Each 1109/ (S.1.13-a/19) Fidia (S.1.14-a/19) F		•			
S/if long bib cock of superior quality with cp head ½"dia 1-Nos 1109/45 Each 1109/6S I 13-a/19) S/if long bib cock of superior quality with cp head ½"dia 1-Nos 1109/45 Each 1109/6S I 13-a/19) S/if long bib cock of superior quality with cp head ½"dia 1-Nos 2882/-/ Each 2680 If dia (S.I.14-a/19) If overloing and fixing 15"x12" beveled edge mirror of Belgium plass complete with 1/8" thick hard board and C.P. screws loxed to wooden pleat (b)superior pattern(S.I.NO.3-b) Supplying & fixing bath room accessories set(7 piece) I/C 1-No 18122/40 Each 8122 Identify the cost of screws, nuts etc. complete ()master brand)(25/16)		1			
S/F long bib cock of superior quality with cp head ½"dia 1-Nos 1109/45 Each 1109/6S I 13-a/19) S/F wash basin mixture of superior quality with CP head 1-No 2882/- Each 2680 It dia (S.I.14-a/19)		3-Nos	843/02	Eagh	25/31
(S I 13-a/19) S/F wash basin mixture of superior quality with CP head I -No 2882/- Ench 2880 I dia (S.I.14-a/19) I reciding and fixing 15"x12" beveled edge mirror of Belgium alass complete with 1/8" thick hard board and C.P. screws based to wooden pleat (b) superior pattern(S.I.NO.3-b) Supplying & fixing bath room accessories set(7 piece) I/C 1-No 18122/40 Each 8122 to cost of screws, nuts etc. complete ()master brand)(25/16)		1 Non	1100/49	. , . :≡,,	i ing
Still wash basin mixture of superior quality with CP head 1-No 2882/- Each 2080 1/dia (S.1.14-a/19) 1-Nos 2047/76 Each 2080 1/dia (S.1.14-a/19) 1-Nos 2047/76 Each 2047/76 Eac		1-NOS	1109/45	: :tach	1 (10)
It dia (S.1.14-a/19) If overling and fixing 15"x12" beveled edge mirror of Belgium shass complete with 1/8" thick hard board and C.P. screws state to wooden pleat (b) superior pattern(S.I.NO.3-b) Supplying & fixing bath room accessories set(7 piece) I/c sovel rod, brush holder, soap tray, shelf of approved design I/c cost of screws, nuts etc. complete ()master brand)(25/16)		1-No	2882/-/	- Each	Ži(80)
stass complete with 1/8" thick hard board and C.P. screws bxed to wooden pleat (b)superior pattern(S.I.NO.3-b) Supplying & fixing bath room accessories set(7 piece) I/c 1-No 8122/40 Each 8122 soviet rod, brush holder, soap tray, shelf of approved design I/c cost of screws, nuts etc. complete ()master brand)(25/16)					
Supplying & fixing bath room accessories set(7 piece) I/c 1-No 18122/40 Each 8122 1/c cost of screws, nuts etc. complete ()master brand)(25/16)		1-Nos	2047/76	Each	$\frac{2!47}{2}$
Supplying & fixing bath room accessories set(7 piece) I/c 1-No 18122/40 (Each 8122 towal rod, brush holder, soap tray, shelf of approved design I/c cost of screws, nuts etc. complete ()master brand)(25/16)		\mathcal{L}^{\prime}	· ·	(
towel rod, brush holder, soap tray, shelf of approved design t/o cost of screws, nuts etc. complete ()master brand)(25/16)		1-No !	8122/40 /	'Œach	18122 J
		2	1	/	: <i>-</i>
	1/4 Muslim Shower with double bib cock & ring pipe etc	1-Nos	3432/-	Hach	$1^{3452} Z$
Complete. (s.l. No.19-a/19) 75085/2	· · / ·			· <u>-</u> /.	79085
Add, 4, 00% above 3/63/=		di-	April	,	
Total (0703)=					0100/=
PARTONS.I. 82248/	· ···· // · · · · · · · · · · · · · · ·		<u> </u>		82248/=
Providing and fixing oven 5 burner 34" in size vave tech or 1-Nos 7		1-Nos	2000/	. Each,	2
A I POLICE		4)	T	•	/2
as approved quality life burner with double door/sutter // / / / / / / / / / / / / / / / / /	. Containing an object of labor fination at cartage and lixting citetings	_ <i>y</i> ,	\sim		/
as approved quality fire burner with double door/Sutter is cluding all cost of labor material cartage and fixing charges in all respect.	ar all respect.	_		1	

of my or

Providing and fixing turbo" in size vave tech or as approved quality fire burner with double door/Sutter including all cost of labour material cartage and fixing charges in all respect.	1·Nos	Each	
P/II fancy door locks approved quality imported make etc. complete.	1-No. 3500	Zi Each	3500/=
Total D			1230/0/2
G. Total Rs,	T	-	200
Say,		1->	74607

TERMS AND CONDITION

- Any typographical errors in the schedule B are subject to the correction with Reference to the Schedule of rate General 2012 enforced from 12.07.2012 as Approved by the S.R.C., Sindh Karachi
- Arbitration clause stands deleted from the agreement.
- Lis No premium shall be paid on a Non schedule items.
- 100% WELL Graded crushed bajri shall be used in items of work without any extra payment
- No Any items of exviceed then the Quantity Provided in the Schedule B without Prior of the Executive Engineer.
- C. All sample of items should be got approved by the Executive Engineer.

Previncial Buildings Division No. I,

Karachi.

👊 Executive Engineer,

ASSISTANT ENGINEER KARACHI. PROVINCIAL BUILDINGS SUB DIVISIONAL



SINDH PUBLIC PROCUREMENT REGULATORY AUTHORITY

CONTRACT EVALUATION FORM

TO BE FILLED IN BY ALL PROCURING AGENCIES FOR PUBLIC CONTRACTS OF WORKS, SERVICES & GOODS

1)	NAME OF THE ORGANIZATION / DEPTT.	Works and Services Department					
2)	PROVINCIAL / LOCAL GOVT./ OTHER	Provincial. Provincial Buildings Division No.I, Karachi.					
3)	TITLE OF CONTRACT						
4)	TENDER NUMBER	N.I.T No.TC/G-55/2016-17/2199 Dated: 19-10-2016.					
5)	BRIEF DESCRIPTION OF CONTRACT	S/R to Assistant Flat No.05 at GOR Bath Island Karachi (Resid					
6)	FORUM THAT APPROVED THE SCHEME	Competent Authority					
7)	TENDER ESTIMATED VALUE	Rs.5,15,000/-					
8)	ENGINEER'S ESTIMATE (For civil works only)	Rs.4,99,900/-					
9)	ESTIMATED COMPLETION PERIOD (AS P	ER CONTRACT) Two Months					
	TENDER OPENED ON (DATE & TIME)	04-11-2016 @ (2:00 P.M)					
11)	NUMBER OF TENDER DOCUMENTS SOLD (Attach list of buyers)	3. No's					
12)	NUMBER OF BIDS RECEIVED	3. No's					
	NUMBER OF BIDDERS PRESENT AT THE	TIME OF OPENING OF BIDS 3. No's					
	BID EVALUATION REPORT (Enclose a copy)	Attached					
15)	NAME AND ADDRESS OF THE SUCCESSF	UL BIDDER M/s. Shahbaz Dino Soomro					
16)	CONTRACT AWARD PRICE	Rs.4.98,324/-					
17)	RANKING OF SUCCESSFUL BIDDER IN EV (i.e. 1 st , 2 nd , 3 rd EVALUATION BID).	/ALUATION REPORT (i) M/s. Shahbaz Dino Soomro					
		(ii) M/s. R. Irfan Builders					
		(iii) M/s. A R Enterprises					
18)	METHOD OF PROCUREMENT USED : - (Tic	ck one)					
	a) SINGLE STAGE – ONE ENVELOPE	PROCEDURE Domestic Domestic/ Local					
	b) SINGLE STAGE – TWO ENVELOPE	PROCEDURE x					
	c) TWO STAGE BIDDING PROCEDUR	.E x					
	d) TWO STAGE – TWO ENVELOPE BI	DDING PROCEDURE					
		x					
	PLEASE SPECIFY IF ANY OTHER EMERGENCY, DIRECT CONTRACTING	METHOD OF PROCUREMENT WAS ADOPTED i.e. GETC WITH BRIEF REASONS:					

20)	WHET	HER THE PROCUREMENT WAS INCLUDED I	N AN	NUAL P		MEN		N?
211	AIWE	D'EICEMENT .			Yes	 	No	
<u> </u>	ADVC.	RTISEMENT :		r	<u> </u>			
	i)	SPPRA Website (If yes, give date and SPPRA Identification No.)		Sr. No.3	0190.			
			No					
	ii)	News Papers (If yes, give names of newspapers and dates)	Yes		×			
			No		_			
22)	NATUI	RE OF CONTRACT			Domestic Local	✓	lnt.	
23)	WAS I	HER QUALIFICATION CRITERIA NCLUDED IN BIDDING / TENDER DOCUMEN enclose a copy)	TS?		Yes		No	I
24)	WASI	HER BID EVALUATION CRITERIA NCLUDED IN BIDDING / TENDER DOCUMEN enclose a copy)	TS?		Yes	[]	No	
25)		HER APPROVAL OF COMPETENT AUTHORIT OD OTHER THAN OPEN COMPETITIVE BIDD		S OBTA	AINED FO)R US	ING A	<u>.</u>
26)	WASB	BID SECURITY OBTAINED FROM ALL THE BI	IDDER	:S?	Yes	√	No	
27)		HER THE SUCCESSFUL BID WAS LOWEST E BEST EVALUATED BID (in case of Consultancies		ATED	Yes		No	1
28)		HER THE SUCCESSFUL BIDDER WAS TECHN LIANT?	NICAL	LY	Yes		No	√
29)		HER NAMES OF THE BIDDERS AND THEIR IME OF OPENING OF BIDS?	QUO'I	ED PRI	CES WEI	RE RE	EAD C	OUT AT
	31/17627	HER EVALUATION REPORT GIVEN TO	RIDD	ERS BI	FEORE 1	гии	A W A	en or

31) ANY COMPLAINTS RECEIVED (If yes, result thereof)	Yes	х
	No	
32) ANY DEVIATION FROM SPECIFICATIONS GIVEN IN 1	гне те	ENDER NOTICE / DOCUMENTS
(If yes, give details)	Yes	x
	No	
	110	<u></u>
33) WAS THE EXTENSION MADE IN RESPONSE TIME? (If yes, give reasons)	Yes	x
	No	
34) DEVIATION FROM QUALIFICATION CRITERIA		
(If yes, give detailed reasons.)	Yes	x
	No	
35) WAS IT ASSURED BY THE PROCURING AGENCY BLACK LISTED?	ТНАТ	THE SELECTED FIRM IS NOT Yes No No
36) WAS A VISIT MADE BY ANY OFFICER/OFFICIAL OF SUPPLIER'S PREMISES IN CONNECTION WITH THE BE ASCERTAINED REGARDING FINANCING OF VISI (If yes, enclose a copy)	PROCU	JREMENT? IF SO, DETAILS TO
37) WERE PROPER SAFEGUARDS PROVIDED ON MOB THE CONTRACT (BANK GUARANTEE ETC.)?	ILIZAT	Yes No V
38) SPECIAL CONDITIONS, IF ANY (If yes, give Brief Description)	Yes	X
·	-	
₹ 1	No .	
Signature & Official Stamp of {SALEEM ALI KHOWAJA} Authorized Officer Executive Engineer.		
Authorized Officer Executive Engineer, Provincial Buildings Division No. 1,		
Provincial indiangs division to. 1,		
FOR OFFICE USE ONLY		


<u>SPPRA, Block. No.8, Sindh Secretariat No.4-A, Court Road, Karachi</u> Tele: 021-9205356; 021-9205369 & Fax: 021-9206291


Print

Save

Denot

3/3





FORM OF CONTRACT AGREEMENT

THIS CONTRACT AGREEMENT (hereinafter called the "Agreement") made on the 23rd day of Decemer-2016 between Executive Engineer, Provincial Buildings Division No.I, Karachi (hereinafter called the "Procuring Agency") of the one part and M/s. Shahbaz Dino Soomro (hereinafter called the "Contractor") of the other part.

WHEREAS the Procuring Agency is desirous that certain Works, viz S/R to Assistant Flat No.05 at GOR Bath Island Karachi (Residence of Mr. Ghulam Nabi Memon Sub-Engineer Estate Office), and amount of Rs.4,98,324/- (Rupees= Four Lac Ninety Eight Thousand Three Hundred & Twenty Four only) should be executed by the Contractor and has accepted a Bid by the Contractor for the execution and completion of such Works and the remedying of any defects therein.

NOW this Agreement witnesseth as follows:

- 1. In this Agreement words and expressions shall have the same meanings as are respectively assigned to them in the Conditions of Contract hereinafter referred to.
- 2. The following documents after incorporating addenda, if any except those parts relating to Instructions to Bidders, shall be deemed to form and be read and construed as part of this Agreement, viz:
 - (a) The Letter of Acceptance;
 - (b) The completed Form of Bid along with Schedules to Bid;
 - (c) Conditions of Contract & Contract Data:
 - (d) The priced Schedule of Prices/Bill of quantities (BOQ);
 - (e) The Specifications; and
 - (f) The Drawings
- 3. In consideration of the payments to be made by the Procuring Agency to the Contractor as hereinafter mentioned, the Contractor hereby covenants with the Procuring Agency to execute and complete the Works and remedy defects therein in conformity and in all respects within the provisions of the Contract.
- 4. The Procuring Agency hereby covenants to pay the Contractor, in consideration of the execution and completion of the Works as per provisions of the Contract. Price or such other sum as may become payable under the provisions of the Contract at the times and in the manner prescribed by the Contract.

IN WITNESS WHEREOF the parties hereto have caused this Contract Agreement to be executed on the day, month and year first before written in accordance with their respective laws.

Signature of the Contactor

(M/s. Shahbaz Dino Soomro)
Government Contractor

Signature of the Procuring Agency (SALEEM ALI KHOWAJA)

(EXECUTIVETENCER)

Browninal Baltdings Division No.1,

Karachi Karachi.

Signed, Sealed and Delivered in the presence of:

Witness:

Witness:

(M/s. Lala Enterprises)
Government Contractor

(M/s. R. Irfan Builders) Government Contractor



OFFICE OF THE EXECUTIVE ENGINEER, PROVINCIAL BUILDINGS DIVISION NO. I, KARACHI.

Barrack No.18, Block 4-A, Sindh Secretariat Saddar Karachi Ph: 021-99203183

No. TC/G-55/W,O/2863

Karachi dated: 23/12/2016

To,

M/s. Shahbaz Dino Soomro. Government Contractor,

Karachi.

Subject: -

WORK ORDER.

S/R TO ASSISTANT FLAT NO.05 AT GOR BATH ISLAND KARACHI (RESIDENCE

OF MR. GHULAM NABI MEMON SUB-ENGINEER ESTATE OFFICE).

Reference: -

This office "Letter of Acceptance" No.TC/G-55/PBD-I/2854 dated: 23-12-2016.

With reference to the above cited letter No, you are now requested to start to work within 07 days after the issuance of this letter.

The work will be started under the supervision of Assistant Engineer, Provincial Buildings Sub Division No.1, Karachi. The time for completion of this work is 02-Months from the date of start of work.

(SALEEM ALI KHOWAJA)

EXECUTIVE ENGINEER
Provincial Buildings Division No. 1,

Copy forwarded with compliments for information to:-

- i) The Superintending Engineer, Provincial Buildings Circle. Karachi with reference to this office letter No. Quoted above.
- ii) The Assistant Engineer, Provincial Buildings Sub-Division No.1, Karachi. He should ensure that no extra item and excess quantity over Schedule B is carried out unless specific permission is accorded from the competent authority. He is also required to report the actual date of start of the work and to submit physical progress in un-ambiguous manner with current financial consumption accordingly.

There should be no change in the specification/plan/design already approved of the work at later stage. The contractor's signature on the plan and design must be taken in their acceptance. Departure from this will make the Assistant Engineer responsible for the change made if any.

He should also ensure that the individual quantity of the items provided in the Estimate / Schedule-B do not exceed, failing which he shall be held responsible for violation.

D.A/as above

True copy of Schedule - B.

EXECUTIVE ENGINEER
Provincial Buildings Division No. 1,

SCHEDULE B.

ASSILONIA

NAME OF WORK:- SIR TO ADDITIONAL SECRETARY FLAT 05, AT GOR BATH IS LAND KARACHI.

S.NO.	DESCRAPTION OF ITEMS		QUTY	RATE	UNIT	AMOUNT
:	Dismantling of glazed or encaustic tiles	S.NO.55/13)	288.25 Sft	786/50	% Sft	2267
7	Scraping ordinary distemper oil bound dipaint on walls (54-A/15)	stemper or	2353.77 Sft	226/88	% Sft	5340
3	Distempering two coats (S.I. 24-b/p-54)		589.70	1043/90	% sft	6156
A .	Preparing the surface & painting with me approved make to old matt finish surface subsequent 3-coat (s.i.No.37-A+B/55)	tt finish paint of 2 nd each	1764.06	1772 (3 8	% sft	31266
6	Painting old surface (C) painting door any type (ii) each subsequent coat (s.i.N		272.40	1160/08	% sft(3164
6	P/F approved quality mortise lock(s.i.No	21/60)	4-Nos	1786/13	Each	7145
	Total		- Ju.	4	Flor	55338
	PART B.			X		
1 .	First class deodar wood wrought joinery windows etc fixed in position including defasts hinges, iron tower bolts chocks cle cords with hooks etc deodar paneled or glazed or fully glazed (b)1-3/4" thick(S.I. b/58) (1273/76(-) 370/83=902/93 (Only state)	howkats hold ats handles and paneled and NO.7-	98.62\ Sft	902/93	P. Sit	8904
-		<u> </u>	76.00	1592/69		119451
-	S/F in position Aluminum channels fram windows & ventilators of alcop made witinted glass glazing (Belgium) & Alumin I/c handles stoppers & locking arranger complete (s.i.No.84-a/108)	n 5mm thick um fly screen	76.00	1 1292109	P. sft	119451
	Tolga					208498
	Loss 20.16 Below					41908/2
	Total				- 100	1665908
	. PART C. WIS & SIF	1-				1
1	Providing and fixing 6"x2" or 6"x3" C.1 fl approved self cleaning design with a C. gritting with or without a vent arm complined including making requisite number of he	screwed down ete with and	2- NO (2042/43	Each	4085
	plinth and floor for pipe connections and C.C 1 2.4 (\$1.20/6)					
2	P/F 22"x16" lavatory basin in white glaz complete with & i/c the cost of WI or CI brackets 6 inches built into walls painte coats after a primary coat of red lead pa	antilever white in 2 Int a pair of	1-Nos	6237/-	Each	6237
	Wireuber plug & chrome brass waste of pattern 1-1/4" dia malleable iron of op bi making requisite number of holes in wall floor for pipe connection and making go	ass unions and is plinth and				
3	concrete 1.2.4 (foreign or equilent) (S.I. P/F squatting type white glazed earther	(3/4).	1-No.	5044/60	Each	5044
•	The second type wine granted carmen		Cha colling)	1	

	with i/c the cost of flushing cirtern with internal fitting	<u>-</u>			
	and flush pipe with bend & making requisite number of		i	}	
_	notes in walls plinth & floor for pipe connections &			ļ	
•	making good in cement concrete 1:2:4. WC of not less	ļ	j	į	
	than 19" clear opening between flushing rims and 3 gallons flu7shing tank with 4" dia Ci trap and C.I	! 	i	. 1	
	thumble (b-i) (s i.No.1/1)	_			
4	S/F concealed tee-stop cock of superior quality with c.p.	6-Nos	843/92	Each	5064
5	head ½" dia (s.i.No.12-a/18). S/F long bib cock of superior quality with c.p. head ½"	2-Nos	1109/46	Each	2219
3	dia (s.i.No.13-a/19).	2-1405			
G	S/F wash basin mixture of superior qually with c.p. head ½ dia (s.i No. 14-a/19)	1-No\$	2882/-(Each (288
7	S/F sink mixture cock of superior quality with c.p. head	1-Nos	274\$/60	Each	2746
8	etc. complete (s.i.No.17/19) S/F bath room accessories set (7-pices) i/c towel rod,	1-Nos	8122(40	Each	8122
	brush holder soap tray shelf of approved design i/c cost			_ [`
	of screws, nuts etc. complete (s.i.No. 21-b/19) S/F tiber glass tank of approved quality and design and	1No.	37505/42	Each	37508
``	wall thickness as specified i/c cost of nules, bolts and	1440.	37505742	Lacii (37308
	fixing in platefrom of cement concrete 1:3:6 and makin				1
	compection for in Ast. & ou-let & over flow pipes etc,				
	complete (b) 500-gallon (s.i.No.3-b/21).				
	Total	<u> </u>			73904
	Add. 9.8% above		 		3547/=
	Total			•	77451/=
4	PART's Electric. Wiring for light or fan point with (3/.029) pvc insulated	20-pts	797/-	р.р	15940
1	wire (s.t.No.18/3)		1		
2	Wiring for plug point with 1/1.13(3/.029) pvc insulated wire (s : No.20/3)	4-pts	669/-	p.p.	2676
3	Providing and fixing bacolite rose with two terminals (s.t No 223/33)	20-Nos	721-	Each (1440
	P/F BC batten holder (s.i.No.232/33)	8-Nos /	70/-	Each	N560 -
S	P/F circuit breacker 6,10,15,20,30,40,50,&63 amps SP	4-Nos	916/-	Ægch /	3664
	(TB-5S) on prepared board as requireg(s.i.No. 203/31)		- A B B B B B B B B B B B B B B B B B B	V	i/
	Total	-		alppi	24280
	PART E N.S.I.				24280
. 1	PART E N.S.I. P/F tancy type porcelain floor dado tile 16'x16' or	288.25	348.50		100 4557-
1	PART E N.S.I. P/F lancy type porcelain floor dado tile 16'x16' or 12'x18' 3/8'thick tiles as per required approved shape	288.25	348.50		
. 1	PART E.N.S.I. P/F tancy type porcelain floor dado tile 16'x16' or 12'x18' 3/8'thick tiles as per required approved shape & size imported make as approved quality, design &	288.25	348.50		
. 1	PART E.N.S.I. P/F tancy type porcelain floor dado tile 16'x16' or 12'x18' 3/8'thick tiles as per required approved shape & size Imported make as approved quality, design & color /c laying over dry bond/ cement sand mortar ¾"	288.25	348.50		
. 1	PART E.N.S.I. P/F tancy type porcelain floor dado tile 16'x16' or 12'x18' 3/8'thick tiles as per required approved shape & size imported make as approved quality, design &	288.25	348.50		
. 1	PART E.N.S.I. P/F tancy type porcelain floor dado tile 16'x16' or 12'x18' 3/8'thick tiles as per required approved shape & size imported make as approved quality, design & color //c laying over dry bond/ cement sand mortar ¾" thick as required i/c jointing in white cement & washing of files after laying & filling of joints with matching color imported grouting in desired shape with finishing i/c	288.25	348.50		
. 1	PART E.N.S.I. P/F tancy type porcelain floor dado tile 16'x16' or 12'x18' 3/8'thick tiles as per required approved shape & size imported make as approved quality, design & color /c laying over dry bond/ cement sand mortar ¾" thick as required i/c jointing in white cement & washing of files after laying & filling of joints with matching color imported grouting in desired shape with finishing i/c cutting of tiles & proper profile on floor & skirting with	288.25	348.50		
1	PART E.N.S.I. P/F tancy type porcelain floor dado tile 16'x16' or 12'x18' 3/8'thick tiles as per required approved shape & size Imported make as approved quality, design & color /c laying over dry bond/ cement sand mortar ¾" thick as required i/c jointing in white cement & washing of tiles after laying & filling of joints with matching color imported grouting in desired shape with finishing i/c cutting of tiles & proper profile on floor & skirting with cartage & wastage etc complete. As directed by the	288.25	348.50		
1	PART E.N.S.I. P/F lancy type porcelain floor dado tile 16'x16' or 12'x18' 3/8'thick tiles as per required approved shape & size imported make as approved quality, design & color /c laying over dry bond/ cement sand mortar ¾" thick as required i/c jointing in white cement & washing of files after laying & filling of joints with matching color imported grouting in desired shape with finishing i/c cutting of tiles & proper profile on floor & skirting with cartage & wastage etc complete. As directed by the Eng. In charge	4	348.50	p. sft	100 455/=
1	PART E.N.S.I. P/F lancy type porcelain floor dado tile 16'x16' or 12'x18' 3/8'thick tiles as per required approved shape & size imported make as approved quality, design & color /c laying over dry bond/ cement sand mortar ¾" thick as required i/c jointing in white cement & washing of files after laying & filling of joints with matching color imported grouting in desired shape with finishing i/c cutting of tiles & proper profile on floor & skirting with cartage & wastage etc complete. As directed by the Eng. In charge Making and fixing wooden kitchen cabinet with shutters	288.25	348.50		100 455/=
1	PART E.N.S.I. P/F tancy type porcelain floor dado tile 16'x16' or 12'x18' 3/8'thick tiles as per required approved shape & size Imported make as approved quality, design & color //c laying over dry bond/ cement sand mortar ¾" thick as required i/c jointing in white cement & washing of files after laying & filling of joints with matching color imported grouting in desired shape with finishing i/c cutting of tiles & proper profile on floor & skirting with cartage & wastage etc complete. As directed by the Eng. In charge Making and fixing wooden kitchen cabinet with shutters of lesant wood sheet ¾" thick frame work of first class	4	348.50	p. sft	
1	PART E.N.S.I. P/F tancy type porcelain floor dado tile 16'x16' or 12'x18' 3/8'thick tiles as per required approved shape & size Imported make as approved quality, design & color //c laying over dry bond/ cement sand mortar ¾" thick as required i/c jointing in white cement & washing of files after laying & filling of joints with matching color imported grouting in desired shape with finishing i/c cutting of tiles & proper profile on floor & skirting with cartage & wastage etc complete. As directed by the Eng. In charge Making and fixing wooden kitchen cabinet with shutters of lesant wood sheet ¾" thick frame work of first class declar wood 2"x1" pasted with classic: Formica and 18"	4	348.50	p. sft	100 455/=
1	PART E.N.S.I. P/F tancy type porcelain floor dado tile 16'x16' or 12'x18' 3/8'thick tiles as per required approved shape & size Imported make as approved quality, design & color //c laying over dry bond/ cement sand mortar ¾" thick as required i/c jointing in white cement & washing of files after laying & filling of joints with matching color imported grouting in desired shape with finishing i/c cutting of tiles & proper profile on floor & skirting with cartage & wastage etc complete. As directed by the Eng. In charge Making and fixing wooden kitchen cabinet with shutters of lesant wood sheet ¾" thick frame work of first class	4	348.50	p. sft	100 455/=
1	PART E.N.S.I. P/F tancy type porcelain floor dado tile 16'x16' or 12'x18' 3/8'thick tiles as per required approved shape & size Imported make as approved quality, design & color //c laying over dry bond/ cement sand mortar ¾" thick as required //c jointing in white cement & washing of tiles after laying & filling of joints with matching color imported grouting in desired shape with finishing i/c cutting of tiles & proper profile on floor & skirting with cartage & wastage etc complete. As directed by the Eng. In charge Making and fixing wooden kitchen cabinet with shutters of lesant wood sheet ¾" thick frame work of first class declar wood 2"x1" pasted with classic: Formica and 18" deep including necessary hinges catcher handle sliding	4	348.50	p. sft	100 455/=
1	PART E.N.S.I. P/F tancy type porcelain floor dado tile 16'x16' or 12'x18' 3/8'thick tiles as per required approved shape & size Imported make as approved quality, design & color /c laying over dry bond/ cement sand mortar ¾" thick as required /c jointing in white cement & washing of tiles after laying & filling of joints with matching color imported grouting in desired shape with finishing i/c cutting of tiles & proper profile on floor & skirting with cartage & wastage etc complete. As directed by the Eng. In charge Making and fixing wooden kitchen cabinet with shutters of lesant wood sheet ¾" thick frame work of first class decider wood 2"x1" pasted with classic: formica and 18" deep including necessary hinges catcher handle sliding wheels in draws nails /screws etc with approved design and shape. The cost also includes necessary tools and plants to be used in making etc complete as directed by	4	348.50	p. sft	100 455/=
7	PART E.N.S.I. P/F tancy type porcelain floor dado tile 16'x16' or 12'x18' 3/8'thick tiles as per required approved shape & size Imported make as approved quality, design & color //c laying over dry bond/ cement sand mortar ¾" thick as required i/c jointing in white cement & washing of tiles after laying & filling of joints with matching color imported grouting in desired shape with finishing i/c cutting of tiles & proper profile on floor & skirting with cartage & wastage etc complete. As directed by the Eng. In charge Making and fixing wooden kitchen cabinet with shutters of lesant wood sheet ¾" thick frame work of first class declar wood 2"x1" pasted with classic: Formica and 18" deep including necessary hinges catcher handle sliding wheels in draws nails /screws etc with approved design and shape. The cost also includes necessary tools and plants to be used in making etc complete.	31.50	847	p. sft	100 455/=
3	PART E.N.S.I. P/F tancy type porcelain floor dado tile 16'x16' or 12'x18' 3/8'thick tiles as per required approved shape & size imported make as approved quality, design & color /c laying over dry bond/ cement sand mortar ¾" thick as required /c jointing in white cement & washing of files after laying & filling of joints with matching color imported grouting in desired shape with finishing i/c cutting of tiles & proper profile on floor & skirting with cartage & wastage etc complete. As directed by the Eng. In charge Making and fixing wooden kitchen cabinet with shutters of lasani wood sheet ¾" thick frame work of first class declar wood 2"x1" pasted with classic: Formica and 18" deep including necessary hinges catcher handle sliding wheels in draws nails /screws etc with approved design and shape. The cost also includes necessary tools and plants to be used in making etc complete as directed by the engineer Incharge etc complete.	4	847	p. sft	100 455/=
7	PART E N.S.I. P/F tancy type porcelain floor dado tile 16'x16' or 12'x18' 3/8'thick tiles as per required approved shape & size imported make as approved quality, design & color /c laying over dry bond/ cement sand mortar ¾" thick as required /c jointing in white cement & washing of files after laying & filling of joints with matching color imported grouting in desired shape with finishing i/c cutting of tiles & proper profile on floor & skirting with cartage & wastage etc complete. As directed by the Eng. In charge Making and fixing wooden kitchen cabinet with shutters of lasani wood sheet ¾" thick frame work of first class declar wood 2"x1" pasted with classic: Formica and 18" deep including necessary hinges catcher handle sliding wheels in draws nails /screws etc with approved design and shape. The cost also includes necessary tools and plants to be used in making etc complete. Previding and jointing with switch pest with special.	31.50	348.50 847=	p. sft	100 455/=
7	PART E N.S.I. P/F tancy type porcelain floor dado tile 16'x16' or 12'x18' 3/8'thick tiles as per required approved shape & size imported make as approved quality, design & color /c laying over dry bond/ cement sand mortar ¾" thick as required /c jointing in white cement & washing of files after laying & filling of joints with matching color imported grouting in desired shape with finishing i/c cutting of tiles & proper profile on floor & skirting with cartage & wastage etc complete. As directed by the Eng. In charge Making and fixing wooden kitchen cabinet with shutters of lesant wood sheet ¾" thick frame work of first class sector wood 2"x1" pasted with classic: Formica and 18" deep including necessary hinges catcher handle sliding wheels in draws nails /screws etc with approved design and shape. The cost also includes necessary tools and plants to be used in making etc complete. Previding and fixing cPVC pipe ½ ia including cutting making and jointing with switch pest with special approved quality including all cost of labour as directed.	31.50	847	p. sft	100 455/=
7	PART E N.S.I. P/F tancy type porcelain floor dado tile 16'x16' or 12'x18' 3/8'thick tiles as per required approved shape & size imported make as approved quality, design & color /c laying over dry bond/ cement sand mortar ¾" thick as required /c jointing in white cement & washing of files after laying & filling of joints with matching color imported grouting in desired shape with finishing i/c cutting of tiles & proper profile on floor & skirting with cartage & wastage etc complete. As directed by the Eng. In charge Making and fixing wooden kitchen cabinet with shutters of lasani wood sheet ¾" thick frame work of first class section wood 2"x1" pasted with classic: Formica and 18" deep including necessary hinges catcher handle sliding wheels in draws nails /screws etc with approved design and shape. The cost also includes necessary tools and plants to be used in making etc complete. Previding and fixing cPVC pipe ½ ia including cutting making and jointing with switch pest with special approved quality including all cost of labour as directed by the engineer in charge etc complete.	31.50 4 35.00	847	P. Sft	2870/=
3	PART E N.S.I. P/F tancy type porcelain floor dado tile 16'x16' or 12'x18' 3/8'thick tiles as per required approved shape & size imported make as approved quality, design & color /c laying over dry bond/ cement sand mortar ¾" thick as required /c jointing in white cement & washing of files after laying & filling of joints with matching color imported grouting in desired shape with finishing i/c cutting of tiles & proper profile on floor & skirting with cartage & wastage etc complete. As directed by the Eng. In charge Making and fixing wooden kitchen cabinet with shutters of lesant wood sheet ¾" thick frame work of first class declar wood 2"x1" pasted with classic: Formica and 18" deep including necessary hinges catcher handle sliding wheels in draws nails /screws etc with approved design and shape. The cost also includes necessary tools and plants to be used in making etc complete. Previding and fixing cPVC pipe ½ ia including cutting making and jointing with switch pest with special approved quality including all cost of labour as directed by the engineer in charge etc complete.	31.50	847	p. sft	100 455/=
3	PART E N.S.I. P/F tancy type porcelain floor dado tile 16'x16' or 12'x18' 3/8'thick tiles as per required approved shape & size imported make as approved quality, design & color /c laying over dry bond/ cement sand mortar ¾" thick as required /c jointing in white cement & washing of files after laying & filling of joints with matching color imported grouting in desired shape with finishing i/c cutting of tiles & proper profile on floor & skirting with cartage & wastage etc complete. As directed by the Eng. In charge Making and fixing wooden kitchen cabinet with shutters of lasani wood sheet ¾" thick frame work of first class section wood 2"x1" pasted with classic: Formica and 18" deep including necessary hinges catcher handle sliding wheels in draws nails /screws etc with approved design and shape. The cost also includes necessary tools and plants to be used in making etc complete. Previding and fixing cPVC pipe ½ ia including cutting making and jointing with switch pest with special approved quality including all cost of labour as directed by the engineer in charge etc complete.	31.50 4 35.00	847	P. Sft	2870/=
3	PART E N.S.I. P/F tancy type porcelain floor dado tile 16'x16' or 12'x18' 3/8'thick tiles as per required approved shape & size imported make as approved quality, design & color /c laying over dry bond/ cement sand mortar ¾" thick as required /c jointing in white cement & washing of files after laying & filling of joints with matching color imported grouting in desired shape with finishing i/c cutting of tiles & proper profile on floor & skirting with cartage & wastage etc complete. As directed by the Eng. In charge Making and fixing wooden kitchen cabinet with shutters of lesant wood sheet ¾" thick frame work of first class sector wood 2"x1" pasted with classic: formica and 18" deep including necessary hinges catcher handle sliding wheels in draws nails /screws etc with approved design and shape. The cost also includes necessary tools and plants to be used in making etc complete. Previding and fixing cPVC pipe ½ ia including cutting making and jointing with switch pest with special approved quality including all cost of labour as directed by the engineer in charge etc complete. Previding and fixing U PVC pipe 4" dia including cutting making and jointing with switch pest with special approved quality including all cost of labour as directed by the engineer incharge etc complete.	35.00 35.00 15.00	847	P. Sft	2870/=
3	PART E N.S.I. P/F tancy type porcelain floor dado tile 16'x16' or 12'x18' 3/8'thick tiles as per required approved shape & size imported make as approved quality, design & color /c laying over dry bond/ cement sand mortar ¾" thick as required /c jointing in white cement & washing of tiles after laying & filling of joints with matching color imported grouting in desired shape with finishing i/c cutting of tiles & proper profile on floor & skirting with cartage & wastage etc complete. As directed by the Eng. In charge Making and fixing wooden kitchen cabinet with shutters of lesant wood sheet ¾" thick frame work of first class declar wood 2"x1" pasted with classic formica and 18" deep including necessary hinges catcher handle sliding wheels in draws nails /screws etc with approved design and shape. The cost also includes necessary tools and plants to be used in making etc complete. Previding and fixing cPVC pipe ½ ia including cutting making and jointing with switch pest with special approved quality including all cost of labour as directed by the engineer in charge etc complete. Previding and fixing U PVC pipe 4" dia including cutting making and jointing with switch pest with special approved quality including all cost of labour as directed by the engineer incharge etc complete. S/F ceiling fan 56" sweep heavy pattern make GFC or	31.50 4 35.00	847 = 80/= 249/=	P. Sft	2870/= 3735/ ₂
3	PART E N.S.I. P/F tancy type porcelain floor dado tile 16'x16' or 12'x18' 3/8'thick tiles as per required approved shape & size imported make as approved quality, design & color /c laying over dry bond/ cement sand mortar ¾" thick as required /c jointing in white cement & washing of files after laying & filling of joints with matching color imported grouting in desired shape with finishing i/c cutting of tiles & proper profile on floor & skirting with cartage & wastage etc complete. As directed by the Eng. In charge Making and fixing wooden kitchen cabinet with shutters of lesant wood sheet ¾" thick frame work of first class sector wood 2"x1" pasted with classic: formica and 18" deep including necessary hinges catcher handle sliding wheels in draws nails /screws etc with approved design and shape. The cost also includes necessary tools and plants to be used in making etc complete. Previding and fixing cPVC pipe ½ ia including cutting making and jointing with switch pest with special approved quality including all cost of labour as directed by the engineer in charge etc complete. Previding and fixing U PVC pipe 4" dia including cutting making and jointing with switch pest with special approved quality including all cost of labour as directed by the engineer incharge etc complete.	35.00 35.00 15.00	847	P. Sft	2870/=
3	PART E N.S.I. P/F tancy type porcelain floor dado tile 16'x16' or 12'x18' 3/8'thick tiles as per required approved shape & size imported make as approved quality, design & color /c laying over dry bond/ cement sand mortar ¾" thick as required /c jointing in white cement & washing of tiles after laying & filling of joints with matching color imported grouting in desired shape with finishing i/c cutting of tiles & proper profile on floor & skirting with cartage & wastage etc complete. As directed by the Eng. In charge Making and fixing wooden kitchen cabinet with shutters of lesant wood sheet ¾" thick frame work of first class declar wood 2"x1" pasted with classic formica and 18" deep including necessary hinges catcher handle sliding wheels in draws nails /screws etc with approved design and shape. The cost also includes necessary tools and plants to be used in making etc complete. Previding and fixing cPVC pipe ½ ia including cutting making and jointing with switch pest with special approved quality including all cost of labour as directed by the engineer in charge etc complete. Previding and fixing U PVC pipe 4" dia including cutting making and jointing with switch pest with special approved quality including all cost of labour as directed by the engineer incharge etc complete. S/F ceiling fan 56" sweep heavy pattern make GFC or	35.00 35.00 15.00	847 = 80/= 249/=	P. Sft	2870/= 3735/ ₂
3	PART E N.S.I. P/F tancy type porcelain floor dado tile 16'x16' or 12'x18' 3/8'thick tiles as per required approved shape & size imported make as approved quality, design & color /c laying over dry bond/ cement sand mortar ¾" thick as required /c jointing in white cement & washing of tiles after laying & filling of joints with matching color imported grouting in desired shape with finishing i/c cutting of tiles & proper profile on floor & skirting with cartage & wastage etc complete. As directed by the Eng. In charge Making and fixing wooden kitchen cabinet with shutters of lesant wood sheet ¾" thick frame work of first class declar wood 2"x1" pasted with classic formica and 18" deep including necessary hinges catcher handle sliding wheels in draws nails /screws etc with approved design and shape. The cost also includes necessary tools and plants to be used in making etc complete. Previding and fixing cPVC pipe ½ ia including cutting making and jointing with switch pest with special approved quality including all cost of labour as directed by the engineer in charge etc complete. Previding and fixing U PVC pipe 4" dia including cutting making and jointing with switch pest with special approved quality including all cost of labour as directed by the engineer incharge etc complete. S/F ceiling fan 56" sweep heavy pattern make GFC or	35.00 35.00 15.00	847 = 80/= 249/=	P. Sft	2870/= 3735/ ₂
3	PART E N.S.I. P/F tancy type porcelain floor dado tile 16'x16' or 12'x18' 3/8'thick tiles as per required approved shape & size imported make as approved quality, design & color /c laying over dry bond/ cement sand mortar ¾" thick as required /c jointing in white cement & washing of tiles after laying & filling of joints with matching color imported grouting in desired shape with finishing i/c cutting of tiles & proper profile on floor & skirting with cartage & wastage etc complete. As directed by the Eng. In charge Making and fixing wooden kitchen cabinet with shutters of lesant wood sheet ¾" thick frame work of first class declar wood 2"x1" pasted with classic formica and 18" deep including necessary hinges catcher handle sliding wheels in draws nails /screws etc with approved design and shape. The cost also includes necessary tools and plants to be used in making etc complete. Previding and fixing cPVC pipe ½ ia including cutting making and jointing with switch pest with special approved quality including all cost of labour as directed by the engineer in charge etc complete. Previding and fixing U PVC pipe 4" dia including cutting making and jointing with switch pest with special approved quality including all cost of labour as directed by the engineer incharge etc complete. S/F ceiling fan 56" sweep heavy pattern make GFC or	35.00 35.00 15.00	847 = 80/= 249/=	P. Sft	2870/= 3735/ ₂
3	PART E N.S.I. P/F tancy type porcelain floor dado tile 16'x16' or 12'x18' 3/8'thick tiles as per required approved shape & size imported make as approved quality, design & color /c laying over dry bond/ cement sand mortar ¾" thick as required /c jointing in white cement & washing of tiles after laying & filling of joints with matching color imported grouting in desired shape with finishing i/c cutting of tiles & proper profile on floor & skirting with cartage & wastage etc complete. As directed by the Eng. In charge Making and fixing wooden kitchen cabinet with shutters of lesant wood sheet ¾" thick frame work of first class declar wood 2"x1" pasted with classic formica and 18" deep including necessary hinges catcher handle sliding wheels in draws nails /screws etc with approved design and shape. The cost also includes necessary tools and plants to be used in making etc complete. Previding and fixing cPVC pipe ½ ia including cutting making and jointing with switch pest with special approved quality including all cost of labour as directed by the engineer in charge etc complete. Previding and fixing U PVC pipe 4" dia including cutting making and jointing with switch pest with special approved quality including all cost of labour as directed by the engineer incharge etc complete. S/F ceiling fan 56" sweep heavy pattern make GFC or	35.00 35.00 15.00	847 = 80/= 249/=	P. Sft	2870/= 3735/ ₂
3	PART E N.S.I. P/F tancy type porcelain floor dado tile 16'x16' or 12'x18' 3/8'thick tiles as per required approved shape & size imported make as approved quality, design & color /c laying over dry bond/ cement sand mortar ¾" thick as required /c jointing in white cement & washing of tiles after laying & filling of joints with matching color imported grouting in desired shape with finishing i/c cutting of tiles & proper profile on floor & skirting with cartage & wastage etc complete. As directed by the Eng. In charge Making and fixing wooden kitchen cabinet with shutters of lesant wood sheet ¾" thick frame work of first class declar wood 2"x1" pasted with classic formica and 18" deep including necessary hinges catcher handle sliding wheels in draws nails /screws etc with approved design and shape. The cost also includes necessary tools and plants to be used in making etc complete. Previding and fixing cPVC pipe ½ ia including cutting making and jointing with switch pest with special approved quality including all cost of labour as directed by the engineer in charge etc complete. Previding and fixing U PVC pipe 4" dia including cutting making and jointing with switch pest with special approved quality including all cost of labour as directed by the engineer incharge etc complete. S/F ceiling fan 56" sweep heavy pattern make GFC or	35.00 35.00 15.00	847 = 80/= 249/=	P. Sft	2870/= 3735/ ₂

	electric connection and cartage letc, as directed by the E.1			
6	S/F of fancy switch /socket imported make with double sheets fixing with concealed board on approved shape and design by the E.E. inmchage etc complete.	25-Nos	3467 Ea	ch 8650/2
7	Providing and fixing of fine quality exhaust fan royal make or equal quality 6" metal body etc including making frame and necessary electric wiring and connection etc compete.	2-Nos	27337 Ea	ch 5470/2
8	P/F fancy type power plug 15amp best quality with board sheet etc, complete.	5-Nos	438 E	ch 2190/2
9	P/F universal light plug 3 pin best quality etc, fixing with board & electric connection etc, complete.	5-Nos	343/= Ea	ich 1715/2
10	S/F fancy type fan dimmer imported make with existing fancy sheet as approved shape design and make by the E.E. in charge including necessary elettric connection etc complete	3-nos	3/98/= -de	1194/2
	Total		 	1 14668/=
	G Total Rs,		<u> </u>	
	Say	-		498324

- 1) Any typographical errors in the schedule B are subject to the correction with Reference to the Schedule of rate General 2012 enforced from 12.07.2012 as Approved by the S.R.C., Sindh Karach
- 2) Arbitration clause stands deleted from the agreement.
- 3) No premium shall be paid on a Non schedule items.
- 4) 100% WELL Graded crushed bajri shall be used in items of work without any extra payment
- No Any items of exviceed then the Quantity Provided in the Schedule B without Prior of the Executive Engineer.

6. All sample of items should be got approved by the Executive Engineer.

Provincial Buildings Division No. 1, ASSISTANT ENGINEER KARACHI. PROVINCIAL BUILDINGS SUB DIVISION-I

Executive Engineer,



SINDH PUBLIC PROCUREMENT REGULATORY AUTHORITY

CONTRACT EVALUATION FORM

TO BE FILLED IN BY ALL PROCURING AGENCIES FOR PUBLIC CONTRACTS OF WORKS, SERVICES & GOODS


1)	NAME OF THE ORGANIZATION / DEPTT.	Works and Services Department				
2)	PROVINCIAL / LOCAL GOVT./ OTHER	Provincial.				
3)	TITLE OF CONTRACT	Provincial Buildings Division No.I, Karachi.				
4)	TENDER NUMBER	N.I.T No.TC/G-55/2016-17/2199 Dated. 19-10-2016.				
5)	BRIEF DESCRIPTION OF CONTRACT	M/R to Secretary Bungalow No. 04 @ Shireen Jinnah Colony,				
6)	FORUM THAT APPROVED THE SCHEME	Competent Authority				
7)	TENDER ESTIMATED VALUE	Rs.9,93,000/-				
8)	ENGINEER'S ESTIMATE (For civil works only)	Rs.9,69,500/-				
9)	ESTIMATED COMPLETION PERIOD (AS PI	ER CONTRACT) Two Months				
	TENDER OPENED ON (DATE & TIME)	04-11-2016 @ (2:00 P.M)				
11)	NUMBER OF TENDER DOCUMENTS SOLE (Attach list of buyers)	3. No's				
12)	NUMBER OF BIDS RECEIVED	3. No's				
13)	NUMBER OF BIDDERS PRESENT AT THE	TIME OF OPENING OF BIDS 3 No's				
14)	BID EVALUATION REPORT (Enclose a copy)	Attached				
15)	NAME AND ADDRESS OF THE SUCCESSF	UL BIDDER M/s. Khan Associates				
16)	CONTRACT AWARD PRICE	Rs.9,68,619/-				
17)	RANKING OF SUCCESSFUL BIDDER IN EX (i.e. 1 st , 2 nd , 3 rd EVALUATION BID).	/ALUATION REPORT (i) M/s. Khan Associates				
		(ii) M/s. A.R Enterprises				
		(iii) M/s. R. Irfan Builders				
18)	METHOD OF PROCUREMENT USED: - (Tid	ck one)				
	a) SINGLE STAGE – ONE ENVELOPE	PROCEDURE Domestic Domestic/ Local				
	b) SINGLE STAGE – TWO ENVELOPE	PROCEDURE X				
	c) TWO STAGE BIDDING PROCEDUR	RE x				
	d) TWO STAGE – TWO ENVELOPE B	IDDING PROCEDURE x				
	PLEASE SPECIFY IF ANY OTHER EMERGENCY DIRECT CONTRACTING	METHOD OF PROCUREMENT WAS ADOPTED i.e.				


(0) V	WHETE	HER THE PROCUREMENT WAS INCLUDED II	N ANN	NUAL PR	OCUREMENT PLAN? Yes No
1) A	ADVER	TISEMENT:			
i))	SPPRA Website (If yes, give date and SPPRA Identification No.)	Yes	Sr. No.30	190.
			No		
ii	i)	News Papers (If yes, give names of newspapers and dates)	Yes		Х
			No		
2) N	NATUR	E OF CONTRACT			Dome dis/
V	WAS IN	HER QUALIFICATION CRITERIA ICLUDED IN BIDDING / TENDER DOCUMEN enclose a copy)	TS?		Yes No 🗸
V	WAS IN	IER BID EVALUATION CRITERIA ICLUDED IN BIDDING / TENDER DOCUMEN enclose a copy)	TS?		Yes 🗸 No
		IER APPROVAL OF COMPETENT AUTHORIT DD OTHER THAN OPEN COMPETITIVE BIDD		AS OBTA	NED FOR USING A Yes V No
(6) V	WAS BI	ID SECURITY OBTAINED FROM ALL THE BI	DDER	RS?	Yes 🗸 No
		IER THE SUCCESSFUL BID WAS LOWEST E EST EVALUATED BID (in case of Consultancies		ATED	Yes No
		HER THE SUCCESSFUL BIDDER WAS TECHN HANT?	lICAL	LY	Yes No 🗸
		IER NAMES OF THE BIDDERS AND THEIR ME OF OPENING OF BIDS?	QUOT	TED PRIC	CES WERE READ OUT AT
	WHETI CONTR	IER EVALUATION REPORT GIVEN TO ACT?	BIDD	ERS BE	FORE THE AWARD OF

31) ANY COMPLAINTS RECEIVED (If yes, result thereof)	Yes	X
	No	
32) ANY DEVIATION FROM SPECIFICATIONS GIVEN IN T (If yes, give details)	THE T	ENDER NOTICE / DOCUMENTS
	Yes	X
33) WAS THE EXTENSION MADE IN RESPONSE TIME?	No	
(If yes, give reasons)	Yes	×
	No	
34) DEVIATION FROM QUALIFICATION CRITERIA (If yes, give detailed reasons.)	Yes	х
	No	
35) WAS IT ASSURED BY THE PROCURING AGENCY BLACK LISTED?	ГНАТ	THE SELECTED FIRM IS NOT Yes No No
36) WAS A VISIT MADE BY ANY OFFICER/OFFICIAL OF SUPPLIER'S PREMISES IN CONNECTION WITH THE BE ASCERTAINED REGARDING FINANCING OF VISIT (If yes, enclose a copy)	PROC	UREMENT? IF SO, DETAILS TO
37) WERE PROPER SAFEGUARDS PROVIDED ON MOBI THE CONTRACT (BANK GUARANTEE ETC.)?	ILIZA	TION ADVANCE PAYMENT IN Yes No /
38) SPECIAL CONDITIONS, IF ANY (If yes, give Brief Description)	Yes	х
	No	
Signature & Official Stamp of (SALEEM ALI KHOWAJA) Authorized Officer Executive Engineer,		
Provincial Brilldings Division No. 1, Marachi.		
FOR OFFICE USE ONLY		

<u>SPPRA, Block. No.8, Sindh Secretariat No.4-A, Court Road, Karachi</u> Tele: 021-9205356; 021-9205369 & Fax: 021-9206291

Print Save Reset





23 (IEC 2018)

FORM OF CONTRACT AGREEMENT (9):

THIS CONTRACT AGREEMENT (hereinafter called the "Agreement") made on the 23rd day of Decemer-2016 between Executive Engineer, Provincial Buildings Division No.I, Karachi (hereinafter called the "Procuring Agency") of the one part and M/s. Kita Associates (hereinafter called the "Contractor") of the other part.

WHEREAS the Procuring Agency is desirous that certain Works, viz M/R to Secretary Bungalow No. 04 @ Shireen Jinnah Colony, Karachi (Residence of Mr. Muhammad, Rashid Secretary Sports), and amount of Rs.9,68,619/- (Rupees= Nine Lac Sixty Eight Thousand Six Hundred & Nineteen only) should be executed by the Contractor and has accepted a Bid by the Contractor for the execution and completion of such Works and the remedying of any defects therein.

NOW this Agreement witnesseth as follows:

- 1. In this Agreement words and expressions shall have the same meanings as are respectively assigned to them in the Conditions of Contract hereinafter referred to.
- 2. The following documents after incorporating addenda, if any except those parts relating to Instructions to Bidders, shall be deemed to form and be read and construed as part of this Agreement, viz:
 - (a) The Letter of Acceptance;
 - (b) The completed Form of Bid along with Schedules to Bid;
 - (c) Conditions of Contract & Contract Data;
 - (d) The priced Schedule of Prices/Bill of quantities (BOQ);
 - (e) The Specifications; and
 - (f) The Drawings
- 3. In consideration of the payments to be made by the Procuring Agency to the Contractor as hereinafter mentioned, the Contractor hereby covenants with the Procuring Agency to execute and complete the Works and remedy defects therein in conformity and in all respects within the provisions of the Contract.
- 4. The Procuring Agency hereby covenants to pay the Contractor, in consideration of the execution and completion of the Works as per provisions of the Contract, the Contract Price or such other sum as may become payable under the provisions of the Contract at the times and in the manner prescribed by the Contract.

SPECIAL

ADHESIVE

IN WITNESS WHEREOF the parties hereto have caused this Contract Agreement to be executed on the day, month and year first before written in accordance with their respective laws.

Signature of the Contactor

(M/s. Khan Associates) Gövernment Contractor Signature of the Procuring Agency

(SALEEM'ALI KHOWAJA)

(EXRECUTIVE DINGERIEER)
Revincial Mildinging wilder No.1,

Karachi, Karachi.

Signed, Sealed and Delivered in the presence of:

Witness:

(M/s. R. Irfan Builders) Government Contractor Witness

(M/s. Khali) Khan & Co.) Government Contractor



OFFICE OF THE EXECUTIVE ENGINEER, PROVINCIAL BUILDINGS DIVISION NO. I, KARACHI.

Barrack No.18, Block 4-A, Sindh Secretariat Saddar Karachi Ph: 021-99203183

No. TC/G-55/W.O/2864

Karachi dated: 23/12/2016

To,

M/s. Khan Associates, Government Contractor,

Karachi.

Subject: -

WORK ORDER.

M/R TO SECRETARY BUNGALOW NO. 04 @ SHIREEN JINNAH COLONY, KARACHI (RESIDENCE OF MR. MUHAMMAD RASHID SECRETARY SPORTS).

Reference: -

This office "Letter of Acceptance" No.TC/G-55/PBD-I/2855 dated: 23-12-2016.

With reference to the above cited letter No, you are now requested to start to work within 07 days after the issuance of this letter.

The work will be started under the supervision of Assistant Engineer, Provincial Buildings Sub Division No.I, Karachi. The time for completion of this work is 02-Months from the date of start of work.

(SALEEM ALI KHOWAJA)

EXECUTIVE ENGINEER
Provincial Byjdings Division No. 1,

Copy forwarded with compliments for information to:-

- i) The Superintending Engineer, Provincial Buildings Circle, Karachi with reference to this office letter No. Quoted above.
- ii) The Assistant Engineer, Provincial Buildings Sub-Division No.I, Karachi. He should ensure that no extra item and excess quantity over Schedule B is carried out unless specific permission is accorded from the competent authority. He is also required to report the actual date of start of the work and to submit physical progress in un-ambiguous manner with current financial consumption accordingly.
 - There should be no change in the specification/plan/design already approved of the work at later stage. The contractor's signature on the plan and design must be taken in their acceptance. Departure from this will make the Assistant Engineer responsible for the change made if any.

He should also ensure that the individual quantity of the items provided in the Estimate / Schedule-B do not exceed, failing which he shall be held responsible for violation.

D.A/as above
True copy of Schedule B.

Provincial Buildings Division No. I,

Karachi.

SCHEDULE B.

KAMI: OF WORK:- S/R to Secretary Bungalow No. 4, SJC Clifton Karachi.

18 110.	DESCRAPTION OF ITEMS	: QUTY	RATE	UNIT	AMOUNT
	P/F First class deodar wooden ward rob i/c boxing with back	285.0Sft	2364/63	P, Sft	678919
	shaves shutters drawers, and brass fitting such as handles		-	'	i !
i	tocking arrangement hanger rod shoe rod and mirror			!	
i	measuring 2'x3'x1' complete as per approved design (S.I.NO		1 0%		; :
:	24 p/61) Total	-	7		
	PART B.	 	 \ 	12/20	673919
	Supplying & fixing bath room accessories set (7 piece)l/c	6-Noş	10322/40	TP 861	61932,
İ	towel rod brush holder, soap tray , shelf of approved design	0.1703	10023140	N. Ser	1 018034
	I/c /st of screws nuts etc/ complete ()master brand)		!		
	(\$ (No.19-a/19). \ \ \	i	I	:	
1	Total		i		6193 Z
	Add. 4-93 % above				3066/=
•	Total	ļ 			Esedo E
	PART O Non Schedule Items:		<i></i>		
	P i English Commode i/c all kinds of flush tank making	3 Nos A	25400	Each	76200
	equisite No of bolts repairing cement mortar etc complete	$ $ $ $ $ $ $ $ $ $	1 1	İ	/2
	(imported make). S.F. shower mixture set with SS rain shower necessary.	3-Nos	ļ	\ \ Eardh	
	strang coated complete in all respect (imported make).	, 2-1402	204001	Liston	6130015
	12/1 Wash Basin with Pedestal etc complete in all respect	4-Nos	12/2/21	 Each	
1	(imported make)		1475/		495001
•	S/I Wash Basin mixture of superior quality with CP head	5-Nos	Seey.	Eaut	49800/5 49800/5 49800/5
	of the (imported make)	·	N366/-	$T \subseteq \mathbb{R}$	43500T=
	Total			, — ·	2297001
	G Total Rs,				delicit
	Say	<u> </u>	<u> </u>	i	70001/=

TERMS AND CONDITION

- Any typographical errors in the schedule B are subject to the correction with Reference to the Schedule of rate General 2012 enforced from 12.07.2012 as Approved by the S.R.C., Sindh Karachi
- 2) Arbitration clause stands deleted from the agreement.
- No premium shall be paid on a Non schedule items.
- 4) 100% WELL Graded crushed bajri shall be used in items of work without any extra payment
- to. No Any items of exviceed then the Quantity Provided in the Schedule B without Prior of the Executive Engineer.

6. All sample of items should be got approved by the Executive Engineer.

(SALEEM ALI KHOWAJA)

Executive Engineer, Provincial Buildings Division No. 1, Warschi.

ASSISTANT ENGINÉER
PROVINCIAL BUILDINGS SUB DIVISION-I
KARACHI.

CONTRACTOR



SINDH PUBLIC PROCUREMENT REGULATORY AUTHORITY

CONTRACT EVALUATION FORM

TO BE FILLED IN BY ALL PROCURING AGENCIES FOR PUBLIC CONTRACTS OF WORKS, SERVICES & GOODS

1)	NAME OF THE ORGANIZATION / DEPTT	T. Works and Services Department					
2)	PROVINCIAL / LOCAL GOVT./ OTHER	Provincial.					
3)	TITLE OF CONTRACT	Provincial Buildings Division No.I, Karachi.					
4)	TENDER NUMBER	N.I.T No.TC/G-55/2016-17/2199 Dated: 19-10-2016.					
5)	BRIEF DESCRIPTION OF CONTRACT	M/R to Deputy Secretary Flat No 51@ GOR Bath Island Karad					
6)	FORUM THAT APPROVED THE SCHEME	Competent Authority					
7)	TENDER ESTIMATED VALUE	Rs.5,00,000/-					
8)	ENGINEER'S ESTIMATE (For civil works only)	Rs.4,79,700/-					
9)	ESTIMATED COMPLETION PERIOD (AS I	PER CONTRACT) Two Months					
	TENDER OPENED ON (DATE & TIME)	04-11-2016 @ (2:00 P.M)					
11)	NUMBER OF TENDER DOCUMENTS SOL (Attach list of buyers)	D 4. No's					
12)	NUMBER OF BIDS RECEIVED	4. No's					
13)	NUMBER OF BIDDERS PRESENT AT THE	TIME OF OPENING OF BIDS 4 No's					
14)	BID EVALUATION REPORT (Enclose a copy)	Attached					
15)	NAME AND ADDRESS OF THE SUCCESSI	FUL BIDDER M/s. Khalii Khan & Co.					
16)	CONTRACT AWARD PRICE	Rs 4,79,033/-					
17)	RANKING OF SUCCESSFUL BIDDER IN E (i.e. 1 st , 2 nd , 3 rd EVALUATION BID).	VALUATION REPORT (i) M/s. Khalil Khan & Co.					
		(ii) M/s. Faiq Enterprises					
		(iii) M/s. A R Enterprises					
18)	METHOD OF PROCUREMENT USED: - (T	ick one)					
	a) SINGLE STAGE - ONE ENVELOPE	E PROCEDURE Domestic/ Local					
	b) SINGLE STAGE – TWO ENVELOP	É PROCEDURE X					
	e) TWO STAGE BIDDING PROCEDU	REX					
	d) TWO STAGE - TWO ENVELOPE E						
		[
	PLEASE SPECIFY IF ANY OTHER EMERGENCY, DIRECT CONTRACTIN	. METHOD OF PROCUREMENT WAS ADOPTED i.e. IG ETC WITH BRIEF REASONS					


0) WHE	THER THE PROCUREMENT WAS INCLUDED I	N ANI	NUAL PROCUREMENT PLAN?
			Yes
1) ADV	ERTISEMENT:	1	
i)	SPPRA Website (If yes, give date and SPPRA Identification No.)		S Sr. No.30190.
ii)	News Papers (If yes, give names of newspapers and dates)	Yes	
		No	
2) NATU	JRE OF CONTRACT		Dameshar Int.
WAS	THER QUALIFICATION CRITERIA INCLUDED IN BIDDING / TENDER DOCUMEN s, enclose a copy)	TS?	Yes No
WAS	THER BID EVALUATION CRITERIA INCLUDED IN BIDDING / TENDER DOCUMEN s. enclose a copy)	TS?	Yes / No
	THER APPROVAL OF COMPETENT AUTHORIT IOD OTHER THAN OPEN COMPETITIVE BIDD		
6) WAS	BID SECURITY OBTAINED FROM ALL THE BI	DDER	RS? Yes / No
	THER THE SUCCESSFUL BID WAS LOWEST E BEST EVALUATED BID (in case of Consultancies		UATED Yes No 🗸
	THER THE SUCCESSFUL BIDDER WAS TECHN PLIANT?	IICAL	LLY Yes No
	THER NAMES OF THE BIDDERS AND THEIR FIME OF OPENING OF BIDS?	QUOT	TED PRICES WERE READ OUT AT
CON	THER EVALUATION REPORT GIVEN TO TRACT?	BIDD	DERS BEFORE THE AWARD OF

OFFICE USE ONLY	Provincial Buildings Div	TOUVE NO. 1,	 .
Signature & Official Stamp of Authorized Officer	(SALEEM ALI KH Executive Eng	ineer,	
		No	
38) SPECIAL CONDITION (If yes, give Brief Descri		Yes	X
	NK GUARANTEE ETC.)?	Yes No 🗸
			ON ADVANCE PAYMENT IN
SUPPLIER'S PREMISE		VITH THE PROCU	PROCURING AGENCY TO THE REMENT? IF SO, DETAILS TO ROAD:
	RV ANV OFFICED/OF	FIGUAL OR THE R	Yes V No
35) WAS IT ASSURED B BLACK LISTED?	Y THE PROCURING	AGENCY THAT 1	THE SELECTED FIRM IS NOT
		No	
34) DEVIATION FROM QI (If yes, give detailed rea		RIA Yes	х
		No	
33) WAS THE EXTENSION (If yes, give reasons)	N MADE IN KESPONSI	Yes Yes	х
22) WAS THE EVTENOIS	N: MADE IN BESDOVS	No No	
(ii yes, give details)		Yes	X
32) ANY DEVIATION FRO	OM SPECIFICATIONS	GIVEN IN THE TE	NDER NOTICE / DOCUMENTS
		No	
31) ANY COMPLAINTS R (If yes, result thereof)	CEVED	Yes	X

SPPRA, Block. No.8, Sindh Secretariat No.4-A, Court Road, Karachi Tele: 021-9205356; 021-9205369 & Fax: 021-9206291

Print Save Reset

3/3



THIS CONTRACT AGREEMENT (hereinafter called the "Agreement") made on the 23rd day of Decemer-2016 between Executive Engineer, Provincial Buildings Division No. In Karachi (hereinafter called the "Procuring Agency") of the one part and M/s. Khalil Khan & Co. (hereinafter called the "Contractor") of the other part.

WHEREAS the Procuring Agency is desirous that certain Works, viz M/R to Deputy Secretary Flat No. 51@ GOR Bath Island Karachi, and amount of Rs.4,79,033/-(Rupees= Four Lac Seventy Nine Thousand & Thirty Three only) should be executed by the Contractor and has accepted a Bid by the Contractor for the execution and completion of such Works and the remedying of any defects therein.

NOW this Agreement witnesseth as follows:

- In this Agreement words and expressions shall have the same meanings as are]. respectively assigned to them in the Conditions of Contract hereinafter referred to.
- 2. The following documents after incorporating addenda, if any except those parts relating to Instructions to Bidders, shall be deemed to form and be read and construed as part of this Agreement, viz:
 - The Letter of Acceptance; (a)
 - (b) The completed Form of Bid along with Schedules to Bid;
 - Conditions of Contract & Contract Data; (c)
 - The priced Schedule of Prices/Bill of quantities (BOQ); (d)
 - The Specifications; and (e)
 - (f) The Drawings
- In consideration of the payments to be made by the Procuring Agency to the 3. Contractor as hereinafter mentioned, the Contractor hereby covenants with the Procuring Agency to execute and complete the Works and remedy defects therein in conformity and in all respects within the provisions of the Contract.
- 4. The Procuring Agency hereby covenants to pay the Contractor, in consideration of the execution and completion of the Works as per provisions of the Contract, the Contract Price or such other sum as may become payable under the provisions of the Contract at the times and in the manner prescribed by the Contract.

SPECIAL ADHESIVE IN WITNESS WHEREOF the parties hereto have caused this Contract Agreement to be executed on the day, month and year first before written in accordance with their respective laws.

Signature of the Contactor

(M/s. Khalil Khan & Co.) Government Contractor Signature of the Procuring Agency (SALEEM ALI KHOWAJA)
(EXBERITHEEPHIGHNEER)
Provincial Subdiring the Dir North No.1.
Karachi, Karachi.

Signed, Sealed and Delivered in the presence of:

Witness:

(M/s. Khan Associates) Government Contractor

Witness:

(M/s. R. Irfan Builders) Government Contractor



OFFICE OF THE EXECUTIVE ENGINEER, PROVINCIAL BUILDINGS DIVISION NO. I, KARACHI.

Barrack No.18, Block 4-A, Sindh Secretariat Saddar Karachi Ph: 021-99203183

No. TC/G-55/W.O/2865

Karachi dated: 23/12/2016

To.

M/s. Khalil Khan & Co, Government Contractor,

Karachi.

Subject: -

WORK ORDER.

M/R TO DEPUTY SECRETARY FLAT NO. 51@ GOR BATH ISLAND KARACHI.

Reference: -

This office "Letter of Acceptance" No.TC/G-55/PBD-I/2856 dated: 23-12-2016.

With reference to the above cited letter No, you are now requested to start to work within 07 days after the issuance of this letter.

The work will be started under the supervision of Assistant Engineer, Provincial Buildings Sub Division No.1, Karachi. The time for completion of this work is 02-Months from the date of start of work.

(SALEEM ALI KHOWAJA)

EXECUTIVE ENGINEER

Provincial Baildings Division No. I,

Karachi.

Copy forwarded with compliments for information to:-

- The Superintending Engineer, Provincial Buildings Circle, Karachi with reference to this office letter No. Quoted above.
- ii) The Assistant Engineer, Provincial Buildings Sub-Division No.I, Karachi. He should ensure that no extra item and excess quantity over Schedule B is carried out unless specific permission is accorded from the competent authority. He is also required to report the actual date of start of the work and to submit physical progress in un-ambiguous manner with current financial consumption accordingly.

There should be no change in the specification/plan/design already approved of the work at later stage. The contractor's signature on the plan and design must be taken in their acceptance. Departure from this will make the Assistant Engineer responsible for the change made if any.

He should also ensure that the individual quantity of the items provided in the Estimate / Schedule-B do not exceed, failing which he shall be held responsible for violation.

D.A/as above
True copy of Schedule – B.

VEXECUTIVE ENGINEER
Provincial Buildings Division No. 1.

Karachi .

SCHEDULE B.

NAME OF WORK:- S/R to Deputy Secretary Flat No. 51, at GOR Bath Island Karachi.

DISCRAPTION OF ITEMS	QTY	RATE	UNIT	AMOUNT
Dismantling of glazed or encaustic tiles (S.NO.55/13)	223.24	786/50	- % síi	
P/f deodar wooden ward rob i/c boxing with back shaves shutters drawers, and brass fitting such as handles locking arrangement hanger rod shoe rod and in iror measuring 2'x1' complete as per approved design (S.I.NO 24-p/61)	114.00 Sft	2364/63	P. Şit	269567
Providing and Fixing approved quality mortise lock.(S I.NO.21/60).	6-Nos	1786/13	Each	107/16
Total A	;	\ æ	E pour	= 282038
Part B Schedule Item:				
P/F in position doors & windows and ventilators of first class decdar wood frame 1-1/2" thick and teak wood ply shutters of first class decdar wood skeleton hollow solid stilled ply wood stilled and nails core of portal wood and teak ply wood 3 ply on both sides i/c hold fasts hinges aldrop iron tower bolts handles cleats with cords etc complete (\$ 1.51/64) (Without chowkats (1245/76(-)376/86=875/13).	56 00	875/13	P _y Sft	49037
Total/		· · · · · · · · · · · · · · · ·		49007
Less 20.10 % Below Total 8.				9850/
Part C, W/S & S/F				34157
S/F Bath accessories set (7-pieces) i/c towel rod brush nelder soap tray shelf of approved quality and design etc. complete (sti-No. 22/19)	1-N6	10322/40	Each	103227
	1-No.	3432/-	Each	13754 6 73/=
PARTO, N.S.I.				14427
P.d. rancy type porcelain floor & dadotiles 12"x20"x3/8"thickasapproved size specified approved quality/make / design & color i/c laying with band solution sand mortar i/c jointing with white dement/matching grouted i/c washing of tiles i/c cutting at tile to proper profile i/c all respect labor & required necessary material as directed by he Engineer in	223,24	309/=	P. Sit	6898
i charge etc complete.(Imported make.) Providing and fixing cPVC pipe ½ is including cutting muching and jointing with switch pest with special approved quality including all cost of labour as directed by the engineer in charge etc complete.	40-R11 A	84/=	P.A.	3360)
Providing and fixing U PVC pipe 4"dadex or equaling ting making and jointing with switch pest with special approved quality including all cost of labor as directed by the engineer in charge etc complete.	2048ft (251/=	. इ.सर्ग	5020
P/F UPVC Fitting 4" dia etc.	₹			1
Yinge 4'	1-Nos	1100%	Each	1/20%

- CAU,

Plain pend	4-Nos	940/= Each	3760/2
Plug tee	1-Nos	1000/= Each	10001
9.F. English Commode i/c all kinds of flush tank making requisite No of bolts repairing cement mortar etc complete (Imported make)	1-Nos	2240/ Facin	224007:
P/F tee stop cock of superior quality with CP head ½"dia (Imported make)	3-Nós	23807 Each	7/40/2
S7/F shower mixture set with SS rain shower necessary fitti8ng coated complete in all respect (Imported make).	1-Nos	20450 Each	20450/
S/F Wash Basin mixture of superior quality with CP head 4"dia (Imported make)	1-Nos	8 Soot Facil	8500/2
Pil stainless steel floor trap jalli imported make.	2-Nos	840/2/ Each	1680%
Total D			143411/=
'G' Total Rs,	<u>'</u>		479033/=
			11/009-

TERMS AND CONDITION

- Any typographical errors in the schedule B are subject to the correction with Reference to the Schedule of rate General 2012 enforced from 12.07.2012 as Approved by the S.R.C., Sindh Karachi.
- Arbitration clause stands deleted from the agreement.
- 33 No premium shall be paid on a Non schedule items.
- 100% WELL Graded crushed bajri shall be used in items of work without any extra payment
- No Any items of exviceed then the Quantity Provided in the Schedule B without Phonof the Executive Engineer.

All sample of items should be got approved by the Executive ⊈ngineer

(SALBEM ALI KHOWAJA) Executive Engineer,

Provincial Buildings Division No. 1, // Karachi

ASSISTANT ENGINEER PROVINCIAL BUILDINGS SUB DIVISION-1

6

SINDH PUBLIC PROCUREMENT REGULATORY AUTHORITY

CONTRACT EVALUATION FORM

TO BE FILLED IN BY ALL PROCURING AGENCIES FOR PUBLIC CONTRACTS OF WORKS, SERVICES & GOODS


1)	NAME OF THE ORGANIZATION / DEPTT.	Works and Services Department		
2)	PROVINCIAL / LOCAL GOVT./ OTHER	Provincial.		
3)	TITLE OF CONTRACT	Provincial Buildings Division No.I, Karachi.		
4)	TENDER NUMBER	N.I T No.TC/G-55/2016-17/2199 Dated: 19-10-2016.		
5)	BRIEF DESCRIPTION OF CONTRACT	M&R of DS Flat No.39-A @ GOR, Bath Island, Karachi (Reside		
6)	FORUM THAT APPROVED THE SCHEME	Competent Authority		
7)	TENDER ESTIMATED VALUE	Rs.4,00,000 <i>l</i>		
8)	ENGINEER'S ESTIMATE (For civil works only)	Rs 3,98,600/-		
9)	ESTIMATED COMPLETION PERIOD (AS P	ER CONTRACT) Two Months		
	TENDER OPENED ON (DATE & TIME)	04-11-2016 @ (2:00 P.M)		
11)	NUMBER OF TENDER DOCUMENTS SOLI (Attach list of buyers)	3. No's		
12)	NUMBER OF BIDS RECEIVED	3. No's		
13)	NUMBER OF BIDDERS PRESENT AT THE	TIME OF OPENING OF BIDS 3. No's		
14)	BID EVALUATION REPORT (Enclose a copy)	E OF OPENING OF BIDS 3. No's Attached		
15)	NAME AND ADDRESS OF THE SUCCESSE	UL BIDDER M/s. BMH Enterprises.		
16)	CONTRACT AWARD PRICE	Rs.3,98,245/-		
17)	RANKING OF SUCCESSFUL BIDDER IN EX (i.e. 1 st , 2 nd , 3 rd EVALUATION BID).	VALUATION REPORT (i) M/s. BMH Enterprises		
		(ii) M/s Khan Associates		
		(iii) M/s. R. Irfan Builders		
18)	METHOD OF PROCUREMENT USED : - (Ti	ck one)		
	a) SINGLE STAGE – ONE ENVELOPE	PROCEDURE Domestic Domestic/ Local		
	b) SINGLE STAGE – TWO ENVELOPS	E PROCEDURE X		
	e) TWO STAGE BIDDING PROCEDUR	REx		
	d) TWO STAGE - TWO ENVELOPE B	IDDING PROCEDURE		
		X		
	PLEASE SPECIFY IF ANY OTHER EMERGENCY, DIRECT CONTRACTIN	METHOD OF PROCUREMENT WAS ADOPTED i.e. G ETC WITH BRIEF REASONS		

19)	APPRO	VING AUTHORITY FOR AWARD OF CONTR	ACT _	Procurement Committee
20)	WHETE	HER THE PROCUREMENT WAS INCLUDED I	N ANI	NUAL PROCUREMENT PLAN? Yes No No No No No No No No No N
21)	ADVER	RTISEMENT :		
	i)	SPPRA Website (If yes, give date and SPPRA Identification No.)	Yes No	Sr No.30190.
	ii)	News Papers (If yes, give names of newspapers and dates)	Yes	х
			No	
22)	NATUR	RE OF CONTRACT		Domestor Int.
	WAS IN	HER QUALIFICATION CRITERIA NCLUDED IN BIDDING / TENDER DOCUMEN enclose a copy)	TS?	Yes No 🗸
	WAS IN	HER BID EVALUATION CRITERIA NCLUDED IN BIDDING / TENDER DOCUMEN enclose a copy)	TS?	Yes / No
!5)		HER APPROVAL OF COMPETENT AUTHORIT DD OTHER THAN OPEN COMPETITIVE BIDD		AS OBTAINED FOR USING A Yes No
(6)	WAS B	ID SECURITY OBTAINED FROM ALL THE BI	DDER	RS? Yes V No
?7)		HER THE SUCCESSFUL BID WAS LOWEST E EST EVALUATED BID (in case of Consultancies		ATED Yes No
28)	WHETE COMPL	HER THE SUCCESSFUL BIDDER WAS TECHN LIANT?	IICAL	LY Yes No
-		HER NAMES OF THE BIDDERS AND THEIR ME OF OPENING OF BIDS?	QUOT	TED PRICES WERE READ OUT AT Yes No
	CONTR		BIDD	ERS BEFORE THE AWARD OF
	(Attach	copy of the bid evaluation report)		Yes / No

31) ANY COMPLAINTS RECEIVED	Yes	<u></u>
(If yes, result thereof)	163	x
	No	
32) ANY DEVIATION FROM SPECIFICATIONS GIV	ER NOTICE / DOCUMENTS	
(If yes, give details)	Yes	×
	No	
33) WAS THE EXTENSION MADE IN RESPONSE TI (If yes, give reasons)	ME? Yes	x
34) DEVIATION FROM QUALIFICATION CRITERIA	No .	
(If yes, give detailed reasons.)	Yes	×
	No	
35) WAS IT ASSURED BY THE PROCURING AGE BLACK LISTED?	ENCY THAT TH	Yes No No
36) WAS A VISIT MADE BY ANY OFFICER/OFFIC SUPPLIER'S PREMISES IN CONNECTION WIT BE ASCERTAINED REGARDING FINANCING O (If yes, enclose a copy)	H THE PROCURE	MENT? IF SO, DETAILS T
37) WERE PROPER SAFEGUARDS PROVIDED ON THE CONTRACT (BANK GUARANTEE ETC.)?	n mobilizatioi	Yes No V
38) SPECIAL CONDITIONS, IF ANY (If yes, give Brief Description)	Yes	х
	No	
Signature & Official Stamp of (SALEEM ALI KHOW Authorized OfficerExecutive Engineer	:r, ·	
Fromicial Buildings Division	n No. 1.	

<u>SPPRA, Block. No.8, Sindh Secretariat No.4-A, Court Road, Karachi</u> Tele: 021-9205356; 021-9205369 & Fax: 021-9206291

Print Save Reset



FORM OF CONTRACT AGREEMENT

11/ip

THIS CONTRACT AGREEMENT (hereinafter called the "Agreement") made on the 23rd day of Decemer-2016 between Executive Engineer, Provincial Buildings Division No.I, Karachi (hereinafter called the "Procuring Agency") of the one part and M/s. BMH Enterprises (hereinafter called the "Contractor") of the other part.

WHEREAS the Procuring Agency is desirous that certain Works, viz M&R of DS Flat No.39-A @ GOR, Bath Island, Karachi (Residence of Mr. Muhammad Yaqoob Mangrio, Deputy Secretary, Finance Department), and amount of Rs.3,98,245/- (Rupees=Three Lac Ninety Eight Thousand Two Hundred & Forty Five only) should be executed by the Contractor and has accepted a Bid by the Contractor for the execution and completion of such Works and the remedying of any defects therein.

NOW this Agreement witnesseth as follows:

- 1. In this Agreement words and expressions shall have the same meanings as are respectively assigned to them in the Conditions of Contract hereinafter referred to.
- 2. The following documents after incorporating addenda, if any except those parts relating to Instructions to Bidders, shall be deemed to form and be read and construed as part of this Agreement, viz:
 - (a) The Letter of Acceptance;
 - (b) The completed Form of Bid along with Schedules to Bid;
 - (c) Conditions of Contract & Contract Data;
 - (d) The priced Schedule of Prices/Bill of quantities (BOQ);
 - (e) The Specifications; and
 - (f) The Drawings
- 3. In consideration of the payments to be made by the Procuring Agency to the Contractor as hereinafter mentioned, the Contractor hereby covenants with the Procuring Agency to execute and complete the Works and remedy defects therein in conformity and in all respects within the provisions of the Contract.
- 4. The Procuring Agency hereby covenants to pay the Contractor, in consideration of the execution and completion of the Works as per provisions of the Contract, the Contract Price or such other sum as may become payable under the provisions of the Contract at the times and in the manner prescribed by the Contract.

IN WITNESS WHEREOF the parties hereto have caused this Contract Agreement to be executed on the day, month and year first before written in accordance with their respective laws.

Signature of the Contactor

(M/S.BMH Enterprises)
Government Contractor

Signature of the Procuring Agency (SALEEM ALI KHOWAJA)

(EXECUTIVE ENGINEER)
Province Bulding Division No.1, No.1,
Karachi /// Karachi.

Signed, Sealed and Delivered in the presence of:

Witness:

43 E 1

(M/s. Hussain Mustafa & Co.)
Government Contractor

Witness:

(M/s. A.R Enterprises)
Government Contractor



OFFICE OF THE EXECUTIVE ENGINEER, PROVINCIAL BUILDINGS DIVISION NO. I, KARACHI.

Barrack No.18, Block 4-A, Sindh Secretariat Saddar Karachi Ph: 021-99203183

No. TC/G-55/W.O/2866

Karachi dated: 23/12/2016

To.

M/s. BMH Enterprises, Government Contractor,

Karachi.

Subject: -

WORK ORDER.

M&R OF DS FLAT NO.39-A @ GOR, BATH ISLAND, KARACHI (RESIDENCE OF MR. MUHAMMAD YAQOOB MANGRIO, DEPUTY SECRETARY, FINANCE

DEPARTMENT).

Reference: -

This office "Letter of Acceptance" No.TC/G-55/PBD-I/2857 dated: 23-12-2016.

With reference to the above cited letter No, you are now requested to start to work within 07 days after the issuance of this letter.

The work will be started under the supervision of Assistant Engineer, Provincial Buildings Sub Division No.1, Karachi. The time for completion of this work is 02-Months from the date of start of work.

(SALEEM ALI KHOWAJA)

EXECUTIVE ENGINEER

Provincial Buildings Division No. I,

Karachi,

Copy forwarded with compliments for information to:-

- i) The Superintending Engineer, Provincial Buildings Circle, Karachi with reference to this office letter No. Quoted above.
- ii) The Assistant Engineer, Provincial Buildings Sub-Division No.I, Karachi. He should ensure that no extra item and excess quantity over Schedule B is carried out unless specific permission is accorded from the competent authority. He is also required to report the actual date of start of the work and to submit physical progress in un-ambiguous manner with current financial consumption accordingly.

There should be no change in the specification/plan/design already approved of the work at later stage. The contractor's signature on the plan and design must be taken in their acceptance. Departure from this will make the Assistant Engineer responsible for the change made if any.

He should also ensure that the individual quantity of the items provided in the Estimate / Schedule-B do not exceed, failing which he shall be held responsible for violation.

D.A/as above

True copy of Schedule - B.

V EXECUTIVE ENGINEER

provincial Buildings Division No. 1,

Karachi.

AME OF WORK: -

S/R to Deputy Secretary Flat No. 39-A, at GOR Bath Island Karachi.

s.no.	DESCRAPTION OF ITEMS	QUTY	RATE	UNIT	AMOUNT
1	Providing Anti-termite treatment by spraying / sprinkling /spreading Neptachlar 0.5% Emulsion as an overall preconstruction treatment in slab type construction under	1632.95 Sh	9/74	% sft	15905
	the slab and along attached perches or entrance etc, complete as per directions of E.I. (s.i.No.92/109)	!			
2	P/F deodar wooden ward rob i/c boxing with back shaves shutters drawers, and brass fitting such as handles locking arrangement hanger rod shoe rod and	161.86 S/N	2364/63	P. Sft	382739
!	mirror measuring 2'x1' complete as per approved design (S.I.NO 24-p/61)	C	41		
	Total		Cen	1:0.10/	398644/
	Say	1			359/-

TERMS AND CONDTION

- 1) Any typographical errors in the schedule B are subject to the correction with Reference to the Schedule of rate General 2012 enforced from 12.07.2012 as Approved by the S.R.C, Sindh Karachi
- 2) Arbitration clause stands deleted from the agreement.
- No premium shall be paid on a Non schedule items.
- 4) 100% WELL Graded crushed bajri shall be used in items of work without any extra payment
- No Any items of exviceed then the Quantity Provided in the Schedule B without Prior of the Executive Engineer.

6. All sample of items should be got approved by the Executive Engineer.

ASSISTANT ENGINEER PROVINCIAL BUILDINGS SUB DIVISION-I

KARACHI.

(SALÉEM AĽI KHOWAJA)

Executive Engineer,

Provincial Belildings Division No. 1,